Al at the Edge of IoT

Dr. L S Jayashree
Professor, Dept of CSE
PSG College of Technology
Coimbatore



The agenda


- The IoT Data Processing Architecture
- Types of IoT Data Analytics
- Cloud Analytics vs Edge Analytics
- Why Edge Computing?
- The Hardware and Software Enablers of Edge Computing



- differei
- •networking of physical devices
 - Ex: traffic light in smart city

Physical things + computing + connectivity + sensors + actuators = IoT

IoT Analytics- A Broad Picture



Why IoT?



Physical things can sense, communicate and collaborate creating a greater intelligent outcome to bring more value to the users of those things

Users

- Monitor & control devices remotely
- Use efficiently
- Service life of things can extend
- Improved experience through collaboration of things
- Autonomy of things

Manufacturers / Administrators

- Real-time insights into device location, condition, usage and performance
- Open new opportunity to monetize value added services around product usage
- Ability to improve future products
- Infield product upgrades for extended lifecycle


Broad Categories

- •Consumer IoT Smart home, Smart buildings
- •Industrial IoT machines in a particular industry gets connected Ex: Medical equipments can be controlled and monitored
- •Civic IoT smart public services like transportation, smart grid etc..

Consumer IoT

Industrial IoT


Civic IoT



What does it take?

- Sensors / Actuators
- •Single Board Computers, SoCs
- •Embedded programming
- •Intelligent Devices (mobile)
- Internet
- Cloud computing
- •Big Data
- Analytics
- Artificial Intelligence


ARCHITECTURE




Challenges

- Security
- Privacy
- Interoperability
- Over-the-air upgrades
- •Huge data volumes (data intensive)
- •Real-time actionable insights
- Complex event processing
- Standardization has not kept pace with growth


Data Volumes



How to draw insights??



Insights in Centralized IoT



Data Processing challenges


- •Intermittent Connection
- •Insufficient Bandwidth
- Delayed (No) actions
- •No real-time insights
- Security & Compliance
- •High Latency
- •Perishable data (data loses its value when not used appropriately)



Solution – Edge / Fog Computing

Centralized cloud-based processing


All raw data from things flows to cloud




De-centralized processing

Move processing close to the data source


Selected data and insights flow to cloud





- Availability of higher computing power and storage for lesser cost
- Cost of development and form factor of the embedded devices continue to drop.
- Ever growing volume of data from the world around us
- Availability of advanced machine learning and data analytics techniques

Advantages of de-centralized approach



Capabilities needed at the edge

- Compactness
- •Ruggedness for out-door, harsh environmental conditions (shock, temperature ..)
- Security
- •Remote administration, monitoring and control
 - Software updates
- Modularity for easy subsystem replacement
 - Device upgrades

The HARDWARE ENABLERS OF EDGE COMPUTING

Processors & Accelerators

Micro Data Centers

Converged Systems Compute + Storage + Network

Advanced SoCs powerful enough to run full-fledged OS + complex algorithms

5G, SDN, NFV

Complete Edge Software Stack with Analytics / Machine Learning Libraries

PROCESSORS & System on chips



E5 – 8 cores, 3.8 GHz, 135 W

E3 – 4 cores, 3.5 GHz, 80 W


D-16 cores, 1.3 GHz, 45 W



1-8 cores, 1.9 GHz, 2 - 20 W




32 - 400 MHz, 0.025 W to 2.2 W



M-1 to 2 cores, 400 - 800Hz, 2+ W

A V8 - 4 cores, 2.5 GHz, 2+ W



ACCELERATORS

FPGA




- Reprogrammable for new problems of ever-shifting technologies and business models
- Up to 1500 GFLOPs still less energy-hungry
- Used in Intel's driver-less cars platform
- Neural network execution for Bing and in Azure

Advantages of FPGA over GPUs

- (1) provides a consistent throughput, invariant to the size of application workload
- (2) offer both spatial and temporal parallelism
- (3) FPGAs feature 3 4 times lower power consumption and up to 30 times better energy efficiency

Some use cases



ASIC (Application Specific Integrated Circuits)

•Google's Tensor Processing Unit (TPU)



- •15 to 30 times faster neural networks in less power
- Saved Google cost of 15 new data centres
- •Costly, permanent in nature, not reprogrammable
- •Google, Facebook need AI chip on personal devices to run neural networks

Converged Infrastructure for Edge Devices

- •Compute, storage, network and virtualization components grouped together in a package
- Compact in size
- Rugged for harsh edge conditions
- Optimized for low energy consumption
- •Engineered to optimize performance and cost
- •Ready to commission

Converged Servers for Gateway





- Intel Xeon D / E3 @ 1.3 to 3.5 GHz
- 4 32 cores
- 64 512 GB RAM
- Workstation class GPU
- IU form factor
- Upto 4 TB storage
- 10 40 Gbps network
- -45 100 W

Compute for Things-to-Cloud

Microcontrollers

SoC

Gateway

server

Micro Data Cente





Small size, low power low cost

High performance apps like DSP (Digital Signal Processing), sensor fusion, motor control teritoritari



Server class SoC with ARMv8 64 bit

54 cores 3.0 GHz Upto 1 TB memory 100 Gbps I/O bandwidth 10 to 100 GbE

Integrated hardware accelerators for security, storage, networking and virtualization Pain L. J. Fr.

Intel Atom / i5 dual-core

1.46 / 1.9 GHz On-board GPU 4 - 8 GB RAM 32 - 64 GB SSD 1U / 2U form factor

Rugged for harsh edge

- 61023

Intel E5-26xx V4 family

64 to 176 cores 32GB to 2TB RAM 9.6 - 460 TB storage 12M+ IOPS, 60GB/s transfer rate

2U (H 3.5" x W 17.25" x L 36.5")

Rugged for harsh edge



10s of processors in a single 19in 15U to 30U rack

Rapidly deployable indoor, outdoor

Designed to withstand in rugged, high risk zones

Data Centers @ Edge

Micro data center



Standalone rack-level systems

Contain all of 'traditional' data center in one box

Designed for specific set of workloads

Modular data center



A modular data center connected to the power grid at a utility substation

Modules can be shipped to be added, integrated or retrofitted as required

Portable data center



Portable modular datacenter

20 to 40 feet container size

Complete IT infrastructure in a shipping container.

Storage



1 TB SSD M.2 U form factor



IBM Tape 330 TB Palm size



Transfer Rates

HDD – 120-150 MB/s SSD – 500-600 MB/s **Interface Comparison**



150 - 600 MB/s

Queues: 1 Q Depth: 32



750 MB/s

Queues: 1 Q Depth: 254



1 to 3GB/s

CPU cycles: 50+% less

Queues: 65000 Q Depth: 65000

Software @ Edge






















Cloud Stack

Business specific IoT applications Spork Masin.io Microservices thingworx. ASIC FPGA

Edge Stack



Things Stack


Business specific IoT applications mbed IoT ARM mbed android things (intel) (intel) ARTIK" arm

Challenges at Edge

- •Replication of data when, what, how
- Security at resource constrained edge devices
- Storage limitations
- •Creating analytical model in one place and executing it in multiple places
- Creation and exchange of ML model within nodes
- Complexity Management
- •Peer-to-peer communication requires mature standards
- Dependent in progress in communication network and related infrastructure



An overview of Tiny ML









Foundations and Applications of TinyML

• TinyML: Emerging area where ultra large powerful ML models are converted into executables for embedded systems that are battery operated and mostly well beyond the operation capacity of the smart phones (e.g., microcontrollers)






Source:

https://towardsdatascience.com/tiny-machine-learning-the-next-ai-revolution-495c26463868

Foundations and Applications of TinyML

TinyML is real-time processing of time-series data that comes directly from




Source:

https://www.tinyml.org/about/

Foundations and Applications of TinyML

• TinyML has applications in agriculture, health, retail, energy industry, and



Plant disease classification with TensorFlow Lite on Android

Source: https://yannicksergeobam.medium.com/plant-diseaseclassification-with-tensorflow-lite-on-android-part-2-c2d47371cea



Solar Scare Mosquito: A solar-operated device that sits on stagnant water to create air bubbles at regular intervals to avoid the breeding of mosquitoes

Source: https://theindexproject.org/award/nominees/6558




TinyML for keeping an eye on the inventory of goods on the shelf in retail establishments and sending out warnings when it runs low

Source:


42


https://<u>www.supermarketnews.com/store-</u> design-construction/amazon-go-goes-smaller

A Schematic View of ML and Its Phases




A Schematic View of TinyML and Its Phases





TensorFlow (TF) and TFLite Workflow for TinyML



Source: 46

https://leonardocavagnis.medium.com/tinyml-machine-learning-for-embedded-system-part-i-92a34529e899

