CS/B.TECH/CSE/EVEN/SEM-6/CS-601/2015-16



MAULANA ABUL KALAM AZAD UNIVERSITY OF TECHNOLOGY, WEST BENGAL

Paper Code: CS-601

DATABASE MANAGEMENT SYSTEM

Time Allotted: 3 Hours

Full Marks: 70

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

GROUP - A (Multiple Choice Type Questions)

1. Choose the correct alternatives for the following:

 $10 \times 1 = 10$

- i) Overall logical structure of a database can be graphically represented by
 - a) ER diagram
- b) Records
- c) Hierarchy
- d) Relation.
- ii) Which key cannot be null?
 - a) Unique key
- b) Primary key
- c) Super key
- d) Foreign key.
- iii) Relational calculus is a
 - a) Query language
 - b) Procedural language
 - c) Non-procedural language
 - d) None of these.

6/60102

[Turn over

CS/B.TECH/CSE/EVEN/SEM-6/CS-601/2015-16 *

iv)	2 NF	2 NF is based on			
	a)	full dependency			
	b)	transitive dependency			
	c)	c) functional dependency			
	d)	partial dependency			
v)	The information about data in a database is o				
	a)	Meta data	b)	Hyper data	
	c)	Tera data	d)	None of these.	
vi)	A row from a table is selected by				
	a)	selection operator			
	b)	projection operator			
	c)	union operator			
	d)	none of these.			
vii)	Which data type can store unstructured data?				
<i>#</i>	a)	Raw	b) ::	Char	
	c)	Numeric	d)	Varchar.	
viii)	A normal form in which every non-prime attribution is fully dependent on prime attribute is				
	a)	1 NF	b)	2 NF	
	c)	3 NF	d)	BCNF.	
ix)	Serializability of concurrent transaction is ensured				
10	by				
	a)	locking	b)		
	c)	both (a) and (b)	d)=	none of these.	
x)					
	a)	ACID properties			
	b) Starvation propertiesc) Preemption properties				
	d) Non-preemption properties.				
6/60100		2			
6/60102		2			

GROUP - B

(Short Answer Type Questions)

Answer any three of the following What is Data dictionary? What do you mean by unary

- 2. operations in Relational algebra? Give example.
- Explain two-phase locking protocol. 3.
- Consider the relation $R = \{A, B, C, D, E, F, G, H. I, J\}$ 4. and the set of functional dependencies:

$$F = \{AB \rightarrow C, A \rightarrow DE, B \rightarrow F, F \rightarrow GH, D \rightarrow U\}$$

Decompose R into 3 NF.

- Discuss the different levels of views. 5.
- What is Weak entity set? Explain with suitable example.

GROUP - C

(Long Answer Type Questions)

Answer any three of the following. $3 \times 15 = 45$

- Draw the ER diagram of a hospital management 7. system and explain.
 - b) Consider the relation $R = \{A, B, C, D, E\}$ and the set of functional dependencies:

$$F = \{ AD \rightarrow B, B \rightarrow C, C \rightarrow D \}$$

Find out the candidate key.

10 + 5

 $3 \times 5 = 15$

- What do you mean by transaction? Explain the 8. transaction states.
 - Explain log based recovery and checkpoints. b)
 - What do you mean by shadow paging? c)
 - What do you mean by deadlock handling? Explain 6 + 4 + 2 + 3in detail.

Turn over

CS/B.TECH/CSE/EVEN/SEM-6/CS-601/2015-16

Consider the employee database :

Employee (emp_name, street, emp_id)

Works (emp_name, company_name, salary)

Company (company_name, city)

Manages (emp_name, manager_name)

Write the appropriate SQL statement on the basis of the above table :

- a) Find the names and cities of residence of all employees who work for the UBI.
- b) Find the names, street addresses and cities of residence of all employees who work for the UBI and earn more than Rs. 50,000.
- c) Find all employees in the database who do not work for UBI.
- d) Find the 2nd highest salary for employees in UBI.
- e) Find the company that has the most employees.

 5×3

- 10. a) What are the advantages of normalization?
 - b) How does BCNF differ from 3rd normal form?
 - c) Explain the ACID properties of transactions.

5 + 5 + 5

11. Write short notes on any three of the following:

 $3 \times 5 = 15$

- a) File indexing
- b) B+ tree
- c) Advantages of DBMS
- d) Database models
- e) Inner join and Outer join.

ach ire ire

и**о**ос Эсец

idos

6/60102

4