PAST YEAR FREQUENCY OF USE

(HALLUCYFQ) IIHALLUCYFQ	Len: 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 2078 67 221 163 56540	Pct 3.52 0.11 0.37 0.28 95.72
(INHALYFQ) IRINHALYFQ	Len: 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 337	Freq 720 53381	Pct 1.22 90.37
(INHALYFQ) IIINHALYFQ	Len: 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 611 60 160 136 58102	Pct 1.03 0.10 0.27 0.23 98.36
(METHAMYFQ) IRMETHAMYFQ	Len: 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED RANGE = 1 - 365	Freq 514 56393 2162	Pct 0.87 95.47 3.66
(METHAMYFQ) IIMETHAMYFQ	Len: 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 471 24 70 28 58476	Pct 0.80 0.04 0.12 0.05 99.00

PAST MONTH FREQUENCY OF USE

NOTE: The term "P	ast Month Frequency" is interchangeable with the term "30-Day Frequency".		
(CG30EST, CIG30UX IRCIGFM	SE) Len: 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 30	7215 34135 17719	12.21 57.79 30.00
(CG30EST, CIG30U) IICIGFM	SE) Len: 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR	-	.
	1 = Questionnaire data	Freq 7166 36 23	Pct 12.13 0.06 0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	51844	87.77
(CG30EST, CIG30U) II2CIGFM	SE) Len: 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	7166 36	12.13
	4 = Statistically imputed data - lifetime use known	23	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	51844	87.77
(CGR30USE, CI30ES IRCGRFM	ST) Len: 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED	F	D-4
	RANGE = 1 - 30	Freq 2135	Pct 3.61
	91 = NEVER USED CIGARS	44026	74.53
	93 = DID NOT USE CIGARS PAST MONTH	12908	21.85
(CGR30USE, CI30ES IICGRFM	ST) Len: 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	2116	3.58
	2 = Logically assigned data	16 30	0.03
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56907	96.34
(CGR30USE, CI30ES	ST) Len: 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
<u>HZCORFWI</u>	Leii. 1 CIOAR FREQUENCT FAST MONTH-DETAILED IMPOTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	2116 16	3.58 0.03
	3 = Statistically imputed data - lifetime use imputed	15	0.03
	4 = Statistically imputed data - lifetime use known 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	15	0.03
		56907	96.34
(SMKLSS30E, SMKL IRSMKLSS30N	Len: 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 30	1205 52127	2.04 88.25
	93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH	5737	9.71
(SMKLSS30E, SMKL			
IISMKLSS30N	Len: 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	1193	2.02
	2 = Logically assigned data	9 24	0.02 0.04
	4 = Statistically imputed data - lifetime use known	9 57924	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	57834	97.91

Codebook Creation Date: 10/19/2023191

(NICVAP30N) IRNICVAP30N	Len: 2 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION REVISED		
IKNIC VAF 30IN	Leil. 2 NICOTINE VAFING PREQUENCT FAST MONTH-INFOTATION REVISED	Freq	Pct
	RANGE = 1 - 30	6766	11.45
	91 = NEVER VAPED NICOTINE	41794	70.75
	93 = DID NOT VAPE NICOTINE PAST MONTH	10509	17.79
(MICUAD20M)			
(NICVAP30N) IINICVAP30N	Len: 1 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	6663	11.28
	2 = Logically assigned data	68	0.12
	3 = Statistically imputed data - lifetime use imputed	18	0.03
	4 = Statistically imputed data - lifetime use known	50	0.08
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	52270	88.49
(AL30EST, ALCDA			
<u>IRALCFM</u>	Len: 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED	Е	D. 4
	DANCE 1 20	Freq	Pct
	RANGE = 1 - 30	26425 17234	44.74 29.18
	93 = DID NOT USE ALCOHOL PAST MONTH	17234	26.09
	93 – DID NOT USE ALCOHOL PAST WONTH	13410	20.09
/// AOFGE // GD /	Tro.		
(AL30EST, ALCDA IIALCFM	YS) Len: 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
<u>II/IECI W</u>	Edit. 1 Aleconde Tree Quenci Triot Mottill Inflict Millor Indication	Freq	Pct
	1 = Questionnaire data	25802	43.68
	2 = Logically assigned data	115	0.19
	3 = Statistically imputed data	803	1.36
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	32349	54.76
(AL30EST, ALCDA	YS)		
II2ALCFM	Len: 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	25802	43.68
	2 = Logically assigned data	115	0.19
	3 = Statistically imputed data - lifetime use imputed	25	0.04
	4 = Statistically imputed data - lifetime use known	778	1.32
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	32349	54.76
	equency, IRALCBNG30D, is defined as the number of days in the past month on which the responder		
	same occasion for males or four or more drinks on the same occasion for females. For this variable, "o		
	a couple hours of each other. Prior to 2015, "binge" alcohol frequency was defined as the number of		
	nt reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefo ersion of this variable created from 2002-2014, IRALCD5, among males but not overall or among fen		BNG30D IS
comparable to the v	ersion of this variable created from 2002-2014, IRALCD3, among mates but not overall of among len	iaics.	
(ALCBNG30D)			
IRALCBNG30D	Len: 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
	P. Mary Co. Ac.	Freq	Pct
	RANGE = 0 - 30	26425	44.74
	91 = NEVER USED ALCOHOL	17234	29.18
	93 = DID NOT USE ALCOHOL PAST MONTH	15410	26.09
(ALCBNG30D)	Land 1 DINICE ALCOHOL EDECHIENCY DAST MONTH IMPUTATION DIDICATOR		
IIALCBNG30D	Len: 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR	Frac	Pot
	1 = Questionnaire data	Freq 25667	Pct 43.45
	1 = Questionnaire data 2 = Logically assigned data	23007 44	0.07
	3 = Statistically imputed data - recency of use imputed	604	1.02
	4 = Statistically imputed data - recency of use known	405	0.69
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	32349	54.76

(MJDAY30A, MR30 IRMJFM	EST) Len: 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED		
	DANCE - 1 20	Freq	Pct 16.47
	RANGE = 1 - 30	9730 32976	55.83
	93 = DID NOT USE MARIJUANA PAST MONTH	16363	27.70
		10303	27.70
(MJDAY30A, MR30 <u>IIMJFM</u>	(EST) Len: 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	9488	16.06
	2 = Logically assigned data	89	0.15
	3 = Statistically imputed data	330	0.56
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	49162	83.23
(MJDAY30A, MR30			
<u>II2MJFM</u>	Len: 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR	_	_
		Freq	Pct
	1 = Questionnaire data	9488	16.06
	2 = Logically assigned data	89 54	0.15
	3 = Statistically imputed data - lifetime use imputed	276	0.09 0.47
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	49162	83.23
	9 - LEUTHWATE SKIF - NOT A LIFETHWE/FAST MONTH USEK	49102	63.23
(CC30EST, COCUS IRCOCFM	30.4) Len: 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	421	0.71
	91 = NEVER USED COCAINE	52336	88.60
	93 = DID NOT USE COCAINE PAST MONTH	6312	10.69
(CC30EST, COCUS	304)		
IICOCFM	Len: 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	374	0.63
	2 = Logically assigned data	20	0.03
	3 = Statistically imputed data	89	0.15
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58586	99.18
(CC30EST, COCUS	(304) Len: 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR		
<u>II2COCFM</u>	Len: 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR	Eroa	Pct
	1 = Questionnaire data	Freq 374	0.63
	2 = Logically assigned data	20	0.03
	3 = Statistically imputed data - lifetime use imputed	24	0.03
	4 = Statistically imputed data - lifetime use known	65	0.11
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58586	99.18
(CR30EST, CRKUS			
<u>IRCRKFM</u>	Len: 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED	т.	D. 4
	PANCE - 1 20	Freq	Pct
	RANGE = 1 - 30	95 57475	0.16 97.30
	93 = DID NOT USE CRACK PAST MONTH	1499	2.54
(CR30EST, CRKUS	30.4)		
<u>IICRKFM</u>	Len: 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	92	0.16
	3 = Statistically imputed data	39	0.07
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58938	99.78

(CR30EST, CRKUS II2CRKFM	S30A) Len: 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR	Euro	Dat
	1 = Questionnaire data	Freq 92	Pct 0.16
	3 = Statistically imputed data - lifetime use imputed	30	0.05
	4 = Statistically imputed data - lifetime use known	9	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58938	99.78
(HER30USE, HR30			
<u>IRHERFM</u>	Len: 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 30	122	0.21
	91 = NEVER USED HEROIN	57898	98.02
	93 = DID NOT USE HEROIN PAST MONTH	1049	1.78
(HER30USE, HR30	DEST)		
<u>IIHERFM</u>	Len: 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1 = Questionnaire data	Freq 115	Pct 0.19
	2 = Logically assigned data	113	0.19
	3 = Statistically imputed data	65	0.11
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58888	99.69
(HER30USE, HR30 II2HERFM	DEST) Len: 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	115 1	0.19
	2 = Logically assigned data	55	0.00
	4 = Statistically imputed data - lifetime use known	10	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58888	99.69
(HALLUC30E, HA			
<u>IRHALLUC30N</u>	Len: 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED	E	D-4
	RANGE = 1 - 30	Freq 606	Pct 1.03
	91 = NEVER USED HALLUCINOGENS	49718	84.17
	93 = DID NOT USE HALLUCINOGENS PAST MONTH	8745	14.80
(HALLUC30E, HA	LLUC30N)		
IIHALLUC30N	Len: 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	564 1	0.95 0.00
	3 = Statistically imputed data - lifetime use imputed	221	0.37
	4 = Statistically imputed data - lifetime use known	177	0.30
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58106	98.37
(INHAL30ES, INH	AL30N)		
IRINHAL30N	Len: 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED	_	
	DANCE 1 00	Freq	Pct
	RANGE = 1 - 26	256 53381	0.43 90.37
	93 = DID NOT USE INHALANTS PAST MONTH	5432	9.20
(INHAL30ES, INH	AL30N)		
IIINHAL30N	Len: 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	235	0.40
	2 = Logically assigned data	4 160	0.01 0.27
	4 = Statistically imputed data - lifetime use known	134	0.27
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58536	99.10

<i>(METHAM30E, ME</i> IRMETHAM30N	CTHAM30N) Len: 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
	•	Freq	Pct
	RANGE = 1 - 30	307	0.52
	91 = NEVER USED METHAMPHETAMINE	56393	95.47
	93 = DID NOT USE METHAMPHETAMINE PAST MONTH	2369	4.01
(METHAM30E, ME			
IIMETHAM30N	Len: 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR		_
	1 = Questionnaire data	Freq 292	Pct 0.49
	2 = Logically assigned data	292	0.49
	3 = Statistically imputed data - lifetime use imputed	70	0.12
	4 = Statistically imputed data - lifetime use known	26	0.04
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	58679	99.34
(PNRNM30ES, PNI	RNM30FO)		
IRPNRNM30FQ	Len: 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED		
	· ·	Freq	Pct
	RANGE = 1 - 30	501	0.85
	91 = NEVER MISUSED PAIN RELIEVERS	54182	91.73
	93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH	4386	7.43
(PNRNM30ES, PNI	RNM30FO)		
IIPNRNM30FQ	Len: 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	482	0.82
	2 = Logically assigned data	3	0.01
	3 = Statistically imputed data - lifetime misuse imputed	228 62	0.39 0.10
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	58294	98.69
(TRQNM30ES, TRQ IRTRQNM30FQ	Len: 2 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 30	277	0.47
	91 = NEVER MISUSED TRANQUILIZERS	56918	96.36
	93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH	1874	3.17
(TRQNM30ES, TRQ			
IITRQNM30FQ	Len: 1 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR	_	
		Freq	Pct
	1 = Questionnaire data	267 4	0.45 0.01
	3 = Statistically imputed data - lifetime misuse imputed	222	0.38
	4 = Statistically imputed data - lifetime misuse known	10	0.02
	9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	58566	99.15
(STMNM30ES, STM	(NM30FO)		
IRSTMNM30FQ	Len: 2 STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1 - 30	349	0.59
	91 = NEVER MISUSED STIMULANTS	56265	95.25
	93 = DID NOT MISUSE STIMULANTS PAST MONTH	2455	4.16
(STMNM30ES, STM	(NM30FO)		
IISTMNM30FQ	Len: 1 STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	338	0.57
	2 = Logically assigned data	4	0.01
	3 = Statistically imputed data - lifetime misuse imputed	247	0.42
	4 = Statistically imputed data - lifetime misuse known9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	11 58460	0.02
	7 - LEUTTINIATE SKIR - NUT A LIFETINIE/PAST MUNTH MISUSEK	58469	98.98

(SEDNM30ES, SEDNM30FQ) Len: 2 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED IRSEDNM30FQ Freq Pct RANGE = 1 - 30..... 0.09 53 91 = NEVER MISUSED SEDATIVES 57983 98.16 93 = DID NOT MISUSE SEDATIVES PAST MONTH..... 1033 1.75 (SEDNM30ES, SEDNM30FQ) Len: 1 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR IISEDNM30FQ Pct Freq 1 = Questionnaire data 0.08 50 2 = Logically assigned data.... 0.00311 3 = Statistically imputed data - lifetime misuse imputed..... 0.53 4 = Statistically imputed data - lifetime misuse known..... 0.01 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER..... 58703 99.38

(CIGTRY) IRCIGAGE	Len: 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED RANGE = 1 - 60	Freq 24934 34135	Pct 42.21 57.79
(CIGTRY) IICIGAGE	Len: 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 24730 8 196 34135	Pct 41.87 0.01 0.33 57.79
(CIGYFU, IRCIGAC IRCIGYFU	Len: 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED RANGE = 1927 - 2022	Freq 24934 34135	Pct 42.21 57.79
(CIGYFU, IRCIGAC IICIGYFU	Len: 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 760 3 24171 34135	Pct 1.29 0.01 40.92 57.79
(CIGAGE) IRCDUAGE	Len: 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED RANGE = 2 - 60	Freq 12617 34135 12317	Pct 21.36 57.79 20.85
(CIGAGE) IICDUAGE	Len: 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 12549 74 46446	Pct 21.24 0.13 78.63
(CIGDLYFU, IRCD) IRCD2YFU	UAGE) Len: 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED RANGE = 1940 - 2022	Freq 12617 12317 34135	Pct 21.36 20.85 57.79
(CIGDLYFU, IRCD) IICD2YFU	UAGE) Len: 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 157 12466 46446	Pct 0.27 21.10 78.63
(CIGARTRY) IRCGRAGE	Len: 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED RANGE = 1 - 75	Freq 15043 44026	Pct 25.47 74.53

(CIGARTRY) <u>IICGRAGE</u>	Len: 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR	TC.	D. 4
	1 = Questionnaire data	Freq 14836	Pct 25.12
	3 = Statistically imputed data	219	0.37
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	44014	74.51
(CIGARYFU, IRCGIRCGRYFU	GRAGE) Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 1940 - 2022	15043	25.47
	9999 = NEVER USED	44026	74.53
(CIGARYFU, IRCO <u>IICGRYFU</u>	GRAGE) Len: 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	775 14280	1.31 24.18
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	44014	74.51
(SMKLSSTRY) IRSMKLSSTRY	Len: 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1 - 77	Freq 6942	Pct 11.75
	991 = NEVER USED	52127	88.25
(SMKLSSTRY)	Len: 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR		
<u>IISMKLSSTRY</u>	Len: 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	6834	11.57
	2 = Logically assigned data	1	0.00
	3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER	127 52107	0.22 88.21
) ELGITIMITE SKIL NOTA EN ETIME CSEK	32107	00.21
(IRSMKLSSTRY, S	,		
<u>IRSMKLSSYFU</u>	Len: 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED	Frag	Dot
	RANGE = 1939 - 2022	Freq 6942	Pct 11.75
	9999 = NEVER USED	52127	88.25
anal au campy a	AND COURTS		
(IRSMKLSSTRY, SI IISMKLSSYFU	MKLSSYFU) Len: 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR		
HOWHEEDS IT C	Edit. 1 Shiokeees Tobrices Territor and This 1 cold him of this is in the control of the cold him of this is the control of the cold him of this is the control of the cold him of this is the control of the cold him of this is the control of the cold him of this is the control of the cold him of this is the control of the cold him of this is the cold him of the col	Freq	Pct
	1 = Questionnaire data	290	0.49
	3 = Statistically imputed data	6672 52107	11.30 88.21
) ELOTTIVIATE SKIT - NOT A EII ETTIVIE USEK	32107	00.21
(NICVAPAGE) IRNICVAPAGE	Len: 3 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION REVISED		
HITTE TALAGE	Lett. 5 Theoring the monog of their out twit of Ation Revises	Freq	Pct
	RANGE = 1 - 80	17275	29.25
	991 = NEVER USED	41794	70.75
(NICVAPAGE) IINICVAPAGE	Len: 1 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION INDICATOR		
11.15 111 11GE		Freq	Pct
	1 = Questionnaire data	16858	28.54
	3 = Statistically imputed data9 = LEGITIMATE SKIP - NOT A LIFETIME USER	430 41781	0.73 70.73
	, EBOTTI-MITE OKI 1101 IL DI IVID CODR	71/01	10.13

(IRNICVAPAGE, NI <u>IRNICVAPYFU</u>	CVAPYFU) Len: 4 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION REVISED	Емод	Pct
	RANGE = 1950 - 2022	Freq 17275 41794	29.25 70.75
(IRNICVAPAGE, NI IINICVAPYFU	CVAPYFU) Len: 1 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	2525 14763 41781	4.27 24.99 70.73
(ALCTRY) IRALCAGE	Len: 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 89	41835 17234	70.82 29.18
(ALCTRY) IIALCAGE	Len: 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct 70.09
	1 = Questionnaire data	41394 459 17216	70.08 0.78 29.15
(ALCYFU, IRALCA) IRALCYFU	GE) Len: 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1933 - 2022	41835 17234	70.82 29.18
(ALCYFU, IRALCAC IIALCYFU	GE) Len: 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 2699	Pct 4.57
	3 = Statistically imputed data	39154 17216	66.29 29.15
(MJAGE) IRMJAGE	Len: 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 83	26093 32976	44.17 55.83
(MJAGE) IIMJAGE	Len: 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 25926	Pct 43.89
	3 = Statistically imputed data	206 32937	0.35 55.76
(IRMJAGE, MJYFU) IRMJYFU	Len: 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1948 - 2022	26093 32976	44.17 55.83
(IRMJAGE, MJYFU) IIMJYFU	Len: 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 1883	Pct 3.19
	3 = Statistically imputed data	24249 32937	41.05 55.76

(COCAGE) IRCOCAGE	Len: 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED RANGE = 1 - 70	Freq 6733 52336	Pct 11.40 88.60
(COCAGE) IICOCAGE	Len: 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 6583 98 70 52318	Pct 11.14 0.17 0.12 88.57
(COCYFU, IRCOC IRCOCYFU	Len: 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED RANGE = 1958 - 2022	Freq 6733 52336	Pct 11.40 88.60
(COCYFU, IRCOC IICOCYFU	Len: 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 258 6493 52318	Pct 0.44 10.99 88.57
(CRKAGE) IRCRKAGE	Len: 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED RANGE = 1 - 68	Freq 1594 57475	Pct 2.70 97.30
(CRKAGE) IICRKAGE	Len: 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 1579 1 43 57446	Pct 2.67 0.00 0.07 97.25
(CRKYFU, IRCRK. IRCRKYFU	AGE) Len: 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED RANGE = 1958 - 2022	Freq 1594 57475	Pct 2.70 97.30
(CRKYFU, IRCRK. IICRKYFU	Len: 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 26 1597 57446	Pct 0.04 2.70 97.25
(HERAGE) IRHERAGE	Len: 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED RANGE = 2 - 63	Freq 1171 57898	Pct 1.98 98.02

(HERAGE) IIHERAGE	Len: 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR	_	
	1 = Questionnaire data	Freq 1161	Pct 1.97
	3 = Statistically imputed data	65	0.11
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	57843	97.92
(HERYFU, IRHERA IRHERYFU	(GE) Len: 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1963 - 2022	1171	1.98
	9999 = NEVER USED	57898	98.02
(HERYFU, IRHERA IIHERYFU	(GE) Len: 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	29	0.05
	3 = Statistically imputed data9 = LEGITIMATE SKIP - NOT A LIFETIME USER	1197 57843	2.03 97.92
	9 – LEGITIMATE SKIF - NOT A LIFETIME USER	3/643	97.92
(HALLUCAGE) IRHALLUCAGE	Len: 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 73	9351 49718	15.83 84.17
	771 NEVER OSED	47/10	04.17
(HALLUCAGE) IIHALLUCAGE	Len: 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	9094 113	15.40 0.19
	3 = Statistically imputed data	353	0.60
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	49509	83.82
(HALLUCYFU, IRH IRHALLUCYFU	AALLUCAGE) Len: 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1948 - 2022	9351	15.83
	9999 = NEVER USED	49718	84.17
(HALLUCYFU, IRH IIHALLUCYFU	ALLUCAGE) Len: 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	698	1.18
	2 = Logically assigned data	8 8854	0.01 14.99
	9 = LEGITIMATE SKIP - NOT A LIFETIME USER	49509	83.82
(LSDAGE) IRLSDAGE	Len: 3 LSD AGE OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1 - 55	Freq 5502	9.31
	991 = NEVER USED	53567	90.69
(LSDAGE) IILSDAGE	Len: 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR	Frog	Pct
	1 = Questionnaire data	Freq 5413	9.16
	2 = Logically assigned data	127	0.00
	3 = Statistically imputed data9 = LEGITIMATE SKIP - NOT A LIFETIME USER	137 53518	0.23 90.60

(IRLSDAGE, LSDYI IRLSDYFU	FU) Len: 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED		
	RANGE = 1960 - 2022	Freq 5502 53567	Pct 9.31 90.69
(IRLSDAGE, LSDYI IILSDYFU	Len: 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 282 5269 53518	Pct 0.48 8.92 90.60
(PCPAGE) IRPCPAGE	Len: 3 PCP AGE OF FIRST USE - IMPUTATION REVISED RANGE = 5 - 57	Freq 815 58254	Pct 1.38 98.62
(PCPAGE) IIPCPAGE	Len: 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 795 69 58205	Pct 1.35 0.12 98.54
(IRPCPAGE, PCPY IRPCPYFU	(FU) Len: 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED RANGE = 1961 - 2022	Freq 815 58254	Pct 1.38 98.62
(IRPCPAGE, PCPY IIPCPYFU	Len: 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 16 848 58205	Pct 0.03 1.44 98.54
(ECSTMOAGE) IRECSTMOAGE	Len: 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED RANGE = 6 - 67	Freq 4670 54399	Pct 7.91 92.09
(ECSTMOAGE) IIECSTMOAGE	Len: 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR 1 = Questionnaire data	Freq 4632 1 101 54335	Pct 7.84 0.00 0.17 91.99
(ECSTMOYFU, IRE IRECSTMOYFU	CCSTMOAGE) Len: 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED RANGE = 1953 - 2022	Freq 4670 54399	Pct 7.91 92.09

(ECSTMOYFU, IRE IIECSTMOYFU	CCSTMOAGE) Len: 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data	220 4514 54335	91.99
(INHALAGE) IRINHALAGE	Len: 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED RANGE = 1 - 70	Freq 5688	Pct 9.63
	991 = NEVER USED.	53381	90.37
(INHALAGE) IIINHALAGE	Len: 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER.	5310 516 53243	8.99 0.87 90.14
(INHALYFU, IRINH IRINHALYFU	IALAGE) Len: 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 1939 - 2022	5688 53381	9.63 90.37
(INHALYFU, IRINH IIINHALYFU	IALAGE) Len: 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR	F	D-4
	1 = Questionnaire data	319 5507 53243	Pct 0.54 9.32 90.14
(METHAMAGE) IRMETHAMAGE	Len: 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED	Freq	Pct
	RANGE = 4 - 60	2676 56393	4.53 95.47
(METHAMAGE) IIMETHAMAGE	Len: 1 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	2649 95 56325	4.48 0.16 95.35
(IRMETHAMAGE, I IRMETHAMYFU	METHAMYFU) Len: 4 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED	E	D. A
	RANGE = 1961 - 2022	Freq 2676 56393	Pct 4.53 95.47
(IRMETHAMAGE, I IIMETHAMYFU	METHAMYFU) Len: 1 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR		
	1 = Questionnaire data 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME USER.	68 2676 56325	Pct 0.12 4.53 95.35

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

(PNRNMINIT) IRPNRNMINIT	Len: 2 PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED 1 = Past year initiate	Freq 358 1416 54182 3113	Pct 0.61 2.40 91.73 5.27
(PNRNMINIT) IIPNRNMINIT	Len: 1 PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR 1 = Questionnaire Data	Freq 58785 8 276	Pct 99.52 0.01 0.47
(TRQNMINIT) IRTRQNMINIT	Len: 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED 1 = Past year initiate	Freq 165 759 56918 1227	Pct 0.28 1.28 96.36 2.08
(TRQNMINIT) IITRQNMINIT	Len: 1 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR 1 = Questionnaire Data	Freq 58841 228	Pct 99.61 0.39
(STMNMINIT) IRSTMNMINIT	Len: 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED 1 = Past year initiate	Freq 266 900 56265 1638	Pct 0.45 1.52 95.25 2.77
(STMNMINIT) IISTMNMINIT	Len: 1 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR 1 = Questionnaire Data	Freq 58813 3 253	Pct 99.57 0.01 0.43
(SEDNMINIT) IRSEDNMINIT	Len: 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED 1 = Past year initiate	Freq 39 134 57983 913	Pct 0.07 0.23 98.16 1.55
(SEDNMINIT) IISEDNMINIT	Len: 1 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR 1 = Questionnaire Data	Freq 58754 1 314	Pct 99.47 0.00 0.53

NOTE: The following four variables pertain to the age and date of first misuse of pain relievers. Respondents who were past year initiates (IRPNRNMINIT=1), that is respondents who misused pain relievers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRPNRNMINIT ne 1) receive an appropriate skip code.

(PNRNMAGE, PNR)	NMYFU)		
IRPNRNMYFU	Len: 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 2021 - 2022	358	0.61
	9993 = NOT A PAST YEAR INITIATE 9999 = NEVER MISUSED	4529	7.67 91.73
	9999 = NEVER MISUSED	54182	91./3
(PNRNMAGE, PNR)			
<u>IIPNRNMYFU</u>	Len: 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR	Freq	Pct
	1 = Ouestionnaire data	243	0.41
	3 = Statistically imputed data - Past year initiation imputed	284	0.48
	4 = Statistically imputed data - Past year initiation known	95	0.16
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58447	98.95
(IRPNRNMYFU, PN			
<u>IRPNRNMAGE</u>	Len: 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED	_	
	DANCE 11 00	Freq	Pct
	RANGE = 11 - 89	358 4529	0.61 7.67
	999 = NEVER MISUSED	54182	91.73
	777 - NEVER IVIIOUSED	34162	91.73
(IDDNIDNIMVELL DN	IDNIMACE)		
(IRPNRNMYFU, PN IIPNRNMAGE	Len: 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
III WWWAGE	LCII. 1 TAILY RELIEVER AGE OF TIRST MISUSE - IMITOTATION INDICATOR	Freq	Pct
	1 = Questionnaire data	245	0.41
	3 = Statistically imputed data - Past year initiation imputed	284	0.48
	4 = Statistically imputed data - Past year initiation known	93	0.16
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58447	98.95
	ng four variables pertain to the age and date of first misuse of tranquilizers. Respondents who were pay, that is respondents who misused tranquilizers for the first time in the 12 months prior to the date of		
	ondents who are not past year initiates (IRTRQNMINIT ne 1) receive an appropriate skip code.	the intervie	w, are meruded
(TRQNMAGE, TRQ)	NMVELI)		
IRTRONMYFU	Len: 4 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED		
IKTKQIWITIO	Edit 4 TRAINQUIEDER TEAR OF TROT MISSOSE TRAI CITTION REVISED	Freq	Pct
	RANGE = 2021 - 2022	165	0.28
	9993 = NOT A PAST YEAR INITIATE	1986	3.36
	9999 = NEVER MISUSED	56918	96.36
(TRQNMAGE, TRQ)			
<u>IITRQNMYFU</u>	Len: 1 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR	F	D-4
	1 = Questionnaire data	Freq 147	Pct 0.25
	3 = Statistically imputed data - Past year initiation imputed	228	0.39
	4 = Statistically imputed data - Past year initiation known	18	0.03
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58676	99.33
		200,0	
(IRTRQNMYFU, TR	ONMAGE)		
IRTRONMAGE	Len: 3 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED		
	•	Freq	Pct
	RANGE = 13 - 75	165	0.28
	993 = NOT A PAST YEAR INITIATE	1986	3.36
	999 = NEVER MISUSED	56918	96.36

	AGE DATE OF THE DROG ODE		
(IRTRQNMYFU, TR	QNMAGE)		
IITRQNMAGE	Len: 1 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	148	0.25
	3 = Statistically imputed data - Past year initiation imputed	228	0.39
	4 = Statistically imputed data - Past year initiation known	17	0.03
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58676	99.33
	9 - LEGITIMATE SKIP - NOT A PAST TEAR INITIATE	380/0	99.33
NOTE: The following	ng four variables pertain to the age and date of first misuse of stimulants. Respondents who were	a nact waar initiat	ac
), that is respondents who misused stimulants for the first time in the 12 months prior to the dat		
	ondents who are not past year initiates (IRSTMNMINIT ne 1) receive an appropriate skip code		, are included
iii uie domaiii. Kesp	ondents who are not past year initiates (IKSTWINWIINTI he 1) receive an appropriate skip code	•	
CTMMMACE STM	MAVELI		
(STMNMAGE, STM			
<u>IRSTMNMYFU</u>	Len: 4 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED	_	.
	PUNCE AND AND	Freq	Pct
	RANGE = 2021 - 2022	266	0.45
	9993 = NOT A PAST YEAR INITIATE	2538	4.30
	9999 = NEVER MISUSED	56265	95.25
(STMNMAGE, STM	NMYFU)		
IISTMNMYFU	Len: 1 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	247	0.42
	3 = Statistically imputed data - Past year initiation imputed	256	0.43
	4 = Statistically imputed data - Past year initiation known	12	0.02
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58554	99.13
) EBOTTMITTE SIGN THOT TELLER HATTETTE	30331)).IS
(IRSTMNMYFU, ST	MNIMACE)		
*	Len: 3 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED		
<u>IRSTMNMAGE</u>	Leii: 5 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED		D. 4
	PANCE 12 72	Freq	Pct
	RANGE = 12 - 73	266	0.45
	993 = NOT A PAST YEAR INITIATE	2538	4.30
	999 = NEVER MISUSED	56265	95.25
(IRSTMNMYFU, ST			
<u>IISTMNMAGE</u>	Len: 1 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	248	0.42
	3 = Statistically imputed data - Past year initiation imputed	256	0.43
	4 = Statistically imputed data - Past year initiation known	11	0.02
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58554	99.13
NOTE: The followi	ng four variables pertain to the age and date of first misuse of sedatives. Respondents who were	e nast vear initiate	25
	that is respondents who misused sedatives for the first time in the 12 months prior to the date		
	dents who are not past year initiates (IRSEDNMINIT ne 1) receive an appropriate skip code.	or the interview,	are meraded in
the domain. Respon	dents who are not past year initiates (IRSEDIVITIATE ne 1) receive an appropriate skip code.		
(SEDNMAGE, SED	MINOVELI)		
<u>IRSEDNMYFU</u>	Len: 4 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED	_	.
	PANCE AND AND	Freq	Pct
	RANGE = 2021 - 2022	39	0.07
	9993 = NOT A PAST YEAR INITIATE	1047	1.77
	9999 = NEVER MISUSED	57983	98.16
(SEDNMAGE, SED)	NMYFU)		
<u>IISEDNMYFU</u>	Len: 1 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR		
		Freq	Pct
	1 = Questionnaire data	33	0.06
	3 = Statistically imputed data - Past year initiation imputed	315	0.53
	4 = Statistically imputed data - Past year initiation known	6	0.01
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58715	99.40
	, ELOTIMATE OKI INOTATASI TEAK BUITATE	50/15	JJ. TU

(IRSEDNMYFU, SE	DNMAGE)		
IRSEDNMAGE	Len: 3 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED		
		Freq	Pct
	RANGE = 12 - 88	39	0.07
	993 = NOT A PAST YEAR INITIATE	1047	1.77
	999 = NEVER MISUSED	57983	98.16
(IRSEDNMYFU, SE	EDNMAGE)		
IISEDNMAGE	Len: 1 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR		
· · · · · · · · · · · · · · · · · · ·		Freq	Pct
	1 = Questionnaire data	33	0.06
	3 = Statistically imputed data - Past year initiation imputed	315	0.53
	4 = Statistically imputed data - Past year initiation known	6	0.01
	9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	58715	99.40

RECODED DRUG USE

RECODED DRUG USE

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Data File section of this codebook introduction.

(IRCIGRC) CIGFLAG	Len: 1 RC-CIGARETTES - EVER USED	E	D. 4
	0 = Never used (IRCIGRC = 9)	Freq 34135 24934	9ct 57.79 42.21
(IRCIGRC) CIGYR	Len: 1 RC-CIGARETTES - PAST YEAR USE 0 = Did not use in the past year (IRCIGRC = 3,4,9)	Freq 49577 9492	Pct 83.93 16.07
(IRCIGRC) CIGMON	Len: 1 RC-CIGARETTES - PAST MONTH USE 0 = Did not use in the past month (IRCIGRC = 2-4,9)	Freq 51854 7215	Pct 87.79 12.21
(IRCGRRC) CGRFLAG	Len: 1 RC-CIGARS - EVER USED 0 = Never used (IRCGRRC = 9)	Freq 44026 15043	Pct 74.53 25.47
(IRCGRRC) CGRYR	Len: 1 RC-CIGARS - PAST YEAR USE 0 = Did not use in the past year (IRCGRRC = 3,4,9)	Freq 54929 4140	Pct 92.99 7.01
(IRCGRRC) CGRMON	Len: 1 RC-CIGARS - PAST MONTH USE 0 = Did not use in the past month (IRCGRRC = 2-4,9)	Freq 56934 2135	Pct 96.39 3.61
(IRPIPLF) PIPFLAG	Len: 1 RC-PIPES - EVER USED 0 = Never Used (IRPIPLF = 9)	Freq 54810 4259	Pct 92.79 7.21
(IRPIPMN) PIPMON	Len: 1 RC-PIPES - PAST MONTH USE 0 = Did not use in the past month (IRPIPMN = 2,9)	Freq 58694 375	Pct 99.37 0.63
(IRSMKLSSREC) SMKLSSFLAG	Len: 1 RC-SMOKELESS TOBACCO - EVER USED 0 = Never Used (IRSMKLSSREC = 9)	Freq 52127 6942	Pct 88.25 11.75

RECODED DRUG USE

(IRSMKLSSREC) SMKLSSYR	Len: 1 RC-SMOKELESS TOBACCO - PAST YEAR USE		
<u>BWIKESSTK</u>	0 = Did not use in the past year (IRSMKLSSREC = 3,4,9)	Freq 57331	Pct 97.06
	1 = Used within the past year (IRSMKLSSREC = 1,2)	1738	2.94
(IRSMKLSSREC) <u>SMKLSSMON</u>	Len: 1 RC-SMOKELESS TOBACCO - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRSMKLSSREC= 2-4,9)	57864	97.96
	1 = Used within the past month (IRSMKLSSREC = 1)	1205	2.04

Respondents were classified as having smoked cigarettes as the only form of tobacco used in the past month (TOBCIGONL=1) if they smoked cigarettes in the past month (CIGMON=1) and did not use cigars, pipes, or smokeless tobacco in the past month (CGRMON=0 and PIPMON=0 and SMKLSSMON=0). Respondents were classified as having used both cigarettes and another tobacco product in the past month (TOBCIGONL=2) if they smoked cigarettes in the past month (CIGMON=1) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1). Respondents were classified as having used a tobacco product but not cigarettes in the past month (TOBCIGONL=3) if they did not smoke cigarettes in the past month (CIGMON=0) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1).

month (CGRMON=1	or PIPMON=1 or SMKLSSMON=1).		
(CGRMON, CIGMON TOBCIGONL	N, PIPMON, SMKLSSMON) Len: 1 RC-CIGARETTE/NONCIGARETTE TOBACCO ONLY - PAST MONTH USE	F	D-4
	1 0 1 1 : 4 1 0 0 1 (0 4 1)	Freq	Pct
	1 = Smoked cigarettes as only form of tob (See comment above)	5829	9.87
	2 = Used both cigarettes and other tob prod (See comment above)	1386	2.35
	3 = Used tobacco product but not cigarettes (See comment above)	1969 49885	3.33 84.45
	4 = Did not use tobacco products in the past month (Otherwise)	49003	64.43
(CGRFLAG, CIGFL)	AG, PIPFLAG, SMKLSSFLAG)		
TOBFLAG	Len: 1 RC-ANY TOBACCO - EVER USED		
		Freq	Pct
	0 = Never Used (All source variables = 0)	30956	52.41
	1 = Ever Used (Any source variable = 1)	28113	47.59
	()		.,,,,,
(CGRYR, CIGYR, PL	PMON, SMKLSSYR)		
<u>TOBYR</u>	Len: 1 RC-ANY TOBACCO - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (All source variables = 0)	46788	79.21
	1 = Used within the past year (Any source variable = 1)	12281	20.79
(CCPMON CICMO	N, PIPMON, SMKLSSMON)		
TOBMON	Len: 1 RC-ANY TOBACCO - PAST MONTH USE		
TODMON	Edi. 1 RC-ANT TOBACCO - LAST MONTH USE	Freq	Pct
	0 = Did not use in the past month (All source variables = 0)	49885	84.45
	1 = Used within the past month (Any source variable = 1)	9184	15.55
	1 Osed within the place month (ring source variable 1)	7101	10.00
(IRNICVAPREC)			
NICVAPFLAG	Len: 1 RC-NICOTINE VAPING - EVER USED		
		Freq	Pct
	0 = Never used (IRNICVAPREC = 9)	41794	70.75
	1 = Ever used (IRNICVAPREC = 1-4)	17275	29.25
(IRNICVAPREC)	I DONGOTRIE VARRICO DAGTAVEAR HOE		
<u>NICVAPYR</u>	Len: 1 RC-NICOTINE VAPING - PAST YEAR USE		
	A Pil (TRIVICIA PREG. A 4.0)	Freq	Pct
	0 = Did not use in the past year (IRNICVAPREC = 3,4,9)	48950	82.87
	1 = Used within the past year (IRNICVAPREC = 1,2)	10119	17.13
(IRNICVAPREC)			
NICVAPMON	Len: 1 RC-NICOTINE VAPING - PAST MONTH USE		
THE VIII WOIL	Len. 1 Re Med Ind Mind Month ool	Freq	Pct
	0 = Did not use in the past month (IRNICVAPREC= 2-4,9)	52303	88.55
	1 = Used within the past month (IRNICVAPREC = 1)	6766	11.45
	. Cook main the past month (He to the tele 1)	0,00	11.73

Codebook Creation Date: 10/19/2023209

RECODED DRUG USE

	RECOLD DROG OSE		
(NICVAPFLAG, TOI TOBVNICFLAG	BFLAG) Len: 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - EVER USED	F	D-4
	0 = Never Used (All source variables = 0)	Freq 27060	Pct 45.81
	1 = Ever Used (Any source variable = 1)	32009	54.19
	1 2141 6564 (111) 564106 (4114616 1)	52007	J
(NICVAPYR, TOBYF	R)		
TOBVNICYR	Len: 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST YEAR USE		
		Freq	Pct
	0 = Did not use in the past year (All source variables = 0)	42059	71.20
	1 = Used within the past year (Any source variable = 1)	17010	28.80
(NICVAPMON, TOE	RMON)		
TOBVNICMON	Len: 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST MONTH USE		
TODVITCHION	Edit i Re inti iobileco inobocio on meorine vinno indi monti obb	Freq	Pct
	0 = Did not use in the past month (All source variables = 0)	45905	77.71
	1 = Used within the past month (Any source variable = 1)	13164	22.29
NOTE: Beginning in versions of the varial	2022, recoded variables TOBVAPONL2 and TOBCIGVAP2 replace variables TOBVAPONL and Tobles were created using the new nicotine vaping variables.	ΓOBCIGV <i>A</i>	AP. The new
(NICVAPMON, TOE	RMON)		
TOBVAPONL2	Len: 1 RC-NIC VAPING / TOBACCO PRODUCTS ONLY - PAST MONTH USE		
TOD VIII OIVED	Edit i Re Me Militor Iobheeo i Roboets on Et Mol Mol Mol Mol Edit	Freq	Pct
	1 = Vaped nic but no use of tob prod (NICVAPMON=1 and TOBMON=0)	3980	6.74
	2 = Vaped nicotine and used tob prod (NICVAPMON=1 and TOBMON=1)	2786	4.72
	3 = Used tob prod but did not vape nic(NICVAPMON=0 and TOBMON=1)	6398	10.83
	4 = Did not use tob prod or vape nic (NICVAPMON=0 and TOBMON=0)	45905	77.71
AMAN IN CONTROL	OCT CONT.		
(NICVAPMON, TOE			
TOBCIGVAP2	Len: 1 RC-NIC VAPING AND CIG/NONCIG TOBACCO COMBINATIONS-PM USE	Ewas	Dat
	1 = Vaped nic & used cigs as only tob: NICVAPMON=1 & TOBCIGONL=1	Freq 1671	Pct 2.83
	2 = Vaped nic, used cigs, & other tob: NICVAPMON=1 & TOBCIGONL=2	591	1.00
	3 = Vaped nic & used tob but not cigs: NICVAPMON=1 & TOBCIGONL=3	524	0.89
	4 = Did not both vape nic & use tob: NICVAPMON=0 or TOBCIGONL=4	56283	95.28
(IRALCRC)			
<u>ALCFLAG</u>	Len: 1 RC-ALCOHOL - EVER USED		
		Freq	Pct
	0 = Never used (IRALCRC = 9)	17234	29.18
	1 = Ever used (IRALCRC = 1-3)	41835	70.82
(IRALCRC)			
ALCYR	Len: 1 RC-ALCOHOL - PAST YEAR USE		
<u>ALC I K</u>	Len. 1 Re Alectice 1761 1EAR COL	Freq	Pct
	0 = Did not use in the past year (IRALCRC = 3,9)	24191	40.95
	1 = Used within the past year (IRALCRC = 1,2)	34878	59.05
(IRALCRC)			
<u>ALCMON</u>	Len: 1 RC-ALCOHOL - PAST MONTH USE		
		Freq	Pct
	0 = Did not use in the past month (IRALCRC = 2-3,9)	32644	55.26
	1 = Used within the past month (IRALCRC = 1)	26425	44.74
(IRCBDHMPREC)			
CBDHMPFLAG	Len: 1 RC-CBD OR HEMP - EVER USED		
	The state of the s	Freq	Pct
	0 = Never used (IRCBDHMPREC = 9)	40264	68.16
	1 = Ever used (IRCBDHMPREC = 1-3)	18805	31.84