STIMULANTS

Which was the main reason you used [STLASTFILL2] the last time?

(RSTYMOT1) STMRSMAIN

Len: 2 MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

| | Freq | Pct |
|--|-------|-------|
| 1 = To help me lose weight | 16 | 0.03 |
| 2 = To help me concentrate | 204 | 0.35 |
| 3 = To help me be alert or stay awake | 147 | 0.25 |
| 4 = To help me study | 116 | 0.20 |
| 5 = To experiment or to see what it was/they were like | 17 | 0.03 |
| 6 = To feel good or get high | 50 | 0.08 |
| 7 = To increase or decrease the effect(s) of some other drug | 8 | 0.01 |
| 8 = Because I am 'hooked' or I have to have it/them | 4 | 0.01 |
| 9 = The other reason I reported | 10 | 0.02 |
| 13 = To help me be alert or stay awake LOGICALLY ASSIGNED | 1 | 0.00 |
| 16 = To feel good or get high LOGICALLY ASSIGNED | 2 | 0.00 |
| 83 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned | 1 | 0.00 |
| 91 = NEVER USED/MISUSED STIMULANTS | 55904 | 94.64 |
| 93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS | 1758 | 2.98 |
| 94 = DON'T KNOW | 3 | 0.01 |
| 98 = BLANK (NO ANSWER) | 259 | 0.44 |
| 99 = LEGITIMATE SKIP | 569 | 0.96 |

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

STMNORXFG Len: 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM

| | Freq | Pct |
|--|-------|-------|
| 1 = Only misuse w/o Rx but reported last drug gotten with Rx | 20 | 0.03 |
| 98 = BLANK (NO ANSWER) | 59049 | 99.97 |

SEDATIVES SCREENER

SEDATIVES SCREENER

Have you ever, even once, used any prescription sedative?

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl.

(SVLANY)

SEDANÝLIF

Len: 2 ANY SEDATIVE USE IN LIFETIME

| | Freq | Pct |
|--|-------|-------|
| 1 = Yes | 3100 | 5.25 |
| $2 = N_0$ | 53028 | 89.77 |
| 5 = Yes LOGICALLY ASSIGNED (from skip pattern) | 2469 | 4.18 |
| 94 = DON'T KNOW | 261 | 0.44 |
| 97 = REFUSED | 24 | 0.04 |
| 98 = BLANK (NO ANSWER) | 187 | 0.32 |

NOTE: SEDANYREC was created from responses of any use in the past 12 months for specific sedatives and from SEDANYLIF for any lifetime use of sedatives.

SEDANYREC

Len: 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)

| | Freq | Pct |
|---|-------|-------|
| 1 = Within the past 12 months | 2469 | 4.18 |
| 2 = More than 12 months ago | 3090 | 5.23 |
| 9 = Used at some point in the lifetime LOG ASSN | 10 | 0.02 |
| 83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn | 174 | 0.29 |
| 91 = NEVER USED SEDATIVES | 53028 | 89.77 |
| 98 = BLANK (NO ANSWER) | 298 | 0.50 |

The following variable for any past year use of Any Benzodiazepines Sedatives, SVBZOANYYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZOANYYR

Len: 1 RC - BENZODIAZEPINES SEDATIVES - ANY PAST YEAR USE

| | Freq | Pct |
|-------------|-------|-------|
| . = Missing | 253 | 0.43 |
| 0 = No | 58514 | 99.06 |
| 1 = Yes | 302 | 0.51 |

The next question asks about using prescription sedatives in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

(SVL01, SVL02)

SEDNMLIF

Len: 2 EVER USED SEDATIVE NOT DIRECTED BY DR

| | Freq | Pct |
|--|-------|-------|
| 1 = Yes | 905 | 1.53 |
| 2 = No | 4461 | 7.55 |
| 5 = Yes LOGICALLY ASSIGNED (from skip pattern) | 171 | 0.29 |
| 85 = BAD DATA Logically assigned | | 0.02 |
| 91 = NEVER USED/MISUSED SEDATIVES | 53028 | 89.77 |
| 94 = DON'T KNOW | 6 | 0.01 |
| 97 = REFUSED | 1 | 0.00 |
| 98 = BLANK (NO ANSWER) | 483 | 0.82 |

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables of specific sedatives, and SEDTVNM30DY.

SEDNMREC

Len: 2 RC - MOST RECENT SEDATIVE MISUSE (RECODE)

| | Freq | Pct |
|--|-------|-------|
| 1 = Within the past 30 days | 51 | 0.09 |
| 2 = More than 30 days ago but within the past 12 mos | 119 | 0.20 |
| 3 = More than 12 months ago | 902 | 1.53 |
| 8 = Misused at some point in past 12 mos LOG ASSN | 1 | 0.00 |
| 9 = Misused at some point in lifetime LOG ASSN | 3 | 0.01 |
| 83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn | 193 | 0.33 |
| 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| 98 = BLANK (NO ANSWER) | 311 | 0.53 |

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

(SVL03)

SEDNMINIT

Len: 2 PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE

| | Fieq | 1 (1 |
|---|-------|-------|
| 1 = Past year initiate | 39 | 0.07 |
| 2 = Not a past year initiate | 14 | 0.02 |
| 4 = Not past yr initiate LOG ASSN (from skip pattern) | 117 | 0.20 |
| 83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN) | 193 | 0.33 |
| 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS | 902 | 1.53 |
| 94 = DON'T KNOW | 1 | 0.00 |
| 98 = BLANK (NO ANSWER) | 314 | 0.53 |
| | | |

Frea

Pct

NOTE: The variables SEDNMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

SEDNMAGE

Len: 3 RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES

| | Freq | Pct |
|---|-------|-------|
| RANGE = 12 - 77 | 33 | 0.06 |
| 983 = NOT A PAST YEAR INITIATE Log assn | 193 | 0.33 |
| 991 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| 993 = NOT A PAST YEAR INITIATE | 1033 | 1.75 |
| 998 = BLANK (NO ANSWER) | 321 | 0.54 |

Codebook Creation Date: 10/19/2023171

| Freq 33 193 57489 1033 321 Freq 4 3 1 2 2 3 4 5 2 4 2 1 193 57489 1033 321 | Pct 0.06 0.33 97.33 1.75 0.54 Pct 0.01 0.00 0.00 0.01 0.01 0.00 0.00 0.0 |
|--|--|
| 33 193 57489 1033 321 Freq 4 3 1 2 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.06 0.33 97.33 1.75 0.54 Pct 0.01 0.00 0.00 0.00 0.01 0.01 0.01 0.0 |
| 33 193 57489 1033 321 Freq 4 3 1 2 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.06 0.33 97.33 1.75 0.54 Pct 0.01 0.00 0.00 0.00 0.01 0.01 0.01 0.0 |
| 193 57489 1033 321 Freq 4 3 1 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.33 97.33 1.75 0.54 Pct 0.01 0.00 0.00 0.00 0.01 0.01 0.01 0.0 |
| 57489 1033 321 Freq 4 3 1 2 2 3 4 5 2 4 2 1 193 57489 1033 | 97.33 1.75 0.54 Pct 0.01 0.00 0.00 0.00 0.01 0.01 0.01 0.0 |
| 1033 321 Freq 4 3 1 2 2 2 3 4 5 2 4 2 1 193 57489 1033 | Pct 0.01 0.00 0.00 0.01 0.01 0.00 0.00 0.0 |
| Freq 4 3 1 2 2 3 4 5 2 1 193 57489 1033 | Pct 0.01 0.00 0.00 0.01 0.01 0.00 0.01 0.00 0.00 0.01 0.00 0.01 0.00 0.03 0.00 0.03 |
| Freq 4 3 1 2 2 3 4 5 2 4 2 1 193 57489 1033 | Pct 0.01 0.00 0.00 0.00 0.01 0.01 0.00 0.00 0.01 0.00 0.01 0.03 0.00 0.03 0.03 |
| 4 3 1 2 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.01 0.00 0.00 0.00 0.00 0.01 0.01 0.01 0.00 0.01 0.00 0.01 0.00 0.03 |
| 4 3 1 2 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.01 0.00 0.00 0.00 0.00 0.01 0.01 0.01 0.00 0.01 0.00 0.01 0.00 0.03 |
| 3 1 2 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.01 0.00 0.00 0.00 0.01 0.01 0.01 0.00 0.01 0.00 0.00 0.33 |
| 1 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.00 0.00 0.00 0.01 0.01 0.00 0.01 0.00 0.00 0.33 |
| 2 2 3 4 5 2 4 2 1 193 57489 1033 | 0.00 0.00 0.01 0.01 0.01 0.00 0.01 0.00 0.00 0.33 |
| 2 3 4 5 2 4 2 1 193 57489 1033 | 0.00 0.01 0.01 0.01 0.00 0.01 0.00 0.00 |
| 3 4 5 2 4 2 1 193 57489 1033 | 0.01 0.01 0.00 0.00 0.01 0.00 0.00 0.33 |
| 4 5 2 4 2 1 193 57489 1033 | 0.01 0.01 0.00 0.01 0.00 0.00 0.33 |
| 5 2 4 2 1 193 57489 1033 | 0.01 0.00 0.01 0.00 0.00 0.33 |
| 2 4 2 1 193 57489 1033 | 0.00 0.01 0.00 0.00 0.33 |
| 4 2 1 193 57489 1033 | 0.01 0.00 0.00 0.33 |
| 2 1 193 57489 1033 | 0.00 0.00 0.33 |
| 1 193 57489 1033 | 0.00 0.33 |
| 193 57489 1033 | 0.33 |
| 57489 1033 | |
| 1033 | 97.33 |
| | |
| 321 | 1.75 |
| | 0.54 |
| Freq 49 | Pct 0.08 |
| 119 | 0.20 |
| 2 | 0.00 |
| 14 | 0.02 |
| 2 | 0.00 |
| | 97.33 |
| | 1.83 |
| 313 | 0.53 |
| se [SVNUMFIL | .L]? |
| | |
| | |
| Freq | Pct |
| Freq | Pct 0.08 |
| | |
| 50 | 0.08 |
| 50 5 | $0.08 \\ 0.01$ |
| 50 5 2 | 0.08 0.01 0.00 |
| 50 5 2 57489 | 0.08 0.01 0.00 97.33 |
| | 49 119 2 14 2 57489 1081 313 |

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

| (SVM03) SEDNM30AL | Len: 2 USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS | | |
|-------------------------|--|---------------|---------------|
| | | Freq | Pct |
| | 1 = Yes | 15 | 0.03 |
| | 2 = No | 20 | 0.03 |
| | 83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN | 3 | 0.01 |
| | 85 = BAD DATA Logically assigned | 2 | 0.00 |
| | 91 = NEVER USED/MISUSED SEDATIVES93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS | 57489 1211 | 97.33 2.05 |
| | 98 = BLANK (NO ANSWER) | 313 | 0.53 |
| | 99 = LEGITIMATE SKIP | 16 | 0.03 |
| | // <u>22011111111</u> | 10 | 0.05 |
| Which of these state | ements describe your use of [SVNAMEFILL] at any time in the past 12 months? | | |
| (SVYWAYS1) | | | |
| SEDWYNORX | Len: 2 USED SEDATIVE W/O OWN RX PAST 12 MONTHS | | |
| | | Freq | Pct |
| | 1 = Yes | 84 | 0.14 |
| | 2 = No (not entered) | 70 | 0.12 |
| | 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 9 | 0.02 |
| | 85 = BAD DATA Logically assigned | 1 | 0.00 |
| | 91 = NEVER USED/MISUSED SEDATIVES93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 57489 | 97.33 |
| | 94 = DON'T KNOW94 | 1086 | 1.84 |
| | 97 = REFUSED | 13 | 0.02 0.01 |
| | 98 = BLANK (NO ANSWER) | 314 | 0.01 |
| | 30 - BLANK (NO ANSWER) | 314 | 0.55 |
| (SVYWAYS2) SEDWYGAMT | Len: 2 USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS | | |
| | | Freq | Pct |
| | 1 = Yes | 51 | 0.09 |
| | 2 = No (not entered) | 103 | 0.17 |
| | 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 5 | 0.01 |
| | 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1090 | 1.85 |
| | 94 = DON'T KNOW | 13 | 0.02 |
| | 97 = REFUSED | 3 | 0.01 |
| | 98 = BLANK (NO ANSWER) | 315 | 0.53 |
| (SVYWAYS3) | | | |
| <u>SEDWYOFTN</u> | Len: 2 USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS | | ъ. |
| | 1 V | Freq | Pct |
| | 1 = Yes | 19 135 | 0.03 0.23 |
| | 83 = DID NOT MISUSE PAST 12 MOS Logically assigned | 4 | 0.23 |
| | 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1091 | 1.85 |
| | 94 = DON'T KNOW | 13 | 0.02 |
| | 97 = REFUSED | 3 | 0.01 |
| | 98 = BLANK (NO ANSWER) | 315 | 0.53 |
| | | | |
| (SVYWAYS4) | Land 2 LICED CEDATIVE LONGED THAN DV DACT 12 MONTHS | | |
| <u>SEDWYLNGR</u> | Len: 2 USED SEDATIVE LONGER THAN RX PAST 12 MONTHS | | D 4 |
| | 1 = Yes. | Freq | Pct |
| | 1 = Yes | 10 144 | 0.02 |
| | 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 144 | 0.24 |
| | 85 = BAD DATA Logically assigned | 1 | 0.01 |
| | 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1091 | 1.85 |
| | 94 = DON'T KNOW | 13 | 0.02 |
| | 97 = REFUSED | 3 | 0.01 |
| | 98 = BLANK (NO ANSWER) | 314 | 0.53 |
| | , | | |

(SVYWAYS5)

SEDWYOTWY

Len: 2 USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS

| Freq | Pct |
|-------|--|
| 29 | 0.05 |
| 125 | 0.21 |
| 3 | 0.01 |
| 57489 | 97.33 |
| 1092 | 1.85 |
| 13 | 0.02 |
| 3 | 0.01 |
| 315 | 0.53 |
| | 29 125 3 57489 1092 13 3 |

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

(RSVYLAST)

SEDNMLAST

Len: 2 LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS

| | Freq | Pct |
|--|-------|-------|
| 1 = Ambien | 54 | 0.09 |
| 2 = Ambien CR | 6 | 0.01 |
| 3 = Zolpidem (generic) | 22 | 0.04 |
| 4 = Extended-release zolpidem (generic) | 2 | 0.00 |
| 5 = Lunesta or eszopiclone | 7 | 0.01 |
| 6 = Sonata or zaleplon | 6 | 0.01 |
| 7 = Halcion | 1 | 0.00 |
| 9 = Flurazepam (generic), also known as Dalmane | 1 | 0.00 |
| 10 = Temazepam (generic) | 8 | 0.01 |
| 11 = Triazolam (generic) | 3 | 0.01 |
| 12 = Butisol | 3 | 0.01 |
| 14 = Phenobarbital (generic) | 4 | 0.01 |
| 15 = Some other sedative | 53 | 0.09 |
| 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 14 | 0.02 |
| 85 = BAD DATA Logically assigned | 2 | 0.00 |
| 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1081 | 1.83 |
| 94 = DON'T KNOW | 1 | 0.00 |
| 98 = BLANK (NO ANSWER) | 312 | 0.53 |

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

(SVYMOTV1)

SEDRSRELX

Len: 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX

| 1 = Yes. | 58 | 0.10 |
|--|-------|-------|
| 2 = No (not entered) | 109 | 0.18 |
| 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 8 | 0.01 |
| 85 = BAD DATA Logically assigned | 1 | 0.00 |
| 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1087 | 1.84 |
| 94 = DON'T KNOW | 3 | 0.01 |
| 98 = BLANK (NO ANSWER) | 314 | 0.53 |

Freq

Pct

(SVYMOTV2)

SEDRSEXPT

Len: 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT

| | Freq | Pct |
|---|-------|-------|
| 1 = Yes | 13 | 0.02 |
| 2 = No (not entered) | 154 | 0.26 |
| 83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN | 2 | 0.00 |
| 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1093 | 1.85 |
| 94 = DON'T KNOW | 3 | 0.01 |
| 98 = BLANK (NO ANSWER) | 315 | 0.53 |

| (SVYMOTV3) SEDRSHIGH | Len: 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH | | |
|-------------------------|--|--|--|
| | | Freq | Pct |
| | 1 = Yes | 17 | 0.03 |
| | 2 = No (not entered) | 150 | 0.25 |
| | 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 4 57489 | 0.01 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1091 | 1.85 |
| | 94 = DON'T KNOW | 3 | 0.01 |
| | 98 = BLANK (NO ANSWER) | 315 | 0.53 |
| (SVYMOTV4) | | | |
| SEDRSSLEP | Len: 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP | | |
| · | ` ' | Freq | Pct |
| | 1 = Yes | 113 | 0.19 |
| | 2 = No (not entered) | 53 | 0.09 |
| | 3 = Yes LOGICALLY ASSIGNED 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 1 7 | 0.00 |
| | 85 = BAD DATA Logically assigned | 1 | 0.01 |
| | 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1088 | 1.84 |
| | 94 = DON'T KNOW | 3 | 0.01 |
| | 98 = BLANK (NO ANSWER) | 314 | 0.53 |
| (SVYMOTV5) | | | |
| SEDRSEMOT | Len: 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS | | |
| | | Freq | Pct |
| | 1 = Yes | 31 | 0.05 |
| | 2 = No (not entered) | 136 | 0.23 0.01 |
| | 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1089 | 1.84 |
| | 94 = DON'T KNOW | 3 | 0.01 |
| | 98 = BLANK (NO ANSWER) | 315 | 0.53 |
| (SVYMOTV6) | | | |
| <u>SEDRSDGFX</u> | Len: 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT | _ | |
| | 1 – V | Freq | Pct |
| | 1 = Yes | 8 159 | 0.01 0.27 |
| | 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 3 | 0.27 |
| | 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1092 | 1.85 |
| | 94 = DON'T KNOW | 3 | 0.01 |
| | 98 = BLANK (NO ANSWER) | 315 | 0.53 |
| (SVYMOTV7) | | | |
| <u>SEDRSHOOK</u> | Len: 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED | 10 2 | n. 4 |
| | 1 = Yes | Freq 6 | Pct 0.01 |
| | 2 = No (not entered) | 161 | 0.01 |
| | 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 1 | 0.00 |
| | | 57489 | 07.22 |
| | 91 = NEVER USED/MISUSED SEDATIVES | 3/409 | 97.33 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1094 | 1.85 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 | 1.85 0.01 |
| | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1094 | 1.85 |
| (SVYMOTV8) | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 | 1.85 0.01 |
| (SVYMOTV8) SEDRSSOR | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 315 | 1.85 0.01 0.53 |
| ' | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 315 | 1.85 0.01 0.53 |
| ' | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 315 | 1.85 0.01 0.53 |
| ' | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 315 Freq 14 | 1.85 0.01 0.53 Pct 0.02 |
| ' | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 315 Freq 14 153 | 1.85 0.01 0.53 Pct 0.02 0.26 |
| ' | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 315 Freq 14 153 3 57489 1092 | 1.85 0.01 0.53 Pct 0.02 0.26 0.01 97.33 1.85 |
| ' | 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS 94 = DON'T KNOW | 1094 3 315 Freq 14 153 3 57489 | 1.85 0.01 0.53 Pct 0.02 0.26 0.01 97.33 |

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(SVMOTOT)

SEDRSOTRS2 Len: 3 REASO

Len: 3 REASON USED LAST SEDATIVE (NOT DIRECTED)

| | Freq | Pct |
|---|-------|-------|
| 1 = To relieve physical pain | 3 | 0.01 |
| 4 = To feel good or get high | 1 | 0.00 |
| 5 = To help with my sleep | 2 | 0.00 |
| 13 = I used it/them for some other reason | 1 | 0.00 |
| 16 = Suicide attempt/suicidal thoughts | 5 | 0.01 |
| 983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned | 2 | 0.00 |
| 985 = BAD DATA (logically assigned) | 2 | 0.00 |
| 991 = NEVER USED SEDATIVES | 57489 | 97.33 |
| 993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1093 | 1.85 |
| 998 = BLANK (no answer) | 318 | 0.54 |
| 999 = LEGITIMATE SKIP | 153 | 0.26 |
| | | |

Which was the main reason you used [SVLASTFILL2] the last time?

(RSVYMOT1) SEDRSMAIN

Len: 2 MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)

| | Freq | Pct |
|--|-------|-------|
| 1 = To relax or relieve tension | 9 | 0.02 |
| 3 = To feel good or get high | 5 | 0.01 |
| 4 = To help with my sleep | 21 | 0.04 |
| 5 = To help me with my feelings or emotions | 8 | 0.01 |
| 7 = Because I am 'hooked' or I have to have it/them | 2 | 0.00 |
| 8 = The other reason I reported | 2 | 0.00 |
| 13 = To feel good or get high LOGICALLY ASSIGNED | 1 | 0.00 |
| 14 = To help with my sleep LOGICALLY ASSIGNED | 1 | 0.00 |
| 83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN | 7 | 0.01 |
| 91 = NEVER USED/MISUSED SEDATIVES | 57489 | 97.33 |
| 93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS | 1088 | 1.84 |
| 98 = BLANK (NO ANSWER) | 318 | 0.54 |
| 99 = LEGITIMATE SKIP | 118 | 0.20 |

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

SEDNORXFG

Len: 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED

| | Freq | Pct |
|--|-------|-------|
| 1 = Only misuse w/o Rx but reported last drug gotten with Rx | 6 | 0.01 |
| 98 = BLANK (NO ANSWER) | 59063 | 99.99 |

The following variable for past year misuse of Any Benzodiazepines Sedatives, SVBZONMYR, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives.

SVBZONMYR

Len: 1 RC - BENZODIAZEPINES SEDATIVES - PAST YEAR MISUSE

| | Freq | Pct |
|-------------|-------|-------|
| . = Missing | 239 | 0.40 |
| 0 = No | 58810 | 99.56 |
| 1 = Yes | 20 | 0.03 |

IMPUTED SUBSTANCE USE

| (CIGREC) IRCIGRC | Len: 1 CIGARETTE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 7215 2277 2642 12800 34135 | Pct 12.21 3.85 4.47 21.67 57.79 |
|------------------------|--|--|--|
| (CIGREC) IICIGRC | Len: 1 CIGARETTE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58914 3 152 | Pct 99.74 0.01 0.26 |
| (CIGREC) II2CIGRC | Len: 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58914 3 8 5 30 63 44 2 | Pct 99.74 0.01 0.01 0.05 0.11 0.07 0.00 |
| (CIGARREC) IRCGRRC | Len: 1 CIGAR RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 2135 2005 2409 8494 44026 | Pct 3.61 3.39 4.08 14.38 74.53 |
| (CIGARREC) IICGRRC | Len: 1 CIGAR RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58914 1 154 | Pct 99.74 0.00 0.26 |
| (CIGARREC) II2CGRRC | Len: 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58914 1 15 11 1 26 55 46 | Pct 99.74 0.00 0.03 0.02 0.00 0.04 0.09 |
| (PIPEVER) IRPIPLF | Len: 1 LIFETIME PIPE USE - IMPUTATION REVISED 1 = Ever used pipes | Freq 4259 54810 | Pct 7.21 92.79 |

| (PIPEVER) IIPIPLF | Len: 1 LIFETIME PIPE USE - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 59060 9 | Pct 99.98 0.02 |
|---------------------------------|---|--|--|
| (PIPE30DY) IRPIPMN | Len: 1 PAST MONTH PIPE USE - IMPUTATION REVISED 1 = Within the past 30 days | Freq 375 3884 54810 | Pct 0.63 6.58 92.79 |
| (PIPE30DY) IIPIPMN | Len: 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 4256 10 54803 | Pct 7.21 0.02 92.78 |
| (NICVAPEVER, NIC IRNICVAPREC | CVAPREC) Len: 1 NICOTINE VAPING RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 6766 3353 3157 3999 41794 | Pct 11.45 5.68 5.34 6.77 70.75 |
| (NICVAPEVER, NIC IINICVAPREC | Len: 1 NICOTINE VAPING RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58347 25 18 15 98 206 357 3 | Pct 98.78 0.04 0.03 0.03 0.17 0.35 0.60 0.01 |
| (SMKLSSREC) IRSMKLSSREC | Len: 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 1205 533 750 4454 52127 | Pct 2.04 0.90 1.27 7.54 88.25 |
| (SMKLSSREC) IISMKLSSREC | Len: 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58963 24 5 20 41 15 1 | Pct 99.82 0.04 0.01 0.03 0.07 0.03 0.00 |

| (ALCREC) IRALCRC | Len: 1 ALCOHOL RECENCY - IMPUTATION REVISED | | |
|-------------------------------|---|---------------|---------------|
| | 1 - Within the past 20 days | Freq 26425 | Pct 44.74 |
| | 1 = Within the past 30 days | 8453 | 14.31 |
| | 3 = More than 12 months ago | 6957 | 11.78 |
| | 9 = NEVER USED ALCOHOL | 17234 | 29.18 |
| | | | |
| (ALCREC) | | | |
| <u>IIALCRC</u> | Len: 1 ALCOHOL RECENCY - IMPUTATION INDICATOR | | |
| | 1 - Quartiannaira data | Freq 58465 | Pct 98.98 |
| | 1 = Questionnaire data | 38403 | 0.02 |
| | 3 = Statistically imputed data | 593 | 1.00 |
| | | | |
| (ALCREC) | | | |
| II2ALCRC | Len: 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR | | |
| | 1 = Questionnaire data | Freq 58465 | Pct 98.98 |
| | 2 = Logically assigned data | 11 | 0.02 |
| | 3 = Statistically imputed data - lifetime use imputed | 25 | 0.04 |
| | 4 = Statistically imputed data - edited recency = 9 | 186 | 0.31 |
| | 5 = Statistically imputed data - edited recency = 8 | 382 | 0.65 |
| | | | |
| (CBDHMPEVR, CE | | | |
| <u>IRCBDHMPREC</u> | Len: 1 CBD OR HEMP RECENCY - IMPUTATION REVISED | F | D-4 |
| | 1 = Within the past 30 days | Freq 6280 | Pct 10.63 |
| | 2 = More than 30 days ago but within the past 12 mos | 5506 | 9.32 |
| | 3 = More than 12 months ago but within the past 3 yrs | 4678 | 7.92 |
| | 4 = More than 3 years ago 9 = NEVER USED CBD OR HEMP | 2341 40264 | 3.96 68.16 |
| | 9 - NEVER OSED CDD OR HEWI | 40204 | 08.10 |
| | | | |
| (CBDHMPEVR, CE IICBDHMPREC | BDHMPREC) Len: 1 CBD OR HEMP RECENCY - IMPUTATION INDICATOR | | |
| HCDDHWIPKEC | Leii: 1 CBD OR HEIMF RECENCY - IMPOTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 58622 | 99.24 |
| | 3 = Statistically imputed data - lifetime use imputed | 380 | 0.64 |
| | 4 = Statistically imputed data - edited recency = 9 | 67 | 0.11 |
| | | | |
| (MJREC) | | | |
| <u>IRMJRC</u> | Len: 1 MARIJUANA RECENCY - IMPUTATION REVISED | Enga | Dat |
| | 1 = Within the past 30 days | Freq 9730 | Pct 16.47 |
| | 2 = More than 30 days ago but within the past 12 mos | 4541 | 7.69 |
| | 3 = More than 12 months ago | 11822 | 20.01 |
| | 9 = NEVER USED MARIJUANA | 32976 | 55.83 |
| | | | |
| (MJREC) | | | |
| <u>IIMJRC</u> | Len: 1 MARIJUANA RECENCY - IMPUTATION INDICATOR | Enga | Dat |
| | 1 = Questionnaire data | Freq 58759 | Pct 99.48 |
| | 2 = Logically assigned data | 4 | 0.01 |
| | 3 = Statistically imputed data | 306 | 0.52 |
| | | | |
| (MJREC) | | | |
| <u>II2MJRĆ</u> | Len: 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR | _ | _ |
| | 1 = Questiannaira data | Freq | Pct |
| | 1 = Questionnaire data | 58759 4 | 99.48 0.01 |
| | 3 = Statistically imputed data - lifetime use imputed | 54 | 0.09 |
| | 4 = Statistically imputed data - edited recency = 9 | 137 | 0.23 |
| | 5 = Statistically imputed data - edited recency = 8 | 115 | 0.19 |

| (IRMJRC, MJMON IRMJMONVAPE | VAPE) Len: 1 MARIJUANA VAPING PAST MONTH - IMPUTATION REVISED | TC . | D. 4 |
|-------------------------------|--|--------------|---------------|
| | 1 = Within the past 30 days | Freq 3881 | Pct 6.57 |
| | 2 = Did not vape marijuana in the past 30 days | 5849 | 9.90 |
| | 9 = Did not use marijuana in the past 30 days | 49339 | 83.53 |
| (IRMJRC, MJMON | | | |
| <u>IIMJMONVAPE</u> | Len: 1 MARIJUANA VAPING PAST MONTH - IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 9537 | 16.15 |
| | 2 = Logically assigned data | 40 | 0.07 |
| | 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER | 330 49162 | 0.56 83.23 |
| | 9 – LEGITIMATE SKIF - NOT A FAST MONTH MARBOANA USEK | 49102 | 63.23 |
| (IRMJRC, MJYRVA IRMJYRVAPE | (PE) Len: 1 MARIJUANA VAPING PAST YEAR - IMPUTATION REVISED | | |
| HCVIS I IC VIII E | Edit i Minde of the transfer o | Freq | Pct |
| | 1 = Within the past 12 months | 6059 | 10.26 |
| | 2 = Did not vape marijuana in the past 12 months | 8212 | 13.90 |
| | 9 = Did not use marijuana in the past 12 months | 44798 | 75.84 |
| (IRMJRC, MJYRVA | (DF) | | |
| IIMJYRVAPE | Len: 1 MARIJUANA VAPING PAST YEAR - IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 13944 | 23.61 |
| | 2 = Logically assigned data | 201 | 0.34 |
| | 3 = Statistically imputed data | 222 | 0.38 |
| | 9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER | 44702 | 75.68 |
| (COCREC) IRCOCRC | Len: 1 COCAINE RECENCY - IMPUTATION REVISED | | |
| | | Freq | Pct |
| | 1 = Within the past 30 days | 421 | 0.71 |
| | 2 = More than 30 days ago but within the past 12 mos | 738 | 1.25 |
| | 3 = More than 12 months ago | 5574 | 9.44 |
| | 9 = NEVER USED COCAINE | 52336 | 88.60 |
| (COCREC) IICOCRC | Len: 1 COCAINE RECENCY - IMPUTATION INDICATOR | | |
| <u>IICOCKC</u> | Edit. 1 Cocaine Recenct - IIVII OTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 58976 | 99.84 |
| | 2 = Logically assigned data. | 22 | 0.04 |
| | 3 = Statistically imputed data | 71 | 0.12 |
| (COCREC) | | | |
| <u>II2COCRĆ</u> | Len: 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 58976 | 99.84 |
| | 2 = Logically assigned data | 22 | 0.04 |
| | 3 = Statistically imputed data - lifetime use imputed | 24 | 0.04 |
| | 4 = Statistically imputed data - edited recency = 9 | 32 15 | 0.05 |
| | 5 Statistically Imputed data - edited receitey - 6 | 13 | 0.03 |
| (CRAKREC) IRCRKRC | Len: 1 CRACK RECENCY - IMPUTATION REVISED | | |
| <u>menuc</u> | 23 SIGIOR REGERET BIR CHATTON REVIOLE | Freq | Pct |
| | 1 = Within the past 30 days | 95 | 0.16 |
| | 2 = More than 30 days ago but within the past 12 mos | 79 | 0.13 |
| | 3 = More than 12 months ago | 1420 | 2.40 |
| | 9 = NEVER USED CRACK | 57475 | 97.30 |

| (CRAKREC) <u>IICRKRC</u> | Len: 1 CRACK RECENCY - IMPUTATION INDICATOR | Freq | Pct |
|------------------------------|---|-------------|---------------|
| | 1 = Questionnaire data | 59031 38 | 99.94 0.06 |
| (CRAKREC) <u>II2CRKRC</u> | Len: 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 59031 | 99.94 |
| | 3 = Statistically imputed data - lifetime use imputed | 30 5 | 0.05 0.01 |
| | 5 = Statistically imputed data - edited recency = 8 | 3 | 0.01 |
| (HERREC) IRHERRC | Len: 1 HEROIN RECENCY - IMPUTATION REVISED | | |
| IKILKKE | | Freq | Pct |
| | 1 = Within the past 30 days | 122 72 | 0.21 0.12 |
| | 2 = More than 30 days ago but within the past 12 mos | 977 | 1.65 |
| | 9 = NEVER USED HEROIN | 57898 | 98.02 |
| (HERREC) IIHERRC | Len: 1 HEROIN RECENCY - IMPUTATION INDICATOR | | |
| | | Freq | Pct |
| | 1 = Questionnaire data | 59004 65 | 99.89 0.11 |
| (HERREC) | A A VIEROBURECENSIA DETAILED BANKETATION DIDICATION | | |
| <u>II2HERRC</u> | Len: 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 59004 | 99.89 |
| | 3 = Statistically imputed data - lifetime use imputed | 55 3 | 0.09 |
| | 5 = Statistically imputed data - edited recency = 8 | 7 | 0.01 |
| (HALLUCREC) IRHALLUCREC | Len: 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED | | |
| IMIALLUCKEE | Edi. 1 HALLOCHVOOLN RECENCT - INI OTATION REVISED | Freq | Pct |
| | 1 = Within the past 30 days 2 = More than 30 days ago but within the past 12 mos | 606 1637 | 1.03 2.77 |
| | 3 = More than 12 months ago | 7108 | 12.03 |
| | 9 = NEVER USED HALLUCINOGENS | 49718 | 84.17 |
| (HALLUCREC) IIHALLUCREC | Len: 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR | | |
| | | Freq | Pct |
| | 1 = Questionnaire data | 58656 39 | 99.30 0.07 |
| | 3 = Statistically imputed data - lifetime use imputed | 221 | 0.37 |
| | 4 = Statistically imputed data - edited recency = 9 | 99 54 | 0.17 0.09 |
| (LSDREC) | | | |
| <u>IRLSDRC</u> | Len: 1 LSD RECENCY - IMPUTATION REVISED | Freq | Pct |
| | 1 = Within the past 30 days | 123 | 0.21 |
| | 2 = More than 30 days ago but within the past 12 mos | 524 4855 | 0.89 8.22 |
| | 3 = More than 12 months ago | 53567 | 90.69 |
| | | | |

| (LSDREC) IILSDRC | Len: 1 LSD RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58960 109 | Pct 99.82 0.18 |
|----------------------------|--|-------------------------------------|--------------------------------------|
| (LSDREC) II2LSDRC | Len: 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58960 54 47 8 | Pct 99.82 0.09 0.08 0.01 |
| (PCPREC) IRPCPRC | Len: 1 PCP RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 11 24 780 58254 | Pct 0.02 0.04 1.32 98.62 |
| (PCPREC) IIPCPRC | Len: 1 PCP RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 59007 62 | Pct 99.90 0.10 |
| (PCPREC) II2PCPRC | Len: 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR 1 = Questionnaire data | Freq 59007 52 9 | Pct 99.90 0.09 0.02 0.00 |
| (ECSTMOREC) IRECSTMOREC | Len: 1 ECSTASY RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 112 429 4129 54399 | Pct 0.19 0.73 6.99 92.09 |
| (ECSTMOREC) IIECSTMOREC | Len: 1 ECSTASY RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58962 65 36 6 | Pct 99.82 0.11 0.06 0.01 |
| (KETMINREC) IRKETMINREC | Len: 1 KETAMINE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 53 128 870 58018 | Pct 0.09 0.22 1.47 98.22 |

| (KETMINREC) | I I WETAMBIE DECENOV BADUTATION DIDICATOR | | |
|--|---|--|---|
| IIKETMINREC | Len: 1 KETAMINE RECENCY - IMPUTATION INDICATOR | Emag | Pct |
| | 1 = Questionnaire data | Freq 58976 | 99.84 |
| | 3 = Statistically imputed data - lifetime use imputed | 81 | 0.14 |
| | 4 = Statistically imputed data - edited recency = 9 | 9 | 0.02 |
| | 5 = Statistically imputed data - edited recency = 8 | 3 | 0.01 |
| | | | |
| | | | |
| (DAMTFXREC) | | | |
| <u>IRDAMTFXREC</u> | Len: 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED | | . |
| | 1 W/d: 4 420.1 | Freq | Pct |
| | 1 = Within the past 30 days | 28 102 | 0.05 0.17 |
| | 3 = More than 12 months ago | 780 | 1.32 |
| | 9 = NEVER USED DMT/AMT/FOXY | 58159 | 98.46 |
| |) NEVER COLD DITITION I | 30137 | 70.40 |
| | | | |
| (DAMTFXREC) | | | |
| IIDAMTFXREC | Len: 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR | | |
| | | Freq | Pct |
| | 1 = Questionnaire data | 58961 | 99.82 |
| | 2 = Logically assigned data | 1 | 0.00 |
| | 3 = Statistically imputed data - lifetime use imputed | 93 | 0.16 |
| | 4 = Statistically imputed data - edited recency = 9 | 13 1 | $0.02 \\ 0.00$ |
| | 5 – Statistically imputed data - edited receivey – 8 | 1 | 0.00 |
| | | | |
| (SALVIAREC) | | | |
| IRSALVIAREC | Len: 1 SALVIA RECENCY - IMPUTATION REVISED | | |
| | | Freq | Pct |
| | 1 = Within the past 30 days | 4 | 0.01 |
| | 2 = More than 30 days ago but within the past 12 mos | 33 | 0.06 |
| | 3 = More than 12 months ago | 1077 | 1.82 |
| | 9 = NEVER USED SALVIA | 57955 | 98.11 |
| | | | |
| (CALITADEC) | | | |
| | | | |
| (SALVIAREC) | Lancia SALVIA DECENCY IMPLITATION INDICATOR | | |
| (SALVIAREC) IISALVIAREC | Len: 1 SALVIA RECENCY - IMPUTATION INDICATOR | Frea | Pct |
| ' | | Freq 58961 | Pct 99.82 |
| ' | 1 = Questionnaire data | Freq 58961 | Pct 99.82 0.01 |
| ' | | 58961 | 99.82 |
| ' | 1 = Questionnaire data | 58961 3 | 99.82 0.01 |
| ' | 1 = Questionnaire data | 58961 3 99 | 99.82 0.01 0.17 |
| ' | 1 = Questionnaire data | 58961 3 99 5 | 99.82 0.01 0.17 0.01 |
| <u>IISALVIARÉC</u> | 1 = Questionnaire data | 58961 3 99 5 | 99.82 0.01 0.17 0.01 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 | 99.82 0.01 0.17 0.01 |
| <u>IISALVIARÉC</u> | 1 = Questionnaire data | 58961 3 99 5 1 | 99.82 0.01 0.17 0.01 0.00 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 | 99.82 0.01 0.17 0.01 0.00 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 | 99.82 0.01 0.17 0.01 0.00 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 |
| IISALVIARÉC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 |
| IISALVIARÉC (INHALREC) IRINHALREC | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 |
| (INHALREC) IRINHALREC | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 |
| (INHALREC) IRINHALREC | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 53381 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 |
| (INHALREC) IRINHALREC | 1 = Questionnaire data | 58961 3 999 5 1 Freq 256 464 4968 53381 Freq 58777 160 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 Pct 99.51 0.27 |
| (INHALREC) IRINHALREC | 1 = Questionnaire data | 58961 3 999 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 Pct 99.51 0.27 0.20 |
| (INHALREC) IRINHALREC | 1 = Questionnaire data | 58961 3 999 5 1 Freq 256 464 4968 53381 Freq 58777 160 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 |
| (INHALREC) IRINHALREC | 1 = Questionnaire data | 58961 3 999 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 Pct 99.51 0.27 0.20 |
| (INHALREC) IRINHALREC (INHALREC) IIINHALREC | 1 = Questionnaire data | 58961 3 999 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 Pct 99.51 0.27 0.20 |
| (INHALREC) IRINHALREC (INHALREC) IIINHALREC (INHALREC) | 1 = Questionnaire data | 58961 3 999 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 Pct 99.51 0.27 0.20 |
| (INHALREC) IRINHALREC (INHALREC) IIINHALREC | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 16 | 99.82 0.01 0.17 0.01 0.00 Pet 0.43 0.79 8.41 90.37 Pet 99.51 0.27 0.20 0.03 |
| (INHALREC) IRINHALREC (INHALREC) IIINHALREC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 16 | 99.82 0.01 0.17 0.01 0.00 Pet 0.43 0.79 8.41 90.37 Pet 99.51 0.27 0.20 0.03 |
| (INHALREC) IRINHALREC (INHALREC) IIINHALREC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 16 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 Pct 99.51 0.27 0.20 0.03 |
| (INHALREC) IRINHALREC (INHALREC) IIINHALREC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 16 | 99.82 0.01 0.17 0.01 0.00 Pet 0.43 0.79 8.41 90.37 Pet 99.51 0.27 0.20 0.03 |
| (INHALREC) IRINHALREC (INHALREC) IIINHALREC (INHALREC) | 1 = Questionnaire data | 58961 3 99 5 1 Freq 256 464 4968 53381 Freq 58777 160 116 16 | 99.82 0.01 0.17 0.01 0.00 Pct 0.43 0.79 8.41 90.37 Pct 99.51 0.27 0.20 0.03 |

(METHAMREC)

<u>IIMETHAMRÉC</u> Len: 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR

| | Freq | PCt |
|---|-------|-------|
| 1 = Questionnaire data | 58974 | 99.84 |
| 2 = Logically assigned data | 2 | 0.00 |
| 3 = Statistically imputed data - lifetime use imputed | 70 | 0.12 |
| 4 = Statistically imputed data - edited recency = 9 | 13 | 0.02 |
| 5 = Statistically imputed data - edited recency = 8 | 10 | 0.02 |

NOTE: The following 18 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER USED XXX' in analysis for the following variables: IRPNRANYREC, IRTRQANYREC, and IRSEDANYREC.

| (PNRANYREC) IRPNRANYREC | Len: 1 ANY PAIN RELIEVER RECENCY - IMPUTATION REVISED | Freq | Pct |
|-----------------------------------|--|-----------------------------|------------------------------|
| | 1 = Within the past 12 months | 13184 | 22.32 |
| | 2 = More than 12 months ago | 15107 | 25.58 |
| | 9 = NEVER USED PAIN RELIEVERS | 30778 | 52.11 |
| (PNRANYREC) IIPNRANYREC | Len: 1 ANY PAIN RELIEVER RECENCY - IMPUTATION INDICATOR | | |
| | | Freq | Pct |
| | 1 = Questionnaire data | 58438 518 | 98.93 0.88 |
| | 4 = Statistically imputed data - edited recency = 9. | 113 | 0.88 |
| (OVCN (NIVVR) | Total States of the Control of the C | 113 | 0.17 |
| (OXCNANYYR) IROXCNANYYR | Len: 1 ANY OXYCONTIN RECENCY - IMPUTATION REVISED | | |
| | | Freq | Pct |
| | 1 = Within the past 12 months | 1378 | 2.33 |
| | 9 = Did not use in the past 12 months | 57691 | 97.67 |
| (OXCNANYYR) IIOXCNANYYR | Len: 1 ANY OXYCONTIN RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58727 127 215 | Pct 99.42 0.22 0.36 |
| (FENTANYYR) IRFENTANYYR | Len: 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP REV | | |
| | 0 N | Freq | Pct |
| | 0 = No | 58524 545 | 99.08 0.92 |
| | 1 – 1 CS | 343 | 0.92 |
| <i>(FENTANYYR)</i> IIFENTANYYR | Len: 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP IND | | |
| III LIVITUVI TIK | Edit.1 TEMTATTETRODUCTS ANTTAST TEAR OSE INIT IND | Freq | Pct |
| | 1 = Questionnaire data | 58761 | 99.48 |
| | 2 = Logically assigned data | 103 | 0.17 |
| | 3 = Statistically imputed data | 205 | 0.35 |
| (TRQANYREC) IRTRQANYREC | Len: 1 ANY TRANQUILIZERS RECENCY - IMPUTATION REVISED | Freq | Pct |
| | 1 = Within the past 12 months | 5779 | 9.78 |
| | 2 = More than 12 months ago | 4339 | 7.35 |
| | 9 = NEVER USED TRANQUILIZERS | 48951 | 82.87 |

| | RECENCY OF DRUG USE | | |
|--------------------------------------|--|---------------|---------------------|
| (TRQANYREC) IITRQANYREC | Len: 1 ANY TRANQUILIZERS RECENCY - IMPUTATION INDICATOR | | |
| HIRQHITTEE | Edit 1 Mai Man Quielella Receive 1 Mai e 1711 loi virabientor | Freq | Pct |
| | 1 = Questionnaire data | 58610 | 99.22 |
| | 3 = Statistically imputed data - lifetime use imputed | 439 | 0.74 |
| | 4 = Statistically imputed data - edited recency = 9 | 20 | 0.03 |
| | | | |
| (STMANYREC) | | | |
| IRSTMANYREC | Len: 1 ANY STIMULANTS RECENCY - IMPUTATION REVISED | | |
| | | Freq | Pct |
| | 1 = Within the past 12 months | 4870 | 8.24 |
| | 2 = More than 12 months ago | 3140 | 5.32 |
| | 9 = NEVER USED STIMULANTS | 51059 | 86.44 |
| | | | |
| (STMANYREC) | A ANNUATE OF A PROPERTY OF A P | | |
| <u>IISTMANYREC</u> | Len: 1 ANY STIMULANTS RECENCY - IMPUTATION INDICATOR | F | D-4 |
| | 1 = Questionnaire data | Freq 58717 | Pct 99.40 |
| | 3 = Statistically imputed data - lifetime use imputed | 336 | 0.57 |
| | 4 = Statistically imputed data - edited recency = 9 | 16 | 0.03 |
| | Suitablearly impared data edited receivey | 10 | 0.05 |
| (GED ANDEG) | | | |
| <i>(SEDANYREC)</i> IRSEDANYREC | Len: 1 ANY SEDATIVES RECENCY - IMPUTATION REVISED | | |
| IKSEDANTKEC | Leii. 1 AN1 SEDATIVES RECENCT - IMPOTATION REVISED | Freq | Pct |
| | 1 = Within the past 12 months | 2493 | 4.22 |
| | 2 = More than 12 months ago | 3114 | 5.27 |
| | 9 = NEVER USED SEDATIVES | 53462 | 90.51 |
| | | | |
| (SEDANYREC) | | | |
| IISEDANYREC | Len: 1 ANY SEDATIVES RECENCY - IMPUTATION INDICATOR | | |
| | | Freq | Pct |
| | 1 = Questionnaire data | 58587 | 99.18 |
| | 3 = Statistically imputed data - lifetime use imputed | 472 | 0.80 |
| | 4 = Statistically imputed data - edited recency = 9 | 10 | 0.02 |
| | | | |
| (BZOANYYR) | | | |
| IRBZOANYYR | Len: 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION REVISED | | |
| | | Freq | Pct |
| | 0 = No | 54559 | 92.36 |
| | 1 = Yes | 4510 | 7.64 |
| | | | |
| (BZOANYYR) | | | |
| <u>IIBZOANYYR</u> | Len: 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION INDICATOR | | |
| | | Freq | Pct |
| | 1 = Questionnaire data | 58790 | 99.53 |
| | 3 = Statistically imputed data | 279 | 0.47 |
| | | | |
| | ng 14 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as | | |
| | ng use without a prescription of one's own medication; use in greater amounts, more often, or longer | | |
| | y not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are | | |
| the levels 'More that IRSTMNMREC, an | in 12 months ago' and 'NEVER MISUSED XXX' in analysis for the following variables: IRPNRNI | VIKEC, IKTR | QNMKE |
| mo i wii vivincec, ali | N ROLDI WIRLC. | | |
| (DMDMMDEC) | | | |

| <i>(PNRNMREC)</i> IRPNRNMREC | Len: 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION REVISED | | |
|---------------------------------|--|-------|-------|
| | | Freq | Pct |
| | 1 = Within the past 30 days | 501 | 0.85 |
| | 2 = More than 30 days ago but within the past 12 mos | 1273 | 2.16 |
| | 3 = More than 12 months ago | 3113 | 5.27 |
| | 9 = NEVER MISUSED PAIN RELIEVERS | 54182 | 91.73 |

| (PNRNMREC) IIPNRNMREC | Len: 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58265 1 165 63 44 13 518 | Pct 98.64 0.00 0.28 0.11 0.07 0.02 0.88 |
|--------------------------|---|--|--|
| (OXCNNMYR) IROXCNNMYR | Len: 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED 1 = Misused in the past 12 months | Freq 219 58850 | Pct 0.37 99.63 |
| (OXCNNMYR) IIOXCNNMYR | Len: 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58946 2 121 | Pct 99.79 0.00 0.20 |
| (FENTNMYR) IRFENTNMYR | Len: 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP REV 0 = No | Freq 58976 93 | Pct 99.84 0.16 |
| (FENTNMYR) IIFENTNMYR | Len: 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP IND 1 = Questionnaire data | Freq 58938 131 | Pct 99.78 0.22 |
| (TRQNMREC) IRTRQNMREC | Len: 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 277 647 1227 56918 | Pct 0.47 1.10 2.08 96.36 |
| (TRQNMREC) ITTRQNMREC | Len: 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58593 205 17 4 5 245 | Pct 99.19 0.35 0.03 0.01 0.01 0.41 |
| (STMNMREC) IRSTMNMREC | Len: 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 349 817 1638 56265 | Pct 0.59 1.38 2.77 95.25 |

| (STMNMREC) IISTMNMREC | Len: 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58678 221 26 4 7 133 | Pct 99.34 0.37 0.04 0.01 0.01 0.23 |
|--------------------------|--|---|--|
| (SEDNMREC) IRSEDNMREC | Len: 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED 1 = Within the past 30 days | Freq 53 120 913 57983 | Pct 0.09 0.20 1.55 98.16 |
| (SEDNMREC) IISEDNMREC | Len: 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 58561 298 13 3 1 193 | Pct 99.14 0.50 0.02 0.01 0.00 0.33 |
| (BZONMYR) IRBZONMYR | Len: 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMPUTATION REVISED 0 = No | Freq 58225 844 | Pct 98.57 1.43 |
| (BZONMYR) IIBZONMYR | Len: 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMP IND 1 = Questionnaire data | Freq 58790 279 | Pct 99.53 0.47 |

PAST YEAR FREQUENCY OF USE

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

| (ALCYRTOT) IRALCFY | Len: 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED | Freq | Pct |
|------------------------|---|-----------------------------|------------------------------|
| | RANGE = 1 - 365 | 34878 | 59.05 |
| | 991 = NEVER USED ALCOHOL | 17234 | 29.18 |
| | 993 = DID NOT USE ALCOHOL PAST YEAR | 6957 | 11.78 |
| (ALCYRTOT) IIALCFY | Len: 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 33568 | 56.83 |
| | 2 = Logically assigned data | 842 | 1.43 |
| | 3 = Statistically imputed data | 544 | 0.92 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 24115 | 40.83 |
| (ALCYRTOT) II2ALCFY | Len: 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 33568 | 56.83 |
| | 2 = Logically assigned data | 842 | 1.43 |
| | 3 = Statistically imputed data - lifetime use imputed | 25 | 0.04 |
| | 4 = Statistically imputed data - lifetime use known | 519 24115 | 0.88 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 24115 | 40.83 |
| (MJYRTOT) IRMJFY | Len: 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED | Freq | Pct |
| | RANGE = 1 - 365 | 14271 | 24.16 |
| | 991 = NEVER USED MARIJUANA | 32976 | 55.83 |
| | 993 = DID NOT USE MARIJUANA PAST YEAR | 11822 | 20.01 |
| (MJYRTOT) IIMJFY | Len: 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR 1 = Questionnaire data | Freq 13028 904 435 | Pct 22.06 1.53 0.74 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 44702 | 75.68 |
| (MJYRTOT) II2MJFY | Len: 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 13028 904 | 22.06 |
| | 2 = Logically assigned data | 54 | 1.53 0.09 |
| | 4 = Statistically imputed data - lifetime use known. | 381 | 0.65 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 44702 | 75.68 |
| (COCYRTOT) IRCOCFY | Len: 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED | - | |
| | RANGE = 1 - 365 | Freq | Pct |
| | 991 = NEVER USED COCAINE | 1159 52336 | 1.96 88.60 |
| | 993 = DID NOT USE COCAINE PAST YEAR | 5574 | 9.44 |
| (COCYRTOT) | | | |
| <u>IICOCFY</u> | Len: 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR | Frag | Pct |
| | 1 = Questionnaire data | Freq 1049 | 1.78 |
| | 2 = Logically assigned data | 69 | 0.12 |
| | 3 = Statistically imputed data | 85 | 0.14 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 57866 | 97.96 |

PAST YEAR FREQUENCY OF USE

| (COCYRTOT) II2COCFY | Len: 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR | Euro | Dat |
|-------------------------------|--|---------------------|--------------------|
| | 1 = Questionnaire data | Freq 1049 | Pct 1.78 |
| | 2 = Logically assigned data | 69 | 0.12 |
| | 3 = Statistically imputed data - lifetime use imputed | 24 61 | 0.04 0.10 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 57866 | 97.96 |
| | | | |
| (CDVVDTOT) | | | |
| <i>(CRKYRTOT)</i> IRCRKFY | Len: 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED | | |
| | | Freq | Pct |
| | RANGE = 1 - 365 | 174 | 0.29 |
| | 991 = NEVER USED CRACK | 57475 1420 | 97.30 2.40 |
| | 7/3 BID IVOT GGE CRACKTAGT TEAK | 1420 | 2.40 |
| | | | |
| <i>(CRKYRTOT)</i> IICRKFY | Len: 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR | | |
| HCKKI I | Edi. 1 CRACK TREQUENCI TASI TEAK-IMI OTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 163 | 0.28 |
| | 2 = Logically assigned data | 6 | 0.01 |
| | 3 = Statistically imputed data 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 38 58862 | 0.06 99.65 |
| |) ELGITIMITE SKIL IVOTA EN ET ET ET I ET I ET I ET I ET I ET I | 20002 | 77.05 |
| | | | |
| <i>(CRKYRTOT)</i> II2CRKFY | Len: 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR | | |
| HZCKKI I | ECIL 1 CRACK PREQUAST TEAK - DETAILED INITOTATION INDICATOR | Freq | Pct |
| | 1 = Questionnaire data | 163 | 0.28 |
| | 2 = Logically assigned data | 6 | 0.01 |
| | 3 = Statistically imputed data - lifetime use imputed | 30 8 | 0.05 0.01 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 58862 | 99.65 |
| | | | |
| (HERYRTOT) | | | |
| IRHERFY | Len: 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED | | |
| | | Freq | Pct |
| | RANGE = 1 - 365 | 194 | 0.33 |
| | 991 = NEVER USED HEROIN 993 = DID NOT USE HEROIN PAST YEAR | 57898 977 | 98.02 1.65 |
| | 7/3 BID IVOT GGE HERGIVITAGI TEME | 211 | 1.03 |
| (HEDVD#OT) | | | |
| <i>(HERYRTOT)</i> IIHERFY | Len: 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR | | |
| IIIIDICI I | Edit i indicativa deli indi i indicativa i indicativa deli ind | Freq | Pct |
| | 1 = Questionnaire data | 171 | 0.29 |
| | 2 = Logically assigned data | 15 66 | 0.03 0.11 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 58817 | 99.57 |
| | | | |
| (HEDVDTOT) | | | |
| <i>(HERYRTOT)</i> II2HERFY | Len: 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR | | |
| | | Freq | Pct |
| | 1 = Questionnaire data | 171 | 0.29 |
| | 2 = Logically assigned data | 15 55 | 0.03 0.09 |
| | 4 = Statistically imputed data - lifetime use known | 11 | 0.02 |
| | 9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER | 58817 | 99.57 |
| | | | |
| (HALLUCYFQ) | | | |
| <u>IRHALLUCYFQ</u> | Len: 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED | _ | _ |
| | RANGE = 1 - 365 | Freq 2243 | Pct 3.80 |
| | 991 = NEVER USED HALLUCINOGENS | 49718 | 3.80 84.17 |
| | 993 = DID NOT USE HALLUCINOGENS PAST YEAR | 7108 | 12.03 |