

**GTU Department of Computer Engineering
CSE414 Databases - Spring 2022
Project Report**

**Akif KARTAL
171044098**

1) Problem Definition

Yemeksepeti

The problem is to make a database management system for the **yemeksepeti** platform.

2) Solution

The project was **finished as expected** in project assignment announcement.

2.1) User Requirements


In this project we 3 users. These are customer, restaurant owner and admin of system.

1. **Customer** shall be able to sign up.
2. **Customer** shall be able to add food to his/her basket.
3. **Customer** shall be able to order food.
4. **Customer** shall be able to see old orders and status of the order.
5. **Customer** shall be able to add new address or edit them.
6. **Customer** shall be able to see all foods and restaurants.
7. **Customer** shall be able to add restaurant in his/her favorites.
8. **Customer** shall be able to load money on the digital wallet.
9. **Customer** shall be able to make review to order.
10. **Customer** shall be able to see and use his/her discount coupons.
11. **Restaurant Owner** shall be able to add new food on his/her menu or edit them.
12. **Restaurant Owner** shall be able to add new payment type for his/her restaurant.
13. **Restaurant Owner** shall be able to change working hours of restaurant.
14. **Restaurant Owner** shall be able to add new campaign for foods.
15. **Admin** shall be able to add new restaurants or edit them.
16. **Admin** shall be able to add new discount coupon to the customers
17. **Admin** shall be able to see all information in the system.

2.2) Database Tables and Relations


In this project we have **24 table**. These tables are followings.

Customer, Address, AddressType, CustomerAdress, TelephoneNumber, Email, Orders, FavouriteRestaurant, Basket, BasketFood, OrderFood, DigitalWallet, Restaurant, PaymentType, PaymentRestaurant, WorkingHours, Food, Category, Review, Campaign, Coupon, CouponCustomer, FoodLog, WalletLog



2.3) Inheritance(Specialization)

Between Campaign and Coupon tables there is an inheritance because both are related to discount, and they have common attributes. Therefore, they inherited from Offer table.



As you can see Name, Details, StartDate, FinishDate and IsActive attributes are **common** between Campaign and Coupon tables and IDF's are foreign key. We will access the information by using this foreign keys.

2.4) E-R Diagram

2.5) Triggers

1. **trg_LogWallet** : By using this trigger we will insert a new log to WalletLog after updating DigitalWallet. In this way we can see the user operations in any problem. You can see the changes in WalletLog table in following image.

```

update DigitalWallet set Balance = 250 where WalletID = 1
update DigitalWallet set Balance = 200 where WalletID = 1
select * from WalletLog

```

	LogID	LogTime	OperationDetails	OldBalance	NewBalance	WalletIDF
1	1	2022-04-29 23:19:11.830	Para Yükleme İşlemi Yapıldı.	150,00	250,00	1
2	2	2022-04-29 23:20:19.260	Para Çekme İşlemi Yapıldı.	250,00	200,00	1

2. **trg_ReviewAverage**: By using this trigger after a new review(speed,service,taste) made by the customer we can update restaurant average score. You can see the changes in Restaurant table in following image.

```

select * from Restaurant where RestaurantID = 2
Go
insert Review values(2,2,2,GETDATE(),'Teşekkürler. Uzun zaman sonra eksiksiz bir sipariş geldi.',8,9,9)
Go
select * from Restaurant where RestaurantID = 2

```

	RestaurantID	RestaurantName	Logo	MinDeliveryTime	MinDeliveryPrice	IsOpen	AverageScore	AddressIDF	PhoneNumberIDF	WorkingHoursIDF
1	2	Dominos	https://dominos.gif	40	60,00	1	5.00	4	4	2

	RestaurantID	RestaurantName	Logo	MinDeliveryTime	MinDeliveryPrice	IsOpen	AverageScore	AddressIDF	PhoneNumberIDF	WorkingHoursIDF
1	2	Dominos	https://dominos.gif	40	60,00	1	6.83	4	4	2

3. **trg_BasketPriceUpdate**: By using this trigger we will update basket total price after a food added to the basket. You can see the changes in Basket table in following image.

```

select * from Basket where BasketID = 1
Go
insert BasketFood(BasketIDF,FoodIDF,Quantity,Price) Values(1,2,1,80)
Go
insert BasketFood(BasketIDF,FoodIDF,Quantity,Price) Values(1,1,1,60)
Go
select * from Basket where BasketID = 1

```

	BasketID	IsEmpty	TotalCost
1	1	1	0,00

	BasketID	IsEmpty	TotalCost
1	1	0	140,00

4. **trg_LogFood**: By using this trigger, after deleting a food we can insert information about that food in FoodLog table to check later. You can see the changes in FoodLog table in following image.

```

select * from Food where FoodID = 4
Go
select * from FoodLog
Go
delete from Food where FoodID = 4
Go
select * from FoodLog

```

100 %

	FoodID	CategoryIDF	RestaurantIDF	Price	FoodName	FoodDetails
1	4	2	1	60,00	Chicken Royale Menü	Chicken Royale + Büyük Boy Patates + Kutu İçecek

	LogID	DeletedTime	FoodName	FoodDetail	Price	RestaurantName
1	1	2022-04-29 23:54:23.363	Chicken Royale Menü	Chicken Royale + Büyük Boy Patates + Kutu İçecek	60,00	Burger King

5. **trg_OrderFood** : By using this trigger, when a customer give the order, the foods in the basket will be removed and they will added to order table. You can see the changes in Basket table in following image.

```

select * from Basket where BasketID = 1
Go
insert Orders Values(GETDATE(),140,NULL,0,'Hazır lanıyor',GETDATE(),1,1,1,1)
Go
select * from Basket where BasketID = 1

```

100 %

	BasketID	IsEmpty	TotalCost
1	1	0	140,00

	BasketID	IsEmpty	TotalCost
1	1	1	0,00

2.6) Views

1. vm_Customer: By using this view we can see the customer information detailed way. Normally customer information separated into different tables. With this view we will join them. See the results in following image.

```
-- original customer table vs customer view
select * from Customer
Go
select * from vm_Customer --password was hidden form user
```

CustomerID	FirstName	LastName	BirthDate	Password	RecordDate	EmailIDF	BasketIDF	WalletIDF
1	Akif	Kartal	1997-07-25	test123	2022-04-28 23:09:42.180	1	1	1
2	Ayşe	Çınar	1992-09-13	test234	2022-04-28 23:09:42.180	2	2	2
3	Deniz	Kaya	1985-11-11	test356	2022-04-28 23:09:42.180	3	3	3

Adı	Soyadı	Doğum Tarihi	MailAdresi	Sepet Tutarı	CüzdanMaximumLimit	Kayıt Tarihi	SiparişSayısı	ToplamYorumSayısı	KuponSayısı	FavoriRestoranSayısı
Akif	Kartal	1997	test1@gmail.com	0,00	3000,00	2022-04-28 23:09:42.180	2	1	0	2
Ayşe	Çınar	1992	test2@gmail.com	0,00	3000,00	2022-04-28 23:09:42.180	1	2	0	2
Deniz	Kaya	1985	test3@gmail.com	0,00	3000,00	2022-04-28 23:09:42.180	1	1	0	2

2. vm_Order : By using this view we can see the order information detailed way. Normally order information separated into different tables. With this view we will join them and add additional information. See the results in following image.

```
-- original order table vs order view
select * from Orders
Go
select * from vm_Order
```

OrderID	OrderDate	TotalPrice	DeliveryDate	IsDelivered	IsRated	StatusDetails	LastUpdateTime	CustomerIDF	RestaurantIDF	AddressIDF	PaymentTypeIDF
1	2022-03-19 18:47:39.370	80,00	NULL	0	1	Hazırlanıyor	2022-03-19 18:50:39.370	1	1	1	1
2	2022-04-19 13:55:39.370	60,00	2022-04-19 14:15:39.370	1	1	Teslim Edildi	2022-03-19 18:50:39.370	2	2	2	2
3	2022-05-19 14:35:39.370	120,00	2022-05-19 14:55:39.370	1	1	Teslim Edildi	2022-03-19 18:50:39.370	3	3	3	3
4	2022-04-30 00:10:40.550	140,00	NULL	0	0	Hazırlanıyor	2022-04-30 00:10:40.550	1	1	1	1

SiparişNumarası	SiparişTarihi	Fiyat	YemekAdedi	SiparişVerenKişi	SiparişAdresi	RestorantAdı	ÖdemeTipi	TeslimEdildimi	SonBilgiGirişZamanı	SiparişYorumu
1	2022-03-19 18:47:39.370	80,00	1	Akif Kartal	Yunus Emre Mah. Malazgirt Cd. No:31 D:3 Sancaktepe...	Burger King	MetropolCard	0	2022-03-19 18:50:39.370	Burger hastasıyım kötü
2	2022-04-19 13:55:39.370	60,00	1	Ayşe Çınar	Cumhuriyet, 2254. Sk. No:2, 41400 Gebze/Kocaeli	Dominos	Online Credit/Debit Card	1	2022-03-19 18:50:39.370	Tesekkürler. Uzun za
3	2022-05-19 14:35:39.370	120,00	1	Deniz Kaya	Test mah. test cad no.1 ankara/çankaya	KFC	Multinet	1	2022-03-19 18:50:39.370	Burger hastasıyım kötü
4	2022-04-30 00:10:40.550	140,00	2	Akif Kartal	Yunus Emre Mah. Malazgirt Cd. No:31 D:3 Sancaktepe...	Burger King	MetropolCard	0	2022-04-30 00:10:40.550	NULL

3. vm_Max40Food: By using this view we can see the foods whose price less tha 40 TL. See the results in following image.

```
-- original food table vs max40food view
select * from Food
Go
select * from vm_Max40Food
```

100 %

Results Messages

	FoodID	CategoryIDF	RestaurantIDF	Price	FoodName	FoodDetails
1	1	2	1	60,00	Whopper Menü	Whopper Menü + Büyük Boy Patates + Kutu İçecek
2	2	3	2	80,00	Seçilmiş Menü (Orta Boy Pizza)	Orta Boy Pizza + Seçeceğiniz Yan Ürün + Coca-Col...
3	3	2	3	60,00	KFC TAVUK BURGER KUTU	KFC Tavuk Burger, 2 Kanat, 4 Hot Shots, Orta Boy...
4	5	11	1	20,00	Patates Kızartması	Büyük Boy Patates Kızartması

	YemekAdı	YemekDetayı	Fiyatı	YemekTürü	RestoranAdı	ServisSuresi
1	Patates Kızartması	Büyük Boy Patates Kızartması	20,00	Ekstra Yiyecek	Burger King	30 dk.

4. vm_Restaurant: By using this view we can see the restaurant information detailed way. Normally restaurant information separated into different tables. With this view we will join them and add additional information. See the results in following image.

```
-- original restaurant table vs restaurant view
select * from Restaurant
Go
select * from vm_Restaurant
```

100 %

Results Messages

	RestaurantID	RestaurantName	Logo	MinDeliveryTime	MinDeliveryPrice	IsOpen	AverageScore	AddressIDF	PhoneNumberIDF	WorkingHoursIDF
1	1	Burger King	https://burgerking.gif	30	50,00	1	9.33	4	4	1
2	2	Dominos	https://dominos.gif	40	60,00	1	6.83	4	4	2
3	3	KFC	https://kfc.gif	50	40,00	1	8.00	4	4	3

	RestoranAdı	RestoranPuanı	ServisSuresi	MinTutar	RestoranAçıklaması	ÇalışmaSaatleri	TelefonNumarası	Adresi	ToplamYemekSayısı	ToplamYorumSayısı	FavoriSeçilmeSayısı	ToplamÖdeme
1	Burger King	9.33	30 dk.	50,00	1	08:00 - 17:00 arası	90 2164445555	Cumhuriyet Mah. Sile Otoyolu Adnan Menderes Cad. ...	2	1	2	1
2	Dominos	6.83	40 dk.	60,00	1	09:00 - 23:00 arası	90 2164445555	Cumhuriyet Mah. Sile Otoyolu Adnan Menderes Cad. ...	1	1	3	3
3	KFC	8.00	50 dk.	40,00	1	11:00 - 00:00 arası	90 2164445555	Cumhuriyet Mah. Sile Otoyolu Adnan Menderes Cad. ...	1	1	1	2

5. vm_Comment: By using this view we can see the review information detailed way. Normally review information separated into different tables. With this view we will join them and add additional information. See the results in following image.

```
-- original review table vs review view
select * from Review
Go
select * from vm_Comment
```

100 %

Results Messages

	ReviewID	CustomerIDF	RestaurantIDF	OrderIDF	ReviewDate	Comment	Speed	Service	Taste	ScoreAverage
1	1	1	1	1	2022-03-19 18:47:39.370	Burger hastasiyim kötü yapani gömedim. Piyasada...	9	9	10	9.33
2	2	2	2	2	2022-03-19 18:42:39.370	Tesekkürler. Uzun zaman sonra eksiksiz bir siparis...	5	5	5	5.00
3	3	3	3	3	2022-04-11 15:49:39.370	Burger hastasiyim kötü yapani gömedim. Piyasada...	8	8	8	8.00

	Yorum	YorumuYapanKişi	YorumYapılanRestoran	YorumTarihi	HızPuanı	ServisPuanı	LezzetPuanı	OrtalamaPuan	SiparişTarihi
1	Burger hastasiyim kötü yapani gömedim. Piyasada...	Akif Kartal	Burger King	2022-03-19 18:47:39.370	9	9	10	9.33	2022-03-19 18:47:39.370
2	Tesekkürler. Uzun zaman sonra eksiksiz bir siparis...	Ayşe Çınar	Dominos	2022-03-19 18:42:39.370	5	5	5	5.00	2022-04-19 13:55:39.370
3	Burger hastasiyim kötü yapani gömedim. Piyasada...	Deniz Kaya	KFC	2022-04-11 15:49:39.370	8	8	8	8.00	2022-05-19 14:35:39.370

2.7) Normalization

2.8) Functional Dependencies

2.9) Left Right Full Outer Join

2.10) Transactions