

# GTU Department of Computer Engineering CSE414 Databases - Spring 2022 Project Report

Akif KARTAL 171044098



# 1) Problem Definition

# Yemeksepeti

The problem is to make a database management system for the yemeksepeti platform.

# 2) Solution

The project was finished as expected in project assignment announcement.

# 2.1) User Requirements

In this project we 3 users. These are customer, restaurant owner and admin of system.


- 1. Customer shall be able to sign up.
- 2. **Customer** shall be able to add food to his/her basket.
- 3. **Customer** shall be able to order food.
- 4. **Customer** shall be able to see old orders and status of the order.
- 5. Customer shall be able to add new address or edit them.
- 6. **Customer** shall be able to see all foods and restaurants.
- 7. **Customer** shall be able to add restaurant in his/her favorites.
- 8. **Customer** shall be able to load money on the digital wallet.
- 9. **Customer** shall be able to make review to order.
- 10. **Customer** shall be able to see and use his/her discount coupons.
- 11. Restaurant Owner shall be able to add new food on his/her menu or edit them.
- 12. Restaurant Owner shall be able to add new payment type for his/her restaurant.
- 13. Restaurant Owner shall be able to change working hours of restaurant.
- 14. **Restaurant Owner** shall be able to add new campaign for foods.
- 15. Admin shall be able to add new restaurants or edit them.
- 16. Admin shall be able to add new discount coupon to the customers
- 17. **Admin** shall be able to see all information in the system.

# 2.2) Database Tables and Relations

In this project we have **25 table**. These tables are followings.

Customer, Address, AddressType, CustomerAdress, TelephoneNumber, Email, Orders, FavouriteRestaurant, Basket, BasketFood, OrderFood, DigitalWallet, Restaurant, PaymentType PaymentRestaurant, WorkingHours, Food, Category, Review, Campaign, Coupon, CouponCustomer, FoodLog, WalletLog,Offer








# 2.3) Inheritance(Specialization)

Between Campaign and Coupon tables there is an inheritance because both are related to discount, and they have common attributes. Therefore, they inherited from Offer table.




As you can see Name, Details, StartDate, FinishDate and IsActive attributes are **common** between Campaign and Coupon tables and IDF's are foreign key. We will access the information by using this foreign keys.




# 2.4) E-R Diagram

# 2.5) Triggers

trg\_LogWallet: By using this trigger we will insert a new log to WalletLog after updating
DigitalWallet. In this way we can see the user operations in any problem. You can see the changes
in WalletLog table in following image.



**2. trg\_ReviewAverage:** By using this trigger after a new review(speed,service,taste) made by the customer we can update restaurant average score. You can see the changes in Restaurant table in following image.



**3. trg\_BasketPriceUpdate:** By using this trigger we will update basket total price after a food added to the basket. You can see the changes in Basket table in following image.


```
select * from Basket where BasketID = 1
     insert BasketFood(BasketIDF,FoodIDF,Quantity,Price) Values(1,2,1,80)
     insert BasketFood(BasketIDF,FoodIDF,Quantity,Price) Values(1,1,1,60)
     select * from Basket where BasketID = 1
100 %
      ---

    ⊞ Results

          BasketID
               IsEmpty
                       TotalCost
               1
                       0.00
     BasketID
               IsEmpty
                       TotalCost
               0
                       140.00
```



**4. trg\_LogFood:** By using this trigger, after deleting a food we can insert information about that food in FoodLog table to check later. You can see the changes in FoodLog table in following image.




**5. trg\_OrderFood**: By using this trigger, when a customer give the order, the foods in the basket will be removed and they will added to order table. You can see the changes in Basket table in following image.






# **2.6) Views**

**1. vm\_Customer:** By using this view we can see the customer information detailed way. Normally customer information separated into different tables. With this view we will join them. See the results in following image.



**2. vm\_Order**: By using this view we can see the order information detailed way. Normally order information separated into different tables. With this view we will join them and add additional information. See the results in following image.




**3. vm\_Max40Food:** By using this view we can see the foods whose price less tha 40 TL. See the results in following image.






**4. vm\_Restaurant:** By using this view we can see the restaurant information detailed way. Normally restaurant information separated into different tables. With this view we will join them and add additional information. See the results in following image.



**5. vm\_Comment:** By using this view we can see the review information detailed way. Normally review information separated into different tables. With this view we will join them and add additional information. See the results in following image.





# 2.7) Normalization

# 2.8) Functional Dependencies



CustomerID —> FirstName, LastName, Password, BirthDate, EmailIDF, BasketIDF, WalletIDF, RecordDate

#### **Address**

AddressID —> PhoneNumberIDF, AddressTypeIDF, AdressTitle, City, Region, AdressDetail

#### AddressType

TypeID → TypeName

#### TelephoneNumber

NumberID -> CountryCode, PhoneNumber

#### **Email**

MailID -> MailAddress

#### **Orders**

OrderID —> CustomerIDF, RestaurantIDF, AddressIDF, PaymentTypeIDF, StatusDetail, LastUpdateTime, OrderDate, TotalPrice, IsDelivered, IsRated, DeliveryDate

#### **Basket**

BasketID → IsEmpty, TotalCost

#### DigitalWallet

WalletID 

Balance, BillingAdressIDF, BillingMailIDF, MaximumLimit, LastLoadDate

#### Restaurant

RestaurantID RestaurantName, Logo, AverageScore, MinDeliveryTime, MinDeliveryPrice, IsOpen, WorkingHoursIDF, AddressIDF, PhoneNumberIDF

#### **PaymentType**

PaymentTypeID -> PaymentTypeName, IsOnline

#### WorkingHours

HourID --> HoursDetail, TotalHour, OpensAt, ClosesAt

# Food

FoodID --> FoodName, FoodDetail, Price, CategoryIDF, RestaurantIDF



# Category

CategoryID → CategoryName

#### **Review**

ReviewID —> CustomerIDF, RestaurantIDF, Comment, ReviewDate, Speed, Service, Taste, ScoreAverage, OrderIDF

#### Campaign

IDF -> CampaignImage, RestaurantID

# Coupon

IDF -> CouponCode, DiscountAmount, MinBasketPrice, PaymentTypeIDF

#### **FoodLog**

LogID --> DeletedTime, FoodName, FoodDetail, Price, RestaurantName

#### WalletLog

LogID --> LogTime, OperationDetails, OldBalance, NewBalance, WalletIDF

#### Offer

ID -> Name, Details, StartDate, FinishDate, IsActive

# 2.9) Left, Right and Full Outer Join

# 2.10) Transactions

# 2.11) User Interface



