

Quiz 2

6 questions

1
point

1.

In the slidify YAML text. Changing the framework from **io2012** to **shower** does what?

- ☐ It changes nothing.
 - ☐ It changes the html5 framework thus changing the style of the slides.
 - ☐ It changes whether the document is self contained or requires being connected to the internet.
 - ☐ It changes the ability to display mathjax javascript rendering.
-

1
point

2.

You wrote R code in a slidify document as follows

```
```{r}
fit <- lm(y ~ x1 + x2 + x3)
summary(fit)
```
```

If you want to hide the results of the CODEsummaryCODE statement (yet still have it run) what should you do?

- ☐ Add a **echo = FALSE** option in the **{r}** call of the code chunk
 - ☐ Comment out the command **# summary(fit)**
 - ☐ Add a **results = 'hide'** option in the **{r}** call of the code chunk
 - ☐ Comment the command as below but also use a bang symbol after the comment, as in **#! summary(fit)**
-

1
point

3.

You wrote R code in a slidify document as follows

```
```${r}
fit <- lm(y ~ x1 + x2 + x3)
summary(fit)
```
```

If you want to display the results, but not the actual code, what should you do?

- ☐ Comment the command, but use a bang symbol after the comment, as in **#! summary(fit)**
 - ☐ Add a **echo = TRUE** option in the **{r}** call of the code chunk
 - ☐ Add a **echo = FALSE** option in the **{r}** call of the code chunk
 - ☐ Comment out the command **# summary(fit)**
-

1
point

4.

R studio presentation tool does what?

- ☐ Creates HTML5 slides using a generalized markdown format having an extension Rpres and creates reproducible presentations by embedding and running the R code from within the presentation document.
 - ☐ Creates a power point presentation from a generalized markdown format having an extension Rpres.
 - ☐ Creates a presentation that can only be run from within Rstudio.
 - ☐ Creates presentable R code from within presentations. However, it does not actually run the code.
-

1
point

5.

In Rstudio presenter, if you do not want the code to be evaluated, what option do you need to add to the `{r}` options?

- ☐ `results = 'hide'`
 - ☐ `eval = FALSE`
 - ☐ `echo = FALSE`
 - ☐ `run = FALSE`
-

1
point

6.

When presenting data analysis to a broad audience, which of the following should be done?

- ☐ Summarize the problem first.
 - ☐ Present results in the chronological order in which it was performed.
 - ☐ Do not include figure captions.
 - ☐ Show every analysis and method that was done.
-

6 questions unanswered

Submit Quiz

