

12.3 Using Open GIS web services to serve environmental data

Daryl Herzmann



Raymond Arritt

Iowa Environmental Mesonet (IEM)

Department of Agronomy, Iowa State University

Our GIS Session History

- 2003: Getting our data into GIS accessible formats. Spatial Databases
- 2004: GIS Web Mapping. Applications with NEXRAD information.




The rundown for 2005!

- Motivation
- Overview of OGC web services (WMS,WFS,WCS)
- IEM web service offerings
- Example implementations
- What we have learned

Motivation

The Software Components

PostGIS ± Spatial database for the PostgreSQL RDBM



MapServer ± Extremely fast and capable internet mapping server also supporting WFS,WMS,WCS

Linux ± What else would you build your enterprise data system on?

WMS: Web Map Service

- ^aA WMS produces maps of spatially referenced data dynamically from geographic information.^o - from OGC WMS 1.3
- WMS defines three operations protocols
 - ± GetCapabilities
 - Get server capabilities
 - ± GetMap
 - Returns a map or an exception
 - ± GetFeatureInfo (Optional)
 - Mechanism to do pixel queries on GetMap generated maps

WFS: Web Feature Service

- ^a[WFS] proposes interfaces for describing data manipulation operations on geographic features using HTTP^o ± OGC WFS 1.0
- Data manipulation operations include
 - ± Create a new feature instance
 - ± Delete a feature instance
 - ± Update a feature instance
 - ± Get or query features based on spatial constraint

WCS: Web Coverage Service

- ^aWCS supports electronic exchange of geospatial data as 'coverages' ° ± OGC WCS 1.0
- A WCS provides three operations
 - ± GetCapabilities
 - ± GetCoverage
 - ± DescribeCoverage

12.3 Using Open GIS web services to serve environmental data

12.3 Using Open GIS web services to serve environmental data

IEM OGC Offerings

<http://mesonet.agron.iastate.edu/ogc/>

	WMS	WFS	WCS
CONUS NEXRAD (Base Reflect, Storm Precip)	X		? X ?
NCEP Stage4 Precip (Iowa)	X	X	
Iowa Road Conditions	X	X	
NWS Current/Archived Warnings (County + Polygon)	X	X	


Supporting 2004 Hurricanes

Provided Disaster
Management Interoperability
Services a RADAR WMS to
support their decision support
software

<http://www.cmi-services.org>

Providing Road Conditions to Media Outlets

- WFS and WMS support generation of images for display in TV Weather graphics systems



NWS Warnings WFS

- Retrieve current and historical NWS warnings (polygon and county based).
- Archive begins Jul 2002



Lessons Learned

- OGC webservices greatly reduced chaos on our server. Chaos being:
 - ± Redundantly storing data for different apps
 - ± Versioning issues with redundant data
 - ± Redundant code to simply add a RADAR layer to a map
- The application development time reduced
- Performance hit was remarkably small

More Lessons Learned

- Often, the performance bottleneck is the overhead of HTTP
- The client application/implementation is absolutely key
 - ± Example: No WFS support for ArcGIS9 (?)
- (Daryl's 2 cents) The OSS community needs to generate some killer OGC desktop interfaces and scripting libraries. [PyOGCLib a start?]

Time for Questions?



mesonet.agron.iastate.edu

Daryl Herzmann
515.294.5978
Akrherz@iastate.edu