

# Nmap Scan Result

**a. Summary - No. of Vulnerable Ports Open**

Total Count : : 7

**b. Detailed Report**

**i. Port Number: 22**

**ii. Protocol:** tcp

**iii. Service:** ssh

**iv. Recommended Action or Best Practices:** Ensure strong SSH configurations, including key-based authentication and disabling root login.

**i. Port Number: 25**

**ii. Protocol:** tcp

**iii. Service:** smtp

**iv. Recommended Action or Best Practices:** Implement proper email filtering and authentication mechanisms.

**i. Port Number: 80**

**ii. Protocol:** tcp

**iii. Service:** http

**iv. Recommended Action or Best Practices:** Apply security headers, keep software updated, and implement secure coding practices.

**i. Port Number: 110**

**ii. Protocol:** tcp

**iii. Service:** pop3

**iv. Recommended Action or Best Practices:** Consider using POP3 over SSL/TLS (POP3S) for secure email retrieval.

**i. Port Number: 443**

**ii. Protocol:** tcp

**iii. Service:** https

**iv. Recommended Action or Best Practices:** Apply security best practices for HTTPS services.

**i. Port Number: 587**

**ii. Protocol:** tcp

**iii. Service:** submission

**iv. Recommended Action or Best Practices:** Secure email submission by using submission over SSL/TLS.

**i. Port Number: 993**

**ii. Protocol:** tcp

**iii. Service:** imaps

**iv. Recommended Action or Best Practices:** Implement IMAPS (IMAP over SSL/TLS) for secure email access.

# ZAP Scan Result

## a. Summary

i. No. of Total Vulnerabilities Identified: : 154

ii. No. of Total Vulnerabilities Identified grouped on Risk Rating: : {'Informational': 136, 'Low': 13, 'Medium': 5}

## b. Detailed Report

### i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

### i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

### i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

### v. Details to Reproduce the Instance:

- **URL:** http://quarksek.com/
- **Method:** GET

- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 3

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 3

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710755668

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/robots.txt
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710755669

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710755669

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** x-wix-request-id
- **Attack:** No attack specified
- **Evidence:** 1710755669

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** x-wix-request-id

- **Attack:** No attack specified
- **Evidence:** 1710755669

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** x-wix-request-id
- **Attack:** No attack specified
- **Evidence:** 1710755668

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710755669

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710755669

**i. Vulnerability Summary: Cross-Domain Misconfiguration**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** Medium

**iv. Description:** Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Access-Control-Allow-Origin: \*

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 0

**i. Vulnerability Summary: Timestamp Disclosure - Unix**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Low

**iv. Description:** A timestamp was disclosed by the application/web server - Unix

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** X-Wix-Request-Id
- **Attack:** No attack specified
- **Evidence:** 1710755670

**i. Vulnerability Summary: Content Security Policy (CSP) Header Not Set**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** High

**iv. Description:** Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Missing Anti-clickjacking Header**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** Medium

**iv. Description:** The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com
- **Method:** GET
- **Parameter:** x-frame-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Content Security Policy (CSP) Header Not Set**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** High

**iv. Description:** Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 390183

**i. Vulnerability Summary: Content Security Policy (CSP) Header Not Set**

**ii. Risk Rating:** Medium

**iii. Confidence Rating:** High

**iv. Description:** Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com
- **Method:** GET

- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 391809

**i. Vulnerability Summary: Server Leaks Version Information via "Server" HTTP Response Header Field**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** High

**iv. Description:** The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com/sitemap.xml
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** ECS (nyd/D164)

**i. Vulnerability Summary: Server Leaks Version Information via "Server" HTTP Response Header Field**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** High

**iv. Description:** The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** ECS (laa/7B4B)

**i. Vulnerability Summary: Retrieved from Cache**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

**v. Details to Reproduce the Instance:**



- **URL:** http://example.com
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** HIT

**i. Vulnerability Summary: Server Leaks Version Information via "Server" HTTP Response Header Field**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** High

**iv. Description:** The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** ECS (laa/7BA4)

**i. Vulnerability Summary: X-Content-Type-Options Header Missing**

**ii. Risk Rating:** Low

**iii. Confidence Rating:** Medium

**iv. Description:** The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.

**v. Details to Reproduce the Instance:**

- **URL:** http://example.com
- **Method:** GET
- **Parameter:** x-content-type-options
- **Attack:** No attack specified
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials

- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET

- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** Header User-Agent

- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational



iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

iv. **Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. **Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/yssearch/slurp)
- **Evidence:** No evidence available

i. **Vulnerability Summary: User Agent Fuzzer**

ii. **Risk Rating:** Informational

iii. **Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api](http://quarksek.com/_api)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium



**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/pro-gallery-webapp/v1/galleries/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api](http://quarksek.com/_api)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api](http://quarksek.com/_api)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; <http://help.yahoo.com/help/us/ysearch/slurp>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials/](http://quarksek.com/_partials/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_partials
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\*?lightbox
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium



**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\*?lightbox](http://quarksek.com/*?lightbox)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api/](http://quarksek.com/_api/)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/pro-gallery-webapp/v1/galleries/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/\_api
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_api](http://quarksek.com/_api)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** <http://quarksek.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+<http://search.msn.com/msnbot.htm>)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** [http://quarksek.com/\\_partials](http://quarksek.com/_partials)
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3\_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8\_0\_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

**i. Vulnerability Summary: User Agent Fuzzer**

**ii. Risk Rating:** Informational

**iii. Confidence Rating:** Medium

**iv. Description:** Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

**v. Details to Reproduce the Instance:**

- **URL:** http://quarksek.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available