

Nmap Scan Result

a. Summary - No. of Vulnerable Ports Open

Total Count : : 2

b. Detailed Report

i. Port Number: 80

ii. Protocol: tcp

iii. Service: http

iv. Recommended Action or Best Practices: Apply security headers, keep software updated, and implement secure coding practices.

i. Port Number: 443

ii. Protocol: tcp

iii. Service: https

iv. Recommended Action or Best Practices: Apply security best practices for HTTPS services.

ZAP Scan Result

a. Summary

i. No. of Total Vulnerabilities Identified: : 50

ii. No. of Total Vulnerabilities Identified grouped on Risk Rating: : {'Informational': 49, 'Low': 1}

b. Detailed Report

i. Vulnerability Summary: Retrieved from Cache

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. **Description:** The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/robots.txt
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** Age: 576

i. Vulnerability Summary: Strict-Transport-Security Header Not Set

ii. Risk Rating: Low

iii. Confidence Rating: High

iv. Description: HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** No parameter specified
- **Attack:** No attack specified
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/robots.txt
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/robots.txt>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com/sitemap.xml>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** msnbot/1.1 (+http://search.msn.com/msnbot.htm)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/sitemap.xml
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** https://youtube.com/
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available

i. Vulnerability Summary: User Agent Fuzzer

ii. Risk Rating: Informational

iii. Confidence Rating: Medium

iv. Description: Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.

v. Details to Reproduce the Instance:

- **URL:** <https://youtube.com>
- **Method:** GET
- **Parameter:** Header User-Agent
- **Attack:** Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
- **Evidence:** No evidence available