

Algebraic Geometry Exercises

Akshay Popat

December 28, 2025

Contents

1 Hartshorne – varieties	1
1.1 Affine varieties	1

1 Hartshorne – varieties

1.1 Affine varieties

Exercise 1. (a) Let Y be the plane curve $y = x^2$ (i.e., Y is the zero set of the polynomial $f = y - x^2$). Show that $A(Y)$ is isomorphic to a polynomial ring in one variable over k .

(b) Let Z be the plane curve $xy = 1$. Show that $A(Z)$ is not isomorphic to a polynomial ring in one variable over k .

Solution. (a) $y - x^2$ is irreducible, so $I(Y) = (y - x^2)$. Therefore $A(Y) = k[x, y]/(y - x^2) = k[x]$.

(b) Similarly, $A(Z) = k[x, y]/(xy - 1) = k[x, x^{-1}]$. Suppose there existed an isomorphism $\phi : k[x, x^{-1}] \rightarrow k[t]$. x, x^{-1} and all non-zero elements of k are units in $k[x, x^{-1}]$. Therefore, their images under ϕ must be units. However, $k[t]^\times = k \setminus \{0\}$, so there is no element of $k[x, x^{-1}]$ which maps to t , since the elements of $k[x, x^{-1}]$ are polynomials in x and x^{-1} and ϕ is a ring homomorphism. This contradicts the injectivity of ϕ . ■

Exercise 2. *The twisted cubic curve.* Let $Y \subseteq \mathbb{A}^3$ be the set $\{(t, t^2, t^3) : t \in k\}$. Show that Y is an affine variety of dimension 1. Find generators for the ideal $I(Y)$. Show that $A(Y)$ is isomorphic to a polynomial ring in one variable over k . We say that Y is given by the *parametric representation* $x = t, y = t^2, z = t^3$.

Solution. It is easy to verify that $Y = Z(y - x^2, z - x^3)$. Then $A/(y - x^2, z - x^3) = k[x]$, which is a principal ideal domain, so in particular an integral domain, meaning $(y - x^2, z - x^3)$ is prime, so Y is an affine variety. Also, this tells us that $I(Y) = (y - x^2, z - x^3)$ since all prime ideals are radical, so $y - x^2$ and $z - x^3$

are generators for $I(Y)$. We already saw that $A(Y) = A/(y - x^2, z - x^3) = k[x]$. To see that Y has dimension 1, observe that $\dim A(Y) = \text{trdeg}_k k(x) = 1$. ■

Exercise 3. Let Y be the algebraic set in \mathbb{A}^3 defined by the two polynomials $x^2 - yz$ and $xz - x$. Show that Y is a union of three irreducible components. Describe them and find their prime ideals.

Solution.

$$\begin{aligned}
Y &= Z(x^2 - yz, xz - x) \\
&= Z(x^2 - yz) \cap (Z(x) \cup Z(z - 1)) \\
&= (Z(x^2 - yz) \cap Z(x)) \cup (Z(x^2 - yz) \cap Z(z - 1)) \\
&= ((Z(y) \cup Z(z)) \cap Z(x)) \cup (Z(x^2 - y) \cap Z(z - 1)) \\
&= (Z(y) \cap Z(x)) \cup (Z(z) \cap Z(x)) \cup (Z(x^2 - y) \cap Z(z - 1)) \\
&= Z(x, y) \cup Z(x, z) \cup Z(x^2 - y, z - 1).
\end{aligned}$$

These are irreducible because (x, y) , (x, z) and $(x^2 - y, z - 1)$ are prime ideals of $k[x, y, z]$. ■