

---

## Algorithms Lab

---

### Exercise 3 – Kingdom Defence

In a land far far away lies the mysterious kingdom of swamps. For centuries it has been a peaceful country little heeded by the lands around it. But times change and the ever-growing greed of its neighbors has brought the kingdom of swamps to the brink of war. While the peaceful inhabitants of the kingdom deeply despise war, some cities have been wise enough to start training soldiers early and now have well equipped garrisons. Other cities only command negligible defences.

The king of the swamps is a wise and gentle ruler. He wants to avoid open war at all costs. With its abundance of impenetrable swamps, his kingdom is well protected and the king hopes that if the most important strategic locations are strengthened and enough military presence is openly displayed, no neighbor will dare to attack. Moving battalions of soldiers around through the swamps is difficult however. There are only very narrow paths which can only be used in one direction as it is not always possible to make room for oncoming traffic. The king has asked you for help.

**Problem** You are given a map of the (directed) paths between the most important strategic locations in the kingdom of swamps. Every location has a number of soldiers available and every location needs a certain number of soldiers to defend itself. In order to display military presence, each path has to be travelled by some minimum number of soldiers. Also, because soldiers on the move constantly need to supply themselves with food, every path has a maximum number of soldiers that can walk along it in total.

You have to decide whether it is possible to satisfy all these requirements by moving battalions of soldiers around in the kingdom.

**Input** The first line of the input contains the number  $n$  of test cases to follow. Every test case starts with a single line containing two space-separated integers  $1 \leq l \leq 500, 1 \leq p \leq l^2$ , specifying the number of locations and paths, respectively. The next  $l$  lines each give the details of one location. The  $i$ -th such line contains two space-separated integers  $1 \leq g_i, d_i \leq 10^6$ , the number of soldiers stationed at location  $i$  and the number of soldiers that location  $i$  needs to defend itself, respectively. Note that  $g_i > 0$  for all locations. After that, there are  $p$  lines each specifying one path in the kingdom with four integers  $0 \leq f_j, t_j < l$  and  $0 \leq c_j \leq C_j \leq 10^6$ . The  $j$ -th path is one-way and goes from location  $f_j$  to location  $t_j$  (zero-based indexing,  $f_j$  and  $t_j$  can be equal!). The path needs to be traversed by at least  $c_j$  and by at most  $C_j$  soldiers. Note that a single soldier may use the same path multiple times, but each time counts as one traversal.

**Output** For every test case output a single line containing the word “yes”, if the soldiers can be moved such that during the move enough military presence is displayed along every path and after moving every location is well defended, and the word “no” otherwise.

**Sample Input**

```
2
3 3
5 2
2 3
1 3
0 1 2 3
1 2 2 3
2 0 1 2
3 4
4 2
1 3
1 1
0 1 2 6
1 2 0 4
2 1 3 6
1 0 4 5
```

**Sample Output**

```
no
yes
```