$asn1_get_tag_der(3)$

 $asn1_get_tag_der(3) \quad libtasn1 \quad asn1_get_tag_der(3)$

NAME

 $asn1_get_tag_der$ - API function

SYNOPSIS

#include tasn1.h>

int asn1_get_tag_der(const unsigned char *der, intder_len, unsigned char *cls, int *len, unsigned long *tag);

ARGUMENTS

const unsigned char * der DER data to decode.

 ${\bf int~der_len}$ Length of DER data to decode.

unsigned char * cls Output variable containing decoded class.

int * len Output variable containing the length of the DER TAG data.

 ${\bf unsigned\ long\ *\ tag\ }$ Output variable containing the decoded tag.

DESCRIPTION

Decode the class and TAG from DER code.

RETURNS

Returns $\mathbf{ASN1}$ _SUCCESS on success, or an error.

COPYRIGHT

Copyright © 2006-2013 Free Software Foundation, Inc..

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **libtasn1** is maintained as a Texinfo manual. If the **info** and **libtasn1** programs are properly installed at your site, the command

info libtasn1

should give you access to the complete manual. As an alternative you may obtain the manual from:

http://www.gnu.org/software/libtasn1/manual/

3.4 libtasn1