

Fork a Repository and Use RStudio to Clone the Repository into an R Project

Alan T. Arnholt


July 24, 2015

Preliminary Setup

This presentation assumes you have configured Git and have a GitHub account. If you need help configuring Git see <https://help.github.com/articles/set-up-git/>.

Forks

- ▶ A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project.
- ▶ Most commonly, forks are used to either propose changes to someone else's project or to use someone else's project as a starting point for your own idea.¹

¹<https://help.github.com/articles/fork-a-repo/> 

Fork a GitHub Repository

Forking a repository is a two-step process.

1. On GitHub, navigate to the desired repository. In this presentation we use <https://github.com/alanarnholt/Homework-Examples>.
2. In the top-right corner of the page, click **Fork**.

You now have a *fork* of the original repository on your personal GitHub account.

Cloning Repositories into R Projects with RStudio

When you create a repository on GitHub, it exists as a remote repository. You can create a local *clone* of your repository on your computer and sync between the two locations. To clone a repository into an R project with RStudio,

1. Copy the URL in the HTTPS clone URL box to the clipboard for the desired repository.
2. In RStudio, click `File > New Project > Version Control > Git`.
3. Paste the copied URL from the clipboard in the Repository URL: box.
4. Provide a name for the project in the Project directory name: box.
5. Specify where you want the project to be stored in the Create project as subdirectory of: box.
6. Click Create Project button.