1 The Limiting MPC's

For $m_t > 0$ we can define $e_t(m_t) = c_t(m_t)/m_t$ and $a_t(m_t) = m_t - c_t(m_t)$ and the Euler equation (6) can be rewritten

$$e_{t}(m_{t})^{-\rho} = \beta R \mathbb{E}_{t} \left[\left(e_{t+1}(m_{t+1}) \left(\frac{\underbrace{\mathsf{Ra}_{t}(m_{t}) + \mathbf{\Phi}_{t+1} \xi_{t+1}}}{\mathsf{Ra}_{t}(m_{t}) + \mathbf{\Phi}_{t+1} \xi_{t+1}} \right) \right)^{-\rho} \right]$$

$$= (1 - \wp) \beta R m_{t}^{\rho} \mathbb{E}_{t} \left[\left(e_{t+1}(m_{t+1}) m_{t+1} \mathbf{\Phi}_{t+1} \right)^{-\rho} | \xi_{t+1} > 0 \right]$$

$$+ \wp \beta R^{1-\rho} \mathbb{E}_{t} \left[\left(e_{t+1}(\mathcal{R}_{t+1} a_{t}(m_{t})) \frac{m_{t} - c_{t}(m_{t})}{m_{t}} \right)^{-\rho} | \xi_{t+1} = 0 \right].$$

Consider the first conditional expectation in (6), recalling that if $\xi_{t+1} > 0$ then $\xi_{t+1} \equiv \theta_{t+1}/(1-\wp)$. Since $\lim_{m\downarrow 0} \mathbf{a}_t(m) = 0$, $\mathbb{E}_t[(\mathbf{e}_{t+1}(m_{t+1})m_{t+1}\mathbf{\Phi}_{t+1})^{-\rho} \mid \xi_{t+1} > 0]$ is contained within bounds defined by $(\mathbf{e}_{t+1}(\underline{\theta}/(1-\wp))\mathbf{\Phi}\underline{\Psi}\underline{\theta}/(1-\wp))^{-\rho}$ and $(\mathbf{e}_{t+1}(\bar{\theta}/(1-\wp))\mathbf{\Phi}\underline{\Psi}\bar{\theta}/(1-\wp))^{-\rho}$ both of which are finite numbers, implying that the whole term multiplied by $(1-\wp)$ goes to zero as m_t^ρ goes to zero. As $m_t \downarrow 0$ the expectation in the other term goes to $\bar{\kappa}_{t+1}^{-\rho}(1-\bar{\kappa}_t)^{-\rho}$. (This follows from the strict concavity and differentiability of the consumption function.) It follows that the limiting $\bar{\kappa}_t$ satisfies $\bar{\kappa}_t^{-\rho} = \beta \wp \mathsf{R}^{1-\rho} \bar{\kappa}_{t+1}^{-\rho}(1-\bar{\kappa}_t)^{-\rho}$. Exponentiating by ρ , we can conclude that

$$\bar{\kappa}_{t} = \wp^{-1/\rho} (\beta \mathsf{R})^{-1/\rho} \mathsf{R} (1 - \bar{\kappa}_{t}) \bar{\kappa}_{t+1}$$

$$\underbrace{\wp^{1/\rho} \, \mathsf{R}^{-1} (\beta \mathsf{R})^{1/\rho}}_{\equiv \wp^{1/\rho} \mathbf{P}_{\mathsf{R}}} \bar{\kappa}_{t} = (1 - \bar{\kappa}_{t}) \bar{\kappa}_{t+1}$$

which yields a useful recursive formula for the maximal marginal propensity to consume:

$$(\wp^{1/\rho} \mathbf{P}_{\mathsf{R}} \bar{\kappa}_t)^{-1} = (1 - \bar{\kappa}_t)^{-1} \bar{\kappa}_{t+1}^{-1}$$
$$\bar{\kappa}_t^{-1} (1 - \bar{\kappa}_t) = \wp^{1/\rho} \mathbf{P}_{\mathsf{R}} \bar{\kappa}_{t+1}^{-1}$$
$$\bar{\kappa}_t^{-1} = 1 + \wp^{1/\rho} \mathbf{P}_{\mathsf{R}} \bar{\kappa}_{t+1}^{-1}.$$

As noted in the main text, we need the WRIC (34) for this to be a convergent sequence:

$$0 \le \wp^{1/\rho} \mathbf{\hat{p}}_{\mathsf{R}} < 1,\tag{1}$$

Since $\bar{\kappa}_T = 1$, iterating (1) backward to infinity (because we are interested in the limiting consumption function) we obtain:

$$\lim_{n \to \infty} \bar{\kappa}_{T-n} = \bar{\kappa} \equiv 1 - \wp^{1/\rho} \mathbf{p}_{\mathsf{R}} \tag{2}$$

and we will therefore call $\bar{\kappa}$ the 'limiting maximal MPC.'

The minimal MPC's are obtained by considering the case where $m_t \uparrow \infty$. If the FHWC holds, then as $m_t \uparrow \infty$ the proportion of current and future consumption that will be financed out of capital approaches 1. Thus, the terms involving ξ_{t+1} in (1) can

be neglected, leading to a revised limiting Euler equation

$$(m_t \mathbf{e}_t(m_t))^{-\rho} = \beta \mathsf{R} \, \mathbb{E}_t \left[\left(\mathbf{e}_{t+1}(\mathbf{a}_t(m_t) \mathcal{R}_{t+1}) \left(\mathsf{R} \mathbf{a}_t(m_t) \right) \right)^{-\rho} \right]$$

and using L'Hôpital's rule $\lim_{m_t\to\infty} e_t(m_t) = \underline{\kappa}_t$, and $\lim_{m_t\to\infty} e_{t+1}(a_t(m_t)\mathcal{R}_{t+1}) = \underline{\kappa}_{t+1}$ so a further limit of the Euler equation is

$$(m_t \underline{\kappa}_t)^{-\rho} = \beta \mathsf{R} \big(\underline{\kappa}_{t+1} \mathsf{R} (1 - \underline{\kappa}_t) m_t \big)^{-\rho}$$

$$\underline{\mathsf{R}}^{-1} \underline{\mathbf{b}}_{\mathsf{R} = (1 - \underline{\kappa})} \underline{\kappa}_t = (1 - \underline{\kappa}_t) \underline{\kappa}_{t+1}$$

and the same sequence of derivations used above yields the conclusion that if the RIC $0 \le \mathbf{p}_R < 1$ holds, then a recursive formula for the minimal marginal propensity to consume is given by

$$\underline{\kappa}_t^{-1} = 1 + \underline{\kappa}_{t+1}^{-1} \mathbf{p}_{\mathsf{R}} \tag{3}$$

so that $(\{\underline{\kappa}_{T-n}^{-1}\})_{n=0}^{\infty}$ is also an increasing convergent sequence, and we define

$$\underline{\kappa}^{-1} \equiv \lim_{n \uparrow \infty} \kappa_{T-n}^{-1} \tag{4}$$

as the limiting (inverse) marginal MPC. If the RIC does not hold, then $\lim_{n\to\infty} \underline{\kappa}_{T-n}^{-1} = \infty$ and so the limiting MPC is $\underline{\kappa} = 0$.

For the purpose of constructing the limiting perfect foresight consumption function, it is useful further to note that the PDV of consumption is given by

$$c_t \underbrace{\left(1 + \mathbf{p}_{\mathsf{R}} + \mathbf{p}_{\mathsf{R}}^2 + \cdots\right)}_{=1 + \mathbf{p}_{\mathsf{R}}(1 + \mathbf{p}_{\mathsf{R}}\underline{\kappa}_{t+2}^{-1})\dots} = c_t \underline{\kappa}_{T-n}^{-1}.$$

which, combined with the intertemporal budget constraint, yields the usual formula for the perfect foresight consumption function:

$$c_t = (b_t + h_t)\underline{\kappa}_t \tag{5}$$