

1		1
2	A sample article title	2
3		3
4	FIRST AUTHOR	4
5	First Department of the First Author, University and Second Department of the First Author, University	5
6		6
7	SECOND AUTHOR	7
8	Department of the Second and Third Authors, University	8
9		9
10	THIRD AUTHOR	10
11	Department of the Second and Third Authors, University	11
12		12
13	The abstract should summarize the contents of the paper. It should be clear, descriptive, self-explanatory and not longer than 150 words. It should also be suitable for publication in abstracting services. Please avoid using math formulas as much as possible. We recommend 3–8 keywords and up to 3 JEL codes.	13
14		14
15		15
16		16
17		17
18	KEYWORDS. First keyword, second keyword, third keyword.	18
19		19
20	JEL CLASSIFICATION. First JEL, second JEL.	20
21	1. INTRODUCTION	21
22		22
23	This template helps you to create a properly formatted LaTeX2e manuscript. Pre- pare your paper in the same style as used in this sample .pdf file. Try to avoid excessive use of italics and bold face; underlining is generally banned (except for	23
24		24
25		25
26	First Author: first@somewhere.com	26
27	Second Author: second@somewhere.com	27
28	Third Author: third@somewhere.com	28
29	We thank four anonymous referees. The Editor should not be thanked anonymously or by name in this footnote, or elsewhere in the paper. The first author gratefully acknowledges financial support	29
30	from the National Science Foundation through Grant XXX-0000000.	30
31		31
32		32

1 exceptional cases). Please do not use any LaTeX2e or TeX commands that affect 1
2 the layout or formatting of your document (i.e., commands like `\textheight`, 2
3 `\textwidth`, etc.). Note that the Introduction should be Introduction it should 3
4 not immediately follow the abstract without a heading. 4

5 5

6 2. SECTION HEADINGS 6

7 Here are some subsections: 7

8 8

9 9

10 2.1 *A subsection* 10

11 Regular text. 11

12 12

13 2.1.1 *A subsubsection* Regular text. 13

14 **Paragraph heading** If you want to add mini-headings for paragraphs without 14
15 numbers please use `\paragraph*`. 15

16 16

17 3. TEXT 17

18 18

19 3.1 *Lists* 19

20 The following is an example of an *itemized* list, two levels deep. 20

21 21

22 • This is the first item of an itemized list. Each item in the list is marked with a 22
23 “tick.” The document style determines what kind of tick mark is used. 23

24 • This is the second item of the list. It contains another list nested inside of it. 24
25 – This is the first item of an itemized list that is nested within the itemized 25
26 list. 26

27 – This is the second item of the inner list. *LATEX* allows you to nest lists deeper 27
28 than you really should. This is the rest of the second item of the outer list. 28

29 29

30 • This is the third item of the list. 30

31 The following is an example of an *enumerated* list, two levels deep. 31

32 32

- 1 (i) This is the first item of an enumerated list. Each item in the list is marked 1
2 with a “tick.” 2
3 The document style determines what kind of tick mark is used. 3
4 (ii) This is the second item of the list. It contains another list nested inside of it. 4
5
6 (a) This is the first item of an enumerated list that is nested within. 6
7 (b) This is the second item of the inner list. L^AT_EX allows you to nest lists 7
8 deeper than you really should. 8
9
10 This is the rest of the second item of the outer list. 10
11
12 (iii) This is the third item of the list. 11
13 Do not use (1), (2), etc. for items in order to avoid confusion with numbered equa- 13
14 tions. 14
15
16
17
18 *3.2 Punctuation* 18
19
20 Avoid unnecessary hyphenation; many hyphenated words can be treated as one 20
21 or two words. Dashes come in three sizes: a hyphen, an intra-word dash like “U- 21
22 statistics” or “the time-homogeneous model”; a medium dash (also called an “en- 22
23 dash”) for number ranges or between two equal entities like “1–2” or “Cauchy- 23
24 Schwarz inequality”; and a punctuation dash (also called an “em-dash”) in place 24
25 of a comma, semicolon, colon or parentheses—like this. 25
26 Generating an ellipsis ... with the right spacing around the periods requires 26
27 using \ldots. 27
28 *Theoretical Economics* is using longer spaces after periods, please add \ after 28
29 periods that are not at the end of a sentence, in order to have regular spaces. 29
30 For example, if there is an abbreviation (e.g., econ. theory) which is not the end 30
31 of an article but appears in a middle of a sentence, please code it as (e.g., 31
32 econ.\ theory). 32

1	3.3 <i>Citation</i>	1
2	Only include in the reference list entries for which there are text citations, and	2
3	make sure all citations are included in the reference list. Simple author and year	3
4	cite: Aumann (1987) . Multiple bibliography items cite: Peck (1994) , Enelow and	4
5	Hinich (1990) , Hinich and Enelow (1990) , Cahuc et al. (2006) . Author only cite:	5
6	Hinich and Enelow (1990) . Year only cite: Hinich and Enelow (1990) . Citing bib-	6
7	liography with object Aumann (1987) . Citing within brackets is done with the	7
8	same commands (e.g., Peck (1994) , Enelow and Hinich (1990) , Hinich and Enelow	8
9	(1990)) .	9
10		10
11		11
12	4. FONTS	12
13	Please use text fonts in text mode, e.g.:	13
14		14
15	• Roman \textrm{ }	15
16	• <i>Italic</i> \textit{ }	16
17	• Bold \textbf{ }	17
18	• Small Caps \textsc{ }	18
19	• Sans serif \textsf{ }	19
20	• Typewriter \texttt{ }	20
21		21
22		22
23		23
24	Please use mathematical fonts in mathematical mode, e.g.:	24
25		25
26	• ABCabc123 \mathrm{ }	26
27	• ABCabc123 \mathrm{it{ }}	27
28	• ABCabc123 \mathrm{bf{ }}	28
29	• ABCabc123 \alpha\beta\gamma \mathrm{boldsymbol{ }}	29
30		30
31		31
32	• ABC \mathrm{cal{ }}	32

1	• ABC \mathbb{C}	1
2	• ABCabc123 \mathsf{C}	2
3		3
4	• ABCabc123 \mathtt{C}	4
5		5
6	• ABC\mathfrak{c}123 \mathfrak{C}	6
7	Note that \mathcal{C}, \mathbb{C} belongs to capital letters-only font typefaces.	7
8		8
9		9
10	5. NOTES	10
11	Footnotes ¹ pose no problems in text. ² Please do not add footnotes on math.	11
12		12
13		13
14	6. NUMBERS	14
15	A decimal point always should be preceded by a whole number and never should	15
16	be left “naked.” Decimal expressions of numbers less than 1 always should be	16
17	preceded by a zero (0) to enhance the visibility of the decimal. For example, .3	17
18	should be 0.3. This applies to text, tables, and figures.	18
19		19
20		20
21	7. QUOTATIONS	21
22	Text is displayed by indenting it from the left margin. There are short quotations	22
23	This is a short quotation. It consists of a single paragraph of text. There is no para-	23
24	graph indentation. It should be coded between \begin{quote} and \end{quote}.	24
25	and longer ones.	25
26		26
27	This is a longer quotation. It consists of two paragraphs of text. The beginning of	27
28	each paragraph is indicated by an extra indentation.	28
29	This is the second paragraph of the quotation. It is just as dull as the first paragraph.	29
30	It should be coded between \begin{quotation} and \end{quotation}.	30
31	<hr/> ¹ This is an example of a footnote.	31
32	² Note that footnote number is after punctuation.	32

1	8. ENVIRONMENTS	1
2	Please use regular counters (Theorem 1) as opposed to counters belonging on	2
3	sections (Theorem 3.1). Results (Lemmas, Propositions, Theorems, Claims) can	3
4	be on the same or different counters.	4
5		5
6	8.1 Examples for plain-style environments	6
7	THEOREM 8.1. <i>This is the body of Theorem 8.1.</i>	7
8		8
9	PROOF. This is the body of the proof of the theorem above.	9
10	\square	10
11		11
12	CLAIM 1. <i>This is the body of Claim 1.</i>	12
13	AXIOM 8.1. <i>This is the body of Axiom 8.1. Axioms should be on a different counter</i>	13
14	<i>from results (e.g. Theorems, Propositions, Lemmas).</i>	14
15		15
16	THEOREM 8.2 (Title of the Theorem). <i>This is the body of Theorem 8.2. Theorem 8.2 has additional title.</i>	16
17		17
18		18
19	LEMMA 8.3. <i>This is the body of Lemma 8.3. Lemma 8.3 is numbered after Theorem 8.2 because we used \verb [theorem] in \verb \newtheorem .</i>	19
20		20
21	FACT. <i>This is the body of the fact. Fact is unnumbered because we used the command \newtheorem* instead of \newtheorem.</i>	21
22		22
23		23
24	PROOF OF THEOREM 2. This is the body of the proof of Theorem 8.2.	24
25	\square	25
26		26
27	8.2 Examples for definition-style environments	27
28	The following environments can be numbered or not; if numbered, they should	28
29	be on different counters from results.	29
30		30
31	DEFINITION 8.1. <i>This is the body of Definition 8.1. Definitions should be on a different counter from results (e.g. Theorems, Propositions, Lemmas).</i>	31
32		32

1 EXAMPLE 8.1. *This is the body of the example. Example is unnumbered because 1
2 we used \verb|\\newtheorem*| instead of \verb|\\verb|/\\newtheorem|. 2*

3 REMARK 8.1. *This is the body of the remark. 3
4*

5 9. EQUATIONS AND THE LIKE 5
6

7 Only number equations to which there is a subsequent reference. See equations 7
8 below (1)–(7). Please punctuate equations as you would punctuate a sentence, 8
9 that is add a comma between two equations and add a period if it ends a sen- 9
tence. 10

11 Two equations: 11

$$13 C_s = K_M \frac{\mu/\mu_x}{1 - \mu/\mu_x} \quad (1) \quad 13$$

14 and 14

$$17 G = \frac{P_{\text{opt}} - P_{\text{ref}}}{P_{\text{ref}}} 100(\%). \quad (2) \quad 17$$

18 Equation arrays: 18

$$21 \frac{dS}{dt} = -\sigma X + s_F F, \quad (3) \quad 21$$

$$22 \frac{dX}{dt} = \mu X, \quad (4) \quad 22$$

$$24 \frac{dP}{dt} = \pi X - k_h P, \quad (5) \quad 24$$

$$26 \frac{dV}{dt} = F. \quad (6) \quad 26$$

27 One long equation, note that the equation number is on the last line: 27

$$30 \mu_{\text{normal}} = \mu_x \frac{C_s}{K_x C_x + C_s} \quad 30$$

$$31 = \mu_{\text{normal}} - Y_{x/s} (1 - H(C_s)) (m_s + \pi / Y_{p/s}) \quad 31$$

1 TABLE 1. The spherical case ($I_1 = 0, I_2 = 0$).
2

Equil. Points	<i>x</i>	<i>y</i>	<i>z</i>	<i>C</i>	<i>S</i>
L_1	-2.485252241	0.0000000000	0.017100631	8.230711648	U
L_2	0.0000000000	0.0000000000	3.068883732	0.0000000000	S
L_3	0.009869059	0.0000000000	4.756386544	-0.000057922	U
L_4	0.210589855	0.0000000000	-0.007021459	9.440510897	U
L_5	0.455926604	0.0000000000	-0.212446624	7.586126667	U
L_6	0.667031314	0.0000000000	0.529879957	3.497660052	U
L_7	2.164386674	0.0000000000	-0.169308438	6.866562449	U
L_8	0.560414471	0.421735658	-0.093667445	9.241525367	U
L_9	0.560414471	-0.421735658	-0.093667445	9.241525367	U
L_{10}	1.472523232	1.393484549	-0.083801333	6.733436505	U
L_{11}	1.472523232	-1.393484549	-0.083801333	6.733436505	U

14 $= \mu_{\text{normal}}/Y_{x/s} + H(C_s)(m_s + \pi/Y_{p/s}).$ (7)
15

16 Note that variables made of more than one letter should use command `\mathit`,
 17 e.g., `sov = 550`, where `sov` is sum of votes. Abbreviations used in subscripts or su-
 18 perscripts should use `\mathrm`, e.g., $t_{\max} - t_{\min} = 10$. Operator names should use
 19 `\operatorname{name}`, e.g. $\text{AR}(1)$. Also, note that \emptyset symbol is preferred to \varnothing .


21 **10. TABLES AND FIGURES**

22 Cross-references to labeled tables: As you can see in Table 1 and also in Table 2.

23 Sample of cross-reference to figure: Figure 1 shows that it is not easy to get
24 something on paper. Note that figures will be in grayscale in the printed version.25 **Table note:** This is how table note should be presented. Please do not use as-
26 terisks or bold face to denote statistical significance. We encourage authors to
27 report standard errors and coverage sets or confidence intervals.29 **APPENDIX A: TITLE**30 Appendices should be provided in `{appendix}` environment. If there is only one
31 appendix, then please refer to it in text as ... in the Appendix.
32

TABLE 2. Sample posterior estimates for each model.

Model	Parameter	Mean	Std. Dev.	Quantile		
				2.5%	50%	97.5%
Model 0	β_0	-12.29	2.29	-18.04	-11.99	-8.56
	β_1	0.10	0.07	-0.05	0.10	0.26
	β_2	0.01	0.09	-0.22	0.02	0.16
Model 1	β_0	-4.58	3.04	-11.00	-4.44	1.06
	β_1	0.79	0.21	0.38	0.78	1.20
	β_2	-0.28	0.10	-0.48	-0.28	-0.07
Model 2	β_0	-11.85	2.24	-17.34	-11.60	-7.85
	β_1	0.73	0.21	0.32	0.73	1.16
	β_2	-0.60	0.14	-0.88	-0.60	-0.34
	β_3	0.22	0.17	-0.10	0.22	0.55

FIGURE 1. The dotted lines show the values of $u(x)$ for x in the discrete support of F . The solid lines show $u_{\text{conv}}(x)$.

APPENDIX B: TITLE OF THE FIRST APPENDIX

If there are more than one appendix, then please refer to it as ... in Appendix A,
Appendix B, etc.

1	APPENDIX C: TITLE OF THE SECOND APPENDIX	1
2	C.1 <i>First subsection of Appendix B</i>	2
3	If your appendix is long, make sure to divide it into subsections and refer to them	3
4	in text. Use the standard <i>LATEX</i> commands for headings in {appendix}. Head-	4
5	ings and other objects will be numbered automatically.	5
6		6
7		7
8	$\mathcal{P} = (j_{k,1}, j_{k,2}, \dots, j_{k,m(k)}).$	8
9	Sample of cross-reference to formula (8) in First subsection of Appendix B.	9
10	Note that it is better to refer to First subsection of Appendix B as opposed to Ti-	10
11	title of the second appendix, because it is easier for the reader to locate the neces-	11
12	sary place.	12
13		13
14	APPENDIX: REFERENCES	14
15	Aumann, Robert (1987), “Correlated equilibrium as an expression of Bayesian ra-	15
16	tionality.” <i>Econometrica</i> , 55 (1), 1–18. [4]	16
17		17
18	Cahuc, P., F. Postel-Vinay, and J.-M. Robin (2006), “Supplement to ‘Wage bargain-	18
19	ing with on-the-job search: Theory and evidence.’” <i>Quantitative Economics Sup-</i>	19
20	<i>plemental Material</i> . [4]	20
21	Enelow, James and Melvin Hinich, eds. (1990), <i>Advances in the Spatial Theory of</i>	21
22	<i>Voting</i> . Cambridge University Press, Cambridge, U.K. [4]	22
23	Hinich, Melvin and James Enelow, eds. (1990), <i>Spatial strategies when candidates</i>	23
24	<i>have policy preferences</i> , 66–98. Cambridge University Press, Cambridge, U.K. [4]	24
25		25
26	Peck, James (1994), “Competition in transactions mechanisms: The emergence	26
27	of competition.” Unpublished Manuscript, Ohio State University. [4]	27
28		28
29	Co-editor [Name Surname; will be inserted later] handled this manuscript.	29
30		30
31		31
32		32