

## Aermacchi MB-339



The Aermacchi MB-339 is a trainer and light-attack aircraft. It was developed from the MB-326.

### Versions

#### **MB-339A**

The MB-339A was developed from the MB-326K. It gained a new forward fuselage for two crew, with the rear one being elevated to give better visibility, a new tail, and deleted the internal guns. It kept the wing and the 4,000 lbf Viper 632-43 engine. The additional weight of the fuselage modifications reduced the stores capacity to 3,500 lb.

The MB-339A was used by the Italian AMI (one hundred and seven), the Argentine COAN (ten MB-339AA), the Ghanaian Air Force (four), the Malaysian RMAF (thirteen MB-339AN), the Peruvian Air Force (sixteen MB-339AP), and the Nigerian Air Force (twelve MB-339AN), and the UAE Air Force (seventeen).

#### **MB-339C and MB-339CD**

The MB-339C is largely similar to the A, but has updated flight controls and avionics, including a RWR. The CD version also has a

The MB-339C serves with the Italian AMI (thirty MB-339CD), the Eritrean Air Force (six MB-339CE), and the Malaysian RMAF (MB-339CM).

#### **MB-339CB**

The MB-339CB is largely similar to the C, but uses the more powerful 4,440 lbf Viper 680-43 engine.

The MB-339CB served with the RNZAF from 1991 to 2003 and then with the French AA from 2019 for DACT.

### Armament and Stores

The MB-339 can be armed with gun pods (including ones with a 30 mm DEFA cannon and .50 cal machine guns),

rocket pods, bombs, and is wired for AIM-9 Sidewinder and Matra R.550 Magic IRMs. It can use 330L FTs.

In Argentine COAN service, it was typically armed with two gun pods each with a 30 mm DEFA cannon and 120 rounds per gun and then either two LAU-10 RP (each with four Zuni rockets), two Matra-155 RPs (each with twelve 68 mm rockets), or two Mk 81 or Mk 82 BBs. The LAU-10 RPs were favored in the South Atlantic War.

### Combat

Argentine COAN MB-339As saw combat in the 1982 South Atlantic War, flying out of BAM Malvinas (Port Stanley Airport). They were used for armed reconnaissance and close air support. Of the seven deployed to the Islands, one crashed in poor weather, one was shot down by a Blowpipe, two were destroyed on the ground by naval gunfire, one was unable to escape, and two escaped back to the mainland.

Eritrean MB-339Cs saw combat in the 1998-2000 Eritrean–Ethiopian War.

### ADCs

- MB-339A
- MB-339C
- MB-339CD
- MB-339CB

### See Also

- Aermacchi MB-326

### Photo Credit

- MB-339CD: Jim van de Burgt (Public Domain)

MB-339A										Crew: Pilot and Observer									
										Maneuver HFPs/DPs:									
LR/DR		1.0		1.5															
VR				0.5															
Power APs/DPs: ○										Turn DPs:									
CL		1/2		DT		Fuel		CL		1/2		DT							
AB		—		—		—		TT		0.0		0.0							
M		1.5		1.0		1.0		HT		0.0		1.0							
N		0.0		0.0		0.0		BT		1.0		1.0							
I		1.0		1.0		1.0		ET		—		—							
SPBR		1.0		1.0		2.0													
					Cruise Spd. CL: 4.5    Restr. Arcs: 60–														
					Climb Spd.: 3.5    Blind Arcs: 30–														
					Visibility: 5    Internal Fuel: 120														
					Size: +0    AtA Refuel: No														
					Vulnerability: –2    Ejection Seat: Std														
Speeds and Ceilings						Climb Capabilities													
Alt. Conf.		CL		1/2		DT		Dive		CL		1/2		DT					
Band Ceil.		47		40		35		Speed		AB Oth		AB Oth		AB Oth					
EH+		46+		3.0 – 5.0		—		—		6.0		— 0.5		— —					
VH		36–45		2.5 – 5.0		2.5 – 4.5		—		6.0		— 0.5		— —					
HI		26–35		2.0 – 5.0		2.5 – 5.0		2.5 – 4.5		6.0		— 0.5		— 0.5					
MH		17–25		1.5 – 5.5		2.0 – 5.0		2.0 – 4.5		6.0		— 1.0		— 0.5					
ML		8–16		1.5 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 0.5					
LO		0–7		1.0 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 1.0					
Radar:				—		ECM:		IFF		Weapon Stations Diagram:									
ECCM:				—		RWR:		—											
Arcs:				—		DDS:		—											
Search:				—		DJM:		—											
Track:				—		AJM:		—											
Lock-On:				—		BJM:		—											
Guns:				—		Technology:		Load Point Limits: CL : 0–3											
To Hit:				—		None								1/2: 4–5					
Ammunition:				—				Weight Limit: 3,500 DT : 6+											
Gunsight:				TT+0/HT+2/BT+3										Station Limit Allowed Loads					
Ranging:				—				1 and 6 750 BB BG RP RK GP EP IRM											
AtA/AtG:				—															
								3 and 4 1,000 BB BG RP RK RG GP EP PP											
Bomb System:				Manual										Load Notes:					
Notes:						1. May use 330L FTs.													
												1. The Aermacchi MB-339A is a trainer and light-attack aircraft. It is derived from the MB-326K, but has a new forward cockpit for a second crew member and no internal guns.						2. May use AIM-9 and R.550 IRMs	
2. High transonic drag (HTD).						3. PP may only be used on station 4.													

MB-339C										Crew: Pilot and Observer									
										Maneuver HFPs/DPs:									
LR/DR		1.0		1.5															
VR				0.5															
Power APs/DPs: ○										Turn DPs:									
CL		1/2		DT		Fuel		CL		1/2		DT							
AB		—		—		—		TT		0.0		0.0							
M		1.5		1.0		1.0		HT		0.0		1.0							
N		0.0		0.0		0.0		BT		1.0		1.0							
I		1.0		1.0		1.0		ET		—		—							
SPBR		1.0		1.0		2.0													
					Cruise Spd. CL: 4.5    Restr. Arcs: 60–														
					Climb Spd.: 3.5    Blind Arcs: 30–														
					Visibility: 5    Internal Fuel: 120														
					Size: +0    AtA Refuel: No														
					Vulnerability: –2    Ejection Seat: Std														
Speeds and Ceilings						Climb Capabilities													
Alt. Band		Conf. Ceil.		CL 47		1/2 40		DT 35		Dive Speed		CL AB Oth		1/2 AB Oth		DT AB Oth			
EH+		46+		3.0 – 5.0		—		—		6.0		— 0.5		— —		— —		EH+	
VH		36–45		2.5 – 5.0		2.5 – 4.5		—		6.0		— 0.5		— 0.5		— —		VH	
HI		26–35		2.0 – 5.0		2.5 – 5.0		2.5 – 4.5		6.0		— 0.5		— 0.5		— 0.5		HI	
MH		17–25		1.5 – 5.5		2.0 – 5.0		2.0 – 4.5		6.0		— 1.0		— 0.5		— 0.5		MH	
ML		8–16		1.5 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 1.0		— 0.5		ML	
LO		0–7		1.0 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 1.0		— 1.0		LO	
Radar:				—		ECM:				IFF		Weapon Stations Diagram:							
ECCM:				—		RWR:				C									
Arcs:				—		DDS:				—									
Search:				—		DJM:				—									
Track:				—		AJM:				—									
Lock-On:				—		BJM:				—									
Guns:				—		Technology:				Load Point Limits: CL : 0–3									
To Hit:				—		None										1/2: 4–5			
Ammunition:				—						Weight Limit: 3,500 DT : 6+									
Gunsight:				TT+0/HT+2/BT+3												Station Limit Allowed Loads			
Ranging:				—						1 and 6 750 BB BG RP RK GP EP IRM									
AtA/AtG:				—												2 and 5 1,000 BB BG RP RK RG GP EP FT			
										3 and 4 1,000 BB BG RP RK RG GP EP PP									
Bomb System:				Computed												Load Notes:			
Notes:										1. May use 330L FTs.									
1. The Aermacchi MB-339C is a trainer and light-attack aircraft. It is derived from the MB-339A, but has updated avionics and flight controls.																2. May use AIM-9 and R.550 IRMs			
2. High transonic drag (HTD).										3. PP may only be used on station 4.									
																VPs: 11/7/4/2			
										v2 0000000 0000-00-00T00:00:00									

MB-339CD										Crew: Pilot and Observer							
										Maneuver HFPs/DPs:							
LR/DR		1.0		1.5													
VR				0.5													
Power APs/DPs: ○										Turn DPs:							
CL		1/2		DT		Fuel		CL		1/2		DT					
AB		—		—		—		TT		0.0		0.0					
M		1.5		1.0		1.0		HT		0.0		1.0					
N		0.0		0.0		0.0		BT		1.0		1.0					
I		1.0		1.0		1.0		ET		—		—					
SPBR		1.0		1.0		2.0											
					Cruise Spd. CL: 4.5    Restr. Arcs: 60–												
					Climb Spd.: 3.5    Blind Arcs: 30–												
					Visibility: 5    Internal Fuel: 120												
					Size: +0    AtA Refuel: Yes												
					Vulnerability: –2    Ejection Seat: Std												
Speeds and Ceilings						Climb Capabilities											
Alt. Conf.		CL		1/2		DT		Dive		CL		1/2		DT			
Band Ceil.		47		40		35		Speed		AB Oth		AB Oth		AB Oth			
EH+		46+		3.0 – 5.0		—		—		6.0		— 0.5		— —			
VH		36–45		2.5 – 5.0		2.5 – 4.5		—		6.0		— 0.5		— —			
HI		26–35		2.0 – 5.0		2.5 – 5.0		2.5 – 4.5		6.0		— 0.5		— 0.5			
MH		17–25		1.5 – 5.5		2.0 – 5.0		2.0 – 4.5		6.0		— 1.0		— 0.5			
ML		8–16		1.5 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 0.5			
LO		0–7		1.0 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 1.0			
Radar:				—		ECM:				IFF		Weapon Stations Diagram:					
ECCM:				—		RWR:				C							
Arcs:				—		DDS:				—							
Search:				—		DJM:				—							
Track:				—		AJM:				—							
Lock-On:				—		BJM:				—							
Guns:				—		Technology:				Load Point Limits:				CL : 0–3			
To Hit:				—		None								1/2: 4–5			
Ammunition:				—						Weight Limit:				3,500		DT : 6+	
Gunsight:				TT+0/HT+2/BT+3						Station				Limit		Allowed Loads	
Ranging:				—						1 and 6				750		BB BG RP RK GP EP IRM	
AtA/AtG:				—						2 and 5				1,000		BB BG RP RK RG GP EP FT	
										3 and 4		1,000		BB BG RP RK RG GP EP PP			
Bomb System:				Computed						Load Notes:							
Notes:										1. May use 330L FTs.							
1. The Aermacchi MB-339CD is a trainer and light-attack aircraft. It is derived from the MB-339C, but is equipped with a fixed refueling probe.										2. May use AIM-9 and R.550 IRMs							
2. High transonic drag (HTD).										3. PP may only be used on station 4.							

MB-339CB										Crew: Pilot and Observer							
										Maneuver HFPs/DPs:							
LR/DR		1.0		1.5													
VR				0.5													
Power APs/DPs: ○										Turn DPs:							
CL		1/2		DT		Fuel		CL		1/2		DT					
AB		—		—		—		TT		0.0		0.0					
M		1.5		1.5		1.0		HT		0.0		1.0					
N		0.0		0.0		0.0		BT		1.0		1.0					
I		1.0		1.0		1.0		ET		—		—					
SPBR		1.0		1.0		2.0											
					Cruise Spd. CL: 4.5    Restr. Arcs: 60–												
					Climb Spd.: 3.5    Blind Arcs: 30–												
					Visibility: 5    Internal Fuel: 120												
					Size: +0    AtA Refuel: No												
					Vulnerability: –2    Ejection Seat: Std												
Speeds and Ceilings						Climb Capabilities											
Alt. Conf.		CL		1/2		DT		Dive		CL		1/2		DT			
Band Ceil.		47		40		35		Speed		AB Oth		AB Oth		AB Oth			
EH+		46+		3.0 – 5.0		—		—		6.0		— 0.5		— —			
VH		36–45		2.5 – 5.0		2.5 – 4.5		—		6.0		— 0.5		— —			
HI		26–35		2.0 – 5.0		2.5 – 5.0		2.5 – 4.5		6.0		— 0.5		— 0.5			
MH		17–25		1.5 – 5.5		2.0 – 5.0		2.0 – 4.5		6.0		— 1.0		— 0.5			
ML		8–16		1.5 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 0.5			
LO		0–7		1.0 – 5.5		1.5 – 5.0		1.5 – 4.5		6.0		— 1.0		— 1.0			
Radar:				—		ECM:				IFF		Weapon Stations Diagram:					
ECCM:				—		RWR:				C							
Arcs:				—		DDS:				—							
Search:				—		DJM:				—							
Track:				—		AJM:				—							
Lock-On:				—		BJM:				—							
Guns:				—		Technology:				Load Point Limits:				CL : 0–3			
To Hit:				—		None								1/2: 4–5			
Ammunition:				—						Weight Limit:				3,500		DT : 6+	
Gunsight:				TT+0/HT+2/BT+3						Station				Limit		Allowed Loads	
Ranging:				—						1 and 6				750		BB BG RP RK GP EP IRM	
AtA/AtG:				—						2 and 5				1,000		BB BG RP RK RG GP EP FT	
										3 and 4		1,000		BB BG RP RK RG GP EP PP			
Bomb System:				Computed						Load Notes:							
Notes:										1. May use 330L FTs.							
										2. May use AIM-9 and R.550 IRMs							
										3. PP may only be used on station 4.							
				</													