

Dassault/Dornier Alpha Jet



The Dassault/Dornier Alpha Jet is a two-seat advanced trainer and light attack aircraft. It was developed starting in 1967 and entered service in 1979.

Versions

Alpha Jet E

The Alpha Jet E was the trainer version, with the E designation taken from *École* (school). It was equipped with two underwing and one centerline weapon stations, but in French and Belgian service these were intended only for weapons training. Some of its later users employed it as a light strike aircraft, despite its shortcomings compared to aircraft dedicated to this role.

It initially served in the French Armée de l'air and the Belgian Air Force, but later with the air forces of Egypt, Morocco, Nigeria, Qatar, Togo, Côte d'Ivoire, and with private companies.

Alpha Jet A

The Alpha Jet A was the attack version, with the A designation taken from *Appui Tactique* (tactical support). Compared to the E version, the A version had two additional underwing weapon stations, a more advanced weapon system, and could replace the rear crew member with an ECM suite.

It initially served in the German Luftwaffe, but after the end of the Cold War many of these aircraft were sold to the air forces of Portugal and Thailand.

Armament and Stores

The Alpha Jet has no internal guns, but when armed would typically carry a gun pod on the centerline station, normally

a CC420 30 mm DEFA pod for E models or a 27 mm Mauser pod for A models. The gun pod was originally not jettisonable, but this restriction was lifted by the 1989 upgrade of Luftwaffe Alpha Jet As.

Typical stores would be SNEB 68 mm or CRV7 70 mm RPs or HE or cluster bombs.

Combat

The Alpha Jet E saw combat in both Moroccan and Nigerian service, in the former case against Polisario Front in the Western Sahara War and in the latter against the Boko Haram militant group.

ADCs

- Alpha Jet A
- Alpha Jet E

Photo Credit

- Alpha Jet: Tim Felce (CC CC BY 2.5)

Alpha Jet A										Crew: Pilot and Observer				
										Maneuver DPs:				
LR/DR		1.5												
VR		0.5												
Power APs/DPs: ○○										Turn DPs:				
CL	1/2	DT	Fuel		CL	1/2	DT							
AB	—	—	—	—	TT	1.0	1.0	1.0						
M	1.5	1.0	1.0	2.0	HT	1.0	1.5	1.5						
N	0.0	0.0	0.0	1.0	BT	2.0	2.0	2.5						
I	1.0	1.0	1.0	0.0	ET	—	—	—						
SPBR	1.0	2.0	2.0	—										
					Cruise Spd. CL: 5.0 Restr. Arcs: —									
					Climb Spd.: 4.0 Blind Arcs: 30–									
					Visibility: 4 Internal Fuel: 180									
					Size: +1 AtA Refuel: No									
					Vulnerability: –1 Ejection Seat: Std									
Speeds and Ceilings						Climb Capabilities								
Alt.	Conf.	CL	1/2	DT	Dive	CL	1/2	DT						
Band	Ceil.	45	38	32	Speed	AB	Oth	AB	Oth					
EH+	46+	—	—	—	—	—	—	—	—	EH+				
VH	36–45	2.5 – 5.5	3.0 – 5.0	—	7.0	—	0.5	—	0.5	VH				
HI	26–35	2.5 – 6.0	2.5 – 5.5	2.5 – 5.0	7.0	—	1.0	—	0.5	HI				
MH	17–25	2.0 – 6.0	2.0 – 5.5	2.5 – 5.0	7.0	—	1.0	—	0.5	MH				
ML	8–16	1.5 – 6.0	2.0 – 5.5	2.0 – 5.0	7.0	—	1.0	—	1.0	ML				
LO	0–7	1.0 – 6.0	1.5 – 5.5	1.5 – 5.0	7.0	—	2.0	—	1.0	LO				
Radar: —					ECM: IFF		Weapon Stations Diagram:							
ECCM: —					RWR: A									
Arcs: —					DDS: —									
Search: —					DJM: B3									
Track: —					AJM: —									
Lock-On: —					BJM: —									
Guns: —					Technology: None		Load Point Limits: CL : < 5							
To Hit: —							1/2: < 9							
Ammunition: —							Weight Limit: 5,550 DT : ≥ 9							
Gunsight: TT+0/HT+1/BT+2							Station Limit Allowed Loads							
Ranging: —							1 and 5 750 FT BB BG RP IRM EP							
AtA/AtG: —					2 and 4 1,350 BB BG RP DR EP									
Bomb System: Ballistic					3 1,350 BB BG RP GP PP									
Notes: 1. The Dassault/Dornier Alpha Jet A is a light attack aircraft. 2. High transonic drag (HTD). 3. Either the observer or the RWR and DJM may be carried.					Load Notes:									
					1. May use 310L and 450L FTs									
					2. May use 27 mm Mauser BK-27 or CC420 30 mm DEFA GPs. Prior to 1989, the GP cannot be jettisoned.									
					3. From 1989, may use AIM-9 and Matra 550 IRMs.									
					VPs: 12/8/4/2									
					v3 0000000 0000-00-00T00:00:00									

Alpha Jet E										Crew: Pilot and Observer				
										Maneuver DPs:				
LR/DR		1.5												
VR		0.5												
Power APs/DPs: ○○										Turn DPs:				
CL	1/2	DT	Fuel		CL	1/2	DT							
AB	—	—	—	—										
M	1.5	1.0	1.0	2.0		TT	1.0	1.0	1.0					
N	0.0	0.0	0.0	1.0		HT	1.0	1.5	1.5					
I	1.0	1.0	1.0	0.0		BT	2.0	2.0	2.5					
SPBR	1.0	2.0	2.0	—		ET	—	—	—					
					Cruise Spd. CL: 5.0 Restr. Arcs: —									
					Climb Spd.: 4.0 Blind Arcs: 30–									
					Visibility: 4 Internal Fuel: 180									
					Size: +1 AtA Refuel: No									
					Vulnerability: –1 Ejection Seat: Std									
Speeds and Ceilings						Climb Capabilities								
Alt.	Conf.	CL	1/2	DT	Dive	CL	1/2	DT						
Band	Ceil.	45	38	32	Speed	AB	Oth	AB	Oth	AB	Oth			
EH+	46+	—	—	—	—	—	—	—	—	—	—	EH+		
VH	36–45	2.5 – 5.5	3.0 – 5.0	—	7.0	—	0.5	—	0.5	—	—	VH		
HI	26–35	2.5 – 6.0	2.5 – 5.5	2.5 – 5.0	7.0	—	1.0	—	0.5	—	0.5	HI		
MH	17–25	2.0 – 6.0	2.0 – 5.5	2.5 – 5.0	7.0	—	1.0	—	1.0	—	0.5	MH		
ML	8–16	1.5 – 6.0	2.0 – 5.5	2.0 – 5.0	7.0	—	1.0	—	1.0	—	1.0	ML		
LO	0–7	1.0 – 6.0	1.5 – 5.5	1.5 – 5.0	7.0	—	2.0	—	1.5	—	1.0	LO		
Radar: —					ECM: IFF					Weapon Stations Diagram:				
ECCM: —					RWR: —									
Arcs: —					DDS: —									
Search: —					DJM: —									
Track: —					AJM: —									
Lock-On: —					BJM: —									
Guns: —					Technology:					Load Point Limits: CL : < 5				
To Hit: —					None					1/2: < 9				
Ammunition: —										Weight Limit: 5,550 DT : ≥ 9				
Gunsight: TT+0/HT+1/BT+2										Station Limit Allowed Loads				
Ranging: —										1 and 3 750 FT BB BG RP IRM EP				
AtA/AtG: —										2 1,350 BB BG RP GP PP				
Bomb System: Manual										Load Notes:				
Notes: 1. The Dassault/Dornier Alpha Jet E is a trainer with a secondary light attack capability. 2. High transonic drag (HTD).										1. May use 310L and 450L FTs				
										2. May use 27 mm Mauser BK-27 or CC420 30 mm DEFA GPs. Prior to 1989, the GP cannot be jettisoned.				
										3. May use AIM-9 and Matra 550 IRMs.				
VPs: 10/7/3/2						v3 0000000 0000-00-00T00:00:00								