

Knapsack Problem with Minimization Objective Function (*KP01-Min*)

Given:

n items,

P_j “profit” of item j , $j = 1, \dots, n$ ($P_j > 0$),

W_j “weight” of item j , $j = 1, \dots, n$ ($W_j > 0$),

one container (“knapsack”) with “threshold” B :

determine a subset of the n items so as to minimize the global profit, and such that the global weight is not smaller than the knapsack threshold B .

KP01-Min is NP-Hard

Mathematical Model of *KP01-Min*

$$y_j = \begin{cases} 1 & \text{if item } j \text{ is inserted in the knapsack} \\ 0 & \text{otherwise} \end{cases} \quad (j = 1, \dots, n)$$

$$\min \quad \sum_{j=1,n} P_j y_j$$

$$\sum_{j=1,n} W_j y_j \geq B$$

$$y_j \in \{0, 1\} \quad (j = 1, \dots, n)$$

ILP Model (Binary Linear Programming Model)

KP01-Min is “equivalent” to *KP01*.

***KP01-Min* is “equivalent” to *KP01*.**

Set $y_j = 1 - x_j$ ($j = 1, \dots, n$) and replace y_j with $1 - x_j$

$$1) \quad \min T = \sum_{j=1, n} P_j y_j = \sum_{j=1, n} P_j (1 - x_j) =$$

$$P - \max \sum_{j=1, n} P_j x_j$$

$$\text{where } P = \sum_{j=1, n} P_j$$

KP01-Min is “equivalent” to ***KP01*** (2).

$$2) \quad \sum_{j=1, n} W_j y_j = \sum_{j=1, n} W_j (1 - x_j) =$$

$$\sum_{j=1, n} W_j - \sum_{j=1, n} W_j x_j \geq B$$

$$\sum_{j=1, n} W_j x_j \leq C'$$

where $C' = \sum_{j=1, n} W_j - B$

KP01-Min is “equivalent” to ***KP01*** (3).

$$\text{Min } T = P - \max \sum_{j=1, n} P_j x_j$$

$$\sum_{j=1, n} W_j x_j \leq C'$$

$$x_j \in \{0, 1\} \quad (j = 1, \dots, n)$$

where: $P = \sum_{j=1, n} P_j$; $C' = \sum_{j=1, n} W_j - B$

* ***Problem KP01***

Variant of *KP01*: *Equality-KP01 (E-KP01)*

- Same input data as for the *KP01*.
- * Determine a subset of the n items so as to maximize the global profit, and such that the global weight is equal to the knapsack capacity C .

$$\begin{aligned} \max \quad & \sum_{j=1,n} W_j x_j \\ & \sum_{j=1,n} W_j x_j = C \\ & x_j \in \{0, 1\} \quad (j = 1, \dots, n) \quad (\text{BLP Model}) \end{aligned}$$

E-KP01 is NP-Hard

The Feasibility Problem of *E-KP01* is NP-Hard

Variant of *KP01*: *Subset Sum Problem (SSP)*

- Item j has weight W_j and profit $P_j = W_j$ ($j = 1, \dots, n$):
given a set of n positive numbers, select a subset of numbers so as to maximize the global sum, not exceeding a given value C .
- Cut of metal planks with minimization of the waste.

$$\begin{aligned}
 \max \quad & \sum_{j=1,n} W_j x_j \\
 & \sum_{j=1,n} W_j x_j \leq C \\
 & x_j \in \{0, 1\} \quad (j = 1, \dots, n) \quad (\text{BLP Model})
 \end{aligned}$$

SSP is NP-Hard. *SSP* is a special case of *KP01*

Variant of *KP01*: *Change Making Problem (CMP)*

- Given *n banknotes* and *a cheque (check)*,
- * W_j is the *value* of banknote j ($j = 1, \dots, n$), with $W_j > 0$,
- C is the *value* of the *cheque*:
- select a *minimum cardinality* subset of *banknotes* so that the global value *is equal* to C .

$$\begin{aligned}
 \min \quad & \sum_{j=1,n} x_j \\
 & \sum_{j=1,n} W_j x_j = C \\
 & x_j \in \{0, 1\} \quad (j = 1, \dots, n) \quad (\text{BLP Model})
 \end{aligned}$$

CMP is NP-Hard (its *Feasibility Problem* is NP-Hard)

Variant of KP01: *Two-Constrained KP (2C-KP)*

Given:

n items,

P_j “profit” of item j , $j = 1, \dots, n$ ($P_j > 0$),

W_j “weight” of item j , $j = 1, \dots, n$ ($W_j > 0$),

V_j “volume” of item j , $j = 1, \dots, n$ ($V_j > 0$),

one container (“knapsack”) with:

* “weight capacity” C , and “volume capacity” D :

determine a subset of the n items so as to maximize the global profit, and such that the global weight is not greater than the weight capacity C and the global volume is not greater than the volume capacity D .

2C-KP is NP-Hard

Mathematical Model for 2C-KP

$$\max \sum_{j=1,n} P_j x_j$$

$$\sum_{j=1,n} W_j x_j \leq C$$

$$\sum_{j=1,n} V_j x_j \leq D$$

$$x_j \in \{0, 1\} \quad (j = 1, \dots, n) \quad (\text{BLP Model})$$

Variant of *KP01*: *Multiple Choice KP (MCKP)*

In addition to the input data for KP01:

the set of the n items is *partitioned* into k disjoint subsets N_1, N_2, \dots, N_k .

- determine a subset of the n items, **with at most one item for each subset** N_h ($h = 1, \dots, k$), so as to maximize the global profit, and such that the global weight is not larger than the knapsack capacity C .

BLP Model for MCKP (2)

- determine a subset of the n items, **with at most one item for each subset** N_h ($h = 1, \dots, k$), so as to maximize the global profit, and such that the global weight is not larger than the knapsack capacity C .

$$\max \quad \sum_{j=1,n} P_j x_j$$

$$\sum_{j=1,n} W_j x_j \leq C$$

$$\sum_{j \in N_h} x_j \leq 1 \quad (h = 1, \dots, k)$$

$$j \in N_h$$

$$x_j \in \{0, 1\} \quad (j = 1, \dots, n)$$

BKP is NP-Hard

BLP Model for MCKP (3)

- * Define the *Binary Matrix* A_{hj} ($h = 1, \dots, k; j = 1, \dots, n$), with:
 - $A_{hj} = 1$ if $j \in N_h$
 - $A_{hj} = 0$ otherwise.
 - *Matrix* A_{hj} belongs to the **input data** of the instance

$$\max \quad \sum_{j=1,n} P_j x_j$$

$$\sum_{j=1,n} W_j x_j \leq C$$

$$\sum_{j=1,n} A_{hj} x_j \leq 1 \quad (h = 1, \dots, k)$$

$$x_j \in \{0, 1\} \quad (j = 1, \dots, n)$$

Variant of *KP01*: *Bounded-KP (BKP)*

In addition to the input data for KP01:

- * d_j = number of **available** items of **item-type j** ($j = 1, \dots, n$)
- x_j = number of items **selected** for **item-type j** ($j = 1, \dots, n$)

$$\max \quad \sum_{j=1,n} P_j x_j$$

$$\sum_{j=1,n} W_j x_j \leq C$$

$$0 \leq x_j \leq d_j \quad \text{INTEGER} \quad (j = 1, \dots, n)$$

ILP Model;

***BKP* is NP-Hard**

Variant of *KP01*: *Unbounded-KP (UKP)*

No limit on the number of items available for each item-type

- x_j = number of items selected for item-type j ($j = 1, \dots, n$)

$$\max \quad \sum_{j=1,n} P_j x_j$$

$$\sum_{j=1,n} W_j x_j \leq C$$

$$x_j \geq 0 \quad \text{INTEGER} \quad (j = 1, \dots, n)$$

ILP Model

***UKP* is NP-Hard**

Variant of *KP01*: *Unbounded-KP (UKP)*

No limit on the number of items available for each item-type ($d_j = \infty, j = 1, \dots, n$)

- x_j = number of items selected for item-type j ($j = 1, \dots, n$)

$$\max \sum_{j=1,n} P_j x_j$$

$$\sum_{j=1,n} W_j x_j \leq C$$

$$x_j \geq 0 \quad \text{INTEGER} \quad (j = 1, \dots, n)$$

UKP is a special case of *BKP*: $d_j = \text{int}(C / W_j), j = 1, \dots, n$

Multiple Knapsack Problem (MKP01)

Given: n items, m containers (knapsacks)

P_j profit of item j ($j = 1, \dots, n$)

W_j weight of item j ($j = 1, \dots, n$)

C_i capacity of container i ($i = 1, \dots, m$)

insert a subset of the n items in each container in order to maximize the global profit of the items inserted in the containers, and in such a way that the sum of the weights of the items inserted in each container i ($i = 1, \dots, m$) is not greater than the corresponding capacity C_i

Each item can be inserted in at most one container.

MKP01 (2)

Given: n items, m containers (knapsacks)

P_j profit of item j ($j = 1, \dots, n$)

W_j weight of item j ($j = 1, \dots, n$)

C_i capacity of container i ($i = 1, \dots, m$)

insert a subset of the n items in each container in order to maximize the global profit of the items inserted in the containers, and in such a way that the sum of the weights of the items inserted in each container i ($i = 1, \dots, m$) is not greater than the corresponding capacity C_i

$P_j > 0$ ($j = 1, \dots, n$)

$W_j > 0$ ($j = 1, \dots, n$)

MKP01 (3)

Given: n items, m containers (knapsacks)

P_j profit of item j ($j = 1, \dots, n$)

W_j weight of item j ($j = 1, \dots, n$)

C_i capacity of container i ($i = 1, \dots, m$)

$$P_j > 0 \quad (j = 1, \dots, n); \quad W_j > 0 \quad (j = 1, \dots, n)$$

$$\sum_{j=1,n} W_j > \max\{C_i : i = 1, \dots, m\}$$

$$W_j \leq \max\{C_i : i = 1, \dots, m\} \quad (j = 1, \dots, n)$$

$$\min\{C_i : i = 1, \dots, m\} \geq \max\{W_j : j = 1, \dots, n\}$$

Mathematical Model of MKP01

$$x_{ij} = \begin{cases} 1 & \text{if item } j \text{ is inserted in container } i \\ 0 & \text{otherwise} \end{cases} \quad (i = 1, \dots, m; j = 1, \dots, n)$$

$$\max \sum_{j=1,n} P_j \left(\sum_{i=1,m} x_{ij} \right)$$

$$\sum_{j=1,n} W_j x_{ij} \leq C_i \quad (i = 1, \dots, m)$$

$$\sum_{i=1,m} x_{ij} \leq 1 \quad (j = 1, \dots, n)$$

$$x_{ij} \in \{0,1\} \quad (i = 1, \dots, m; j = 1, \dots, n)$$

BLP Model

MKP01 is NP-Hard

Bin Packing Problem (BPP)

Given:

n items;

W_j weight of item j ($j = 1, \dots, n$) ($W_j > 0$);

m containers (bins), each with capacity C :

insert all the n items in the containers in order to minimize the number of used containers, and in such a way that the sum of the weights of the items inserted in a container is not greater than the capacity C .

$$W_j < C \quad j = 1, \dots, n$$

$$\sum_{j=1,n} W_j > C$$

Bin Packing Problem (BPP)

Given:

n items;

W_j weight of item j ($j = 1, \dots, n$) ($W_j > 0$);

m containers (bins), each with capacity C :

insert all the n items in the containers in order to minimize the number of used containers, and in such a way that the sum of the weights of the items inserted in a container is not greater than the capacity C .

BPP is NP-Hard

The Feasibility Problem of BPP is NP-Hard

Mathematical Model of BPP

$$x_{ij} = \begin{cases} 1 & \text{if item } j \text{ is inserted in container } i \\ 0 & \text{otherwise} \end{cases} \quad (i = 1, \dots, m; j = 1, \dots, n)$$

$$y_i = \begin{cases} 1 & \text{if container } i \text{ is used} \\ 0 & \text{otherwise} \end{cases} \quad (i = 1, \dots, m)$$

Mathematical Model of BPP (2)

$$(M1) \quad \min \sum_{i=1,m} y_i$$

$$\sum_{j=1,n} W_j x_{ij} \leq C \quad (i = 1, \dots, m)$$

$$\sum_{i=1,m} x_{ij} = 1 \quad (j = 1, \dots, n)$$

$$x_{ij} \leq y_i \quad (i = 1, \dots, m; j = 1, \dots, n)$$

$$y_i \in \{0, 1\} \quad (i = 1, \dots, m)$$

$$x_{ij} \in \{0, 1\} \quad (i = 1, \dots, m; j = 1, \dots, n)$$

BLP Model

Mathematical Model of BPP (2)

$$(M1) \quad \min \sum_{i=1,m} y_i$$

$$\sum_{j=1,n} W_j x_{ij} \leq C \quad (i = 1, \dots, m)$$

$$\sum_{i=1,m} x_{ij} = 1 \quad (j = 1, \dots, n)$$

$$x_{ij} \leq y_i \quad (i = 1, \dots, m; j = 1, \dots, n)$$

$$y_i \in \{0, 1\} \quad (i = 1, \dots, m)$$

$$x_{ij} \in \{0, 1\} \quad (i = 1, \dots, m; j = 1, \dots, n)$$

(m + n + m n) constraints

Alternative Models of BPP

$$(M2) \quad \min \quad \sum_{i=1,m} y_i$$

$$\sum_{j=1,n} W_j x_{ij} \leq C \quad (i = 1, \dots, m)$$

$$\sum_{i=1,m} x_{ij} = 1 \quad (j = 1, \dots, n)$$

$$\sum_{j=1,n} x_{ij} \leq M y_i \quad (i = 1, \dots, m) \quad M \geq n$$

$$y_i \in \{0, 1\} \quad (i = 1, \dots, m)$$

$$x_{ij} \in \{0, 1\} \quad (i = 1, \dots, m; j = 1, \dots, n)$$

(2 m + n) constraints

Alternative Models of BPP (2)

$$(M3) \quad \min \sum_{i=1,m} y_i$$

$$\sum_{j=1,n} W_j x_{ij} \leq C y_i \quad (i = 1, \dots, m)$$

$$\sum_{i=1,m} x_{ij} = 1 \quad (j = 1, \dots, n)$$

$$y_i \in \{0, 1\} \quad (i = 1, \dots, m)$$

$$x_{ij} \in \{0, 1\} \quad (i = 1, \dots, m; j = 1, \dots, n)$$

(m + n) constraints

Alternative Models of BPP (3)

$$(M1) \quad \sum_{j=1,n} W_j x_{ij} \leq C \quad (i = 1, \dots, m)$$

$$x_{ij} \leq y_i \quad (i = 1, \dots, m; j = 1, \dots, n)$$

$$(M2) \quad \sum_{j=1,n} W_j x_{ij} \leq C \quad (i = 1, \dots, m)$$

$$\sum_{j=1,n} x_{ij} \leq M y_i \quad (i = 1, \dots, m) \quad M \geq n$$

$$(M3) \quad \sum_{j=1,n} W_j x_{ij} \leq C y_i \quad (i = 1, \dots, m)$$

- **EXAMPLE:** $C = 100$, $W_1 = 50$, $n = 1000$, ...
- “*Linear Relaxation*” of the variables y_i ($0 \leq y_i \leq 1$),
- $x_{11} = 1$, $y_1 = 0.5$ ($x_{1j} = 0$, $j = 2, \dots, n$):

(M2) and (M3): all constraints are satisfied

(M1) $i = 1, j = 1$: constraint $x_{ij} \leq y_i$ ($1 \leq 0.5$) is not satisfied

Linear Relaxation of Model (M1)

- *Lower Bound LB* on the value of the optimal solution of *BPP*:

$$LB = \sum_{j=1,n} W_j / C \quad (LB > 1); \quad k = \lceil LB \rceil$$

- * “*Linear Relaxation*” of the variables x_{ij} and y_i :

$$0 \leq x_{ij} \leq 1, \quad 0 \leq y_i \leq 1 \quad (i = 1, \dots, m; j = 1, \dots, n).$$

- Optimal solution of the *Linear Relaxation of BPP (Model M1)*:

- $y_i = 1 / LB = C / \sum_{j=1,n} W_j \quad (< 1) \quad i = 1, \dots, k - 1$

- $y_k = 1 - \sum_{i=1, k-1} y_i \quad (0 \leq y_k < y_1 < 1)$

- $y_h = 0 \quad h = k + 1, \dots, m$

- $x_{ij} = y_i \quad (0 \leq x_{ij} < 1) \quad i = 1, \dots, m; j = 1, \dots, n$

Linear Relaxation of Model (M1)

- Optimal solution of the *Linear Relaxation of BPP (Model M1)*:
- $y_i = 1 / LB = C / \sum_{j=1,n} W_j \quad (< 1) \quad i = 1, \dots, k - 1$
- $y_k = 1 - \sum_{i=1, k-1} y_i \quad (0 \leq y_k < y_1 < 1)$
- $y_h = 0 \quad h = k + 1, \dots, m$
- $x_{ij} = y_i \quad (0 \leq y_k < 1) \quad i = 1, \dots, m; j = 1, \dots, n$
- **Constraints:**

$$\sum_{j=1,n} W_j x_{ij} \leq C \quad (i = 1, \dots, m)$$

$$\sum_{j=1,n} W_j y_j = \sum_{j=1,n} W_j / LB = C \quad (i = 1, \dots, k - 1);$$

$$\sum_{j=1,n} W_j y_k < \sum_{j=1,n} W_j y_1 = C;$$

$$\sum_{j=1,n} W_j y_j = 0 < C \quad (i = k + 1, \dots, m)$$

Linear Relaxation of Model (M1)

- Optimal solution of the *Linear Relaxation of BPP (Model M1)*:

- $y_i = 1 / LB = C / \sum_{j=1,n} W_j \quad (< 1) \quad i = 1, \dots, k - 1$

- $y_k = 1 - \sum_{i=1, k-1} y_i \quad (0 \leq y_k < y_1 < 1)$

- $y_h = 0 \quad h = k + 1, \dots, m$

- $x_{ij} = y_i \quad (0 \leq y_k < 1) \quad i = 1, \dots, m; j = 1, \dots, n$

- *Constraints:*

$$\sum_{i=1,m} x_{ij} = 1 \quad (j = 1, \dots, n)$$

$$\sum_{i=1,m} y_i = 1 \quad (j = 1, \dots, n)$$

$$x_{ij} \leq y_j \quad (i = 1, \dots, m; j = 1, \dots, n)$$

$$x_{ij} = y_j \quad (i = 1, \dots, m; j = 1, \dots, n)$$

Linear Relaxation of Model (M1)

- Optimal solution of the *Linear Relaxation of BPP (Model M1)*:
- $y_i = 1 / LB = C / \sum_{j=1,n} W_j \quad (< 1) \quad i = 1, \dots, k-1$
- $y_k = 1 - \sum_{i=1, k-1} y_i \quad (0 \leq y_k < y_1 < 1)$
- $y_h = 0 \quad h = k+1, \dots, m$
- $x_{ij} = y_i \quad (0 \leq y_k < 1) \quad i = 1, \dots, m; j = 1, \dots, n$
- *Objective Function:*

$$(M1) \quad z = \sum_{i=1,m} y_i = 1$$

Generalized Assignment Problem (GAP)

Given: m machines (persons) and n jobs (tasks):

c_{ij} cost for assigning job j to machine i ($i = 1, \dots, m$; $j = 1, \dots, n$);

r_{ij} amount of resource utilized for assigning job j to machine i ($i = 1, \dots, m$; $j = 1, \dots, n$); $r_{ij} \geq 0$;

b_i amount of resource available for machine i ($i = 1, \dots, m$), $b_i > 0$.

Assign each job to a machine so as to minimize the global cost, and in such a way that the global resource utilized by each machine is not greater than the corresponding available resource.

Generalized Assignment Problem (GAP)

Assign *each job* to *a machine* so as to *minimize the global cost*, and in such a way that the *global resource utilized by each machine* is not greater than the corresponding *available resource*.

GAP is NP-Hard

The Feasibility Problem of GAP is NP-Hard)

Decisional binary variables:

$x_{ij} = 1$ if job j is assigned to machine i ;

$x_{ij} = 0$ otherwise; $(i = 1, \dots, m; j = 1, \dots, n)$

Mathematical Model of *GAP*

- Objective function (minimum cost)

$$\min \quad \sum_{i=1,m} \sum_{j=1,n} c_{ij} x_{ij}$$

- One machine assigned to each job:

$$\sum_{i=1,m} x_{ij} = 1 \quad (j = 1, \dots, n)$$

- Resource utilized for each machine:

$$\sum_{j=1,n} r_{ij} x_{ij} \leq b_i \quad (i = 1, \dots, m)$$

$$x_{ij} \in \{0, 1\} \quad (i = 1, \dots, m, j = 1, \dots, n)$$

BLP Model

Assignment Problem (AP)

Particular case of GAP:

$m = n$: n machines (persons) and n jobs (tasks):

c_{ij} cost for assigning job j to machine i ($i = 1, \dots, n$; $j = 1, \dots, n$);

$r_{ij} = 1$ amount of resource utilized for assigning job j to machine i ($i = 1, \dots, m$; $j = 1, \dots, n$);

$b_i = 1$ amount of resource available for machine i ($i = 1, \dots, n$).

3

AP is a Polynomial Problem solvable in $O(n^3)$ time.

Mathematical Model of *GAP*

- Objective function (minimum cost)

$$\min \quad \sum_{i=1,n} \sum_{j=1,n} C_{ij} x_{ij}$$

- One machine assigned to each job:

$$\sum_{i=1,n} x_{ij} = 1 \quad (j = 1, \dots, n)$$

- Resource utilized for each machine:

$$\sum_{j=1,n} x_{ij} \leq 1 \quad (i = 1, \dots, n)$$

$$x_{ij} \in \{0, 1\} \quad (i = 1, \dots, m, j = 1, \dots, n)$$

BLP Model

Mathematical Model of *GAP*

- Objective function (minimum cost)

$$\min \quad \sum_{i=1,m} \sum_{j=1,n} C_{ij} x_{ij}$$

- One machine assigned to each job:

$$\sum_{i=1,m} x_{ij} = 1 \quad (j = 1, \dots, n)$$

- Resource utilized for each machine:

$$\sum_{j=1,n} x_{ij} \leq 1: \quad \sum_{j=1,n} x_{ij} = 1 \quad (i = 1, \dots, m)$$

$$0 \leq x_{ij} \leq 1 \quad (i = 1, \dots, m, j = 1, \dots, n)$$

LP Model