

Title of Thessi

Master Thesis

S. Tudent

January 19, 2038

Advisors: Prof. Dr. A. D. Visor, Dr. P. Ostdoc

Department of Computer Science, EPFL

To my family and friends

Abstract

This example thesis briefly shows the main features of our thesis style, and how to use it for your purposes.

Contents

Contents	iii
List of Figures	1
List of Tables	1
1 Introduction	3
2 Social Media Data Acquisition	4
2.1 Hyperspace Analogue to Language	4
2.1.1 Motivating a Semantic Approach	5
2.2 Food Lexicon	5
2.2.1 Candidate Food Term Selection	6
2.3 Predictor Lexicon	7
2.3.1 Candidate Predictor Term Selection	8
2.3.2 Annotation and False Positive Removal of HAL Results	9
2.4 Experimental Evaluation	9
2.4.1 Results	10
2.4.2 Discussion	11
2.5 Filtering	12
2.5.1 Food related Tweets	13
2.5.2 Predictor related Tweets	13
2.5.3 Sentiment Extraction	13
3 Analysis	14
3.1 User Distribution	14
3.2 Food Term Distribution	14
3.3 Price Correlation	16
3.3.1 Analysis	16
3.3.2 Discussion	18
3.4 Conversation Drivers	18
3.4.1 A Visual Analysis of the Social Attention	19
3.4.2 Methodology	20
3.4.3 Event Annotation	21
3.4.4 Results	22

4	Model Building	24
4.1	A fuzzy approach for Time Series Modeling	24
4.2	Adaptive Neuro Fuzzy Inference System	24
4.2.1	Fuzzy Variables	25
4.2.2	Fuzzy Sets	25
4.2.3	Fuzzy Interference through a Generalised Neural Network . . .	25
4.3	Data Source and Data Preprocessing	27
4.4	Training the Model	28
4.5	Methodology for forecasting with Fuzzy Logic	29
4.6	Benchmark Model	29
4.6.1	Curse of of Dimensionality	30
A	Data	35
A.1	Processing and Storage	35
A.2	Crowd Flower	36
A.2.1	Categorise: Food Price	36
A.2.2	Categorise: Food Supply	36
A.2.3	Categorise: Food Poverty	37
A.2.4	Categorise: Food Needs	38
B	Price Correlation	39
	Bibliography	41

List of Figures

2.1	HAL Evaluation for Price and Supply	10
2.2	HAL Evaluation for Poverty and Needs	11
3.1	Volume of Tweets per Keyword and per Category	15
3.2	Volume of Tweets per Keyword and per Category	15
3.3	Heatplot Meat: Volume of Tweets per Keyword and per Category	17
3.4	Heatplot Cereals: Volume of Tweets per Keyword and per Category	17
3.5	Topic Distribution - Food Security	20
3.6	Annotation Distribution - Relevant to Food Security	23
4.1	Annotation Distribution - Relevant to Food Security	27
4.2	Volume of Tweets per Keyword and per Category	28
4.3	50 % train / 50 % test	31
4.4	70 % train / 30 % test	32
4.5	85 % train / 15 % test	33
A.1	Data Processing	35
B.1	Heatplot Dairy: Volume of Tweets per Keyword and per Category	39
B.2	Heatplot Sugar: Volume of Tweets per Keyword and per Category	39
B.3	Heatplot Oil: Volume of Tweets per Keyword and per Category	40

List of Tables

2.1	Toy example of HAL	5
2.2	A Summary of the Evolution of our Food Lexicon	7

2.3	Keywords of Predictor Categories	12
3.1	Price Correlation	18

Chapter 1

Introduction

Chapter 2

Social Media Data Acquisition

In this section we describe the filtering process of the tweets and the creation of two lexicons. The food lexicon contains keywords with food related terms (e.g. *rice, wheat, milk*) where the predictor lexicon contains terms with factors influencing the price and supply of the goods (e.g. *pricey, cheap, available*). We downloaded 2 TB of tweets from the internet archive¹ over a span of October 2011 - September 2014. The filtering process resulted with 5.6 M food relevant tweets.

Firstly, we detail an algorithm Hyperspace Analogue to Language (HAL) [20] which was used to find relevant keywords for our two lexicons. We then describe our framework for retrieving food related keywords that form our food lexicon followed by a chapter describing the framework for creating the Predictor Lexicon. In the Chapter Experimental Evaluation we analyse the different metrics influencing the performance of HAL and present the results. Lastly, we describe the filtering algorithm used to create our set of food relevant tweets.

2.1 Hyperspace Analogue to Language

HAL creates a semantic space from word co-occurrences [20]. By using a sliding window parsing mechanism, the frequency of each term co-occurring within a fixed window size is recorded. It is important to note that HAL only records the terms before the word we wish to analyse the context from. The terms after the word will appear in the column in the matrix that corresponds to that word. The matrix is created by storing a vector for each word with the number of co-occurrences of every other word in the corpus. Hence, if our corpus contains N different words the resulting HAL space would be an $N \times N$ square matrix of co-occurrences. Every time a specific word appears within the fixed window size the co-occurrence vectors are updated. For each co-occurrence HAL applies a scoring function. Words that appear closer, receive an inversely proportional score to its distance.

To illustrate the idea [7] gives an example of a simple sentence "*The horse raced past the barn fell.*" in Table 2.1 with a sliding window of five. Let's consider the first row. "*The*" precedes "*Barn*" twice. Once within a distance of five and the other time it directly

¹<https://archive.org/details/archiveteam-json-twitterstream>

precedes the word "Barn". Hence, that cell receives a score of five for the proximate one and a score of one for the word further away resulting in a final score of six.

Following the creation of the matrix we concatenate both the column and row vector of a word, where the former represents the preceding words and the later the following. To compare the distance of the vectors we used the cosine similarity function.

	Barn	Horse	Past	Raced	The
Barn		2	4	3	6
Fell	5	1	3	2	4
Horse					5
Past		4		5	3
Raced		5			4
The		3	5	4	2

Table 2.1: Toy example of HAL

2.1.1 Motivating a Semantic Approach

HAL gives us a way to study the relationship between words. More specifically we aim to understand what words are represented in the context of *Food* and topics centered around *Food Security*. To achieve this we need a methodology for representing the meaning of a word. The reason that we analyse the context of a word is to identify new words that have a similar meaning or given the same context express the same thing. The later is concerned with identifying synonyms where as the former looks at contextual similarity. For example, let's look at the word *mold* and *available*. Those two words seem unrelated, but given the context of food they express the same thing. Namely an abundance of food. Through the role of the context they possess elements of items similarity but by themselves they would never be considered words with similar meaning. It's important to stress that they are not similar because they occur frequently locally, but because they occur frequently in similar sentential context. Burgess et al. [7] argues that a simple local co-occurrence analysis misses to capture a lot of relationships. For example the word street and road are basically synonyms however the seldom locally co-occur. They do, however occur in the same context. This observation motivated us to deviate from the commonly used co-occurrence analysis and take a step further to improve the precision of our filtering framework.

2.2 Food Lexicon

Initially we started with a simple list of food related keywords. To avoid ambiguities we will refer to the initial keyword list as K_i . As a first source for our set K_i we used the most common traded food commodities as it would easily allow us to verify our results using the price dataset made available by IMF². We further decided to include the ten most important staple foods that feed the world as defined by Allianz³.

²<http://www.imf.org/external/np/res/commod/index.aspx>

³<http://knowledge.allianz.com/demography/health/?767/the-worlds-staple-foods>

We filtered the archive dataset using exact string matching on K_i . The distribution of the food related tweets showed that we need to categorise our lexicon in order to have sufficient data for further analysis. Where global keywords such as *food* are highly represented, more specific keywords such as *beef* occur infrequently. Other than the sparsity of the data we also have the problem of ambiguous keywords. *Soy* is such a keyword that refers in English to the *bean* and in Spanish to the verb *to be*. To avoid such ambiguity we extended the term to make it distinct (e.g. *Soy* \rightarrow *Soy Bean*).

To create categories we chose to mimic the categorisation of the FAO ⁴. FAO tries to measure the overall food fluctuation by five different food categories namely *meat*, *dairy products*, *cereals*, *vegetable oil* and *sugar*. The weighted average of those five categories as illustrated in [11] defines the international food price index. We additionally created a further category named *Other Food of Interest*. This category contains general keywords (e.g. *food*, *dinner or lunch*) and food keywords that cannot be assigned to one of the five categories, but frequently occur (e.g. *coffee*, *tea*). To be considered frequently the set of tweets containing the keyword needs to be $> 1\%$ of the total sample.

The six subsets s are $\in K_f$ where s is one of the six categories mentioned above. C is an imaginary set that contains the five categories *meat*, *dairy products*, *cereals*, *vegetable oil*, *sugar* each being a subset containing all possible food items belonging to a specific category (e.g. the subset *dairy* would contain all possible dairy products). If the following relationship holds $k \in C$, where k is a keyword, for any keyword $k \in K_i$, we consider $k \in K_f$. For all keyword $k \notin C$ the condition of it being frequent is evaluated and if true added to K_f . Food commodities that could not be assigned to any of the six categories were discarded (e.g. *orange*, *cocoa*, *onion*). Upon manual examination of the dataset we realised that people are much more likely to talk about a specific food product rather than the raw material. *Cereals* are not a public interest. However products such as *bread* or *flower* occur much more frequently. The set K_f was further enriched by using food products that have been identified by [1] in set K_f only $\forall k \in K_f$ that are also $\in C$. To further improve our coverage of the six food categories we filtered for synonyms and contextual similar words using HAL.

2.2.1 Candidate Food Term Selection

We took several steps in order to improve our detection of the desired food commodities. K_f was created as follows:

- 1.) We add all keywords $k \in K_i$ to K_f only if $k \in C$ or k is frequent
- 2.) Further we add all keywords $k \in K_f$ to K_f only if $k \in C$
- 3.) We create a HAL space using a random subsample of 10% from our initial collection with all keywords that occur > 100 . $\forall c \in C$ we pick the keyword $k \in K_f$ that most frequently occurs over the entire sample and retrieve the top 500 similar terms. We hand select those that are $\in C$.

The keyword set K_f was used to perform exact term matching on the tweets collected from the internet archive. The resulting set of keywords in K_f forms our Food Lexicon.

⁴<http://www.fao.org/worldfoodsituation/foodpricesindex/en/>

Lexicon / Subset s	Keywords (i: from initial set, e: from K_f , h: from HAL space)
K_i Food	meal (i), meals (i), food (i), foods (i), wheat (i), rice v, maize (i), carley (i), soybean (i), soy (i), meat (i), beef (i), cattle (i), chicken (i), poultry (i), lamb (i), swine (i), pork (i), fish (i), seafood (i), shrimp (i), salmon (i), sugar (i), bananas (i), oranges (i), coffee (i), cocoa (i), tea (i), milk (i), yams (i), cassava (i), potatoes (i), sorghum (i), plantain (i), nuts (i), onion (i), salt (i), egg (i), dairy (i), cereals (i)
K_f Meat	meat (i), lamb (i), pork (i), swine (i), chicken (i), poultry (i), beef (i), sausage (e), rib (e), pastrami (e), kidney (e), liver (e), ham (e), bacon (e), chorizo (e), salami (e), sheep (e), boeuf (e), oxen (e), kine (e), steak (e), cow (e), brisket (e), veal (e), tenderloin (e), sirloin (e), poulet (e), volaille (e), hot dog (h), hamburgers (h), meatballs (h), burgers (h), goat (h), cattle v, turkey (h), pig (h)
K_f Cereals	wheat (i), atta (i), starch (i), farina (i), bran (i), ethanol (i), biofuel (i), rice (i), corn (i), maize (i), ravioli (e), barley (e), scotch (e), whisky (h), oat (h), bread (h), flour (h), gluten (h), pasta (h), noodles (h), beer (h)
K_f Oil	coconut oil (i), corn oil (i), olive oil (i), palm oil (i), peanut oil (i), sunflower oil (i), rapeseed oil (i), safflower oil (i), soybean oi (i), sunflower oil (i), soybeans (i), soya (i), soy sauce (i), soja (i)
K_f Sugar	sugar (i), sugarcane (i), syrup (e), energy drink (e), cola (e), chocolate (e), nestle (e), cookies (h), cupcakes (h)
K_f Dairy	dairy (i), egg (i), milk (i), kefir (e), butter (e), yogurt (e), quark (e), mozzarella (e), cheddar (e), parmesan (e), buttermilk (e), ricotta (e), feta (e), romano (e), provolone (e), colby (e), edam (e), eggnog (e), pimento (e), cheshire (e), roquefort (e), icecream (h), milkshake (h), cheese (h), cream (h)
K_f Other	meal (i), meals (i), food (i), foods (i), fish (i), prawn (i), seafood (i), salmon (i), tea (i), coffee (i), dinner (h), lunch (h), breakfast (h), dish (h), cuisine (h)

Table 2.2: A Summary of the Evolution of our Food Lexicon

2.3 Predictor Lexicon

From our basic food lexicon we proceeded to extract features that we can use to explain events around Food Security. The FAO measures food security based on four dimensions namely *Access*, *Availability*, *Stability* and *Utilisation*. Where *Access* mostly captures the supply of food, *Availability* is concerned with the affordability of the basic goods. *Utilisation* captures the nutritional value of the food and lastly *Stability* is a measure of the other three dimensions over time. For food security objectives to be realised, all four dimensions must be fulfilled simultaneously [21].

To model food security we focus our work on those four dimension namely *Access*, *Availability*, *Utilisation* and *Stability*. Together those predictor categories build the set C_p . Attempts have been made to capture Availability by the UN [14].

We define the predictor category *Access* by looking for tweets containing price as a keyword as in [14] but improve the recall by including synonyms of *price* that appear

in the same context. *Availability* was defined in similar fashion by matching keywords that appear in the context of food availability as in [4], however a different set of keywords was selected as described in the following chapters. Unlike [1] we don't measure food Utilisation by observing the exact diet but capture the people's food needs. Lastly as a measure of *Stability* we focused our attention on economic stability. Keywords in the context of poverty were selected to match this predictor category similar to [22] [4].

2.3.1 Candidate Predictor Term Selection

Since HAL has not been extensively used in previous work for term selection we drafted two different frameworks which we evaluated. As a reminder K_f refers to the set of terms in our Food Lexicon. F_c on the other hand refers to a corpus drafted from all food relevant tweets. Finally the manual selection of the keywords was done through crowd flower ⁵.

Framework 1

- 1.) $\forall k \in K_f$ choose the keyword k with the highest occurrence form the entire sample.
Let's call it k_{max}
- 2.) $\forall w \in F_c$ perform a similarity measure with k_{max}
- 3.) Retrieve the 500 most similar words and hand select the words that occurs in the synonym lexicon thesaurus for supply, price, poverty and needs.
- 4.) For each of those hand-selected words apply HAL
- 5.) For each predictor category retrieve the 500 most similar words and let crowd workers select the relevant terms.

The high-level intuition of this procedure is as follows. The first step will give us the most prominent food term. This is most likely going to be something general such as the keyword "Food". Step 2 and 3 will allow us to identify the most contextual similar keywords for each category. So the keyword is retrieved that is most likely used to describe supply in the context of food. In step 4 and 5 we aim to retrieve similar words that could describe supply but maybe appear more frequently in different contexts. In other words, we aim to find synonyms here.

Framework 2

- 1.) $\forall w \in F_c$ perform a similarity measure with the keywords supply, price, needs and poverty
- 2.) Retrieve the 500 most similar words and let crowd workers select the relevant terms

Instead of finding a keyword that is a synonym of a predictor category as in Framework 1 we simply use our predefined category names as a base to retrieve contextually similar words.

For the discovery of predictor terms we will proceed with Framework 2 for three reasons. Firstly Framework 1 did not retrieve us the desired keywords for all categories. Secondly, between the results of Framework 1 and 2 there was a substantial

⁵<http://www.crowdfunder.com/>

overlap and lastly Framework 2 is more efficient to execute. This is particularly important since creating the HAL space is computationally very expensive. The final lexicon was further enriched by including synonyms from thesaurus⁶ for supply, need, poverty, and price. The terms of the final predictor lexicon are presented in Table 2.3 and for future reference we will refer to it as K_p

2.3.2 Annotation and False Positive Removal of HAL Results

The workers were presented with four different tasks, one for each category. For every task we asked the workers to classify the term as A. Relevant, B. Likely, C. Unlikely and D. Not in English. Since Overlaps may occur, particularly for the category price and supply as well as poverty and need we asked the workers to classify them as likely in order to detect to which category the word has a stronger association.

The crowd task presented a number of challenges. In our first test run we counted a false positive rate of around 40 %. This was due to the lack of quality control we imposed on the workers. We observed a large amount of random guesses and a poor level of english among some workers. Hence we selected workers from commonwealth countries and regions where the majority are native english speakers. We further created test questions which were manually selected to avoid inattentive workers. Lastly we collected 3 independent annotations for every word and applied a majority to resolve disagreements. Due to the imposed additional costs through the multiple annotations per term we restricted our search for relevant keywords to the top 140 terms suggested by HAL.

2.4 Experimental Evaluation

In order to increase the recall of HAL we evaluated the performance on three different sample sizes (10 %, 20 %, 40 %) constituting a corpus of around 23M, 47M, 93M words respectively. Our corpus of food related tweets has a number of appealing properties as it covers a large vocabulary centered around food. Unlike most corpora that represent formal business reports or specialised dictionaries our food corpus represents everyday speech. This gives us a closer approximation on how people would talk in the context of our predictor categories.

The initial set of words in our corpus was filtered only to contain those words that appear at least 100 times. Words occurring infrequent were discarded as well as stop words and punctuations. On a test sample of 10 % we observed that around 10 % of the tweets contain equal or less then 4 words which could impact the quality of the results. Hence, on the 40 % sample we further excluded tweets that contain less or equal to 4 words. Using the words $w \in F_c$ we produced a N by N matrix with the co-occurrences for three different window sizes namely five, eight and ten to investigate if the window size has an impact on the result. According to [20] a window size of 8 should yield the best results. However the nature of a tweet is very different from a classical text so it remains to see if this observation also holds for microblogs. Since vector similarity measures are sensitive to the magnitude of the vectors we normalised all the vectors to a constant length. Once the HAL space was created we

⁶<http://www.thesaurus.com/>

applied the above described Framework 2 to retrieve the desired keywords for our four categories.


2.4.1 Results

We manually assed the annotations produced by crowd flower to check for disagreements between the crowd workers an ourselves. For the category supply we rejected 26 from 69 (39%), for price 4 (12.5%) from 32, for needs 8 (7%) from 113 and for poverty 14 (%) from 106.


The high disagreement for the supply category was due to the ambiguous design of our question in the crowd task. We asked workers to accept words that can be both indicative for supply and price (e.g. rise, high) which unfortunately was misunderstood as to include words that can be only indicative of price (e.g. expensive).

Similar to [3] we observe that crowdsorce annotators applied a more narrow definition of of the predictor categories overlooking some keywords associated with the cateogries. For example the term market was missed as a price keyword. Tweets containing the word market could provide valuable information regarding the state of food security as it's commonly used to describe the price mood of a commodity.

Looking at Figure 2.1 and Figure 2.2 we can observe that for all categories HAL performed best for a window size of 10 which contradicts the findings of [20]. Additionally we see that the smaller sample sizes consistently produce more relevant keywords then the large sample. A larger sample sizes increases the likelihood of a keywords occurrence. Since we set a fixed threshold of 100 occurrence across all samples we are more likely to include words with a smaller confidence , which might explain the poor performance.




(a) HAL - Price




(b) HAL - Supply

Figure 2.1: HAL Evaluation for Price and Supply



(a) HAL - Needs



(b) HAL - Poverty

Figure 2.2: HAL Evaluation for Poverty and Needs

2.4.2 Discussion

We observed that HAL has a very high precision given a high similarity threshold. For the top 20 keywords we evaluated a precision of 100 % for food relevant terms. In the top 20 we found other food items building the clear majority of the retrieved words. However the precision varies highly with the window and sample size. These variables, as our evaluation has shown, are very much dependent on the form of the corpus.

With decreasing similarity HAL highlighted some topics indirectly associated with food security. For example there was a high percentage of country names in the retrieved results. Looking more closely at the retrieved countries we could see that most of them had a clear association to food. Where the majority of the retrieved countries such as Thailand, Bali ⁷ or the cities Singapore and Paris ⁸ are considered to be famous holiday destinations for food lovers other retrieved countries such as Pakistan, Syria, Jakarta India or the Philippines ⁹ are cities with a clear history of food insecurity and political unrest.

⁷<http://www.nomad4ever.com/2008/08/24/top-10-popular-foods-of-asia-explained/>

⁸<http://www.hellotravel.com/stories/best-food-cities-in-world>

⁹<http://foodsecurityindex.eiu.com/Country>

Lexicon / Subset s	Keywords (h: from HAL space, t: from thesaurus)
<i>Food Supply</i>	<i>supply</i> , item (h), stock (h), vendors (h), demand (h), provided (h), feeds (h), delivery (h), supply (h), industry (h), production (h), waste (h), source (h), stash (h), numbers (h), list (h), growing (h), stores (h), distribution (h), delivered (h), policy (h), purchases (h), market (h), processing (h), chain (h), packaging (h), network(h), mart (h), stalls (h), sustainability (h), aplenty (t), bags (t), bulk (t), bundle (t), chunk (t), expanse (t), extent (t), flock (t), chunk (t), expanse (t), extent (t), flock (t), gob (t), heap (t), hunk (t), jillion v, load (t), lot (t), magnitude (t), mass (t), meassure (t), mess (t), mint (t), mucho (t), oodles (t), pack (t), pile (t), scads (t), score (t), slat (t), slew (t), ton (t), volume (t)
<i>Food Price</i>	<i>price</i> , affordable (h), cost (h), rise (h), savings (h), coupons (h), prices (h), label (h), purchase (h), economy (h), discount (h), budget (h), sales (h), benefit (h), target (h), bonus (h), size (h), money (h), better (h), best (h), free (h), buy (h), amount (t), bill (t), , demand (t), estimate (t), expenditure (t), expense (t), fare (t), fee (t), figure (t), output (t), pay (t), payment (t), premium (t), rate (t), return (t), tariff (t), valuation (t), worth (t), appraisal (t)
<i>Food Poverty</i>	<i>poverty</i> , appetite (h), rich (h), shelter (h), homeless (h), shortage (h), control (h), provide (h), feed (h), needy (h), edible (h), nutrition (h), donate (h), expensive (h), economy (h), thought (h), budget (h), poor (h), service (h), supplies (h), crisis (h), demand (h), poverty (h), pantry (h), cravings (h), agricultural, resources, assistance, insecurity, storage (h), issue (h), bank (h), safety (h), prices (h), funding (h), health (h), drug (h), challenges (h), distribution (h), helping (h), government (h), affected (h), scraps (h), fair (h), children (h), support (h), waste (h), program (h), crops (h), restrictions (h), parcels (h), industry (h), healthcare (h), culture (h), catering (h), delicious (h), writer (h), sustainability (h), revolution (h),inflation (h), policy (h), daily (h), bankruptcy (t), debt (t), deficit (t), difficulty (t), famine (t), hardship (t), lack (t), scarcity (t), shortage (t), starvation (t),underdevelopment (t), abundance (t), affluence (t), bounty (t), myriad (t),plenty (t), plethora (t), profusion (t), prosperity (t), riches (t), wealth (t)
<i>Food Needs</i>	<i>need</i> , must (h), loving (h), share (h), like (h), favourite (h), hate (h), ordering (h), eat (h), give (h), much (h), want (h), needs (h), takes (h), beg (h), iwant (h), getting (h), favorite (h), buy (h), 50thingsilove (h), enough (h), ilove (h), whatilovethemost (h), got (h), horrible (h), cookout (h), poor (h), ate (h), deliver (h), neeeeed (h), loooooove (h), neeed (h), neeeed (h), make (h), good (h), 2thingsilove (h), lack, tweetyourweakness, terrible, bring, ineed, lots (h), waiting (h), bit (h), starving (h), gave (h), delicious (h), drink (h), nice (h), cook (h), hungry (h), craving (h), healthy (h), wish (h), awesome (h), really (h), best (h), dearth (t), deficiency (t), drought (t), inadequacy (t), insufficiency (t), lack (t), need (t), omission (t), privation (t), unavailability (t), void (t), want (t),affluence (t), bounty (t), myriad (t), plenty (t), plethora (t), profusion (t), prosperity (t), riches (t), wealth (t), ampleness (t), copiousness (t), fortune (t), opulence (t), plentitude (t), prosperousness (t)

Table 2.3: Keywords of Predictor Categories

2.5 Filtering

The filtering of the tweets was performed in three rounds. First we filtered for food relevant tweets. In a second round we applied our Predictor Lexicon on the retrieved set of tweets obtained in the first step. Lastly we filter by sentiment.

2.5.1 Food related Tweets

The food related tweets were retrieved through exact term matching, i.e. a tweet containing the term *foods* would not match on the keyword *food* where the reverse is also true. We mimic the term matching twitter performs. In the initial round we optimised for coverage and hence avoided further filtering steps. Given the large size of the dataset efficiency was also a concern. We experimented with both `string.split()` and a tokenizer provided by the Natural Language Toolkit [19]. `String.split()` proved to be more tweekable. The result was a collection of 5.6 M tweets posted by 4.2 M users.

2.5.2 Predictor related Tweets

The first round drastically reduced our dataset to around 90 GB of tweets. This allowed us to perform a more involved filtering mechanism similar to [4].

For every word in a tweet and for every word in our predictor lexicon K_p the stem was computed. This was necessary to capture tweets that may contain a predictor term that is not in its base form. For example a tweet containing the word *pricey* would not match the term *price*. Furthermore the framework also accounts for misspelt words. To do this in a computationally efficient way the algorithm computes the edit distance between a given word and terms from the predictor set D . If the error is within a fixed threshold the predictor term with the minimal edit distance is returned.

2.5.3 Sentiment Extraction

Experiments in [4] showed that sentiment analysers such as SentiStrength [25] or Stanford CoreNLP [23] performed poorly on microblog content. Hence in [4] the decision was made to extract the sentiment by having specific terms for each sentiment (polarity). In addition one had to account for changes in polarity through negations such as *never* and *not* which inverted the polarity of a predictor category term.

We however choose to deviate from this approach and use a sentiment analyser despite the bad results. We give two reasons for doing so. 1.) Hutto et. al recently published a new sentiment analyser VADER [13] with an F1 Classification Accuracy = 0.96 which outperformed human evaluators. 2.) Often keywords can not be manually assigned to a polarity without knowing it's context.

Besides the above mentioned benefits VADER allows us to obtain a degree of sentiment by analysing grammatical and syntactical conventions that humans use when expressing sentiment intensity. For example it accounts for emoticons which are commonly used to express a sentiment or even acronyms such as *LOL*, *WTF*. It's further worth mentioning that VADER is an unsupervised approach and is well suited for streaming data.

Chapter 3

Analysis


The following chapter will investigate if and to what extent Social Media data can be found to correlate with the international Food Price Index and the Commodity price quotes. This is accomplished by analysing 30 M tweets related to food. By drawing some basic statistics we want to emphasis the general popularity of food among the twitter users and describe the term distribution. In the analysis we aim to show how food terms related to each other and how they compare to Indices which are intrinsic food security indicators. Lastly we investigate to what extent Food Security and market fundamentals are present in social media discussion.

3.1 User Distribution


Twitter is a social network and in general such networks follow a power law distribution [27]. We see in the bellow Figure 4.2a and Figure 4.2b that the distribution of the number of tweets per user deviates from a normal power law. A lot of individuals send only a few tweets about the subject and only a small number of users transmit a large amount of tweets. Unlike [5] suggest the contribution participation level of 80 %, 20 % does not seem to apply to tweets about food. In Figure 3.1b we can see that the curve is almost linear. About 50 % of the tweets are caused by 50 % of the users. This deviates highly form the normally observed 80 %, 20 % ratio. We assume that this is due to the wide spread interest of the topic.

3.2 Food Term Distribution

Our framework for the data acquisition successfully increased the total volume of food related tweets. From an initial 13.7 M tweets we raised the entire volume by 110% to a total of 29.9 M food related tweets. The distribution of the volume per food term is displayed in Figure 3.2a. We illustrate in orange the added volume alongside the initial size in blue. The most popular food terms on twitter are general terms such as food, dinner and lunch. Within the 10 most popular terms we found that three beverages (coffee, beer, tea) were represented. The most popular traded commodity term on social media is chicken. We further show the distribution of the categories in 3.2b. By far the highest contribution has the category *others* due to general food related keywords such as *dinner* or *food*. It builds the absolute majority




(a) LogLog: Number of Tweets per User




(b) Distribution: Number of Tweets per User

Figure 3.1: Volume of Tweets per Keyword and per Category

with 51 %. Meat related keywords has the second highest contribution with around 15 % followed by 12% sugar, 11% cereals, 10 % dairy and lastly 0.2 % Vegetable Oils. Interestingly the volume roughly follows the economic importance of the different categories with the only outlier being sugar [21]. We assume this is due to the highly popular products *coca cola* and empty chocolate which caused alone 70 % of the sugar related tweets.



(a) Overall Distribution



(b) Category Distribution

Figure 3.2: Volume of Tweets per Keyword and per Category

3.3 Price Correlation

We observed a general popularity of food in our initial analysis and that certain food categories have a much stronger presence than others. There is however still a concern on whether the sampled data is useful to detect difference in price fluctuation and lastly can be used as medium to determine food security. For the purpose of our correlation analysis we used the price quotations of the Food and Agriculture Organisation of the United Nations ¹ and commodity quotes from candle ². FAO differentiates between a Category Index and a universal Food Price Index. The Category Index is specific to a food category (e.g. meat, cereals) so different among all categories, whereas the Food Price Index is a general indicator and the same for all categories. Unfortunately daily commodity quotes could only be obtained for meat, dairy and cereals.

For each food category (e.g. meat, dairy) we correlated the tweet volumes of the subcategories (e.g. beef, chicken for meat), products (e.g. bacon, salami) and the price quotes for each category. These subcategories mirror the categorisation of the FAO [21]. Since the price quotes of the FAO are based on a monthly average, we aggregated the daily tweet volumes per food term over a month and calculated the daily average volume. We only included food terms that have an average of greater than 10 tweets per day. The internet archive did not contain tweets for certain months. We approximated those values by taking the average of the previous and the following month.

3.3.1 Analysis

Between the meat subcategories there is a strong positive linear relationship in the range of 0.7264 and 0.9361. This means if chicken increases in volume so does beef and pork. A p value of 0.0001 suggests that we can reject the idea that the correlation is due to random sampling. No clear relationship exists between the tweet volume of the meat categories and the three Price Indices. Most of the categories are negatively correlated to price quotes meaning that if the volume increases the price will most likely decrease. Only a few sub products showed a significant correlation with the Price Indices. A positive relationship can be seen between the term goat and the commodity price with a correlation of 0.7369 and a p value of 0.0001. A possible explanation might be its popularity among developing countries. People consuming goat meat would be more sensitive towards price fluctuation making it potentially a valuable feature in measuring food prices. By correlating the price indices we see that there is a strong positive relationship between the FAO meat price index and the commodity quotes. This analysis supports [2] theory that the commodity markets have a strong influence on the rising food prices and are a strong factor for quantifying Food Security.

¹<http://www.fao.org/worldfoodsituation/foodpricesindex/en/>

²<https://www.quandl.com/>




Figure 3.3: Heatplot Meat: Volume of Tweets per Keyword and per Category

For cereals similar to meat we likewise see a high correlation in volume of around 0.82 between the different cereal categories. The products beer, barley, bread, alta and pasta show a strong positive relationship to the cereal categories. Unlike meat, the cereal categories show a strong positive relationship with the universal Food Price Index. This is somewhat surprising as meat prices have a stronger influence on the universal Food Price Index than Cereals do [21]. Furthermore the product pasta has a strong linear relationship with the commodity wheat 0.7212




Figure 3.4: Heatplot Cereals: Volume of Tweets per Keyword and per Category

The heat plots of dairy, sugar and oil shows yet again no clear linear relationship between the twitter volume and the food price indices. More so than in other Food Categories the subcategories of dairy can be clearly distinguished between it's correlation. I.e. mozzarella has a very strong relationship with the category cheese and only a weak correlation with milk products. The heat plot for dairy, sugar and oil have been added to the appendix.

3.3.2 Discussion

Our analysis did not show any significant correlation between the raw attention on food and the price quotes. Nonetheless the insights gained from this analysis will help us improve our features. For example the category meat shows a number of products that have a strong negative correlations. By only including such terms we are hoping to strengthen the relationship between the meat category and the price quotes.

Although we can not provide any scientific evidence there might be a nonlinear relationship between social media and the commodity market. We hence will experiment with a non-linear model to predict price quotes in further sections. According to [9] such models are better suited to utilise social media for predictions.

A smilier correlation analysis has been made by the UN [14]. They however used contextual sensitive tweets i.e. instead of only using tweets containing food they performed an n-match on different criteria. The tweet had to contain a food item, the word price and a quantification such as high or low. Overall a pearson correlation of around 0.42 was detected with a significance of 0.04. By exploiting our predictor lexicon to filter tweets that contain keywords such as supply and price we were able to improve the linear relationship and found similar results as in [14]. Although the UN concluded a linear relationship they simply provided assumptions about what might have caused the volatility of price conversations. We hence explore the conversation drivers in the next section.

	Category Price Index	Food Price Index	Commodity Price Index
Meat	-0.0112	-0.0653	- 0.1489
Dairy	-0.2166	0.1314	-0.0676
Cereals	0.0357	-0.3360	0.0594
Oil	-0.2484	-0.2382	-
Sugar	-0.2000	-0.1019	-

Significance: $p < .0005$ ***, $p < 0.005$ **, $p < 0.05$ *

Table 3.1: Price Correlation

3.4 Conversation Drivers

Following our correlation analysis we proceed with a detailed investigation of Twitter conversations relevant to food security to uncover events that trigger conversations. We found that our contextual sensitive tweets (i.e. such tweet that contain a food term and a predictor terms such as price) have a much stronger Pearson correlation then the raw volume. Encouraged by this observation we want to investigate further to which extent the tweet content is related to Food Security. More specifically we want to know if the conversations can be related to market fundamentals that cause soaring food prices. Following the two recent food crises in 2007 and 2010 a lot of research has been entered around defining causes of volatile food prices. In [24] they define a taxonomy for drivers of international food prices spikes and differentiates

among three different causes namely exogenous shocks, conditional causes and internal causes. Examples of exogenous shocks are extreme weather events, oil price shocks, economic and demand/supply growth, and lastly economic shocks. Conditional causes can originate through political conflict or market conditions. Internal causes on the other hand are speculative activities(driven by price expectations) and declines in world food stocks. This taxonomy will serve us as a baseline in annotating our events. We annotated our events by following a framework described in the following section.

3.4.1 A Visual Analysis of the Social Attention

We commence our investigation of the conversation drivers by a visual and manual investigation of the most prominent events. To gain an overview about the social attention of our food topics we plotted the relative distribution of food supply, price poverty and needs in Figure 3.5. By far the highest attention is attributed to food needs with around 70 % , poverty and supply receive a similar attention distribution with price taking the smallest interest among twitter users.

To visually categorise the activity Lehman et al. defined three categories of temporal behaviours. Continuous activity, periodic activity or activity concentrated around an isolated peak. Where continues activities are topics that are of daily interest such as weather, periodic actives reoccur with a fixed pattern such as the release of a new episode of a popular tv shows. The later is event driven and usually occurs once during a very short period such as a national holiday.

For price and supply we observe a similar temporal pattern. Both show a continuous activity with one extremely prominent isolated peak. The activity is concentrated symmetrically around those two events , showing abnormal activities for around 9 days before and after.

We manually investigated the two isolated peaks to see if we can attribute them to any discussions relevant to price. The content corresponded to a popular Korean pop band *T-ara* . They released a music video on the 10th of September which caused the first anomaly reaching a global maximum on the 16th when they announced to collaborate with a famous european DJ ³. Similarly in our supply conversation the peak was not caused by supply indicators but was driven by topics entered around health & life style.

The topics needs and poverty do not exhibit any extreme outliers and similar to price and supply can be categorised according to Lehman et al's. framework as of continues interest.

³<http://www.kpopstarz.com/articles/112632/20140916/t-ara-sugar-free.htm>




Figure 3.5: Topic Distribution - Food Security

3.4.2 Methodology

As described in the previous section the prominent peaks could not be attributed to any discussion around indicators that are relevant to Food Security. In this subsection we investigate in detail what topics cause the attention peaks and whether they can be attributed to market fundamentals or topics concerning Food Security. For this analysis we consider discussion around food supply, price and poverty. Food price and supply are by the definition of [24] exogenous shocks. Poverty and Needs are conditional indicators.

We investigate the four food categories temporal behaviour on a granularity of one day. This scale was chosen in order to be in accordance with the temporal quotations of the commodity market. To detect anomalies in our food topics we applied a similar approach as in [3] [18]. We used a fixed window size of $2m + 1$ where $m = 15$ giving us a month long window. Within the window we identified the median and calculated the mean of the twitter volume. From those values we calculated the Median absolute deviation (MAD) as follows:

$$\overline{MAD} = \text{median}_i(|X_i - \text{median}_j(X_j)|) \quad (3.1)$$

X_j is the set of data points within the fixed window and $X_i \in X_j$

A peak is declared if v_i deviates more than 2 MAD from the mean. For this analysis we only consider positive peaks and ignore anomalies in form of a steep descent.

The discussion centred around food price showed 82 events. Tweet activities for food supply resulted in 91 spikes. 80 peaks were detected for food needs and lastly 99 for food poverty.

To identify what topics spike the attention we used a similar approach as in [3]. We computed the top 50 unigrams and top 10 bigrams of all tweets occurring during a peak. We then manually investigate the tweets that contain the most frequent n-grams. Some peaks could be attributed to multiple events. If two could be identified, both of them were used to label the peak. Else, if most likely more than two events caused the peak we marked it as ambiguous.

3.4.3 Event Annotation

We annotate each peak according to the definitions given below. Our classification mostly mimics the main dimensions of Food Security but also includes categories from the taxonomy of Tadesse et al[24]. There is a strong overlap between the two taxonomies where the later naturally focuses more on Economic Access and the former has a stronger orientation towards Food Utilisation. This categorisation is not extensive i.e. there are a range of further categories we could consider. However given the sparsity of relevant events this classification gives a good overview of the discussed topics.

Some events show causal relationships i.e. a breach in the food supply can be a cause for riots and political unrests. In such cases we annotated both.

Food Supply

Events entered around the food supply chain are considered including indicators of food waste. We define Food Loss and Food waste according to Parfitt et al. 's [16] definition. Food Waste refers to Food Loss that occurs at the retailers and consumers side where as the term Food Loss refers to the decrease in food volume that leads to edible food for consumption.

Economic Access

We define Economic Access according to FAO's [21] definition. Price, expenditure or market indicators fall into this domain.

Government

The classification Government takes topics such as legislation and policy changes into account. An example is restrictive trade policies such as export or import restrictions [24].

Stability

Poverty, political unrest and topics concerning extreme weather [21] fall into this classification. Factors that cause insecurity such as riots or severe draughts are considered.

Unrelated

Viral jokes, advertisements, health & lifestyle are example topics that we consider unrelated.

Our findings showed that for price only 7 (8.5 %) out of 82 fell into the above given categories, for supply 4 (4.3 %) out of 91 for poverty 13 (13 %) out of 99 and finally for needs no relevant topics were found.

3.4.4 Results

The distribution of the annotations is visualised in Figure 4.5. Surprisingly the conversations mostly peaked outside their domain, i.e. the price conversation was more intrinsic for supply indicators then for economic access indicators. We now give examples to each annotation topic of events that we classified as Food Security relevant to illustrate what kind of discussion caused a peak .

Food Supply

Topics that caught the social media audience were especially safety threats to the food supply. In April 2012 a newly discovered case of cow disease threatened the safety of america's beef supply and heavy import restrictions were imposed from major beef importers such as South Korea ⁴.

Economic Access

In 2014 sharp rising food prices caused a lot of discussion on twitter. Wholesale prices were suffering due to a severe drought in the previous year, which thinned the cattle herds and increased consumer prices ⁵. As a consequence there was also a sharp increase in discussion around food banks. The UK observed a 51 % increase in food bank users ⁶.

Government

Most discussions around legislation changes were focused on Food Bank reforms. A high amount of attention can be attributed to the UK rejecting the European Union food bank funding. The population heavily criticised the British government to deny EU fund to be spent on the poor ⁷

Stability

Discussion around stability were usually headlined by extreme poverty causing riots. A food program that provided free lunch to underprivileged school kids used poisoned crops in their dishes. 20 children died as a consequence causing riots and closed shops all over the city. ⁸

Unrelated

Unrelated topics cover a vast amount of domains. Most often peaks are caused by viral tweets posted by online celebrities that contain a food term. Public holidays, such as Easter, Thanks Giving are also frequently captured. Furthermore public figures such as Ray Rice, a famous footballplayer, caused a lot of hype in the social media community ⁹. Often it was very hard to extract the

⁴<http://www.theguardian.com/science/2012/apr/25/mad-cow-disease-us-mutation>

⁵<http://www.cnbc.com/id/101588110>

⁶<http://www.bbc.com/news/business-27032642>

⁷<http://www.theguardian.com/society/2013/dec/17/government-under-fire-eu-funding-food-banks>

⁸<http://www.usatoday.com/story/news/world/2013/07/17/india-children-deaths/2523727/>

⁹<http://www.nytimes.com/2014/09/09/sports/football/ray-rice-video-shows-punch-and-raises-new-questions-for-nfl.html>

conversation drivers in the unrelated topics. There is a considerable amount of noise in our conversations centered around Food Security, making it very challenging to extrapolate meaning from an event. This might be attributed to the general popularity of food we identified in previous chapters.




Figure 3.6: Annotation Distribution - Relevant to Food Security

fdfdsfdfsdfdf

Model Building

Intro goes here

4.1 A fuzzy approach for Time Series Modeling

Compared to other approaches, Fuzzy Logic has seen only a few applications in forecasting despite its promising results. We hence want to motivate the use of this technique in further detail.

Fuzzy Logic was initially proposed to provide a framework for imprecise reasoning. Zadeh [30] introduced the concept to describe real world phenomenas that do not have precise description of a membership class. Another branch of mathematics that deals with uncertainty is the field of probability. However, there is a distinct difference between the two. Probability theory is based on bivalent logic, which means every proposition is either true or false. Only certainty is a matter of degree, which brings us to an important distinction. In Fuzzy Logic everything is a matter of degree, which is ultimately how we perceive the real world. This form of reasoning allowed the development and analysis of systems by expressing the qualitative aspects of human reasoning without using any complex mathematical models.[15]. In some areas such as Time Series prediction techniques such as ARMA and AR, have shown clear limitations [6]. Nonlinear approaches, such as ANFIS, have proven to be more successful [8]. Prediction accuracy is however not the only concern in forecasting models. Understanding the behaviour and gaining insight into the underlying dynamics is equally important [26]. This make ANIFS especially appealing. Not only does it poses strong predictive capability but as a consequence of its rule based design it allows for interpretability of the predictions. This is particularly important as the results might help us understand the determinants of food security risks in social media.

4.2 Adaptive Neuro Fuzzy Inference System

This subsection presents briefly the concept of an Adaptive Neuro Fuzzy Inference System (ANFIS). Before we commence with explaining the interworking of the network we present some basic terminologies and concepts of Fuzzy Logic. First, we explain the basics of Fuzzy variables and Fuzzy Sets. Then we explain how Fuzzy

Interference is performed traditionally before lastly deriving a neural network with an underlining Fuzzy Interference System.

4.2.1 Fuzzy Variables

Zadeh defined fuzzy variables as attributes that distinguish between elements of some universe of discourse. He uses the colour of an object as an example. Each colour is defined by its wavelength, which is a precise numerical definition. In natural language we tend to classify colours not by its numerical value, but by colour objects, which fall into a specific wavelength, scope or how it's commonly labelled a defined fuzzy set. Red or blue describe the object's colour, but it's by no means a precise definition. By applying a membership function of the corresponding fuzzy set (red or blue) we can precisely define the colour. With regard to our Fuzzy Logic system we will distinguish between Input variable and Output variable. The Output variable or Crisp Value depends on the Input value's corresponding membership function and a decision matrix, which we will both describe in more detail in the following sections.

4.2.2 Fuzzy Sets

Fuzzy Logic is based on fuzzy sets where the requirements for membership are not precisely defined. By introducing the concept of partial membership, the fuzzy set definition accounts for imprecise requirement for the membership of an element in a set. This means the element can take any value between 0 and 1. The most common membership functions are Gauss function, Trapezium function and the Triangle function. We choose to use Gaussian membership function in Equation 4.1 as they are differentiable and for our second part desirable for optimisation purposes [28]. We will refer to a_i, b_i, c_i as the parameter set.

$$\mu_A(x) = \frac{1}{1 + \left| \frac{x-c_i}{a_i} \right|^{2b_i}} \quad (4.1)$$

4.2.3 Fuzzy Interference through a Generalised Neural Network

We first describe the components of the Fuzzy Interference System (FIS) and then give intuition on how the system can be modelled as a Generalised Neural Network (GNN).

FIS evaluates a decision matrix composed of rules in the following semantic:

IF $\langle A \rangle$ **AND** $\langle B \rangle$ **THEN** $\langle Conclusion \rangle$

The rule base grows exponentially with the number of variables. Hence, we have to carefully consider the input variables in order to minimize the complexity and to make the inference reliable. A multivariable system uses two different kinds of connectives to combine the fuzzified values. The union is defined as the multiplication of the membership function of set A $\mu_A(x)$ and B $\mu_B(x)$. The result is a weight w_i

$$w_i = \mu_{A \cup B}(x, y) = \mu_A(x) \times \mu_B(y) \quad (4.2)$$

The intersection is defined as the probabilistic or of the membership function of set A $\mu_A(x)$ and B $\mu_B(x)$.

$$w_i = \mu_{A \cap B(x,y)} = \mu_A(x) + \mu_B(y) - \mu_A(x) \times \mu_B(y) \quad (4.3)$$

The output of the Fuzzy Interference system is computed by Equation

$$z = dx + ey + f \quad (4.4)$$

The final output of the system is the weighted average of all rules computed by Equation

$$Output = \frac{\sum_{i=1}^N w_i z_i}{\sum_{i=1}^N w_i} \quad (4.5)$$

where N is the number of rules. We now model this process as a neural network shown in Figure 4.1. In **Layer 1** every node maps the input variables x_1 and x_2 to the membership function described in 4.2.2. The parameter set is optimised to best reflect the train data. **Layer 2** applies equation 4.2 or 4.3 which multiplies in the incoming signals and forward the product to the next layer. **Layer 3** calculates the ratio of the rule's strength to the sum of all rule's strength. We apply the normalisation Equation

$$\overline{w}_i = \frac{w_i}{w_1 + w_2}, i = 1, 2 \quad (4.6)$$

Layer 4 applies Equation, which is similar to Equation 4.4 with an added factor from **Layer 3**. Finally, **Layer 5** computes the overall output as the summation of all incoming signals through Equation 4.5. The construction yields a network with 5 layer, 16 nodes and 24 parameters (12 in Layer 1, 12 in Layer 4). The parameters are optimised through a hybrid algorithm. In a forward pass the system uses least-squares to find the parameters in **Layer 4**. In the backward pass the errors are propagated backwards and the parameters in **Layer 1** are optimised by gradient descent.

$$\overline{w}_i f_i = \overline{w}_i (dx + ey + f) \quad (4.7)$$





Figure 4.1: Annotation Distribution - Relevant to Food Security

4.3 Data Source and Data Preprocessing

Before feeding the data to the Fuzzy Interfere System we analysed and cleaned the data. The representation of the data is of great importance in order to assist ANFIS in learning the relevant patterns. In a first instance we had to match both the time series of the twitter data with the time series of the price data. The markets are closed during weekends and national holidays, hence we had to remove such instances from the twitter data. Given the sparsity of the datasets available for commodities we were forced to hand selected quotes from different markets. We observed that some of them had different closing days i.e. some markets considered a day a holiday, some others not. For wheat and cattle we removed the 12/11/12 and the 8/10/12 which are the veteran day and the columbus day respectively in order to match the price data of milk. Secondly, we proceeded to interpolate zero values. Some of the price data-sets showed values of zero on days which were neither weekends nor holidays. Similarly, the twitter archive did not contain twitter data for some time periods. We linearly interpolated such missing values by solving and approximation to the partial differential equations [10]. Fuzzy Interference Systems expect an input of a unit interval i.e. between 0 and 1. We hence normalised the data as illustrated in Equation 4.1. Min and Max are the lower and upper bounds of data set where α is a small constant we introduced to avoid zero divisions. It is generally advised to normalise the data else the training algorithm might loose its sensitivity towards smaller scaled features.

$$\bar{y} = \frac{x - \min}{\max - \min} + \alpha \quad (4.8)$$

Lastly we performed a scaling of the data which is in accordance of our objective, namely to be more sensitive to long-term than to short-term fluctuations. As we can see in Figure 4.1 a) there are some extreme price increases and drops. By applying the Hodrick-Prescott decomposition [12] filter we receive a distribution which is more normal by avoiding such outliers. Additionally the Figure 4.1 illustrates nicely the characteristics of commodities, namely that it's mostly driven by small price changes.



(a) Price Increase Distribution without Scaling (b) Price Increase Distribution with Scaling

Figure 4.2: Volume of Tweets per Keyword and per Category

4.4 Training the Model

For training and testing our model we choose the time period 03.01.2012 - 26.09.2014. We thought of numerous ways to test and train our model. Different approaches have been suggested by Ibeling Kaastra [17]. Most commonly the data is split into a train set, validation set and lastly a test set. The model is trained once in a batch fashion and used for all future predictions. Such an approach can be dangerous particularly when one considers historical data reaching far into the past. Market conditions might have been different then and might not apply for future predictions. Choosing a particular time frame can be a bad idea as well. Consider the training data only exhibiting an upwards trend the model will then not generalise well for declining prices. Yao et al. [29] proposed to use statistical methods to investigate the best time period for training the network. However to make any statistically significant claims we need more than 2.5 years of historical data. Lastly Ibeling Kaastra describes a method called the walk-forward or sliding window approach. This approach involves creating overlapping sets of train and test data. Each set is moved forward through the time series to test the robustness of the model. This framework addresses the concern raised regarding including data from far in the past that might not reflect the current market conditions and is widely used for commodity predictions. We decided to apply a variant of the sliding window approach and train our model in an online fashion. Given the limited amount of data we choose not to exclude any data from future prediction, however to be able to adapt to new market conditions we increase the training and validation window as we move along the time line. To achieve a good generalisation the proportion of train and validation set always remain the same as we add additional data. We used the first 50 % of the data to train the model. From that set we excluded 15 % for validation purposes. These values were obtained empirically.

4.5 Methodology for forecasting with Fuzzy Logic

The goal of our research is to predict the price of a commodity in the future. The prediction model takes different features $y_t - y_{t-M+1}$ and an input. The problem of predicting the future value y_{t_1} can be formulated as:

$$y_{t+1} = fp(y_t, y_{t-1}, y_{t-M+1}) \quad (4.9)$$

where M is the number of features and fp is our fuzzy prediction model. Consider the case where we predict y_{t+4} , so four days into the future. A recursive way would be to predicted values y_{t+2} and y_{t+3} and then use them as regressors in predicting y_{t+4} . However this approach accumulates prediction errors. The further the prediction value is the more prediction outputs are used as regressors. We deviate from this approach by building a direct prediction model, so for each prediction horizon one direct model.

Translating the Equation 4.9 into the fuzzy system a prediction would take the following form:

IF $\langle y_t \in High \rangle$ **AND** $\langle y_{t-1} \in Medium \rangle$ **THEN** $\langle y_{t+1} \in Increase \rangle$

where High, Medium and Increase are Fuzzy Sets.

4.6 Benchmark Model

Yao et al. [ref] suggests that the market can be categorised using the major trend the intermediate trend and the minor trend. Where the major trend lasts more then a year, intermediate trends are anything between 3 weeks to three months. We capture such trends by taking the moving average of 1 week, 2 weeks and 1 month respectively to capture minor ant intermediate trends. Given the limited time frame we chose to exclude major trends.

Benchmark Prediction - $RMSE_{Test}$ ($RMSE_{Train}$)									
Feature	w-4	b-4	m-4	w-7	b-7	m-7	w-14	b-14	m-14
φ_1	0.0624	0.0212	0.0310	0.0586	0.0197	0.0300	0.0487	0.0155	0.0271
φ_2	0.0558	0.0193	0.0281	0.0513	0.0175	0.0268	0.0411	0.0132	0.0237
φ_3	0.0495	0.0174	0.0253	0.0444	0.0153	0.0236	0.0343	0.0111	0.0205
φ_4	0.0440	0.0157	0.0227	0.0388	0.0135	0.0209	0.0291	0.0093	0.0179
φ_5	0.0434	0.0156	0.0225	0.0381	0.0133	0.0206	0.0283	0.0091	0.0175
φ_6	0.0378	0.0138	0.0198	0.0324	0.0114	0.0178	0.0231	0.0074	0.0149

Benchmark Prediction - $RMSE_{Test}$ ($RMSE_{Train}$)				
Horizon	7 Days	14 Days	30 Days	45 Days
Wheat				
4 Days	0.0576 (0.0495)	0.0485 (0.0455)	0.0456 (0.0434)	0.1929 (0.0381)
7 Days	0.0639 (0.0633)	0.0689 (0.0593)	0.0704 (0.0573)	0.3387 (0.0464)
14 Days	0.1185 (0.0911)	0.1147 (0.0877)	0.1116 (0.0824)	1.0089 (0.0486)
Beef				
4 Days	0.0514 (0.0240)	0.0385 (0.0241)	0.0477 (0.0221)	1.03×10^5 (2.77)
7 Days	0.0577 (0.0315)	0.0538 (0.0307)	0.0638 (0.0282)	0.0992 (0.0097)
14 Days	0.0816 (0.0418)	0.0979 (0.0391)	0.0666 (0.0366)	0.0664 (0.0144)
Milk				
4 Days	0.0587 (0.0439)	0.0553 (0.0445)	0.0448 (0.0423)	0.0667 (0.0344)
7 Days	0.0824 (0.0583)	0.0645 (0.0574)	0.0599 (0.0568)	0.1128 (0.0446)
14 Days	0.1136 (0.0808)	0.1053 (0.0779)	0.0989 (0.0717)	0.2628 (0.0654)

Features		
Feature Type	Feature Example	Reference
Attention	#Commodity	give ref
Context	#Price f. Commodity	give re
	#Supply f. Commodity	give ref
	#Poverty f. Commodity	give ref
	#Need f. Commodity	give ref
Sentiment Ratio	#positive : #negative tweets	give ref
	#positive : #(positive + negative) tweets	give ref
	#negative: #(positive + negative) tweets	give ref
	#neutral : #(positive + negative) tweets	give ref
	#(positive+negative) : #all tweets	give
	#neutral : #all tweets	give ref

4.6.1 Curse of Dimensionality

For Fuzzy inference systems there are generally three types of input space partitionings. We can classify them as grid, true and scattered portionin. We first applied grid pertaining which generates rules by enumerating all possible combinations of membership functions. However for three membership functions and x features this leads to 3^x possible combinations. Instead of enumerating all possible rules we used a sub clustering method to provide a fast, one pas method to take input-output training data and generate a Fuzzy Interference System.




Figure 4.3: 50 % train / 50 % test




Figure 4.4: 70 % train / 30 % test




Figure 4.5: 85 % train / 15 % test

Data Source:

Cattle ¹ Milk ²

Corn ³ Wheat ⁴

Fuzzy logic based modeling techniques are appealing because of their interpretability and potential to address a broad spectrum of problems. In particular, fuzzy inference systems exhibit a combined description and prediction capability as a consequence of their rule based structure [27, 49]

Non linear system better results in time series predictions.

M. De Choudhury, H. Sundaram, A. John, and D. D. Seligmann, "Can blog communication dynamics be correlated with stock market activity?," in Proceedings of the nineteenth ACM

¹<https://www.quandl.com/data/OFDP/FUTURE_DA1 - CME - Class - III - Milk - Futures - Continuous - Contract - 1 - DA1 - Front - Month>

²<https://www.quandl.com/data/WSJ/MILK - Milk - Non - Fat - Dry - Chicago>

³<https://www.quandl.com/data/OFDP/FUTURE_C1 - CBOT - Corn - Futures - Continuous - Contract - 1 - C1 - Front - Month>

⁴<https://www.quandl.com/data/OFDP/FUTURE_W1 - CBOT - Wheat - Futures - Continuous - Contract - 1 - W1 - Front - Month>

[http : //www.cemla.org/red/papers2002/RED_VII_CANADA – Lalonde – Zhu – Demers.pdf](http://www.cemla.org/red/papers2002/RED_VII_CANADA-Lalonde-Zhu-Demers.pdf)

This reference showd prediction for commodities in rang of 0.06 and 0.08 for 4 days.
we are within acceptable range.

Appendix A

Data

A.1 Processing and Storage

To facilitate the storage and processing of this large amount of data we used an AMD supercomputer with 64 cores. Inspired by the map reduce paradigm we split the dataset into 64 parts and assigned each to a single core. To efficiently use the hardware resources we manually controlled for the memory assignment using numactl. As illustrated in A.1 eight cores directly access one out of eight memory blocks. Each dataset was filtered in parallel reducing the 64 dataset to two lexicons.




Figure A.1: Data Processing

A.2 Crowd Flower

For the categorisation of the keywords for our predictor lexicon four crowd tasks were created. This section details the instructions given to the crowd workers for the four categorisation tasks.

A.2.1 Categorise: Food Price

This is a categorization task centered around food security. Please categorize terms appearing in tweets about food in order to help us quantify users perception of Food Price. Overlaps may occur, i.e a term can potentially be indicative of both food price and food supply. Such keywords should always be classified as B. Likely .

Is the word or pair of words likely to be indicative of a user perception of food price?

A. YES, the term is indicative of food cost and/or can be used as a synonym of price

- pricy
- expensive
- cheap
- affordable
- bill
- receipt
- cost

B. LIKELY, the term might be indicative of food supply or food cost

- low
- high
- increasing

C. NO, the term is unlikely to be indicative of food cost

- when
- chair
- boy

D. Not in English, not understandable, other issues.

A.2.2 Categorise: Food Supply

This is a categorization task centered around food security. Please categorize terms appearing in tweets about food in order to help us quantify users perception of Food Supply. Overlaps may occur, i.e a term can potentially be indicative of both food supply and food cost. Such keywords should always be classified as B. Likely.

Is the word or pair of words likely to be indicative of a user perception of food supply?

A. YES, the term is indicative of food supply

- available
- accessible
- lack
- amount
- number
- stock
- ressource

B. LIKELY, the term might be indicative of food supply or food cost

- low
- high
- increasing

C. NO, the term is unlikely to be indicative of food supply

- when
- chair
- boy

D. Not in English, not understandable, other issues.

A.2.3 Categorise: Food Poverty

This is a categorisation task centered around food security. Please categorise terms appearing in tweets about food in order to help us quantify users perception of Food Poverty. Overlaps may occur, i.e a term can potentially be indicative of both food poverty and food needs. Such keywords should always be classified as B. Likely.

Is the word or pair of words likely to be indicative of a user perception of food poverty or the user perception of wealth?

A. YES, the term is indicative of food poverty or wealth

- starving
- donation
- wealth
- luxury
- profit
- help
- diabetes
- obesity
- healthy

B. LIKELY, the term might be indicative of food poverty and wealth or might be an indicator for food needs

- crave
- urgent
- must
- need

C. NO, the term is unlikely to be indicative of food poverty or wealth

- when
- chair
- boy

D. Not in English, not understandable, other issues.

A.2.4 Categorise: Food Needs

This is a categorization task centered around food security. Please categorize terms appearing in tweets about food in order to help us quantify users perception of Food Needs. Overlaps may occur, i.e a term can potentially be indicative of both food needs and food poverty. Such keywords should always be classified as B. Likely .

Is the word or pair of words likely to be indicative of a user perception of food needs?

A. YES, the term is indicative of food needs

- love
- want
- hate
- favorite
- satisfied
- foodporn
- yum

B. LIKELY, the term might be indicative of food needs or food poverty

- crave
- urgent
- must
- need

C. NO, the term is unlikely to be indicative of food needs

- when
- chair
- boy

D. Not in English, not understandable, other issues.

Appendix B

Price Correlation




Figure B.1: Heatplot Dairy: Volume of Tweets per Keyword and per Category




Figure B.2: Heatplot Sugar: Volume of Tweets per Keyword and per Category




Figure B.3: Heatplot Oil: Volume of Tweets per Keyword and per Category

Bibliography

- [1] Sofiane Abbar, Yelena Mejova, and Ingmar Weber. You tweet what you eat: Studying food consumption through twitter. *CoRR*, abs/1412.4361, 2014.
- [2] Philip C. Abbott, Christopher Hurt, and Wallace E. Tyner. What’s Driving Food Prices? March 2009 Update. Number 48495, March 2009.
- [3] A. Olteanu C. Castillo N. Diakopoulos K. Aberer. Comparing events coverage in online news and social media: The case of climate change. In *Proceedings of the AAAI Conference on Web and Social Media (ICWSM’15)*, 2015.
- [4] Gabriel Grill Joseph Boyd Stefan Mihaila Alexander Buesser Anton Ovchinnikov Ching-Chia Wang Duy Nguyen Fabian Brix. A monitoring and prediction toolset for volatile commodity prices in developing countries, 2014.
- [5] David R. Bild, Yue Liu, Robert P. Dick, Z. Morley Mao, and Dan S. Wallach. Aggregate characterization of user behavior in twitter and analysis of the retweet graph. *ACM Trans. Internet Technol.*, 15(1):4:1–4:24, March 2015.
- [6] George Edward Pelham Box and Gwilym Jenkins. *Time Series Analysis, Forecasting and Control*. Holden-Day, Incorporated, 1990.
- [7] Curt Burgess and Kevin Lund. The dynamics of meaning in memory, 1998.
- [8] Christopher Chatfield. *The analysis of time series : an introduction*. Texts in statistical science. Chapman & Hall/CRC, Boca Raton (Fl.), 2004.
- [9] Munmun De Choudhury, Hari Sundaram, Ajita John, and Dorée Duncan Seligmann. Can blog communication dynamics be correlated with stock market activity? In *Proceedings of the Nineteenth ACM Conference on Hypertext and Hypermedia*, HT ’08, pages 55–60, New York, NY, USA, 2008. ACM.
- [10] John D’Errico. Interpolates and extrapolates nan elements in a 2d array, 2012.
- [11] Food and Agriculture Organisation of the United Nations. Faos food price index revisited, 2013.

- [12] Robert Hodrick and Edward Prescott. Post-war u.s. business cycles: An empirical investigation. Discussion Papers 451, Northwestern University, Center for Mathematical Studies in Economics and Management Science, 1981.
- [13] C. J. Hutto and Eric Gilbert. VADER: A parsimonious rule-based model for sentiment analysis of social media text. 2014.
- [14] Pulse Lab Jakarta. Mining indonesian tweets to understand food price crises. *Food and Agriculture*, 2013.
- [15] Jyh-Shing Roger Jang. Fuzzy modeling using generalized neural networks and kalman filter algorithm. In Thomas L. Dean and Kathleen McKeown, editors, *AAAI*, pages 762–767. AAAI Press / The MIT Press, 1991.
- [16] Sarah Macnaughton Julian Parfitt, Mark Barthel. Food waste within food supply chains: quantification and potential for change to 2050.
- [17] Ieabeling Kaastra and Milton Boyd. Designing a neural network for forecasting financial and economic time series, 1996.
- [18] Janette Lehmann, Bruno Gonçalves, José J. Ramasco, and Ciro Cattuto. Dynamical classes of collective attention in twitter. In *Proceedings of the 21st International Conference on World Wide Web, WWW '12*, pages 251–260, New York, NY, USA, 2012. ACM.
- [19] Edward Loper and Steven Bird. Nltk: The natural language toolkit. In *Proceedings of the ACL-02 Workshop on Effective Tools and Methodologies for Teaching Natural Language Processing and Computational Linguistics - Volume 1, ETMTNLP '02*, pages 63–70, Stroudsburg, PA, USA, 2002. Association for Computational Linguistics.
- [20] K. LUND and C. BURGESS. PRODUCING HIGH-DIMENSIONAL SEMANTIC SPACES FROM LEXICAL CO-OCCURRENCE. *Behavior research methods, instruments & computers*, 28(2):203–208, 1996.
- [21] EC FAO Food Security Programme. An introduction to the basic concepts of food security, 2008.
- [22] Pavel Savor and Mungo Wilson. How Much Do Investors Care About Macroeconomic Risk? Evidence from Scheduled Economic Announcements. *Journal of Financial and Quantitative Analysis*, 48(02):343–375, April 2013.
- [23] Stanford. Corenlp. 2011.
- [24] Getaw Tadesse, Bernardina Algieri, Matthias Kalkuhl, and Joachim von Braun. Drivers and triggers of international food price spikes and volatility. Number 0, pages 117 – 128, 2014.
- [25] Mike Thelwall, Kevan Buckley, Georgios Paltoglou, Di Cai, and Arvid Kappas. Sentiment in short strength detection informal text. *J. Am. Soc. Inf. Sci. Technol.*, 61(12):2544–2558, December 2010.

- [26] Andreas S. Weigend and Neil A. Gershenfeld, editors. *Time series prediction : forecasting the future and understanding the past : proceedings of the NATO advanced research workshop on comparative Time series analysis held in Santa Fe, New Mexico, May, 1992*, Santa Fe Institute studies in the sciences of complexity. Proceedings volumes, 1992, Santa Fe, 1993. Addison-Wesley.
- [27] Steve Whittaker, Loren Terveen, Will Hill, and Lynn Cherny. The dynamics of mass interaction. In *Proceedings of the 1998 ACM Conference on Computer Supported Cooperative Work, CSCW '98*, pages 257–264, New York, NY, USA, 1998. ACM.
- [28] Dongrui Wu. Twelve considerations in choosing between gaussian and trapezoidal membership functions in interval type-2 fuzzy logic controllers. In *FUZZ-IEEE*, pages 1–8. IEEE, 2012.
- [29] Jingtao Yao and Chew Lim Tan. A case study on using neural networks to perform technical forecasting of forex, 2000.
- [30] L.A. Zadeh. Fuzzy sets. *Information Control*, 8:338–353, 1965.