

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

INTERNATIONAL AS **MATHEMATICS**

(9660/MA02) Pure Maths, Statistics and Mechanics Unit PSM1

Thursday 17 January 2019 07:00 GMT Time allowed: 1 hour 30 minutes

Materials

- For this paper you must have the Oxford International AQA booklet of formulae and statistical tables.
- You may use a graphics calculator.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do **not** write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- There are three sections to this paper.
- The maximum mark for this paper is 80. There are 40 marks for Section A,
 20 marks for Section B and 20 marks for Section C.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use				
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
TOTAL				




Section A

Answer all questions in the spaces provided.

1 The diagram below shows a sketch of part of the curve with equation y = f(x), such that

$$f(x) = k \sin(x + b)^{\circ}$$

where k is a positive integer and b is a constant such that 0 < b < 90



1 (a) The curve passes through the points (p, 0) and (q, 0).

1 (a) (i) Find, in terms of b, an expression for the value of p.

[1 mark]

=

1 (a) (ii) Find, in terms of b, an expression for the value of q.

[1 mark]

q =

1 (b) (i)	State the minimum value of $f(x)$. [1 mark]	Do not write outside the box
	Answer	
1 (b) (ii)	State the period of $f(x)$. [1 mark]	
	Answer	4
	Turn over for the next question	

2	(a)	Given that $n > 1$, state the value of:
2	(a) (i)	$\log_n(n^4)$;
		[1 mark]
		Answer
2	(a) (ii)	$\log_n 1$ [1 mark]
		[Tillark]
		Answer



2	(h)	Civon	that
2 (D	Given	เทลเ

$$2 \log_m x = \log_m 5 - \log_m (x+1)$$
, where $x > 0$

show that

$$x^3 + x^2 - 5 = 0$$


[3 marks]

5

Turn over for the next question



- The diagram shows:
 - two triangles *CEF* and *CDH*, where CD = 6 cm, CH = 4 cm and $DH = 2\sqrt{7}$ cm
 - the sector of a circle with centre C and arc DG
 - the angle $DCH = \theta$ radians.



3 (a) Show that $\theta = \frac{2}{3}$	<u>τ</u>
---	----------

[3 marks]



arks]
n ²
11



4	/ _\	0::	414
4 (a	Given	เทลเ

$$\frac{\sqrt{1-\sin^2\theta}}{\tan\theta} = \sin\theta$$

show that

$$tan^2\theta = 1$$

[4 marks]

4 (b) Hence solve the equation

$$\frac{\sqrt{1-\sin^2\theta}}{\tan\theta} = \sin\theta$$

for $-90^{\circ} \le \theta \le 90^{\circ}$

[2 marks]


6



5 A curve *C* has equation $y = 3^{x-2}$

5 (a) On the axes below, sketch the curve C, showing the exact value of any y-intercepts.

[2 marks]



5 (b) The point with coordinates (p, 7) lies on C.

Find the exact value of p, giving your answer in the form $a + \log_3 b$, where a and b are integers.

[3 marks]

p=____


5



6 The diagram shows the circle C_1 and triangle PQR.

The points P, Q and R lie on C_1 , where P has coordinates (1, 5) and R has coordinates (5, -3).

The lengths $PQ = 5\sqrt{2}$, $PR = 4\sqrt{5}$, and $QR = \sqrt{30}$



6 (a) Show that PR is a diameter of C_1

[3 marks]

6 (b)	Find an equation of the tangent to C_1 at P . [3 marks]			
	Answer			
6 (c)	A second circle, C_2 has equation $(x-9)^2 + (y-9)^2 = 5$			
	The circles C_1 and C_2 do not intersect.			
	The point S lies on C_1 and the point T lies on C_2			
	Find the shortest possible length of the line segment ST , giving your answer in the for $a + b\sqrt{c}$, where a , b and c are integers.			
	$u + b\sqrt{c}$, where u , v and c are integers. [5 marks]			
	Answer			
	7 11 10 11 11			



11

\sim			
Se	\sim TI	n	_

Answer all questions in the spaces provided.

7 The discrete random variable X has the probability distribution given in the following table.

x	2	4	6
P(X=x)	0.6	0.3	0.1

	, ,	
7 (a)	Find $E(X^2)$.	[2 marks]
	Answer	
7 (b)	Aminah plays a game.	
	Aminah's score for this game is X .	
	Find the probability that Aminah's score is higher than 3	[1 mark]
	Answer	



Do not write				
outside the				
hox				

)	Aminah plays a different game. Aminah's score for this game is Y , where Y is a discrete random variable with $Var(Y) = 3$				
	Given that X and Y are independent, find the variance of Aminah's total score $X+Y$. [4 marks]]			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
	Answer	_			
	Turn over for the next question				



8	Poyntz Ltd is a company with 1000 employees.	
	The company has three departments: Manufacturing, Delivery and Services.	
	Each employee works in at least one of the departments:	
	650 work in Manufacturing	
	300 work in Delivery	
	100 work in Services	
	None of the employees working in Services also work in Manufacturing or De	ivery.
8 (a)	Describe the relationship between the event M , that an employee works in Manufacturing, and the event S , that an employee works in Services.	[1 mark]



8	(b)	An employee is selected at random.		Do r outs
		Find the probability that the employee:		
8	(b) (i)	works in both Manufacturing and Delivery;	[2] man mkm]	
			[3 marks]	
		Answer		
8	(b) (ii)	works in Manufacturing given that the employee works in Delivery.		
			[2 marks]	
		Answer		
		Answer		

9	Ben is an athlete who regularly takes part in races.
	Let X be the random variable that takes the value 1 if Ben wins a race and takes the value 0 if he loses a race.
	The variance of X is 0.16
9 (a)	Find the possible values of p , the probability that Ben wins a race. [3 marks]
	Answer



9	(b)	Ben takes part in 10 races. The random variable $\it Y$ represents the number of races he wins.	
		Given that p < 0.5, find, giving your answers to three significant figures:	
9	(b) (i)	the standard deviation of Y ; [2 mark	(s]
			_
		Answer	
9	(b) (ii)	the probability that Ben wins more than one race. [2 mark	(S]
			_
			_
		Answer	_



Section C

	Answer all questions in the spaces provided.
10	The acceleration due to gravity, g , should be taken as 9.8 m s $^{ extstyle -2}$
	A basketball has mass 0.6 kg
	The ball is released above a horizontal floor and reaches a maximum height of 1.2 metres after its first bounce.
	At this instant a player strikes the ball vertically downwards with his hand. Assume that the time the player's hand is in contact with the ball is negligible.
	The ball leaves the player's hand with a speed u m s ⁻¹ , and hits the floor with a speed of 6 m s ⁻¹
	Model the ball as a particle and assume there is no air resistance.
10 (a)	Find the value of u , giving your answer to 2 significant figures. [3 marks]
	<i>u</i> =



10 (b)	Find the magnitude of the impulse exerted on the ball by the player's hand, giving your answer to 2 significant figures.	Do not write outside the box
	[2 marks]	
	Answer N s	5
	Turn over for the next question	
	rum over for the next question	

11		A particle is moving in a straight line. The velocity, $v \text{m s}^{-1}$, of the particle at time t seconds is given by	
		$v = 0.5t^2 - 4t + 11$	
11	(a)	Find the change in the displacement of the particle between $t = 3$ and $t = 6$	[4 marks]
		Answer	metres



	21	
11 (b)	The velocity of the particle is always positive.	Do not write outside the box
	Explain whether or not the value for the displacement you found in part (a) is the same as the distance travelled between $t = 3$ and $t = 6$	
	[2 marks]	
		6
	Turn over for the next question	



The acceleration due to gravity, g, should be taken as 9.8 m s⁻²


Two blocks of wood, *A* of mass 5 kg and *B* of mass 6 kg, are attached to the ends of a taut light inextensible string.

The string passes over a smooth, light pulley.

Block *A* is on the surface of a rough horizontal table and a horizontal force of 80 newtons is acting on *A*, as shown in the diagram.

Block A is accelerating at 0.4 m s^{-2} away from the pulley.

The string between the pulley and block *B* is vertical.




12 (a)	Find the tension in the string.	[3 marks]
	Answer	N



	[6 marks
Answer	
END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.

	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.oxfordaqaexams.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and Oxford International AQA Examinations will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2019 Oxford International AQA Examinations and its licensors. All rights reserved.

