Please check the examination deta	ails below	before ente	ering your candidate information		
Candidate surname			Other names		
Pearson Edexcel International Advanced Level	Centre	Number	Candidate Number	er	
Wednesday 1	0 J	une	2020		
Afternoon (Time: 2 hours 30 min	utes)	Paper Re	Reference WMA02/01		
Mathematics					
International Advanced Level Core Mathematics C34					
You must have: Mathematical Formulae and State	tistical T	ābles (Blu	ue), calculator	larks	

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 14 questions in this question paper. The total mark for this paper is 125.
- The marks for **each** question are shown in brackets - use this as a guide as to how much time to spend on each guestion.

Advice

- Read each guestion carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath. Turn over ▶





1. The curve *C* has equation

$$y = \frac{16}{3(5x - 2)^3} \qquad x > \frac{2}{5}$$

(a) Find, in simplest form, $\frac{dy}{dx}$

(2)

The point P with x coordinate $\frac{4}{5}$ lies on C.

(b) Find the equation of the tangent to C at P writing your answer in the form y = mx + c, where m and c are constants to be found.

(4)

estion 1 continued	



2. The growth of pond weed on the surface of a pond is being investigated.

The surface area of the pond covered by the weed, $A \,\mathrm{m}^2$, is modelled by the equation

$$A = \frac{1200e^{0.04t}}{4e^{0.04t} + 1} \qquad t \in \mathbb{R}, \, t \geqslant 0$$

where t is the number of weeks after the start of the investigation.

Using the model,

(a) calculate the surface area of the pond covered by the weed at the start of the investigation,

(1)

(b) calculate the value of t when A = 260, giving your answer to 2 decimal places.

(Solutions based entirely on graphical or numerical methods are not acceptable.)

(4)

The pond weed continues to grow until it completely covers the surface of the pond.

Using the model,

(c) deduce the maximum possible surface area of the pond.

(1)

Question 2 continued	blank
	Q2
(Total 6 marks)	



3.

$$f(x) = \frac{2x^2 + 21}{(1 - 4x)(3 + x)^2} \qquad |x| < \frac{1}{4}$$

Given that

$$f(x) = \frac{A}{(1-4x)} + \frac{B}{(3+x)^2} + \frac{C}{(3+x)}$$

where A, B and C are constants,

- (a) (i) find the value of A and the value of B,
 - (ii) show that C = 0

(4)

(b) Hence, or otherwise, find the series expansion of f(x) in ascending powers of x, up to and including the term in x^2 . Give each coefficient as a fully simplified fraction.

(6)

nestion 3 continued		L
nestion 3 continued		b
	Question 3 continued	
		_
		-
		-
		-
		_
		_
		_
		-
		-
		-
		_
		_
		_
		-
		-
		-
		_
		_
		-
		-
		-
		_
		_
		_
		-
		-
		-
		_
		_
		_
		_
		-
		-
		-



Question 3 continued		

	Leave
Question 3 continued	
	Q3
(Total 10 marks)	



4.




Figure 1

Figure 1 shows a sketch of the curve with equation

$$y = x \ln x - 6\sqrt{x} , \quad x > 0$$

The curve crosses the x-axis at the point P and has a minimum turning point at Q.

(a) Show that the x coordinate of P lies in the interval [8, 8.5].

(2)

(b) Show that the x coordinate of Q is a solution of the equation

$$x = e^{\frac{3}{\sqrt{x}} - 1} \tag{4}$$

Using the iterative formula

$$x_{n+1} = e^{\frac{3}{\sqrt{x_n}} - 1}$$
 with $x_1 = 2.5$

(c) find the value of x_2 and the value of x_3 to 3 decimal places.

(2)

	L b
uestion 4 continued	



Question 4 continued		

Question 4 continued	blank
	Q4
(Total 8 marks)	



5. The functions f and g are defined by

$$f(x) = \frac{3}{x} - 1 \qquad x \in \mathbb{R}, x \neq 0$$

$$g(x) = e^{4x} x \in \mathbb{R}$$

(a) Find f(x + 2) - 2f(x)

Write your answer as a single fraction in simplest form.

(3)

(b) Find $f^{-1}(7)$

(2)

(c) Find the exact solution to the equation

$$fg(x) = 8$$

(3)

	L
Question 5 continued	



Question 5 continued		

estion 5 continued	



6. A curve has equation

$$2y^3 + 3x^2y - 3x + 2 = 0$$

(a) Find $\frac{dy}{dx}$ in terms of x and y, fully simplifying your answer.

(5)

The curve cuts the x-axis at the point P.

The normal to the curve at P meets the y-axis at the point Q.

Given that O is the origin,

(b) find, in simplest form, the exact area of triangle OPQ.

(4)

AREA

Question 6 continued	blank
	06
	Q6
(Total 9 marks)	



(4)

7. (a) Use the identity for tan(A + B) to show that

$$\tan 3A \equiv \frac{3\tan A - \tan^3 A}{1 - 3\tan^2 A}$$

(b) Hence solve, for $-\frac{\pi}{6} < x < \frac{\pi}{6}$

$$\tan 3x = 4\tan x$$

Give each answer to 3 significant figures where appropriate.	(4)

	I l
estion 7 continued	'
	- 1

Question 7 continued		

	Leave blank
Question 7 continued	
	Q7
(Total 8 marks)	



DO NOT WRITE IN THIS AREA




Figure 2

Figure 2 shows a sketch of part of the curve with equation

$$y = 4 - 2xe^{-\frac{1}{2}x} \qquad x \in \mathbb{R}$$

The finite region R, shown shaded in Figure 2, is bounded by the curve, the y-axis, the x-axis and the line with equation x = 6

The table below shows corresponding values of x and y for $y = 4 - 2xe^{-\frac{1}{2}x}$ with the values of y given to 4 decimal places where appropriate.

x	0	1.5	3	4.5	6
y	4	2.5829	2.6612	3.0514	3.4026

(a) Use the trapezium rule, with all the values of *y* in the table, to find an estimate for the area of *R*, giving your answer to 3 significant figures.

(3)

(b) Use calculus to find, in simplest form, the exact area of R.

(6)

	I t
uestion 8 continued	



Question 8 continued

Question 8 continued	Leave blank
	Q8
(Total 9 i	narks)



DO NOT WRITE IN THIS AREA




Figure 3

Figure 3 shows a sketch of the curve C with parametric equations

$$x = 1 - 8\cos 2t \qquad y = 9\sin t \qquad 0 \leqslant t \leqslant \frac{\pi}{2}$$

- (a) Use parametric differentiation to find the value of $\frac{dy}{dx}$ at the point on C where x = 5 Give your answer in the form $k\sqrt{3}$, where k is a constant to be found.
- (b) Show that all points on C satisfy

$$y = \frac{9}{4}\sqrt{x+7} \tag{3}$$

The curve C has equation y = f(x) where f is the function

$$f(x) = \frac{9}{4}\sqrt{x+7} \qquad a \leqslant x \leqslant b$$

and a and b are constants.

(c) Find the value of a and the value of b.

(2)

(d) State the range of f.

(1)

Question 9 continued	
ucstion > continued	
	The second secon



Question 9 continued	

Question 9 continued		blank
		Q9
	(Total 10 marks)	






Figure 4 shows a vertical cylindrical tank of height $225 \,\mathrm{cm}$ containing a liquid. The liquid is leaking out of a hole P in the base of the tank.

At time t minutes after the leaking starts, the height of the liquid in the tank is h cm.

The rate at which the height of the liquid in the tank is decreasing, at any time *t* minutes, is modelled as being proportional to the square root of the height of the liquid in the tank.

When t = 0, h = 225 and when t = 125, h = 100

The liquid stops leaking from the tank when h = 0

By forming and solving a differential equation,

(a) show that the model leads to the equation

$$h = (15 - 0.04t)^2$$
 $0 \le t \le a$

stating the value of the constant a.

(7)

(b) Find, according to the model, the time taken for the height of the liquid in the tank to decrease from 100 cm to 50 cm. Give your answer to the nearest minute.

(3)



	L
uestion 10 continued	



uestion 10 continued		

	blank
Question 10 continued	
	010
	Q10
(Total 10 marks)	



11.




Figure 5

Figure 5 shows a sketch of part of the graph with equation y = f(x), where

$$f(x) = |x - 2a| - 3b, \quad x \in \mathbb{R}$$

and where a and b are positive constants.

All answers to parts (a), (b), (c) and (d) should be expressed in terms of a and/or b.

(a) Find the values of x such that f(x) = 0

(2)

The point *P*, as shown in Figure 5, is the vertex of the graph.

(b) State the coordinates of the point P.

(1)

- (c) State the coordinates of the image of P under the transformation represented by the graph with equation
 - (i) y = 2|f(x)|

(ii)
$$y = 3f(2x)$$

(2)

(d) Solve the equation

$$|x - 2a| - 3b = 2x + a (3)$$

_



Leave blank

Question 11 continued

	lank
Q1	
(Total 8 marks)	11



12. (i) Find

$$\int \frac{4}{\left(5y - 7\right)^4} \, \mathrm{d}y$$

(2)

(ii) Find, in simplest form,

$$\int (1 - 4\tan 3x)^2 \, \mathrm{d}x$$

(4)

(6)

(iii) Using the substitution $u = 1 + 2\cos\theta$, or otherwise, find

$$\int_0^{\frac{\pi}{2}} \frac{2\sin 2\theta}{1 + 2\cos \theta} d\theta$$

giving your answer in the form $ln(Ae^2)$, where A is a constant to be found.

(Solutions based entirely on graphical or numerical methods are not acceptable.)



	Leave blank
Question 12 continued	



Leave blank

Question 12 continued		

Question 12 continued	2
Q12	
(Total 12 marks)) ,



13. Ellen bungee jumps from a high platform.

Ellen's distance above the ground, H metres, is modelled by the equation

$$H = 60 + \frac{50\cos(0.5t)}{e^{0.2t}}$$
 $t \in \mathbb{R}, t \geqslant 0$

where t is the time measured in seconds from when she jumps from the platform.

- (a) (i) Find, in simplest form, $\frac{dH}{dt}$
 - (ii) Hence show that when $\frac{dH}{dt} = 0$, the values of t satisfy the equation

$$\tan{(0.5t)} = -0.4 \tag{5}$$




Figure 6 shows a sketch of H against t. The point Q, shown in Figure 6, represents the greatest distance above the ground to which Ellen bounces after jumping from the platform.

Using the answer to (a)(ii),

(b) find the value of t and the value of H at the point Q, giving your answers to 3 significant figures.



(3)

estion 13 continued	



Leave blank

Question 13 continued	

tion 13 continued	



14. The point P with coordinates (3, 2, 9) lies on the line l_1 The point Q also lies on l_1

Given that $\overrightarrow{PQ} = \begin{pmatrix} 1 \\ -2 \\ 4 \end{pmatrix}$

(a) find the coordinates of Q.

(1)

The point A has coordinates (8, 2, 6)

(b) Find the size of the angle APQ, giving your answer in degrees to 2 decimal places.

(3)

The line l_2 passes through the point A and is parallel to the line l_1

(c) Find a vector equation for l_2

(2)

The point X lies on l_1 and the point X is distinct from the point Q.

Given that the area of triangle APQ is the same as the area of triangle APX,

(d) find the coordinates of X.

(2)

The point Y lies on l_2

Given that PY is perpendicular to l,

(e) find the coordinates of Y.

(5)

	L
uestion 14 continued	



Leave blank

Question 14 continued

	L b
uestion 14 continued	



(Total 13 marks)