

cases	doc_1		doc_2		decision	id
	authors	<ul style="list-style-type: none"><li>Hyung Ju Hwang</li><li>Hwijae Son</li></ul>			DUPLICATES	38
	title	Lagrangian dual framework for conservative neural network solutions of kinetic equations	authors	<ul style="list-style-type: none"><li>Hyung Ju Hwang</li><li>Hwijae Son</li></ul>		
	publication_date	2021-06-23 04:01:04+00:00	title	Lagrangian dual framework for conservative neural network solutions of kinetic equations		
	source	SupportedSources.ARXIV	publication_date	2021-06-23 00:00:00		
	journal	None	source	SupportedSources.INTERNET_ARCHIVE		
	volume		journal			
	doi		volume			
	urls	<ul style="list-style-type: none"><li>http://arxiv.org/pdf/2106.12147v1</li><li>http://arxiv.org/abs/2106.12147v1</li><li>http://arxiv.org/pdf/2106.12147v1</li></ul>	doi			
	id	id-638676526044152068	urls	<ul style="list-style-type: none"><li>https://web.archive.org/web/20210625130131/https://arxiv.org/pdf/2106.12147v1.pdf</li></ul>		
	abstract	In this paper, we propose a novel conservative formulation for solving kinetic equations via neural networks. More precisely, we formulate the learning problem as a constrained optimization problem with constraints that represent the physical conservation laws. The constraints are relaxed toward the residual loss function by the Lagrangian duality. By imposing physical conservation properties of the solution as constraints of the learning problem, we demonstrate far more accurate approximations of the solutions in terms of errors and the conservation laws, for the kinetic Fokker-Planck equation and the homogeneous Boltzmann equation.	id	id6080336335885915803		
			abstract	In this paper, we propose a novel conservative formulation for solving kinetic equations via neural networks. More precisely, we formulate the learning problem as a constrained optimization problem with constraints that represent the physical conservation laws. The constraints are relaxed toward the residual loss function by the Lagrangian duality. By imposing physical conservation properties of the solution as constraints of the learning problem, we demonstrate far more accurate approximations of the solutions in terms of errors and the conservation laws, for the kinetic Fokker-Planck equation and the homogeneous Boltzmann equation.		
	versions		versions			