| cases | doc_1                                  |  | doc_2            |   | decision   | id    |
|-------|--|--|------------------|---|--|-------|
|       |  | <ul> <li>Xiao Guo</li> <li>Hengameh Mirzaalian</li> <li>Ekraam Sabir</li> <li>Ayush Jaiswal</li> <li>Wael AbdAlmageed</li> </ul> | authors          | <ul> <li>Xiao Guo</li> <li>Hengameh Mirzaalian</li> <li>Ekraam Sabir</li> <li>Ayush Jaiswal</li> <li>Wael Abd-Almageed</li> </ul>   |  |       |
|       | authors                                |  | title            | CORD19STS: COVID-19 Semantic Textual Similarity Dataset   |  |       |
|       |  |  | publication_date | 2020-07-05 22:23:37+00:00   |  |       |
|       |  |  | source           | SupportedSources.ARXIV  |  | 1     |
|       | title                                  | CORD19STS: COVID-19 Semantic Textual Similarity Dataset  | journal          | None  |  | 1     |
|       |  |  | volume           |   |  |       |
|       | publication_date   2020-07-05 00:00:00 |  | doi              |   |  | .     |
|       | source                                 | SupportedSources.OPENALEX  | urls             | • http://arxiv.org/pdf/2007.02461v2   | CS a cific D-19 open CT-like e different rs, where | 3 272 |
|       | journal                                |  |                  | • http://arxiv.org/abs/2007.02461v2   |  |       |
|       | volume                                 |  |                  | • http://arxiv.org/pdf/2007.02461v2   |  |       |
|       | doi                                    | None   |                  |   |  |       |
|       | urls                                   | <ul> <li>https://openalex.org/W4287727427</li> <li>http://arxiv.org/pdf/2007.02461</li> </ul>                                    | id               | id-2163659931015474250  |  | ıl    |
|       |  |  | abstract         | In order to combat the COVID-19 pandemic, society can benefit from various natural language processing applications, such as dialog medical diagnosis systems and information retrieval engines calibrated specifically for COVID-19. These applications rely on the ability to measure semantic textual similarity (STS), making STS a   |  |       |
|       | id                                     | id-8972855736177319700   |                  | fundamental task that can benefit several downstream applications. However, existing STS datasets and models fail to translate their performance to a domain-specific environment such as COVID-19. To overcome this gap, we introduce CORD19STS dataset which includes 13,710 annotated sentence pairs collected from COVID-19 open  |  | ıl    |
|       | abstract                               |  |                  | esearch dataset (CORD-19) challenge. To be specific, we generated one million sentence pairs using different sampling strategies. We then used a finetuned BERT-like  |  |       |
|       | versions                               |  |                  | language model, which we call Sen-SCI-CORD19-BERT, to calculate the similarity scores between sentence pairs to provide a balanced dataset with respect to the different semantic similarity levels, which gives us a total of 32K sentence pairs. Each sentence pair was annotated by five Amazon Mechanical Turk (AMT) crowd workers, where the labels represent different semantic similarity levels between the sentence pairs (i.e. related, somewhat-related, and not-related). After employing a rigorous qualification tasks to verify collected annotations, our final CORD19STS dataset includes 13,710 sentence pairs. |  |       |