

ICPSR 29701

**Study of Women's Health Across
the Nation (SWAN): Visit 03
Dataset, [United States], 1999-2001**

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

**Study of Women's Health Across the Nation (SWAN): Visit 03 Dataset,
[United States], 1999-2001**

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers R. (Mary Frances Roy)
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush-Presbyterian-St. Luke's Medical Center

Ellen B. Gold
University of California, Davis

Gail Greendale
University of California, Los Angeles

Gerson Weiss
University of Medicine and Dentistry of New Jersey

Karen A. Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/29701/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #29701

Study of Women's Health Across the Nation (SWAN): Visit 03 Dataset, [United States], 1999-2001.

1. **Variable Link:** Using the variable **SWANID**, this dataset can be linked with the SWAN Cross-Sectional Screener Data (ICPSR 04368), Baseline Data (ICPSR 28762), Visit 1 Data (ICPSR 29221), Visit 2 Data (ICPSR 29401), Visit 4 Data (ICPSR 30142), Visit 5 Data (ICPSR 30501), Visit 6 Data (ICPSR 31181), Visit 7 Data (ICPSR 31901), Visit 8 Data (ICPSR 32122), Visit 9 Data (ICPSR 32721), and Visit 10 Data (ICPSR 32961).
2. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR has masked the following variables in the data: **OTHTRB3** and **SPECOTH3**
3. **Variable Differences:** Some variables that are referenced in the "P.I. Codebook" were not included by the P.I. in the public use data set released by ICPSR.
4. **Stata Limitations:** Due to Stata limitations, the following variables do not contain value labels for non-integer values within the Stata files:

BONES13	BONES23	BONES33	HLTHSV13
HLTHSV23	HLTHSV33	OTHER_S3	RELAT103
RELAT113	RELAT123	RELAT13	RELAT23
RELAT33	RELAT43	RELAT53	RELAT63
RELAT73	RELAT83	RELAT93	SEX103
SEX113	SEX123	SEX13	SEX23
SEX33	SEX43	SEX53	SEX63
SEX73	SEX83	SEX93	SITESPE3
SPECIFY3	SPOREX13	SPOREX23	

5. **Additional Information:** For additional information on the Study of Women's Health Across the Nation (SWAN) series, please visit the [SWAN Study](#) website.

ICPSR 29701

Study of Women's Health Across the Nation (SWAN): Visit 03 Dataset, [United States], 1999-2001

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: ID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10126	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10464	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10604	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10747	-	1	0.0 %
10757	-	1	0.0 %
10801	-	1	0.0 %
10879	-	1	0.0 %
10910	-	1	0.0 %
10968	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11047	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11119	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11298	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11338	-	1	0.0 %
11347	-	1	0.0 %
11430	-	1	0.0 %
11463	-	1	0.0 %
11478	-	1	0.0 %
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
11642	-	1	0.0 %
11740	-	1	0.0 %
11769	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

- Mean: 54750.03
- Minimum: 10046.00
- Maximum: 99992.00
- Standard Deviation: 25721.54

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT: Study visit

SWAN study visit number

Value	Label	Unweighted Frequency	%
03	-	2709	100.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

INTDAY3: Interview day

Value	Label	Unweighted Frequency	%
940	-	1	0.0 %
941	-	1	0.0 %
944	-	1	0.0 %
953	-	1	0.0 %
965	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	2	0.1 %
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %
1015	-	2	0.1 %
1017	-	2	0.1 %
1020	-	2	0.1 %
1021	-	2	0.1 %
1022	-	1	0.0 %
1023	-	5	0.2 %
1024	-	1	0.0 %
1025	-	2	0.1 %
1026	-	3	0.1 %
1027	-	2	0.1 %
1028	-	1	0.0 %
1029	-	3	0.1 %
1030	-	2	0.1 %
1031	-	1	0.0 %
1032	-	3	0.1 %
1033	-	2	0.1 %
1034	-	3	0.1 %
1035	-	4	0.1 %
1036	-	8	0.3 %
1037	-	4	0.1 %
1038	-	1	0.0 %
1039	-	1	0.0 %
1040	-	5	0.2 %
1041	-	7	0.3 %
1042	-	8	0.3 %
1043	-	5	0.2 %

Value	Label	Unweighted Frequency	%
1044	-	5	0.2 %
1045	-	6	0.2 %
1046	-	5	0.2 %
1047	-	5	0.2 %
1048	-	7	0.3 %
1049	-	16	0.6 %
1050	-	16	0.6 %
1051	-	12	0.4 %
1052	-	10	0.4 %
1053	-	13	0.5 %
1054	-	5	0.2 %
Missing Data			
.	-	15	0.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,694 valid cases out of 2,709 total cases.

- Mean: 1121.17
- Minimum: 940.00
- Maximum: 1553.00
- Standard Deviation: 63.68

Location: 8-11 (*width:* 4; *decimal:* 0)

Variable Type: numeric

AGE3: Age at current visit (integer)

Value	Label	Unweighted Frequency	%
44	-	5	0.2 %
45	-	267	9.9 %
46	-	319	11.8 %
47	-	345	12.7 %
48	-	333	12.3 %
49	-	319	11.8 %
50	-	335	12.4 %
51	-	249	9.2 %
52	-	222	8.2 %
53	-	149	5.5 %
54	-	95	3.5 %
55	-	55	2.0 %

Value	Label	Unweighted Frequency	%
56	-	9	0.3 %
	Missing Data		
.	-	7	0.3 %
	Total	2,709	100%

Based upon 2,702 valid cases out of 2,709 total cases.

- Mean: 48.96
- Median: 49.00
- Mode: 47.00
- Minimum: 44.00
- Maximum: 56.00
- Standard Deviation: 2.69

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

LANGINT3: Language of interview

Value	Label	Unweighted Frequency	%
1	English	2347	86.6 %
2	Spanish	161	5.9 %
3	Cantonese	79	2.9 %
4	Japanese	107	3.9 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RACE: Participant race/ethnicity

Value	Label	Unweighted Frequency	%
1	Black/African American	714	26.4 %
2	Chinese/Chinese American	232	8.6 %
3	Japanese/Japanese American	263	9.7 %
4	Caucasian/White Non-Hispanic	1316	48.6 %
5	Hispanic	184	6.8 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

PREGNAN3: Currently pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2328	85.9 %
2	Yes	0	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
.	-	379	14.0 %
Total		2,709	100%

Based upon 2,328 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREVBLO3: Blood drawn previously

Was blood for this annual follow-up drawn previous to this interview date?

Value	Label	Unweighted Frequency	%
1	No	976	36.0 %
2	Yes	2	0.1 %
Missing Data			
.	-	1731	63.9 %
Total		2,709	100%

Based upon 978 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN3: Eat/drink in last 12 hours

Have you had anything to eat or drink, other than water, in the last 12 hours?

Value	Label	Unweighted Frequency	%
1	No	2257	83.3 %
2	Yes	71	2.6 %
	Missing Data		
-1	N/A	2	0.1 %
.	-	379	14.0 %
Total		2,709	100%

Based upon 2,328 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER3: Start period in last week

Did you start a menstrual period in the last 5 days?

Value	Label	Unweighted Frequency	%
1	No	1036	38.2 %
2	Yes	1292	47.7 %
	Missing Data		
-1	N/A	2	0.1 %
.	-	379	14.0 %
Total		2,709	100%

Based upon 2,328 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYBLE3: Day that you started to bleed

If you started a menstrual period in the last 5 days, what is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
958	-	1	0.0 %
963	-	1	0.0 %
992	-	1	0.0 %
1000	-	1	0.0 %
1003	-	1	0.0 %
1004	-	1	0.0 %
1005	-	1	0.0 %
1006	-	1	0.0 %
1011	-	1	0.0 %
1015	-	2	0.1 %
1017	-	1	0.0 %
1020	-	1	0.0 %
1022	-	2	0.1 %
1023	-	2	0.1 %
1024	-	1	0.0 %
1027	-	1	0.0 %
1028	-	1	0.0 %
1029	-	2	0.1 %
1030	-	4	0.1 %
1031	-	4	0.1 %
1032	-	2	0.1 %
1033	-	1	0.0 %
1034	-	2	0.1 %
1035	-	2	0.1 %
1036	-	3	0.1 %
1039	-	2	0.1 %
1040	-	2	0.1 %
1041	-	4	0.1 %
1042	-	3	0.1 %
1043	-	6	0.2 %
1044	-	4	0.1 %
1045	-	3	0.1 %
1046	-	6	0.2 %
1047	-	2	0.1 %
1048	-	3	0.1 %
1049	-	2	0.1 %
1050	-	3	0.1 %
1051	-	2	0.1 %
1052	-	4	0.1 %

Value	Label	Unweighted Frequency	%
1053	-	6	0.2 %
1054	-	8	0.3 %
1055	-	1	0.0 %
1056	-	10	0.4 %
1057	-	5	0.2 %
1058	-	7	0.3 %
1059	-	7	0.3 %
1060	-	4	0.1 %
1061	-	6	0.2 %
1062	-	6	0.2 %
1063	-	11	0.4 %
Missing Data			
.	-	1418	52.3 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,291 valid cases out of 2,709 total cases.

- Mean: 1128.62
- Minimum: 958.00
- Maximum: 1477.00
- Standard Deviation: 61.34

Location: 25-28 (width: 4; decimal: 0)

Variable Type: numeric

BLDRWAT3: Blood draw attempted

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	1759	64.9 %
2	Yes, menses too variable	238	8.8 %
3	Yes, Last attempt	331	12.2 %
4	Yes, Respondent Pregnant	0	0.0 %
5	No, Not fasting and/or not in window	0	0.0 %
Missing Data			
-1	N/A	2	0.1 %
.	-	379	14.0 %
Total		2,709	100%

Based upon 2,328 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW3: Blood drawn

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2330	86.0 %
	Missing Data		
.	-	379	14.0 %
	Total	2,709	100%

Based upon 2,330 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPEDAY3: Blood specimen day

Value	Label	Unweighted Frequency	%
945	-	1	0.0 %
960	-	1	0.0 %
965	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	1	0.0 %
1007	-	1	0.0 %
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %
1015	-	2	0.1 %
1017	-	2	0.1 %
1020	-	2	0.1 %
1021	-	3	0.1 %
1022	-	1	0.0 %
1023	-	5	0.2 %

Value	Label	Unweighted Frequency	%
1025	-	2	0.1 %
1026	-	2	0.1 %
1027	-	1	0.0 %
1029	-	1	0.0 %
1030	-	2	0.1 %
1031	-	2	0.1 %
1032	-	3	0.1 %
1033	-	4	0.1 %
1034	-	4	0.1 %
1035	-	3	0.1 %
1036	-	7	0.3 %
1037	-	2	0.1 %
1039	-	1	0.0 %
1040	-	2	0.1 %
1041	-	2	0.1 %
1042	-	6	0.2 %
1043	-	2	0.1 %
1044	-	5	0.2 %
1045	-	10	0.4 %
1046	-	2	0.1 %
1047	-	4	0.1 %
1048	-	2	0.1 %
1049	-	11	0.4 %
1050	-	10	0.4 %
1051	-	6	0.2 %
1052	-	2	0.1 %
1053	-	4	0.1 %
1054	-	4	0.1 %
1055	-	8	0.3 %
1056	-	9	0.3 %
1057	-	16	0.6 %
1058	-	11	0.4 %
Missing Data			
.	-	359	13.3 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,350 valid cases out of 2,709 total cases.

- Mean: 1140.22
- Minimum: 945.00
- Maximum: 1554.00
- Standard Deviation: 68.69

Location: 33-36 (width: 4; decimal: 0)

Variable Type: numeric

ANTICO13: Anticoagulant #1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	2649	97.8 %
2	Yes	45	1.7 %
Missing Data			
-	-	15	0.6 %
Total		2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW13: Anticoagulant number 1 taken 2 times per week for last month

Have you been taking blood thinners (anticoagulants) at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	29	1.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2649	97.8 %
-	-	15	0.6 %
Total		2,709	100%

Based upon 44 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO23: Anticoagulant #2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	43	1.6 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2649	97.8 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 45 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW23: Anticoagulant number 2 taken 2 times per week for last month

Have you been taking blood thinners (anticoagulants) at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2692	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART13: Heart medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medications for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	2625	96.9 %
2	Yes	69	2.5 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HARTTW13: Heart medication number 1 taken 2 times per week for last month

Have you been taking medication for your heart or heart beat at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	56	2.1 %
	Missing Data		
-1	N/A	2625	96.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 69 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HEART23: Heart medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medications for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	56	2.1 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2625	96.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 69 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW23: Heart medication number 2 taken 2 times per week for last month

Have you been taking medication for your heart or heart beat at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	11	0.4 %
	Missing Data		
-1	N/A	2681	99.0 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 13 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST13: Cholesterol medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	2591	95.6 %

Value	Label	Unweighted Frequency	%
2	Yes	103	3.8 %
	Missing Data		
-	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW13: Cholesterol medication number 1 taken 2 times per week for last month

Have you been taking medication for cholesterol or fats in your blood at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	20	0.7 %
2	Yes	83	3.1 %
	Missing Data		
-1	N/A	2591	95.6 %
-	-	15	0.6 %
	Total	2,709	100%

Based upon 103 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST23: Cholesterol medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	98	3.6 %
2	Yes	5	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2591	95.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 103 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW23: Cholesterol medication number 2 taken 2 times per week for last month

Have you been taking medication for cholesterol or fats in your blood at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2689	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 5 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP13: Blood pressure medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	2220	81.9 %
2	Yes	474	17.5 %
	Missing Data		
.	-	15	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW13: Blood pressure medication number 1 taken 2 times per week for last month

Have you been taking blood pressure pills at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	40	1.5 %
2	Yes	434	16.0 %
	Missing Data		
-1	N/A	2220	81.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 474 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP23: Blood pressure medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	332	12.3 %
2	Yes	142	5.2 %
	Missing Data		
-1	N/A	2220	81.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 474 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW23: Blood pressure medication number 2 taken 2 times per week for last month

Have you been taking blood pressure pills at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	21	0.8 %
2	Yes	121	4.5 %
	Missing Data		
-1	N/A	2552	94.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 142 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET13: Diuretic #1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	2549	94.1 %
2	Yes	145	5.4 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW13: Diuretic number 1 taken 2 times per week for last month

Have you been taking diuretics for water retention at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	39	1.4 %
2	Yes	106	3.9 %
	Missing Data		
-1	N/A	2549	94.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 145 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET23: Diuretic #2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	141	5.2 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2549	94.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 145 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW23: Diuretic number 2 taken 2 times per week for last month

Have you been taking diuretics for water retention at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2690	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI13: Thyroid medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	2457	90.7 %
2	Yes	237	8.7 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW13: Thyroid medication number 1 taken 2 times per week for last month

Have you been taking thyroid pills at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %

Value	Label	Unweighted Frequency	%
2	Yes	222	8.2 %
	Missing Data		
-1	N/A	2457	90.7 %
.	.	15	0.6 %
	Total	2,709	100%

Based upon 237 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI23: Thyroid medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	229	8.5 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2457	90.7 %
.	.	15	0.6 %
	Total	2,709	100%

Based upon 237 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW23: Thyroid medication number 2 taken 2 times per week for last month

Have you been taking thyroid pills at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	4	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2686	99.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 7 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN13: Insulin medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	2587	95.5 %
2	Yes	107	3.9 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW13: Insulin medication number 1 taken 2 times per week for last month

Have you been taking insulin or pills for sugar in your blood at least two times a week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	105	3.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2587	95.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 107 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN23: Insulin medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	51	1.9 %
2	Yes	56	2.1 %
	Missing Data		
-1	N/A	2587	95.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 107 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW23: Insulin medication number 2 taken 2 times per week for last month

Have you been taking insulin or pills for sugar in your blood at least two times a week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	54	2.0 %
	Missing Data		
-1	N/A	2638	97.4 %

Value	Label	Unweighted Frequency	%
.	-	15	0.6 %
Total		2,709	100%

Based upon 56 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS13: Nervous condition medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depressant medication?

Value	Label	Unweighted Frequency	%
1	No	2308	85.2 %
2	Yes	386	14.2 %
Missing Data			
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW13: Nervous condition medication number 1 taken 2 times per week for last month

Have you been taking medications for a nervous condition at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	108	4.0 %
2	Yes	278	10.3 %
Missing Data			
-1	N/A	2308	85.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 386 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

NERVS23: Nervous condition medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depressant medication?

Value	Label	Unweighted Frequency	%
1	No	275	10.2 %
2	Yes	111	4.1 %
	Missing Data		
-1	N/A	2308	85.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 386 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

NERVTW23: Nervous condition medication number 2 taken 2 times per week for last month

Have you been taking medications for a nervous condition at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	26	1.0 %
2	Yes	85	3.1 %
	Missing Data		
-1	N/A	2583	95.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 111 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI13: Steroid #1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken steroid pills such as Prednisone or Cortisone?

Value	Label	Unweighted Frequency	%
1	No	2544	93.9 %
2	Yes	150	5.5 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW13: Steroid number 1 taken 2 times per week for last month

Have you been taking steroid pills, such as Prednisone or Cortisone, at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	111	4.1 %
2	Yes	39	1.4 %
	Missing Data		
-1	N/A	2544	93.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 150 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI23: Steroid #2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken steroid pills such as Prednisone or Cortisone?

Value	Label	Unweighted Frequency	%
1	No	138	5.1 %
2	Yes	12	0.4 %
	Missing Data		
-1	N/A	2544	93.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 150 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STERTW23: Steroid number 2 taken 2 times per week for last month

Have you been taking steroid pills, such as Prednisone or Cortisone, at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2682	99.0 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 12 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FERTIL13: Fertility medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	2690	99.3 %
2	Yes	4	0.1 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW13: Fertility medication number 1 taken 2 times per week for last month

Have you been taking fertility medications at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2690	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL23: Fertility medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2690	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLW23: Fertility medication number 2 taken 2 times per week for last month

Have you been taking fertility medications at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2692	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP13: Birth control pill number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken birth control pills?

Value	Label	Unweighted Frequency	%
1	No	2632	97.2 %

Value	Label	Unweighted Frequency	%
2	Yes	62	2.3 %
	Missing Data		
-	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI13: Birth control pill number 1 taken 2 times per week for last month

Have you been taking birth control pills during the past month?

Value	Label	Unweighted Frequency	%
1	No	23	0.8 %
2	Yes	39	1.4 %
	Missing Data		
-1	N/A	2632	97.2 %
-	-	15	0.6 %
	Total	2,709	100%

Based upon 62 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP23: Birth control pill number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken birth control pills?

Value	Label	Unweighted Frequency	%
1	No	58	2.1 %
2	Yes	4	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2632	97.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 62 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI23: Birth control pills number 2 taken 2 times per week for last month

Have you been taking birth control pills during the past month?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2690	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG13: Estrogen pills #1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken estrogen pills (such as Premarin, Estrace, Ogen, etc.)?

Value	Label	Unweighted Frequency	%
1	No	2505	92.5 %
2	Yes	189	7.0 %
	Missing Data		
.	-	15	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW13: Estrogen pills number 1 taken 2 times per week for last month

Have you been taking estrogen pills during the past month?

Value	Label	Unweighted Frequency	%
1	No	29	1.1 %
2	Yes	160	5.9 %
	Missing Data		
-1	N/A	2505	92.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 189 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG23: Estrogen pills #2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken estrogen pills (such as Premarin, Estrace, Ogen, etc.)?

Value	Label	Unweighted Frequency	%
1	No	183	6.8 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2505	92.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 189 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW23: Estrogen pills number 2 taken 2 times per week for last month

Have you been taking estrogen pills during the past month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2688	99.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 6 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA13: Estrogen number 1 prescription daily or off and on

If you have taken estrogen pills since your last visit, does/did your prescription have you taken estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	167	6.2 %
2	Off and On	20	0.7 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	2505	92.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 187 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , ..

ESTRDA23: Estrogen number 2 prescription daily or off and on

If you have taken estrogen pills since your last visit, does/did your prescription have you taken estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	4	0.1 %
2	Off and On	2	0.1 %
Missing Data			
-1	N/A	2688	99.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 6 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , ..

ESTRNJ13: Estrogen number 1 injection or patch

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	2670	98.6 %
2	Yes	24	0.9 %
Missing Data			
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

EINJTW13: Estrogen injection or patch number 1 taken 2 times per week for last month

Have you been taking estrogen by injection or patch during the past month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	18	0.7 %
	Missing Data		
-1	N/A	2670	98.6 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 24 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ23: Estrogen injection or patch number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	24	0.9 %
2	Yes	3	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2666	98.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 27 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW23: Estrogen injection or patch number 2 taken 2 times per week for last month

Have you been taking estrogen by injection or patch during the past month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2691	99.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 3 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN13: Combination estrogen/progestin number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	2545	93.9 %
2	Yes	149	5.5 %
	Missing Data		
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW13: Combination estrogen/progestin number 1 taken 2 times per week for last month

Have you been taking combination estrogen/progestin during the past month?

Value	Label	Unweighted Frequency	%
1	No	26	1.0 %

Value	Label	Unweighted Frequency	%
2	Yes	123	4.5 %
	Missing Data		
-1	N/A	2545	93.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 149 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN23: Combination estrogen/progestin number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	135	5.0 %
2	Yes	10	0.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2548	94.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 145 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW23: Combination estrogen/progestin number 2 taken 2 times per week for last month

Have you been taking combination estrogen/progestin during the past month?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %

Value	Label	Unweighted Frequency	%
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2684	99.1 %
.	.	15	0.6 %
	Total	2,709	100%

Based upon 10 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES13: Progestin pills #1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	2533	93.5 %
2	Yes	161	5.9 %
	Missing Data		
.	.	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW13: Progestin pills number 1 taken 2 times per week for last month

Have you been taking progestin pills during the past month?

Value	Label	Unweighted Frequency	%
1	No	40	1.5 %
2	Yes	121	4.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2533	93.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 161 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES23: Progestin pills #2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Have you taken progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	157	5.8 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2533	93.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 161 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW23: Progestin pills number 2 taken 2 times per week for last month

Have you been taking progestin pills during the past month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2690	99.3 %

Value	Label	Unweighted Frequency	%
.	-	15	0.6 %
Total		2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA13: Progestin number 1 prescription daily or off and on

If you have taken progestin pills since your last visit, does/did your prescription have you take progestin daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	71	2.6 %
2	Off and On	89	3.3 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	2533	93.5 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 160 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

PROGDA23: Progestin number 2 prescription daily or off and on

If you have taken progestin pills since your last visit, does/did your prescription have you take progestin daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	0	0.0 %
2	Off and On	4	0.1 %
	Missing Data		
-1	N/A	2690	99.3 %
.	-	15	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

OTHMED13: Other prescription medication number 1

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	1363	50.3 %
2	Yes	1331	49.1 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW13: Other prescription medication number 1 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	700	25.8 %
2	Yes	631	23.3 %
	Missing Data		
-1	N/A	1363	50.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,331 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED23: Other prescription medication number 2

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	564	20.8 %
2	Yes	767	28.3 %
	Missing Data		
-1	N/A	1363	50.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,331 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW23: Other prescription medication number 2 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	424	15.7 %
2	Yes	342	12.6 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1927	71.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 766 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED33: Other prescription medication number 3

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	329	12.1 %
2	Yes	438	16.2 %
	Missing Data		
-1	N/A	1927	71.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 767 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW33: Other prescription medication number 3 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	241	8.9 %
2	Yes	197	7.3 %
	Missing Data		
-1	N/A	2256	83.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 438 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED43: Other prescription medication number 4

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	186	6.9 %
2	Yes	251	9.3 %
	Missing Data		
-1	N/A	2257	83.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 437 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW43: Other prescription medication number 4 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	139	5.1 %
2	Yes	111	4.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2443	90.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 250 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED53: Other prescription medication number 5

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	100	3.7 %
2	Yes	150	5.5 %
	Missing Data		
-1	N/A	2444	90.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 250 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW53: Other prescription medication number 5 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	76	2.8 %
2	Yes	74	2.7 %
	Missing Data		
-1	N/A	2544	93.9 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 150 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED63: Other prescription medication number 6

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	49	1.8 %
2	Yes	101	3.7 %
	Missing Data		
-1	N/A	2544	93.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 150 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW63: Other prescription medication number 6 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	56	2.1 %
2	Yes	45	1.7 %
	Missing Data		
-1	N/A	2593	95.7 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 101 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED73: Other prescription medication number 7

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	45	1.7 %

Value	Label	Unweighted Frequency	%
2	Yes	56	2.1 %
	Missing Data		
-1	N/A	2593	95.7 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 101 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW73: Other prescription medication number 7 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	30	1.1 %
2	Yes	26	1.0 %
	Missing Data		
-1	N/A	2638	97.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 56 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED83: Other prescription medication number 8

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	24	0.9 %
2	Yes	32	1.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2638	97.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 56 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW83: Other prescription medication number 8 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	17	0.6 %
	Missing Data		
-1	N/A	2662	98.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 32 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED93: Other prescription medication number 9

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	22	0.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2662	98.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 32 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW93: Other prescription medication number 9 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2672	98.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 22 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME103: Other prescription medication number 10

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2672	98.6 %

Value	Label	Unweighted Frequency	%
.	-	15	0.6 %
Total		2,709	100%

Based upon 22 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW103: Other prescription medication number 10 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	5	0.2 %
Missing Data			
-1	N/A	2681	99.0 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 13 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME113: Other prescription medication number 11

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	3	0.1 %
Missing Data			
-1	N/A	2681	99.0 %
.	-	15	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 13 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW113: Other prescription medication number 11 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2691	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 3 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME123: Other prescription medication number 12

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2691	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 3 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHTW123: Other prescription medication number 12 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2693	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHME133: Other prescription medication number 13

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2693	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW133: Other prescription medication number 13 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME143: Other prescription medication number 14

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW143: Other prescription medication number 14 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME153: Other prescription medication number 15

I would like to begin the interview by asking you some questions about medications. I will start by asking about any pills or medicines, including patches, suppositories, injections, creams and ointments which are prescribed by your doctor or other health care provider, that you have taken since your last study visit. If yes to any, record medication name(s) in the spaces. Since your last visit... Are there any other prescription pills or medications that you have taken, that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW153: Other prescription medication number 15 taken 2 times per week for last month

Have you been taking this prescription or medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR3: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	300	11.1 %
2	Yes	130	4.8 %
	Missing Data		
-9	Missing	4	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 430 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOP03: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle bones)

Value	Label	Unweighted Frequency	%
1	No	267	9.9 %
2	Yes	163	6.0 %
	Missing Data		
-9	Missing	4	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 430 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM3: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	101	3.7 %
2	Yes	330	12.2 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 431 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK3: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	379	14.0 %
2	Yes	52	1.9 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 431 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

HCPADV13: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	No	81	3.0 %
2	Yes	350	12.9 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 431 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FRNADV13: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	No	357	13.2 %
2	Yes	74	2.7 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 431 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMPRMEM3: Improve memory

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	No	365	13.5 %
2	Yes	66	2.4 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 431 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI3: Regulate periods

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	No	304	11.2 %
2	Yes	127	4.7 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 431 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH3: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Other, specify

Value	Label	Unweighted Frequency	%
1	No	320	11.8 %
2	Yes	111	4.1 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 431 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO3: Don't know/remember why take hormones

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: I don't remember

Value	Label	Unweighted Frequency	%
1	No	427	15.8 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	8	0.3 %
-1	N/A	2259	83.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 427 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRBBLEE3: Problems w/bleeding

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Problems with bleeding

Value	Label	Unweighted Frequency	%
1	No	63	2.3 %
2	Yes	12	0.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER3: Did not like having periods

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Didn't like having periods

Value	Label	Unweighted Frequency	%
1	No	73	2.7 %
2	Yes	2	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL3: Did not like how felt on them

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	No	63	2.3 %
2	Yes	12	0.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEFF3: Worried about possible side effects

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	No	65	2.4 %
2	Yes	10	0.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER3: Worried about cancer

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Worried about cancer

Value	Label	Unweighted Frequency	%
1	No	68	2.5 %
2	Yes	7	0.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO3: Health care provider advised to stop

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	No	68	2.5 %
2	Yes	7	0.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI3: Too expensive

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Too expensive

Value	Label	Unweighted Frequency	%
1	No	73	2.7 %
2	Yes	2	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE3: Do not like taking medications

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	No	71	2.6 %
2	Yes	4	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB3: Couldn't remember to take them

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	No	74	2.7 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW3: Don't know why stopped hormones

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Don't know

Value	Label	Unweighted Frequency	%
1	No	75	2.8 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH3: Stopped hormones other reason

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: Other

Value	Label	Unweighted Frequency	%
1	No	17	0.6 %
2	Yes	58	2.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO3: Stopped hormones no reason given

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping: No reason given

Value	Label	Unweighted Frequency	%
1	No	75	2.8 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2618	96.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 75 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN13: Over-the-counter pain medication number 1

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	1818	67.1 %

Value	Label	Unweighted Frequency	%
2	Yes	869	32.1 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW13: Over-the-counter pain medication number 1 taken 2 times per week last month

Have you been taking over-the-counter medications for pain at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	327	12.1 %
2	Yes	542	20.0 %
	Missing Data		
-1	N/A	1825	67.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 869 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN23: Over-the-counter pain medication number 2

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	651	24.0 %
2	Yes	218	8.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	1825	67.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 869 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW23: Over-the-counter pain medication number 2 taken 2 times per week last month

Have you been taking over-the-counter medications for pain at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	117	4.3 %
2	Yes	101	3.7 %
	Missing Data		
-1	N/A	2476	91.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 218 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP13: Over-the-counter sleep medication number 1

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	2576	95.1 %
2	Yes	111	4.1 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW13: Over-the-counter sleep medication number 1 taken 2 times per week last month

Have you been taking sleeping medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	33	1.2 %
2	Yes	78	2.9 %
	Missing Data		
-1	N/A	2583	95.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 111 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP23: Over-the-counter sleep medication number 2

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	96	3.5 %
2	Yes	15	0.6 %
	Missing Data		
-1	N/A	2583	95.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 111 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW23: Over-the-counter sleep medication number 2 taken 2 times per week last month

Have you been taking sleeping medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2679	98.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 15 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTC13: Other over-the-counter medication number 1

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	2169	80.1 %
2	Yes	517	19.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW13: Other over-the-counter medication number 1 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	155	5.7 %
2	Yes	360	13.3 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2177	80.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 515 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC23: Other over-the-counter medication number 2

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	334	12.3 %
2	Yes	183	6.8 %
	Missing Data		
-1	N/A	2177	80.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 517 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW23: Other over-the-counter medication number 2 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	62	2.3 %
2	Yes	121	4.5 %
	Missing Data		
-1	N/A	2511	92.7 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 183 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC33: Other over-the-counter medication number 3

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	110	4.1 %
2	Yes	73	2.7 %
	Missing Data		
-1	N/A	2511	92.7 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 183 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW33: Other over-the-counter medication number 3 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	18	0.7 %
2	Yes	55	2.0 %
	Missing Data		
-1	N/A	2621	96.8 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 73 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC43: Other over-the-counter medication number 4

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	39	1.4 %
2	Yes	34	1.3 %
	Missing Data		
-1	N/A	2621	96.8 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 73 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW43: Other over-the-counter medication number 4 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	30	1.1 %
	Missing Data		
-1	N/A	2660	98.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 34 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC53: Other over-the-counter medication number 5

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	19	0.7 %
	Missing Data		
-1	N/A	2660	98.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 34 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW53: Other over-the-counter medication number 5 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %

Value	Label	Unweighted Frequency	%
2	Yes	14	0.5 %
	Missing Data		
-1	N/A	2675	98.7 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 19 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC63: Other over-the-counter medication number 6

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	12	0.4 %
	Missing Data		
-1	N/A	2675	98.7 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 19 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW63: Other over-the-counter medication number 6 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	11	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2682	99.0 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 12 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTC73: Other over-the-counter medication number 7

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2682	99.0 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 12 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTCTW73: Other over-the-counter medication number 7 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	9	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2685	99.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 9 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC83: Other over-the-counter medication number 8

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2685	99.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 9 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW83: Other over-the-counter medication number 8 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2686	99.2 %

Value	Label	Unweighted Frequency	%
.	-	15	0.6 %
Total		2,709	100%

Based upon 8 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC93: Other over-the-counter medication number 9

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	7	0.3 %
Missing Data			
-1	N/A	2687	99.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 7 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW93: Other over-the-counter medication number 9 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	7	0.3 %
Missing Data			
-1	N/A	2687	99.2 %
.	-	15	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 7 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC103: Other over-the-counter medication number 10

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2687	99.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 7 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW103: Other over-the-counter medication number 10 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2689	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 5 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC113: Other over-the-counter medication number 11

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2689	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 5 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW113: Other over-the-counter medication number 11 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2690	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC123: Other over-the-counter medication number 12

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2690	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW123: Other over-the-counter medication number 12 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2691	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 3 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC133: Other over-the-counter medication number 13

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2691	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 3 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTCTW133: Other over-the-counter medication number 13 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2692	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTC143: Other over-the-counter medication number 14

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2692	99.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW143: Other over-the-counter medication number 14 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2693	99.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 1 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC153: Other over-the-counter medication number 15

Now I would like to ask you about over-the-counter medications, non-prescription, that you have taken regularly at least 2 times per week for a month or more, since your last study visit. If yes to any, record medication name(s) in the spaces provided. Since your last study visit... Have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about? Please list.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2693	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW153: Other over-the-counter medication number 15 taken 2 times per week last month

Have you been taking this medication at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2693	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1 valid cases out of 2,709 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA3: Take any vitamins/minerals at least once a week

Since your last study visit, have you taken any vitamins or minerals fairly regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	No	953	35.2 %
2	Yes	1734	64.0 %
	Missing Data		
-1	N/A	7	0.3 %

Value	Label	Unweighted Frequency	%
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA3: How often take multi-vitamin

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of multi-vitamins, how often do you take regular One-A-Day, Centrum, or Thera type?

Value	Label	Unweighted Frequency	%
1	Do not take any	651	24.0 %
2	1-3 days/week	183	6.8 %
3	4-6 days/week	150	5.5 %
4	Every day	750	27.7 %
	Missing Data		
-1	N/A	960	35.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 1,734 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTIOXI3: How often take antioxidant

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of multi-vitamins, how often do you take antioxidant combination type?

Value	Label	Unweighted Frequency	%
1	Do not take any	1456	53.7 %
2	1-3 days/week	46	1.7 %
3	4-6 days/week	40	1.5 %
4	Every day	190	7.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	960	35.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 1,732 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH13: How often take other multi-vitamin number 1

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of multi-vitamins, are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	138	5.1 %
2	1-3 days/week	45	1.7 %
3	4-6 days/week	40	1.5 %
4	Every day	209	7.7 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2261	83.5 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 432 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH23: How often take other multi-vitamin number 2

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of multi-vitamins, are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	7	0.3 %
2	1-3 days/week	10	0.4 %
3	4-6 days/week	6	0.2 %
4	Every day	43	1.6 %
	Missing Data		
-1	N/A	2628	97.0 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 66 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH33: How often take other multi-vitamin number 3

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of multi-vitamins, are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	2	0.1 %
2	1-3 days/week	2	0.1 %
3	4-6 days/week	2	0.1 %
4	Every day	16	0.6 %
	Missing Data		
-1	N/A	2672	98.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 22 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH43: How often take other multi-vitamin number 4

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of multi-vitamins, are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	0	0.0 %
3	4-6 days/week	1	0.0 %
4	Every day	3	0.1 %
	Missing Data		
-1	N/A	2689	99.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 5 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA3: How often take vitamin A

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), how often do you take vitamin A, not beta-carotene?

Value	Label	Unweighted Frequency	%
1	Do not take any	1671	61.7 %
2	1-3 days/week	19	0.7 %
3	4-6 days/week	10	0.4 %
4	Every day	34	1.3 %
	Missing Data		
-1	N/A	960	35.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,734 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR3: How often take beta-carotene

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), how often do you take beta-carotene?

Value	Label	Unweighted Frequency	%
1	Do not take any	1659	61.2 %
2	1-3 days/week	28	1.0 %
3	4-6 days/week	13	0.5 %
4	Every day	34	1.3 %
	Missing Data		
-1	N/A	960	35.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,734 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC3: How often take vitamin C

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), how often do you take vitamin C?

Value	Label	Unweighted Frequency	%
1	Do not take any	1132	41.8 %
2	1-3 days/week	133	4.9 %
3	4-6 days/week	92	3.4 %
4	Every day	377	13.9 %
	Missing Data		
-1	N/A	960	35.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,734 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMND3: How often take vitamin D

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), how often do you take vitamin D?

Value	Label	Unweighted Frequency	%
1	Do not take any	1574	58.1 %
2	1-3 days/week	26	1.0 %
3	4-6 days/week	19	0.7 %
4	Every day	115	4.2 %
	Missing Data		
-1	N/A	960	35.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,734 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNE3: How often take vitamin E

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), how often do you take vitamin E?

Value	Label	Unweighted Frequency	%
1	Do not take any	1084	40.0 %
2	1-3 days/week	113	4.2 %
3	4-6 days/week	101	3.7 %
4	Every day	435	16.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	960	35.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,733 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM3: How often take calcium/Tums

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), how often do you take calcium or Tums?

Value	Label	Unweighted Frequency	%
1	Do not take any	860	31.7 %
2	1-3 days/week	208	7.7 %
3	4-6 days/week	134	4.9 %
4	Every day	531	19.6 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	960	35.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 1,733 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRON3: How often take iron

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), how often do you take iron?

Value	Label	Unweighted Frequency	%
1	Do not take any	1552	57.3 %
2	1-3 days/week	65	2.4 %
3	4-6 days/week	20	0.7 %
4	Every day	97	3.6 %
Missing Data			
-1	N/A	960	35.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 1,734 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITOTH13: How often take other vitamin number 1

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	115	4.2 %
2	1-3 days/week	119	4.4 %
3	4-6 days/week	86	3.2 %
4	Every day	427	15.8 %
	Missing Data		
-1	N/A	1947	71.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 747 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITOTH23: How often take other vitamin number 2

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	15	0.6 %
2	1-3 days/week	58	2.1 %
3	4-6 days/week	46	1.7 %
4	Every day	204	7.5 %
	Missing Data		
-1	N/A	2371	87.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 323 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITOTH33: How often take other vitamin number 3

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	4	0.1 %
2	1-3 days/week	27	1.0 %
3	4-6 days/week	22	0.8 %
4	Every day	113	4.2 %
	Missing Data		
-1	N/A	2528	93.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 166 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VITOTH43: How often take other vitamin number 4

Since your last study visit, what vitamins and minerals have you taken fairly regularly (at least once per week)? In terms of single vitamins (not part of multi-vitamins), are there any others? How often do you take it?

Value	Label	Unweighted Frequency	%
1	Do not take any	1	0.0 %
2	1-3 days/week	11	0.4 %
3	4-6 days/week	13	0.5 %
4	Every day	72	2.7 %
	Missing Data		
-1	N/A	2597	95.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 97 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MULTVIT3: If multiple vitamins, w/wo minerals

If you reported multiple vitamin use; do you usually take multiple vitamins that contain minerals, do not contain minerals, or don't know?

Value	Label	Unweighted Frequency	%
1	Contains minerals (iron/calc)	1275	47.1 %
2	Do not contain minerals	82	3.0 %
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	25	0.9 %
-1	N/A	1310	48.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1,357 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL243: Alcohol in last 24 hours

Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	1960	72.4 %
2	Yes	363	13.4 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	5	0.2 %
.	-	379	14.0 %
	Total	2,709	100%

Based upon 2,323 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANEMIA3: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Anemia

Value	Label	Unweighted Frequency	%
1	No	2475	91.4 %
2	Yes	212	7.8 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE3: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes

Value	Label	Unweighted Frequency	%
1	No	2581	95.3 %
2	Yes	113	4.2 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP3: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension

Value	Label	Unweighted Frequency	%
1	No	2214	81.7 %

Value	Label	Unweighted Frequency	%
2	Yes	478	17.6 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,692 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE3: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol

Value	Label	Unweighted Frequency	%
1	No	2356	87.0 %
2	Yes	330	12.2 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN3: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Migraines

Value	Label	Unweighted Frequency	%
1	No	2519	93.0 %
2	Yes	167	6.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE3: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Stroke

Value	Label	Unweighted Frequency	%
1	No	2677	98.8 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR3: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)

Value	Label	Unweighted Frequency	%
1	No	2301	84.9 %
2	Yes	390	14.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-8	Do not know	3	0.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,691 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID3: Over/underactive thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid

Value	Label	Unweighted Frequency	%
1	No	2457	90.7 %
2	Yes	233	8.6 %
	Missing Data		
-8	Do not know	4	0.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,690 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT3: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack

Value	Label	Unweighted Frequency	%
1	No	2693	99.4 %
2	Yes	1	0.0 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ANGINA3: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Angina

Value	Label	Unweighted Frequency	%
1	No	2670	98.6 %
2	Yes	23	0.8 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,693 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR3: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	No	2654	98.0 %
2	Yes	35	1.3 %
	Missing Data		
-8	Do not know	5	0.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,689 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBROID3: Fibroids since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Fibroids, benign growths of the uterus or womb

Value	Label	Unweighted Frequency	%
1	No	2385	88.0 %
2	Yes	305	11.3 %
Missing Data			
-8	Do not know	4	0.1 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,690 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS3: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner, or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, other than skin cancer

Value	Label	Unweighted Frequency	%
1	No	2662	98.3 %
2	Yes	32	1.2 %
Missing Data			
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE3: Primary site of cancer

If you reported being diagnosed or treated for cancer since your last study visit, what is/was the primary site of the cancer?

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2662	98.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
BELOW LEFT EYE (SCLEROSING ECR)	-	1	0.0 %
BLOOD/LEUKEMIA	-	1	0.0 %
BREAST	-	7	0.3 %
BREAST (LEFT)	-	1	0.0 %
BREAST ALTC	-	1	0.0 %
BREAST CANCER	-	3	0.1 %
BREAST CANCER/COLON CANCER	-	1	0.0 %
CERVICAL CANCER	-	1	0.0 %
CERVIX	-	1	0.0 %
COLON	-	1	0.0 %
COLON (POLYP)	-	1	0.0 %
COLON CANCER	-	2	0.1 %
FACE CANCER	-	1	0.0 %
L BREAST	-	1	0.0 %
LEFT BREAST	-	1	0.0 %
LEUKEMIA (BONE MARROW)	-	1	0.0 %
LIVER	-	1	0.0 %
LOWER LIP	-	1	0.0 %
OVARIAN	-	1	0.0 %
RIGHJT BREAST	-	1	0.0 %
SKIN CANCER	-	1	0.0 %
THROAT	-	1	0.0 %
VOICE BOX	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 411-440 (width: 30; decimal: 0)

Variable Type: character

TAMOXIF3: Taken tamoxifen since last visit

If you reported being diagnosed or treated for breast cancer since your last study visit, have you taken tamoxifen since your last visit?

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2676	98.8 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 18 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH3: Chemotherapy/radiation for cancer

If you reported being diagnosed or treated for cancer since your last study visit, have you received chemotherapy or radiation treatment for this cancer since your last visit?

Value	Label	Unweighted Frequency	%
1	No	18	0.7 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2663	98.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 31 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO3: Number times broke/fracture bones since last visit

Since your last study visit, how many times did you break or fracture a bone (if more than once bone was broken during the same event count as one time)?

Value	Label	Unweighted Frequency	%
0	-	2643	97.6 %
1	-	47	1.7 %
2	-	3	0.1 %
4	-	1	0.0 %
Missing Data			
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.17

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES13: Bone #1 broken

Which bones did you break or fracture? If bone was broken more than once, record each break and specify when "re-broken". Be specific in identifying which bone was broke (ex. right tibia).

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2643	97.6 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
2 RIBS - RIGHT SIDE	-	1	0.0 %
5TH METARSAL LEFT FOOT	-	1	0.0 %
A BONE ON RIGHT FOOT NEAR SMAL	-	1	0.0 %
ANKLE	-	2	0.1 %
ANKLE (LEFT)	-	1	0.0 %
BABY TOE ON RIGHT FOOT	-	1	0.0 %
BONE IN ANKLE	-	1	0.0 %
BONE IN LEFT FOOT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BONE IN WRIST	-	1	0.0 %
BRAKE A TOE	-	1	0.0 %
BROKE LEFT ANKEL	-	1	0.0 %
EYE BONE	-	1	0.0 %
FIFTH TOE ON RIGHT FOOT	-	1	0.0 %
FOOT	-	1	0.0 %
FOOT/TOES	-	1	0.0 %
FRACTURED A RIB	-	1	0.0 %
ON LEFT SIDE			
FX NOSE	-	1	0.0 %
FX RIB	-	1	0.0 %
L-ANKLE	-	1	0.0 %
LEFT ANKLE	-	2	0.1 %
LEFT ANKLE (FELL DOWN STAIRS)	-	1	0.0 %
LEFT FOOT (OUTSIDE)	-	1	0.0 %
LEFT FOOT BONE BROKEN IN 2 DIF	-	1	0.0 %
LEFT INDEX FINGER	-	1	0.0 %
LEFT RADIUS	-	1	0.0 %
LEFT TIBIA	-	1	0.0 %
LEFT TOE (MIDDLE)	-	1	0.0 %
LEFT URNA	-	1	0.0 %
LOWER LUMBAR VERTEBRAE	-	1	0.0 %
LT. 2ND TOE	-	1	0.0 %
MEDICARPAL- RIGHT HAND	-	1	0.0 %
RIGHT ANKLE	-	1	0.0 %
RIGHT FOOT BONE/METATARSA L	-	1	0.0 %
RIGHT FOOT BROKEN	-	1	0.0 %
RIGHT FOOT FX 1ST TOE	-	1	0.0 %
RIGHT PATELLA	-	1	0.0 %
RIGHT SMALL TOE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
RT FOOT ABOVE 2ND TOE FROM RT	-	1	0.0 %
RT FOOT, MIDDLE TOE	-	1	0.0 %
SHOULDER JOINT BONE / ACRONION	-	1	0.0 %
SHOULDER, ARCRONIUM	-	1	0.0 %
SMALL BONE- CONNECTS SHOULDER	-	1	0.0 %
TAIL BONE(COCCYX)	-	1	0.0 %
TAIL-BONE	-	1	0.0 %
TIBIA	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 447-476 (width: 30; decimal: 0)

Variable Type: character

HAPPEN13: How broke bone number 1

Did you break this bone because of any of the following reasons: after a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast running, bicycling, or skating; while playing sports; or because something heavy fell on you or struck you?

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	37	1.4 %
	Missing Data		
-1	N/A	2643	97.6 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 51 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES23: Bone #2 broken

Which bones did you break or fracture? If bone was broken more than once, record each break and specify when "re-broken". Be specific in identifying which bone was broke (ex. right tibia).

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2690	99.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
2 MANACARPALS - RT HAND	-	1	0.0 %
HINGE OF JAW	-	1	0.0 %
LEFT ULNER	-	1	0.0 %
RIGHT WRIST	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 479-501 (width: 23; decimal: 0)

Variable Type: character

HAPPEN23: How broke bone number 2

Did you break this bone because of any of the following reasons: after a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast running, bicycling, or skating; while playing sports; or because something heavy fell on you or struck you?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
Missing Data			
-1	N/A	2690	99.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES33: Bone #3 broken

Which bones did you break or fracture? If bone was broken more than once, record each break and specify when "re-broken". Be specific in identifying which bone was broke (ex. right tibia).

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2694	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 504-505 (width: 2; decimal: 0)

Variable Type: character

HAPPEN33: How broke bone number 3

Did you break this bone because of any of the following reasons: after a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast running, bicycling, or skating; while playing sports; or because something heavy fell on you or struck you?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
Missing Data			
-1	N/A	2694	99.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCKPAIN3: Back pain since last visit

Since your last study visit; have you consulted a doctor, nurse practitioner, chiropractor, or other health care provider for back pain?

Value	Label	Unweighted Frequency	%
1	No	2191	80.9 %
2	Yes	493	18.2 %
Missing Data			
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,684 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC3: Dilation and curettage (D & C) since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Dilation and curettage (D & C), a scraping of the uterus for any reason including abortion

Value	Label	Unweighted Frequency	%
1	No	2647	97.7 %
2	Yes	39	1.4 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND3: Dilation and curettage (D & C) number of times

Since your last study visit, how many times have you had a dilation and curettage (D & C)?

Value	Label	Unweighted Frequency	%
1	-	38	1.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2655	98.0 %
.	-	15	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 38 valid cases out of 2,709 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE3: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)

Value	Label	Unweighted Frequency	%
1	No	2654	98.0 %
2	Yes	40	1.5 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY3: Day of hysterectomy

When was your hysterectomy procedure performed?

Value	Label	Unweighted Frequency	%
81	-	1	0.0 %
189	-	1	0.0 %
303	-	1	0.0 %
432	-	1	0.0 %
506	-	1	0.0 %
524	-	1	0.0 %

Value	Label	Unweighted Frequency	%
796	-	1	0.0 %
798	-	1	0.0 %
799	-	1	0.0 %
808	-	1	0.0 %
817	-	1	0.0 %
840	-	1	0.0 %
846	-	1	0.0 %
854	-	1	0.0 %
871	-	1	0.0 %
873	-	1	0.0 %
894	-	1	0.0 %
896	-	1	0.0 %
901	-	1	0.0 %
906	-	1	0.0 %
907	-	1	0.0 %
914	-	1	0.0 %
923	-	1	0.0 %
934	-	1	0.0 %
938	-	1	0.0 %
942	-	1	0.0 %
946	-	1	0.0 %
947	-	1	0.0 %
950	-	1	0.0 %
951	-	1	0.0 %
966	-	1	0.0 %
968	-	1	0.0 %
978	-	1	0.0 %
983	-	1	0.0 %
1061	-	1	0.0 %
1063	-	1	0.0 %
1064	-	1	0.0 %
1069	-	1	0.0 %
1094	-	1	0.0 %
1158	-	1	0.0 %
1222	-	1	0.0 %
Missing Data			
.	-	2668	98.5 %
Total		2,709	100%

Based upon 41 valid cases out of 2,709 total cases.

- Mean: 851.51
- Median: 907.00
- Minimum: 81.00
- Maximum: 1222.00
- Standard Deviation: 242.97

Location: 516-519 (width: 4; decimal: 0)

Variable Type: numeric

OOPHORE3: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Oophorectomy (removal of one or both ovaries)

Value	Label	Unweighted Frequency	%
1	No	2664	98.3 %
2	Yes	28	1.0 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,692 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR3: One or both ovaries removed

If you have had an Oophorectomy since your last study visit, did you have one or both ovaries removed?

Value	Label	Unweighted Frequency	%
1	One Ovary Removed	8	0.3 %
2	Both Ovaries Removed	20	0.7 %
	Missing Data		
-1	N/A	2666	98.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 28 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 522-523 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO3: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Uterine procedures, other than dilation and curettage (for example: cesarean section, intrauterine device (IUD) insertion, fibroid removal, or endometrial biopsy)

Value	Label	Unweighted Frequency	%
1	No	2573	95.0 %
2	Yes	113	4.2 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM3: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed

Value	Label	Unweighted Frequency	%
1	No	2678	98.9 %
2	Yes	8	0.3 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG3: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	388	14.3 %
2	Yes	2305	85.1 %
Missing Data			
-9	Missing	1	0.0 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,693 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON3: Menstrual bleeding in last 3 months

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	No	284	10.5 %
2	Yes	2020	74.6 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	389	14.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,304 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY3: Last menstrual period day

What was the date that you started your most recent menstrual bleeding? [PROMPT FOR MONTH AND YEAR, EVEN IF DAY IS UNKNOWN. ENTER -8 FOR DAY FIELD IF UNKNOWN]

Value	Label	Unweighted Frequency	%
386	-	1	0.0 %
524	-	1	0.0 %
596	-	1	0.0 %
651	-	1	0.0 %
674	-	1	0.0 %
708	-	1	0.0 %
721	-	1	0.0 %
723	-	1	0.0 %
729	-	1	0.0 %
733	-	1	0.0 %
742	-	1	0.0 %
753	-	2	0.1 %
757	-	1	0.0 %
758	-	1	0.0 %
759	-	1	0.0 %
761	-	1	0.0 %
764	-	1	0.0 %
765	-	2	0.1 %
766	-	1	0.0 %
768	-	1	0.0 %
770	-	1	0.0 %
773	-	1	0.0 %
774	-	1	0.0 %
777	-	1	0.0 %
783	-	1	0.0 %
786	-	2	0.1 %
794	-	1	0.0 %
799	-	1	0.0 %
804	-	1	0.0 %
810	-	1	0.0 %
811	-	2	0.1 %
815	-	2	0.1 %
816	-	1	0.0 %
817	-	1	0.0 %
819	-	1	0.0 %
821	-	2	0.1 %
822	-	3	0.1 %
824	-	1	0.0 %
827	-	1	0.0 %

Value	Label	Unweighted Frequency	%
833	-	1	0.0 %
839	-	4	0.1 %
844	-	1	0.0 %
847	-	1	0.0 %
849	-	2	0.1 %
853	-	3	0.1 %
854	-	2	0.1 %
856	-	1	0.0 %
857	-	2	0.1 %
858	-	1	0.0 %
861	-	2	0.1 %
Missing Data			
.	-	426	15.7 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,283 valid cases out of 2,709 total cases.

- Mean: 1081.32
- Minimum: 386.00
- Maximum: 1510.00
- Standard Deviation: 88.32

Location: 532-535 (*width:* 4; *decimal:* 0)

Variable Type: numeric

DESCPER3: Describe your menstrual periods

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications. Which of the following best describes your menstrual periods since your last study visit? Have they: become farther apart; become closer together; occurred at more variable intervals; stayed the same; become more regular; or don't know?

Value	Label	Unweighted Frequency	%
1	Become Farther Apart	472	17.4 %
2	Become Closer Together	287	10.6 %
3	Occurred At More Variable Intervals	577	21.3 %
4	Stayed The Same	777	28.7 %
5	Become More Regular	55	2.0 %
Missing Data			
-9	Missing	2	0.1 %
-8	Do not know	5	0.2 %

Value	Label	Unweighted Frequency	%
-1	N/A	519	19.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,168 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENSFL03: Menstrual flow lasted more than 10 days

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications. Since your last study visit, have you ever had a menstrual flow that lasted more than 10 days?

Value	Label	Unweighted Frequency	%
1	No	1945	71.8 %
2	Yes	309	11.4 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
-1	N/A	437	16.1 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,254 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT3: Pregnant since last visit

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control pills or other hormone medications. Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	No	2683	99.0 %
2	Yes	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME3: Outcome of pregnancy

If you reported being pregnant since your last study visit, what was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	Live Birth	1	0.0 %
2	Still Birth	0	0.0 %
3	Miscarriage	1	0.0 %
4	Abortion	1	0.0 %
5	Tubal (Ectopic) Pregnancy	0	0.0 %
6	Still Pregnant	0	0.0 %
	Missing Data		
-1	N/A	2691	99.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 3 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE3: Currently breastfeeding

Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %

Value	Label	Unweighted Frequency	%
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2693	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 1 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF3: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. How would you rate your overall quality of life at the present time?

Value	Label	Unweighted Frequency	%
0	-	6	0.2 %
1	-	3	0.1 %
2	-	12	0.4 %
3	-	36	1.3 %
4	-	54	2.0 %
5	-	179	6.6 %
6	-	185	6.8 %
7	-	544	20.1 %
8	-	915	33.8 %
9	-	521	19.2 %
10	-	238	8.8 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,693 valid cases out of 2,709 total cases.

- Mean: 7.63
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.58

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8, ..

CLOSE3: How many close friends

About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Value	Label	Unweighted Frequency	%
0	-	30	1.1 %
1	-	117	4.3 %
2	-	304	11.2 %
3	-	397	14.7 %
4	-	380	14.0 %
5	-	482	17.8 %
6	-	280	10.3 %
7	-	88	3.2 %
8	-	89	3.3 %
9	-	32	1.2 %
10	-	281	10.4 %
11	-	3	0.1 %
12	-	62	2.3 %
13	-	4	0.1 %
14	-	1	0.0 %
15	-	49	1.8 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	49	1.8 %
24	-	1	0.0 %
25	-	13	0.5 %
30	-	11	0.4 %
50	-	4	0.1 %
60	>=60 times	1	0.0 %
99	-	2	0.1 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	4	0.1 %
-1	N/A	7	0.3 %
-	-	15	0.6 %
Total		2,709	100%

Based upon 2,682 valid cases out of 2,709 total cases.

- Mean: 5.85
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 5.30

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LISTEN3: Support - someone to listen

How often is each of the following kinds of support available to you if you need it? Someone you can count on to listen to you when you need to talk

Value	Label	Unweighted Frequency	%
1	None Of The Time	21	0.8 %
2	A Little Of The Time	67	2.5 %
3	Some Of The Time	219	8.1 %
4	Most Of The Time	937	34.6 %
5	All Of The Time	1442	53.2 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKETOM3: Support - take to doctor

How often is each of the following kinds of support available to you if you need it? Someone to take you to the doctor if you needed it

Value	Label	Unweighted Frequency	%
1	None Of The Time	61	2.3 %
2	A Little Of The Time	94	3.5 %
3	Some Of The Time	210	7.8 %
4	Most Of The Time	730	26.9 %
5	All Of The Time	1591	58.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONFIDE3: Support - confide in

How often is each of the following kinds of support available to you if you need it? Someone to confide in or talk to about yourself or your problems

Value	Label	Unweighted Frequency	%
1	None Of The Time	31	1.1 %
2	A Little Of The Time	71	2.6 %
3	Some Of The Time	236	8.7 %
4	Most Of The Time	928	34.3 %
5	All Of The Time	1420	52.4 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HELPsic3: Support - help w/chores when sick

How often is each of the following kinds of support available to you if you need it? Someone to help with daily chores if you were sick

Value	Label	Unweighted Frequency	%
1	None Of The Time	123	4.5 %
2	A Little Of The Time	220	8.1 %
3	Some Of The Time	506	18.7 %
4	Most Of The Time	745	27.5 %
5	All Of The Time	1092	40.3 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL3: Unable to control important things in your life

I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Never	1043	38.5 %
2	Almost Never	871	32.2 %
3	Sometimes	583	21.5 %
4	Fairly Often	137	5.1 %
5	Very Often	59	2.2 %
Missing Data			
-7	Refused	1	0.0 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,693 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY3: Confident in ability to handle problems

I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	Never	39	1.4 %
2	Almost Never	88	3.2 %
3	Sometimes	448	16.5 %
4	Fairly Often	1008	37.2 %
5	Very Often	1111	41.0 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

YOURWAY3: Things were going your way

I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	Never	33	1.2 %
2	Almost Never	109	4.0 %
3	Sometimes	763	28.2 %
4	Fairly Often	1170	43.2 %
5	Very Often	619	22.8 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PILING3: Difficulties piling up

I would now like to ask you about your feelings over the past two weeks. Tell me how often you have felt or thought this way: Felt difficulties were piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	Never	1076	39.7 %
2	Almost Never	980	36.2 %
3	Sometimes	468	17.3 %
4	Fairly Often	135	5.0 %
5	Very Often	35	1.3 %
	Missing Data		
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,694 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BOTHER3: Bothered past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1651	60.9 %
2	Some/A Little Of The Time (1-2 Days)	706	26.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	276	10.2 %
4	Most/All Of The Time (5-7 Days)	53	2.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT3: Lost appetite past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I did not feel like eating; my appetite was poor.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2152	79.4 %
2	Some/A Little Of The Time (1-2 Days)	336	12.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	148	5.5 %
4	Most/All Of The Time (5-7 Days)	51	1.9 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES3: Had blues past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that I could not shake off the blues even with help from my friends.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1924	71.0 %
2	Some/A Little Of The Time (1-2 Days)	533	19.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	177	6.5 %
4	Most/All Of The Time (5-7 Days)	53	2.0 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 570-571 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD3: As good as others past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that I was just as good as other people.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	82	3.0 %
2	Some/A Little Of The Time (1-2 Days)	201	7.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	341	12.6 %
4	Most/All Of The Time (5-7 Days)	2063	76.2 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN3: Mind on what doing past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I had trouble keeping my mind on what I was doing.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1285	47.4 %
2	Some/A Little Of The Time (1-2 Days)	849	31.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	457	16.9 %
4	Most/All Of The Time (5-7 Days)	95	3.5 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS3: Felt depressed past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt depressed.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1657	61.2 %
2	Some/A Little Of The Time (1-2 Days)	709	26.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	225	8.3 %
4	Most/All Of The Time (5-7 Days)	96	3.5 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT3: Everything an effort past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that everything I did was an effort.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1546	57.1 %
2	Some/A Little Of The Time (1-2 Days)	727	26.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	253	9.3 %
4	Most/All Of The Time (5-7 Days)	160	5.9 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 578-579 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL3: Hopeful about future past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt hopeful about the future.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	94	3.5 %
2	Some/A Little Of The Time (1-2 Days)	245	9.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	585	21.6 %
4	Most/All Of The Time (5-7 Days)	1763	65.1 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 580-581 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE3: Life has been failure past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I thought my life had been a failure.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2322	85.7 %
2	Some/A Little Of The Time (1-2 Days)	255	9.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	81	3.0 %
4	Most/All Of The Time (5-7 Days)	28	1.0 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL3: Felt fearful past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt fearful.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2115	78.1 %
2	Some/A Little Of The Time (1-2 Days)	435	16.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	109	4.0 %
4	Most/All Of The Time (5-7 Days)	27	1.0 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES3: Sleep was restless past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: My sleep was restless.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1228	45.3 %
2	Some/A Little Of The Time (1-2 Days)	823	30.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	396	14.6 %
4	Most/All Of The Time (5-7 Days)	239	8.8 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY3: Happy past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I was happy.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	96	3.5 %
2	Some/A Little Of The Time (1-2 Days)	399	14.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	748	27.6 %
4	Most/All Of The Time (5-7 Days)	1444	53.3 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES3: Talked less than usual past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I talked less than usual.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1873	69.1 %
2	Some/A Little Of The Time (1-2 Days)	519	19.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	217	8.0 %
4	Most/All Of The Time (5-7 Days)	76	2.8 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %

Value	Label	Unweighted Frequency	%
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,685 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY3: Felt lonely past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt lonely.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1883	69.5 %
2	Some/A Little Of The Time (1-2 Days)	576	21.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	168	6.2 %
4	Most/All Of The Time (5-7 Days)	59	2.2 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL3: People unfriendly past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: People were unfriendly.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2290	84.5 %
2	Some/A Little Of The Time (1-2 Days)	327	12.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	56	2.1 %

Value	Label	Unweighted Frequency	%
4	Most/All Of The Time (5-7 Days)	14	0.5 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY3: Enjoyed life past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I enjoyed life.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	78	2.9 %
2	Some/A Little Of The Time (1-2 Days)	299	11.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	588	21.7 %
4	Most/All Of The Time (5-7 Days)	1722	63.6 %
	Missing Data		
-1	N/A	7	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING3: Crying spells past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I had crying spells.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2106	77.7 %

Value	Label	Unweighted Frequency	%
2	Some/A Little Of The Time (1-2 Days)	377	13.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	155	5.7 %
4	Most/All Of The Time (5-7 Days)	49	1.8 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD3: Felt sad past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt sad.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1654	61.1 %
2	Some/A Little Of The Time (1-2 Days)	759	28.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	200	7.4 %
4	Most/All Of The Time (5-7 Days)	74	2.7 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE3: People disliked me past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I felt that people disliked me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2357	87.0 %
2	Some/A Little Of The Time (1-2 Days)	280	10.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	38	1.4 %
4	Most/All Of The Time (5-7 Days)	12	0.4 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN3: Could not get going past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week: I could not get going.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1669	61.6 %
2	Some/A Little Of The Time (1-2 Days)	716	26.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	215	7.9 %
4	Most/All Of The Time (5-7 Days)	87	3.2 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB3: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs (where you work, the usual hours you worked, or your usual job tasks)?

Value	Label	Unweighted Frequency	%
1	No	1820	67.2 %
2	Yes	866	32.0 %
	Missing Data		
-1	N/A	8	0.3 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2,686 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB3: Work for pay past 2 weeks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? Include unpaid work in the family farm or business. If you were on vacation, scheduled leave, or sick leave; please answer as though you were at your usual job.

Value	Label	Unweighted Frequency	%
1	No	98	3.6 %
2	Yes	766	28.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1829	67.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 864 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM13: Work start time

What are your usual hours of work each day for each job? Start time job #1

Value	Label	Unweighted Frequency	%
0:00:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:30:00	-	1	0.0 %
10:00:00	-	24	0.9 %
10:30:00	-	3	0.1 %
10:45:00	-	2	0.1 %
11:00:00	-	10	0.4 %
11:30:00	-	1	0.0 %
12:00:00	-	6	0.2 %
12:19:59	-	1	0.0 %
13:00:00	-	4	0.1 %
13:30:00	-	1	0.0 %
14:00:00	-	7	0.3 %
14:30:00	-	4	0.1 %
14:45:00	-	1	0.0 %
15:00:00	-	6	0.2 %
15:30:00	-	1	0.0 %
16:00:00	-	5	0.2 %
17:00:00	-	3	0.1 %
17:15:00	-	1	0.0 %
17:45:00	-	1	0.0 %
18:00:00	-	4	0.1 %
18:30:00	-	1	0.0 %
18:45:00	-	1	0.0 %
19:00:00	-	6	0.2 %
22:00:00	-	5	0.2 %
22:30:00	-	1	0.0 %
22:45:00	-	1	0.0 %
23:00:00	-	8	0.3 %
23:15:00	-	2	0.1 %
3:00:00	-	1	0.0 %
4:00:00	-	1	0.0 %
4:30:00	-	1	0.0 %
4:45:00	-	1	0.0 %
5:00:00	-	2	0.1 %
5:30:00	-	5	0.2 %
6:00:00	-	17	0.6 %
6:15:00	-	2	0.1 %
6:30:00	-	18	0.7 %
6:45:00	-	3	0.1 %
7:00:00	-	54	2.0 %

Value	Label	Unweighted Frequency	%
7:15:00	-	5	0.2 %
7:20:00	-	1	0.0 %
7:30:00	-	56	2.1 %
7:45:00	-	7	0.3 %
7:55:00	-	2	0.1 %
8:00:00	-	162	6.0 %
8:05:00	-	1	0.0 %
8:12:00	-	1	0.0 %
8:15:00	-	9	0.3 %
8:30:00	-	94	3.5 %
Missing Data			
.	-	2032	75.0 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,709 total cases.

Location: 610-621 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM13: Work stop time

What are your usual hours of work each day for each job? Stop time job #1

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1 %
0:30:00	-	1	0.0 %
10:00:00	-	1	0.0 %
11:00:00	-	2	0.1 %
11:30:00	-	2	0.1 %
12:00:00	-	5	0.2 %
12:30:00	-	2	0.1 %
13:00:00	-	13	0.5 %
13:30:00	-	8	0.3 %
14:00:00	-	15	0.6 %
14:30:00	-	17	0.6 %
14:34:59	-	1	0.0 %
14:40:00	-	1	0.0 %
14:45:00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
14:46:00	-	1	0.0 %
15:00:00	-	54	2.0 %
15:05:00	-	1	0.0 %
15:15:00	-	6	0.2 %
15:19:59	-	1	0.0 %
15:25:00	-	2	0.1 %
15:30:00	-	28	1.0 %
15:45:00	-	3	0.1 %
15:50:00	-	1	0.0 %
16:00:00	-	66	2.4 %
16:12:00	-	1	0.0 %
16:15:00	-	2	0.1 %
16:30:00	-	59	2.2 %
16:40:00	-	1	0.0 %
16:45:00	-	5	0.2 %
17:00:00	-	138	5.1 %
17:15:00	-	2	0.1 %
17:30:00	-	37	1.4 %
17:45:00	-	1	0.0 %
18:00:00	-	58	2.1 %
18:30:00	-	19	0.7 %
18:45:00	-	1	0.0 %
19:00:00	-	22	0.8 %
19:30:00	-	7	0.3 %
20:00:00	-	18	0.7 %
20:15:00	-	1	0.0 %
20:30:00	-	2	0.1 %
21:00:00	-	10	0.4 %
21:30:00	-	2	0.1 %
21:45:00	-	1	0.0 %
22:00:00	-	7	0.3 %
22:30:00	-	1	0.0 %
23:00:00	-	10	0.4 %
23:15:00	-	1	0.0 %
23:30:00	-	5	0.2 %
2:00:00	-	2	0.1 %
	Missing Data		
.	-	2033	75.0 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 676 valid cases out of 2,709 total cases.

Location: 622-633 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT13: Work rotating/alternating

Did/do you work rotating/alternating hours (alternating weekly/monthly) at job #1?

Value	Label	Unweighted Frequency	%
	Total	2,709	100%
1	No	670	24.7 %
2	Yes	95	3.5 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1928	71.2 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 765 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRTIM23: Work start time (2)

What are your usual hours of work each day for each job? Start time job #2

Value	Label	Unweighted Frequency	%
10:00:00	-	6	0.2 %
10:30:00	-	1	0.0 %
11:00:00	-	4	0.1 %
12:00:00	-	2	0.1 %
12:30:00	-	1	0.0 %
13:00:00	-	4	0.1 %
14:00:00	-	1	0.0 %
14:30:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14:45:00	-	1	0.0 %
15:00:00	-	5	0.2 %
15:30:00	-	2	0.1 %
16:00:00	-	1	0.0 %
16:15:00	-	1	0.0 %
16:30:00	-	3	0.1 %
17:00:00	-	7	0.3 %
17:45:00	-	1	0.0 %
18:00:00	-	9	0.3 %
18:30:00	-	2	0.1 %
19:00:00	-	3	0.1 %
19:30:00	-	2	0.1 %
20:00:00	-	2	0.1 %
23:00:00	-	1	0.0 %
2:00:00	-	1	0.0 %
4:00:00	-	1	0.0 %
6:00:00	-	1	0.0 %
6:30:00	-	1	0.0 %
7:00:00	-	5	0.2 %
7:30:00	-	3	0.1 %
8:00:00	-	14	0.5 %
8:15:00	-	1	0.0 %
8:30:00	-	2	0.1 %
9:00:00	-	13	0.5 %
9:30:00	-	2	0.1 %
	Missing Data		
.	-	2605	96.2 %
	Total	2,709	100%

Based upon 104 valid cases out of 2,709 total cases.

Location: 636-647 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM23: Work stop time (2)

What are your usual hours of work each day for each job? Stop time job #2

Value	Label	Unweighted Frequency	%
10:00:00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
11:00:00	-	1	0.0 %
12:00:00	-	3	0.1 %
13:00:00	-	2	0.1 %
13:30:00	-	1	0.0 %
14:00:00	-	2	0.1 %
14:30:00	-	2	0.1 %
15:00:00	-	10	0.4 %
15:30:00	-	3	0.1 %
16:00:00	-	6	0.2 %
16:30:00	-	2	0.1 %
17:00:00	-	14	0.5 %
17:30:00	-	1	0.0 %
18:00:00	-	5	0.2 %
18:30:00	-	2	0.1 %
18:45:00	-	1	0.0 %
19:00:00	-	5	0.2 %
19:30:00	-	2	0.1 %
20:00:00	-	1	0.0 %
20:30:00	-	3	0.1 %
21:00:00	-	13	0.5 %
21:30:00	-	2	0.1 %
22:00:00	-	4	0.1 %
22:30:00	-	1	0.0 %
23:00:00	-	6	0.2 %
23:30:00	-	1	0.0 %
7:00:00	-	1	0.0 %
7:30:00	-	1	0.0 %
7:59:00	-	1	0.0 %
8:00:00	-	2	0.1 %
8:30:00	-	1	0.0 %
9:00:00	-	1	0.0 %
9:30:00	-	1	0.0 %
	Missing Data		
.	-	2605	96.2 %
	Total	2,709	100%

Based upon 104 valid cases out of 2,709 total cases.

Location: 648-659 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT23: Work rotating/alternating (2)

Did/do you work rotating/alternating hours (alternating weekly/monthly) at job #2?

Value	Label	Unweighted Frequency	%
1	No	105	3.9 %
2	Yes	56	2.1 %
	Missing Data		
-1	N/A	2533	93.5 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 161 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM33: Work start time (3)

What are your usual hours of work each day for each job? Start time job #3

Value	Label	Unweighted Frequency	%
12:30:00	-	1	0.0 %
17:00:00	-	1	0.0 %
19:00:00	-	2	0.1 %
20:00:00	-	1	0.0 %
8:00:00	-	4	0.1 %
9:00:00	-	1	0.0 %
	Missing Data		
.	-	2699	99.6 %
	Total	2,709	100%

Based upon 10 valid cases out of 2,709 total cases.

Location: 662-673 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM33: Work stop time (3)

What are your usual hours of work each day for each job? Stop time job #3

Value	Label	Unweighted Frequency	%
13:00:00	-	1	0.0 %
14:00:00	-	1	0.0 %
16:30:00	-	1	0.0 %
17:00:00	-	1	0.0 %
18:00:00	-	1	0.0 %
19:00:00	-	1	0.0 %
20:00:00	-	1	0.0 %
21:00:00	-	2	0.1 %
22:00:00	-	1	0.0 %
	Missing Data		
.	-	2699	99.6 %
	Total	2,709	100%

Based upon 10 valid cases out of 2,709 total cases.

Location: 674-685 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT33: Work rotating/alternating (3)

Did/do you work rotating/alternating hours (alternating weekly/monthly) at job #3?

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2671	98.6 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 23 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 686-687 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOURSPA3: How many hours per week work for pay

On average, how many total hours a week do you work for pay?

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	23	0.8 %
2	11-19 hrs	32	1.2 %
3	20-34 hrs	130	4.8 %
4	35-40 hrs	324	12.0 %
5	41-60 hrs	216	8.0 %
6	>60 hrs	40	1.5 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1928	71.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 765 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 688-689 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE3: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	No	1655	61.1 %
2	Yes	1032	38.1 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 690-691 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR13: Volunteer (1) hours per week

What type of volunteer work do you do? How many hours a week do you spend doing it? (1)

Value	Label	Unweighted Frequency	%
0.00	-	3	0.1 %
0.10	-	4	0.1 %
0.13	-	1	0.0 %
0.15	-	1	0.0 %
0.19	-	2	0.1 %
0.25	-	20	0.7 %
0.30	-	6	0.2 %
0.38	-	3	0.1 %
0.50	-	56	2.1 %
0.60	-	1	0.0 %
0.67	-	1	0.0 %
0.69	-	1	0.0 %
0.75	-	3	0.1 %
0.96	-	1	0.0 %
1.00	-	221	8.2 %
1.15	-	1	0.0 %
1.25	-	3	0.1 %
1.50	-	30	1.1 %
2.00	-	214	7.9 %
2.30	-	2	0.1 %
2.50	-	14	0.5 %
3.00	-	99	3.7 %
3.50	-	7	0.3 %
4.00	-	101	3.7 %
4.50	-	1	0.0 %
5.00	-	62	2.3 %
5.50	-	2	0.1 %
6.00	-	34	1.3 %
7.00	-	8	0.3 %
7.50	-	1	0.0 %
8.00	-	14	0.5 %
9.00	-	4	0.1 %
10.00	-	36	1.3 %
11.00	-	1	0.0 %
12.00	-	6	0.2 %
13.00	-	1	0.0 %
14.00	-	2	0.1 %
15.00	-	15	0.6 %
16.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.00	-	2	0.1 %
19.00	-	1	0.0 %
20.00	-	20	0.7 %
21.00	-	1	0.0 %
24.00	-	4	0.1 %
25.00	-	2	0.1 %
30.00	-	3	0.1 %
37.00	-	1	0.0 %
40.00	-	4	0.1 %
48.00	-	1	0.0 %
60.00	-	1	0.0 %
Missing Data			
-9.00	Missing	8	0.3 %
-8.00	Do not know	1	0.0 %
-1.00	N/A	1662	61.4 %
.	-	15	0.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,023 valid cases out of 2,709 total cases.

- Mean: 3.90
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 5.51

Location: 692-696 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR23: Volunteer (2) hours per week

What type of volunteer work do you do? How many hours a week do you spend doing it? (2)

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.10	-	2	0.1 %
0.17	-	3	0.1 %
0.20	-	1	0.0 %
0.25	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.30	-	3	0.1 %
0.45	-	2	0.1 %
0.48	-	1	0.0 %
0.50	-	41	1.5 %
0.75	-	1	0.0 %
1.00	-	116	4.3 %
1.25	-	1	0.0 %
1.50	-	14	0.5 %
2.00	-	70	2.6 %
2.30	-	2	0.1 %
2.50	-	1	0.0 %
3.00	-	35	1.3 %
4.00	-	19	0.7 %
5.00	-	19	0.7 %
6.00	-	8	0.3 %
7.00	-	3	0.1 %
8.00	-	8	0.3 %
10.00	-	3	0.1 %
12.00	-	3	0.1 %
14.00	-	1	0.0 %
15.00	-	3	0.1 %
20.00	-	4	0.1 %
21.00	-	1	0.0 %
48.00	-	1	0.0 %
50.00	-	1	0.0 %
70.00	-	1	0.0 %
Missing Data			
-9.00	Missing	4	0.1 %
-1.00	N/A	2317	85.5 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 373 valid cases out of 2,709 total cases.

- Mean: 2.99
- Median: 1.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 5.80

Location: 697-701 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR33: Volunteer (3) hours per week

What type of volunteer work do you do? How many hours a week do you spend doing it? (3)

Value	Label	Unweighted Frequency	%
0.10	-	1	0.0 %
0.25	-	8	0.3 %
0.50	-	14	0.5 %
1.00	-	32	1.2 %
1.15	-	1	0.0 %
1.50	-	1	0.0 %
2.00	-	20	0.7 %
2.50	-	1	0.0 %
3.00	-	6	0.2 %
3.50	-	1	0.0 %
3.70	-	1	0.0 %
4.00	-	5	0.2 %
5.00	-	6	0.2 %
6.00	-	3	0.1 %
7.00	-	1	0.0 %
8.00	-	2	0.1 %
9.00	-	1	0.0 %
10.00	-	3	0.1 %
25.00	-	1	0.0 %
40.00	-	2	0.1 %
Missing Data			
-1.00	N/A	2584	95.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 110 valid cases out of 2,709 total cases.

- Mean: 3.15
- Median: 1.07
- Mode: 1.00
- Minimum: 0.10
- Maximum: 40.00
- Standard Deviation: 5.93

Location: 702-706 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL3: Marital status

What is your current marital status?

Value	Label	Unweighted Frequency	%
1	Single/Never Married	331	12.2 %
2	Currently Married/Living as Married	1767	65.2 %
3	Separated	106	3.9 %
4	Widowed	81	3.0 %
5	Divorced	408	15.1 %
Missing Data			
-7	Refused	1	0.0 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,693 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL3: Anyone living in your household

Other than yourself, is there anyone else living in your household?

Value	Label	Unweighted Frequency	%
1	No	312	11.5 %
2	Yes	2375	87.7 %
Missing Data			
-1	N/A	7	0.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 2,687 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT13: Relationship to yourself (1)

If someone else lives in your household other than yourself, please describe their relationship to you. (1)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	319	11.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
AUNT	-	2	0.1 %
BEST FRIEND	-	1	0.0 %
BOYFRIEND	-	26	1.0 %
BOYFRIENDS	-	1	0.0 %
BROTHER	-	10	0.4 %
BROTHER-IN-LAW	-	1	0.0 %
CHILD	-	2	0.1 %
CHILD (SON)	-	1	0.0 %
CHILD-DAUGHTER	-	1	0.0 %
COMPANION	-	3	0.1 %
COUSIN	-	1	0.0 %
DAD	-	2	0.1 %
DAUGHER	-	1	0.0 %
DAUGHTER	-	303	11.2 %
DAUGHTER (ADOPTED)	-	1	0.0 %
DAUGHTER-ADOPTED	-	1	0.0 %
DAUGTHER	-	11	0.4 %
DOMESTIC PARTNER	-	3	0.1 %
EX-HUSBAND	-	2	0.1 %
FANCEE	-	1	0.0 %
FATHER	-	16	0.6 %
FATHER IN LAW	-	1	0.0 %
FATHER-IN-LAW	-	1	0.0 %
FIANCE	-	1	0.0 %
FIANCEE	-	1	0.0 %
FORMER SIGNIFICANT OTHER-CO	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FOSTER SON	-	2	0.1 %
FRIEND	-	19	0.7 %

Value	Label	Unweighted Frequency	%
GIRLFRIEND	-	3	0.1 %
GODSON	-	1	0.0 %
GRAND CHILD	-	1	0.0 %
GRANDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	7	0.3 %
GRANDSON	-	6	0.2 %
GREAT AUNT	-	1	0.0 %
HONEY	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
HUABAND	-	1	0.0 %
HUSBAN	-	1	0.0 %
HUSBAND	-	1381	51.0 %
HUSBANDB	-	1	0.0 %
HUSBSND	-	1	0.0 %
LIVE IN PARTNER	-	1	0.0 %
LONG TERM PARTNER	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 711-737 (width: 27; decimal: 0)

Variable Type: character

SEX13: Gender (1)

If someone else lives in your household other than yourself, please give their gender. (1)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	319	11.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	465	17.2 %
M	-	1910	70.5 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 738-739 (width: 2; decimal: 0)

AGE13: Age (1)

If someone else lives in your household other than yourself, please give their age. (1)

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	5	0.2 %
5	-	7	0.3 %
6	-	11	0.4 %
7	-	15	0.6 %
8	-	13	0.5 %
9	-	16	0.6 %
10	-	15	0.6 %
11	-	14	0.5 %
12	-	28	1.0 %
13	-	22	0.8 %
14	-	32	1.2 %
15	-	43	1.6 %
16	-	47	1.7 %
17	-	50	1.8 %
18	-	57	2.1 %
19	-	41	1.5 %
20	-	49	1.8 %
21	-	36	1.3 %
22	-	44	1.6 %
23	-	34	1.3 %
24	-	30	1.1 %
25	-	23	0.8 %
26	-	30	1.1 %
27	-	18	0.7 %
28	-	14	0.5 %
29	-	4	0.1 %
30	-	17	0.6 %
31	-	7	0.3 %
32	-	3	0.1 %
33	-	5	0.2 %
34	-	4	0.1 %

Value	Label	Unweighted Frequency	%
35	-	6	0.2 %
36	-	1	0.0 %
37	-	8	0.3 %
38	-	13	0.5 %
39	-	9	0.3 %
40	-	18	0.7 %
41	-	15	0.6 %
42	-	16	0.6 %
43	-	32	1.2 %
44	-	46	1.7 %
45	-	60	2.2 %
46	-	83	3.1 %
47	-	87	3.2 %
48	-	104	3.8 %
49	-	124	4.6 %
50	-	137	5.1 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-7	Refused	1	0.0 %
-1	N/A	319	11.8 %
.	-	15	0.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,372 valid cases out of 2,709 total cases.

- Mean: 41.67
- Median: 48.00
- Mode: 50.00
- Minimum: 1.00
- Maximum: 95.00
- Standard Deviation: 17.37

Location: 740-741 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

RELAT23: Relationship to yourself (2)

If someone else lives in your household other than yourself, please describe their relationship to you. (2)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
(BROTHER IN LAW)			
HUSBAND	-	1	0.0 %
-1	N/A	1034	38.2 %
-11	Undocumented code	1	0.0 %
-7	Refused	0	0.0 %
-8	Do not know	4	0.1 %
-9	Missing	0	0.0 %
ADOPTED DAUGHTER	-	1	0.0 %
ADOPTED SON	-	1	0.0 %
AON	-	1	0.0 %
AUNT	-	2	0.1 %
BOARDER	-	2	0.1 %
BORDER	-	1	0.0 %
BOY FRIEND	-	1	0.0 %
BOYFRIEND	-	6	0.2 %
BROTHER	-	13	0.5 %
BROTHER-IN-LAW	-	2	0.1 %
CHILD	-	4	0.1 %
CHILD-DAUGHTER	-	1	0.0 %
CHILD-SON	-	1	0.0 %
COUSIN	-	3	0.1 %
DAD	-	2	0.1 %
DAU	-	1	0.0 %
DAUGHTER	-	615	22.7 %
DAUGHTER (ADOPTED)	-	2	0.1 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	5	0.2 %
DAUGTHER	-	6	0.2 %
DAUHGTER	-	2	0.1 %
DAUTHTER	-	1	0.0 %
EX-HUSBAND	-	1	0.0 %
FATHER	-	4	0.1 %
FATHER IN LAW	-	1	0.0 %
FATHER'S CARETAKER	-	1	0.0 %
FATHER-IN-LAW	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FIANCEE	-	1	0.0 %
FOSTER SON	-	1	0.0 %
FRIEND	-	5	0.2 %
FRIEND (BOARDER)	-	1	0.0 %
GIRLFRIEND	-	1	0.0 %
GRAND CHILD	-	1	0.0 %
GRAND- DAUGHTER	-	2	0.1 %
GRAND-SON	-	2	0.1 %
GRANDDAUGHTER	-	3	0.1 %
GRANDCHILD	-	2	0.1 %
GRANDDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	9	0.3 %
GRANDMOTHER	-	1	0.0 %
GRANDSON	-	25	0.9 %
GRANSNON	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 742-765 (width: 24; decimal: 0)

Variable Type: character

SEX23: Gender (2)

If someone else lives in your household other than yourself, please give their gender. (2)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	1035	38.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	735	27.1 %
M	-	924	34.1 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 766-767 (width: 2; decimal: 0)

Variable Type: character

AGE23: Age (2)

If someone else lives in your household other than yourself, please give their age. (2)

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	8	0.3 %
3	-	6	0.2 %
4	-	6	0.2 %
5	-	15	0.6 %
6	-	21	0.8 %
7	-	17	0.6 %
8	-	21	0.8 %
9	-	37	1.4 %
10	-	54	2.0 %
11	-	46	1.7 %
12	-	58	2.1 %
13	-	74	2.7 %
14	-	69	2.5 %
15	-	75	2.8 %
16	-	95	3.5 %
17	-	105	3.9 %
18	-	104	3.8 %
19	-	108	4.0 %
20	-	79	2.9 %
21	-	87	3.2 %
22	-	85	3.1 %
23	-	57	2.1 %
24	-	53	2.0 %
25	-	36	1.3 %
26	-	30	1.1 %
27	-	21	0.8 %
28	-	23	0.8 %
29	-	5	0.2 %
30	-	10	0.4 %
31	-	5	0.2 %
32	-	8	0.3 %
33	-	5	0.2 %
34	-	3	0.1 %
35	-	1	0.0 %
36	-	2	0.1 %

Value	Label	Unweighted Frequency	%
37	-	3	0.1 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	3	0.1 %
41	-	3	0.1 %
42	-	3	0.1 %
43	-	1	0.0 %
44	-	5	0.2 %
45	-	3	0.1 %
46	-	8	0.3 %
47	-	9	0.3 %
48	-	6	0.2 %
49	-	14	0.5 %
50	-	27	1.0 %
Missing Data			
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	1035	38.2 %
.	-	15	0.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,656 valid cases out of 2,709 total cases.

- Mean: 22.63
- Median: 19.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 15.13

Location: 768-769 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT33: Relationship to yourself (3)

If someone else lives in your household other than yourself, please describe their relationship to you. (3)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	1705	62.9 %

Value	Label	Unweighted Frequency	%
-7	Refused	0	0.0 %
-8	Do not know	2	0.1 %
-9	Missing	0	0.0 %
ACQUAINTANCE	-	1	0.0 %
ADOPTED DAUGHTER	-	1	0.0 %
BOARDER	-	1	0.0 %
BOYFRIEND	-	3	0.1 %
BOYFRIEND'S MOTHER	-	1	0.0 %
BOYFRIEND'S SON	-	1	0.0 %
BROTHER	-	6	0.2 %
BROTHER'S MATE	-	1	0.0 %
BROTHER-IN-LAW	-	2	0.1 %
CHILD	-	3	0.1 %
COUSIN	-	1	0.0 %
DAUGHTER	-	353	13.0 %
DAUGHTER (ADOPTED)	-	1	0.0 %
DAUGHTER (SECOND)	-	1	0.0 %
DAUGHTER IN LAW	-	2	0.1 %
DAUGHTER'S FRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	2	0.1 %
DAUGHTERR	-	1	0.0 %
DAUGTHER	-	1	0.0 %
FATHER	-	4	0.1 %
FATHER IN LAW	-	1	0.0 %
FATHER-IN-LAW	-	1	0.0 %
FRIEND	-	9	0.3 %
GOD-SON	-	1	0.0 %
GODCHILD	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %
GRAND SON	-	1	0.0 %
GRAND- DAUGHTER	-	3	0.1 %
GRANDAUGHTER	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	23	0.8 %

Value	Label	Unweighted Frequency	%
GRANDDAUGTHER	-	1	0.0 %
GRANDSON	-	34	1.3 %
GRANDSONE	-	1	0.0 %
GRANSDON	-	1	0.0 %
HOUSE MATE	-	1	0.0 %
HOUSEMATE	-	2	0.1 %
HUSBAND	-	83	3.1 %
KID	-	1	0.0 %
MOM	-	2	0.1 %
MOTHER	-	8	0.3 %
MOTHER - IN LAW	-	1	0.0 %
MOTHER'S NEPHEW	-	1	0.0 %
MOTHER-IN-LAW	-	1	0.0 %
NEICE	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 770-794 (width: 25; decimal: 0)

Variable Type: character

SEX33: Gender (3)

If someone else lives in your household other than yourself, please give their gender. (3)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	1705	62.9 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	429	15.8 %
M	-	560	20.7 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 795-796 (width: 2; decimal: 0)

Variable Type: character

AGE33: Age (3)

If someone else lives in your household other than yourself, please give their age. (3)

Value	Label	Unweighted Frequency	%
1	-	24	0.9 %
2	-	8	0.3 %
3	-	4	0.1 %
4	-	7	0.3 %
5	-	13	0.5 %
6	-	26	1.0 %
7	-	29	1.1 %
8	-	19	0.7 %
9	-	38	1.4 %
10	-	41	1.5 %
11	-	37	1.4 %
12	-	45	1.7 %
13	-	52	1.9 %
14	-	45	1.7 %
15	-	50	1.8 %
16	-	46	1.7 %
17	-	45	1.7 %
18	-	53	2.0 %
19	-	47	1.7 %
20	-	47	1.7 %
21	-	29	1.1 %
22	-	33	1.2 %
23	-	25	0.9 %
24	-	18	0.7 %
25	-	19	0.7 %
26	-	18	0.7 %
27	-	7	0.3 %
28	-	4	0.1 %
29	-	3	0.1 %
30	-	3	0.1 %
31	-	4	0.1 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	2	0.1 %
35	-	3	0.1 %
37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38	-	2	0.1 %
39	-	1	0.0 %
40	-	2	0.1 %
42	-	1	0.0 %
43	-	3	0.1 %
44	-	4	0.1 %
45	-	10	0.4 %
46	-	5	0.2 %
47	-	2	0.1 %
48	-	8	0.3 %
49	-	11	0.4 %
50	-	16	0.6 %
51	-	9	0.3 %
52	-	3	0.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1705	62.9 %
.	-	15	0.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 988 valid cases out of 2,709 total cases.

- Mean: 20.76
- Median: 17.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 15.58

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT43: Relationship to yourself (4)

If someone else lives in your household other than yourself, please describe their relationship to you. (4)

Value	Label	Unweighted Frequency	%
	-	15	0.6 %
-1	N/A	2303	85.0 %
-7	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
ADOPTED SON	-	1	0.0 %
AUNT	-	1	0.0 %
BOARDER	-	1	0.0 %
BOYFRIEND'S DAUGHTER	-	1	0.0 %
BROTHER	-	2	0.1 %
BROTHER IN LAW	-	1	0.0 %
BROTHER-IN-LAW	-	2	0.1 %
DAUGHTER	-	1	0.0 %
DAUGHTER (ADOPTED)	-	114	4.2 %
DAUGHTER IN LAW	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	2	0.1 %
DAUGTHER	-	1	0.0 %
FATHER	-	1	0.0 %
FATHER-IN-LAW	-	1	0.0 %
FIANCE	-	1	0.0 %
FOSTER SON	-	1	0.0 %
FRIEND	-	5	0.2 %
FRIEND OF SON	-	1	0.0 %
FRIEND'S SON	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %
GRAND DAUGTHER	-	1	0.0 %
GRAND SON	-	1	0.0 %
GRAND-DAUGHTER	-	1	0.0 %
GRAND-SON	-	1	0.0 %
GRANDDAUGHTER	-	12	0.4 %
GRANDDAUGTHER	-	1	0.0 %
GRANDPA	-	1	0.0 %
GRANDSON	-	23	0.8 %
HOUSE KEEPER	-	1	0.0 %
HUSBAND	-	34	1.3 %
KID	-	1	0.0 %

Value	Label	Unweighted Frequency	%
MOTHER	-	7	0.3 %
MOTHER IN LAW	-	1	0.0 %
MOTHER-IN-LAW	-	7	0.3 %
NEPHEW	-	8	0.3 %
NIECE	-	5	0.2 %
NUN	-	1	0.0 %
PARENT	-	1	0.0 %
SISTER	-	5	0.2 %
SISTER-IN-LAW	-	1	0.0 %
SOM	-	1	0.0 %
SON	-	125	4.6 %
SON (FRIEND'S)	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 799-820 (width: 22; decimal: 0)

Variable Type: character

SEX43: Gender (4)

If someone else lives in your household other than yourself, please give their gender. (4)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2303	85.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	174	6.4 %
M	-	217	8.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 821-822 (width: 2; decimal: 0)

Variable Type: character

AGE43: Age (4)

If someone else lives in your household other than yourself, please give their age. (4)

Value	Label	Unweighted Frequency	%
1	-	8	0.3 %
2	-	6	0.2 %
3	-	5	0.2 %
4	-	10	0.4 %
5	-	14	0.5 %
6	-	5	0.2 %
7	-	10	0.4 %
8	-	11	0.4 %
9	-	14	0.5 %
10	-	14	0.5 %
11	-	19	0.7 %
12	-	23	0.8 %
13	-	24	0.9 %
14	-	20	0.7 %
15	-	16	0.6 %
16	-	20	0.7 %
17	-	15	0.6 %
18	-	13	0.5 %
19	-	8	0.3 %
20	-	15	0.6 %
21	-	10	0.4 %
22	-	9	0.3 %
23	-	9	0.3 %
24	-	5	0.2 %
25	-	4	0.1 %
26	-	1	0.0 %
27	-	5	0.2 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.1 %
32	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.1 %
45	-	3	0.1 %

Value	Label	Unweighted Frequency	%
46	-	4	0.1 %
47	-	3	0.1 %
48	-	6	0.2 %
49	-	6	0.2 %
50	-	2	0.1 %
52	-	4	0.1 %
53	-	2	0.1 %
54	-	4	0.1 %
55	-	1	0.0 %
56	-	2	0.1 %
57	-	3	0.1 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	2303	85.0 %
.	-	15	0.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 390 valid cases out of 2,709 total cases.

- Mean: 21.55
- Median: 15.00
- Mode: 13.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 18.73

Location: 823-824 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT53: Relationship to yourself (5)

If someone else lives in your household other than yourself, please describe their relationship to you. (5)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2552	94.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
ADOPTED-SON	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AUNT'S STEP DAUGHTER	-	1	0.0 %
BOYFRIEND	-	1	0.0 %
BROTHER	-	1	0.0 %
DAUGHTER	-	33	1.2 %
DAUGHTER'S FIANCE	-	1	0.0 %
DAUGHTER'S FRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
DUAGHTER	-	1	0.0 %
FATHER	-	1	0.0 %
FATHER-IN-LAW	-	3	0.1 %
FOSTER DAUGHTER	-	1	0.0 %
FRIEND	-	3	0.1 %
FRIEND'S DAUGHTER	-	1	0.0 %
GODDAUGHTER	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %
GRAND SON	-	1	0.0 %
GRAND- DAUGHTER	-	2	0.1 %
GRANDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	7	0.3 %
GRANDDAGHTER	-	1	0.0 %
GRANDSON	-	10	0.4 %
GRANDSON 1	-	1	0.0 %
GREAT NEICE	-	1	0.0 %
HOUSEKEEPER	-	1	0.0 %
HUSBAND	-	10	0.4 %
INTERNATIONAL STUDENT ALTC...	-	1	0.0 %
MOTHER	-	3	0.1 %
MOTHER-IN-LAW	-	1	0.0 %
NEPHEW	-	2	0.1 %
NIECE	-	1	0.0 %
PARENT	-	1	0.0 %
PARTNER(LIVING AS MARRIED)	-	1	0.0 %
SISTER	-	2	0.1 %

Value	Label	Unweighted Frequency	%
SISTER'S SON	-	1	0.0 %
SON	-	37	1.4 %
SON (ADOPTED)	-	1	0.0 %
SON'S FRIEND	-	1	0.0 %
SON-IN-LAW	-	1	0.0 %
STEP SON	-	1	0.0 %
UNCLE	-	1	0.0 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 825-853 (width: 29; decimal: 0)

Variable Type: character

SEX53: Gender (5)

If someone else lives in your household other than yourself, please give their gender. (5)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2552	94.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	60	2.2 %
M	-	82	3.0 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 854-855 (width: 2; decimal: 0)

Variable Type: character

AGE53: Age (5)

If someone else lives in your household other than yourself, please give their age. (5)

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	7	0.3 %
3	-	3	0.1 %
4	-	5	0.2 %
5	-	3	0.1 %
6	-	5	0.2 %

Value	Label	Unweighted Frequency	%
8	-	3	0.1 %
9	-	7	0.3 %
10	-	11	0.4 %
11	-	5	0.2 %
12	-	4	0.1 %
13	-	5	0.2 %
14	-	5	0.2 %
15	-	10	0.4 %
16	-	5	0.2 %
17	-	5	0.2 %
18	-	5	0.2 %
19	-	3	0.1 %
20	-	3	0.1 %
21	-	2	0.1 %
22	-	4	0.1 %
23	-	1	0.0 %
24	-	2	0.1 %
27	-	1	0.0 %
28	-	3	0.1 %
29	-	1	0.0 %
30	-	2	0.1 %
33	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.1 %
46	-	1	0.0 %
47	-	2	0.1 %
49	-	2	0.1 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.1 %
53	-	1	0.0 %
71	-	1	0.0 %
72	-	1	0.0 %
76	-	1	0.0 %
77	-	2	0.1 %

Value	Label	Unweighted Frequency	%
78	-	1	0.0 %
80	-	1	0.0 %
82	-	1	0.0 %
83	-	1	0.0 %
86	-	1	0.0 %
Missing Data			
-1	N/A	2552	94.2 %
.	-	15	0.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 142 valid cases out of 2,709 total cases.

- Mean: 21.47
- Median: 15.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 20.27

Location: 856-857 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

RELAT63: Relationship to yourself (6)

If someone else lives in your household other than yourself, please describe their relationship to you. (6)

Value	Label	Unweighted Frequency	%
	-	15	0.6 %
-1	N/A	2646	97.7 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
ADOPTED DAUGHTER	-	1	0.0 %
DAUGHTER	-	11	0.4 %
FATHER	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
GRAND-SON	-	1	0.0 %
GRANDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	3	0.1 %

Value	Label	Unweighted Frequency	%
GRANDMOTHER	-	1	0.0 %
GRANDSON	-	3	0.1 %
GRANDSON 2	-	1	0.0 %
GREAT NEPHEW	-	1	0.0 %
HOUSEMATE (FRIEND)	-	1	0.0 %
HUSBAND	-	4	0.1 %
MOTHER	-	1	0.0 %
NEPHEW	-	2	0.1 %
NIECE	-	2	0.1 %
SON	-	9	0.3 %
SON (ADOPTED)	-	1	0.0 %
STUDENT IN EXCHANGE	-	1	0.0 %
UNCLE	-	1	0.0 %
VISITOR	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 858-876 (width: 19; decimal: 0)

Variable Type: character

SEX63: Gender (6)

If someone else lives in your household other than yourself, please give their gender. (6)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2646	97.7 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	21	0.8 %
M	-	27	1.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 877-878 (width: 2; decimal: 0)

Variable Type: character

AGE63: Age (6)

If someone else lives in your household other than yourself, please give their age. (6)

Value	Label	Unweighted Frequency	%
1	-	5	0.2 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
6	-	1	0.0 %
7	-	6	0.2 %
8	-	5	0.2 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	1	0.0 %
13	-	2	0.1 %
15	-	2	0.1 %
16	-	3	0.1 %
18	-	1	0.0 %
19	-	4	0.1 %
23	-	1	0.0 %
26	-	1	0.0 %
35	-	1	0.0 %
52	-	1	0.0 %
53	-	2	0.1 %
61	-	1	0.0 %
68	-	1	0.0 %
79	-	2	0.1 %
85	-	1	0.0 %
Missing Data			
-1	N/A	2646	97.7 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 48 valid cases out of 2,709 total cases.

- Mean: 20.15
- Median: 11.50
- Mode: 7.00
- Minimum: 1.00
- Maximum: 85.00
- Standard Deviation: 22.55

Location: 879-880 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT73: Relationship to yourself (7)

If someone else lives in your household other than yourself, please describe their relationship to you. (7)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2667	98.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
ADOPTED DAUGHTER	-	1	0.0 %
DAUGHTER	-	2	0.1 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
FATHER'S GIRLFRIEND	-	1	0.0 %
FOSTER SON	-	1	0.0 %
GRAND- DAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	5	0.2 %
GRANDSON	-	2	0.1 %
GRANDSON 3	-	1	0.0 %
GREAT NEPHEW	-	1	0.0 %
HUSBAND	-	2	0.1 %
NEPHEW	-	1	0.0 %
NIECE	-	1	0.0 %
SON	-	5	0.2 %
SON (ADOPTED)	-	1	0.0 %
VISITOR	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 881-900 (width: 20; decimal: 0)

Variable Type: character

SEX73: Gender (7)

If someone else lives in your household other than yourself, please give their gender. (7)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2667	98.4 %

Value	Label	Unweighted Frequency	%
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	11	0.4 %
M	-	16	0.6 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 901-902 (width: 2; decimal: 0)

Variable Type: character

AGE73: Age (7)

If someone else lives in your household other than yourself, please give their age. (7)

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	4	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	2	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	2	0.1 %
11	-	1	0.0 %
14	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
23	-	2	0.1 %
51	-	1	0.0 %
56	-	1	0.0 %
59	-	1	0.0 %
Missing Data			
-1	N/A	2667	98.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 27 valid cases out of 2,709 total cases.

- Mean: 14.19
- Median: 8.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 59.00
- Standard Deviation: 16.53

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT83: Relationship to yourself (8)

If someone else lives in your household other than yourself, please describe their relationship to you. (8)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2679	98.9 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
DAUGHTER	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
GRANDSON	-	3	0.1 %
GRANDSON 4	-	1	0.0 %
HUSBAND	-	2	0.1 %
NEPHEW	-	2	0.1 %
PARTNER	-	1	0.0 %
SON	-	3	0.1 %
SON (ADOPTED)	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 905-919 (width: 15; decimal: 0)

Variable Type: character

SEX83: Gender (8)

If someone else lives in your household other than yourself, please give their gender. (8)

Value	Label	Unweighted Frequency	%
-	-	15	0.6 %
-1	N/A	2679	98.9 %

Value	Label	Unweighted Frequency	%
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	2	0.1 %
M	-	13	0.5 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 920-921 (width: 2; decimal: 0)

Variable Type: character

AGE83: Age (8)

If someone else lives in your household other than yourself, please give their age. (8)

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
48	-	1	0.0 %
Missing Data			
-1	N/A	2679	98.9 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 15 valid cases out of 2,709 total cases.

- Mean: 15.93
- Median: 11.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 48.00

- Standard Deviation: 15.38

Location: 922-923 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT93: Relationship to yourself (9)

If someone else lives in your household other than yourself, please describe their relationship to you. (9)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2687	99.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
DAUGHTER	-	2	0.1 %
GRAND SON	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
NIECE	-	1	0.0 %
PARTNER	-	1	0.0 %
SON	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 924-936 (width: 13; decimal: 0)

Variable Type: character

SEX93: Gender (9)

If someone else lives in your household other than yourself, please give their gender. (9)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2687	99.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	5	0.2 %
M	-	2	0.1 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 937-938 (width: 2; decimal: 0)

Variable Type: character

AGE93: Age (9)

If someone else lives in your household other than yourself, please give their age. (9)

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
7	-	2	0.1 %
15	-	1	0.0 %
18	-	1	0.0 %
28	-	1	0.0 %
62	-	1	0.0 %
Missing Data			
-1	N/A	2687	99.2 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 7 valid cases out of 2,709 total cases.

- Mean: 20.43
- Median: 15.00
- Mode: 7.00
- Minimum: 6.00
- Maximum: 62.00
- Standard Deviation: 19.96

Location: 939-940 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT103: Relationship to yourself (10)

If someone else lives in your household other than yourself, please describe their relationship to you. (10)

Value	Label	Unweighted Frequency	%
	-	15	0.6 %
-1	N/A	2689	99.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
DAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
GRANDNIECE	-	1	0.0 %
GREAT NEPHEW	-	1	0.0 %
SON	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 941-953 (width: 13; decimal: 0)

Variable Type: character

SEX103: Gender (10)

If someone else lives in your household other than yourself, please give their gender. (10)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2689	99.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	3	0.1 %
M	-	2	0.1 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 954-955 (width: 2; decimal: 0)

Variable Type: character

AGE103: Age (10)

If someone else lives in your household other than yourself, please give their age. (10)

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
3	-	1	0.0 %
5	-	1	0.0 %
24	-	1	0.0 %
Missing Data			
-1	N/A	2689	99.3 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 5 valid cases out of 2,709 total cases.

- Mean: 6.80
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 9.76

Location: 956-957 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT113: Relationship to yourself (11)

If someone else lives in your household other than yourself, please describe their relationship to you. (11)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2692	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
HUSBAND	-	1	0.0 %
SISTER'S OLD MAN	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 958-973 (width: 16; decimal: 0)

Variable Type: character

SEX113: Gender (11)

If someone else lives in your household other than yourself, please give their gender. (11)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2692	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
M	-	2	0.1 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 974-975 (width: 2; decimal: 0)

Variable Type: character

AGE113: Age (11)

If someone else lives in your household other than yourself, please give their age. (11)

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %

Value	Label	Unweighted Frequency	%
55	-	1	0.0 %
	Missing Data		
-1	N/A	2692	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 2 valid cases out of 2,709 total cases.

- Mean: 49.00
- Median: 49.00
- Minimum: 43.00
- Maximum: 55.00
- Standard Deviation: 8.49

Location: 976-977 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT123: Relationship to yourself (12)

If someone else lives in your household other than yourself, please describe their relationship to you. (12)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2694	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 978-979 (width: 2; decimal: 0)

Variable Type: character

SEX123: Gender (12)

If someone else lives in your household other than yourself, please give their gender. (12)

Value	Label	Unweighted Frequency	%
-		15	0.6 %
-1	N/A	2694	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 980-981 (width: 2; decimal: 0)

Variable Type: character

AGE123: Age (12)

If someone else lives in your household other than yourself, please give their age. (12)

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 982-983 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR13: Osteoporosis medication number 1

Since your last study visit, have you taken medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol)?

Value	Label	Unweighted Frequency	%
1	No	7	0.3 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2680	98.9 %
.	-	15	0.6 %
	Total	2,709	100%

Based upon 14 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 984-985 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW13: Osteoporosis medication number 1 taken 2 times per week for last month

Have you been taking medications to prevent or treat osteoporosis at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR23: Osteoporosis medication number 2

Since your last study visit, have you taken medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol)?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW23: Osteoporosis medication number 2 taken 2 times per week for last month

Have you been taking medications to prevent or treat osteoporosis at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2694	99.4 %
.	-	15	0.6 %
Total		2,709	100%

Based upon 0 valid cases out of 2,709 total cases.

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMFLG3: Abbreviated (AINT) or regular (INT) interview

Value	Label	Unweighted Frequency	%
-		15	0.6 %
AIN	-	7	0.3 %
INT	-	2687	99.2 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 992-994 (width: 3; decimal: 0)

Variable Type: character

STATUS3: Menopausal status

Value	Label	Unweighted Frequency	%
1	Post by BSO	54	2.0 %
2	Natural Post	317	11.7 %
3	Late Peri	242	8.9 %
4	Early Peri	1404	51.8 %
5	Pre-menopausal	306	11.3 %
6	Pregnant/breastfeeding	0	0.0 %
7	Unknown due to HT use	333	12.3 %
8	Unknown due to hysterectomy	37	1.4 %
	Missing Data		
.	-	16	0.6 %
	Total	2,709	100%

Based upon 2,693 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 8.00

Location: 995-995 (width: 1; decimal: 0)

Variable Type: numeric

SAADAY3: Self-administered-Part A Day

Value	Label	Unweighted Frequency	%
900	-	1	0.0 %
940	-	1	0.0 %

Value	Label	Unweighted Frequency	%
941	-	1	0.0 %
944	-	1	0.0 %
953	-	1	0.0 %
965	-	1	0.0 %
990	-	1	0.0 %
996	-	1	0.0 %
1000	-	1	0.0 %
1001	-	1	0.0 %
1003	-	1	0.0 %
1005	-	1	0.0 %
1007	-	2	0.1 %
1008	-	2	0.1 %
1012	-	1	0.0 %
1015	-	2	0.1 %
1017	-	2	0.1 %
1019	-	1	0.0 %
1020	-	1	0.0 %
1021	-	2	0.1 %
1022	-	1	0.0 %
1023	-	7	0.3 %
1024	-	2	0.1 %
1025	-	3	0.1 %
1026	-	1	0.0 %
1027	-	2	0.1 %
1028	-	2	0.1 %
1029	-	5	0.2 %
1030	-	2	0.1 %
1032	-	3	0.1 %
1033	-	2	0.1 %
1034	-	4	0.1 %
1035	-	6	0.2 %
1036	-	7	0.3 %
1037	-	3	0.1 %
1038	-	1	0.0 %
1039	-	2	0.1 %
1040	-	10	0.4 %
1041	-	1	0.0 %
1042	-	8	0.3 %
1043	-	7	0.3 %

Value	Label	Unweighted Frequency	%
1044	-	7	0.3 %
1045	-	8	0.3 %
1046	-	8	0.3 %
1047	-	7	0.3 %
1048	-	5	0.2 %
1049	-	19	0.7 %
1050	-	12	0.4 %
1051	-	12	0.4 %
1052	-	8	0.3 %
Missing Data			
.	-	95	3.5 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,614 valid cases out of 2,709 total cases.

- Mean: 1119.19
- Minimum: 900.00
- Maximum: 1554.00
- Standard Deviation: 62.62

Location: 996-999 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAA3: Language of self-A

Value	Label	Unweighted Frequency	%
1	English	2282	84.2 %
2	Spanish	145	5.4 %
3	Cantonese	83	3.1 %
4	Japanese	105	3.9 %
Missing Data			
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,615 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1000-1001 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DATAFLG3: Record source: abbreviated form (AINT) or full form (SAA)

Value	Label	Unweighted Frequency	%
-		94	3.5 %
AIN	-	7	0.3 %
SAA	-	2608	96.3 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1002-1004 (width: 3; decimal: 0)

Variable Type: character

OVERHLT3: Overall health

In general, would you say your health is excellent, very good, good, fair, or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	440	16.2 %
2	Very good	1002	37.0 %
3	Good	812	30.0 %
4	Fair	295	10.9 %
5	Poor	44	1.6 %
	Missing Data		
-9	Missing	16	0.6 %
-8	Do not know	6	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,593 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1005-1006 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOSPSTA3: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	2389	88.2 %
1	-	157	5.8 %
2	-	31	1.1 %

Value	Label	Unweighted Frequency	%
3	-	12	0.4 %
4	-	5	0.2 %
5	-	2	0.1 %
6	-	1	0.0 %
8	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
Missing Data			
-9	Missing	15	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 1.34

Location: 1007-1008 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MDTALK3: Number of times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner, or other health care provider regarding your own health (do not count health care providers that you have seen during a visit for this study)?

Value	Label	Unweighted Frequency	%
0	-	267	9.9 %
1	-	429	15.8 %
2	-	453	16.7 %
3	-	370	13.7 %
4	-	290	10.7 %
5	-	173	6.4 %
6	-	146	5.4 %
7	-	33	1.2 %
8	-	83	3.1 %
9	-	21	0.8 %
10	-	105	3.9 %
11	-	12	0.4 %
12	-	47	1.7 %

Value	Label	Unweighted Frequency	%
13	-	5	0.2 %
14	-	11	0.4 %
15	-	28	1.0 %
16	-	8	0.3 %
17	-	4	0.1 %
18	-	8	0.3 %
20	-	37	1.4 %
23	-	1	0.0 %
24	-	8	0.3 %
25	-	13	0.5 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	3	0.1 %
30	-	6	0.2 %
31	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	7	0.3 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
50	-	7	0.3 %
52	-	1	0.0 %
60	-	3	0.1 %
69	-	1	0.0 %
76	At least 76 times	6	0.2 %
Missing Data			
-9	Missing	21	0.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,594 valid cases out of 2,709 total cases.

- Mean: 4.77
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 76.00
- Standard Deviation: 7.12

Location: 1009-1010 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA3: Pap smear since last visit

Since your last study visit, have you had a Pap smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	No	763	28.2 %
2	Yes	1840	67.9 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1011-1012 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA3: Breast exam since last visit

Since your last study visit, have you had a breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	No	662	24.4 %
2	Yes	1938	71.5 %
	Missing Data		
-9	Missing	15	0.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1013-1014 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA3: Mammogram since last visit

Since your last study visit, have you had a mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	No	970	35.8 %
2	Yes	1633	60.3 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1015-1016 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER3: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	No	2318	85.6 %
2	Yes	279	10.3 %
	Missing Data		
-9	Missing	18	0.7 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,597 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1017-1018 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSV13: Health services (1)

If there were health services you needed since your last study visit but did not receive, what kind of health services were they? (1)

Value	Label	Unweighted Frequency	%
	-	94	3.5 %
-1	N/A	2329	86.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %

Value	Label	Unweighted Frequency	%
-9	Missing	11	0.4 %
A MAMMOGRAM	-	1	0.0 %
ANNUAL CHECK-UP	-	1	0.0 %
ANNUAL EXAM	-	1	0.0 %
ANNUAL PAP SMEAR	-	1	0.0 %
ANNUAL PHYSICAL	-	2	0.1 %
ANNUAL PHYSICAL/PAP SMEAR DUE	-	1	0.0 %
ANOTHER PAP SMEAR FOR HEAVY	-	1	0.0 %
ANTIBIOTICS FOR SINUS INFECT.	-	1	0.0 %
ATTENTION TO SORE THROATS, FLU	-	1	0.0 %
B4. PAP SMEAR	-	1	0.0 %
BACK	-	1	0.0 %
BIRTH CONTROL FOR LONG PERIODS	-	1	0.0 %
BLOOD PRESSURE MED. & CHECK-UP	-	1	0.0 %
BLOOD TEST FOR ANEMIA	-	1	0.0 %
BLOOD WORK	-	1	0.0 %
BONE PAIN	-	1	0.0 %
BRAIN SCAN (SEIZURES)	-	1	0.0 %
BREAST CHECK FOR CYSTS	-	1	0.0 %
BREAST EXAMS	-	1	0.0 %
BRONCHITIS-I CAN'T GET AN APPT	-	1	0.0 %
CARE FOR RESPIRATORY INFECTION	-	1	0.0 %
CARTILAGE REGENERATION (CRT)	-	1	0.0 %
CATERACT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CHECK BD AND GET TREATMENT	-	1	0.0 %
CHECK UP FOR OVARIAN ALTC...	-	1	0.0 %
CHEST X-RAY	-	1	0.0 %
CHEST X-RAY WAS DENIED BY EMPL	-	1	0.0 %
CHEST XRAY	-	1	0.0 %
CHIROPRACTIC	-	2	0.1 %
CHIROPRACTOR	-	1	0.0 %
CHIROPRACTOR(L OWER BACK PAIN)	-	1	0.0 %
CHIOPRATIC/PT FOR NECK/MORE	-	1	0.0 %
CHOLESTEROL TEST	-	1	0.0 %
COLONOSCOPY	-	2	0.1 %
COLONSCOPY	-	1	0.0 %
COMPLETE PHYSICAL	-	1	0.0 %
CONSULT W/GYNE RE HORMONES	-	1	0.0 %
CONSULTATION RE:FEMALE HORMONE	-	1	0.0 %
CORN UNDER THE RIGHT FOOT THAT	-	1	0.0 %
COULDN'T HARDLY WALK	-	1	0.0 %
COUNSELING	-	1	0.0 %
COUNSELING (GRIEF)	-	1	0.0 %
DENTAL	-	7	0.3 %
DENTAL CARE	-	2	0.1 %
DENTAL CLEANING	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1019-1048 (*width:* 30; *decimal:* 0)

Variable Type: character

HLTHSV23: Health services (2)

If there were health services you needed since your last study visit but did not receive, what kind of health services were they? (2)

Value	Label	Unweighted Frequency	%
-		94	3.5 %
-1	N/A	2499	92.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	16	0.6 %
ABDOMINAL HYSTERECTOMY	-	1	0.0 %
ACHING THIGHS - NO TREATMENT	-	1	0.0 %
ANKLE & FEET PAIN	-	1	0.0 %
ANSWER QUES. RE BREATHING PROB	-	1	0.0 %
ANTI-DEPRESSION MED.& CHECK-UP	-	1	0.0 %
B5. BREAST EXAM	-	1	0.0 %
BACK PAIN	-	1	0.0 %
BIOPSY (MAPPING) UNDER GENERAL	-	1	0.0 %
BLUE SHIELD CONTRACT IN THE MI	-	1	0.0 %
BREAST EXAM	-	6	0.2 %
BREAST PHYSICAL EXAM	-	1	0.0 %
BREAST ULTRASOUND	-	1	0.0 %
CANCER SCREENING TEST/CT SCAN	-	1	0.0 %
CHIROPRACTIC	-	1	0.0 %
CHIROPRACTOR	-	1	0.0 %
CHIROPRACTOR- COMPLETE THERAPY	-	1	0.0 %
COMPLETE HEALTH WORK-UP	-	1	0.0 %
DENTAL	-	2	0.1 %
DENTAL CLEANING	-	1	0.0 %
DENTIST	-	2	0.1 %

Value	Label	Unweighted Frequency	%
DERMATOLOGIST TO CHECK KERATO-	-	1	0.0 %
DERMATOLOGY	-	1	0.0 %
DERMATOLOGY-MOLE REMOVAL	-	1	0.0 %
EKG	-	1	0.0 %
ENDOCRINOLOGIST	-	1	0.0 %
EYE	-	1	0.0 %
EYE EXAM	-	1	0.0 %
EYE GLASSES	-	1	0.0 %
FIBROID TREATMENT-EMBOLIZATION	-	1	0.0 %
FLU	-	1	0.0 %
FLU SHOT	-	1	0.0 %
FOLLOW UP BREAST ULTRASOUND	-	1	0.0 %
FOLLOW UP FOR URINARY ALTC	-	1	0.0 %
FREQUENT VAGINITIS ALTC	-	1	0.0 %
GYNC GENERAL	-	1	0.0 %
HEADICAP SIGN FOR MY CARE	-	1	0.0 %
HIGH CHOLESTEROL (READING AROU	-	1	0.0 %
I NEED TO SEE DOCTOR FOR PHYSI	-	1	0.0 %
INJURED LEFT KNEE THAT NEEDED	-	1	0.0 %
INSOMNIA	-	1	0.0 %
KNEE EXAMS	-	1	0.0 %
MAMMOGRAM	-	20	0.7 %
MAMMOGRAM, AND	-	1	0.0 %
MAMMOGRAM-WILL SCHED B4 YR END	-	1	0.0 %
MAMOGGRAM	-	3	0.1 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1049-1078 (width: 30; decimal: 0)

Variable Type: character

HLTHSV33: Health services (3)

If there were health services you needed since your last study visit but did not receive, what kind of health services were they? (3)

Value	Label	Unweighted Frequency	%
-		94	3.5 %
-1	N/A	2554	94.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	16	0.6 %
ALTC	-	1	0.0 %
B6. MAMMOGRAM	-	1	0.0 %
BLOOD SPECIALIST	-	1	0.0 %
BLOOD WORK	-	1	0.0 %
BREAST CHECK	-	1	0.0 %
CARPAL TUNNEL SYNDROME	-	1	0.0 %
DENTIST-HAVE NOT KEPT ALTC	-	1	0.0 %
DIETING OR WEIGHT CONTROL	-	1	0.0 %
EYE EXAM	-	1	0.0 %
EYE EXAM FOR GLASSES	-	1	0.0 %
EYE EXAM/NEW GLASSES	-	1	0.0 %
FULL MEDICAL EXAM	-	1	0.0 %
GENERAL PHYSICAL	-	1	0.0 %
HIGH BLOOD PRESSURE MEDICATION	-	1	0.0 %
LEG MUSCLES IN LEG-AFTER EFFEC	-	1	0.0 %

Value	Label	Unweighted Frequency	%
LEG PAIN & SWELLING CAUSES	-	1	0.0 %
MAMMAGRAM AND ULTRASOUND	-	1	0.0 %
MAMMOGRAM	-	7	0.3 %
MAMMOGRAM & OTHER COLON EXAM	-	1	0.0 %
MEDICAL INSURANCE	-	1	0.0 %
MENOPAUSE RELIEF	-	1	0.0 %
MENTAL HEALTH THERAPY	-	1	0.0 %
NEUROLOGIST-FOR NERVES	-	1	0.0 %
ORATHAPETHIC DOCTOR	-	1	0.0 %
PAP SMEAR	-	2	0.1 %
PAST DUE FOR TOOTH CLEANING	-	1	0.0 %
PHYSICAL	-	1	0.0 %
PHYSICAL EXAM	-	1	0.0 %
PODIATRIST	-	1	0.0 %
PODIATRIST TO TREAT NEUROMAS	-	1	0.0 %
PSYCHOLOGY	-	1	0.0 %
PURCHASE EYE GLASSES	-	1	0.0 %
TEETH	-	1	0.0 %
TEETH FIXED	-	1	0.0 %
TREATMENT OF MENOPAUSE SUMPTOM	-	1	0.0 %
ULTRASOUND	-	1	0.0 %
VASCULAR CHECK FOR ARTERIOSCLE	-	1	0.0 %
YEARLY MAMMOGRAM	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1079-1108 (width: 30; decimal: 0)

Variable Type: character

PRIMREA3: Primary reason not receive health care

If there were health services you needed since your last study visit but did not receive, what was the primary reason for not receiving these health services?

Value	Label	Unweighted Frequency	%
1	Not covered by ins/health plan	34	1.3 %
2	Cannot afford	37	1.4 %
3	Travel distance/lack of transport	3	0.1 %
4	No health care provider	18	0.7 %
5	Too busy/no time	91	3.4 %
6	Other	88	3.2 %
Missing Data			
-9	Missing	15	0.6 %
-1	N/A	2329	86.0 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 271 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1109-1110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE3: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	No	2222	82.0 %
2	Yes	391	14.4 %
Missing Data			
-9	Missing	2	0.1 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,613 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1111-1112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA3: Average cigarettes per day since last visit

If you reported smoking cigarettes regularly since your last visit (at least one cigarettes a day); how many cigarettes, on average, do you smoke per day now? If none, please indicate with a (0).

Value	Label	Unweighted Frequency	%
0	-	25	0.9 %
1	-	14	0.5 %
2	-	16	0.6 %
3	-	12	0.4 %
4	-	19	0.7 %
5	-	34	1.3 %
6	-	20	0.7 %
7	-	5	0.2 %
8	-	13	0.5 %
9	-	1	0.0 %
10	-	61	2.3 %
12	-	9	0.3 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	28	1.0 %
16	-	1	0.0 %
18	-	3	0.1 %
20	-	86	3.2 %
21	-	4	0.1 %
24	-	1	0.0 %
25	-	10	0.4 %
29	-	1	0.0 %
30	-	14	0.5 %
35	-	2	0.1 %
40	-	5	0.2 %
50	-	1	0.0 %
60	-	1	0.0 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	2224	82.1 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 389 valid cases out of 2,709 total cases.

- Mean: 12.21
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 9.31

Location: 1113-1114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HHMEMSM3: Household members who smoke

The next questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions. Since your last study visit, how many other members of your household have smoked tobacco inside the house (at least 1 cigarette, cigar, or pipe bowl per day)?

Value	Label	Unweighted Frequency	%
0	-	2094	77.3 %
1	-	383	14.1 %
2	-	67	2.5 %
3	-	22	0.8 %
4	-	5	0.2 %
5	-	3	0.1 %
6	-	1	0.0 %
7	-	2	0.1 %
8	-	1	0.0 %
Missing Data			
-9	Missing	37	1.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,578 valid cases out of 2,709 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.64

Location: 1115-1116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPD3: Days exposed to smoke in home past week

The next questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions. During the past 7 days, how many days were you exposed to tobacco smoke in your home?

Value	Label	Unweighted Frequency	%
0	-	103	3.8 %
1	-	18	0.7 %
2	-	28	1.0 %
3	-	21	0.8 %
4	-	17	0.6 %
5	-	23	0.8 %
6	-	7	0.3 %
7	-	258	9.5 %
Missing Data			
-9	Missing	17	0.6 %
-1	N/A	2123	78.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 475 valid cases out of 2,709 total cases.

- Mean: 4.56
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.96

Location: 1117-1118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPH3: Hours exposed to smoke in home past week

The next questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions. Over the past 7 days, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0.00	-	5	0.2 %
0.25	-	1	0.0 %
0.50	-	1	0.0 %
1.00	-	84	3.1 %
2.00	-	59	2.2 %
3.00	-	38	1.4 %
4.00	-	46	1.7 %
5.00	-	22	0.8 %
6.00	-	24	0.9 %
7.00	-	12	0.4 %

Value	Label	Unweighted Frequency	%
8.00	-	26	1.0 %
10.00	-	12	0.4 %
12.00	-	16	0.6 %
14.00	-	3	0.1 %
15.00	-	4	0.1 %
16.00	-	6	0.2 %
20.00	-	1	0.0 %
24.00	-	7	0.3 %
Missing Data			
-9.00	Missing	13	0.5 %
-1.00	N/A	2235	82.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 367 valid cases out of 2,709 total cases.

- Mean: 4.75
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.60

Location: 1119-1123 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

WRKEXPD3: Past 7 days, days exposed to smoke - work

The next questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions. During the past 7 days, on how many days were you exposed to tobacco smoke while at work?

Value	Label	Unweighted Frequency	%
0	-	2321	85.7 %
1	-	35	1.3 %
2	-	35	1.3 %
3	-	26	1.0 %
4	-	13	0.5 %
5	-	71	2.6 %
6	-	13	0.5 %
7	-	39	1.4 %
Missing Data			
-9	Missing	50	1.8 %
-1	N/A	12	0.4 %

Value	Label	Unweighted Frequency	%
-		94	3.5 %
Total		2,709	100%

Based upon 2,553 valid cases out of 2,709 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.32

Location: 1124-1125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPH3: Hours per day at work exposed to smoke

The next questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions. Over the past 7 days, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0.00	-	11	0.4 %
0.25	-	1	0.0 %
1.00	-	115	4.2 %
2.00	-	20	0.7 %
3.00	-	19	0.7 %
4.00	-	12	0.4 %
5.00	-	8	0.3 %
6.00	-	4	0.1 %
7.00	-	4	0.1 %
8.00	-	21	0.8 %
9.00	-	2	0.1 %
10.00	-	4	0.1 %
11.00	-	1	0.0 %
12.00	-	2	0.1 %
15.00	-	1	0.0 %
Missing Data			
-9.00	Missing	15	0.6 %
-1.00	N/A	2375	87.7 %
-	-	94	3.5 %
Total		2,709	100%

Based upon 225 valid cases out of 2,709 total cases.

- Mean: 2.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.90

Location: 1126-1130 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

PEWRKSM3: Number people smoking when exposed to smoke-work

The next questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions. During the past 7 days, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

Value	Label	Unweighted Frequency	%
0	-	17	0.6 %
1	-	71	2.6 %
2	-	44	1.6 %
3	-	33	1.2 %
4	-	23	0.8 %
5	-	5	0.2 %
6	-	7	0.3 %
7	-	6	0.2 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	10	0.4 %
12	-	1	0.0 %
15	-	2	0.1 %
25	-	1	0.0 %
30	-	1	0.0 %
Missing Data			
-9	Missing	16	0.6 %
-1	N/A	2375	87.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 224 valid cases out of 2,709 total cases.

- Mean: 3.04
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 30.00
- Standard Deviation: 3.57

Location: 1131-1132 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHEXP3: Total hours exposed to smoke-other places

The next questions are about your exposure to smoke. If you are a smoker, please do not include yourself when answering questions. During the past 7 days, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

Value	Label	Unweighted Frequency	%
0	-	1656	61.1 %
1	-	320	11.8 %
2	-	224	8.3 %
3	-	101	3.7 %
4	-	66	2.4 %
5	-	51	1.9 %
6	-	27	1.0 %
7	-	9	0.3 %
8	-	23	0.8 %
9	-	1	0.0 %
10	-	16	0.6 %
12	-	8	0.3 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	5	0.2 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	12	0.4 %
21	-	1	0.0 %
24	-	4	0.1 %
26	-	1	0.0 %
28	-	2	0.1 %
30	-	3	0.1 %
35	-	2	0.1 %
36	-	1	0.0 %
40	-	3	0.1 %
48	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %

Value	Label	Unweighted Frequency	%
72	-	2	0.1 %
84	-	1	0.0 %
Missing Data			
-9	Missing	63	2.3 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,547 valid cases out of 2,709 total cases.

- Mean: 1.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 84.00
- Standard Deviation: 4.66

Location: 1133-1134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DRNKBEE3: Drink alcoholic beverage since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	No	774	28.6 %
2	Yes	1829	67.5 %
Missing Data			
-9	Missing	12	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1135-1136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GLASBEE3: Average glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week, or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	1135	41.9 %
2	1-3/mo	365	13.5 %
3	1/wk	109	4.0 %
4	2-4/wk	117	4.3 %
5	5-6/wk	37	1.4 %
6	1/day	25	0.9 %
7	2-3/day	29	1.1 %
8	4/day	4	0.1 %
9	>= 5/day	4	0.1 %
Missing Data			
-9	Missing	11	0.4 %
-1	N/A	779	28.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 1,825 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1137-1138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASWIN3: Average glasses of wine

How many glasses of wine or wine coolers (a medium glass or serving of wine is 4 to 6 ounces) did you drink on average per day, week, or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	839	31.0 %
2	1-3/mo	447	16.5 %
3	1/wk	137	5.1 %
4	2-4/wk	227	8.4 %
5	5-6/wk	55	2.0 %
6	1/day	66	2.4 %
7	2-3/day	52	1.9 %
8	4/day	4	0.1 %
9	>= 5/day	0	0.0 %
Missing Data			
-9	Missing	9	0.3 %
-1	N/A	779	28.8 %
.	-	94	3.5 %

Value	Label	Unweighted Frequency	%
Total		2,709	100%

Based upon 1,827 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1139-1140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASLIQ3: Average glasses of liquor

How many glasses of liquor or mixed drinks (a medium serving is one shot) did you drink on average per day, week, or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/mo	1257	46.4 %
2	1-3/mo	367	13.5 %
3	1/wk	73	2.7 %
4	2-4/wk	87	3.2 %
5	5-6/wk	14	0.5 %
6	1/day	10	0.4 %
7	2-3/day	13	0.5 %
8	4/day	3	0.1 %
9	>= 5/day	0	0.0 %
Missing Data			
-9	Missing	12	0.4 %
-1	N/A	779	28.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 1,824 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1141-1142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYCTDW3: Cut down on activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Cut down the amount of time you spent on work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2170	80.1 %
2	Yes	432	15.9 %
	Missing Data		
-9	Missing	13	0.5 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1143-1144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYACCO3: Accomplished less past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Accomplished less than you would like?

Value	Label	Unweighted Frequency	%
1	No	1861	68.7 %
2	Yes	740	27.3 %
	Missing Data		
-9	Missing	14	0.5 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1145-1146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYLIMI3: Limited in activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Were limited in the kind of work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2096	77.4 %
2	Yes	505	18.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	14	0.5 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1147-1148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PHYDFCL3: Difficulty performing activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health: Had difficulty performing the work or other activities (for example, it took extra effort)?

Value	Label	Unweighted Frequency	%
1	No	1954	72.1 %
2	Yes	649	24.0 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1149-1150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

EMOCTDW3: Cut down on activity/work past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious): Cut down the amount of time you spent on work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2221	82.0 %
2	Yes	381	14.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	13	0.5 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1151-1152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

EMOACCO3: Accomplished less past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious): Accomplished less than you would like?

Value	Label	Unweighted Frequency	%
1	No	1955	72.2 %
2	Yes	646	23.8 %
	Missing Data		
-9	Missing	14	0.5 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1153-1154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

EMOCARE3: Activity/work less carefully past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious): Didn't do work or other activities as carefully as usual?

Value	Label	Unweighted Frequency	%
1	No	2180	80.5 %
2	Yes	423	15.6 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	94	3.5 %

Value	Label	Unweighted Frequency	%
Total		2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1155-1156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTERFR3: Physical health/emotional problems interfered w/normal social activity

During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

Value	Label	Unweighted Frequency	%
1	Not At All	1447	53.4 %
2	Slightly	689	25.4 %
3	Moderately	314	11.6 %
4	Quite A Bit	120	4.4 %
5	Extremely	28	1.0 %
Missing Data			
-9	Missing	17	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,598 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1157-1158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BODYPAI3: Bodily pain past month

How much bodily pain have you had during the past 4 weeks?

Value	Label	Unweighted Frequency	%
1	None	460	17.0 %
2	Very Mild	874	32.3 %
3	Mild	602	22.2 %
4	Moderately	502	18.5 %
5	Severe	131	4.8 %

Value	Label	Unweighted Frequency	%
6	Very Severe	28	1.0 %
	Missing Data		
-9	Missing	18	0.7 %
.	.	94	3.5 %
	Total	2,709	100%

Based upon 2,597 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1159-1160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTRF3: Pain interfere w/work past month

During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

Value	Label	Unweighted Frequency	%
1	Not At All	1405	51.9 %
2	A Little Bit	735	27.1 %
3	Moderately	290	10.7 %
4	Quite A Bit	148	5.5 %
5	Extremely	24	0.9 %
	Missing Data		
-9	Missing	13	0.5 %
.	.	94	3.5 %
	Total	2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1161-1162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP3: Full of pep last month

These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. During the past 4 weeks, how much time did you feel "full of pep"?

Value	Label	Unweighted Frequency	%
1	All Of The Time	67	2.5 %
2	Most Of The Time	602	22.2 %
3	A Good Bit Of The Time	580	21.4 %
4	Some Of The Time	779	28.8 %
5	A Little Of The Time	401	14.8 %
6	None Of The Time	173	6.4 %
Missing Data			
-9	Missing	13	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1163-1164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY3: Lots energy last month

These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. During the past 4 weeks, how much time did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	All Of The Time	61	2.3 %
2	Most Of The Time	591	21.8 %
3	A Good Bit Of The Time	586	21.6 %
4	Some Of The Time	743	27.4 %
5	A Little Of The Time	466	17.2 %
6	None Of The Time	154	5.7 %
Missing Data			
-9	Missing	14	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1165-1166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOOT3: Felt worn out last month

These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. During the past 4 weeks, how much time did you feel worn out?

Value	Label	Unweighted Frequency	%
1	All Of The Time	60	2.2 %
2	Most Of The Time	220	8.1 %
3	A Good Bit Of The Time	358	13.2 %
4	Some Of The Time	818	30.2 %
5	A Little Of The Time	887	32.7 %
6	None Of The Time	256	9.4 %
Missing Data			
-9	Missing	16	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,599 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TIRED3: Felt tired last month

These next questions are about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. During the past 4 weeks, how much time did you feel tired?

Value	Label	Unweighted Frequency	%
1	All Of The Time	74	2.7 %
2	Most Of The Time	262	9.7 %
3	A Good Bit Of The Time	405	15.0 %
4	Some Of The Time	898	33.1 %
5	A Little Of The Time	878	32.4 %
6	None Of The Time	87	3.2 %
Missing Data			
-9	Missing	11	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,604 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1169-1170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SOCIAL3: Physical health/emotional problems interfered w/social activity/visiting

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?

Value	Label	Unweighted Frequency	%
1	All Of The Time	50	1.8 %
2	Most Of The Time	102	3.8 %
3	Some Of The Time	434	16.0 %
4	A Little Of The Time	649	24.0 %
5	None Of The Time	1365	50.4 %
Missing Data			
-9	Missing	15	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1171-1172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

CARING3: Time spent past year caring for child

During the past year (in the last 12 months), how much time did you spend on average caring for a child or children 5 years of age or less, a disabled child, or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing, or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)

Value	Label	Unweighted Frequency	%
1	None Or Less Than 1 Hr/Wk	1934	71.4 %
2	At Least 1 hr But < 20 Hrs/Wk	399	14.7 %
3	20 Hrs Or More/Wk	261	9.6 %
Missing Data			
-9	Missing	16	0.6 %
-1	N/A	5	0.2 %
.	-	94	3.5 %

Value	Label	Unweighted Frequency	%
Total		2,709	100%

Based upon 2,594 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1173-1174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEALS3: Time spent past year preparing meals

During the past year (in the last 12 months), how much time on average did you spend preparing meals or cleaning up from meals?

Value	Label	Unweighted Frequency	%
1	1 Hour Or Less Per Day	833	30.7 %
2	Between 1 And 2 Hrs/Day	1251	46.2 %
3	More Than 2 Hrs/Day	514	19.0 %
Missing Data			
-9	Missing	12	0.4 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,598 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1175-1176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROUTNCH3: Time spent past year light chores

During the past year (in the last 12 months), how often did you do routine chores requiring light physical effort such as dusting, laundry, changing linens, or grocery shopping?

Value	Label	Unweighted Frequency	%
1	Once/Wk Or Less	431	15.9 %
2	More Than Once/Wk But < Daily	1304	48.1 %
3	Daily Or More	863	31.9 %
Missing Data			
-9	Missing	12	0.4 %

Value	Label	Unweighted Frequency	%
-1	N/A	5	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,598 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1177-1178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODERAT3: Time spent past year moderate chores

During the past year (in the last 12 months), how often did you do chores requiring moderate physical effort such as vacuuming, washing floors, or gardening/yard work?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	554	20.5 %
2	2-3 Times/Month	800	29.5 %
3	4 Or More Times/Month	1242	45.8 %
	Missing Data		
-9	Missing	14	0.5 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,596 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1179-1180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VIGOROU3: Time spent past year vigorous chores

During the past year (in the last 12 months), how often did you do chores at home requiring vigorous physical effort such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or plumbing, tiling, or outdoor painting?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	2195	81.0 %
2	2-3 Times/Month	281	10.4 %
3	4 Or More Times/Month	111	4.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	23	0.8 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,587 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1181-1182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSACT3: Recreational activity compared to other women same age

In comparison with other women your age, is your usual level of physical activity: much less than other women your age, somewhat less, about the same as other women your age, somewhat more, or much more than other women your age?

Value	Label	Unweighted Frequency	%
1	Much Less	165	6.1 %
2	Somewhat Less	445	16.4 %
3	The Same	1082	39.9 %
4	Somewhat More	671	24.8 %
5	Much More	243	9.0 %
	Missing Data		
-9	Missing	7	0.3 %
-8	Do not know	2	0.1 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,606 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1183-1184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV3: Time spent past year watching TV

During the past year (in the last 12 months), how often did you watch television?

Value	Label	Unweighted Frequency	%
1	Never Or Less Than 1 Hr/Wk	141	5.2 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	572	21.1 %
3	1-2 Hrs/Day	991	36.6 %
4	2-4 Hrs/Day	631	23.3 %
5	More Than 4 Hrs/Day	268	9.9 %
Missing Data			
-9	Missing	12	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1185-1186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKBIK3: Time spent walk/bike

During the past year (in the last 12 months), how often did you walk/bike to and from work, school, or errands?

Value	Label	Unweighted Frequency	%
1	Never/ < 5 Minutes Per Day	1378	50.9 %
2	5-15 Minutes/Day	540	19.9 %
3	16-30 Minutes/Day	391	14.4 %
4	31-45 Minutes/Day	156	5.8 %
5	More Than 45 Minutes/Day	131	4.8 %
Missing Data			
-9	Missing	18	0.7 %
-8	Do not know	1	0.0 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,596 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1187-1188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SWEATPA3: Time spent sweat from exertion

During the past year (in the last 12 months), how often did you sweat from exertion?

Value	Label	Unweighted Frequency	%
1	Never/Less Than Once A Month	747	27.6 %
2	Once A Month	374	13.8 %
3	2-3 Times A Month	395	14.6 %
4	Once/Wk	320	11.8 %
5	More Than Once/Wk	765	28.2 %
Missing Data			
-9	Missing	14	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1189-1190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS3: Time spent sport/exercise

During the past year (in the last 12 months), how often did you play sports or exercise?

Value	Label	Unweighted Frequency	%
1	Never/LT Once a Month	940	34.7 %
2	Once/Month	231	8.5 %
3	2-3 Times/Month	263	9.7 %
4	Once/Wk	247	9.1 %
5	More Than Once/Wk	919	33.9 %
Missing Data			
-9	Missing	15	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1191-1192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX13: Sport done most frequently past year

Which sport or exercise did you do most frequently during the past year?

Value	Label	Unweighted Frequency	%
-		94	3.5 %
(POWER) WALKING	-	1	0.0 %
(WALKING)FISHING	-	1	0.0 %
-1	N/A	747	27.6 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	47	1.7 %
0	-	1	0.0 %
10 MIN OF YOGA EVERY MORN	-	1	0.0 %
2X A WEEK WATER AROBICS	-	1	0.0 %
A FEW STRETCHES	-	1	0.0 %
ABDOMINALS	-	1	0.0 %
AERO-FIT	-	1	0.0 %
AEROBIC	-	5	0.2 %
AEROBIC (ZYDECO) DANCING	-	1	0.0 %
AEROBIC - WEIGHT LIFTING	-	1	0.0 %
AEROBIC ACTIVITIES	-	1	0.0 %
AEROBIC DANCE	-	6	0.2 %
AEROBIC EXERCISE	-	1	0.0 %
AEROBIC EXER. ON TREADMIL	-	1	0.0 %
AEROBIC EXERCISE	-	9	0.3 %
AEROBIC EXERCISE -TO TAPE	-	1	0.0 %
AEROBIC EXERCISE TAPE	-	1	0.0 %
AEROBIC EXERCISES	-	1	0.0 %
AEROBIC MACHINES	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AEROBIC STEPPING	-	1	0.0 %
AEROBIC WALKING	-	1	0.0 %
AEROBIC WALKING/...	-	1	0.0 %
AEROBIC WORKOUT	-	1	0.0 %
AEROBIC'S	-	1	0.0 %
AEROBIC-BOXING	-	1	0.0 %
AEROBIC-TREADMILL-TRAMPO	-	1	0.0 %
AEROBIC/TAE BO/KICK ALTC	-	1	0.0 %
AEROBICS	-	55	2.0 %
AEROBICS & RESISTENCE TRA	-	1	0.0 %
AEROBICS & WEIGHT LIFTING	-	1	0.0 %
AEROBICS & WEIGHTS	-	1	0.0 %
AEROBICS (EXERCISE TAPE)	-	1	0.0 %
AEROBICS + WEIGHT LIFTING	-	1	0.0 %
AEROBICS / (WORK)	-	1	0.0 %
AEROBICS AND TONING	-	1	0.0 %
AEROBICS CLASSES	-	1	0.0 %
AEROBICS TONE	-	1	0.0 %
AEROBICS W/HAND WEIGHTS	-	1	0.0 %
AEROBICS WITH -MORE	-	1	0.0 %
AEROBICS, STEP CLASS	-	1	0.0 %
AEROBICS, WT LIFT, KCKBX	-	1	0.0 %
AEROBICS-STEP/FREERUNNER	-	1	0.0 %
AEROBICS/WEIGHT TRAINING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AIKIDO-MARTIAL ARTS	-	1	0.0 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1193-1217 (width: 25; decimal: 0)

Variable Type: character

RATEIN13: Increased heart rate sport (1)

When you did this activity (sport 1), did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	108	4.0 %
2	Yes, A Small Increase	612	22.6 %
3	Yes, A Moderate Increase	798	29.5 %
4	Yes, A Large Increase	301	11.1 %
	Missing Data		
-9	Missing	47	1.7 %
-8	Do not know	1	0.0 %
-1	N/A	748	27.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,819 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1218-1219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC13: Sport (1) number of months

How many months in this past year did you do this activity (sport 1)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	107	3.9 %
2	1-3 Months	301	11.1 %
3	4-6 Months	315	11.6 %
4	7-9 Months	252	9.3 %

Value	Label	Unweighted Frequency	%
5	More Than 9 Months	844	31.2 %
	Missing Data		
-9	Missing	48	1.8 %
-1	N/A	748	27.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,819 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRSACT13: Sport (1) hours per week

During those months, on average, how many hours a week did you do this activity (sport 1)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	310	11.4 %
2	At Least 1 But < 2 Hrs	501	18.5 %
3	At Least 2 But < 3 Hrs	405	15.0 %
4	At Least 3 But < 4 Hrs	280	10.3 %
5	More Than 4 Hours	325	12.0 %
	Missing Data		
-9	Missing	46	1.7 %
-1	N/A	748	27.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,821 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1222-1223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHSPOR3: Other sports done past year

Did you do any other exercise or play any other sport in the past year?

Value	Label	Unweighted Frequency	%
1	No	917	33.9 %
2	Yes	857	31.6 %
	Missing Data		
-9	Missing	93	3.4 %
-1	N/A	748	27.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,774 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1224-1225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX23: Sport second most frequently past year

What was the second most frequent sport or exercise you did in this past year?

Value	Label	Unweighted Frequency	%
	-	94	3.5 %
-1	N/A	1755	64.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	10	0.4 %
ABDOMINAL EXERCISES	-	1	0.0 %
ABS CLASS	-	1	0.0 %
AEROBIC	-	3	0.1 %
AEROBIC ACTIVITIES	-	1	0.0 %
AEROBIC DANCE	-	4	0.1 %
AEROBIC DANCING	-	1	0.0 %
AEROBIC EXERCISE	-	3	0.1 %
AEROBIC EXERCISE W/VIDEO	-	1	0.0 %
AEROBIC STEP	-	1	0.0 %
AEROBICS	-	26	1.0 %
AEROBICS + WEIGHTS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AEROBICS	-	1	0.0 %
+WEIGHT			
TRAINING			
AEROBICS CLASS	-	2	0.1 %
AEROBICS/WEIGH	-	1	0.0 %
TS			
AIR GLIDER	-	1	0.0 %
AQUA AEROBICS	-	1	0.0 %
AQUA THI CHI	-	1	0.0 %
BACK STRETCHES	-	1	0.0 %
EXERCISE			
BADMINTON	-	2	0.1 %
BALLROOM DANCE	-	1	0.0 %
BASEBALL	-	1	0.0 %
BASKETBALL	-	3	0.1 %
BEACH	-	1	0.0 %
VOLLEYBALL			
BELLY DANCING	-	1	0.0 %
BENCH/STEP	-	1	0.0 %
BENDING	-	1	0.0 %
BICYCLE	-	3	0.1 %
BICYCLE RIDING	-	2	0.1 %
BICYCLINE	-	1	0.0 %
BICYCLING	-	11	0.4 %
BIKE	-	8	0.3 %
BIKE	-	1	0.0 %
(STATIONARY)			
BIKE RIDING	-	8	0.3 %
BIKE-RIDING	-	1	0.0 %
BIKE/AEROBIC	-	1	0.0 %
BIKED	-	1	0.0 %
BIKING	-	25	0.9 %
BIKING	-	1	0.0 %
KICKBOXING			
BIKING, ROAD +	-	1	0.0 %
OFF-ROAD			
BOCCE	-	1	0.0 %
BODY ELECTRIC	-	1	0.0 %
CH 44 70M			
BODY PUMP	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BODY SCULPTING/WEIGHT TRN	-	1	0.0 %
BODY WEIGHTS	-	1	0.0 %
BOOT CAMP	-	1	0.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1226-1250 (width: 25; decimal: 0)

Variable Type: character

RATEIN23: Increased heart rate sport (2)

When you did this activity, did your heart rate and breathing increase (sport 2)?

Value	Label	Unweighted Frequency	%
1	No	59	2.2 %
2	Yes, A Small Increase	270	10.0 %
3	Yes, A Moderate Increase	367	13.5 %
4	Yes, A Large Increase	156	5.8 %
Missing Data			
-9	Missing	12	0.4 %
-1	N/A	1751	64.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 852 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1251-1252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC23: Sport (2) number of months

How many months in this past year did you do this activity (sport 2)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	87	3.2 %
2	1-3 Months	225	8.3 %

Value	Label	Unweighted Frequency	%
3	4-6 Months	189	7.0 %
4	7-9 Months	93	3.4 %
5	More Than 9 Months	257	9.5 %
Missing Data			
-9	Missing	13	0.5 %
-1	N/A	1751	64.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 851 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1253-1254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HRSACT23: Sport (2) hours per week

During those months, on average, how many hours a week did you do this activity (sport 2)?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	175	6.5 %
2	At Least 1 But < 2 Hrs	286	10.6 %
3	At Least 2 But < 3 Hrs	201	7.4 %
4	At Least 3 But < 4 Hrs	104	3.8 %
5	More Than 4 Hours	86	3.2 %
Missing Data			
-9	Missing	12	0.4 %
-1	N/A	1751	64.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 852 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1255-1256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PHYSWOR3: Work physical compared to other women same age

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In comparison with other women your age, do you think your work during this past year is physically: much lighter, lighter, the same, heavier, much heavier, or don't know?

Value	Label	Unweighted Frequency	%
1	Much Lighter	129	4.8 %
2	Lighter	322	11.9 %
3	The Same	1136	41.9 %
4	Heavier	442	16.3 %
5	Much Heavier	136	5.0 %
Missing Data			
-9	Missing	102	3.8 %
-8	Do not know	73	2.7 %
-1	N/A	275	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,165 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1257-1258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTIR3: Physically tired after work

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. After work, are you physically tired: never, seldom, sometimes, often, or always?

Value	Label	Unweighted Frequency	%
1	Never	134	4.9 %
2	Seldom	441	16.3 %
3	Sometimes	1051	38.8 %
4	Often	450	16.6 %
5	Always	154	5.7 %
Missing Data			
-9	Missing	110	4.1 %
-1	N/A	275	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,230 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1259-1260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTA3: How often sit in current job

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In your current job(s), on a typical day/shift, how often do you do each of the following: Sit?

Value	Label	Unweighted Frequency	%
1	Never	176	6.5 %
2	Less Than Half Of The Time	604	22.3 %
3	About Half Of The Time	376	13.9 %
4	More Than Half Of The Time	736	27.2 %
5	Always	319	11.8 %
Missing Data			
-9	Missing	120	4.4 %
-8	Do not know	8	0.3 %
-1	N/A	276	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,211 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1261-1262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTB3: How often stand in current job

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In your current job(s), on a typical day/shift, how often do you do each of the following: Stand?

Value	Label	Unweighted Frequency	%
1	Never	150	5.5 %
2	Less Than Half Of The Time	1129	41.7 %
3	About Half Of The Time	301	11.1 %
4	More Than Half Of The Time	374	13.8 %
5	Always	251	9.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	121	4.5 %
-8	Do not know	13	0.5 %
-1	N/A	276	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,205 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1263-1264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTC3: How often walk in current job

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In your current job(s), on a typical day/shift, how often do you do each of the following: Walk?

Value	Label	Unweighted Frequency	%
1	Never	119	4.4 %
2	Less Than Half Of The Time	1249	46.1 %
3	About Half Of The Time	346	12.8 %
4	More Than Half Of The Time	285	10.5 %
5	Always	194	7.2 %
	Missing Data		
-9	Missing	129	4.8 %
-8	Do not know	17	0.6 %
-1	N/A	276	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,193 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1265-1266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTD3: How often lift greater than 15 lbs in current job

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In your current job(s), on a typical day/shift, how often do you do each of the following: Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk)?

Value	Label	Unweighted Frequency	%
1	Never	1212	44.7 %
2	Less Than Half Of The Time	712	26.3 %
3	About Half Of The Time	99	3.7 %
4	More Than Half Of The Time	77	2.8 %
5	Always	100	3.7 %
Missing Data			
-9	Missing	122	4.5 %
-8	Do not know	17	0.6 %
-1	N/A	276	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,200 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1267-1268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTE3: How often stoop/bend in current job

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In your current job(s), on a typical day/shift, how often do you do each of the following: Stoop and bend?

Value	Label	Unweighted Frequency	%
1	Never	531	19.6 %
2	Less Than Half Of The Time	1086	40.1 %
3	About Half Of The Time	228	8.4 %
4	More Than Half Of The Time	180	6.6 %
5	Always	176	6.5 %
Missing Data			
-9	Missing	114	4.2 %
-8	Do not know	24	0.9 %
-1	N/A	276	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,201 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1269-1270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTF3: How often push heavy equipment in current job

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In your current job(s), on a typical day/shift, how often do you do each of the following: Push or move heavy objects?

Value	Label	Unweighted Frequency	%
1	Never	1238	45.7 %
2	Less Than Half Of The Time	742	27.4 %
3	About Half Of The Time	90	3.3 %
4	More Than Half Of The Time	62	2.3 %
5	Always	83	3.1 %
Missing Data			
-9	Missing	113	4.2 %
-8	Do not know	11	0.4 %
-1	N/A	276	10.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,215 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1271-1272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTG3: How often sweat from exertion in current job

We would like to ask about the physical activity you did during this past year as part of the work you get paid to do. If you have not been employed for at least 6 months of the past 12 months, please skip. In your current job(s), on a typical day/shift, how often do you do each of the following: Sweat from exertion?

Value	Label	Unweighted Frequency	%
1	Never	1503	55.5 %
2	Less Than Half Of The Time	515	19.0 %
3	About Half Of The Time	83	3.1 %
4	More Than Half Of The Time	42	1.6 %

Value	Label	Unweighted Frequency	%
5	Always	65	2.4 %
	Missing Data		
-9	Missing	113	4.2 %
-8	Do not know	18	0.7 %
-1	N/A	276	10.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,208 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1273-1274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHORES3: Chores - current level of physical activity

Since your last study visit, is your current level of physical activity doing chores around your home (such as cleaning, laundry, childcare, care of elders, etc., not performed for pay): much greater now, greater now, about the same, less now, or much less now?

Value	Label	Unweighted Frequency	%
1	Much Greater Now	71	2.6 %
2	Greater Now	270	10.0 %
3	About the Same	1908	70.4 %
4	Less Now	298	11.0 %
5	Much less Now	56	2.1 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1275-1276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKPHY3: Work for pay - current level of physical activity

Since your last study visit, is your current level of physical activity at work performed for pay: much greater now, greater now, about the same, less now, much less now, or doesn't apply?

Value	Label	Unweighted Frequency	%
1	Much Greater Now	77	2.8 %
2	Greater Now	255	9.4 %
3	About the Same	1676	61.9 %
4	Less Now	122	4.5 %
5	Much less Now	57	2.1 %
Missing Data			
-9	Missing	22	0.8 %
-1	N/A	406	15.0 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,187 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1277-1278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PLANSPO3: Planned sports - current level of physical activity

Since your last study visit, is your current level of physical activity in planned sports (such as volleyball, softball, or tennis) and exercise (such as aerobics or jogging): much greater now, greater now, about the same, less now, or much less now?

Value	Label	Unweighted Frequency	%
1	Much Greater Now	70	2.6 %
2	Greater Now	286	10.6 %
3	About the Same	1545	57.0 %
4	Less Now	366	13.5 %
5	Much less Now	309	11.4 %
Missing Data			
-9	Missing	39	1.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,576 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1279-1280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROUTINE3: Routine physical activity - current level of physical activity

Since your last study visit, is your current level of other routine physical activity (such as walking, gardening, climbing stairs, etc.): much greater now, greater now, about the same, less now, or much less now?

Value	Label	Unweighted Frequency	%
1	Much Greater Now	88	3.2 %
2	Greater Now	396	14.6 %
3	About the Same	1762	65.0 %
4	Less Now	265	9.8 %
5	Much less Now	91	3.4 %
Missing Data			
-9	Missing	13	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1281-1282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF3: Stiffness/soreness past 2 weeks

Over the past 2 weeks, how often have you had stiffness or soreness in joints, neck, or shoulder?

Value	Label	Unweighted Frequency	%
1	Not At All	603	22.3 %
2	1-5 Days	1194	44.1 %
3	6-8 Days	224	8.3 %
4	9-13 Days	143	5.3 %
5	Every Day	443	16.4 %
Missing Data			
-9	Missing	8	0.3 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,607 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1283-1284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

ACHE3: Back aches/pains past 2 weeks

Over the past 2 weeks, how often have you had back aches or pains?

Value	Label	Unweighted Frequency	%
1	Not At All	981	36.2 %
2	1-5 Days	1033	38.1 %
3	6-8 Days	201	7.4 %
4	9-13 Days	109	4.0 %
5	Every Day	275	10.2 %
Missing Data			
-9	Missing	16	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,599 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1285-1286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

COLDSWE3: Cold sweats past 2 weeks

Over the past 2 weeks, how often have you had cold sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	2266	83.6 %
2	1-5 Days	239	8.8 %
3	6-8 Days	35	1.3 %
4	9-13 Days	22	0.8 %
5	Every Day	32	1.2 %
Missing Data			
-9	Missing	21	0.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,594 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1287-1288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE3: Night sweats past 2 weeks

Over the past 2 weeks, how often have you had night sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	1655	61.1 %
2	1-5 Days	664	24.5 %
3	6-8 Days	129	4.8 %
4	9-13 Days	72	2.7 %
5	Every Day	85	3.1 %
Missing Data			
-9	Missing	10	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,605 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1289-1290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR3: Vaginal dryness past 2 weeks

Over the past 2 weeks, how often have you had vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not At All	1905	70.3 %
2	1-5 Days	463	17.1 %
3	6-8 Days	80	3.0 %
4	9-13 Days	57	2.1 %
5	Every Day	87	3.2 %
Missing Data			
-9	Missing	23	0.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,592 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1291-1292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU3: Feeling blue past 2 weeks

Over the past 2 weeks, how often have you felt blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not At All	1132	41.8 %
2	1-5 Days	1117	41.2 %
3	6-8 Days	175	6.5 %
4	9-13 Days	106	3.9 %
5	Every Day	78	2.9 %
Missing Data			
-9	Missing	7	0.3 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,608 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1293-1294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY3: Dizzy spells past 2 weeks

Over the past 2 weeks, how often have you had dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not At All	2070	76.4 %
2	1-5 Days	456	16.8 %
3	6-8 Days	46	1.7 %
4	9-13 Days	21	0.8 %
5	Every Day	12	0.4 %
Missing Data			
-9	Missing	10	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,605 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1295-1296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB3: Irritability past 2 weeks

Over the past 2 weeks, how often have you had irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not At All	889	32.8 %
2	1-5 Days	1364	50.4 %
3	6-8 Days	216	8.0 %
4	9-13 Days	87	3.2 %
5	Every Day	47	1.7 %
Missing Data			
-9	Missing	12	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1297-1298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS3: Tense/nervous past 2 weeks

Over the past 2 weeks, how often have you felt tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not At All	1048	38.7 %
2	1-5 Days	1170	43.2 %
3	6-8 Days	218	8.0 %
4	9-13 Days	87	3.2 %
5	Every Day	72	2.7 %
Missing Data			
-9	Missing	20	0.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1299-1300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET3: Forgetfulness past 2 weeks

Over the past 2 weeks, how often have you had forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not At All	887	32.7 %
2	1-5 Days	1188	43.9 %
3	6-8 Days	242	8.9 %
4	9-13 Days	126	4.7 %
5	Every Day	157	5.8 %
Missing Data			
-9	Missing	15	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1301-1302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG3: Frequent mood changes past 2 weeks

Over the past 2 weeks, how often have you had frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not At All	1417	52.3 %
2	1-5 Days	929	34.3 %
3	6-8 Days	146	5.4 %
4	9-13 Days	64	2.4 %
5	Every Day	50	1.8 %
Missing Data			
-9	Missing	9	0.3 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,606 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1303-1304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC3: Heart pounding/racing past 2 weeks

Over the past 2 weeks, how often have you had heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not At All	1847	68.2 %
2	1-5 Days	606	22.4 %
3	6-8 Days	90	3.3 %
4	9-13 Days	36	1.3 %
5	Every Day	22	0.8 %
Missing Data			
-9	Missing	14	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1305-1306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA3: Feeling fearful past 2 weeks

Over the past 2 weeks, how often have you felt fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not At All	2128	78.6 %
2	1-5 Days	370	13.7 %
3	6-8 Days	53	2.0 %
4	9-13 Days	25	0.9 %
5	Every Day	23	0.8 %
Missing Data			
-9	Missing	16	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,599 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1307-1308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE3: Headaches past 2 weeks

Over the past 2 weeks, how often have you had headaches?

Value	Label	Unweighted Frequency	%
1	Not At All	999	36.9 %
2	1-5 Days	1283	47.4 %
3	6-8 Days	183	6.8 %
4	9-13 Days	91	3.4 %
5	Every Day	45	1.7 %
Missing Data			
-9	Missing	14	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1309-1310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS3: Hot flashes past 2 weeks

Over the past 2 weeks, how often have you had hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not At All	1524	56.3 %
2	1-5 Days	680	25.1 %
3	6-8 Days	163	6.0 %
4	9-13 Days	105	3.9 %
5	Every Day	138	5.1 %
Missing Data			
-9	Missing	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,610 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1311-1312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE3: Trouble falling asleep past 2 weeks

In the past 2 weeks, did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1450	53.5 %
2	Yes, < Once A Wk	476	17.6 %
3	Yes, 1-2 Times/Wk	377	13.9 %
4	Yes, 3-4 Times/Wk	144	5.3 %
5	Yes, 5 or More Times/Wk	154	5.7 %
Missing Data			
-9	Missing	14	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1313-1314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP3: Wake up several times per night past 2 weeks

In the past 2 weeks, did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	803	29.6 %
2	Yes, < Once A Wk	482	17.8 %
3	Yes, 1-2 Times/Wk	539	19.9 %
4	Yes, 3-4 Times/Wk	349	12.9 %
5	Yes, 5 or More Times/Wk	429	15.8 %
Missing Data			
-9	Missing	13	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1315-1316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL3: Wake up early past 2 weeks

In the past 2 weeks, did you wake up earlier than you had planned to and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1257	46.4 %
2	Yes, < Once A Wk	560	20.7 %
3	Yes, 1-2 Times/Wk	405	15.0 %
4	Yes, 3-4 Times/Wk	210	7.8 %
5	Yes, 5 or More Times/Wk	169	6.2 %
Missing Data			
-9	Missing	14	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1317-1318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TYPNIGH3: Typical night's sleep past 2 weeks

Overall, was your typical night's sleep during the past 2 weeks: very sound or restful, sound or restful, average quality, restless, or very restless?

Value	Label	Unweighted Frequency	%
1	Very sound or restful	223	8.2 %
2	Sound or restful	651	24.0 %
3	Average quality	1130	41.7 %
4	Restless	497	18.3 %
5	Very restless	97	3.6 %
Missing Data			
-9	Missing	17	0.6 %
.	-	94	3.5 %

Value	Label	Unweighted Frequency	%
Total		2,709	100%

Based upon 2,598 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1319-1320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BEDTIME3: Usual bed time past month

During the past month only, when have you usually gone to bed at night?

Value	Label	Unweighted Frequency	%
0:30:00	-	1	0.0 %
10:00:00	-	413	15.2 %
10:10:00	-	1	0.0 %
10:15:00	-	13	0.5 %
10:30:00	-	294	10.9 %
10:45:00	-	7	0.3 %
10:50:00	-	1	0.0 %
11:00:00	-	615	22.7 %
11:10:00	-	1	0.0 %
11:15:00	-	12	0.4 %
11:20:00	-	3	0.1 %
11:30:00	-	371	13.7 %
11:45:00	-	29	1.1 %
12:00:00	-	241	8.9 %
12:15:00	-	4	0.1 %
12:30:00	-	107	3.9 %
12:40:00	-	1	0.0 %
12:45:00	-	1	0.0 %
1:00:00	-	109	4.0 %
1:20:00	-	1	0.0 %
1:30:00	-	22	0.8 %
23:59:51	-	35	1.3 %
23:59:52	-	2	0.1 %
23:59:59	-	5	0.2 %
2:00:00	-	29	1.1 %
2:30:00	-	9	0.3 %

Value	Label	Unweighted Frequency	%
2:40:00	-	1	0.0 %
2:45:00	-	1	0.0 %
3:00:00	-	15	0.6 %
3:30:00	-	5	0.2 %
4:00:00	-	9	0.3 %
4:30:00	-	1	0.0 %
5:00:00	-	4	0.1 %
6:00:00	-	4	0.1 %
7:00:00	-	9	0.3 %
7:30:00	-	3	0.1 %
7:45:00	-	1	0.0 %
8:00:00	-	25	0.9 %
8:30:00	-	15	0.6 %
8:45:00	-	1	0.0 %
9:00:00	-	84	3.1 %
9:15:00	-	2	0.1 %
9:30:00	-	106	3.9 %
9:45:00	-	2	0.1 %
Missing Data			
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,615 valid cases out of 2,709 total cases.

Location: 1321-1332 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

BEDTIMA3: Bed time AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	542	20.0 %
2	P.M.	2032	75.0 %
Missing Data			
-9	Refused	34	1.3 %
-8	Do not know	2	0.1 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,574 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1333-1334 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

BEDMIL3: Bed time military

Value	Label	Unweighted Frequency	%
0:00:00	-	186	6.9 %
0:15:00	-	4	0.1 %
0:30:00	-	97	3.6 %
0:40:00	-	1	0.0 %
0:45:00	-	1	0.0 %
10:00:00	-	9	0.3 %
10:30:00	-	7	0.3 %
11:00:00	-	8	0.3 %
11:30:00	-	5	0.2 %
12:00:00	-	51	1.9 %
12:30:00	-	9	0.3 %
13:00:00	-	3	0.1 %
13:30:00	-	1	0.0 %
14:00:00	-	4	0.1 %
17:00:00	-	2	0.1 %
18:00:00	-	1	0.0 %
19:00:00	-	6	0.2 %
19:30:00	-	2	0.1 %
19:45:00	-	1	0.0 %
1:00:00	-	104	3.8 %
1:20:00	-	1	0.0 %
1:30:00	-	21	0.8 %
20:00:00	-	16	0.6 %
20:30:00	-	12	0.4 %
20:45:00	-	1	0.0 %
21:00:00	-	75	2.8 %
21:15:00	-	2	0.1 %
21:30:00	-	104	3.8 %
21:45:00	-	2	0.1 %
22:00:00	-	402	14.8 %
22:10:00	-	1	0.0 %
22:15:00	-	13	0.5 %
22:30:00	-	287	10.6 %

Value	Label	Unweighted Frequency	%
22:45:00	-	7	0.3 %
22:50:00	-	1	0.0 %
23:00:00	-	605	22.3 %
23:10:00	-	1	0.0 %
23:15:00	-	12	0.4 %
23:20:00	-	3	0.1 %
23:30:00	-	364	13.4 %
23:45:00	-	29	1.1 %
23:59:51	-	17	0.6 %
2:00:00	-	24	0.9 %
2:30:00	-	9	0.3 %
2:40:00	-	1	0.0 %
2:45:00	-	1	0.0 %
3:00:00	-	15	0.6 %
3:30:00	-	5	0.2 %
4:00:00	-	9	0.3 %
4:30:00	-	1	0.0 %
Missing Data			
.	-	135	5.0 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,574 valid cases out of 2,709 total cases.

Location: 1335-1346 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

NUMMINU3: Number minutes to fall asleep past month

During the past month, how long (in minutes) has it usually taken you to fall asleep each night?

Value	Label	Unweighted Frequency	%
0	-	10	0.4 %
1	-	50	1.8 %
2	-	87	3.2 %
3	-	59	2.2 %
4	-	13	0.5 %
5	-	501	18.5 %
6	-	3	0.1 %

Value	Label	Unweighted Frequency	%
7	-	19	0.7 %
8	-	17	0.6 %
9	-	1	0.0 %
10	-	526	19.4 %
12	-	5	0.2 %
13	-	6	0.2 %
15	-	393	14.5 %
17	-	4	0.1 %
18	-	8	0.3 %
20	-	231	8.5 %
22	-	2	0.1 %
23	-	1	0.0 %
25	-	22	0.8 %
27	-	1	0.0 %
30	-	358	13.2 %
35	-	10	0.4 %
40	-	21	0.8 %
45	-	51	1.9 %
48	-	1	0.0 %
50	-	5	0.2 %
55	-	1	0.0 %
60	-	105	3.9 %
75	-	3	0.1 %
90	-	13	0.5 %
120	-	11	0.4 %
160	-	1	0.0 %
300	-	1	0.0 %
360	-	1	0.0 %
Missing Data			
-9	Missing	68	2.5 %
-8	Do not know	1	0.0 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,541 valid cases out of 2,709 total cases.

- Mean: 17.49
- Median: 10.00
- Mode: 10.00

- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 18.68

Location: 1347-1349 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPTI3: Time up in morning past month

During the past month only, when have you usually gotten up in the morning?

Value	Label	Unweighted Frequency	%
10:00:00	-	26	1.0 %
10:10:00	-	1	0.0 %
10:30:00	-	10	0.4 %
11:00:00	-	18	0.7 %
11:15:00	-	1	0.0 %
11:30:00	-	3	0.1 %
12:00:00	-	3	0.1 %
14:30:00	-	1	0.0 %
1:00:00	-	9	0.3 %
1:30:00	-	1	0.0 %
23:59:51	-	33	1.2 %
23:59:52	-	2	0.1 %
23:59:59	-	5	0.2 %
2:00:00	-	19	0.7 %
2:30:00	-	6	0.2 %
2:45:00	-	1	0.0 %
3:00:00	-	16	0.6 %
3:15:00	-	1	0.0 %
3:30:00	-	11	0.4 %
3:45:00	-	4	0.1 %
4:00:00	-	42	1.6 %
4:10:00	-	2	0.1 %
4:15:00	-	4	0.1 %
4:20:00	-	2	0.1 %
4:30:00	-	44	1.6 %
4:35:00	-	1	0.0 %
4:40:00	-	1	0.0 %
4:45:00	-	21	0.8 %
4:50:00	-	2	0.1 %
4:55:00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
5:00:00	-	164	6.1 %
5:05:00	-	1	0.0 %
5:10:00	-	3	0.1 %
5:15:00	-	39	1.4 %
5:20:00	-	9	0.3 %
5:25:00	-	1	0.0 %
5:30:00	-	226	8.3 %
5:40:00	-	8	0.3 %
5:45:00	-	54	2.0 %
5:50:00	-	10	0.4 %
5:55:00	-	3	0.1 %
5:59:00	-	1	0.0 %
6:00:00	-	451	16.6 %
6:01:00	-	1	0.0 %
6:05:00	-	2	0.1 %
6:09:59	-	13	0.5 %
6:15:00	-	67	2.5 %
6:20:00	-	18	0.7 %
6:25:00	-	3	0.1 %
6:30:00	-	376	13.9 %
Missing Data			
.	-	94	3.5 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,615 valid cases out of 2,709 total cases.

Location: 1350-1361 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

GETPAMP3: Time up - AM/PM

Value	Label	Unweighted Frequency	%
1	A.M.	2515	92.8 %
2	P.M.	55	2.0 %
Missing Data			
-9	Refused	38	1.4 %
-8	Do not know	2	0.1 %
-1	N/A	5	0.2 %

Value	Label	Unweighted Frequency	%
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,570 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1362-1363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , ..

GETUPMIL3: Wake up time military

Value	Label	Unweighted Frequency	%
0:00:00	-	1	0.0 %
10:00:00	-	23	0.8 %
10:30:00	-	10	0.4 %
11:00:00	-	16	0.6 %
11:15:00	-	1	0.0 %
11:30:00	-	3	0.1 %
12:00:00	-	2	0.1 %
13:00:00	-	7	0.3 %
14:00:00	-	16	0.6 %
14:30:00	-	3	0.1 %
15:00:00	-	4	0.1 %
15:30:00	-	1	0.0 %
16:00:00	-	2	0.1 %
16:30:00	-	1	0.0 %
17:00:00	-	2	0.1 %
18:00:00	-	4	0.1 %
18:30:00	-	3	0.1 %
19:00:00	-	1	0.0 %
19:30:00	-	1	0.0 %
1:00:00	-	2	0.1 %
1:30:00	-	1	0.0 %
20:30:00	-	1	0.0 %
21:30:00	-	3	0.1 %
22:00:00	-	2	0.1 %
22:10:00	-	1	0.0 %
23:00:00	-	2	0.1 %
23:59:51	-	14	0.5 %

Value	Label	Unweighted Frequency	%
2:00:00	-	3	0.1 %
2:30:00	-	4	0.1 %
2:45:00	-	1	0.0 %
3:00:00	-	12	0.4 %
3:15:00	-	1	0.0 %
3:30:00	-	10	0.4 %
3:45:00	-	4	0.1 %
4:00:00	-	40	1.5 %
4:10:00	-	2	0.1 %
4:15:00	-	4	0.1 %
4:20:00	-	2	0.1 %
4:30:00	-	43	1.6 %
4:35:00	-	1	0.0 %
4:40:00	-	1	0.0 %
4:45:00	-	21	0.8 %
4:50:00	-	2	0.1 %
4:55:00	-	2	0.1 %
5:00:00	-	161	5.9 %
5:05:00	-	1	0.0 %
5:10:00	-	3	0.1 %
5:15:00	-	39	1.4 %
5:20:00	-	9	0.3 %
5:25:00	-	1	0.0 %
Missing Data			
.	-	139	5.1 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,570 valid cases out of 2,709 total cases.

Location: 1364-1375 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HRSSLEE3: Hours sleep per night past month

During the past month, how many hours of actual sleep did you get at night (may be different than the number of hours you spend in bed)?

Value	Label	Unweighted Frequency	%
1.00	-	2	0.1 %
2.00	-	3	0.1 %
2.75	-	1	0.0 %
3.00	-	20	0.7 %
3.30	-	1	0.0 %
3.50	-	2	0.1 %
4.00	-	96	3.5 %
4.30	-	1	0.0 %
4.50	-	19	0.7 %
5.00	-	292	10.8 %
5.25	-	1	0.0 %
5.30	-	6	0.2 %
5.50	-	55	2.0 %
5.75	-	1	0.0 %
6.00	-	596	22.0 %
6.25	-	2	0.1 %
6.30	-	13	0.5 %
6.50	-	119	4.4 %
6.75	-	7	0.3 %
7.00	-	752	27.8 %
7.25	-	4	0.1 %
7.30	-	2	0.1 %
7.50	-	75	2.8 %
7.75	-	5	0.2 %
8.00	-	375	13.8 %
8.30	-	1	0.0 %
8.50	-	15	0.6 %
9.00	-	64	2.4 %
9.30	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	13	0.5 %
11.00	-	1	0.0 %
12.00	-	4	0.1 %
Missing Data			
-9.00	Missing	60	2.2 %
-1.00	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,550 valid cases out of 2,709 total cases.

- Mean: 6.54
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.23

Location: 1376-1380 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

TOOCOLD3: Trouble sleeping - too cold

During the past month, how often have you had trouble sleeping because you feel too cold?

Value	Label	Unweighted Frequency	%
1	Not during past month	2005	74.0 %
2	Less than once/week	393	14.5 %
3	Once or twice/week	126	4.7 %
4	3 or more times/week	61	2.3 %
Missing Data			
-9	Missing	25	0.9 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,585 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOHOT3: Trouble sleeping - too hot

During the past month, how often have you had trouble sleeping because you feel too hot?

Value	Label	Unweighted Frequency	%
1	Not during past month	1497	55.3 %
2	Less than once/week	513	18.9 %
3	Once or twice/week	339	12.5 %
4	3 or more times/week	240	8.9 %
Missing Data			
-9	Missing	21	0.8 %

Value	Label	Unweighted Frequency	%
-1	N/A	5	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,589 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BADREAM3: Trouble sleeping - bad dreams

During the past month, how often have you had trouble sleeping because you had bad dreams?

Value	Label	Unweighted Frequency	%
1	Not during past month	2121	78.3 %
2	Less than once/week	349	12.9 %
3	Once or twice/week	89	3.3 %
4	3 or more times/week	29	1.1 %
	Missing Data		
-9	Missing	22	0.8 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,588 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1385-1386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVPAIN3: Trouble sleeping - have pain

During the past month, how often have you had trouble sleeping because you have pain?

Value	Label	Unweighted Frequency	%
1	Not during past month	1761	65.0 %
2	Less than once/week	372	13.7 %
3	Once or twice/week	234	8.6 %
4	3 or more times/week	226	8.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	17	0.6 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,593 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBSLPE3: Trouble sleeping - other reason

During the past month, how often have you had trouble sleeping because of another reason not listed?

Value	Label	Unweighted Frequency	%
1	Not during past month	1677	61.9 %
2	Less than once/week	154	5.7 %
3	Once or twice/week	273	10.1 %
4	3 or more times/week	362	13.4 %
	Missing Data		
-9	Missing	143	5.3 %
-1	N/A	6	0.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,466 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTRB3: Trouble sleeping - other specify

If you had trouble sleeping during the past month because of a reason not listed, please specify why.

Value	Label	Unweighted Frequency	%
-	-	2709	100.0 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1391-1391 (width: 1; decimal: 0)

Variable Type: character

SLEEPQL3: Sleep quality overall past month

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	578	21.3 %
2	Fairly good	1467	54.2 %
3	Fairly bad	453	16.7 %
4	Very bad	97	3.6 %
Missing Data			
-9	Missing	15	0.6 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1392-1393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEDICIN3: Medications to help sleep past month

During the past month, how often have you taken medicine (prescribed or over-the-counter) to help you sleep?

Value	Label	Unweighted Frequency	%
1	Not during past month	2182	80.5 %
2	Less than once/week	156	5.8 %
3	Once or twice/week	90	3.3 %
4	3 or more times/week	168	6.2 %
Missing Data			
-9	Missing	14	0.5 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,596 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1394-1395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBAWAK3: Trouble staying awake past month

During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?

Value	Label	Unweighted Frequency	%
1	Not during past month	2042	75.4 %
2	Less than once/week	349	12.9 %
3	Once or twice/week	147	5.4 %
4	3 or more times/week	61	2.3 %
Missing Data			
-9	Missing	11	0.4 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,599 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1396-1397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENTHUS3: Problem keep enthused past month

During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?

Value	Label	Unweighted Frequency	%
1	No Problem at All	969	35.8 %
2	Very Slight Problem	1040	38.4 %
3	Somewhat of a Problem	468	17.3 %
4	Very Big Problem	121	4.5 %
Missing Data			
-9	Missing	12	0.4 %
-1	N/A	5	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,598 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1398-1399 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPUR3: How often get up to urinate

How often do you usually get up from bed at night to urinate?

Value	Label	Unweighted Frequency	%
1	Never	375	13.8 %
2	Rarely (< Once A Wk)	604	22.3 %
3	Once/Wk	208	7.7 %
4	A Few Times/Wk	489	18.1 %
5	Once A Night, Every Night	594	21.9 %
6	More Than Once Per Night	335	12.4 %
Missing Data			
-9	Missing	10	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,605 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1400-1401 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTI3: Urinary tract infection since last visit

Since your last study visit, have you had any urinary tract infections?

Value	Label	Unweighted Frequency	%
1	No	2345	86.6 %
2	Yes	258	9.5 %
Missing Data			
-9	Missing	12	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1402-1403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INVOLEA3: Involuntary leakage since last visit

Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

Value	Label	Unweighted Frequency	%
1	No	974	36.0 %
2	Yes	1614	59.6 %
Missing Data			
-9	Missing	27	1.0 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,588 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1404-1405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYSLEA3: Leakage days past month

In the last month, about how many days have you lost any urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	Never	182	6.7 %
2	Less Than 1 Day/Week	910	33.6 %
3	Several Days/Week	345	12.7 %
4	Almost Daily/Daily	162	6.0 %
Missing Data			
-9	Missing	15	0.6 %
-1	N/A	1001	37.0 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 1,599 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1406-1407 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGHIN3: Coughing caused leakage

If you reported involuntary urine leakage, under what circumstances does it occur: Coughing?

Value	Label	Unweighted Frequency	%
1	No	599	22.1 %
2	Yes	940	34.7 %
Missing Data			
-9	Missing	80	3.0 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 1,539 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1408-1409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LAUGHIN3: Laughing caused leakage

If you reported involuntary urine leakage, under what circumstances does it occur: Laughing?

Value	Label	Unweighted Frequency	%
1	No	1030	38.0 %
2	Yes	446	16.5 %
Missing Data			
-9	Missing	143	5.3 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 1,476 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1410-1411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SNEEZIN3: Sneezing caused leakage

If you reported involuntary urine leakage, under what circumstances does it occur: Sneezing?

Value	Label	Unweighted Frequency	%
1	No	532	19.6 %
2	Yes	1000	36.9 %
	Missing Data		
-9	Missing	87	3.2 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,532 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1412-1413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOGGING3: Jogging caused leakage

If you reported involuntary urine leakage, under what circumstances does it occur: Jogging?

Value	Label	Unweighted Frequency	%
1	No	1238	45.7 %
2	Yes	214	7.9 %
	Missing Data		
-9	Missing	167	6.2 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,452 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1414-1415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PICKUP3: Picking up object caused leakage

If you reported involuntary urine leakage, under what circumstances does it occur: Picking up an object from the floor?

Value	Label	Unweighted Frequency	%
1	No	1290	47.6 %
2	Yes	164	6.1 %
	Missing Data		
-9	Missing	165	6.1 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,454 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1416-1417 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGEVOI3: Urge to void caused leakage

If you reported involuntary urine leakage, under what circumstances does it occur: When you have an urge to void and can't get to a toilet fast enough?

Value	Label	Unweighted Frequency	%
1	No	679	25.1 %
2	Yes	842	31.1 %
	Missing Data		
-9	Missing	98	3.6 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,521 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1418-1419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRLEA3: Other causes of leakage

If you reported involuntary urine leakage, under what circumstances does it occur: Other?

Value	Label	Unweighted Frequency	%
1	No	1222	45.1 %

Value	Label	Unweighted Frequency	%
2	Yes	178	6.6 %
	Missing Data		
-9	Missing	219	8.1 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,400 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1420-1421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AMTLEAK3: Amount of leakage

If you reported involuntary urine leakage, how much urine do you lose when you leak?

Value	Label	Unweighted Frequency	%
1	A Drop Or Two	982	36.2 %
2	Enough to Change Underwear/Wear Liner	567	20.9 %
3	Enough to Wet Outer Clothing	52	1.9 %
4	Enough to Wet Floor	5	0.2 %
	Missing Data		
-9	Missing	13	0.5 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,606 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1422-1423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKBOT3: Leakage bothers (scale 0-10)

On a scale from 0 to 10 (where 0 is not at all bothered and 10 is extremely bothered), how much does the involuntary leakage of urine bother you?

Value	Label	Unweighted Frequency	%
0	-	129	4.8 %
1	-	220	8.1 %
2	-	186	6.9 %
3	-	179	6.6 %
4	-	128	4.7 %
5	-	291	10.7 %
6	-	86	3.2 %
7	-	91	3.4 %
8	-	102	3.8 %
9	-	59	2.2 %
10	-	137	5.1 %
Missing Data			
-9	Missing	11	0.4 %
-1	N/A	996	36.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 1,608 valid cases out of 2,709 total cases.

- Mean: 4.33
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.98

Location: 1424-1425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRIRE3: Nutritional remedies past year

In the past 12 months, have you used any of the following for any reason: Special diets or nutritional remedies (such as macrobiotic or vegetarian diets, or vitamin supplements)?

Value	Label	Unweighted Frequency	%
1	No	1629	60.1 %
2	Yes	982	36.2 %
Missing Data			
-9	Missing	4	0.1 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,611 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1426-1427 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBREM3: Herbal remedies past year

In the past 12 months, have you used any of the following for any reason: Herbs or herbal remedies (such as homeopathy or Chinese herbs or teas)?

Value	Label	Unweighted Frequency	%
1	No	1977	73.0 %
2	Yes	632	23.3 %
Missing Data			
-9	Missing	6	0.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,609 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1428-1429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCMET3: Psychological methods past year

In the past 12 months, have you used any of the following for any reason: Psychological methods (such as meditation, mental imagery, or relaxation techniques)?

Value	Label	Unweighted Frequency	%
1	No	2088	77.1 %
2	Yes	515	19.0 %
Missing Data			
-9	Missing	12	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1430-1431 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSMET3: Physical methods past year

In the past 12 months, have you used any of the following for any reason: Physical methods (such as massage, acupressure, acupuncture, or chiropractic therapy)?

Value	Label	Unweighted Frequency	%
1	No	2028	74.9 %
2	Yes	578	21.3 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,606 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1432-1433 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FOLKMED3: Folk medicine past year

In the past 12 months, have you used any of the following for any reason: Folk medicine or traditional Chinese medicine?

Value	Label	Unweighted Frequency	%
1	No	2488	91.8 %
2	Yes	116	4.3 %
	Missing Data		
-9	Missing	11	0.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,604 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1434-1435 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHRTHE3: Other diet/behavior therapies past year

In the past 12 months, have you used any of the following for any reason: Any others not listed?

Value	Label	Unweighted Frequency	%
1	No	2216	81.8 %
2	Yes	252	9.3 %
	Missing Data		
-9	Missing	147	5.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,468 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1436-1437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECOTH3: Other diet/behavior therapies - specify

If there are other dietary or behavioral therapies you have used in the past 12 months, please specify what they are.

Value	Label	Unweighted Frequency	%
-	-	2709	100.0 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1438-1438 (width: 1; decimal: 0)

Variable Type: character

STARTNE3: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	No	1981	73.1 %
2	Yes, Not At All Upsetting	330	12.2 %
3	Yes, Somewhat Upsetting	220	8.1 %
4	Yes, Very Upsetting	54	2.0 %
5	Yes, Very Upsetting & Still Upsetting	20	0.7 %
	Missing Data		
-9	Missing	10	0.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,605 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB3: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	No	1677	61.9 %
2	Yes, Not At All Upsetting	138	5.1 %
3	Yes, Somewhat Upsetting	517	19.1 %
4	Yes, Very Upsetting	185	6.8 %
5	Yes, Very Upsetting & Still Upsetting	96	3.5 %
Missing Data			
-9	Missing	2	0.1 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,613 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB3: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Quit, got fired, or laid off from a job?

Value	Label	Unweighted Frequency	%
1	No	2385	88.0 %
2	Yes, Not At All Upsetting	77	2.8 %
3	Yes, Somewhat Upsetting	73	2.7 %
4	Yes, Very Upsetting	44	1.6 %
5	Yes, Very Upsetting & Still Upsetting	24	0.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	12	0.4 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WORKLOAD3: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Took on a greatly increased work load at job?

Value	Label	Unweighted Frequency	%
1	No	1761	65.0 %
2	Yes, Not At All Upsetting	331	12.2 %
3	Yes, Somewhat Upsetting	404	14.9 %
4	Yes, Very Upsetting	78	2.9 %
5	Yes, Very Upsetting & Still Upsetting	27	1.0 %
	Missing Data		
-9	Missing	14	0.5 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1445-1446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM3: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	No	2419	89.3 %

Value	Label	Unweighted Frequency	%
2	Yes, Not At All Upsetting	42	1.6 %
3	Yes, Somewhat Upsetting	76	2.8 %
4	Yes, Very Upsetting	28	1.0 %
5	Yes, Very Upsetting & Still Upsetting	32	1.2 %
Missing Data			
-9	Missing	18	0.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,597 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1447-1448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR3: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Major money problems?

Value	Label	Unweighted Frequency	%
1	No	1978	73.0 %
2	Yes, Not At All Upsetting	99	3.7 %
3	Yes, Somewhat Upsetting	309	11.4 %
4	Yes, Very Upsetting	115	4.2 %
5	Yes, Very Upsetting & Still Upsetting	111	4.1 %
Missing Data			
-9	Missing	3	0.1 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,612 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1449-1450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL3: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	No	2279	84.1 %
2	Yes, Not At All Upsetting	49	1.8 %
3	Yes, Somewhat Upsetting	150	5.5 %
4	Yes, Very Upsetting	61	2.3 %
5	Yes, Very Upsetting & Still Upsetting	60	2.2 %
Missing Data			
-9	Missing	16	0.6 %
.	.	94	3.5 %
Total		2,709	100%

Based upon 2,599 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1451-1452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN3: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Were separated or divorced, or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	No	2451	90.5 %
2	Yes, Not At All Upsetting	27	1.0 %
3	Yes, Somewhat Upsetting	52	1.9 %
4	Yes, Very Upsetting	26	1.0 %
5	Yes, Very Upsetting & Still Upsetting	46	1.7 %
Missing Data			
-9	Missing	13	0.5 %
.	.	94	3.5 %
Total		2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1453-1454 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO3: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	No	1820	67.2 %
2	Yes, Not At All Upsetting	78	2.9 %
3	Yes, Somewhat Upsetting	364	13.4 %
4	Yes, Very Upsetting	211	7.8 %
5	Yes, Very Upsetting & Still Upsetting	138	5.1 %
Missing Data			
-9	Missing	4	0.1 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,611 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1455-1456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO3: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	No	2154	79.5 %
2	Yes, Not At All Upsetting	219	8.1 %
3	Yes, Somewhat Upsetting	169	6.2 %
4	Yes, Very Upsetting	40	1.5 %
5	Yes, Very Upsetting & Still Upsetting	25	0.9 %
Missing Data			
-9	Missing	8	0.3 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,607 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR3: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Took on responsibility for the care of another child, grandchild, parent, other family member, or friend?

Value	Label	Unweighted Frequency	%
1	No	2243	82.8 %
2	Yes, Not At All Upsetting	154	5.7 %
3	Yes, Somewhat Upsetting	135	5.0 %
4	Yes, Very Upsetting	41	1.5 %
5	Yes, Very Upsetting & Still Upsetting	33	1.2 %
Missing Data			
-9	Missing	9	0.3 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,606 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR3: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Family member had legal problems or a problem with police?

Value	Label	Unweighted Frequency	%
1	No	2311	85.3 %
2	Yes, Not At All Upsetting	50	1.8 %
3	Yes, Somewhat Upsetting	122	4.5 %
4	Yes, Very Upsetting	78	2.9 %
5	Yes, Very Upsetting & Still Upsetting	46	1.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	8	0.3 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,607 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HUSBDIE3: Husband/partner died upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Husband/partner died?

Value	Label	Unweighted Frequency	%
1	No	2549	94.1 %
2	Yes, Not At All Upsetting	6	0.2 %
3	Yes, Somewhat Upsetting	9	0.3 %
4	Yes, Very Upsetting	8	0.3 %
5	Yes, Very Upsetting & Still Upsetting	17	0.6 %
	Missing Data		
-9	Missing	26	1.0 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,589 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1463-1464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHLDDIE3: Child died upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Child died?

Value	Label	Unweighted Frequency	%
1	No	2547	94.0 %
2	Yes, Not At All Upsetting	2	0.1 %
3	Yes, Somewhat Upsetting	4	0.1 %
4	Yes, Very Upsetting	3	0.1 %
5	Yes, Very Upsetting & Still Upsetting	8	0.3 %
Missing Data			
-9	Missing	51	1.9 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,564 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1465-1466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRNTDIE3: Parent died upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Parent died?

Value	Label	Unweighted Frequency	%
1	No	2395	88.4 %
2	Yes, Not At All Upsetting	14	0.5 %
3	Yes, Somewhat Upsetting	49	1.8 %
4	Yes, Very Upsetting	57	2.1 %
5	Yes, Very Upsetting & Still Upsetting	59	2.2 %
Missing Data			
-9	Missing	41	1.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,574 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1467-1468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE3: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. A close friend or family member other than a husband/partner, child, or parent died?

Value	Label	Unweighted Frequency	%
1	No	1888	69.7 %
2	Yes, Not At All Upsetting	103	3.8 %
3	Yes, Somewhat Upsetting	336	12.4 %
4	Yes, Very Upsetting	181	6.7 %
5	Yes, Very Upsetting & Still Upsetting	95	3.5 %
Missing Data			
-9	Missing	12	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,603 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1469-1470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO3: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Major accident, assault, disaster, robbery, or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	No	2482	91.6 %
2	Yes, Not At All Upsetting	13	0.5 %
3	Yes, Somewhat Upsetting	45	1.7 %
4	Yes, Very Upsetting	44	1.6 %
5	Yes, Very Upsetting & Still Upsetting	21	0.8 %
Missing Data			
-9	Missing	10	0.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,605 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1471-1472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMILVIO3: Violent event to other family member upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Major accident, assault, disaster, robbery, or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	No	2406	88.8 %
2	Yes, Not At All Upsetting	20	0.7 %
3	Yes, Somewhat Upsetting	83	3.1 %
4	Yes, Very Upsetting	67	2.5 %
5	Yes, Very Upsetting & Still Upsetting	30	1.1 %
Missing Data			
-9	Missing	9	0.3 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,606 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1473-1474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL3: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Serious physical illness, injury, or drug/alcohol problem in family member, partner, or close friend?

Value	Label	Unweighted Frequency	%
1	No	1968	72.6 %
2	Yes, Not At All Upsetting	44	1.6 %
3	Yes, Somewhat Upsetting	285	10.5 %
4	Yes, Very Upsetting	176	6.5 %
5	Yes, Very Upsetting & Still Upsetting	133	4.9 %
Missing Data			
-9	Missing	9	0.3 %

Value	Label	Unweighted Frequency	%
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,606 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1475-1476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN3: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following? If you have not, circle 1 (NO). If you have and it was not at all upsetting, circle 2. If you have and it was somewhat upsetting circle 3. If you have and it was very upsetting circle 4. If you have and it was very upsetting and is still upsetting, circle 5. Other major event not listed? Please specify.

Value	Label	Unweighted Frequency	%
1	No	2306	85.1 %
2	Yes, Not At All Upsetting	26	1.0 %
3	Yes, Somewhat Upsetting	94	3.5 %
4	Yes, Very Upsetting	76	2.8 %
5	Yes, Very Upsetting & Still Upsetting	80	3.0 %
Missing Data			
-9	Missing	33	1.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,582 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1477-1478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMPLYPA3: Employed for pay

Are you currently employed for pay?

Value	Label	Unweighted Frequency	%
1	No	502	18.5 %
2	Yes	2098	77.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	15	0.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1479-1480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDJO3: How rewarding is job

How rewarding is your current job?

Value	Label	Unweighted Frequency	%
1	Not At All	84	3.1 %
2	A Little	180	6.6 %
3	Somewhat	686	25.3 %
4	Quite A Bit	806	29.8 %
5	Extremely	313	11.6 %
	Missing Data		
-9	Missing	35	1.3 %
-1	N/A	511	18.9 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,069 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1481-1482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSJO3: How stressful is job

How stressful is your current job?

Value	Label	Unweighted Frequency	%
1	Not At All	169	6.2 %
2	A Little	402	14.8 %
3	Somewhat	701	25.9 %

Value	Label	Unweighted Frequency	%
4	Quite A Bit	579	21.4 %
5	Extremely	220	8.1 %
Missing Data			
-9	Missing	33	1.2 %
-1	N/A	511	18.9 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,071 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1483-1484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTCAR3: Caring for older/disabled family member

Are you currently caring for an older or disabled family member?

Value	Label	Unweighted Frequency	%
1	No	2282	84.2 %
2	Yes	311	11.5 %
Missing Data			
-9	Missing	22	0.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,593 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1485-1486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDCAR3: How rewarding caregiver role

If you are currently caring for an older adult or disabled family member, how rewarding is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	32	1.2 %
2	A Little	46	1.7 %
3	Somewhat	108	4.0 %

Value	Label	Unweighted Frequency	%
4	Quite A Bit	81	3.0 %
5	Extremely	40	1.5 %
Missing Data			
-9	Missing	10	0.4 %
-1	N/A	2298	84.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 307 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1487-1488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSCAR3: How stressful caregiver role

If you are currently caring for an older adult or disabled family member, how stressful is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	31	1.1 %
2	A Little	63	2.3 %
3	Somewhat	121	4.5 %
4	Quite A Bit	65	2.4 %
5	Extremely	28	1.0 %
Missing Data			
-9	Missing	9	0.3 %
-1	N/A	2298	84.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 308 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1489-1490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTMAR3: Currently married/committed relationship

Are you currently married or in a committed relationship?

Value	Label	Unweighted Frequency	%
1	No	645	23.8 %
2	Yes	1952	72.1 %
	Missing Data		
-9	Missing	18	0.7 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 2,597 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1491-1492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDREL3: How rewarding is relationship

If you are currently married or in a committed relationship, how rewarding is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	66	2.4 %
2	A Little	116	4.3 %
3	Somewhat	396	14.6 %
4	Quite A Bit	766	28.3 %
5	Extremely	593	21.9 %
	Missing Data		
-9	Missing	22	0.8 %
-1	N/A	656	24.2 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,937 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1493-1494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSREL3: How stressful is relationship

If you are currently married or in a committed relationship, how stressful is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	468	17.3 %
2	A Little	731	27.0 %
3	Somewhat	487	18.0 %
4	Quite A Bit	174	6.4 %
5	Extremely	75	2.8 %
Missing Data			
-9	Missing	24	0.9 %
-1	N/A	656	24.2 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 1,935 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1495-1496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDRE3: Have children/stepchildren

Do you have any children or stepchildren?

Value	Label	Unweighted Frequency	%
1	No	430	15.9 %
2	Yes	2163	79.8 %
Missing Data			
-9	Missing	22	0.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,593 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1497-1498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDMO3: How rewarding is role as mother

If you have children or stepchildren, how rewarding is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	28	1.0 %
2	A Little	67	2.5 %
3	Somewhat	274	10.1 %
4	Quite A Bit	837	30.9 %
5	Extremely	945	34.9 %
Missing Data			
-9	Missing	19	0.7 %
-1	N/A	445	16.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,151 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1499-1500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSMO3: How stressful is role as mother

If you have children or stepchildren, how stressful is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	285	10.5 %
2	A Little	669	24.7 %
3	Somewhat	634	23.4 %
4	Quite A Bit	399	14.7 %
5	Extremely	165	6.1 %
Missing Data			
-9	Missing	18	0.7 %
-1	N/A	445	16.4 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,152 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1501-1502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME3: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	Less Than \$19,999	255	9.4 %
2	\$20,000 to \$49,999	674	24.9 %
3	\$50,000 to \$99,999	980	36.2 %
4	\$100,000 or More	569	21.0 %
Missing Data			
-9	Missing	18	0.7 %
-8	Do not know	49	1.8 %
-7	Refused	70	2.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,478 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1503-1504 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AWAREBO3: Aware things happening w/body

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general: I am often aware of various things happening within my body.

Value	Label	Unweighted Frequency	%
1	Not At All True	111	4.1 %
2	A Little Bit True	385	14.2 %
3	Moderately True	581	21.4 %
4	Quite a Bit True	986	36.4 %
5	Extremely True	537	19.8 %
Missing Data			
-9	Missing	15	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1505-1506 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

NOISES3: Sudden noises bother me

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general: Sudden loud noises really bother me.

Value	Label	Unweighted Frequency	%
1	Not At All True	459	16.9 %
2	A Little Bit True	902	33.3 %
3	Moderately True	529	19.5 %
4	Quite a Bit True	480	17.7 %
5	Extremely True	230	8.5 %
Missing Data			
-9	Missing	15	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,600 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1507-1508 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

HOTCOLD3: Hate being too hot/cold

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general: I hate to be too hot or too cold.

Value	Label	Unweighted Frequency	%
1	Not At All True	173	6.4 %
2	A Little Bit True	627	23.1 %
3	Moderately True	637	23.5 %
4	Quite a Bit True	726	26.8 %
5	Extremely True	430	15.9 %
Missing Data			
-9	Missing	22	0.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,593 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1509-1510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HUNGER3: Quick to sense hunger

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general: I am quick to sense the hunger contractions in my stomach.

Value	Label	Unweighted Frequency	%
1	Not At All True	297	11.0 %
2	A Little Bit True	652	24.1 %
3	Moderately True	729	26.9 %
4	Quite a Bit True	651	24.0 %
5	Extremely True	270	10.0 %
Missing Data			
-9	Missing	16	0.6 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,599 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1511-1512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STNDPAI3: Can't stand pain

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general: I can't stand pain.

Value	Label	Unweighted Frequency	%
1	Not At All True	501	18.5 %
2	A Little Bit True	960	35.4 %
3	Moderately True	669	24.7 %
4	Quite a Bit True	269	9.9 %
5	Extremely True	202	7.5 %
Missing Data			
-9	Missing	14	0.5 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,601 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1513-1514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COURTES3: Treated w/less courtesy than others

In your day-to-day life, have you had the following experiences: You are treated with less courtesy than other people.

Value	Label	Unweighted Frequency	%
1	Often	46	1.7 %
2	Sometimes	542	20.0 %
3	Rarely	1237	45.7 %
4	Never	771	28.5 %
Missing Data			
-9	Missing	19	0.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,596 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1515-1516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPECT3: Treated w/less respect than others

In your day-to-day life, have you had the following experiences: You are treated with less respect than other people.

Value	Label	Unweighted Frequency	%
1	Often	40	1.5 %
2	Sometimes	465	17.2 %
3	Rarely	1293	47.7 %
4	Never	797	29.4 %
Missing Data			
-9	Missing	20	0.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1517-1518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

POORSER3: Received poorer service than others

In your day-to-day life, have you had the following experiences: You receive poorer service than other people at restaurants or stores.

Value	Label	Unweighted Frequency	%
1	Often	19	0.7 %
2	Sometimes	313	11.6 %
3	Rarely	1200	44.3 %
4	Never	1063	39.2 %
Missing Data			
-9	Missing	20	0.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1519-1520 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTSMAR3: People think not as smart as others

In your day-to-day life, have you had the following experiences: People act as if they think you are not smart.

Value	Label	Unweighted Frequency	%
1	Often	38	1.4 %
2	Sometimes	417	15.4 %
3	Rarely	1084	40.0 %
4	Never	1057	39.0 %
Missing Data			
-9	Missing	19	0.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,596 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1521-1522 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAIDO3: People act as if afraid of you

In your day-to-day life, have you had the following experiences: People act as if they are afraid of you.

Value	Label	Unweighted Frequency	%
1	Often	28	1.0 %
2	Sometimes	332	12.3 %
3	Rarely	803	29.6 %
4	Never	1428	52.7 %
Missing Data			
-9	Missing	24	0.9 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,591 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1523-1524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISHONS3: People think you are dishonest

In your day-to-day life, have you had the following experiences: People act as if they think you are dishonest.

Value	Label	Unweighted Frequency	%
1	Often	15	0.6 %
2	Sometimes	108	4.0 %
3	Rarely	692	25.5 %
4	Never	1778	65.6 %
Missing Data			
-9	Missing	22	0.8 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,593 valid cases out of 2,709 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 1525-1526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTER3: People act as if better than you

In your day-to-day life, have you had the following experiences: People act as if they're better than you are.

Value	Label	Unweighted Frequency	%
1	Often	42	1.6 %
2	Sometimes	566	20.9 %
3	Rarely	1142	42.2 %
4	Never	839	31.0 %
Missing Data			
-9	Missing	26	1.0 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,589 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1527-1528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULTE3: Insulted by other people

In your day-to-day life, have you had the following experiences: You or your family members are called names or insulted.

Value	Label	Unweighted Frequency	%
1	Often	24	0.9 %
2	Sometimes	129	4.8 %
3	Rarely	559	20.6 %
4	Never	1878	69.3 %
Missing Data			
-9	Missing	25	0.9 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,590 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1529-1530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARASSE3: Harassed by other people

In your day-to-day life, have you had the following experiences: You are threatened or harassed.

Value	Label	Unweighted Frequency	%
1	Often	22	0.8 %
2	Sometimes	87	3.2 %
3	Rarely	479	17.7 %
4	Never	2001	73.9 %
Missing Data			
-9	Missing	26	1.0 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,589 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1531-1532 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IGNORED3: Ignored by other people

In your day-to-day life, have you had the following experiences: People ignore you or act as if you are not there.

Value	Label	Unweighted Frequency	%
1	Often	31	1.1 %
2	Sometimes	322	11.9 %
3	Rarely	957	35.3 %
4	Never	1285	47.4 %
Missing Data			
-9	Missing	20	0.7 %
.	-	94	3.5 %
Total		2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1533-1534 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRACE3: Because of race

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Race?

Value	Label	Unweighted Frequency	%
1	No	645	23.8 %
2	Yes	449	16.6 %
	Missing Data		
-9	Missing	66	2.4 %
-1	N/A	1455	53.7 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,094 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1535-1536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCETHN3: Because of ethnicity

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Ethnicity?

Value	Label	Unweighted Frequency	%
1	No	762	28.1 %
2	Yes	323	11.9 %
	Missing Data		
-9	Missing	76	2.8 %
-1	N/A	1454	53.7 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,085 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1537-1538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCGENDR3: Because of gender

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Gender?

Value	Label	Unweighted Frequency	%
1	No	545	20.1 %
2	Yes	551	20.3 %
	Missing Data		
-9	Missing	66	2.4 %
-1	N/A	1453	53.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,096 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1539-1540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCAGE3: Because of age

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Age?

Value	Label	Unweighted Frequency	%
1	No	748	27.6 %
2	Yes	342	12.6 %
	Missing Data		
-9	Missing	72	2.7 %
-1	N/A	1453	53.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,090 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1541-1542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCINCM3: Because of income level

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Income level?

Value	Label	Unweighted Frequency	%
1	No	855	31.6 %
2	Yes	227	8.4 %
	Missing Data		
-9	Missing	79	2.9 %
-1	N/A	1454	53.7 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,082 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1543-1544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCLANG3: Because of language

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Language?

Value	Label	Unweighted Frequency	%
1	No	946	34.9 %
2	Yes	144	5.3 %
	Missing Data		
-9	Missing	72	2.7 %
-1	N/A	1453	53.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,090 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1545-1546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCWGHT3: Because of weight

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Body weight?

Value	Label	Unweighted Frequency	%
1	No	835	30.8 %
2	Yes	250	9.2 %
	Missing Data		
-9	Missing	77	2.8 %
-1	N/A	1453	53.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,085 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1547-1548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPHAPP3: Because of physical appearance

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Physical appearance (other than body weight)?

Value	Label	Unweighted Frequency	%
1	No	842	31.1 %
2	Yes	244	9.0 %
	Missing Data		
-9	Missing	76	2.8 %
-1	N/A	1453	53.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,086 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1549-1550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCORIEN3: Because of sexual orientation

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Sexual orientation?

Value	Label	Unweighted Frequency	%
1	No	1006	37.1 %
2	Yes	79	2.9 %
	Missing Data		
-9	Missing	77	2.8 %
-1	N/A	1453	53.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,085 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1551-1552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHEREX3: Because of other reason

If you answered 'Often' or 'Sometimes' to one or more statements regarding the listed day-to-day life experiences, were any of the following reasons why you had these experiences: Other reason?

Value	Label	Unweighted Frequency	%
1	No	782	28.9 %
2	Yes	243	9.0 %
	Missing Data		
-9	Missing	137	5.1 %
-1	N/A	1453	53.6 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1,025 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1553-1554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSAV3: (FLGSAV3) Completed after V3 cutoff (01/31/2001)

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	2614	96.5 %
.	-	94	3.5 %
	Total	2,709	100%

Based upon 1 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1555-1556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY3: Self-administered-Part B Day

Value	Label	Unweighted Frequency	%
900	-	1	0.0 %
940	-	1	0.0 %
941	-	1	0.0 %
944	-	1	0.0 %
953	-	1	0.0 %
965	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	2	0.1 %
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %
1015	-	2	0.1 %
1017	-	2	0.1 %
1020	-	2	0.1 %
1021	-	2	0.1 %
1022	-	1	0.0 %
1023	-	4	0.1 %
1024	-	1	0.0 %
1025	-	2	0.1 %
1026	-	3	0.1 %
1027	-	2	0.1 %
1028	-	1	0.0 %
1029	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1030	-	2	0.1 %
1031	-	2	0.1 %
1032	-	3	0.1 %
1033	-	2	0.1 %
1034	-	2	0.1 %
1035	-	4	0.1 %
1036	-	8	0.3 %
1037	-	5	0.2 %
1039	-	1	0.0 %
1040	-	5	0.2 %
1041	-	6	0.2 %
1042	-	8	0.3 %
1043	-	5	0.2 %
1044	-	5	0.2 %
1045	-	7	0.3 %
1046	-	8	0.3 %
1047	-	6	0.2 %
1048	-	6	0.2 %
1049	-	15	0.6 %
1050	-	17	0.6 %
1051	-	12	0.4 %
1052	-	9	0.3 %
1053	-	13	0.5 %
1054	-	4	0.1 %
Missing Data			
.	-	126	4.7 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,583 valid cases out of 2,709 total cases.

- Mean: 1118.88
- Minimum: 900.00
- Maximum: 1554.00
- Standard Deviation: 62.20

Location: 1557-1560 (*width:* 4; *decimal:* 0)

Variable Type: numeric

LANGSAB3: Language of self-B

Value	Label	Unweighted Frequency	%
1	English	2251	83.1 %
2	Spanish	144	5.3 %
3	Cantonese	82	3.0 %
4	Japanese	107	3.9 %
	Missing Data		
.	-	125	4.6 %
	Total	2,709	100%

Based upon 2,584 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1561-1562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

IMPORSE3: Importance of sex

How important is sex in your life?

Value	Label	Unweighted Frequency	%
1	Extremely Important	168	6.2 %
2	Quite Important	581	21.4 %
3	Moderately Important	1042	38.5 %
4	Not Very Important	595	22.0 %
5	Not At All Important	188	6.9 %
	Missing Data		
-9	Missing	10	0.4 %
.	-	125	4.6 %
	Total	2,709	100%

Based upon 2,574 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1563-1564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

DESIRSE3: Desire to engage in sex past 6 months

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	Not At All	280	10.3 %
2	Once or Twice/Mon	999	36.9 %
3	About Once/Wk	708	26.1 %
4	More than Once/Wk	524	19.3 %
5	Daily	63	2.3 %
Missing Data			
-9	Missing	10	0.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 2,574 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1565-1566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE3: Engaged in sexual activity past 6 months

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	No	634	23.4 %
2	Yes	1907	70.4 %
Missing Data			
-9	Missing	43	1.6 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 2,541 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1567-1568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN3: No sex past 6 months: no partner

If you reported no sexual activities in the past 6 months, please indicate whether or not the following was a reason why. I have not had sex in the last 6 months because: I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	No	223	8.2 %
2	Yes	375	13.8 %
	Missing Data		
-9	Missing	35	1.3 %
-1	N/A	1951	72.0 %
.	-	125	4.6 %
	Total	2,709	100%

Based upon 598 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1569-1570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO3: No sex past 6 months: partner physical problem

If you reported no sexual activities in the past 6 months, please indicate whether or not the following was a reason why. I have not had sex in the last 6 months because: My partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	448	16.5 %
2	Yes	64	2.4 %
	Missing Data		
-9	Missing	121	4.5 %
-1	N/A	1951	72.0 %
.	-	125	4.6 %
	Total	2,709	100%

Based upon 512 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1571-1572 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSR3: No sex past 6 months: physical problem

If you reported no sexual activities in the past 6 months, please indicate whether or not the following was a reason why. I have not had sex in the last 6 months because: I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	483	17.8 %
2	Yes	27	1.0 %
	Missing Data		
-9	Missing	123	4.5 %
-1	N/A	1951	72.0 %
.	-	125	4.6 %
	Total	2,709	100%

Based upon 510 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1573-1574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOSEXOT3: No sex past 6 months: other reason

If you reported no sexual activities in the past 6 months, please indicate whether or not the following was a reason why. I have not had sex in the last 6 months because: Other, please specify.

Value	Label	Unweighted Frequency	%
1	No	271	10.0 %
2	Yes	115	4.2 %
	Missing Data		
-9	Missing	247	9.1 %
-1	N/A	1951	72.0 %
.	-	125	4.6 %
	Total	2,709	100%

Based upon 386 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1575-1576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSPLE3: Physically pleasurable past 6 months

In the past 6 months, how physically pleasurable was your relationship with your partner?

Value	Label	Unweighted Frequency	%
1	Extremely Pleasurable	301	11.1 %

Value	Label	Unweighted Frequency	%
2	Very Pleasurable	811	29.9 %
3	Moderately Pleasurable	586	21.6 %
4	Slightly Pleasurable	185	6.8 %
5	Not At All Pleasurable	31	1.1 %
Missing Data			
-9	Missing	36	1.3 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,914 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1577-1578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SATISFY3: Emotionally satisfying past 6 months

In the past 6 months, how emotionally satisfying was your relationship with your partner?

Value	Label	Unweighted Frequency	%
1	Extremely Satisfying	303	11.2 %
2	Very Satisfying	731	27.0 %
3	Moderately Satisfying	630	23.3 %
4	Slightly Satisfying	207	7.6 %
5	Not At All Satisfying	34	1.3 %
Missing Data			
-9	Missing	45	1.7 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,905 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1579-1580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

KISSING3: Frequency of sexual activity: kissing

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities: Kissing and hugging?

Value	Label	Unweighted Frequency	%
1	Not At All	65	2.4 %
2	Once or Twice/Mon	269	9.9 %
3	About Once/Wk	249	9.2 %
4	More than Once/Wk	472	17.4 %
5	Daily	846	31.2 %
Missing Data			
-9	Missing	49	1.8 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,901 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1581-1582 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOUCHIN3: Frequency of sexual activity: touching

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities: Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	Not At All	54	2.0 %
2	Once or Twice/Mon	504	18.6 %
3	About Once/Wk	464	17.1 %
4	More than Once/Wk	629	23.2 %
5	Daily	245	9.0 %
Missing Data			
-9	Missing	54	2.0 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,896 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1583-1584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

ORALSEX3: Frequency of sexual activity: oral sex

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities: Oral sex?

Value	Label	Unweighted Frequency	%
1	Not At All	838	30.9 %
2	Once or Twice/Mon	666	24.6 %
3	About Once/Wk	227	8.4 %
4	More than Once/Wk	131	4.8 %
5	Daily	5	0.2 %
Missing Data			
-9	Missing	83	3.1 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,867 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1585-1586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

INTCOUR3: Frequency of sexual activity: intercourse

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities: Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	Not At All	79	2.9 %
2	Once or Twice/Mon	731	27.0 %
3	About Once/Wk	581	21.4 %
4	More than Once/Wk	483	17.8 %
5	Daily	21	0.8 %
Missing Data			
-9	Missing	55	2.0 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,895 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1587-1588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED3: Arousal during sexual activity past 6 months

During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	567	20.9 %
2	Almost Always	731	27.0 %
3	Sometimes	510	18.8 %
4	Almost Never	73	2.7 %
5	Never	29	1.1 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	40	1.5 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,910 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1589-1590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVIC3: Vaginal or pelvic pain past 6 months

During the last 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	Always	18	0.7 %
2	Almost Always	48	1.8 %
3	Sometimes	364	13.4 %
4	Almost Never	401	14.8 %
5	Never	1005	37.1 %
6	No Intercourse In Last 6 Mons	76	2.8 %
Missing Data			
-9	Missing	38	1.4 %

Value	Label	Unweighted Frequency	%
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,912 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1591-1592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LUBRICN3: Use of lubricants past 6 months

During the last 6 months, how often have you used lubricants (such as creams or jellies) to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	Always	109	4.0 %
2	Almost Always	128	4.7 %
3	Sometimes	247	9.1 %
4	Almost Never	137	5.1 %
5	Never	1230	45.4 %
6	No Intercourse In Last 6 Mons	54	2.0 %
Missing Data			
-9	Missing	45	1.7 %
-1	N/A	634	23.4 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,905 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1593-1594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLECLM3: Able to reach climax past 6 months

During the last 6 months, how often were you able to reach climax?

Value	Label	Unweighted Frequency	%
1	Always	416	15.4 %
2	Almost Always	764	28.2 %

Value	Label	Unweighted Frequency	%
3	Sometimes	510	18.8 %
4	Almost Never	124	4.6 %
5	Never	86	3.2 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	47	1.7 %
-1	N/A	637	23.5 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,900 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1595-1596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMPCLMX3: How important reach climax past 6 months

During the last 6 months, how often was it important for you to reach a climax?

Value	Label	Unweighted Frequency	%
1	Always	257	9.5 %
2	Almost Always	652	24.1 %
3	Sometimes	738	27.2 %
4	Almost Never	178	6.6 %
5	Never	69	2.5 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	50	1.8 %
-1	N/A	640	23.6 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,894 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1597-1598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SATISFD3: Satisfied after sexual activity past 6 months

During the last 6 months, how often did you feel satisfied after sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	453	16.7 %
2	Almost Always	848	31.3 %
3	Sometimes	464	17.1 %
4	Almost Never	104	3.8 %
5	Never	32	1.2 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	46	1.7 %
-1	N/A	637	23.5 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,901 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1599-1600 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FREQUEN3: Satisfied w/frequency sexual activity past 6 months

During the last 6 months, how often were you satisfied with the frequency of sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	304	11.2 %
2	Almost Always	784	28.9 %
3	Sometimes	611	22.6 %
4	Almost Never	145	5.4 %
5	Never	55	2.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	48	1.8 %
-1	N/A	637	23.5 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,899 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1601-1602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVOUS3: Nervous after sexual experience past 6 months

During the last 6 months, how frequently did you feel tense or nervous after a sexual experience?

Value	Label	Unweighted Frequency	%
1	Always	13	0.5 %
2	Almost Always	26	1.0 %
3	Sometimes	162	6.0 %
4	Almost Never	526	19.4 %
5	Never	1156	42.7 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	61	2.3 %
-1	N/A	640	23.6 %
.	-	125	4.6 %
Total		2,709	100%

Based upon 1,883 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1603-1604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB3: Frequency of masturbation past 6 months

On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	Not At All	1246	46.0 %
2	Less Than Once/Mon	619	22.8 %
3	Once or Twice/Mon	405	15.0 %
4	About Once/Wk	157	5.8 %
5	More than Once/Wk	71	2.6 %
6	Daily	6	0.2 %
Missing Data			
-9	Missing	80	3.0 %

Value	Label	Unweighted Frequency	%
.	-	125	4.6 %
	Total	2,709	100%

Based upon 2,504 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1605-1606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FLGSABV3: (FLGSABV3) Completed after V3 cutoff (01/31/2001)

Value	Label	Unweighted Frequency	%
0	No	2583	95.3 %
1	Yes	1	0.0 %
	Missing Data		
.	-	125	4.6 %
	Total	2,709	100%

Based upon 2,584 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1607-1608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SACDAY3: Self-administered-Part C Day

Value	Label	Unweighted Frequency	%
940	-	1	0.0 %
941	-	1	0.0 %
944	-	1	0.0 %
953	-	1	0.0 %
965	-	1	0.0 %
990	-	1	0.0 %
996	-	1	0.0 %
1000	-	1	0.0 %
1001	-	1	0.0 %
1003	-	1	0.0 %
1005	-	1	0.0 %
1006	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1007	-	1	0.0 %
1008	-	2	0.1 %
1015	-	3	0.1 %
1017	-	1	0.0 %
1019	-	1	0.0 %
1020	-	3	0.1 %
1021	-	2	0.1 %
1022	-	1	0.0 %
1023	-	7	0.3 %
1024	-	2	0.1 %
1025	-	2	0.1 %
1026	-	1	0.0 %
1027	-	2	0.1 %
1028	-	2	0.1 %
1029	-	4	0.1 %
1030	-	2	0.1 %
1032	-	3	0.1 %
1033	-	2	0.1 %
1034	-	3	0.1 %
1035	-	6	0.2 %
1036	-	5	0.2 %
1037	-	5	0.2 %
1038	-	1	0.0 %
1039	-	2	0.1 %
1040	-	9	0.3 %
1041	-	2	0.1 %
1042	-	9	0.3 %
1043	-	7	0.3 %
1044	-	8	0.3 %
1045	-	6	0.2 %
1046	-	9	0.3 %
1047	-	7	0.3 %
1048	-	5	0.2 %
1049	-	17	0.6 %
1050	-	15	0.6 %
1051	-	12	0.4 %
1052	-	7	0.3 %
1053	-	13	0.5 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	109	4.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,600 valid cases out of 2,709 total cases.

- Mean: 1118.86
- Minimum: 940.00
- Maximum: 1554.00
- Standard Deviation: 62.30

Location: 1609-1612 (width: 4; decimal: 0)

Variable Type: numeric

LANGSAC3: Language of self-C

Value	Label	Unweighted Frequency	%
1	English	2270	83.8 %
2	Spanish	144	5.3 %
3	Cantonese	81	3.0 %
4	Japanese	107	3.9 %
	Missing Data		
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1613-1614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROVIDE3: Primary health care provider

Do you have a health care provider from whom you primarily get your care for women's health conditions?

Value	Label	Unweighted Frequency	%
1	No	478	17.6 %
2	Yes	2114	78.0 %
	Missing Data		
-9	Missing	9	0.3 %
-7	Refused	1	0.0 %
.	-	107	3.9 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 2,592 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1615-1616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TYPEPRA3: Type of practice

What type of practice is the institution where your health care provider practices?

Value	Label	Unweighted Frequency	%
1	Hospital	241	8.9 %
2	Office	1170	43.2 %
3	Clinic	552	20.4 %
4	Other	117	4.3 %
	Missing Data		
-9	Missing	34	1.3 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
	Total	2,709	100%

Based upon 2,080 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1617-1618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL3: Provider's Specialty

Which of the following best describes your health care provider's specialty: a family practitioner, an internist, a gynecologist, a nurse practitioner or physician assistant, a naturopath (one who uses natural (non-medicinal) therapy), other, no specialty, or don't know?

Value	Label	Unweighted Frequency	%
1	Family Practitioner	615	22.7 %
2	Internist	380	14.0 %
3	Gynecologist	858	31.7 %
4	Nurse pract/physician asst	140	5.2 %

Value	Label	Unweighted Frequency	%
5	Naturopath	3	0.1 %
6	Other	50	1.8 %
7	No specialty	2	0.1 %
Missing Data			
-9	Missing	24	0.9 %
-8	Do not know	42	1.6 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,048 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1619-1620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPECIFY3: Provider specialty - specify

If you selected 'other' to describe the specialty of your health care provider, please specify.

Value	Label	Unweighted Frequency	%
	-	107	3.9 %
-1	N/A	2552	94.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
ACUPUNCTURIST	-	2	0.1 %
ADULT MEDICINE	-	2	0.1 %
ADULT PRIM CARE	-	1	0.0 %
ALL	-	1	0.0 %
ALL OF THE ABOV	-	1	0.0 %
COVERSEVERYTHNG	-	1	0.0 %
D.O.	-	1	0.0 %
DO	-	1	0.0 %
DOCTOR	-	1	0.0 %
ENDOCR.	-	1	0.0 %
ENDOCRIN/INTERN	-	1	0.0 %
ENDOCRINOLOGIST	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ENDOCRINOLOGIST	-	1	0.0 %
FAMILY PRACT	-	1	0.0 %
GASTROENTEROLOG	-	1	0.0 %
GENERAL	-	1	0.0 %
GENERAL ..	-	1	0.0 %
GENERAL MED	-	1	0.0 %
HEALTH CARE CTR	-	1	0.0 %
HMO	-	3	0.1 %
HMO INCLUDES AL	-	1	0.0 %
INFECTIOUS	-	1	0.0 %
INTERN MED PHYS	-	1	0.0 %
INTERNAL MED.	-	1	0.0 %
INTERNAL MEDICE	-	1	0.0 %
MD INTERNAL MED	-	1	0.0 %
MEDICAL DOCTOR	-	1	0.0 %
N.P	-	1	0.0 %
NEUROLOGIST	-	1	0.0 %
NURSE PRACT	-	1	0.0 %
OB-GYN	-	1	0.0 %
OB-GYN/MIDWIVES	-	1	0.0 %
OB/GYN	-	3	0.1 %
ONCOLOGIST	-	1	0.0 %
ONCOLOGY	-	1	0.0 %
PHYSIO MEDICINE	-	1	0.0 %
PPG	-	1	0.0 %
PRIM CARE-ADULT	-	1	0.0 %
PRIMARY CARE	-	1	0.0 %
PRIMARY PCP	-	1	0.0 %
PSYCHARIST	-	1	0.0 %
PULMONIST	-	1	0.0 %
RHEUMATOLOGY	-	1	0.0 %
WOMEN'S HEALTH	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1621-1635 (width: 15; decimal: 0)

Variable Type: character

VISIPRO3: See/talk to health care provider (HCP) number of times

Since your last study visit, about how many times did you see or talk to your health care provider regarding your own health?

Value	Label	Unweighted Frequency	%
0	-	243	9.0 %
1	-	710	26.2 %
2	-	448	16.5 %
3	-	251	9.3 %
4	-	186	6.9 %
5	-	72	2.7 %
6	-	71	2.6 %
7	-	18	0.7 %
8	-	23	0.8 %
9	-	8	0.3 %
10	-	33	1.2 %
11	-	2	0.1 %
12	-	13	0.5 %
13	-	1	0.0 %
14	-	2	0.1 %
15	-	5	0.2 %
20	-	8	0.3 %
21	-	1	0.0 %
24	-	2	0.1 %
25	-	2	0.1 %
28	-	1	0.0 %
30	-	3	0.1 %
Missing Data			
-9	Missing	11	0.4 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,103 valid cases out of 2,709 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.96

Location: 1636-1637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROLE3: Role in health care decisions

Please indicate what role you prefer that your health care provider take in deciding about your health (circle one number).

Value	Label	Unweighted Frequency	%
1	-	404	14.9 %
2	-	323	11.9 %
3	-	236	8.7 %
4	-	513	18.9 %
5	-	288	10.6 %
6	-	145	5.4 %
7	-	194	7.2 %
Missing Data			
-9	Missing	11	0.4 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,103 valid cases out of 2,709 total cases.

- Mean: 3.56
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.87

Location: 1638-1639 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENCOURA3: Encourage to make own decisions

Using the scale provided, please indicate how often each statement is true for you and your health care provider for women's health conditions. If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond: My health care provider encourages me to make my own decisions regarding treatment plans.

Value	Label	Unweighted Frequency	%
1	Almost Never	67	2.5 %
2	Seldom	118	4.4 %
3	Neutral	515	19.0 %
4	Often	719	26.5 %
5	Almost always	681	25.1 %
Missing Data			
-9	Missing	14	0.5 %
-1	N/A	488	18.0 %

Value	Label	Unweighted Frequency	%
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,100 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1640-1641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISCUSS3: Discusses alternatives

Using the scale provided, please indicate how often each statement is true for you and your health care provider for women's health conditions. If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond: When my health care provider recommends treatment plans, he/she also discusses alternatives.

Value	Label	Unweighted Frequency	%
1	Almost Never	39	1.4 %
2	Seldom	93	3.4 %
3	Neutral	314	11.6 %
4	Often	815	30.1 %
5	Almost always	835	30.8 %
Missing Data			
-9	Missing	18	0.7 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,096 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1642-1643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REFUSAL3: If refuse, respects decision

Using the scale provided, please indicate how often each statement is true for you and your health care provider for women's health conditions. If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond: If I refuse treatment, my health care provider respects my decision.

Value	Label	Unweighted Frequency	%
1	Almost Never	55	2.0 %
2	Seldom	43	1.6 %
3	Neutral	668	24.7 %
4	Often	560	20.7 %
5	Almost always	755	27.9 %
Missing Data			
-9	Missing	32	1.2 %
-1	N/A	489	18.1 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,081 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1644-1645 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTICI3: Encourages participation

Using the scale provided, please indicate how often each statement is true for you and your health care provider for women's health conditions. If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond: My health care provider encourages me to participate in decisions about my health care.

Value	Label	Unweighted Frequency	%
1	Almost Never	28	1.0 %
2	Seldom	70	2.6 %
3	Neutral	319	11.8 %
4	Often	711	26.2 %
5	Almost always	969	35.8 %
Missing Data			
-9	Missing	17	0.6 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,097 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1646-1647 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALTERNA3: Considers alternatives suggest

Using the scale provided, please indicate how often each statement is true for you and your health care provider for women's health conditions. If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond: My health care provider seriously considers any alternative treatments that I suggest.

Value	Label	Unweighted Frequency	%
1	Almost Never	57	2.1 %
2	Seldom	102	3.8 %
3	Neutral	687	25.4 %
4	Often	647	23.9 %
5	Almost always	595	22.0 %
Missing Data			
-9	Missing	26	1.0 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,088 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1648-1649 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGES3: Changes if requested

Using the scale provided, please indicate how often each statement is true for you and your health care provider for women's health conditions. If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond: If I tell my health care provider my treatment plan is too difficult or too much trouble, he/she changes it.

Value	Label	Unweighted Frequency	%
1	Almost Never	83	3.1 %
2	Seldom	102	3.8 %
3	Neutral	844	31.2 %
4	Often	551	20.3 %
5	Almost always	495	18.3 %
Missing Data			
-9	Missing	39	1.4 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,075 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1650-1651 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

JUDGE3: Encourage to trust own judgment

Using the scale provided, please indicate how often each statement is true for you and your health care provider for women's health conditions. If a statement describes something that has never come up for you, respond according to how you think your provider would most likely respond: My health care provider encourages me to trust my own judgment about my health care.

Value	Label	Unweighted Frequency	%
1	Almost Never	79	2.9 %
2	Seldom	111	4.1 %
3	Neutral	640	23.6 %
4	Often	684	25.2 %
5	Almost always	582	21.5 %
Missing Data			
-9	Missing	18	0.7 %
-1	N/A	488	18.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,096 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1652-1653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

EMOTION3: Talk to health care provider (HCP) emotional problems

In the past year, have you talked to any health care providers or other professionals for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
1	No	2046	75.5 %
2	Yes	516	19.0 %
Missing Data			
-9	Missing	33	1.2 %
-7	Refused	1	0.0 %
-1	N/A	6	0.2 %

Value	Label	Unweighted Frequency	%
-		107	3.9 %
Total		2,709	100%

Based upon 2,562 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1654-1655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRIMARY3: Talk to primary care physician (PCP)

In the past year, have you seen or talked with any of the following health care providers or other professionals for treatment of emotional problems: Primary care provider/family physician (not an obstetrician/gynecologist)?

Value	Label	Unweighted Frequency	%
1	No	252	9.3 %
2	Yes	251	9.3 %
	Missing Data		
-9	Missing	13	0.5 %
-1	N/A	2086	77.0 %
-		107	3.9 %
Total		2,709	100%

Based upon 503 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1656-1657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRIMAR13: Talk to primary care physician (PCP) number of times

If you reported that you have seen or talked with a primary care provider/family physician in the past year, please indicate how many times you saw or talked to this type of professional.

Value	Label	Unweighted Frequency	%
1	-	89	3.3 %
2	-	51	1.9 %
3	-	34	1.3 %
4	-	21	0.8 %
5	-	7	0.3 %

Value	Label	Unweighted Frequency	%
6	-	16	0.6 %
7	-	3	0.1 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	12	0.4 %
12	-	5	0.2 %
18	-	1	0.0 %
20	-	3	0.1 %
21	-	1	0.0 %
40	-	2	0.1 %
Missing Data			
-9	Missing	3	0.1 %
-1	N/A	2351	86.8 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 248 valid cases out of 2,709 total cases.

- Mean: 3.68
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 4.83

Location: 1658-1659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OBSTETR3: Talk to obstetrician/gynecologist (OB/GYN) physician

In the past year, have you seen or talked with any of the following health care providers or other professionals for treatment of emotional problems: Obstetrician/gynecologist (OB/GYN) physician?

Value	Label	Unweighted Frequency	%
1	No	379	14.0 %
2	Yes	119	4.4 %
Missing Data			
-9	Missing	18	0.7 %
-1	N/A	2086	77.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 498 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1660-1661 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OBSTET13: Talk to obstetrician/gynecologist (OB/GYN) number of times

If you reported that you have seen or talked with a obstetrician/gynecologist (OB/GYN) physician in the past year, please indicate how many times you saw or talked to this type of professional.

Value	Label	Unweighted Frequency	%
1	-	64	2.4 %
2	-	32	1.2 %
3	-	8	0.3 %
4	-	4	0.1 %
5	-	3	0.1 %
6	-	2	0.1 %
7	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
20	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2483	91.7 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 118 valid cases out of 2,709 total cases.

- Mean: 2.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.51

Location: 1662-1663 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRACTIT3: Talk to nurse practitioner or physician assistant (NP/PA)

In the past year, have you seen or talked with any of the following health care providers or other professionals for treatment of emotional problems: Nurse practitioner/registered nurse or physician assistant?

Value	Label	Unweighted Frequency	%
1	No	415	15.3 %
2	Yes	81	3.0 %
Missing Data			
-9	Missing	20	0.7 %
-1	N/A	2086	77.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 496 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1664-1665 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRACTI13: Talk to nurse practitioner or physician assistant (NP/PA) number of times

If you reported that you have seen or talked with a nurse practitioner/registered nurse or physician assistant in the past year, please indicate how many times you saw or talked to this type of professional.

Value	Label	Unweighted Frequency	%
1	-	33	1.2 %
2	-	17	0.6 %
3	-	6	0.2 %
4	-	7	0.3 %
5	-	3	0.1 %
6	-	2	0.1 %
7	-	3	0.1 %
8	-	1	0.0 %
10	-	5	0.2 %
11	-	1	0.0 %
12	-	1	0.0 %
42	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2521	93.1 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 80 valid cases out of 2,709 total cases.

- Mean: 3.55
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 42.00
- Standard Deviation: 5.21

Location: 1666-1667 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCHIA3: Talk to psychiatrist

In the past year, have you seen or talked with any of the following health care providers or other professionals for treatment of emotional problems: Psychiatrist?

Value	Label	Unweighted Frequency	%
1	No	321	11.8 %
2	Yes	171	6.3 %
Missing Data			
-9	Missing	24	0.9 %
-1	N/A	2086	77.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 492 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1668-1669 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCHI13: Talk to psychiatrist number of times

If you reported that you have seen or talked with a psychiatrist in the past year, please indicate how many times you saw or talked to this type of professional.

Value	Label	Unweighted Frequency	%
1	-	22	0.8 %
2	-	25	0.9 %
3	-	23	0.8 %
4	-	16	0.6 %
5	-	5	0.2 %
6	-	12	0.4 %
7	-	1	0.0 %
8	-	3	0.1 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
10	-	16	0.6 %
12	-	19	0.7 %
14	-	1	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
20	-	5	0.2 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
30	-	1	0.0 %
40	-	3	0.1 %
45	-	2	0.1 %
48	-	1	0.0 %
52	-	1	0.0 %
80	-	1	0.0 %
100	-	1	0.0 %
104	-	1	0.0 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	2431	89.7 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 167 valid cases out of 2,709 total cases.

- Mean: 9.72
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 104.00
- Standard Deviation: 15.08

Location: 1670-1672 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCHOL3: Talk to psychologist

In the past year, have you seen or talked with of the following health care providers or other professionals for treatment of emotional problems: Psychologist, social worker, or counselor?

Value	Label	Unweighted Frequency	%
1	No	261	9.6 %
2	Yes	236	8.7 %
	Missing Data		
-9	Missing	19	0.7 %
-1	N/A	2086	77.0 %
.	-	107	3.9 %
	Total	2,709	100%

Based upon 497 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1673-1674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCHO13: Talk to psychologist number of times

If you reported that you have seen or talked with a psychologist, social worker, or counselor in the past year, please indicate how many times you saw or talked to this type of professional.

Value	Label	Unweighted Frequency	%
1	-	20	0.7 %
2	-	16	0.6 %
3	-	19	0.7 %
4	-	16	0.6 %
5	-	21	0.8 %
6	-	10	0.4 %
7	-	2	0.1 %
8	-	6	0.2 %
9	-	2	0.1 %
10	-	26	1.0 %
11	-	2	0.1 %
12	-	14	0.5 %
14	-	3	0.1 %
15	-	8	0.3 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	11	0.4 %
24	-	11	0.4 %
25	-	4	0.1 %
30	-	7	0.3 %

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
35	-	3	0.1 %
40	-	5	0.2 %
45	-	3	0.1 %
46	-	1	0.0 %
48	-	3	0.1 %
50	-	2	0.1 %
52	-	5	0.2 %
75	-	1	0.0 %
78	-	1	0.0 %
100	-	4	0.1 %
Missing Data			
-9	Missing	7	0.3 %
-1	N/A	2366	87.3 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 229 valid cases out of 2,709 total cases.

- Mean: 14.99
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 18.25

Location: 1675-1677 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHER3: Talk to other

In the past year, have you seen or talked with any of the following health care providers or other professionals for treatment of emotional problems: Other?

Value	Label	Unweighted Frequency	%
1	No	380	14.0 %
2	Yes	50	1.8 %
Missing Data			
-9	Missing	86	3.2 %
-1	N/A	2086	77.0 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 430 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1678-1679 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHER13: Talk to other number of times

If you reported that you have seen or talked with another health care provider or professional in the past year for treatment of emotional problems that was not listed, please indicate how many times you saw or talked with this type of professional.

Value	Label	Unweighted Frequency	%
1	-	6	0.2 %
2	-	9	0.3 %
3	-	7	0.3 %
4	-	2	0.1 %
5	-	6	0.2 %
6	-	5	0.2 %
7	-	2	0.1 %
8	-	1	0.0 %
12	-	3	0.1 %
14	-	1	0.0 %
20	-	1	0.0 %
25	-	2	0.1 %
35	-	1	0.0 %
50	-	1	0.0 %
100	-	1	0.0 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	2552	94.2 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 48 valid cases out of 2,709 total cases.

- Mean: 9.17
- Median: 4.50
- Mode: 2.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 16.37

Location: 1680-1682 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHER_S3: Talk to other - specify

If you reported that you have seen or talked with another health care provider or professional in the past year for treatment of emotional problems that was not listed, please specify what type of professional you saw or talked to.

Value	Label	Unweighted Frequency	%
-	-	107	3.9 %
-1	N/A	2553	94.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	2	0.1 %
ACUPUNCTURE	-	1	0.0 %
ACUPUNCTURIST	-	1	0.0 %
ACCUPUNTURIST	-	1	0.0 %
ANXIETY SPECIALIST	-	1	0.0 %
BEHAVIORIST FOR CHILD	-	1	0.0 %
CHIROPRACTOR	-	1	0.0 %
CODIOLOGIST	-	1	0.0 %
COUNSELOR	-	1	0.0 %
D.O.	-	1	0.0 %
EAP-EMPLOYEE ASSISTANCE	-	1	0.0 %
EMPLOYEE ASSISTANCE PROGM	-	1	0.0 %
ENT	-	1	0.0 %
FAMILY THERAPIST FOR SON	-	1	0.0 %
G.I.	-	1	0.0 %
GASTRO	-	1	0.0 %
GASTROENTEROL OGIST ALTC..	-	1	0.0 %
GROUP THERAPY WITH -	-	1	0.0 %
HEART DR.	-	1	0.0 %
HOLISTIC HEALER	-	1	0.0 %
HOMEOPATHIC PRACTITONER	-	1	0.0 %
INFORMAL SUPPORT GROUP	-	1	0.0 %
INTERNALIST	-	1	0.0 %
JUNGIAN ANALYST	-	1	0.0 %

Value	Label	Unweighted Frequency	%
MARRIAGE COUNSELOR	-	1	0.0 %
MEDICAL ASSISTANT TO ALTC	-	1	0.0 %
MINISTER	-	2	0.1 %
NEURO ONCOLOGIST	-	1	0.0 %
NEUROLOGIST	-	1	0.0 %
NEUROLOGIST-ALTC..	-	1	0.0 %
ORTHOPEDIC SURGEON	-	2	0.1 %
OUTSIDE CARE PHYSICIAN FO	-	1	0.0 %
PAIN DOCTOR	-	1	0.0 %
PASTOR	-	2	0.1 %
PHARMACIST	-	1	0.0 %
PSYCHOPARMACO LOGIST ALTC.	-	1	0.0 %
RENAL DOCTOR- I'M A ALTC..	-	1	0.0 %
RESIDENT PSYCHIATRIST	-	1	0.0 %
SELF-HELP GROUP	-	1	0.0 %
SPECIALIST	-	2	0.1 %
SPIRITUAL COUNSELOR	-	1	0.0 %
SURGEON FOR "PAIN"	-	1	0.0 %
THERAPEUTIC BODYWORK	-	1	0.0 %
THERAPIST FOR GRIEF	-	1	0.0 %
Total		2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1683-1707 (width: 25; decimal: 0)

Variable Type: character

ENDO3: Endometriosis

Since your last study visit, have you had any of the following conditions: Endometriosis (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	No	2514	92.8 %
2	Yes	80	3.0 %
Missing Data			
-9	Missing	8	0.3 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,594 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1708-1709 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDODIF3: Endometriosis difficult daily

If you have had Endometriosis since your last study visit, has it made it difficult to carry out your daily routine?

Value	Label	Unweighted Frequency	%
1	No	63	2.3 %
2	Yes	13	0.5 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	2522	93.1 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 76 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1710-1711 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVICP3: Pelvic pain

Since your last study visit, have you had any of the following conditions: Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	No	2199	81.2 %
2	Yes	396	14.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	7	0.3 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1712-1713 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFFPEL3: Pelvic pain difficult daily

If you have had pelvic pain since your last study visit, has it made it difficult to carry out your daily routine?

Value	Label	Unweighted Frequency	%
1	No	286	10.6 %
2	Yes	97	3.6 %
Missing Data			
-9	Missing	13	0.5 %
-1	N/A	2206	81.4 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 383 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1714-1715 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS3: Prolapse

Since your last study visit, have you had any of the following conditions: Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of the vagina)?

Value	Label	Unweighted Frequency	%
1	No	2524	93.2 %
2	Yes	70	2.6 %
Missing Data			
-9	Missing	8	0.3 %
.	-	107	3.9 %

Value	Label	Unweighted Frequency	%
	Total	2,709	100%

Based upon 2,594 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1716-1717 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFFPRO3: Prolapse difficult daily

If you have had pelvic prolapse or relaxation since your last study visit, has it made it difficult to carry out your daily routine?

Value	Label	Unweighted Frequency	%
1	No	52	1.9 %
2	Yes	13	0.5 %
	Missing Data		
-9	Missing	5	0.2 %
-1	N/A	2532	93.5 %
.	-	107	3.9 %
	Total	2,709	100%

Based upon 65 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1718-1719 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PCANCER3: Pelvic cancer

Since your last study visit, have you had any of the following conditions: Pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?

Value	Label	Unweighted Frequency	%
1	No	2590	95.6 %
2	Yes	5	0.2 %
	Missing Data		
-9	Missing	7	0.3 %
.	-	107	3.9 %
	Total	2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1720-1721 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DIFFCAN3: Pelvic cancer difficult daily

If you have had pelvic cancer since your last study visit, has it made it difficult to carry out your daily routine?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2597	95.9 %
.	-	107	3.9 %
	Total	2,709	100%

Based upon 4 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1722-1723 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED3: Abnormal bleeding

Since your last study visit, have you had any of the following conditions: Abnormal bleeding (bleeding from the vagina that is different from usual: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	No	2229	82.3 %
2	Yes	366	13.5 %
	Missing Data		
-9	Missing	7	0.3 %
.	-	107	3.9 %
	Total	2,709	100%

Based upon 2,595 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1724-1725 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFFBLE3: Abnormal bleeding difficult daily

If you have had abnormal bleeding since your last study, has it made it difficult to carry out your daily routine?

Value	Label	Unweighted Frequency	%
1	No	232	8.6 %
2	Yes	121	4.5 %
Missing Data			
-9	Missing	13	0.5 %
-1	N/A	2236	82.5 %
.	-	107	3.9 %
Total		2,709	100%

Based upon 353 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSACV3: (FLGSACV3) Completed after V3 cutoff (01/31/2001)

Value	Label	Unweighted Frequency	%
0	No	2601	96.0 %
1	Yes	1	0.0 %
Missing Data			
.	-	107	3.9 %
Total		2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1728-1729 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGVISV3: Out of range values to B5, (VISIPRO3)

Value	Label	Unweighted Frequency	%
0	No	2593	95.7 %

Value	Label	Unweighted Frequency	%
1	Yes	9	0.3 %
	Missing Data		
.	-	107	3.9 %
	Total	2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1730-1731 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGPSYV3: Out of range values to B9d.1 (PSYCH13)

Value	Label	Unweighted Frequency	%
0	No	2601	96.0 %
1	Yes	1	0.0 %
	Missing Data		
.	-	107	3.9 %
	Total	2,709	100%

Based upon 2,602 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1732-1733 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY3: Physical measures day

Value	Label	Unweighted Frequency	%
940	-	1	0.0 %
953	-	1	0.0 %
954	-	1	0.0 %
965	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	1	0.0 %
1007	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %
1015	-	2	0.1 %
1017	-	2	0.1 %
1020	-	2	0.1 %
1021	-	2	0.1 %
1022	-	1	0.0 %
1023	-	5	0.2 %
1024	-	1	0.0 %
1025	-	2	0.1 %
1026	-	3	0.1 %
1027	-	2	0.1 %
1028	-	1	0.0 %
1029	-	3	0.1 %
1030	-	2	0.1 %
1031	-	1	0.0 %
1032	-	3	0.1 %
1033	-	2	0.1 %
1034	-	3	0.1 %
1035	-	3	0.1 %
1036	-	8	0.3 %
1037	-	4	0.1 %
1038	-	1	0.0 %
1039	-	1	0.0 %
1040	-	5	0.2 %
1041	-	6	0.2 %
1042	-	7	0.3 %
1043	-	5	0.2 %
1044	-	5	0.2 %
1045	-	6	0.2 %
1046	-	5	0.2 %
1047	-	5	0.2 %
1048	-	7	0.3 %
1049	-	15	0.6 %
1050	-	16	0.6 %
1051	-	12	0.4 %
1052	-	10	0.4 %
1053	-	13	0.5 %

Value	Label	Unweighted Frequency	%
1054	-	3	0.1 %
	Missing Data		
-	-	170	6.3 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,539 valid cases out of 2,709 total cases.

- Mean: 1118.82
- Minimum: 940.00
- Maximum: 1553.00
- Standard Deviation: 61.66

Location: 1734-1737 (width: 4; decimal: 0)

Variable Type: numeric

PULSE3: Pulse, beats per 30 seconds

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
21	-	3	0.1 %
22	-	6	0.2 %
23	-	6	0.2 %
24	-	8	0.3 %
25	-	26	1.0 %
26	-	31	1.1 %
27	-	60	2.2 %
28	-	102	3.8 %
29	-	137	5.1 %
30	-	187	6.9 %
31	-	173	6.4 %
32	-	258	9.5 %
33	-	180	6.6 %
34	-	225	8.3 %
35	-	182	6.7 %
36	-	214	7.9 %
37	-	114	4.2 %
38	-	178	6.6 %
39	-	63	2.3 %
40	-	123	4.5 %
41	-	46	1.7 %

Value	Label	Unweighted Frequency	%
42	-	57	2.1 %
43	-	45	1.7 %
44	-	36	1.3 %
45	-	14	0.5 %
46	-	15	0.6 %
47	-	5	0.2 %
48	-	13	0.5 %
49	-	7	0.3 %
50	-	6	0.2 %
51	-	2	0.1 %
52	-	2	0.1 %
54	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
88	-	1	0.0 %
Missing Data			
.	-	180	6.6 %
Total		2,709	100%

Based upon 2,529 valid cases out of 2,709 total cases.

- Mean: 34.32
- Median: 34.00
- Mode: 32.00
- Minimum: 20.00
- Maximum: 88.00
- Standard Deviation: 4.98

Location: 1738-1739 (width: 2; decimal: 0)

Variable Type: numeric

SYSBP13: Systolic blood pressure (BP) number 1

Value	Label	Unweighted Frequency	%
72	-	1	0.0 %
82	-	3	0.1 %
84	-	7	0.3 %
86	-	7	0.3 %
88	-	18	0.7 %
90	-	34	1.3 %
92	-	42	1.6 %
94	-	39	1.4 %
96	-	59	2.2 %

Value	Label	Unweighted Frequency	%
98	-	111	4.1 %
100	-	99	3.7 %
101	-	1	0.0 %
102	-	116	4.3 %
104	-	120	4.4 %
105	-	1	0.0 %
106	-	99	3.7 %
108	-	120	4.4 %
109	-	1	0.0 %
110	-	181	6.7 %
112	-	153	5.6 %
113	-	1	0.0 %
114	-	94	3.5 %
116	-	80	3.0 %
118	-	122	4.5 %
120	-	129	4.8 %
122	-	97	3.6 %
124	-	109	4.0 %
126	-	64	2.4 %
128	-	75	2.8 %
130	-	87	3.2 %
132	-	61	2.3 %
134	-	46	1.7 %
135	-	1	0.0 %
136	-	40	1.5 %
138	-	43	1.6 %
140	-	62	2.3 %
142	-	33	1.2 %
144	-	13	0.5 %
146	-	15	0.6 %
148	-	20	0.7 %
150	-	23	0.8 %
152	-	11	0.4 %
154	-	5	0.2 %
156	-	8	0.3 %
158	-	7	0.3 %
160	-	24	0.9 %
162	-	5	0.2 %
164	-	4	0.1 %

Value	Label	Unweighted Frequency	%
166	-	2	0.1 %
168	-	5	0.2 %
	Missing Data		
.	-	182	6.7 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,527 valid cases out of 2,709 total cases.

- Mean: 117.01
- Median: 114.00
- Mode: 110.00
- Minimum: 72.00
- Maximum: 204.00
- Standard Deviation: 17.29

Location: 1740-1742 (*width:* 3; *decimal:* 0)

Variable Type: numeric

DIABP13: Diastolic blood pressure (BP) number 1

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
44	-	1	0.0 %
46	-	3	0.1 %
48	-	2	0.1 %
50	-	16	0.6 %
52	-	7	0.3 %
54	-	17	0.6 %
56	-	26	1.0 %
58	-	57	2.1 %
60	-	77	2.8 %
62	-	95	3.5 %
64	-	111	4.1 %
65	-	2	0.1 %
66	-	103	3.8 %
68	-	222	8.2 %
70	-	257	9.5 %
72	-	190	7.0 %
73	-	1	0.0 %
74	-	163	6.0 %
75	-	1	0.0 %

Value	Label	Unweighted Frequency	%
76	-	131	4.8 %
78	-	214	7.9 %
80	-	191	7.1 %
82	-	149	5.5 %
84	-	98	3.6 %
86	-	70	2.6 %
88	-	101	3.7 %
90	-	79	2.9 %
92	-	38	1.4 %
94	-	24	0.9 %
96	-	22	0.8 %
98	-	15	0.6 %
100	-	16	0.6 %
102	-	5	0.2 %
104	-	3	0.1 %
106	-	2	0.1 %
108	-	4	0.1 %
110	-	5	0.2 %
112	-	1	0.0 %
120	-	4	0.1 %
124	-	1	0.0 %
140	-	1	0.0 %
176	-	1	0.0 %
Missing Data			
.	-	182	6.7 %
Total		2,709	100%

Based upon 2,527 valid cases out of 2,709 total cases.

- Mean: 74.81
- Median: 74.00
- Mode: 70.00
- Minimum: 32.00
- Maximum: 176.00
- Standard Deviation: 10.64

Location: 1743-1745 (*width:* 3; *decimal:* 0)

Variable Type: numeric

SYSBP23: Systolic blood pressure (BP) number 2

Value	Label	Unweighted Frequency	%
72	-	1	0.0 %

Value	Label	Unweighted Frequency	%
82	-	4	0.1 %
84	-	4	0.1 %
86	-	6	0.2 %
88	-	17	0.6 %
90	-	38	1.4 %
92	-	44	1.6 %
94	-	44	1.6 %
96	-	61	2.3 %
97	-	1	0.0 %
98	-	110	4.1 %
100	-	118	4.4 %
101	-	1	0.0 %
102	-	103	3.8 %
104	-	94	3.5 %
106	-	116	4.3 %
107	-	1	0.0 %
108	-	155	5.7 %
109	-	1	0.0 %
110	-	179	6.6 %
112	-	136	5.0 %
114	-	98	3.6 %
116	-	86	3.2 %
118	-	160	5.9 %
120	-	112	4.1 %
122	-	97	3.6 %
124	-	88	3.2 %
126	-	63	2.3 %
128	-	89	3.3 %
130	-	65	2.4 %
132	-	55	2.0 %
134	-	43	1.6 %
135	-	1	0.0 %
136	-	33	1.2 %
138	-	59	2.2 %
140	-	44	1.6 %
142	-	29	1.1 %
144	-	19	0.7 %
146	-	15	0.6 %
148	-	26	1.0 %

Value	Label	Unweighted Frequency	%
150	-	14	0.5 %
152	-	9	0.3 %
154	-	7	0.3 %
156	-	5	0.2 %
158	-	17	0.6 %
160	-	11	0.4 %
162	-	6	0.2 %
164	-	5	0.2 %
166	-	3	0.1 %
168	-	4	0.1 %
Missing Data			
.	-	183	6.8 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,526 valid cases out of 2,709 total cases.

- Mean: 116.49
- Median: 114.00
- Mode: 110.00
- Minimum: 72.00
- Maximum: 206.00
- Standard Deviation: 17.04

Location: 1746-1748 (width: 3; decimal: 0)

Variable Type: numeric

DIABP23: Diastolic blood pressure (BP) number 2

Value	Label	Unweighted Frequency	%
30	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.1 %
48	-	1	0.0 %
50	-	14	0.5 %
52	-	5	0.2 %
54	-	16	0.6 %
56	-	27	1.0 %
58	-	50	1.8 %
60	-	99	3.7 %
62	-	92	3.4 %

Value	Label	Unweighted Frequency	%
64	-	109	4.0 %
65	-	2	0.1 %
66	-	143	5.3 %
68	-	176	6.5 %
70	-	260	9.6 %
72	-	198	7.3 %
73	-	1	0.0 %
74	-	183	6.8 %
75	-	1	0.0 %
76	-	173	6.4 %
78	-	195	7.2 %
80	-	176	6.5 %
81	-	1	0.0 %
82	-	131	4.8 %
84	-	98	3.6 %
86	-	83	3.1 %
88	-	74	2.7 %
90	-	75	2.8 %
92	-	35	1.3 %
94	-	32	1.2 %
96	-	21	0.8 %
98	-	13	0.5 %
100	-	10	0.4 %
102	-	5	0.2 %
104	-	1	0.0 %
106	-	2	0.1 %
108	-	8	0.3 %
110	-	5	0.2 %
112	-	1	0.0 %
118	-	3	0.1 %
136	-	1	0.0 %
140	-	1	0.0 %
Missing Data			
.	-	183	6.8 %
Total		2,709	100%

Based upon 2,526 valid cases out of 2,709 total cases.

- Mean: 74.50
- Median: 74.00

- Mode: 70.00
- Minimum: 30.00
- Maximum: 140.00
- Standard Deviation: 10.33

Location: 1749-1751 (width: 3; decimal: 0)

Variable Type: numeric

HEIGHT3: Height (in cm)

Value	Label	Unweighted Frequency	%
141.00	-	1	0.0 %
143.50	-	1	0.0 %
144.10	-	1	0.0 %
144.40	-	1	0.0 %
144.50	-	1	0.0 %
144.60	-	1	0.0 %
145.10	-	1	0.0 %
145.60	-	1	0.0 %
146.00	-	4	0.1 %
146.10	-	2	0.1 %
146.50	-	1	0.0 %
146.70	-	1	0.0 %
146.80	-	1	0.0 %
146.90	-	2	0.1 %
147.00	-	1	0.0 %
147.10	-	2	0.1 %
147.30	-	1	0.0 %
147.40	-	1	0.0 %
147.50	-	2	0.1 %
147.70	-	1	0.0 %
147.80	-	3	0.1 %
147.90	-	2	0.1 %
148.00	-	1	0.0 %
148.10	-	1	0.0 %
148.20	-	2	0.1 %
148.30	-	2	0.1 %
148.50	-	8	0.3 %
148.60	-	1	0.0 %
148.70	-	1	0.0 %
148.80	-	1	0.0 %
148.90	-	2	0.1 %
149.00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
149.20	-	1	0.0 %
149.30	-	3	0.1 %
149.40	-	1	0.0 %
149.50	-	4	0.1 %
149.60	-	4	0.1 %
149.80	-	1	0.0 %
149.90	-	4	0.1 %
150.00	-	9	0.3 %
150.03	-	1	0.0 %
150.20	-	1	0.0 %
150.30	-	1	0.0 %
150.40	-	1	0.0 %
150.50	-	6	0.2 %
150.60	-	2	0.1 %
150.70	-	4	0.1 %
150.80	-	2	0.1 %
150.90	-	5	0.2 %
151.00	-	5	0.2 %
Missing Data			
.	-	185	6.8 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,524 valid cases out of 2,709 total cases.

- Mean: 162.31
- Minimum: 141.00
- Maximum: 187.00
- Standard Deviation: 6.68

Location: 1752-1757 (width: 6; decimal: 2)

Variable Type: numeric

HTMETHO3: Height measurement method

Value	Label	Unweighted Frequency	%
1	Stadiometer	2229	82.3 %
2	Portable	295	10.9 %
4	Self-Reported	0	0.0 %
Missing Data			
-9	Missing	4	0.1 %

Value	Label	Unweighted Frequency	%
-1	N/A	11	0.4 %
.	-	170	6.3 %
Total		2,709	100%

Based upon 2,524 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1758-1759 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEIGHT3: Weight (in kg)

Value	Label	Unweighted Frequency	%
37.000000000000	-	1	0.0 %
37.20000000001	-	1	0.0 %
38.900000000000	-	1	0.0 %
40.400000000000	-	1	0.0 %
40.800000000000	-	1	0.0 %
42.20000000001	-	2	0.1 %
42.800000000000	-	1	0.0 %
43.20000000001	-	1	0.0 %
43.400000000000	-	1	0.0 %
43.600000000000	-	1	0.0 %
43.800000000000	-	1	0.0 %
44.000000000000	-	3	0.1 %
44.100000000000	-	1	0.0 %
44.200000000000	-	1	0.0 %
44.600000000000	-	1	0.0 %
44.800000000000	-	5	0.2 %
45.100000000000	-	1	0.0 %
45.400000000000	-	1	0.0 %
45.500000000000	-	1	0.0 %
45.600000000000	-	3	0.1 %
45.700000000000	-	1	0.0 %
45.800000000000	-	2	0.1 %
46.000000000000	-	3	0.1 %
46.100000000000	-	1	0.0 %
46.200000000000	-	3	0.1 %
46.400000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
46.500000000000	-	1	0.0 %
46.700000000000	-	2	0.1 %
46.800000000000	-	6	0.2 %
46.900000000000	-	1	0.0 %
47.000000000000	-	3	0.1 %
47.100000000000	-	1	0.0 %
47.200000000000	-	3	0.1 %
47.400000000000	-	1	0.0 %
47.500000000000	-	2	0.1 %
47.600000000000	-	3	0.1 %
47.800000000000	-	2	0.1 %
48.000000000000	-	6	0.2 %
48.200000000000	-	1	0.0 %
48.300000000000	-	1	0.0 %
48.400000000000	-	3	0.1 %
48.600000000000	-	3	0.1 %
48.700000000000	-	1	0.0 %
48.800000000000	-	5	0.2 %
48.900000000000	-	4	0.1 %
49.000000000000	-	7	0.3 %
49.100000000000	-	2	0.1 %
49.200000000000	-	6	0.2 %
49.400000000000	-	4	0.1 %
49.500000000000	-	2	0.1 %
	Missing Data		
.	-	188	6.9 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,521 valid cases out of 2,709 total cases.

- Mean: 75.81094082435
- Minimum: 37.000000000000
- Maximum: 183.400000000000
- Standard Deviation: 20.65861963961

Location: 1760-1774 (width: 15; decimal: 11)

Variable Type: numeric

SCALE3: Weight scale type

Value	Label	Unweighted Frequency	%
1	Balance Beam	1423	52.5 %
2	Clinic Digital	371	13.7 %
3	Portable	716	26.4 %
4	Self-Reported	13	0.5 %
Missing Data			
-9	Missing	13	0.5 %
-1	N/A	3	0.1 %
.	-	170	6.3 %
Total		2,709	100%

Based upon 2,523 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1775-1776 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST3: Waist circumference

Value	Label	Unweighted Frequency	%
58.6	-	1	0.0 %
60.5	-	1	0.0 %
60.6	-	2	0.1 %
61.0	-	2	0.1 %
61.1	-	1	0.0 %
61.3	-	1	0.0 %
61.5	-	1	0.0 %
61.7	-	1	0.0 %
61.8	-	1	0.0 %
62.0	-	2	0.1 %
62.2	-	2	0.1 %
62.4	-	2	0.1 %
62.5	-	4	0.1 %
62.6	-	1	0.0 %
62.7	-	2	0.1 %
62.8	-	1	0.0 %
63.0	-	4	0.1 %
63.1	-	1	0.0 %
63.2	-	2	0.1 %
63.4	-	3	0.1 %

Value	Label	Unweighted Frequency	%
63.5	-	3	0.1 %
63.6	-	2	0.1 %
63.8	-	1	0.0 %
63.9	-	1	0.0 %
64.0	-	3	0.1 %
64.2	-	6	0.2 %
64.3	-	2	0.1 %
64.4	-	1	0.0 %
64.5	-	5	0.2 %
64.7	-	1	0.0 %
64.8	-	1	0.0 %
65.0	-	11	0.4 %
65.1	-	2	0.1 %
65.2	-	4	0.1 %
65.3	-	1	0.0 %
65.5	-	10	0.4 %
65.6	-	3	0.1 %
65.7	-	6	0.2 %
65.8	-	2	0.1 %
65.9	-	2	0.1 %
66.0	-	7	0.3 %
66.1	-	3	0.1 %
66.2	-	2	0.1 %
66.4	-	5	0.2 %
66.5	-	2	0.1 %
66.7	-	6	0.2 %
66.8	-	7	0.3 %
66.9	-	3	0.1 %
67.0	-	8	0.3 %
67.1	-	4	0.1 %
Missing Data			
.	-	185	6.8 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,524 valid cases out of 2,709 total cases.

- Mean: 87.89
- Minimum: 58.60

- Maximum: 163.50
- Standard Deviation: 16.53

Location: 1777-1781 (width: 5; decimal: 1)

Variable Type: numeric

WASTMEA3: Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	2152	79.4 %
2	Light Clothing	372	13.7 %
Missing Data			
-9	Missing	5	0.2 %
-1	N/A	8	0.3 %
.	-	172	6.3 %
Total		2,709	100%

Based upon 2,524 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1782-1783 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HIP3: Hip circumference

Value	Label	Unweighted Frequency	%
68.2	-	1	0.0 %
75.0	-	1	0.0 %
76.0	-	1	0.0 %
77.6	-	1	0.0 %
79.3	-	1	0.0 %
81.4	-	1	0.0 %
82.2	-	1	0.0 %
82.5	-	1	0.0 %
82.6	-	1	0.0 %
82.7	-	1	0.0 %
83.3	-	3	0.1 %
83.5	-	1	0.0 %
83.9	-	1	0.0 %
84.0	-	1	0.0 %
84.2	-	1	0.0 %
84.5	-	3	0.1 %

Value	Label	Unweighted Frequency	%
84.6	-	1	0.0 %
84.8	-	1	0.0 %
84.9	-	1	0.0 %
85.0	-	1	0.0 %
85.1	-	1	0.0 %
85.2	-	2	0.1 %
85.3	-	1	0.0 %
85.4	-	3	0.1 %
85.5	-	3	0.1 %
85.6	-	1	0.0 %
85.9	-	3	0.1 %
86.0	-	4	0.1 %
86.1	-	1	0.0 %
86.2	-	2	0.1 %
86.3	-	3	0.1 %
86.5	-	1	0.0 %
86.6	-	1	0.0 %
86.7	-	4	0.1 %
86.8	-	3	0.1 %
87.0	-	2	0.1 %
87.1	-	2	0.1 %
87.2	-	2	0.1 %
87.3	-	1	0.0 %
87.5	-	1	0.0 %
87.6	-	1	0.0 %
87.7	-	6	0.2 %
87.8	-	5	0.2 %
88.0	-	5	0.2 %
88.1	-	4	0.1 %
88.2	-	1	0.0 %
88.3	-	4	0.1 %
88.4	-	8	0.3 %
88.5	-	2	0.1 %
88.6	-	4	0.1 %
Missing Data			
.	-	186	6.9 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,523 valid cases out of 2,709 total cases.

- Mean: 107.54
- Minimum: 68.20
- Maximum: 188.00
- Standard Deviation: 15.14

Location: 1784-1788 (width: 5; decimal: 1)

Variable Type: numeric

HIPMEAS3: Hip measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	2054	75.8 %
2	Light Clothing	471	17.4 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	8	0.3 %
.	-	170	6.3 %
	Total	2,709	100%

Based upon 2,525 valid cases out of 2,709 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1789-1790 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

BMI3: Body mass index (BMI)

Value	Label	Unweighted Frequency	%
15.387049562913	-	1	0.0 %
16.423659783005	-	1	0.0 %
16.562187486190	-	1	0.0 %
16.778333276650	-	1	0.0 %
16.903211006405	-	1	0.0 %
16.934742812186	-	1	0.0 %
17.377053361902	-	1	0.0 %
17.379156375644	-	1	0.0 %
17.581957292004	-	1	0.0 %
17.646440950947	-	1	0.0 %
17.654344154626	-	1	0.0 %
17.740511058705	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.742012690809	-	1	0.0 %
17.886766114549	-	1	0.0 %
17.911991667939	-	1	0.0 %
17.951430254243	-	1	0.0 %
17.955112885263	-	1	0.0 %
17.968750000000	-	1	0.0 %
17.971234523173	-	1	0.0 %
17.992802159424	-	1	0.0 %
18.069454760069	-	1	0.0 %
18.083624198933	-	1	0.0 %
18.129202699205	-	1	0.0 %
18.157535310398	-	1	0.0 %
18.241344085680	-	1	0.0 %
18.268147039011	-	1	0.0 %
18.316950404143	-	1	0.0 %
18.322803544220	-	1	0.0 %
18.335138835199	-	1	0.0 %
18.359975114365	-	1	0.0 %
18.421084184355	-	1	0.0 %
18.528804500478	-	1	0.0 %
18.541239907479	-	1	0.0 %
18.549528144118	-	1	0.0 %
18.593750000000	-	1	0.0 %
18.595041322314	-	1	0.0 %
18.601974314849	-	1	0.0 %
18.605420379137	-	1	0.0 %
18.641950275051	-	1	0.0 %
18.705640592836	-	1	0.0 %
18.723761823786	-	1	0.0 %
18.724505052443	-	1	0.0 %
18.765285177745	-	1	0.0 %
18.779747427790	-	1	0.0 %
18.786722771233	-	1	0.0 %
18.788637532633	-	1	0.0 %
18.812469776282	-	1	0.0 %
18.816817026195	-	1	0.0 %
18.829640451262	-	1	0.0 %
18.865691855032	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	201	7.4 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,508 valid cases out of 2,709 total cases.

- Mean: 28.665869053470
- Minimum: 15.387049562913
- Maximum: 65.519970754662
- Standard Deviation: 7.240077622249

Location: 1791-1805 (width: 15; decimal: 12)

Variable Type: numeric

PHYFLG3: Abbreviated or full physical measures

Value	Label	Unweighted Frequency	%
-	-	170	6.3 %
AIN	-	7	0.3 %
PHY	-	2532	93.5 %
	Total	2,709	100%

Based upon 2,709 valid cases out of 2,709 total cases.

Location: 1806-1808 (width: 3; decimal: 0)

Variable Type: character

HRMDAY3: Hormone measures day

Value	Label	Unweighted Frequency	%
945	-	1	0.0 %
960	-	1	0.0 %
965	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	1	0.0 %
1007	-	1	0.0 %
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1015	-	2	0.1 %
1017	-	2	0.1 %
1020	-	2	0.1 %
1021	-	3	0.1 %
1022	-	1	0.0 %
1023	-	5	0.2 %
1025	-	2	0.1 %
1026	-	2	0.1 %
1027	-	1	0.0 %
1029	-	1	0.0 %
1030	-	2	0.1 %
1031	-	2	0.1 %
1032	-	3	0.1 %
1033	-	4	0.1 %
1034	-	4	0.1 %
1035	-	3	0.1 %
1036	-	7	0.3 %
1037	-	2	0.1 %
1039	-	1	0.0 %
1040	-	2	0.1 %
1041	-	2	0.1 %
1042	-	6	0.2 %
1043	-	2	0.1 %
1044	-	5	0.2 %
1045	-	10	0.4 %
1046	-	2	0.1 %
1047	-	4	0.1 %
1048	-	2	0.1 %
1049	-	11	0.4 %
1050	-	10	0.4 %
1051	-	6	0.2 %
1052	-	2	0.1 %
1053	-	4	0.1 %
1054	-	4	0.1 %
1055	-	8	0.3 %
1056	-	9	0.3 %
1057	-	16	0.6 %
1058	-	11	0.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	362	13.4 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,347 valid cases out of 2,709 total cases.

- Mean: 1140.15
- Minimum: 945.00
- Maximum: 1554.00
- Standard Deviation: 68.66

Location: 1809-1812 (width: 4; decimal: 0)

Variable Type: numeric

CYCDAY3: Day of cycle

Value	Label	Unweighted Frequency	%
2	-	209	7.7 %
3	-	371	13.7 %
4	-	353	13.0 %
5	-	324	12.0 %
	Missing Data		
.	-	1452	53.6 %
Total		2,709	100%

Based upon 1,257 valid cases out of 2,709 total cases.

- Mean: 3.63
- Median: 4.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.04

Location: 1813-1813 (width: 1; decimal: 0)

Variable Type: numeric

DHAS3: Dehydroepiandrosterone sulfate, micrograms per deciliter (ug/dL)

Value	Label	Unweighted Frequency	%
1.8	-	1	0.0 %
2.4	-	1	0.0 %
2.6	-	1	0.0 %
5.1	-	1	0.0 %
5.7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.0	-	1	0.0 %
7.8	-	3	0.1 %
9.3	-	1	0.0 %
9.4	-	1	0.0 %
9.8	-	2	0.1 %
9.9	-	1	0.0 %
10.6	-	1	0.0 %
11.9	-	2	0.1 %
13.4	-	1	0.0 %
13.5	-	1	0.0 %
14.6	-	1	0.0 %
14.9	-	1	0.0 %
15.3	-	1	0.0 %
15.6	-	1	0.0 %
18.2	-	1	0.0 %
19.0	-	1	0.0 %
19.1	-	1	0.0 %
19.3	-	1	0.0 %
20.0	-	1	0.0 %
20.3	-	1	0.0 %
20.4	-	1	0.0 %
21.0	-	2	0.1 %
21.6	-	1	0.0 %
21.9	-	1	0.0 %
22.3	-	1	0.0 %
22.4	-	1	0.0 %
22.6	-	1	0.0 %
23.1	-	1	0.0 %
23.3	-	1	0.0 %
23.9	-	1	0.0 %
24.2	-	2	0.1 %
24.3	-	1	0.0 %
24.4	-	1	0.0 %
24.5	-	1	0.0 %
24.6	-	2	0.1 %
24.9	-	1	0.0 %
25.0	-	1	0.0 %
25.2	-	1	0.0 %
25.7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25.8	-	1	0.0 %
25.9	-	1	0.0 %
26.0	-	1	0.0 %
26.3	-	2	0.1 %
26.4	-	1	0.0 %
26.5	-	1	0.0 %
Missing Data			
.	-	363	13.4 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,346 valid cases out of 2,709 total cases.

- Mean: 135.29
- Minimum: 1.80
- Maximum: 714.40
- Standard Deviation: 82.90

Location: 1814-1818 (width: 5; decimal: 1)

Variable Type: numeric

FSH3: Follicle-stimulating hormone, milli-international units per milliliter (mIU/mL)

Value	Label	Unweighted Frequency	%
0.7	-	1	0.0 %
1.4	-	1	0.0 %
1.5	-	1	0.0 %
1.7	-	1	0.0 %
2.0	-	1	0.0 %
2.3	-	2	0.1 %
2.5	-	1	0.0 %
2.7	-	2	0.1 %
2.8	-	1	0.0 %
3.0	-	3	0.1 %
3.1	-	4	0.1 %
3.2	-	1	0.0 %
3.3	-	1	0.0 %
3.4	-	1	0.0 %
3.5	-	3	0.1 %
3.7	-	2	0.1 %
3.8	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.9	-	2	0.1 %
4.0	-	3	0.1 %
4.1	-	1	0.0 %
4.2	-	3	0.1 %
4.3	-	2	0.1 %
4.4	-	3	0.1 %
4.5	-	2	0.1 %
4.6	-	4	0.1 %
4.7	-	1	0.0 %
4.8	-	3	0.1 %
4.9	-	7	0.3 %
5.0	-	2	0.1 %
5.1	-	3	0.1 %
5.2	-	1	0.0 %
5.3	-	4	0.1 %
5.4	-	1	0.0 %
5.5	-	4	0.1 %
5.6	-	1	0.0 %
5.7	-	2	0.1 %
5.8	-	5	0.2 %
5.9	-	3	0.1 %
6.0	-	6	0.2 %
6.1	-	3	0.1 %
6.2	-	5	0.2 %
6.3	-	1	0.0 %
6.4	-	1	0.0 %
6.5	-	5	0.2 %
6.6	-	5	0.2 %
6.7	-	3	0.1 %
6.8	-	5	0.2 %
6.9	-	1	0.0 %
7.0	-	6	0.2 %
7.1	-	5	0.2 %
Missing Data			
.	-	363	13.4 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,346 valid cases out of 2,709 total cases.

- Mean: 46.58
- Minimum: 0.70
- Maximum: 410.20
- Standard Deviation: 46.40

Location: 1819-1823 (width: 5; decimal: 1)

Variable Type: numeric

SHBG3: Sex hormone-binding globulin, nanomolar (nM)

Value	Label	Unweighted Frequency	%
2.1	-	1	0.0 %
2.2	-	2	0.1 %
2.6	-	1	0.0 %
2.8	-	2	0.1 %
3.4	-	1	0.0 %
4.0	-	1	0.0 %
4.3	-	1	0.0 %
4.5	-	2	0.1 %
4.7	-	2	0.1 %
5.9	-	2	0.1 %
6.4	-	1	0.0 %
6.6	-	1	0.0 %
6.7	-	3	0.1 %
6.8	-	1	0.0 %
7.2	-	3	0.1 %
7.5	-	1	0.0 %
7.9	-	1	0.0 %
8.1	-	1	0.0 %
8.2	-	1	0.0 %
8.3	-	1	0.0 %
9.1	-	1	0.0 %
9.3	-	1	0.0 %
9.5	-	1	0.0 %
9.7	-	1	0.0 %
10.1	-	2	0.1 %
10.2	-	2	0.1 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.6	-	2	0.1 %
10.9	-	2	0.1 %

Value	Label	Unweighted Frequency	%
11.0	-	2	0.1 %
11.4	-	3	0.1 %
11.5	-	2	0.1 %
11.6	-	3	0.1 %
11.7	-	4	0.1 %
11.8	-	1	0.0 %
11.9	-	2	0.1 %
12.0	-	4	0.1 %
12.1	-	2	0.1 %
12.2	-	4	0.1 %
12.3	-	3	0.1 %
12.4	-	4	0.1 %
12.5	-	1	0.0 %
12.8	-	1	0.0 %
12.9	-	1	0.0 %
13.0	-	3	0.1 %
13.1	-	3	0.1 %
13.2	-	1	0.0 %
13.3	-	3	0.1 %
13.4	-	4	0.1 %
Missing Data			
.	-	395	14.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,314 valid cases out of 2,709 total cases.

- Mean: 45.93
- Minimum: 2.10
- Maximum: 261.70
- Standard Deviation: 27.25

Location: 1824-1828 (*width:* 5; *decimal:* 1)

Variable Type: numeric

T3: Testosterone, nanograms per deciliter (ng/dL)

Value	Label	Unweighted Frequency	%
2.1	-	1	0.0 %
3.1	-	1	0.0 %
3.5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.6	-	1	0.0 %
4.0	-	2	0.1 %
4.2	-	2	0.1 %
4.5	-	1	0.0 %
4.8	-	1	0.0 %
5.3	-	1	0.0 %
5.4	-	1	0.0 %
5.9	-	2	0.1 %
6.2	-	1	0.0 %
6.3	-	1	0.0 %
6.5	-	2	0.1 %
6.7	-	1	0.0 %
6.8	-	3	0.1 %
7.3	-	1	0.0 %
7.5	-	1	0.0 %
7.7	-	1	0.0 %
8.0	-	1	0.0 %
8.1	-	1	0.0 %
8.2	-	1	0.0 %
8.4	-	1	0.0 %
8.6	-	1	0.0 %
8.7	-	2	0.1 %
8.9	-	1	0.0 %
9.0	-	1	0.0 %
9.2	-	1	0.0 %
9.3	-	1	0.0 %
9.5	-	1	0.0 %
9.6	-	1	0.0 %
9.7	-	1	0.0 %
9.8	-	3	0.1 %
9.9	-	1	0.0 %
10.0	-	3	0.1 %
10.1	-	1	0.0 %
10.2	-	1	0.0 %
10.3	-	1	0.0 %
10.4	-	4	0.1 %
10.5	-	3	0.1 %
10.6	-	2	0.1 %
10.7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.8	-	2	0.1 %
10.9	-	3	0.1 %
11.0	-	1	0.0 %
11.1	-	1	0.0 %
11.2	-	3	0.1 %
11.4	-	2	0.1 %
11.5	-	2	0.1 %
11.6	-	4	0.1 %
Missing Data			
.	-	367	13.5 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,342 valid cases out of 2,709 total cases.

- Mean: 37.56
- Minimum: 2.10
- Maximum: 227.20
- Standard Deviation: 20.26

Location: 1829-1833 (width: 5; decimal: 1)

Variable Type: numeric

E2AVE3: Estradiol, picograms per milliliter (average, pg/mL)

Value	Label	Unweighted Frequency	%
1.950000000000	-	1	0.0 %
2.300000000000	-	1	0.0 %
2.650000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.900000000000	-	1	0.0 %
3.050000000000	-	1	0.0 %
3.100000000000	-	2	0.1 %
3.250000000000	-	1	0.0 %
3.400000000000	-	1	0.0 %
3.500000000000	-	1	0.0 %
3.700000000000	-	1	0.0 %
3.750000000000	-	2	0.1 %
3.900000000000	-	1	0.0 %
4.000000000000	-	2	0.1 %
4.150000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.300000000000	-	2	0.1 %
4.450000000000	-	1	0.0 %
4.550000000000	-	1	0.0 %
4.650000000000	-	1	0.0 %
4.700000000000	-	1	0.0 %
4.750000000000	-	1	0.0 %
4.900000000000	-	1	0.0 %
5.000000000000	-	1	0.0 %
5.150000000000	-	1	0.0 %
5.200000000000	-	1	0.0 %
5.300000000000	-	2	0.1 %
5.350000000000	-	1	0.0 %
5.400000000000	-	4	0.1 %
5.550000000001	-	1	0.0 %
5.600000000000	-	1	0.0 %
5.650000000000	-	2	0.1 %
5.700000000000	-	1	0.0 %
5.750000000000	-	1	0.0 %
5.800000000000	-	1	0.0 %
5.900000000000	-	2	0.1 %
5.950000000000	-	1	0.0 %
6.050000000000	-	1	0.0 %
6.100000000000	-	1	0.0 %
6.150000000000	-	1	0.0 %
6.200000000000	-	1	0.0 %
6.350000000000	-	1	0.0 %
6.550000000001	-	1	0.0 %
6.600000000000	-	1	0.0 %
6.650000000000	-	1	0.0 %
6.700000000000	-	1	0.0 %
6.750000000000	-	2	0.1 %
6.810000000000	-	1	0.0 %
6.850000000000	-	1	0.0 %
6.950000000000	-	2	0.1 %
7.000000000000	-	3	0.1 %
	Missing Data		
.	-	368	13.6 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,341 valid cases out of 2,709 total cases.

- Mean: 66.70702691158
- Minimum: 1.95000000000
- Maximum: 867.85000000000
- Standard Deviation: 81.31406129178

Location: 1834-1848 (width: 15; decimal: 11)

Variable Type: numeric

FLGCV3: Both estradiol more than 20 picograms per milliliter (pg/mL) and coefficient of variation (CV) more than 15%

Value	Label	Unweighted Frequency	%
0	No	2327	85.9 %
1	Yes	20	0.7 %
	Missing Data		
.	-	362	13.4 %
	Total	2,709	100%

Based upon 2,347 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1849-1850 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGdif3: 1 or both estradiol at least 20 picograms per milliliter (pg/mL) and difference between them less than 10 pg/mL

Value	Label	Unweighted Frequency	%
0	No	2346	86.6 %
1	Yes	1	0.0 %
	Missing Data		
.	-	362	13.4 %
	Total	2,709	100%

Based upon 2,347 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1851-1852 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRDAY3: Cardiovascular measures day

Value	Label	Unweighted Frequency	%
945	-	1	0.0 %
960	-	1	0.0 %
965	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	1	0.0 %
1007	-	1	0.0 %
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %
1015	-	2	0.1 %
1017	-	2	0.1 %
1020	-	2	0.1 %
1021	-	3	0.1 %
1022	-	1	0.0 %
1023	-	5	0.2 %
1025	-	2	0.1 %
1026	-	2	0.1 %
1027	-	1	0.0 %
1029	-	1	0.0 %
1030	-	2	0.1 %
1031	-	2	0.1 %
1032	-	3	0.1 %
1033	-	4	0.1 %
1034	-	4	0.1 %
1035	-	3	0.1 %
1036	-	7	0.3 %
1037	-	2	0.1 %
1039	-	1	0.0 %
1040	-	2	0.1 %
1041	-	2	0.1 %
1042	-	6	0.2 %
1043	-	2	0.1 %
1044	-	5	0.2 %
1045	-	10	0.4 %

Value	Label	Unweighted Frequency	%
1046	-	2	0.1 %
1047	-	4	0.1 %
1048	-	2	0.1 %
1049	-	11	0.4 %
1050	-	10	0.4 %
1051	-	6	0.2 %
1052	-	2	0.1 %
1053	-	4	0.1 %
1054	-	4	0.1 %
1055	-	8	0.3 %
1056	-	9	0.3 %
1057	-	17	0.6 %
1058	-	11	0.4 %
Missing Data			
.	-	362	13.4 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,347 valid cases out of 2,709 total cases.

- Mean: 1140.08
- Minimum: 945.00
- Maximum: 1554.00
- Standard Deviation: 68.65

Location: 1853-1856 (width: 4; decimal: 0)

Variable Type: numeric

FLAGSER3: Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	2319	85.6 %
1	Yes	31	1.1 %
Missing Data			
.	-	359	13.3 %
Total		2,709	100%

Based upon 2,350 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1857-1858 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLRES3: Total cholesterol, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
82	-	1	0.0 %
94	-	1	0.0 %
102	-	1	0.0 %
108	-	1	0.0 %
110	-	1	0.0 %
113	-	1	0.0 %
118	-	2	0.1 %
120	-	1	0.0 %
121	-	2	0.1 %
122	-	1	0.0 %
124	-	1	0.0 %
125	-	1	0.0 %
126	-	2	0.1 %
128	-	3	0.1 %
129	-	3	0.1 %
130	-	1	0.0 %
131	-	6	0.2 %
132	-	4	0.1 %
133	-	3	0.1 %
134	-	3	0.1 %
135	-	6	0.2 %
136	-	6	0.2 %
137	-	2	0.1 %
138	-	11	0.4 %
139	-	6	0.2 %
140	-	3	0.1 %
141	-	8	0.3 %
142	-	4	0.1 %
143	-	8	0.3 %
144	-	11	0.4 %
145	-	11	0.4 %
146	-	9	0.3 %
147	-	6	0.2 %
148	-	14	0.5 %
149	-	16	0.6 %
150	-	6	0.2 %

Value	Label	Unweighted Frequency	%
151	-	10	0.4 %
152	-	13	0.5 %
153	-	17	0.6 %
154	-	10	0.4 %
155	-	15	0.6 %
156	-	10	0.4 %
157	-	12	0.4 %
158	-	15	0.6 %
159	-	17	0.6 %
160	-	13	0.5 %
161	-	19	0.7 %
162	-	19	0.7 %
163	-	18	0.7 %
164	-	24	0.9 %
Missing Data			
.	-	363	13.4 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,346 valid cases out of 2,709 total cases.

- Mean: 198.88
- Median: 196.00
- Mode: 198.00
- Minimum: 82.00
- Maximum: 380.00
- Standard Deviation: 36.16

Location: 1859-1861 (width: 3; decimal: 0)

Variable Type: numeric

TRIGRES3: Triglycerides, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
36	-	2	0.1 %
37	-	2	0.1 %
38	-	1	0.0 %
39	-	4	0.1 %
40	-	3	0.1 %
42	-	4	0.1 %
43	-	2	0.1 %

Value	Label	Unweighted Frequency	%
44	-	3	0.1 %
45	-	7	0.3 %
46	-	4	0.1 %
47	-	8	0.3 %
48	-	7	0.3 %
49	-	19	0.7 %
50	-	20	0.7 %
51	-	13	0.5 %
52	-	8	0.3 %
53	-	9	0.3 %
54	-	18	0.7 %
55	-	23	0.8 %
56	-	18	0.7 %
57	-	23	0.8 %
58	-	20	0.7 %
59	-	11	0.4 %
60	-	20	0.7 %
61	-	18	0.7 %
62	-	19	0.7 %
63	-	19	0.7 %
64	-	14	0.5 %
65	-	21	0.8 %
66	-	20	0.7 %
67	-	26	1.0 %
68	-	23	0.8 %
69	-	19	0.7 %
70	-	29	1.1 %
71	-	25	0.9 %
72	-	18	0.7 %
73	-	28	1.0 %
74	-	19	0.7 %
75	-	21	0.8 %
76	-	26	1.0 %
77	-	23	0.8 %
78	-	27	1.0 %
79	-	27	1.0 %
80	-	19	0.7 %
81	-	29	1.1 %
82	-	12	0.4 %

Value	Label	Unweighted Frequency	%
83	-	17	0.6 %
84	-	26	1.0 %
85	-	14	0.5 %
	Missing Data		
.	-	467	17.2 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,242 valid cases out of 2,709 total cases.

- Mean: 126.20
- Minimum: 35.00
- Maximum: 1980.00
- Standard Deviation: 96.42

Location: 1862-1865 (width: 4; decimal: 0)

Variable Type: numeric

LDLRESU3: Estimated low density lipoprotein (LDL) cholesterol, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
27	-	1	0.0 %
28	-	1	0.0 %
30	-	2	0.1 %
35	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.1 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	2	0.1 %
48	-	2	0.1 %
49	-	2	0.1 %
50	-	2	0.1 %
51	-	5	0.2 %
52	-	8	0.3 %
53	-	1	0.0 %
54	-	6	0.2 %
55	-	2	0.1 %
56	-	3	0.1 %

Value	Label	Unweighted Frequency	%
57	-	3	0.1 %
58	-	3	0.1 %
59	-	6	0.2 %
60	-	1	0.0 %
61	-	6	0.2 %
62	-	6	0.2 %
63	-	14	0.5 %
64	-	8	0.3 %
65	-	8	0.3 %
66	-	7	0.3 %
67	-	5	0.2 %
68	-	12	0.4 %
69	-	8	0.3 %
70	-	13	0.5 %
71	-	8	0.3 %
72	-	13	0.5 %
73	-	12	0.4 %
74	-	16	0.6 %
75	-	25	0.9 %
76	-	14	0.5 %
77	-	19	0.7 %
78	-	18	0.7 %
79	-	8	0.3 %
80	-	18	0.7 %
81	-	16	0.6 %
82	-	15	0.6 %
83	-	17	0.6 %
84	-	24	0.9 %
85	-	20	0.7 %
86	-	22	0.8 %
Missing Data			
.	-	493	18.2 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,216 valid cases out of 2,709 total cases.

- Mean: 114.33
- Median: 112.00

- Mode: 107.00
- Minimum: 27.00
- Maximum: 251.00
- Standard Deviation: 31.89

Location: 1866-1868 (*width:* 3; *decimal:* 0)

Variable Type: numeric

HDLRESU3: High density lipoprotein (HDL) cholesterol, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
19	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	6	0.2 %
28	-	8	0.3 %
29	-	2	0.1 %
30	-	12	0.4 %
31	-	4	0.1 %
32	-	13	0.5 %
33	-	5	0.2 %
34	-	25	0.9 %
35	-	5	0.2 %
36	-	30	1.1 %
37	-	14	0.5 %
38	-	36	1.3 %
39	-	22	0.8 %
40	-	45	1.7 %
41	-	30	1.1 %
42	-	36	1.3 %
43	-	40	1.5 %
44	-	53	2.0 %
45	-	47	1.7 %
46	-	64	2.4 %
47	-	36	1.3 %
48	-	69	2.5 %
49	-	45	1.7 %
50	-	74	2.7 %
51	-	67	2.5 %
52	-	61	2.3 %
53	-	55	2.0 %

Value	Label	Unweighted Frequency	%
54	-	68	2.5 %
55	-	64	2.4 %
56	-	62	2.3 %
57	-	57	2.1 %
58	-	67	2.5 %
59	-	66	2.4 %
60	-	59	2.2 %
61	-	59	2.2 %
62	-	64	2.4 %
63	-	46	1.7 %
64	-	43	1.6 %
65	-	42	1.6 %
66	-	39	1.4 %
67	-	39	1.4 %
68	-	46	1.7 %
69	-	35	1.3 %
70	-	40	1.5 %
71	-	37	1.4 %
Missing Data			
.	-	365	13.5 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,344 valid cases out of 2,709 total cases.

- Mean: 59.60
- Median: 58.00
- Mode: 50.00
- Minimum: 12.00
- Maximum: 159.00
- Standard Deviation: 16.13

Location: 1869-1871 (width: 3; decimal: 0)

Variable Type: numeric

GLUCRES3: Glucose, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
56	-	1	0.0 %
62	-	1	0.0 %
65	-	2	0.1 %
67	-	1	0.0 %

Value	Label	Unweighted Frequency	%
69	-	6	0.2 %
70	-	1	0.0 %
71	-	4	0.1 %
72	-	9	0.3 %
73	-	18	0.7 %
74	-	18	0.7 %
75	-	19	0.7 %
76	-	20	0.7 %
77	-	46	1.7 %
78	-	32	1.2 %
79	-	43	1.6 %
80	-	59	2.2 %
81	-	66	2.4 %
82	-	89	3.3 %
83	-	72	2.7 %
84	-	101	3.7 %
85	-	103	3.8 %
86	-	95	3.5 %
87	-	98	3.6 %
88	-	90	3.3 %
89	-	109	4.0 %
90	-	88	3.2 %
91	-	82	3.0 %
92	-	97	3.6 %
93	-	77	2.8 %
94	-	77	2.8 %
95	-	58	2.1 %
96	-	46	1.7 %
97	-	60	2.2 %
98	-	53	2.0 %
99	-	44	1.6 %
100	-	40	1.5 %
101	-	26	1.0 %
102	-	25	0.9 %
103	-	23	0.8 %
104	-	15	0.6 %
105	-	26	1.0 %
106	-	20	0.7 %
107	-	21	0.8 %

Value	Label	Unweighted Frequency	%
108	-	10	0.4 %
109	-	10	0.4 %
110	-	7	0.3 %
111	-	12	0.4 %
112	-	11	0.4 %
113	-	11	0.4 %
114	-	7	0.3 %
Missing Data			
-7	Refused	1	0.0 %
.	-	473	17.5 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,235 valid cases out of 2,709 total cases.

- Mean: 96.18
- Median: 90.00
- Mode: 89.00
- Minimum: 56.00
- Maximum: 396.00
- Standard Deviation: 29.68

Location: 1872-1874 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7, .

INSURES3: Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
2.6	-	1	0.0 %
2.9	-	2	0.1 %
3.1	-	1	0.0 %
3.3	-	1	0.0 %
3.4	-	3	0.1 %
3.5	-	3	0.1 %
3.6	-	2	0.1 %
3.7	-	1	0.0 %
3.8	-	1	0.0 %
3.9	-	4	0.1 %
4.0	-	5	0.2 %
4.1	-	5	0.2 %
4.2	-	7	0.3 %

Value	Label	Unweighted Frequency	%
4.3	-	6	0.2 %
4.4	-	9	0.3 %
4.5	-	8	0.3 %
4.6	-	10	0.4 %
4.7	-	11	0.4 %
4.8	-	6	0.2 %
4.9	-	13	0.5 %
5.0	-	7	0.3 %
5.1	-	14	0.5 %
5.2	-	15	0.6 %
5.3	-	8	0.3 %
5.4	-	16	0.6 %
5.5	-	9	0.3 %
5.6	-	21	0.8 %
5.7	-	22	0.8 %
5.8	-	22	0.8 %
5.9	-	19	0.7 %
6.0	-	18	0.7 %
6.1	-	28	1.0 %
6.2	-	19	0.7 %
6.3	-	27	1.0 %
6.4	-	17	0.6 %
6.5	-	12	0.4 %
6.6	-	23	0.8 %
6.7	-	30	1.1 %
6.8	-	23	0.8 %
6.9	-	28	1.0 %
7.0	-	19	0.7 %
7.1	-	20	0.7 %
7.2	-	33	1.2 %
7.3	-	31	1.1 %
7.4	-	31	1.1 %
7.5	-	24	0.9 %
7.6	-	22	0.8 %
7.7	-	23	0.8 %
7.8	-	28	1.0 %
7.9	-	31	1.1 %
Missing Data			
-7.0	Refused	2	0.1 %

Value	Label	Unweighted Frequency	%
.	-	478	17.6 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,229 valid cases out of 2,709 total cases.

- Mean: 12.80
- Minimum: 2.60
- Maximum: 678.50
- Standard Deviation: 18.91

Location: 1875-1879 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -7.0 , .

FACRESU3: Factor VII (%)

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
62	-	2	0.1 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	2	0.1 %
67	-	3	0.1 %
68	-	3	0.1 %
69	-	3	0.1 %
70	-	3	0.1 %
71	-	3	0.1 %
72	-	2	0.1 %
73	-	7	0.3 %
74	-	3	0.1 %

Value	Label	Unweighted Frequency	%
75	-	2	0.1 %
76	-	2	0.1 %
77	-	6	0.2 %
78	-	8	0.3 %
79	-	6	0.2 %
80	-	12	0.4 %
81	-	1	0.0 %
82	-	9	0.3 %
83	-	17	0.6 %
84	-	13	0.5 %
85	-	11	0.4 %
86	-	14	0.5 %
87	-	11	0.4 %
88	-	13	0.5 %
89	-	21	0.8 %
90	-	14	0.5 %
91	-	13	0.5 %
92	-	23	0.8 %
93	-	14	0.5 %
94	-	19	0.7 %
95	-	31	1.1 %
96	-	20	0.7 %
97	-	21	0.8 %
98	-	41	1.5 %
99	-	19	0.7 %
100	-	18	0.7 %
Missing Data			
-9	Refused	1	0.0 %
.	-	627	23.1 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,081 valid cases out of 2,709 total cases.

- Mean: 123.81
- Median: 120.00
- Mode: 111.00
- Minimum: 21.00
- Maximum: 1119.00
- Standard Deviation: 41.27

Location: 1880-1883 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, .

FIBRESU3: Fibrinogen, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
109	-	1	0.0 %
113	-	1	0.0 %
122	-	1	0.0 %
125	-	1	0.0 %
127	-	1	0.0 %
131	-	1	0.0 %
133	-	4	0.1 %
141	-	1	0.0 %
146	-	1	0.0 %
147	-	1	0.0 %
148	-	1	0.0 %
155	-	2	0.1 %
158	-	2	0.1 %
161	-	1	0.0 %
164	-	3	0.1 %
168	-	6	0.2 %
169	-	3	0.1 %
171	-	3	0.1 %
175	-	3	0.1 %
177	-	5	0.2 %
179	-	4	0.1 %
181	-	9	0.3 %
183	-	4	0.1 %
185	-	5	0.2 %
188	-	2	0.1 %
190	-	3	0.1 %
193	-	8	0.3 %
195	-	11	0.4 %
198	-	16	0.6 %
200	-	18	0.7 %
203	-	18	0.7 %
206	-	25	0.9 %
209	-	24	0.9 %
212	-	25	0.9 %
215	-	19	0.7 %

Value	Label	Unweighted Frequency	%
219	-	42	1.6 %
222	-	30	1.1 %
226	-	32	1.2 %
230	-	47	1.7 %
234	-	55	2.0 %
238	-	70	2.6 %
242	-	67	2.5 %
247	-	71	2.6 %
251	-	81	3.0 %
256	-	66	2.4 %
262	-	106	3.9 %
267	-	109	4.0 %
273	-	104	3.8 %
279	-	87	3.2 %
286	-	108	4.0 %
Missing Data			
-9	Refused	1	0.0 %
.	-	594	21.9 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,114 valid cases out of 2,709 total cases.

- Mean: 279.99
- Median: 273.00
- Mode: 267.00
- Minimum: 109.00
- Maximum: 690.00
- Standard Deviation: 57.87

Location: 1884-1886 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, .

PAIRESU3: PAI-1, nanograms per milliliter (ng/ml)

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0 %
1.1	-	1	0.0 %
1.3	-	2	0.1 %
1.4	-	3	0.1 %
1.5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.6	-	2	0.1 %
1.7	-	1	0.0 %
1.8	-	2	0.1 %
2.0	-	4	0.1 %
2.1	-	1	0.0 %
2.2	-	1	0.0 %
2.3	-	1	0.0 %
2.4	-	1	0.0 %
2.5	-	2	0.1 %
2.6	-	5	0.2 %
2.7	-	2	0.1 %
2.8	-	1	0.0 %
2.9	-	3	0.1 %
3.0	-	5	0.2 %
3.1	-	1	0.0 %
3.2	-	1	0.0 %
3.3	-	3	0.1 %
3.4	-	6	0.2 %
3.5	-	4	0.1 %
3.6	-	10	0.4 %
3.7	-	6	0.2 %
3.8	-	4	0.1 %
3.9	-	5	0.2 %
4.0	-	7	0.3 %
4.1	-	8	0.3 %
4.2	-	2	0.1 %
4.3	-	7	0.3 %
4.4	-	6	0.2 %
4.5	-	5	0.2 %
4.6	-	7	0.3 %
4.7	-	9	0.3 %
4.8	-	6	0.2 %
4.9	-	2	0.1 %
5.0	-	4	0.1 %
5.1	-	5	0.2 %
5.2	-	9	0.3 %
5.3	-	4	0.1 %
5.4	-	8	0.3 %
5.5	-	9	0.3 %

Value	Label	Unweighted Frequency	%
5.6	-	5	0.2 %
5.7	-	4	0.1 %
5.8	-	9	0.3 %
5.9	-	8	0.3 %
6.0	-	8	0.3 %
6.1	-	9	0.3 %
Missing Data			
-9.0	Refused	1	0.0 %
.	-	618	22.8 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,090 valid cases out of 2,709 total cases.

- Mean: 36.55
- Minimum: 0.10
- Maximum: 797.80
- Standard Deviation: 54.30

Location: 1887-1891 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , .

TPARESU3: tPA, nanograms per milliliter (ng/ml)

Value	Label	Unweighted Frequency	%
1.0	-	1	0.0 %
1.3	-	1	0.0 %
1.4	-	1	0.0 %
1.6	-	1	0.0 %
1.7	-	1	0.0 %
1.8	-	1	0.0 %
1.9	-	2	0.1 %
2.1	-	3	0.1 %
2.2	-	2	0.1 %
2.3	-	6	0.2 %
2.4	-	4	0.1 %
2.5	-	6	0.2 %
2.6	-	5	0.2 %
2.7	-	11	0.4 %
2.8	-	15	0.6 %
2.9	-	11	0.4 %

Value	Label	Unweighted Frequency	%
3.0	-	13	0.5 %
3.1	-	10	0.4 %
3.2	-	7	0.3 %
3.3	-	10	0.4 %
3.4	-	7	0.3 %
3.5	-	15	0.6 %
3.6	-	18	0.7 %
3.7	-	24	0.9 %
3.8	-	19	0.7 %
3.9	-	16	0.6 %
4.0	-	17	0.6 %
4.1	-	15	0.6 %
4.2	-	25	0.9 %
4.3	-	27	1.0 %
4.4	-	19	0.7 %
4.5	-	26	1.0 %
4.6	-	24	0.9 %
4.7	-	29	1.1 %
4.8	-	27	1.0 %
4.9	-	24	0.9 %
5.0	-	30	1.1 %
5.1	-	27	1.0 %
5.2	-	21	0.8 %
5.3	-	24	0.9 %
5.4	-	20	0.7 %
5.5	-	23	0.8 %
5.6	-	24	0.9 %
5.7	-	25	0.9 %
5.8	-	28	1.0 %
5.9	-	30	1.1 %
6.0	-	18	0.7 %
6.1	-	27	1.0 %
6.2	-	24	0.9 %
6.3	-	25	0.9 %
Missing Data			
-9.0	Refused	1	0.0 %
.	-	604	22.3 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,104 valid cases out of 2,709 total cases.

- Mean: 8.42
- Median: 7.30
- Mode: 6.70
- Minimum: 1.00
- Maximum: 237.20
- Standard Deviation: 8.96

Location: 1892-1896 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , .

LPARESU3: Lipoprotein Lp(a), milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	139	5.1 %
2	-	158	5.8 %
3	-	108	4.0 %
4	-	112	4.1 %
5	-	79	2.9 %
6	-	71	2.6 %
7	-	91	3.4 %
8	-	64	2.4 %
9	-	59	2.2 %
10	-	57	2.1 %
11	-	46	1.7 %
12	-	45	1.7 %
13	-	52	1.9 %
14	-	40	1.5 %
15	-	38	1.4 %
16	-	40	1.5 %
17	-	33	1.2 %
18	-	36	1.3 %
19	-	29	1.1 %
20	-	27	1.0 %
21	-	29	1.1 %
22	-	19	0.7 %
23	-	18	0.7 %
24	-	27	1.0 %
25	-	28	1.0 %

Value	Label	Unweighted Frequency	%
26	-	23	0.8 %
27	-	19	0.7 %
28	-	22	0.8 %
29	-	16	0.6 %
30	-	20	0.7 %
31	-	20	0.7 %
32	-	17	0.6 %
33	-	20	0.7 %
34	-	21	0.8 %
35	-	16	0.6 %
36	-	24	0.9 %
37	-	23	0.8 %
38	-	11	0.4 %
39	-	18	0.7 %
40	-	11	0.4 %
41	-	10	0.4 %
42	-	12	0.4 %
43	-	19	0.7 %
44	-	7	0.3 %
45	-	11	0.4 %
46	-	8	0.3 %
47	-	22	0.8 %
48	-	16	0.6 %
49	-	10	0.4 %
Missing Data			
-7	Refused	1	0.0 %
.	-	393	14.5 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,315 valid cases out of 2,709 total cases.

- Mean: 28.15
- Median: 15.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 234.00
- Standard Deviation: 31.61

Location: 1897-1899 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -7, .

LPA1RES3: Lipoprotein A-1, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
21	-	1	0.0 %
22	-	2	0.1 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	4	0.1 %
27	-	4	0.1 %
28	-	8	0.3 %
29	-	6	0.2 %
30	-	16	0.6 %
31	-	19	0.7 %
32	-	26	1.0 %
33	-	16	0.6 %
34	-	26	1.0 %
35	-	23	0.8 %
36	-	40	1.5 %
37	-	38	1.4 %
38	-	56	2.1 %
39	-	54	2.0 %
40	-	44	1.6 %
41	-	55	2.0 %
42	-	54	2.0 %
43	-	45	1.7 %
44	-	59	2.2 %
45	-	55	2.0 %
46	-	60	2.2 %
47	-	57	2.1 %
48	-	66	2.4 %
49	-	50	1.8 %
50	-	70	2.6 %
51	-	62	2.3 %
52	-	64	2.4 %
53	-	52	1.9 %
54	-	61	2.3 %
55	-	65	2.4 %
56	-	56	2.1 %

Value	Label	Unweighted Frequency	%
57	-	51	1.9 %
58	-	47	1.7 %
59	-	61	2.3 %
60	-	39	1.4 %
61	-	58	2.1 %
62	-	60	2.2 %
63	-	44	1.6 %
64	-	36	1.3 %
65	-	29	1.1 %
66	-	35	1.3 %
67	-	28	1.0 %
68	-	43	1.6 %
69	-	27	1.0 %
Missing Data			
-7	Refused	1	0.0 %
.	-	390	14.4 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,318 valid cases out of 2,709 total cases.

- Mean: 55.84
- Median: 54.00
- Mode: 50.00
- Minimum: 17.00
- Maximum: 124.00
- Standard Deviation: 15.77

Location: 1900-1902 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7, .

APOARES3: Apolipoprotein A-1, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
67	-	1	0.0 %
72	-	1	0.0 %
80	-	1	0.0 %
82	-	1	0.0 %
84	-	1	0.0 %
92	-	1	0.0 %

Value	Label	Unweighted Frequency	%
98	-	2	0.1 %
99	-	1	0.0 %
101	-	1	0.0 %
102	-	2	0.1 %
103	-	2	0.1 %
104	-	1	0.0 %
106	-	6	0.2 %
107	-	6	0.2 %
108	-	3	0.1 %
109	-	3	0.1 %
110	-	2	0.1 %
111	-	4	0.1 %
112	-	3	0.1 %
113	-	4	0.1 %
114	-	6	0.2 %
115	-	8	0.3 %
116	-	5	0.2 %
117	-	3	0.1 %
118	-	7	0.3 %
119	-	10	0.4 %
120	-	7	0.3 %
121	-	6	0.2 %
122	-	7	0.3 %
123	-	9	0.3 %
124	-	12	0.4 %
125	-	10	0.4 %
126	-	15	0.6 %
127	-	18	0.7 %
128	-	25	0.9 %
129	-	11	0.4 %
130	-	15	0.6 %
131	-	13	0.5 %
132	-	11	0.4 %
133	-	25	0.9 %
134	-	20	0.7 %
135	-	28	1.0 %
136	-	23	0.8 %
137	-	18	0.7 %
138	-	27	1.0 %

Value	Label	Unweighted Frequency	%
139	-	29	1.1 %
140	-	32	1.2 %
141	-	10	0.4 %
142	-	25	0.9 %
Missing Data			
-7	Refused	1	0.0 %
.	-	382	14.1 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 2,709 total cases.

- Mean: 165.61
- Median: 164.00
- Mode: 150.00
- Minimum: 41.00
- Maximum: 332.00
- Standard Deviation: 28.61

Location: 1903-1905 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7, .

APOBRES3: Apolipoprotein B, milligrams per deciliter (mg/dl)

Value	Label	Unweighted Frequency	%
34	-	1	0.0 %
36	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.1 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
51	-	2	0.1 %
52	-	2	0.1 %
53	-	2	0.1 %
54	-	1	0.0 %
55	-	6	0.2 %
57	-	4	0.1 %
58	-	1	0.0 %
59	-	2	0.1 %
60	-	7	0.3 %

Value	Label	Unweighted Frequency	%
61	-	2	0.1 %
62	-	6	0.2 %
63	-	4	0.1 %
64	-	7	0.3 %
65	-	16	0.6 %
66	-	3	0.1 %
67	-	6	0.2 %
68	-	7	0.3 %
69	-	7	0.3 %
70	-	7	0.3 %
71	-	15	0.6 %
72	-	9	0.3 %
73	-	15	0.6 %
74	-	14	0.5 %
75	-	18	0.7 %
76	-	12	0.4 %
77	-	16	0.6 %
78	-	17	0.6 %
79	-	15	0.6 %
80	-	14	0.5 %
81	-	31	1.1 %
82	-	24	0.9 %
83	-	26	1.0 %
84	-	22	0.8 %
85	-	25	0.9 %
86	-	20	0.7 %
87	-	23	0.8 %
88	-	32	1.2 %
89	-	33	1.2 %
90	-	28	1.0 %
91	-	41	1.5 %
92	-	26	1.0 %
93	-	36	1.3 %
94	-	29	1.1 %
Missing Data			
-7	Refused	1	0.0 %
.	-	382	14.1 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,326 valid cases out of 2,709 total cases.

- Mean: 113.60
- Median: 110.00
- Mode: 113.00
- Minimum: 34.00
- Maximum: 246.00
- Standard Deviation: 29.32

Location: 1906-1908 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7, .

CRPRESU3: C-reactive protein, milligrams per liter (mg/l)

Value	Label	Unweighted Frequency	%
0.045	-	1	0.0 %
0.055	-	2	0.1 %
0.057	-	1	0.0 %
0.060	-	1	0.0 %
0.067	-	1	0.0 %
0.068	-	1	0.0 %
0.069	-	1	0.0 %
0.071	-	1	0.0 %
0.074	-	1	0.0 %
0.079	-	1	0.0 %
0.080	-	4	0.1 %
0.081	-	1	0.0 %
0.084	-	1	0.0 %
0.085	-	1	0.0 %
0.087	-	1	0.0 %
0.088	-	1	0.0 %
0.093	-	1	0.0 %
0.094	-	1	0.0 %
0.095	-	1	0.0 %
0.096	-	1	0.0 %
0.097	-	1	0.0 %
0.101	-	1	0.0 %
0.105	-	1	0.0 %
0.106	-	1	0.0 %
0.109	-	1	0.0 %
0.112	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.114	-	2	0.1 %
0.115	-	1	0.0 %
0.117	-	1	0.0 %
0.118	-	1	0.0 %
0.120	-	1	0.0 %
0.121	-	4	0.1 %
0.122	-	1	0.0 %
0.123	-	1	0.0 %
0.125	-	1	0.0 %
0.126	-	2	0.1 %
0.130	-	1	0.0 %
0.131	-	1	0.0 %
0.137	-	1	0.0 %
0.138	-	3	0.1 %
0.141	-	2	0.1 %
0.142	-	2	0.1 %
0.143	-	2	0.1 %
0.145	-	1	0.0 %
0.146	-	1	0.0 %
0.149	-	1	0.0 %
0.150	-	1	0.0 %
0.152	-	1	0.0 %
0.154	-	2	0.1 %
0.156	-	2	0.1 %
Missing Data			
-7.000	Refused	1	0.0 %
-4.000	Undocumented code	1	0.0 %
.	-	436	16.1 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,271 valid cases out of 2,709 total cases.

- Mean: 4.173
- Minimum: 0.045
- Maximum: 135.400
- Standard Deviation: 7.418

Location: 1909-1915 (*width:* 7; *decimal:* 3)

Variable Type: numeric

(Range of) Missing Values: -7.000 , -4.000 , .

FLGCVRV3: Collected after V3 cutoff (01/31/2001)

Value	Label	Unweighted Frequency	%
0	No	2347	86.6 %
1	Yes	3	0.1 %
	Missing Data		
.	-	359	13.3 %
	Total	2,709	100%

Based upon 2,350 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1916-1917 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPSCDAY3: Spine scan day

Value	Label	Unweighted Frequency	%
940	-	1	0.0 %
944	-	1	0.0 %
953	-	1	0.0 %
984	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	1	0.0 %
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %
1015	-	1	0.0 %
1017	-	1	0.0 %
1020	-	2	0.1 %
1021	-	1	0.0 %
1022	-	1	0.0 %
1023	-	3	0.1 %
1025	-	2	0.1 %
1026	-	3	0.1 %
1027	-	2	0.1 %
1028	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1029	-	3	0.1 %
1030	-	1	0.0 %
1031	-	1	0.0 %
1032	-	3	0.1 %
1033	-	1	0.0 %
1034	-	2	0.1 %
1035	-	3	0.1 %
1036	-	7	0.3 %
1037	-	4	0.1 %
1040	-	4	0.1 %
1041	-	6	0.2 %
1042	-	6	0.2 %
1043	-	5	0.2 %
1044	-	2	0.1 %
1045	-	6	0.2 %
1046	-	5	0.2 %
1047	-	3	0.1 %
1048	-	5	0.2 %
1049	-	11	0.4 %
1050	-	9	0.3 %
1051	-	6	0.2 %
1052	-	5	0.2 %
1053	-	7	0.3 %
1054	-	2	0.1 %
1055	-	10	0.4 %
1056	-	4	0.1 %
1057	-	14	0.5 %
1058	-	7	0.3 %
Missing Data			
.	-	868	32.0 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,841 valid cases out of 2,709 total cases.

- Mean: 1120.50
- Minimum: 940.00
- Maximum: 1421.00
- Standard Deviation: 55.11

Location: 1918-1921 (width: 4; decimal: 0)

Variable Type: numeric

SPSCTIM3: Spine scan time

Value	Label	Unweighted Frequency	%
0:06:17	-	1	0.0 %
0:06:22	-	1	0.0 %
0:06:33	-	1	0.0 %
0:06:39	-	1	0.0 %
0:06:40	-	1	0.0 %
0:06:43	-	1	0.0 %
0:06:44	-	1	0.0 %
0:06:45	-	1	0.0 %
0:06:46	-	1	0.0 %
0:06:48	-	2	0.1 %
0:06:50	-	1	0.0 %
0:06:55	-	1	0.0 %
0:06:59	-	1	0.0 %
0:07:05	-	1	0.0 %
0:07:08	-	1	0.0 %
0:07:12	-	1	0.0 %
0:07:14	-	2	0.1 %
0:07:15	-	1	0.0 %
0:07:17	-	1	0.0 %
0:07:18	-	1	0.0 %
0:07:19	-	1	0.0 %
0:07:21	-	1	0.0 %
0:07:22	-	2	0.1 %
0:07:23	-	3	0.1 %
0:07:24	-	4	0.1 %
0:07:26	-	1	0.0 %
0:07:27	-	5	0.2 %
0:07:28	-	1	0.0 %
0:07:30	-	1	0.0 %
0:07:31	-	4	0.1 %
0:07:34	-	1	0.0 %
0:07:35	-	2	0.1 %
0:07:36	-	4	0.1 %
0:07:38	-	1	0.0 %
0:07:39	-	1	0.0 %
0:07:41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:07:42	-	1	0.0 %
0:07:43	-	2	0.1 %
0:07:45	-	1	0.0 %
0:07:46	-	1	0.0 %
0:07:47	-	2	0.1 %
0:07:48	-	3	0.1 %
0:07:49	-	3	0.1 %
0:07:50	-	2	0.1 %
0:07:51	-	2	0.1 %
0:07:52	-	3	0.1 %
0:07:53	-	4	0.1 %
0:07:54	-	6	0.2 %
0:07:55	-	4	0.1 %
0:07:57	-	1	0.0 %
	Missing Data		
.	-	963	35.5 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,746 valid cases out of 2,709 total cases.

Location: 1922-1933 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

SPSCMOD3: Spine scan mode

Value	Label	Unweighted Frequency	%
5	2000 machine	732	27.0 %
11	4500 machine	1109	40.9 %
	Missing Data		
.	-	868	32.0 %
	Total	2,709	100%

Based upon 1,841 valid cases out of 2,709 total cases.

- Minimum: 5.00

- Maximum: 11.00

Location: 1934-1935 (width: 2; decimal: 0)

Variable Type: numeric

HPSCDAY3: Hip scan day

Value	Label	Unweighted Frequency	%
940	-	1	0.0 %
944	-	1	0.0 %
953	-	1	0.0 %
984	-	1	0.0 %
996	-	1	0.0 %
1001	-	1	0.0 %
1002	-	1	0.0 %
1004	-	1	0.0 %
1006	-	1	0.0 %
1008	-	1	0.0 %
1013	-	1	0.0 %
1014	-	1	0.0 %
1015	-	1	0.0 %
1017	-	1	0.0 %
1020	-	2	0.1 %
1021	-	1	0.0 %
1022	-	1	0.0 %
1023	-	3	0.1 %
1025	-	2	0.1 %
1026	-	3	0.1 %
1027	-	2	0.1 %
1028	-	1	0.0 %
1029	-	3	0.1 %
1030	-	1	0.0 %
1031	-	1	0.0 %
1032	-	3	0.1 %
1033	-	1	0.0 %
1034	-	2	0.1 %
1035	-	3	0.1 %
1036	-	7	0.3 %
1037	-	4	0.1 %
1040	-	4	0.1 %
1041	-	6	0.2 %
1042	-	6	0.2 %
1043	-	5	0.2 %
1044	-	2	0.1 %
1045	-	6	0.2 %

Value	Label	Unweighted Frequency	%
1046	-	5	0.2 %
1047	-	3	0.1 %
1048	-	5	0.2 %
1049	-	11	0.4 %
1050	-	9	0.3 %
1051	-	6	0.2 %
1052	-	5	0.2 %
1053	-	7	0.3 %
1054	-	2	0.1 %
1055	-	10	0.4 %
1056	-	4	0.1 %
1057	-	14	0.5 %
1058	-	7	0.3 %
Missing Data			
.	-	860	31.7 %
Total		2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,849 valid cases out of 2,709 total cases.

- Mean: 1120.76
- Minimum: 940.00
- Maximum: 1421.00
- Standard Deviation: 55.24

Location: 1936-1939 (width: 4; decimal: 0)

Variable Type: numeric

HPSCTIM3: Hip scan time

Value	Label	Unweighted Frequency	%
0:06:15	-	1	0.0 %
0:06:20	-	1	0.0 %
0:06:31	-	1	0.0 %
0:06:34	-	1	0.0 %
0:06:37	-	1	0.0 %
0:06:40	-	1	0.0 %
0:06:41	-	1	0.0 %
0:06:43	-	1	0.0 %
0:06:44	-	1	0.0 %
0:06:45	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0:06:46	-	2	0.1 %
0:06:56	-	1	0.0 %
0:07:02	-	1	0.0 %
0:07:05	-	1	0.0 %
0:07:09	-	1	0.0 %
0:07:10	-	1	0.0 %
0:07:11	-	2	0.1 %
0:07:12	-	1	0.0 %
0:07:17	-	1	0.0 %
0:07:18	-	1	0.0 %
0:07:19	-	1	0.0 %
0:07:20	-	2	0.1 %
0:07:22	-	2	0.1 %
0:07:23	-	2	0.1 %
0:07:24	-	2	0.1 %
0:07:28	-	2	0.1 %
0:07:29	-	1	0.0 %
0:07:30	-	1	0.0 %
0:07:31	-	3	0.1 %
0:07:33	-	1	0.0 %
0:07:34	-	2	0.1 %
0:07:36	-	3	0.1 %
0:07:39	-	3	0.1 %
0:07:40	-	1	0.0 %
0:07:41	-	3	0.1 %
0:07:42	-	4	0.1 %
0:07:43	-	4	0.1 %
0:07:45	-	2	0.1 %
0:07:46	-	1	0.0 %
0:07:47	-	3	0.1 %
0:07:48	-	1	0.0 %
0:07:49	-	1	0.0 %
0:07:50	-	3	0.1 %
0:07:51	-	6	0.2 %
0:07:53	-	3	0.1 %
0:07:54	-	2	0.1 %
0:07:55	-	8	0.3 %
0:07:57	-	2	0.1 %
0:07:58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:08:00	-	3	0.1 %
	Missing Data		
.	-	961	35.5 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,748 valid cases out of 2,709 total cases.

Location: 1940-1951 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HPSCMOD3: Hip scan mode

Value	Label	Unweighted Frequency	%
5	2000 machine	733	27.1 %
11	4500 machine	1116	41.2 %
	Missing Data		
.	-	860	31.7 %
	Total	2,709	100%

Based upon 1,849 valid cases out of 2,709 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 1952-1953 (width: 2; decimal: 0)

Variable Type: numeric

SPBMDT3: Total spine bone mineral density w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.641900	-	1	0.0 %
0.657873	-	1	0.0 %
0.678100	-	1	0.0 %
0.690271	-	1	0.0 %
0.695600	-	1	0.0 %
0.725900	-	1	0.0 %
0.735655	-	1	0.0 %
0.740200	-	1	0.0 %
0.740600	-	1	0.0 %
0.740800	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.742800	-	1	0.0 %
0.749500	-	1	0.0 %
0.756900	-	1	0.0 %
0.757000	-	1	0.0 %
0.757267	-	1	0.0 %
0.758000	-	1	0.0 %
0.758500	-	1	0.0 %
0.763900	-	1	0.0 %
0.766259	-	1	0.0 %
0.767000	-	1	0.0 %
0.772500	-	1	0.0 %
0.773700	-	1	0.0 %
0.775000	-	1	0.0 %
0.776000	-	1	0.0 %
0.777800	-	1	0.0 %
0.779104	-	1	0.0 %
0.782000	-	1	0.0 %
0.782538	-	1	0.0 %
0.783200	-	1	0.0 %
0.784500	-	1	0.0 %
0.784700	-	1	0.0 %
0.784900	-	1	0.0 %
0.785300	-	1	0.0 %
0.789200	-	1	0.0 %
0.789800	-	1	0.0 %
0.790000	-	1	0.0 %
0.790300	-	1	0.0 %
0.791356	-	1	0.0 %
0.791600	-	1	0.0 %
0.792000	-	1	0.0 %
0.792181	-	1	0.0 %
0.792700	-	1	0.0 %
0.794700	-	1	0.0 %
0.795600	-	1	0.0 %
0.797064	-	1	0.0 %
0.797100	-	1	0.0 %
0.799500	-	1	0.0 %
0.799756	-	1	0.0 %
0.802000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.802400	-	1	0.0 %
	Missing Data		
.	-	876	32.3 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,833 valid cases out of 2,709 total cases.

- Mean: 1.061798
- Minimum: 0.641900
- Maximum: 1.619854
- Standard Deviation: 0.145571

Location: 1954-1961 (width: 8; decimal: 6)

Variable Type: numeric

HPBMDT3: Total hip bone mineral density w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.601200	-	1	0.0 %
0.608500	-	1	0.0 %
0.616200	-	1	0.0 %
0.619100	-	1	0.0 %
0.625600	-	1	0.0 %
0.630200	-	1	0.0 %
0.633300	-	1	0.0 %
0.642500	-	1	0.0 %
0.647700	-	1	0.0 %
0.648600	-	1	0.0 %
0.650100	-	1	0.0 %
0.656300	-	1	0.0 %
0.656900	-	1	0.0 %
0.657300	-	1	0.0 %
0.658300	-	1	0.0 %
0.658800	-	1	0.0 %
0.659343	-	1	0.0 %
0.659600	-	1	0.0 %
0.660700	-	1	0.0 %
0.663300	-	1	0.0 %
0.667600	-	1	0.0 %
0.670100	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.673800	-	1	0.0 %
0.676800	-	1	0.0 %
0.678400	-	1	0.0 %
0.680100	-	1	0.0 %
0.684249	-	1	0.0 %
0.687200	-	1	0.0 %
0.688200	-	1	0.0 %
0.688400	-	1	0.0 %
0.689700	-	1	0.0 %
0.692800	-	1	0.0 %
0.695100	-	1	0.0 %
0.695400	-	1	0.0 %
0.697783	-	1	0.0 %
0.698000	-	1	0.0 %
0.699600	-	1	0.0 %
0.699800	-	1	0.0 %
0.701800	-	1	0.0 %
0.702800	-	1	0.0 %
0.702900	-	1	0.0 %
0.704500	-	1	0.0 %
0.705200	-	1	0.0 %
0.705900	-	1	0.0 %
0.706507	-	1	0.0 %
0.706600	-	1	0.0 %
0.707100	-	1	0.0 %
0.708000	-	1	0.0 %
0.708200	-	1	0.0 %
0.708400	-	1	0.0 %
	Missing Data		
.	-	863	31.9 %
	Total	2,709	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,846 valid cases out of 2,709 total cases.

- Mean: 0.955725
- Minimum: 0.601200
- Maximum: 1.541712
- Standard Deviation: 0.144423

Location: 1962-1969 (width: 8; decimal: 6)

Variable Type: numeric

BMDFLG3: P.I. recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	No	1849	68.3 %
1	Yes	3	0.1 %
	Missing Data		
.	-	857	31.6 %
	Total	2,709	100%

Based upon 1,852 valid cases out of 2,709 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1970-1971 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .