

ICPSR 29221

**Study of Women's Health Across
the Nation (SWAN): Visit 01
Dataset, [United States], 1997-1999**

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

**Study of Women's Health Across the Nation (SWAN): Visit 01 Dataset,
[United States], 1997-1999**

Kim Sutton-Tyrrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran Sowers R. (Mary Frances Roy)
University of Michigan

Robert Neer
Massachusetts General Hospital

Lynda Powell
Rush-Presbyterian-St. Luke's Medical Center

Ellen B. Gold
University of California, Davis

Gail Greendale
University of California, Los Angeles

Gerson Weiss
University of Medicine and Dentistry of New Jersey

Karen A. Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/29221/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #29221

*Study of Women's Health Across the Nation (SWAN): Visit 01 Dataset, [United States],
1997-1999*

1. **Variable Link:** Using the variable **SWANID**, this dataset can be linked with the SWAN Cross-Sectional Screener Data (ICPSR 04368), Baseline Data (ICPSR 28762), Visit 2 Data (ICPSR 29401), Visit 3 Data (ICPSR 29701), Visit 4 Data (ICPSR 30142), Visit 5 Data (ICPSR 30501), Visit 6 Data (ICPSR 31181), Visit 7 Data (ICPSR 31901), Visit 8 Data (ICPSR 32122), Visit 9 Data (ICPSR 32721), and Visit 10 Data (ICPSR 32961).
2. **Stata Limitations:** Due to Stata limitations, the following variables do not contain value labels for non-integer values within the Stata files:

BONES11	BONES21	BONES31
DADBORN1	HLTHSV11	HLTHSV21
HLTHSV31	RELAT101	MOMBORN1
RELAT11	RELAT111	RELAT121
RELAT21	RELAT31	RELAT41
RELAT51	RELAT61	RELAT71
RELAT81	RELAT91	SEX101
SEX11	SEX111	SEX121
SEX21	SEX31	SEX41
SEX51	SEX61	SEX71
SEX81	SEX91	SITESPE1
SPECOTH1	WHERBRN1	

3. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR has masked the following variables in the data: **SPECOTH1**, **WHEREBRN1**, **MOMBORN1**, **DADBORN1**, and **HLTHSV11**.
4. **Undocumented Codes:** The variables **ROTAT21** and **ROTAT31** contain undocumented values of 0 which ICPSR has labeled "UNDOCUMENTED CODE." No information was provided.
5. **Additional Information:** For additional information on the Study of Women's Health Across the Nation, please visit the [SWAN](#) website.

ICPSR 29221

Study of Women's Health Across the Nation (SWAN): Visit 01 Dataset, [United States], 1997-1999

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10092	-	1	0.0 %
10126	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10386	-	1	0.0 %
10464	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10604	-	1	0.0 %
10623	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10747	-	1	0.0 %
10757	-	1	0.0 %
10801	-	1	0.0 %
10879	-	1	0.0 %
10910	-	1	0.0 %
10968	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11047	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11286	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11298	-	1	0.0 %
11338	-	1	0.0 %
11347	-	1	0.0 %
11430	-	1	0.0 %
11463	-	1	0.0 %
11478	-	1	0.0 %
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

- Mean: 54536.78
- Minimum: 10046.00
- Maximum: 99992.00
- Standard Deviation: 25711.84

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT: Study visit

Value	Label	Unweighted Frequency	%
1	-	2881	100.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

INTDAY1: Interview day

Value	Label	Unweighted Frequency	%
202	-	1	0.0 %
241	-	1	0.0 %
251	-	2	0.1 %
252	-	1	0.0 %
256	-	1	0.0 %
261	-	1	0.0 %
265	-	1	0.0 %
268	-	1	0.0 %
273	-	1	0.0 %
274	-	4	0.1 %
275	-	2	0.1 %
277	-	1	0.0 %
281	-	1	0.0 %
283	-	3	0.1 %
284	-	1	0.0 %
285	-	1	0.0 %
286	-	1	0.0 %
287	-	3	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
290	-	1	0.0 %
291	-	2	0.1 %
292	-	4	0.1 %
293	-	1	0.0 %
294	-	2	0.1 %
295	-	2	0.1 %
296	-	6	0.2 %
297	-	3	0.1 %
299	-	2	0.1 %
300	-	6	0.2 %
301	-	6	0.2 %
302	-	3	0.1 %
303	-	4	0.1 %
304	-	2	0.1 %
305	-	2	0.1 %
306	-	2	0.1 %
307	-	2	0.1 %
308	-	9	0.3 %
309	-	7	0.2 %

Value	Label	Unweighted Frequency	%
310	-	7	0.2 %
311	-	3	0.1 %
312	-	6	0.2 %
313	-	6	0.2 %
314	-	3	0.1 %
315	-	13	0.5 %
316	-	4	0.1 %
317	-	6	0.2 %
318	-	1	0.0 %
319	-	9	0.3 %
320	-	14	0.5 %
Missing Data			
.	-	14	0.5 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,867 valid cases out of 2,881 total cases.

- Mean: 377.13
- Minimum: 202.00
- Maximum: 706.00
- Standard Deviation: 47.37

Location: 7-9 (*width:* 3; *decimal:* 0)

Variable Type: numeric

AGE1: Age at current visit (Integer)

Value	Label	Unweighted Frequency	%
42	-	8	0.3 %
43	-	300	10.4 %
44	-	343	11.9 %
45	-	365	12.7 %
46	-	343	11.9 %
47	-	337	11.7 %
48	-	349	12.1 %
49	-	270	9.4 %
50	-	233	8.1 %
51	-	160	5.6 %
52	-	95	3.3 %
53	-	63	2.2 %

Value	Label	Unweighted Frequency	%
54	-	6	0.2 %
	Missing Data		
.	-	9	0.3 %
	Total	2,881	100%

Based upon 2,872 valid cases out of 2,881 total cases.

- Mean: 46.92
- Median: 47.00
- Mode: 45.00
- Minimum: 42.00
- Maximum: 54.00
- Standard Deviation: 2.70

Location: 10-11 (width: 2; decimal: 0)

Variable Type: numeric

LANGINT1: Language of interview

Value	Label	Unweighted Frequency	%
1	English	2478	86.0 %
2	Spanish	195	6.8 %
3	Cantonese	83	2.9 %
4	Japanese	111	3.9 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RACE: Race/ethnicity

Value	Label	Unweighted Frequency	%
1	Black/African American	752	26.1 %
2	Chinese/Chinese American	240	8.3 %
3	Japanese/Japanese American	268	9.3 %
4	Caucasian/White Non-Hispanic	1406	48.8 %
5	Hispanic	215	7.5 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

PREGNAN1: Are you currently pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2716	94.3 %
2	Yes	6	0.2 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	156	5.4 %
	Total	2,881	100%

Based upon 2,722 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREVBLO1: Blood drawn previously

Was blood for this annual follow-up already drawn?

Value	Label	Unweighted Frequency	%
1	No	862	29.9 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2019	70.1 %
	Total	2,881	100%

Based upon 862 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN1: Eat/drink in last 12 hours

Have you had anything to eat or drink, other than water, in the last 12 hours? That is, since ____ : ____ last night?

Value	Label	Unweighted Frequency	%
1	No	2596	90.1 %
2	Yes	122	4.2 %
	Missing Data		
.	-	163	5.7 %
	Total	2,881	100%

Based upon 2,718 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRTPER1: Start period in last week

Did you start a menstrual period in the last 5 days?

Value	Label	Unweighted Frequency	%
1	No	761	26.4 %
2	Yes	1958	68.0 %
	Missing Data		
.	-	162	5.6 %
	Total	2,881	100%

Based upon 2,719 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DAYBLE1: Day that you started to bleed

What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
200	-	1	0.0 %
239	-	1	0.0 %

Value	Label	Unweighted Frequency	%
252	-	2	0.1 %
260	-	1	0.0 %
263	-	1	0.0 %
268	-	1	0.0 %
271	-	1	0.0 %
273	-	1	0.0 %
279	-	2	0.1 %
282	-	1	0.0 %
283	-	1	0.0 %
284	-	1	0.0 %
285	-	1	0.0 %
287	-	1	0.0 %
289	-	2	0.1 %
290	-	1	0.0 %
291	-	2	0.1 %
293	-	4	0.1 %
294	-	3	0.1 %
295	-	2	0.1 %
296	-	1	0.0 %
298	-	3	0.1 %
299	-	2	0.1 %
300	-	1	0.0 %
301	-	5	0.2 %
302	-	1	0.0 %
303	-	2	0.1 %
304	-	4	0.1 %
305	-	3	0.1 %
307	-	3	0.1 %
308	-	1	0.0 %
310	-	5	0.2 %
311	-	5	0.2 %
312	-	3	0.1 %
313	-	3	0.1 %
314	-	6	0.2 %
315	-	2	0.1 %
316	-	4	0.1 %
317	-	3	0.1 %
318	-	7	0.2 %
319	-	7	0.2 %

Value	Label	Unweighted Frequency	%
320	-	6	0.2 %
321	-	7	0.2 %
322	-	8	0.3 %
323	-	9	0.3 %
324	-	4	0.1 %
325	-	7	0.2 %
326	-	7	0.2 %
327	-	12	0.4 %
328	-	17	0.6 %
Missing Data			
-256	-	1	0.0 %
.	-	929	32.2 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,951 valid cases out of 2,881 total cases.

- Mean: 386.37
- Median: 380.00
- Minimum: 200.00
- Maximum: 703.00
- Standard Deviation: 50.62

Location: 23-26 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -256, .

BLDRWAT1: Blood draw attempted

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	2046	71.0 %
2	Yes, menses too variable	223	7.7 %
3	Yes, last attempt	449	15.6 %
4	Yes, respondent pregnant	0	0.0 %
5	No, not fasting and/or not in window	1	0.0 %
Missing Data			
.	-	162	5.6 %
Total		2,881	100%

Based upon 2,719 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 27-28 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

BLDDRAW1: Blood drawn

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2725	94.6 %
	Missing Data		
.	-	156	5.4 %
	Total	2,881	100%

Based upon 2,725 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 29-30 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

SPEDAY1: Blood specimen day

Value	Label	Unweighted Frequency	%
203	-	1	0.0 %
241	-	1	0.0 %
252	-	1	0.0 %
254	-	1	0.0 %
255	-	1	0.0 %
261	-	1	0.0 %
265	-	1	0.0 %
268	-	1	0.0 %
272	-	1	0.0 %
274	-	2	0.1 %
277	-	1	0.0 %
280	-	1	0.0 %
281	-	1	0.0 %
282	-	1	0.0 %
284	-	1	0.0 %
286	-	1	0.0 %
287	-	2	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
291	-	2	0.1 %

Value	Label	Unweighted Frequency	%
292	-	1	0.0 %
293	-	3	0.1 %
294	-	2	0.1 %
295	-	2	0.1 %
296	-	5	0.2 %
297	-	2	0.1 %
298	-	1	0.0 %
299	-	1	0.0 %
300	-	4	0.1 %
301	-	4	0.1 %
302	-	4	0.1 %
303	-	2	0.1 %
304	-	5	0.2 %
305	-	2	0.1 %
307	-	3	0.1 %
308	-	6	0.2 %
309	-	3	0.1 %
310	-	1	0.0 %
311	-	1	0.0 %
312	-	4	0.1 %
313	-	2	0.1 %
314	-	7	0.2 %
315	-	8	0.3 %
316	-	4	0.1 %
317	-	3	0.1 %
318	-	3	0.1 %
319	-	4	0.1 %
320	-	6	0.2 %
321	-	9	0.3 %
322	-	14	0.5 %
Missing Data			
.	-	118	4.1 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,763 valid cases out of 2,881 total cases.

- Mean: 401.00
- Minimum: 203.00

- Maximum: 757.00
- Standard Deviation: 58.89

Location: 31-33 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

ANTICO11: Anticoagulant #1

Since your last study visit have you taken any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	2829	98.2 %
2	Yes	37	1.3 %
Missing Data			
-9	Missing	1	0.0 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW11: Anticoagulant #1 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	15	0.5 %
2	Yes	22	0.8 %
Missing Data			
-1	N/A	2830	98.2 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 37 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO21: Anticoagulant #2

Since your last study visit have you taken any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	32	1.1 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2830	98.2 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 37 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW21: Anticoagulant #2 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2862	99.3 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 5 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART11: Heart medication #1

Since your last study visit have you taken anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	2797	97.1 %
2	Yes	69	2.4 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW11: Heart medication #1 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	16	0.6 %
2	Yes	53	1.8 %
	Missing Data		
-1	N/A	2798	97.1 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 69 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART21: Heart medication #2

Since your last study visit have you taken anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	49	1.7 %
2	Yes	20	0.7 %
	Missing Data		
-1	N/A	2798	97.1 %

Value	Label	Unweighted Frequency	%
.	-	14	0.5 %
	Total	2,881	100%

Based upon 69 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW21: Heart medication #2 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	16	0.6 %
	Missing Data		
-1	N/A	2847	98.8 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 20 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST11: Cholesterol medication #1

Since your last study visit have you taken any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	2811	97.6 %
2	Yes	55	1.9 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-51 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW11: Cholesterol medication #1 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	46	1.6 %
	Missing Data		
-1	N/A	2812	97.6 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 55 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-53 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST21: Cholesterol medication #2

Since your last study visit have you taken any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	49	1.7 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2812	97.6 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 55 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW21: Cholesterol medication #2 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2861	99.3 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 6 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-57 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP11: Blood pressure medication #1

Since your last study visit have you taken blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	2480	86.1 %
2	Yes	386	13.4 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW11: Blood pressure medication #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	32	1.1 %
2	Yes	353	12.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2481	86.1 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 385 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP21: Blood pressure medication #2

Since your last study visit have you taken blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	282	9.8 %
2	Yes	104	3.6 %
	Missing Data		
-1	N/A	2481	86.1 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 386 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW21: Blood pressure medication #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	18	0.6 %
2	Yes	85	3.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2763	95.9 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 103 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET11: Diuretic #1

Since your last study visit have you taken diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	2737	95.0 %
2	Yes	130	4.5 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW11: Diuretic #1 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	59	2.0 %
2	Yes	70	2.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2737	95.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 129 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET21: Diuretic #2

Since your last study visit have you taken diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	127	4.4 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2737	95.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 130 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW21: Diuretic #2 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2864	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 3 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI11: Thyroid medication #1

Since your last study visit have you taken thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	2674	92.8 %
2	Yes	193	6.7 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW11: Thyroid medication #1 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	16	0.6 %
2	Yes	177	6.1 %
	Missing Data		
-1	N/A	2674	92.8 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 193 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI21: Thyroid medication #2

Since your last study visit have you taken thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	189	6.6 %

Value	Label	Unweighted Frequency	%
2	Yes	4	0.1 %
	Missing Data		
-1	N/A	2674	92.8 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 193 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW21: Thyroid medication #2 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2863	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 4 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN11: Insulin medication #1

Since your last study visit have you taken insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	2779	96.5 %
2	Yes	88	3.1 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

INSUTW11: Insulin medication #1 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	79	2.7 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2779	96.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 87 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

INSULN21: Insulin medication #2

Since your last study visit have you taken insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	53	1.8 %
2	Yes	35	1.2 %
	Missing Data		
-1	N/A	2779	96.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 88 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW21: Insulin medication #2 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	31	1.1 %
	Missing Data		
-1	N/A	2832	98.3 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 35 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS11: Nervous condition medication #1

Since your last study visit have you taken any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	2520	87.5 %
2	Yes	347	12.0 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW11: Nervous condition medication #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	125	4.3 %
2	Yes	222	7.7 %
	Missing Data		
-1	N/A	2520	87.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 347 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS21: Nervous condition medication #2

Since your last study visit have you taken any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	231	8.0 %
2	Yes	116	4.0 %
	Missing Data		
-1	N/A	2520	87.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 347 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW21: Nervous condition medication #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	40	1.4 %
2	Yes	76	2.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2751	95.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 116 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI11: Steroid #1

Since your last study visit have you taken steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	2721	94.4 %
2	Yes	146	5.1 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW11: Steroid #1 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	106	3.7 %
2	Yes	40	1.4 %
	Missing Data		
-1	N/A	2721	94.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 146 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI21: Steroid #2

Since your last study visit have you taken steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	128	4.4 %
2	Yes	18	0.6 %
	Missing Data		
-1	N/A	2721	94.4 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 146 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW21: Steroid #2 taken twice per week for last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	10	0.3 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2849	98.9 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 18 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL11: Fertility medication #1

Since your last study visit have you taken fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	2864	99.4 %
2	Yes	3	0.1 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW11: Fertility medication #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2864	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 3 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL21: Fertility medication #2

Since your last study visit have you taken fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %

Value	Label	Unweighted Frequency	%
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2864	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 3 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW21: Fertility medication #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2865	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP11: Birth control pill #1

Since your last study visit have you taken birth control pills?

Value	Label	Unweighted Frequency	%
1	No	2832	98.3 %
2	Yes	35	1.2 %
	Missing Data		
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI11: Birth control pill #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	22	0.8 %
	Missing Data		
-1	N/A	2832	98.3 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 35 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP21: Birth control pill #2

Since your last study visit have you taken birth control pills?

Value	Label	Unweighted Frequency	%
1	No	34	1.2 %
2	Yes	1	0.0 %
	Missing Data		
.	-	2846	98.8 %
	Total	2,881	100%

Based upon 35 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI21: Birth control pills #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2866	99.5 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG11: Estrogen pills #1

Since your last study visit have you taken estrogen pills (such as Premarin, Estrace, Ogen, etc.)?

Value	Label	Unweighted Frequency	%
1	No	2767	96.0 %
2	Yes	98	3.4 %
	Missing Data		
.	-	16	0.6 %
Total		2,881	100%

Based upon 2,865 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW11: Estrogen pills #1 taken twice per week for last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	21	0.7 %

Value	Label	Unweighted Frequency	%
2	Yes	77	2.7 %
	Missing Data		
-1	N/A	2769	96.1 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 98 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG21: Estrogen pills #2

Since your last study visit have you taken estrogen pills (such as Premarin, Estrace, Ogen, etc.)?

Value	Label	Unweighted Frequency	%
1	No	92	3.2 %
2	Yes	6	0.2 %
	Missing Data		
.	-	2783	96.6 %
	Total	2,881	100%

Based upon 98 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW21: Estrogen pills #2 taken twice per week for last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2861	99.3 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 6 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA11: Estrogen #1 prescription daily or off & on

[If yes] Does/did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	72	2.5 %
2	Off and On	23	0.8 %
	Missing Data		
-9	Missing	3	0.1 %
-1	N/A	2769	96.1 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 95 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -1 , .

ESTRDA21: Estrogen #2 prescription daily or off & on

[If yes] Does/did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	4	0.1 %
2	Off and On	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2861	99.3 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 5 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

ESTRNJ11: Estrogen injection/patch #1

Since your last study visit have you taken estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	2852	99.0 %
2	Yes	14	0.5 %
Missing Data			
.	-	15	0.5 %
Total		2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW11: Estrogen injection/patch #1 taken twice per week last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	6	0.2 %
Missing Data			
-1	N/A	2853	99.0 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 14 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ21: Estrogen injection/patch #2

Since your last study visit have you taken estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2867	99.5 %
	Total	2,881	100%

Based upon 14 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW21: Estrogen injection/patch #2 taken twice per week last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN11: Comb estrogen/progestin #1

Since your last study visit have you taken combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	2818	97.8 %
2	Yes	48	1.7 %
	Missing Data		
.	-	15	0.5 %
	Total	2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW11: Combination estrogen/progestin #1 taken twice a week last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	7	0.2 %
2	Yes	41	1.4 %
	Missing Data		
-1	N/A	2819	97.8 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 48 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN21: Comb estrogen/progestin #2

Since your last study visit have you taken combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	48	1.7 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2833	98.3 %
	Total	2,881	100%

Based upon 48 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW21: Combination estrogen/progestin #2 taken twice a week last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES11: Progestin pills #1

Since your last study visit have you taken progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	2779	96.5 %
2	Yes	87	3.0 %
	Missing Data		
.	-	15	0.5 %
	Total	2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW11: Progestin pills #1 taken twice a week last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	34	1.2 %
2	Yes	53	1.8 %
	Missing Data		
-1	N/A	2780	96.5 %
.	-	14	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,881	100%

Based upon 87 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES21: Progestin pills #2

Since your last study visit have you taken progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	87	3.0 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2794	97.0 %
	Total	2,881	100%

Based upon 87 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 154-155 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW21: Progestin pills #2 taken twice a week last month

Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA11: Progestin #1 prescription daily or off & on

[If yes] Does/did your prescription have you take progestin daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	33	1.1 %
2	Off and On	50	1.7 %
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	2	0.1 %
-1	N/A	2780	96.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 83 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

PROGDA21: Progestin #2 prescription daily or off & on

[If yes] Does/did your prescription have you take progestin daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every day	0	0.0 %
2	Off and On	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

OTHMED11: Other prescription medication #1

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	1393	48.4 %

Value	Label	Unweighted Frequency	%
2	Yes	1473	51.1 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,866 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW11: Other prescription medication #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	878	30.5 %
2	Yes	593	20.6 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	1394	48.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 1,471 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED21: Other prescription medication #2

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	712	24.7 %
2	Yes	760	26.4 %
	Missing Data		
-9	Missing	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	1394	48.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 1,472 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW21: Other prescription medication #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	441	15.3 %
2	Yes	319	11.1 %
	Missing Data		
-1	N/A	2107	73.1 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 760 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED31: Other prescription medication #3

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	324	11.2 %
2	Yes	435	15.1 %
	Missing Data		
-1	N/A	2108	73.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 759 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW31: Other prescription medication #3 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	261	9.1 %
2	Yes	174	6.0 %
	Missing Data		
-1	N/A	2432	84.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 435 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED41: Other prescription medication #4

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	211	7.3 %
2	Yes	224	7.8 %
	Missing Data		
-1	N/A	2432	84.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 435 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW41: Other prescription medication #4 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	141	4.9 %
2	Yes	83	2.9 %
	Missing Data		
-1	N/A	2643	91.7 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 224 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED51: Other prescription medication #5

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	101	3.5 %
2	Yes	123	4.3 %
	Missing Data		
-1	N/A	2643	91.7 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 224 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW51: Other prescription medication #5 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	74	2.6 %
2	Yes	49	1.7 %
	Missing Data		
-1	N/A	2744	95.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 123 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED61: Other prescription medication #6

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	52	1.8 %
2	Yes	71	2.5 %
	Missing Data		
-1	N/A	2744	95.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 123 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW61: Other prescription medication #6 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	49	1.7 %
2	Yes	22	0.8 %
	Missing Data		
-1	N/A	2796	97.0 %

Value	Label	Unweighted Frequency	%
.	-	14	0.5 %
Total		2,881	100%

Based upon 71 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED71: Other prescription medication #7

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	25	0.9 %
2	Yes	46	1.6 %
	Missing Data		
-1	N/A	2796	97.0 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 71 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW71: Other prescription medication #7 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	28	1.0 %
2	Yes	18	0.6 %
	Missing Data		
-1	N/A	2821	97.9 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED81: Other prescription medication #8

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	16	0.6 %
2	Yes	30	1.0 %
	Missing Data		
-1	N/A	2821	97.9 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW81: Other prescription medication #8 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	20	0.7 %
2	Yes	10	0.3 %
	Missing Data		
-1	N/A	2837	98.5 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 30 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED91: Other prescription medication #9

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	17	0.6 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2837	98.5 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 30 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW91: Other prescription medication #9 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	7	0.2 %
	Missing Data		
-1	N/A	2854	99.1 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 13 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME101: Other prescription medication #10

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	7	0.2 %
	Missing Data		
-1	N/A	2854	99.1 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 13 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW101: Other prescription medication #10 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2860	99.3 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 7 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME111: Other prescription medication #11

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2860	99.3 %

Value	Label	Unweighted Frequency	%
.	-	14	0.5 %
	Total	2,881	100%

Based upon 7 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW111: Other prescription medication #11 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2861	99.3 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 6 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME121: Other prescription medication #12

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2861	99.3 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 6 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW121: Other prescription medication #12 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2862	99.3 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 5 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME131: Other prescription medication #13

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2862	99.3 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 5 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW131: Other prescription medication #13 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2865	99.4 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME141: Other prescription medication #14

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2862	99.3 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW141: Other prescription medication #14 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2862	99.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME151: Other prescription medication #15

Since your last study visit are there any other prescription pills or medications that you have taken, that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2862	99.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW151: Other prescription medication #15 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2864	99.4 %

Value	Label	Unweighted Frequency	%
.	-	17	0.6 %
Total		2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR1: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

To reduce the risk of heart disease.

Value	Label	Unweighted Frequency	%
1	No	130	4.5 %
2	Yes	50	1.7 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOP01: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

To reduce the risk of osteoporosis (brittle bones).

Value	Label	Unweighted Frequency	%
1	No	119	4.1 %
2	Yes	61	2.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM1: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

To relieve menopausal symptoms.

Value	Label	Unweighted Frequency	%
1	No	51	1.8 %
2	Yes	128	4.4 %
	Missing Data		
-9	Missing	3	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 179 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK1: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

To stay young-looking.

Value	Label	Unweighted Frequency	%
1	No	160	5.6 %
2	Yes	20	0.7 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HCPADV1: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

A health care provider advised me to take them.

Value	Label	Unweighted Frequency	%
1	No	44	1.5 %
2	Yes	136	4.7 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADV1: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

A friend or relative advised me to take them.

Value	Label	Unweighted Frequency	%
1	No	153	5.3 %
2	Yes	27	0.9 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM1: Improve memory

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

To improve my memory.

Value	Label	Unweighted Frequency	%
1	No	158	5.5 %
2	Yes	22	0.8 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI1: Regulate periods

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

To regulate periods.

Value	Label	Unweighted Frequency	%
1	No	104	3.6 %
2	Yes	76	2.6 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH1: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

Any other reasons? Please specify.

Value	Label	Unweighted Frequency	%
1	No	137	4.8 %
2	Yes	43	1.5 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2685	93.2 %
.	-	15	0.5 %
	Total	2,881	100%

Based upon 180 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO1: Don't know/remember why take hormones

I am going to read a list of some reasons why women start taking hormones, including birth control pills. For each one, please tell me if it is a reason why you started taking hormones:

Don't know or don't remember.

Value	Label	Unweighted Frequency	%
1	No	179	6.2 %
2	Yes	0	0.0 %
Missing Data			
-9	Missing	3	0.1 %
-1	N/A	2685	93.2 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 179 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRBBLEE1: Problems w/ bleeding

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I had problems with bleeding.

Value	Label	Unweighted Frequency	%
1	No	42	1.5 %
2	Yes	4	0.1 %
Missing Data			
-1	N/A	2818	97.8 %
.	-	17	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER1: Did not like having periods

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I did not like having periods.

Value	Label	Unweighted Frequency	%
1	No	44	1.5 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2818	97.8 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL1: Did not like how felt on them

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I did not like how I felt on them.

Value	Label	Unweighted Frequency	%
1	No	36	1.2 %
2	Yes	10	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2818	97.8 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEFF1: Worried about possible side effects

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I was worried about possible side effects.

Value	Label	Unweighted Frequency	%
1	No	38	1.3 %
2	Yes	8	0.3 %
	Missing Data		
-1	N/A	2818	97.8 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER1: Worried about cancer

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I was worried about cancer.

Value	Label	Unweighted Frequency	%
1	No	43	1.5 %

Value	Label	Unweighted Frequency	%
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2818	97.8 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO1: Health care provider advised to stop

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

My health care provider advised me to stop.

Value	Label	Unweighted Frequency	%
1	No	37	1.3 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2818	97.8 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI1: Too expensive

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

They were too expensive.

Value	Label	Unweighted Frequency	%
1	No	46	1.6 %
2	Yes	0	0.0 %
Missing Data			
-1	N/A	2818	97.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE1: Do not like taking medications

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I did not like taking medications.

Value	Label	Unweighted Frequency	%
1	No	43	1.5 %
2	Yes	3	0.1 %
Missing Data			
-1	N/A	2818	97.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB1: Couldn't remember to take them

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I could not remember to take them.

Value	Label	Unweighted Frequency	%
1	No	45	1.6 %
2	Yes	1	0.0 %
Missing Data			
-1	N/A	2818	97.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW1: Don't know why stopped hormones

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I do not know why I stopped taking hormones.

Value	Label	Unweighted Frequency	%
1	No	45	1.6 %
2	Yes	1	0.0 %
Missing Data			
-1	N/A	2818	97.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH1: Stopped hormones other reason

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

I stopped taking hormones for another reason.

Value	Label	Unweighted Frequency	%
1	No	17	0.6 %
2	Yes	29	1.0 %
	Missing Data		
-1	N/A	2818	97.8 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO1: Stopped hormones no reason given

Since your last study visit, you started taking some hormones and then stopped. What were your reasons for stopping?:

No reason given.

Value	Label	Unweighted Frequency	%
1	No	46	1.6 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2818	97.8 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN11: Over-the-counter pain medication #1

Since your last study visit, have you taken any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	1966	68.2 %

Value	Label	Unweighted Frequency	%
2	Yes	897	31.1 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW11: Over-the-counter pain medication #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	357	12.4 %
2	Yes	536	18.6 %
	Missing Data		
-9	Missing	3	0.1 %
-1	N/A	1968	68.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 893 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN21: Over-the-counter pain medication #2

Since your last study visit, have you taken any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	685	23.8 %
2	Yes	212	7.4 %
	Missing Data		
-1	N/A	1967	68.3 %

Value	Label	Unweighted Frequency	%
.	-	17	0.6 %
Total		2,881	100%

Based upon 897 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW21: Over-the-counter pain medication #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	111	3.9 %
2	Yes	100	3.5 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2652	92.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 211 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP11: Over-the-counter sleep medication #1

Since your last study visit, have you taken anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	2757	95.7 %
2	Yes	106	3.7 %
Missing Data			
-9	Missing	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW11: Over-the-counter sleep medication #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	33	1.1 %
2	Yes	73	2.5 %
	Missing Data		
-1	N/A	2758	95.7 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 106 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP21: Over-the-counter sleep medication #2

Since your last study visit, have you taken anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	96	3.3 %
2	Yes	10	0.3 %
	Missing Data		
-1	N/A	2758	95.7 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 106 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW21: Over-the-counter sleep medication #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	5	0.2 %
	Missing Data		
-1	N/A	2854	99.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 10 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC11: Other over-the-counter medication #1

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	2395	83.1 %
2	Yes	468	16.2 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW11: Other over-the-counter medication #1 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	119	4.1 %
2	Yes	348	12.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2396	83.2 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 467 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTC21: Other over-the-counter medication #2

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	351	12.2 %
2	Yes	117	4.1 %
	Missing Data		
-1	N/A	2396	83.2 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 468 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTCTW21: Other over-the-counter medication #2 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	37	1.3 %
2	Yes	79	2.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2747	95.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 116 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC31: Other over-the-counter medication #3

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	82	2.8 %
2	Yes	35	1.2 %
	Missing Data		
-1	N/A	2747	95.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 117 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW31: Other over-the-counter medication #3 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	10	0.3 %
2	Yes	25	0.9 %
	Missing Data		
-1	N/A	2829	98.2 %

Value	Label	Unweighted Frequency	%
.	-	17	0.6 %
Total		2,881	100%

Based upon 35 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC41: Other over-the-counter medication #4

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	21	0.7 %
2	Yes	14	0.5 %
Missing Data			
-1	N/A	2829	98.2 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 35 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW41: Other over-the-counter medication #4 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	12	0.4 %
Missing Data			
-1	N/A	2850	98.9 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 14 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTC51: Other over-the-counter medication #5

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2853	99.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 14 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTCTW51: Other over-the-counter medication #5 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2864	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 3 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC61: Other over-the-counter medication #6

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2864	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 3 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW61: Other over-the-counter medication #6 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2865	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC71: Other over-the-counter medication #7

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2865	99.4 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW71: Other over-the-counter medication #7 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2866	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC81: Other over-the-counter medication #8

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2866	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW81: Other over-the-counter medication #8 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2866	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC91: Other over-the-counter medication #9

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2866	99.5 %

Value	Label	Unweighted Frequency	%
.	-	14	0.5 %
Total		2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW91: Other over-the-counter medication #9 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC101: Other over-the-counter medication #10

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW101: Other over-the-counter medication #10 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC111: Other over-the-counter medication #11

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW111: Other over-the-counter medication #11 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC121: Other over-the-counter medication #12

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW121: Other over-the-counter medication #12 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC131: Other over-the-counter medication #13

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW131: Other over-the-counter medication #13 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC141: Other over-the-counter medication #14

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW141: Other over-the-counter medication #14 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC151: Other over-the-counter medication #15

Since your last study visit, have you taken any other over-the-counter pills or other medications (including liquids or ointments) that I haven't asked you about?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW151: Other over-the-counter medication #15 taken twice per week last month

Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2867	99.5 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA1: Take any vitamins/minerals once per week

Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

Value	Label	Unweighted Frequency	%
1	No	1241	43.1 %
2	Yes	1623	56.3 %
	Missing Data		
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA1: How often take multi-vitamin

How often do you take regular Once-A-Day, Centrum, or Thera type?

Value	Label	Unweighted Frequency	%
1	Do not take any	604	21.0 %
2	1-3 days/week	207	7.2 %
3	4-6 days/week	181	6.3 %
4	Every day	631	21.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	1241	43.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 1,623 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTIOXI1: How often take antioxidant

How often do you take antioxidant combination type multi-vitamins?

Value	Label	Unweighted Frequency	%
1	Do not take any	1340	46.5 %
2	1-3 days/week	59	2.0 %
3	4-6 days/week	60	2.1 %
4	Every day	163	5.7 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	1241	43.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 1,622 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH11: How often take other multi-vitamin #1

How often do you take any other multi-vitamins?

Value	Label	Unweighted Frequency	%
1	Do not take any	84	2.9 %
2	1-3 days/week	36	1.2 %
3	4-6 days/week	26	0.9 %

Value	Label	Unweighted Frequency	%
4	Every day	143	5.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2574	89.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 289 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH21: How often take other multi-vitamin #2

How often do you take any other multi-vitamins?

Value	Label	Unweighted Frequency	%
1	Do not take any	39	1.4 %
2	1-3 days/week	5	0.2 %
3	4-6 days/week	3	0.1 %
4	Every day	22	0.8 %
	Missing Data		
-1	N/A	2795	97.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 69 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH31: How often take other multi-vitamin #3

How often do you take any other multi-vitamins?

Value	Label	Unweighted Frequency	%
1	Do not take any	35	1.2 %
2	1-3 days/week	1	0.0 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	1	0.0 %
4	Every day	9	0.3 %
Missing Data			
-1	N/A	2818	97.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 46 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH41: How often take other multi-vitamin #4

How often do you take any other multi-vitamins?

Value	Label	Unweighted Frequency	%
1	Do not take any	35	1.2 %
2	1-3 days/week	1	0.0 %
3	4-6 days/week	1	0.0 %
4	Every day	2	0.1 %
Missing Data			
-1	N/A	2825	98.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 39 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA1: How often take vitamin A

How often do you take vitamin A (not beta carotene) as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	1560	54.1 %
2	1-3 days/week	18	0.6 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	11	0.4 %
4	Every day	34	1.2 %
Missing Data			
-1	N/A	1241	43.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 1,623 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR1: How often take beta-carotene

How often do you take beta carotene as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	1541	53.5 %
2	1-3 days/week	26	0.9 %
3	4-6 days/week	18	0.6 %
4	Every day	38	1.3 %
Missing Data			
-1	N/A	1241	43.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 1,623 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC1: How often take vitamin C

How often do you take vitamin C as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	1012	35.1 %
2	1-3 days/week	155	5.4 %

Value	Label	Unweighted Frequency	%
3	4-6 days/week	107	3.7 %
4	Every day	347	12.0 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	1241	43.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 1,621 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VITAMND1: How often take vitamin D

How often do you take vitamin D as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	1528	53.0 %
2	1-3 days/week	31	1.1 %
3	4-6 days/week	15	0.5 %
4	Every day	49	1.7 %
Missing Data			
-1	N/A	1241	43.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 1,623 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VITAMNE1: How often take vitamin E

How often do you take vitamin E as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	1077	37.4 %
2	1-3 days/week	112	3.9 %
3	4-6 days/week	112	3.9 %
4	Every day	322	11.2 %
	Missing Data		
-1	N/A	1241	43.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 1,623 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM1: How often take calcium/Tums

How often do you take calcium or Tums as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	941	32.7 %
2	1-3 days/week	179	6.2 %
3	4-6 days/week	118	4.1 %
4	Every day	384	13.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	1241	43.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 1,622 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRON1: How often take iron

How often do you take iron as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	1438	49.9 %
2	1-3 days/week	62	2.2 %
3	4-6 days/week	18	0.6 %
4	Every day	104	3.6 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1241	43.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 1,622 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VITOTH11: How often take other vitamin #1

How often do you take any other vitamin as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	65	2.3 %
2	1-3 days/week	106	3.7 %
3	4-6 days/week	95	3.3 %
4	Every day	356	12.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2241	77.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 622 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VITOTH21: How often take other vitamin #2

How often do you take any other vitamin as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	32	1.1 %
2	1-3 days/week	46	1.6 %
3	4-6 days/week	42	1.5 %
4	Every day	163	5.7 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2580	89.6 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 283 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITOTH31: How often take other vitamin #3

How often do you take any other vitamin as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	30	1.0 %
2	1-3 days/week	20	0.7 %
3	4-6 days/week	19	0.7 %
4	Every day	86	3.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2708	94.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 155 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITOTH41: How often take other vitamin #4

How often do you take any other vitamin as a single vitamin, not part of a multi-vitamin?

Value	Label	Unweighted Frequency	%
1	Do not take any	26	0.9 %
2	1-3 days/week	11	0.4 %
3	4-6 days/week	11	0.4 %
4	Every day	51	1.8 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2764	95.9 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 99 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MULTVIT1: If multi-vitamin, w/wo minerals

Do you usually take multiple vitamins that:

Value	Label	Unweighted Frequency	%
1	Contains minerals (iron/calc)	1155	40.1 %
2	Do not contain minerals	49	1.7 %
Missing Data			
-9	Missing	6	0.2 %
-8	Do not know	35	1.2 %
-1	N/A	1622	56.3 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 1,204 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL241: Alcohol in last 24 hours

Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	2314	80.3 %
2	Yes	401	13.9 %
	Missing Data		
.	-	166	5.8 %
	Total	2,881	100%

Based upon 2,715 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANEMIA1: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Anemia?

Value	Label	Unweighted Frequency	%
1	No	2638	91.6 %
2	Yes	224	7.8 %
	Missing Data		
-8	Do not know	2	0.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,862 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE1: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Diabetes?

Value	Label	Unweighted Frequency	%
1	No	2759	95.8 %
2	Yes	101	3.5 %
	Missing Data		
-8	Do not know	4	0.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,860 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP1: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	No	2446	84.9 %
2	Yes	417	14.5 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE1: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

High cholesterol?

Value	Label	Unweighted Frequency	%
1	No	2560	88.9 %
2	Yes	302	10.5 %
Missing Data			
-8	Do not know	2	0.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,862 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN1: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Migraines?

Value	Label	Unweighted Frequency	%
1	No	2683	93.1 %
2	Yes	180	6.2 %
Missing Data			
-8	Do not know	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE1: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Stroke?

Value	Label	Unweighted Frequency	%
1	No	2852	99.0 %
2	Yes	11	0.4 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR1: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	2554	88.6 %
2	Yes	302	10.5 %
	Missing Data		
-8	Do not know	8	0.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID1: Over/underactive thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	No	2681	93.1 %
2	Yes	175	6.1 %
	Missing Data		
-8	Do not know	8	0.3 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT1: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Heart attack?

Value	Label	Unweighted Frequency	%
1	No	2855	99.1 %
2	Yes	8	0.3 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 398-399 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA1: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Angina?

Value	Label	Unweighted Frequency	%
1	No	2842	98.6 %
2	Yes	21	0.7 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR1: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	No	2847	98.8 %
2	Yes	11	0.4 %
	Missing Data		
-8	Do not know	6	0.2 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBROID1: Fibroids since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Fibroids, benign growths of the uterus or womb?

Value	Label	Unweighted Frequency	%
1	No	2585	89.7 %
2	Yes	274	9.5 %
Missing Data			
-8	Do not know	5	0.2 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,859 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS1: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them?

Cancer, other than skin cancer?

Value	Label	Unweighted Frequency	%
1	No	2848	98.9 %
2	Yes	14	0.5 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1	0.0 %
.	-	17	0.6 %

Value	Label	Unweighted Frequency	%
Total		2,881	100%

Based upon 2,862 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE1: Primary site of cancer

What is/was the primary site of the cancer?

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	2850	98.9 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
BRAIN	-	2	0.1 %
BREAST	-	5	0.2 %
CERVIX	-	1	0.0 %
LEFT BREAST	-	1	0.0 %
OVARIES	-	1	0.0 %
RIGHT BREAST	-	1	0.0 %
RT. SIDE OF CERVIX	-	1	0.0 %
UTERINE AND OVARIAN CANCER	-	1	0.0 %
VAGINAL	-	1	0.0 %
Total		2,881	100%

Based upon 2,862 valid cases out of 2,881 total cases.

Location: 408-433 (width: 26; decimal: 0)

Variable Type: character

TAMOXIF1: Taken Tamoxifen since last visit

[If breast cancer] Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	4	0.1 %

Value	Label	Unweighted Frequency	%
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2857	99.2 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 7 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH1: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2850	98.9 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 14 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKEDES1: Did mother take diethylstilbestrol while pregnant w/ you

When your mother was pregnant with you, did she take DES (diethylstilbestrol) to prevent miscarriage?

Value	Label	Unweighted Frequency	%
1	No	2172	75.4 %
2	Yes	33	1.1 %
	Missing Data		
-9	Missing	4	0.1 %
-8	Do not know	654	22.7 %

Value	Label	Unweighted Frequency	%
-1	N/A	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,205 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO1: Number times broke bones since last visit

Since your last study visit, how many times did you break or fracture a bone?

Value	Label	Unweighted Frequency	%
0	-	2800	97.2 %
1	-	58	2.0 %
2	-	3	0.1 %
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,861 valid cases out of 2,881 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES11: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %

Value	Label	Unweighted Frequency	%
"PINKY" FINGER BONE BROKE	-	1	0.0 %
-1	N/A	2802	97.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
1	-	1	0.0 %
4TH DIGIT CRUSH FINGER ALT C	-	1	0.0 %
4TH METACARPAL ON RIGHT HAND	-	1	0.0 %
BABY TOE	-	1	0.0 %
BABY TOE RIGHT FOOT	-	1	0.0 %
BIG TOE	-	2	0.1 %
BIG TOE OF HER RIGHT FOOT	-	1	0.0 %
BIG TOE ON LEFT FOOT	-	1	0.0 %
BIG TOE-LEFT FOOT	-	1	0.0 %
BONE (METATARSEL)	-	1	0.0 %
BROKEN TOE	-	1	0.0 %
CHIPPED BONES IN RIGHT ELBOW	-	1	0.0 %
COCCYX	-	1	0.0 %
DISLOCATED LEFT SHOULDER	-	1	0.0 %
FIBULA	-	1	0.0 %
FIFTH TOE	-	1	0.0 %
FOOT	-	1	0.0 %
FOOT BONE (FIBULA?)	-	1	0.0 %
FOOT[RIGHT SIDE OF RIGHT FOOT]	-	1	0.0 %
FRACTURE LOWER 2 RIGHT RIBS	-	1	0.0 %
FRACTURED PATELLA	-	1	0.0 %
L ANKLE	-	1	0.0 %
L MIDDLE HANDBONE & METACARPAL	-	1	0.0 %

Value	Label	Unweighted Frequency	%
LEFT ANKEL	-	1	0.0 %
LEFT ANKLE	-	2	0.1 %
LEFT ANKLE BONE	-	1	0.0 %
LEFT FIBULA	-	1	0.0 %
LEFT FOOT-NOT SURE WHICH BONE	-	1	0.0 %
LEFT FOREFINGER	-	1	0.0 %
LEFT HAND, 2 BONES - MORE	-	1	0.0 %
LEFT PATULA	-	1	0.0 %
LEFT RADIUS/LEFT ULNA COLLE'S	-	1	0.0 %
LEFT SMALL TOE	-	1	0.0 %
LEG	-	1	0.0 %
LITTLE FINGER (5TH DIGIT)	-	1	0.0 %
NONE	-	1	0.0 %
NOSE & CHEEK	-	1	0.0 %
PINKY (R-HAND)	-	1	0.0 %
RADIUS HEAD	-	1	0.0 %
RIB LEFT SIDE	-	1	0.0 %
RIGHT ANKLE	-	1	0.0 %
RIGHT FIBULA	-	1	0.0 %
RIGHT LITTLE TOE	-	1	0.0 %
RIGHT MIDDLE RIB CAGE	-	1	0.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 442-471 (width: 30; decimal: 0)

Variable Type: character

HAPPEN11: How happened #1

How did it happen? Was it for any of the following reasons?:

After a fall from a height above the ground greater than six inches, in a motor vehicle accident, while moving fast, like running, bicycling or skating, while playing sports, or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	30	1.0 %
2	Yes	32	1.1 %
	Missing Data		
-1	N/A	2802	97.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 62 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES21: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	17	0.6 %
-1	N/A	2858	99.2 %
-11	-	1	0.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
1	-	1	0.0 %
FRACTURED LEFT FOOT	-	1	0.0 %
RIGHT ANKLE	-	1	0.0 %
SMALL TOE RIGHT FOOT	-	1	0.0 %
TIBIA	-	1	0.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 474-493 (width: 20; decimal: 0)

Variable Type: character

HAPPEN21: How happened #2

How did it happen? Was it for any of the following reasons?:

After a fall from a height above the ground greater than six inches, in a motor vehicle accident, while moving fast, like running, bicycling or skating, while playing sports, or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2859	99.2 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 5 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES31: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	17	0.6 %
-1	N/A	2862	99.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
1	-	1	0.0 %
METATARSELS	-	1	0.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 496-506 (width: 11; decimal: 0)

Variable Type: character

HAPPEN31: How happened #3

How did it happen? Was it for any of the following reasons?:

After a fall from a height above the ground greater than six inches, in a motor vehicle accident, while moving fast,

like running, bicycling or skating, while playing sports, or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2862	99.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCKPAIN1: Back pain since last visit

Since your last study visit, have you consulted a doctor, nurse practitioner, chiropractor, or other health care provider for back pain?

Value	Label	Unweighted Frequency	%
1	No	2295	79.7 %
2	Yes	566	19.6 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	2	0.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,861 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC1: Dilation and curettage since last visit

Since your last study visit, have you had any of the following surgeries or procedures:

D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	No	2815	97.7 %
2	Yes	47	1.6 %
-8	Missing Data		
-8	Do not know	2	0.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,862 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND1: Dilation and curettage number of times

Since your last study visit, how many times have you had a D and C?

Value	Label	Unweighted Frequency	%
1	-	42	1.5 %
2	-	3	0.1 %
-8	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2817	97.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 45 valid cases out of 2,881 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.25

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE1: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures:

Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2833	98.3 %
2	Yes	31	1.1 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY1: Day of hysterectomy

When was this performed?

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
47	-	1	0.0 %
61	-	1	0.0 %
65	-	1	0.0 %
84	-	1	0.0 %
88	-	1	0.0 %
104	-	1	0.0 %
107	-	1	0.0 %
112	-	1	0.0 %
114	-	1	0.0 %
116	-	1	0.0 %
137	-	1	0.0 %
143	-	1	0.0 %
147	-	1	0.0 %
167	-	1	0.0 %
172	-	1	0.0 %
179	-	1	0.0 %
234	-	1	0.0 %
262	-	1	0.0 %
279	-	1	0.0 %

Value	Label	Unweighted Frequency	%
303	-	1	0.0 %
320	-	1	0.0 %
332	-	1	0.0 %
333	-	1	0.0 %
363	-	1	0.0 %
375	-	1	0.0 %
382	-	1	0.0 %
384	-	1	0.0 %
395	-	1	0.0 %
495	-	1	0.0 %
588	-	1	0.0 %
Missing Data			
.	-	2850	98.9 %
Total		2,881	100%

Based upon 31 valid cases out of 2,881 total cases.

- Mean: 222.39
- Median: 172.00
- Minimum: 6.00
- Maximum: 588.00
- Standard Deviation: 145.21

Location: 517-519 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values): .

OOPHORE1: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures:

Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	No	2840	98.6 %
2	Yes	24	0.8 %
Missing Data			
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR1: One or both ovaries removed

Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	One ovary removed	6	0.2 %
2	Both ovaries removed	17	0.6 %
	Missing Data		
.	-	2858	99.2 %
	Total	2,881	100%

Based upon 23 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO1: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures:

Uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	No	2732	94.8 %
2	Yes	126	4.4 %
	Missing Data		
-8	Do not know	6	0.2 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM1: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures:

Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	No	2855	99.1 %
2	Yes	9	0.3 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG1: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	63	2.2 %
2	Yes	2801	97.2 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON1: Menstrual bleeding in last 3 months

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	No	165	5.7 %
2	Yes	2636	91.5 %
	Missing Data		
.	-	80	2.8 %
	Total	2,881	100%

Based upon 2,801 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY1: Last menstrual period, days since baseline

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
9	-	1	0.0 %
15	-	1	0.0 %
19	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
79	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
96	-	2	0.1 %
98	-	2	0.1 %
104	-	1	0.0 %

Value	Label	Unweighted Frequency	%
108	-	1	0.0 %
111	-	1	0.0 %
112	-	1	0.0 %
114	-	1	0.0 %
115	-	1	0.0 %
116	-	1	0.0 %
118	-	1	0.0 %
119	-	1	0.0 %
122	-	1	0.0 %
124	-	4	0.1 %
126	-	2	0.1 %
127	-	1	0.0 %
128	-	1	0.0 %
135	-	1	0.0 %
136	-	1	0.0 %
137	-	1	0.0 %
138	-	2	0.1 %
139	-	1	0.0 %
140	-	2	0.1 %
142	-	1	0.0 %
148	-	2	0.1 %
151	-	1	0.0 %
152	-	2	0.1 %
154	-	3	0.1 %
157	-	2	0.1 %
160	-	1	0.0 %
161	-	1	0.0 %
162	-	1	0.0 %
Missing Data			
.	-	84	2.9 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,797 valid cases out of 2,881 total cases.

- Mean: 350.94
- Minimum: 0.00
- Maximum: 703.00
- Standard Deviation: 64.49

Location: 532-534 (*width:* 3; *decimal:* 0)

Variable Type: numeric
(Range of) Missing Values: .

LESSPRE1: Become less predictable

Since your last study visit, have your periods become less predictable?

Value	Label	Unweighted Frequency	%
1	No	668	23.2 %
2	Yes	524	18.2 %
	Missing Data		
.	-	1689	58.6 %
	Total	2,881	100%

Based upon 1,192 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FARTHER1: Become farther apart

Since your last study visit, have your periods become farther apart?

Value	Label	Unweighted Frequency	%
1	No	851	29.5 %
2	Yes	337	11.7 %
	Missing Data		
.	-	1693	58.8 %
	Total	2,881	100%

Based upon 1,188 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSER1: Become closer together

Since your last study visit, have your periods become closer together?

Value	Label	Unweighted Frequency	%
1	No	813	28.2 %
2	Yes	374	13.0 %
	Missing Data		
.	-	1694	58.8 %
	Total	2,881	100%

Based upon 1,187 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VARIABLE1: More variable intervals

Since your last study visit, have your periods occurred at more variable intervals?

Value	Label	Unweighted Frequency	%
1	No	660	22.9 %
2	Yes	522	18.1 %
	Missing Data		
.	-	1699	59.0 %
	Total	2,881	100%

Based upon 1,182 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAME1: Stayed the same

Since your last study visit, have your periods stayed the same?

Value	Label	Unweighted Frequency	%
1	No	675	23.4 %
2	Yes	516	17.9 %
	Missing Data		
.	-	1690	58.7 %
	Total	2,881	100%

Based upon 1,191 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGULAR1: Become more regular

Since your last study visit, have your periods become more regular?

Value	Label	Unweighted Frequency	%
1	No	1091	37.9 %
2	Yes	98	3.4 %
	Missing Data		
.	-	1692	58.7 %
	Total	2,881	100%

Based upon 1,189 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENSFLO1: Menstrual flow lasted > 10 days

Since your last study visit, have you ever had a menstrual flow that lasted more than 10 days?

Value	Label	Unweighted Frequency	%
1	No	2450	85.0 %
2	Yes	341	11.8 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	4	0.1 %
-1	N/A	68	2.4 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,791 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT1: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	No	2852	99.0 %
2	Yes	11	0.4 %
	Missing Data		
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME1: Outcome of pregnancy

[If yes] What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	Live birth	0	0.0 %
2	Still birth	1	0.0 %
3	Miscarriage	5	0.2 %
4	Abortion	3	0.1 %
5	Tubal (ectopic) pregnancy	0	0.0 %
6	Still pregnant	2	0.1 %
	Missing Data		
.	-	2870	99.6 %
	Total	2,881	100%

Based upon 11 valid cases out of 2,881 total cases.

- Minimum: 2.00
- Maximum: 6.00

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE1: Currently breastfeeding

Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
.	-	2881	100.0 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF1: Quality of life

How would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	-	10	0.3 %
1	-	6	0.2 %
2	-	7	0.2 %
3	-	51	1.8 %
4	-	77	2.7 %
5	-	209	7.3 %
6	-	214	7.4 %
7	-	592	20.5 %
8	-	951	33.0 %
9	-	501	17.4 %
10	-	245	8.5 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Mean: 7.52
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00

- Standard Deviation: 1.65

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, .

CLOSE1: How many close friends

About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Value	Label	Unweighted Frequency	%
0	-	37	1.3 %
1	-	115	4.0 %
2	-	329	11.4 %
3	-	408	14.2 %
4	-	407	14.1 %
5	-	510	17.7 %
6	-	285	9.9 %
7	-	110	3.8 %
8	-	128	4.4 %
9	-	28	1.0 %
10	-	289	10.0 %
11	-	5	0.2 %
12	-	53	1.8 %
13	-	3	0.1 %
14	-	2	0.1 %
15	-	51	1.8 %
16	-	1	0.0 %
17	-	4	0.1 %
20	-	67	2.3 %
24	-	4	0.1 %
25	-	12	0.4 %
30	-	5	0.2 %
50	-	5	0.2 %
75	-	1	0.0 %
90	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	3	0.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,860 valid cases out of 2,881 total cases.

- Mean: 5.85
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 4.98

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LISSEN1: Support - someone to listen

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it:

Someone you can count on to listen to you when you need to talk?

Value	Label	Unweighted Frequency	%
1	None of the time	20	0.7 %
2	A little of the time	91	3.2 %
3	Some of the time	282	9.8 %
4	Most of the time	1072	37.2 %
5	All of the time	1398	48.5 %
Missing Data			
-9	Missing	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKETOM1: Support - take to doctor

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it:

Someone to take you to the doctor if you needed it?

Value	Label	Unweighted Frequency	%
1	None of the time	77	2.7 %
2	A little of the time	137	4.8 %
3	Some of the time	248	8.6 %
4	Most of the time	835	29.0 %
5	All of the time	1566	54.4 %
Missing Data			
-9	Missing	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONFIDE1: Support - confide in

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it:

Someone to confide in or talk to about yourself or your problems?

Value	Label	Unweighted Frequency	%
1	None of the time	36	1.2 %
2	A little of the time	94	3.3 %
3	Some of the time	285	9.9 %
4	Most of the time	1030	35.8 %
5	All of the time	1419	49.3 %
Missing Data			
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HELPSC1: Support - help w/chores when sick

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it:

Someone to help with daily chores if you were sick?

Value	Label	Unweighted Frequency	%
1	None of the time	128	4.4 %
2	A little of the time	280	9.7 %
3	Some of the time	569	19.8 %
4	Most of the time	886	30.8 %
5	All of the time	1001	34.7 %
Missing Data			
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER1: Bothered past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1653	57.4 %
2	Some/a little of the time (1-2 days)	766	26.6 %
3	Occasionally/moderate amount of the time (3-4 days)	341	11.8 %
4	Most/all of the time (5-7 days)	103	3.6 %
Missing Data			
-9	Missing	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT1: Lost appetite past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I did not feel like eating; my appetite was poor.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2223	77.2 %
2	Some/a little of the time (1-2 days)	419	14.5 %
3	Occasionally/moderate amount of the time (3-4 days)	173	6.0 %
4	Most/all of the time (5-7 days)	48	1.7 %
Missing Data			
-1	N/A	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES1: Had blues past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt that I could not shake off the blues even with help from my friends.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2084	72.3 %
2	Some/a little of the time (1-2 days)	517	17.9 %
3	Occasionally/moderate amount of the time (3-4 days)	175	6.1 %

Value	Label	Unweighted Frequency	%
4	Most/all of the time (5-7 days)	88	3.1 %
	Missing Data		
-	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD1: As good as others past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt that I was just as good as other people.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	77	2.7 %
2	Some/a little of the time (1-2 days)	179	6.2 %
3	Occasionally/moderate amount of the time (3-4 days)	364	12.6 %
4	Most/all of the time (5-7 days)	2238	77.7 %
	Missing Data		
-9	Missing	4	0.1 %
-8	Do not know	2	0.1 %
-	-	17	0.6 %
	Total	2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN1: Mind on what doing past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or

I behaved this way during the past week. During the past week:

I had trouble keeping my mind on what I was doing.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1408	48.9 %
2	Some/a little of the time (1-2 days)	819	28.4 %
3	Occasionally/moderate amount of the time (3-4 days)	515	17.9 %
4	Most/all of the time (5-7 days)	121	4.2 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS1: Felt depressed past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt depressed.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1764	61.2 %
2	Some/a little of the time (1-2 days)	720	25.0 %
3	Occasionally/moderate amount of the time (3-4 days)	278	9.6 %
4	Most/all of the time (5-7 days)	102	3.5 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT1: Everything an effort past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt that everything I did was an effort.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1587	55.1 %
2	Some/a little of the time (1-2 days)	828	28.7 %
3	Occasionally/moderate amount of the time (3-4 days)	288	10.0 %
4	Most/all of the time (5-7 days)	161	5.6 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL1: Hopeful about future past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt hopeful about the future.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	110	3.8 %
2	Some/a little of the time (1-2 days)	312	10.8 %
3	Occasionally/moderate amount of the time (3-4 days)	584	20.3 %
4	Most/all of the time (5-7 days)	1853	64.3 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,859 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE1: Life has been failure past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I thought my life had been a failure.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2463	85.5 %
2	Some/a little of the time (1-2 days)	273	9.5 %
3	Occasionally/moderate amount of the time (3-4 days)	95	3.3 %
4	Most/all of the time (5-7 days)	33	1.1 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL1: Felt fearful past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt fearful.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2208	76.6 %
2	Some/a little of the time (1-2 days)	473	16.4 %
3	Occasionally/moderate amount of the time (3-4 days)	129	4.5 %
4	Most/all of the time (5-7 days)	54	1.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES1: Sleep was restless past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

My sleep was restless.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1411	49.0 %
2	Some/a little of the time (1-2 days)	805	27.9 %
3	Occasionally/moderate amount of the time (3-4 days)	377	13.1 %
4	Most/all of the time (5-7 days)	271	9.4 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY1: Happy past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I was happy.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	120	4.2 %
2	Some/a little of the time (1-2 days)	404	14.0 %
3	Occasionally/moderate amount of the time (3-4 days)	774	26.9 %
4	Most/all of the time (5-7 days)	1565	54.3 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES1: Talked less than usual past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I talked less than usual.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1955	67.9 %
2	Some/a little of the time (1-2 days)	588	20.4 %
3	Occasionally/moderate amount of the time (3-4 days)	249	8.6 %
4	Most/all of the time (5-7 days)	71	2.5 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY1: Felt lonely past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt lonely.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2031	70.5 %
2	Some/a little of the time (1-2 days)	567	19.7 %
3	Occasionally/moderate amount of the time (3-4 days)	187	6.5 %
4	Most/all of the time (5-7 days)	77	2.7 %
Missing Data			
-9	Missing	2	0.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,862 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL1: People unfriendly past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

People were unfriendly.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2437	84.6 %
2	Some/a little of the time (1-2 days)	319	11.1 %
3	Occasionally/moderate amount of the time (3-4 days)	77	2.7 %
4	Most/all of the time (5-7 days)	31	1.1 %
Missing Data			
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY1: Enjoyed life past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I enjoyed life.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	102	3.5 %
2	Some/a little of the time (1-2 days)	336	11.7 %
3	Occasionally/moderate amount of the time (3-4 days)	553	19.2 %
4	Most/all of the time (5-7 days)	1872	65.0 %
Missing Data			
-8	Do not know	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING1: Crying spells past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I had crying spells.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2275	79.0 %
2	Some/a little of the time (1-2 days)	370	12.8 %
3	Occasionally/moderate amount of the time (3-4 days)	154	5.3 %
4	Most/all of the time (5-7 days)	65	2.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

SAD1: Felt sad past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt sad.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1733	60.2 %
2	Some/a little of the time (1-2 days)	816	28.3 %
3	Occasionally/moderate amount of the time (3-4 days)	222	7.7 %
4	Most/all of the time (5-7 days)	93	3.2 %
	Missing Data		
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

DISLIKE1: People disliked me past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I felt that people disliked me.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	2505	86.9 %
2	Some/a little of the time (1-2 days)	280	9.7 %
3	Occasionally/moderate amount of the time (3-4 days)	57	2.0 %
4	Most/all of the time (5-7 days)	22	0.8 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN1: Could not get going past week

I am going to read you a list of ways you might have felt or behaved recently. Please tell me how often you have felt or behaved this way during the past week. During the past week:

I could not get going.

Value	Label	Unweighted Frequency	%
1	Rarely/none of the time (< 1 day)	1749	60.7 %
2	Some/a little of the time (1-2 days)	773	26.8 %
3	Occasionally/moderate amount of the time (3-4 days)	243	8.4 %
4	Most/all of the time (5-7 days)	99	3.4 %
	Missing Data		
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,864 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB1: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is where you work, the usual hours you worked, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	No	1772	61.5 %
2	Yes	1091	37.9 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB1: Work for pay past 2 weeks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.

Value	Label	Unweighted Frequency	%
1	No	111	3.9 %
2	Yes	980	34.0 %
	Missing Data		
-1	N/A	1773	61.5 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 1,091 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM11: Work start time

What are your usual hours of work each day?

Value	Label	Unweighted Frequency	%
0:00:00	-	7	0.2 %
10:00:00	-	41	1.4 %
10:15:00	-	1	0.0 %
10:30:00	-	3	0.1 %
10:45:00	-	1	0.0 %
11:00:00	-	6	0.2 %
11:30:00	-	1	0.0 %
12:00:00	-	7	0.2 %
12:30:00	-	1	0.0 %
13:00:00	-	2	0.1 %
13:30:00	-	1	0.0 %
14:00:00	-	8	0.3 %
14:15:00	-	1	0.0 %
14:30:00	-	1	0.0 %
14:31:00	-	1	0.0 %
15:00:00	-	8	0.3 %
15:30:00	-	5	0.2 %
15:45:00	-	3	0.1 %
16:00:00	-	6	0.2 %
16:30:00	-	2	0.1 %
17:00:00	-	3	0.1 %
18:00:00	-	5	0.2 %
19:00:00	-	4	0.1 %
20:00:00	-	1	0.0 %
20:30:00	-	1	0.0 %
21:00:00	-	2	0.1 %
21:30:00	-	1	0.0 %
22:00:00	-	3	0.1 %
22:30:00	-	1	0.0 %
23:00:00	-	7	0.2 %
23:30:00	-	2	0.1 %
3:00:00	-	1	0.0 %
3:45:00	-	1	0.0 %
4:00:00	-	5	0.2 %
4:30:00	-	3	0.1 %
5:00:00	-	5	0.2 %
5:15:00	-	2	0.1 %
5:30:00	-	5	0.2 %
5:45:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6:00:00	-	30	1.0 %
6:30:00	-	21	0.7 %
6:45:00	-	2	0.1 %
7:00:00	-	90	3.1 %
7:15:00	-	9	0.3 %
7:20:00	-	1	0.0 %
7:30:00	-	79	2.7 %
7:45:00	-	13	0.5 %
8:00:00	-	200	6.9 %
8:10:00	-	1	0.0 %
8:15:00	-	11	0.4 %
Missing Data			
.	-	1989	69.0 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 892 valid cases out of 2,881 total cases.

Location: 611-622 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM11: Work stop time

What are your usual hours of work each day?

Value	Label	Unweighted Frequency	%
0:00:00	-	9	0.3 %
0:15:00	-	2	0.1 %
0:30:00	-	4	0.1 %
0:36:00	-	1	0.0 %
10:00:00	-	1	0.0 %
11:30:00	-	2	0.1 %
12:00:00	-	13	0.5 %
12:30:00	-	6	0.2 %
13:00:00	-	16	0.6 %
13:30:00	-	7	0.2 %
13:45:00	-	1	0.0 %
14:00:00	-	20	0.7 %
14:02:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14:15:00	-	1	0.0 %
14:28:00	-	1	0.0 %
14:30:00	-	17	0.6 %
15:00:00	-	51	1.8 %
15:05:00	-	1	0.0 %
15:15:00	-	6	0.2 %
15:19:59	-	1	0.0 %
15:30:00	-	59	2.0 %
15:33:00	-	1	0.0 %
15:40:00	-	1	0.0 %
15:42:00	-	1	0.0 %
15:45:00	-	3	0.1 %
16:00:00	-	77	2.7 %
16:15:00	-	6	0.2 %
16:30:00	-	69	2.4 %
16:45:00	-	4	0.1 %
17:00:00	-	169	5.9 %
17:15:00	-	6	0.2 %
17:30:00	-	55	1.9 %
17:45:00	-	3	0.1 %
18:00:00	-	85	3.0 %
18:30:00	-	17	0.6 %
18:45:00	-	1	0.0 %
19:00:00	-	38	1.3 %
19:30:00	-	15	0.5 %
1:00:00	-	3	0.1 %
1:30:00	-	5	0.2 %
20:00:00	-	27	0.9 %
20:30:00	-	1	0.0 %
21:00:00	-	16	0.6 %
21:30:00	-	4	0.1 %
21:38:00	-	1	0.0 %
22:00:00	-	14	0.5 %
22:20:00	-	1	0.0 %
22:30:00	-	2	0.1 %
22:45:00	-	1	0.0 %
23:00:00	-	9	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1989	69.0 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 892 valid cases out of 2,881 total cases.

Location: 623-634 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT11: Work rotating/alternating

Do your hours rotate or alternate?

Value	Label	Unweighted Frequency	%
1	No	844	29.3 %
2	Yes	126	4.4 %
	Missing Data		
-9	Missing	8	0.3 %
-1	N/A	1886	65.5 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 970 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRTIM21: Work start time (2)

What are your usual hours of work each day for each job?

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2881	100.0 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 637-648 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM21: Work stop time (2)

What are your usual hours of work each day for each job?

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2881	100.0 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 649-660 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT21: Work rotating/alternating (2)

Do your hours rotate or alternate?

Value	Label	Unweighted Frequency	%
0	UNDOCUMENTED CODE	1	0.0 %
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2037	70.7 %
.	-	843	29.3 %
	Total	2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRTIM31: Work start time (3)

What are your usual hours of work each day for each job?

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2881	100.0 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 663-674 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM31: Work stop time (3)

What are your usual hours of work each day for each job?

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2881	100.0 %
	Total	2,881	100%

Based upon 0 valid cases out of 2,881 total cases.

Location: 675-686 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT31: Work rotating/alternating (3)

Do your hours rotate or alternate?

Value	Label	Unweighted Frequency	%
0	UNDOCUMENTED CODE	1	0.0 %
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2037	70.7 %
.	-	843	29.3 %
	Total	2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOURSPA1: How many hours per week work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	33	1.1 %
2	11-19 hrs	43	1.5 %

Value	Label	Unweighted Frequency	%
3	20-34 hrs	181	6.3 %
4	35-40 hrs	384	13.3 %
5	41-60 hrs	297	10.3 %
6	>60 hrs	41	1.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1884	65.4 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 979 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE1: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	No	1776	61.6 %
2	Yes	1085	37.7 %
Missing Data			
-9	Missing	3	0.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,861 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 691-692 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR11: Volunteer (1) hours per week

How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.00	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.10	-	1	0.0 %
0.12	-	1	0.0 %
0.15	-	1	0.0 %
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.23	-	1	0.0 %
0.25	-	12	0.4 %
0.31	-	1	0.0 %
0.33	-	1	0.0 %
0.42	-	1	0.0 %
0.50	-	17	0.6 %
0.57	-	1	0.0 %
0.60	-	1	0.0 %
0.75	-	3	0.1 %
1.00	-	256	8.9 %
1.25	-	2	0.1 %
1.30	-	1	0.0 %
1.50	-	14	0.5 %
1.73	-	1	0.0 %
2.00	-	254	8.8 %
2.50	-	6	0.2 %
3.00	-	134	4.7 %
3.50	-	4	0.1 %
4.00	-	75	2.6 %
4.50	-	2	0.1 %
5.00	-	74	2.6 %
5.50	-	1	0.0 %
6.00	-	33	1.1 %
6.50	-	2	0.1 %
7.00	-	13	0.5 %
8.00	-	31	1.1 %
9.00	-	3	0.1 %
10.00	-	42	1.5 %
12.00	-	4	0.1 %
14.00	-	2	0.1 %
15.00	-	18	0.6 %
16.00	-	1	0.0 %
17.00	-	1	0.0 %
18.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.00	-	17	0.6 %
23.00	-	1	0.0 %
24.00	-	5	0.2 %
25.00	-	4	0.1 %
27.00	-	1	0.0 %
30.00	-	4	0.1 %
32.00	-	1	0.0 %
40.00	-	2	0.1 %
42.00	-	1	0.0 %
50.00	>=50 times	2	0.1 %
Missing Data			
-9.00	Missing	22	0.8 %
-8.00	Do not know	2	0.1 %
-1.00	N/A	1780	61.8 %
.	-	17	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,060 valid cases out of 2,881 total cases.

- Mean: 4.06
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 5.37

Location: 693-697 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR21: Volunteer (2) hours per week

How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.00	-	4	0.1 %
0.06	-	1	0.0 %
0.15	-	2	0.1 %
0.25	-	4	0.1 %
0.38	-	1	0.0 %
0.46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.50	-	12	0.4 %
0.57	-	1	0.0 %
0.75	-	1	0.0 %
1.00	-	141	4.9 %
1.50	-	6	0.2 %
2.00	-	89	3.1 %
2.50	-	2	0.1 %
3.00	-	33	1.1 %
3.50	-	1	0.0 %
4.00	-	21	0.7 %
4.50	-	1	0.0 %
5.00	-	22	0.8 %
5.25	-	1	0.0 %
6.00	-	9	0.3 %
6.25	-	1	0.0 %
7.00	-	1	0.0 %
8.00	-	13	0.5 %
9.00	-	2	0.1 %
10.00	-	9	0.3 %
12.00	-	1	0.0 %
15.00	-	1	0.0 %
16.00	-	1	0.0 %
20.00	-	1	0.0 %
25.00	-	1	0.0 %
30.00	-	3	0.1 %
50.00	>=50 times	1	0.0 %
Missing Data			
-9.00	Missing	7	0.2 %
-8.00	Do not know	1	0.0 %
-1.00	N/A	2468	85.7 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 388 valid cases out of 2,881 total cases.

- Mean: 2.98
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 4.40

Location: 698-702 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR31: Volunteer (3) hours per week

How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.00	-	2	0.1 %
0.08	-	1	0.0 %
0.15	-	2	0.1 %
0.25	-	3	0.1 %
0.45	-	1	0.0 %
0.50	-	5	0.2 %
1.00	-	58	2.0 %
1.50	-	1	0.0 %
2.00	-	29	1.0 %
2.50	-	1	0.0 %
3.00	-	6	0.2 %
4.00	-	6	0.2 %
4.50	-	1	0.0 %
5.00	-	5	0.2 %
6.00	-	4	0.1 %
7.00	-	3	0.1 %
8.00	-	2	0.1 %
10.00	-	4	0.1 %
20.00	-	1	0.0 %
30.00	-	1	0.0 %
Missing Data			
-9.00	Missing	4	0.1 %
-1.00	N/A	2724	94.6 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 136 valid cases out of 2,881 total cases.

- Mean: 2.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.56

Location: 703-707 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL1: Marital status

What is your current marital status? Would you say...

Value	Label	Unweighted Frequency	%
1	Single/never married	364	12.6 %
2	Currently married/living as married	1902	66.0 %
3	Separated	115	4.0 %
4	Widowed	67	2.3 %
5	Divorced	413	14.3 %
Missing Data			
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,861 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 708-709 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BORNUS1: Born in United States

Were you born in the United States?

Value	Label	Unweighted Frequency	%
1	No	593	20.6 %
2	Yes	2270	78.8 %
Missing Data			
-1	N/A	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,863 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 710-711 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHERBRN1: Where were you born

Where were you born?

Value	Label	Unweighted Frequency	%
-1	N/A	0	0.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
MASKED BY ICPSR	-	2881	100.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 712-726 (width: 15; decimal: 0)

Variable Type: character

OLDMOVE1: How old when moved to United States

How old were you when you moved to the United States?

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	6	0.2 %
2	-	9	0.3 %
3	-	7	0.2 %
4	-	1	0.0 %
5	-	5	0.2 %
6	-	8	0.3 %
7	-	7	0.2 %
8	-	7	0.2 %
9	-	5	0.2 %
10	-	3	0.1 %
11	-	7	0.2 %
12	-	7	0.2 %
13	-	6	0.2 %
14	-	7	0.2 %
15	-	8	0.3 %
16	-	14	0.5 %
17	-	18	0.6 %
18	-	27	0.9 %
19	-	17	0.6 %
20	-	16	0.6 %

Value	Label	Unweighted Frequency	%
21	-	22	0.8 %
22	-	16	0.6 %
23	-	19	0.7 %
24	-	25	0.9 %
25	-	28	1.0 %
26	-	19	0.7 %
27	-	22	0.8 %
28	-	21	0.7 %
29	-	16	0.6 %
30	-	22	0.8 %
31	-	14	0.5 %
32	-	21	0.7 %
33	-	21	0.7 %
34	-	17	0.6 %
35	-	20	0.7 %
36	-	18	0.6 %
37	-	12	0.4 %
38	-	15	0.5 %
39	-	11	0.4 %
40	-	11	0.4 %
41	-	4	0.1 %
42	-	10	0.3 %
43	-	4	0.1 %
44	-	6	0.2 %
45	-	4	0.1 %
46	-	4	0.1 %
47	-	1	0.0 %
49	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2272	78.9 %
.	-	17	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 591 valid cases out of 2,881 total cases.

- Mean: 25.14
- Median: 25.00

- Mode: 25.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 10.49

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOMBORN1: Country mother born

In what country was your mother born?

Value	Label	Unweighted Frequency	%
-1	N/A	0	0.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
MASKED BY ICPSR	-	2881	100.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 729-743 (width: 15; decimal: 0)

Variable Type: character

DADBORN1: Country father born

In what country was your father born?

Value	Label	Unweighted Frequency	%
-1	N/A	0	0.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
MASKED BY ICPSR	-	2881	100.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 744-758 (width: 15; decimal: 0)

Variable Type: character

CONTCT11: Contact w/ home country

[If respondent born outside the U.S.] How frequently do you have contact with your home country where you were raised or spent the significant part of your youth?

Value	Label	Unweighted Frequency	%
1	Weekly	140	4.9 %
2	Monthly	147	5.1 %
3	Infrequently (several x/year)	145	5.0 %
4	Yearly	37	1.3 %
5	Rarely (< once/year)	60	2.1 %
6	Never	59	2.0 %
7	Have not moved	0	0.0 %
8	Current live in area, after leave and return	0	0.0 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	2272	78.9 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 588 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTCT21: Contact w/ region of United States

How frequently do you have contact with the geographic region of the United States where you were raised or spent the significant part of your youth?

Value	Label	Unweighted Frequency	%
1	Weekly	308	10.7 %
2	Monthly	121	4.2 %
3	Infrequently (several x/year)	180	6.2 %
4	Yearly	159	5.5 %
5	Rarely (< once/year)	182	6.3 %
6	Never	95	3.3 %
7	Have not moved	1012	35.1 %
8	Current live in area, after leave and return	209	7.3 %
Missing Data			
-9	Missing	3	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	594	20.6 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,266 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FRNDPHO1: Contact w/ family and friends - phone

What is the usual type of contact you have with friends or family back home?

Contact by phone.

Value	Label	Unweighted Frequency	%
1	No	90	3.1 %
2	Yes	1388	48.2 %
Missing Data			
-9	Missing	8	0.3 %
-1	N/A	1381	47.9 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 1,478 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

YOUVISI1: Contact w/ family and friends - you visit

What is the usual type of contact you have with friends or family back home?

You visit with them.

Value	Label	Unweighted Frequency	%
1	No	368	12.8 %
2	Yes	1107	38.4 %
Missing Data			
-9	Missing	10	0.3 %
-1	N/A	1382	48.0 %

Value	Label	Unweighted Frequency	%
.	-	14	0.5 %
Total		2,881	100%

Based upon 1,475 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THEYVIS1: Contact w/ family and friends - they visit you

What is the usual type of contact you have with friends or family back home?

They visit with you.

Value	Label	Unweighted Frequency	%
1	No	536	18.6 %
2	Yes	939	32.6 %
Missing Data			
-9	Missing	10	0.3 %
-1	N/A	1382	48.0 %
.	-	14	0.5 %
Total		2,881	100%

Based upon 1,475 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNDOTH1: Contact w/ family and friends - other

What is the usual type of contact you have with friends or family back home?

Any other type of contact. Please specify.

Value	Label	Unweighted Frequency	%
1	No	793	27.5 %

Value	Label	Unweighted Frequency	%
2	Yes	682	23.7 %
	Missing Data		
-9	Missing	10	0.3 %
-1	N/A	1382	48.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 1,475 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTETH1: Contact w/ primary ethnic group frequency

How frequently does your daily life involve contact with your primary ethnic group (e. g. ethnic group activities or organizations, newsletter, meetings, social functions, or neighborhood involvement)?

Value	Label	Unweighted Frequency	%
1	Daily	1754	60.9 %
2	Weekly	374	13.0 %
3	Monthly	116	4.0 %
4	Infrequently(several x/year)	166	5.8 %
5	Yearly	44	1.5 %
6	Rarely(< once/year)	141	4.9 %
7	Never	263	9.1 %
	Missing Data		
-9	Missing	6	0.2 %
-8	Do not know	2	0.1 %
-1	N/A	1	0.0 %
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NGHBRET1: Percent neighborhood same primary ethnicity

Approximately what percentage of your neighborhood is of your same primary ethnic group (excluding your immediate family)?

Value	Label	Unweighted Frequency	%
1	0%	169	5.9 %
2	< 25%	729	25.3 %
3	< 50%	536	18.6 %
4	< 75%	567	19.7 %
5	< 100%	591	20.5 %
6	100%	238	8.3 %
Missing Data			
-9	Missing	23	0.8 %
-8	Do not know	8	0.3 %
-1	N/A	3	0.1 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,830 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 773-774 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ETHNWOR1: Percent workplace same primary ethnicity

Approximately what percentage of your workplace or volunteer activity or organization is comprised of members of your primary ethnic group?

Value	Label	Unweighted Frequency	%
1	0%	179	6.2 %
2	< 25%	735	25.5 %
3	< 50%	404	14.0 %
4	< 75%	457	15.9 %
5	< 100%	455	15.8 %
6	100%	251	8.7 %
Missing Data			
-9	Missing	15	0.5 %
-8	Do not know	3	0.1 %
-1	N/A	368	12.8 %
.	-	14	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,881	100%

Based upon 2,481 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CULTRLI1: How much ethnic/cultural background affect daily life

Looking at this scale, where 1 represents completely and 10 represents not at all, how much does your ethnicity or cultural background affect your daily life?

Value	Label	Unweighted Frequency	%
1	-	335	11.6 %
2	-	205	7.1 %
3	-	261	9.1 %
4	-	141	4.9 %
5	-	349	12.1 %
6	-	157	5.4 %
7	-	198	6.9 %
8	-	318	11.0 %
9	-	233	8.1 %
10	-	659	22.9 %
Missing Data			
-9	Missing	6	0.2 %
-1	N/A	2	0.1 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Mean: 6.09
- Median: 6.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.19

Location: 777-778 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLRTLSN1: How much cultural background gives sense of who you are

Looking at this scale, where 1 represents totally and 10 represents not relevant at all, how much is your cultural background a part of your sense of who you are?

Value	Label	Unweighted Frequency	%
1	-	703	24.4 %
2	-	359	12.5 %
3	-	382	13.3 %
4	-	217	7.5 %
5	-	332	11.5 %
6	-	137	4.8 %
7	-	145	5.0 %
8	-	199	6.9 %
9	-	114	4.0 %
10	-	271	9.4 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	1	0.0 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 2,859 valid cases out of 2,881 total cases.

- Mean: 4.29
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.01

Location: 779-780 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOUSEHL1: Anyone living in your household

Other than yourself, is there anyone else living in your household?

Value	Label	Unweighted Frequency	%
1	No	299	10.4 %
2	Yes	2562	88.9 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %

Value	Label	Unweighted Frequency	%
-		17	0.6 %
Total		2,881	100%

Based upon 2,861 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 781-782 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT11: Relationship to yourself (1)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	301	10.4 %
-7	Refused	0	0.0 %
-8	Do not know	2	0.1 %
-9	Missing	1	0.0 %
AUNT	-	2	0.1 %
BABY	-	1	0.0 %
BABY(GRANDSON)	-	1	0.0 %
BOY (SON)	-	1	0.0 %
BOYFRIEND	-	20	0.7 %
BROTHER	-	11	0.4 %
CHILD	-	4	0.1 %
COMMON LAW HUSBAND	-	1	0.0 %
COMPANION	-	3	0.1 %
COUSIN	-	1	0.0 %
DAD	-	1	0.0 %
DAUGHER	-	2	0.1 %
DAUGHTER	-	282	9.8 %
DAUGHTER F	-	1	0.0 %
DAUGHTER'S GODFATHER (FRIEND)	-	1	0.0 %
DAUGHTER(P.)	-	1	0.0 %
DAUGHTERS	-	2	0.1 %
DAUGTHER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DAUHGTER	-	1	0.0 %
DOMESTIC PARTNER	-	1	0.0 %
DTR	-	1	0.0 %
EX-HUSBAND	-	2	0.1 %
FATHER	-	16	0.6 %
FEMALE FRIEND	-	1	0.0 %
FIANCE	-	11	0.4 %
FIANCEE	-	4	0.1 %
FORMER BOYFRIEND	-	1	0.0 %
FORMER SIGNIFICANT OTHER	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FRIEND	-	13	0.5 %
FRIEND MOTHER'S	-	1	0.0 %
GIRLFRIEND	-	1	0.0 %
GODMOTHER	-	1	0.0 %
GODSON	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %
GRANDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDMOTHER	-	3	0.1 %
GRANDSON	-	4	0.1 %
GREAT-AUNT	-	1	0.0 %
HOUSEMATE	-	4	0.1 %
HSUBAND	-	1	0.0 %
HUABAND	-	3	0.1 %
HUBAND	-	3	0.1 %
HUSBAND	-	1629	56.5 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 783-811 (width: 29; decimal: 0)

Variable Type: character

SEX11: Gender (1)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	301	10.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	1	0.0 %
F	-	446	15.5 %
M	-	2116	73.4 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 812-813 (width: 2; decimal: 0)

Variable Type: character

AGE11: Age (1)

Please tell me their age.

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	2	0.1 %
2	-	3	0.1 %
3	-	3	0.1 %
4	-	8	0.3 %
5	-	11	0.4 %
6	-	9	0.3 %
7	-	8	0.3 %
8	-	12	0.4 %
9	-	11	0.4 %
10	-	19	0.7 %
11	-	11	0.4 %
12	-	25	0.9 %
13	-	23	0.8 %
14	-	34	1.2 %
15	-	23	0.8 %
16	-	47	1.6 %
17	-	57	2.0 %
18	-	35	1.2 %
19	-	22	0.8 %

Value	Label	Unweighted Frequency	%
20	-	55	1.9 %
21	-	25	0.9 %
22	-	26	0.9 %
23	-	37	1.3 %
24	-	27	0.9 %
25	-	26	0.9 %
26	-	20	0.7 %
27	-	19	0.7 %
28	-	13	0.5 %
29	-	6	0.2 %
30	-	3	0.1 %
31	-	10	0.3 %
32	-	5	0.2 %
33	-	9	0.3 %
34	-	4	0.1 %
35	-	8	0.3 %
36	-	9	0.3 %
37	-	10	0.3 %
38	-	16	0.6 %
39	-	15	0.5 %
40	-	30	1.0 %
41	-	26	0.9 %
42	-	63	2.2 %
43	-	69	2.4 %
44	-	97	3.4 %
45	-	118	4.1 %
46	-	106	3.7 %
47	-	145	5.0 %
48	-	164	5.7 %
49	-	140	4.9 %
Missing Data			
-9	Missing	6	0.2 %
-8	Do not know	1	0.0 %
-1	N/A	301	10.4 %
.	-	17	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,556 valid cases out of 2,881 total cases.

- Mean: 42.31
- Median: 47.00
- Mode: 48.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 16.15

Location: 814-815 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT21: Relationship to yourself (2)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
"OTHER HALF"	-	1	0.0 %
-1	N/A	977	33.9 %
-7	Refused	0	0.0 %
-8	Do not know	4	0.1 %
-9	Missing	0	0.0 %
ADOPTED SON	-	1	0.0 %
AUNT	-	3	0.1 %
BABY BOY (SON)	-	1	0.0 %
BABY DAUGHTER	-	1	0.0 %
BOYFRIEND	-	6	0.2 %
BOYFRIEND/FIANC E	-	1	0.0 %
BROTHER	-	11	0.4 %
BROTHER - 2 NIGHTS A WEEK	-	1	0.0 %
BROTHER IN LAW	-	1	0.0 %
BROTHER-IN-LAW	-	2	0.1 %
CHILD	-	6	0.2 %
COMMON LAW HUSBAND	-	1	0.0 %
COMPANION	-	1	0.0 %
COUSIN	-	6	0.2 %
COUSIN'S HUSBAND	-	1	0.0 %
DAOUGHTER	-	1	0.0 %
DAUGHER	-	1	0.0 %
DAUGHTE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DAUGHTER	-	741	25.7 %
DAUGHTER (IN SUMMER ONLY)	-	1	0.0 %
DAUGHTER IN LAW	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
DAUGHTERS	-	2	0.1 %
DAUGHTOR	-	1	0.0 %
DAUGTHER	-	2	0.1 %
DAUHGTER	-	1	0.0 %
DTR	-	2	0.1 %
DUAGHTER	-	8	0.3 %
DUAHGTER	-	1	0.0 %
EX-HUSBAND	-	1	0.0 %
EXCHANGE STUDENT	-	1	0.0 %
FAMALE	-	1	0.0 %
FATHER	-	12	0.4 %
FATHER-IN-LAW	-	2	0.1 %
FEMALE	-	1	0.0 %
FIANCE	-	2	0.1 %
FOSTER DAUGHTER	-	2	0.1 %
FOSTER-DAUGHTER	-	1	0.0 %
FRIEND	-	5	0.2 %
FRIEND OF MOTHER	-	1	0.0 %
GIRL (DAUGHTER)	-	1	0.0 %
GIRL CHILD	-	1	0.0 %
GIRLFRIEND	-	1	0.0 %
GOD-SON	-	1	0.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 816-844 (width: 29; decimal: 0)

Variable Type: character

SEX21: Gender (2)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	977	33.9 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	874	30.3 %
M	-	1013	35.2 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 845-846 (width: 2; decimal: 0)

Variable Type: character

AGE21: Age (2)

Please tell me their age.

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	11	0.4 %
2	-	7	0.2 %
3	-	13	0.5 %
4	-	19	0.7 %
5	-	20	0.7 %
6	-	23	0.8 %
7	-	40	1.4 %
8	-	42	1.5 %
9	-	47	1.6 %
10	-	55	1.9 %
11	-	64	2.2 %
12	-	76	2.6 %
13	-	91	3.2 %
14	-	89	3.1 %
15	-	102	3.5 %
16	-	134	4.7 %
17	-	141	4.9 %
18	-	109	3.8 %
19	-	104	3.6 %
20	-	123	4.3 %
21	-	90	3.1 %

Value	Label	Unweighted Frequency	%
22	-	74	2.6 %
23	-	63	2.2 %
24	-	53	1.8 %
25	-	33	1.1 %
26	-	31	1.1 %
27	-	19	0.7 %
28	-	13	0.5 %
29	-	8	0.3 %
30	-	6	0.2 %
31	-	4	0.1 %
32	-	8	0.3 %
33	-	2	0.1 %
35	-	2	0.1 %
36	-	5	0.2 %
37	-	4	0.1 %
38	-	1	0.0 %
39	-	4	0.1 %
40	-	3	0.1 %
42	-	3	0.1 %
43	-	4	0.1 %
44	-	2	0.1 %
45	-	2	0.1 %
46	-	7	0.2 %
47	-	10	0.3 %
48	-	12	0.4 %
49	-	7	0.2 %
50	-	8	0.3 %
51	-	9	0.3 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	977	33.9 %
.	-	17	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,885 valid cases out of 2,881 total cases.

- Mean: 20.10
- Median: 17.00

- Mode: 17.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 13.78

Location: 847-848 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT31: Relationship to yourself (3)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	1639	56.9 %
-7	Refused	0	0.0 %
-8	Do not know	1	0.0 %
-9	Missing	0	0.0 %
AUNT	-	2	0.1 %
BABYSITER	-	1	0.0 %
BOY (SON)	-	1	0.0 %
BOY CHILD	-	1	0.0 %
BOYFRIEND	-	3	0.1 %
BROTHER	-	5	0.2 %
BROTHER IN LAW	-	1	0.0 %
BROTHER-IN-LAW	-	2	0.1 %
CHILD	-	5	0.2 %
COMMON-LAW HUSBAND	-	1	0.0 %
COUSIN	-	1	0.0 %
DAUGHTER	-	483	16.8 %
DAUGHTER IN LAW	-	1	0.0 %
DAUGHTER'S FIANCE	-	1	0.0 %
DAUGHTER-IN-LAW	-	6	0.2 %
DAUGHTHER	-	1	0.0 %
DAUGTHER	-	2	0.1 %
DTR	-	3	0.1 %
DTR.	-	1	0.0 %
DUAGHTER	-	3	0.1 %
EX-HUSBAND	-	1	0.0 %
EXCHANGE STUDENT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FATHER	-	6	0.2 %
FATHER-IN-LAW	-	3	0.1 %
FEMALE	-	3	0.1 %
FEMALE FRIEND	-	1	0.0 %
FOSTER DAUGHTER	-	2	0.1 %
FOSTER MALE CHILD	-	1	0.0 %
FOSTER SON	-	3	0.1 %
FRIEND	-	4	0.1 %
FRIEND'S HUSBAND	-	1	0.0 %
FRIEND(CHILDREN)	-	1	0.0 %
GRAND DAUGHTER	-	2	0.1 %
GRAND-SON	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDBABY	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	13	0.5 %
GRANDMOTHER	-	1	0.0 %
GRANDSON	-	27	0.9 %
GREAT NEPHEW	-	1	0.0 %
GREAT NIECE	-	1	0.0 %
HOUSEMATE	-	2	0.1 %
HUSBAND	-	35	1.2 %
LOVER	-	1	0.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 849-874 (width: 26; decimal: 0)

Variable Type: character

SEX31: Gender (3)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-		17	0.6 %

Value	Label	Unweighted Frequency	%
-1	N/A	1639	56.9 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	578	20.1 %
M	-	647	22.5 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 875-876 (width: 2; decimal: 0)

Variable Type: character

AGE31: Age (3)

Please tell me their age.

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	9	0.3 %
2	-	12	0.4 %
3	-	22	0.8 %
4	-	22	0.8 %
5	-	24	0.8 %
6	-	28	1.0 %
7	-	42	1.5 %
8	-	43	1.5 %
9	-	38	1.3 %
10	-	66	2.3 %
11	-	58	2.0 %
12	-	64	2.2 %
13	-	59	2.0 %
14	-	67	2.3 %
15	-	83	2.9 %
16	-	83	2.9 %
17	-	61	2.1 %
18	-	63	2.2 %
19	-	61	2.1 %
20	-	46	1.6 %
21	-	34	1.2 %
22	-	35	1.2 %

Value	Label	Unweighted Frequency	%
23	-	29	1.0 %
24	-	20	0.7 %
25	-	19	0.7 %
26	-	13	0.5 %
27	-	4	0.1 %
28	-	6	0.2 %
29	-	3	0.1 %
30	-	6	0.2 %
31	-	2	0.1 %
32	-	1	0.0 %
33	-	4	0.1 %
35	-	3	0.1 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	4	0.1 %
39	-	1	0.0 %
41	-	2	0.1 %
42	-	4	0.1 %
43	-	3	0.1 %
44	-	4	0.1 %
45	-	3	0.1 %
46	-	6	0.2 %
47	-	7	0.2 %
48	-	10	0.3 %
49	-	2	0.1 %
50	-	6	0.2 %
51	-	6	0.2 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1639	56.9 %
.	-	17	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,224 valid cases out of 2,881 total cases.

- Mean: 17.42
- Median: 15.00
- Minimum: 0.00
- Maximum: 84.00

- Standard Deviation: 12.53

Location: 877-878 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT41: Relationship to yourself (4)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2360	81.9 %
-7	Refused	0	0.0 %
-8	Do not know	1	0.0 %
-9	Missing	0	0.0 %
ADOPTED DAUGHTER	-	1	0.0 %
AUNT	-	1	0.0 %
BOYFRIEND	-	3	0.1 %
BROTHER	-	4	0.1 %
BROTHER-IN-LAW	-	2	0.1 %
CHILD	-	4	0.1 %
COUSIN	-	2	0.1 %
DAUGHER	-	1	0.0 %
DAUGHTER	-	151	5.2 %
DAUGHTER IN LAW	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
FAMILY FRIEND	-	1	0.0 %
FATHER-IN-LAW	-	2	0.1 %
FEMALE	-	3	0.1 %
FIANCE	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FOSTER MALE CHILD	-	1	0.0 %
FOSTER SON	-	4	0.1 %
FRIEND	-	1	0.0 %
GODCHILD	-	1	0.0 %
GRAND- DAUGHTER	-	2	0.1 %
GRANDAUGHTER	-	2	0.1 %

Value	Label	Unweighted Frequency	%
GRANDCHILD	-	1	0.0 %
GRANDDAUGHER	-	1	0.0 %
GRANDDAUGHTER	-	18	0.6 %
GRANDFATHER - FATHER-IN-LAW	-	1	0.0 %
GRANDPA	-	1	0.0 %
GRANDSON	-	30	1.0 %
GREAT NEPHEW	-	1	0.0 %
GREAT NEPHEW (14 MONTHS OLD)	-	1	0.0 %
GREAT NIECE	-	2	0.1 %
HOUSEKEEPER	-	2	0.1 %
HOUSEMATE	-	2	0.1 %
HUSBAND	-	16	0.6 %
HUSBAND'S BROTHER	-	1	0.0 %
MALE	-	1	0.0 %
MALE FRIEND	-	1	0.0 %
MOTHER	-	9	0.3 %
MOTHER IN LAW	-	3	0.1 %
MOTHER-IN-LAW	-	6	0.2 %
NEICE	-	1	0.0 %
NEPHEW	-	12	0.4 %
NEPHEW (6 MONTHS OLD)	-	1	0.0 %
NIECE	-	8	0.3 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 879-907 (*width:* 29; *decimal:* 0)

Variable Type: character

SEX41: Gender (4)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2360	81.9 %
-7	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	226	7.8 %
M	-	278	9.6 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 908-909 (width: 2; decimal: 0)

Variable Type: character

AGE41: Age (4)

Please tell me their age.

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	14	0.5 %
2	-	12	0.4 %
3	-	10	0.3 %
4	-	12	0.4 %
5	-	19	0.7 %
6	-	15	0.5 %
7	-	23	0.8 %
8	-	20	0.7 %
9	-	34	1.2 %
10	-	26	0.9 %
11	-	23	0.8 %
12	-	25	0.9 %
13	-	28	1.0 %
14	-	22	0.8 %
15	-	19	0.7 %
16	-	28	1.0 %
17	-	19	0.7 %
18	-	19	0.7 %
19	-	12	0.4 %
20	-	11	0.4 %
21	-	11	0.4 %
22	-	7	0.2 %
23	-	6	0.2 %
24	-	5	0.2 %

Value	Label	Unweighted Frequency	%
25	-	3	0.1 %
26	-	3	0.1 %
27	-	7	0.2 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	4	0.1 %
31	-	1	0.0 %
32	-	2	0.1 %
35	-	2	0.1 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	2	0.1 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
46	-	2	0.1 %
47	-	4	0.1 %
49	-	3	0.1 %
50	-	4	0.1 %
51	-	3	0.1 %
52	-	4	0.1 %
53	-	1	0.0 %
54	-	1	0.0 %
57	-	2	0.1 %
Missing Data			
-8	Do not know	1	0.0 %
-1	N/A	2360	81.9 %
.	-	17	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 503 valid cases out of 2,881 total cases.

- Mean: 17.69
- Median: 13.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 16.65

Location: 910-911 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT51: Relationship to yourself (5)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2669	92.6 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
AUNT	-	1	0.0 %
AUNT'S STEPDAUGHTER	-	1	0.0 %
BROTHER'S FRIEND	-	1	0.0 %
BROTHER-IN-LAW	-	1	0.0 %
COUSIN'S EX-GIRLFRIEND	-	1	0.0 %
DAUGHTER	-	51	1.8 %
DAUGHTER'S FRIEND	-	1	0.0 %
DAUGTHER	-	2	0.1 %
FATHER	-	2	0.1 %
FATHER IN LAW	-	2	0.1 %
FATHER'S GIRLFRIEND	-	1	0.0 %
FATHER-IN-LAW	-	1	0.0 %
FEAMLE	-	1	0.0 %
FOREIGN STUDENT	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FOSTER GIRL CHILD	-	1	0.0 %
FOSTER SON	-	1	0.0 %
FRIEND	-	1	0.0 %
GODCHILD	-	1	0.0 %
GRANDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	12	0.4 %
GRANDDUAGHTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
GRANDKID	-	2	0.1 %
GRANDSON	-	17	0.6 %
GRANTSON	-	1	0.0 %
GREAT NEICE	-	1	0.0 %
GREAT NIECE	-	1	0.0 %
HOUSEKEEPER	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
HUSBAND	-	5	0.2 %
HUSBAND (SISTERS)	-	1	0.0 %
MALE RELATED TO GODMOTHER	-	1	0.0 %
MOTHER	-	3	0.1 %
MOTHER IN LAW	-	1	0.0 %
MOTHER-IN-LAW	-	2	0.1 %
NEPHEW	-	5	0.2 %
NIECE	-	1	0.0 %
SISTER	-	2	0.1 %
SISTER IN LAW	-	1	0.0 %
SON	-	56	1.9 %
SON'S FRIEND	-	1	0.0 %
SON'S GIRLFRIEND	-	1	0.0 %
SON-IN-LAW	-	2	0.1 %
STEP-SON	-	1	0.0 %
STEPSON	-	1	0.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 912-936 (width: 25; decimal: 0)

Variable Type: character

SEX51: Gender (5)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	2669	92.6 %
-7	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	93	3.2 %
M	-	102	3.5 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 937-938 (width: 2; decimal: 0)

Variable Type: character

AGE51: Age (5)

Please tell me their age.

Value	Label	Unweighted Frequency	%
1	-	6	0.2 %
2	-	13	0.5 %
3	-	8	0.3 %
4	-	9	0.3 %
5	-	11	0.4 %
6	-	9	0.3 %
7	-	7	0.2 %
8	-	10	0.3 %
9	-	11	0.4 %
10	-	6	0.2 %
11	-	13	0.5 %
12	-	6	0.2 %
13	-	12	0.4 %
14	-	6	0.2 %
15	-	4	0.1 %
16	-	8	0.3 %
17	-	4	0.1 %
18	-	3	0.1 %
19	-	4	0.1 %
20	-	2	0.1 %
21	-	2	0.1 %
22	-	4	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
25	-	2	0.1 %

Value	Label	Unweighted Frequency	%
26	-	3	0.1 %
29	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
47	-	2	0.1 %
48	-	1	0.0 %
50	-	2	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
63	-	1	0.0 %
71	-	2	0.1 %
74	-	2	0.1 %
75	-	2	0.1 %
77	-	1	0.0 %
81	-	1	0.0 %
84	-	2	0.1 %
86	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2669	92.6 %
.	-	17	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 194 valid cases out of 2,881 total cases.

- Mean: 16.95
- Median: 11.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 18.79

Location: 939-940 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT61: Relationship to yourself (6)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2805	97.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
BROTHER	-	1	0.0 %
CARETAKER	-	1	0.0 %
DAUGHTER	-	12	0.4 %
DAUGTHER	-	1	0.0 %
FATHER	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FOSTER GIRL CHILD	-	1	0.0 %
FOSTER SON	-	1	0.0 %
FRIEND	-	1	0.0 %
GODCHILD	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDDAUGHTER	-	7	0.2 %
GRANDKID	-	2	0.1 %
GRANDSON	-	6	0.2 %
GREAT NEPHEW	-	1	0.0 %
NEPHEW	-	4	0.1 %
NIECE	-	1	0.0 %
SON	-	14	0.5 %
SON'S GIRLFRIEND	-	1	0.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 941-957 (width: 17; decimal: 0)

Variable Type: character

SEX61: Gender (6)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2805	97.4 %

Value	Label	Unweighted Frequency	%
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	30	1.0 %
M	-	29	1.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 958-959 (width: 2; decimal: 0)

Variable Type: character

AGE61: Age (6)

Please tell me their age.

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	5	0.2 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	3	0.1 %
6	-	4	0.1 %
7	-	5	0.2 %
8	-	2	0.1 %
9	-	3	0.1 %
10	-	6	0.2 %
11	-	2	0.1 %
12	-	3	0.1 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	2	0.1 %
16	-	2	0.1 %
19	-	2	0.1 %
20	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
37	-	2	0.1 %
38	-	1	0.0 %

Value	Label	Unweighted Frequency	%
77	-	1	0.0 %
	Missing Data		
-1	N/A	2805	97.4 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 59 valid cases out of 2,881 total cases.

- Mean: 12.15
- Median: 9.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 77.00
- Standard Deviation: 12.46

Location: 960-961 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT71: Relationship to yourself (7)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
	-	17	0.6 %
-1	N/A	2829	98.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
BROTHER	-	1	0.0 %
DAUGHTER	-	7	0.2 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FOSTER SON	-	1	0.0 %
FRIEND	-	2	0.1 %
GODCHILD	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDKID	-	1	0.0 %
GRANDMOTHER	-	1	0.0 %
GRANDSON	-	6	0.2 %
HOUSEKEEPER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
SON	-	7	0.2 %
SON-IN-LAW'S FATHER	-	1	0.0 %
STEPSON	-	1	0.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 962-981 (width: 20; decimal: 0)

Variable Type: character

SEX71: Gender (7)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2829	98.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	15	0.5 %
M	-	20	0.7 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 982-983 (width: 2; decimal: 0)

Variable Type: character

AGE71: Age (7)

Please tell me their age.

Value	Label	Unweighted Frequency	%
1	-	5	0.2 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.1 %
5	-	2	0.1 %
6	-	3	0.1 %
7	-	4	0.1 %
9	-	3	0.1 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
45	-	1	0.0 %
55	-	1	0.0 %
83	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2829	98.2 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 34 valid cases out of 2,881 total cases.

- Mean: 14.53
- Median: 7.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 83.00
- Standard Deviation: 17.68

Location: 984-985 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT81: Relationship to yourself (8)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
	-	17	0.6 %
-1	N/A	2847	98.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
BOYFRIEND	-	1	0.0 %
DAUGHTER	-	3	0.1 %

Value	Label	Unweighted Frequency	%
GIRLFRIEND	-	1	0.0 %
GODSON	-	1	0.0 %
GRANDSON	-	2	0.1 %
NIECE	-	1	0.0 %
SISTER	-	1	0.0 %
SON	-	5	0.2 %
SON-IN-LAW	-	1	0.0 %
STEPSON	-	1	0.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 986-995 (width: 10; decimal: 0)

Variable Type: character

SEX81: Gender (8)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2847	98.8 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	6	0.2 %
M	-	11	0.4 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 996-997 (width: 2; decimal: 0)

Variable Type: character

AGE81: Age (8)

Please tell me their age.

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	2	0.1 %
4	-	2	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
16	-	1	0.0 %
19	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
40	-	1	0.0 %
53	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2847	98.8 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 16 valid cases out of 2,881 total cases.

- Mean: 17.06
- Median: 14.50
- Minimum: 2.00
- Maximum: 53.00
- Standard Deviation: 14.92

Location: 998-999 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RELAT91: Relationship to yourself (9)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
	-	17	0.6 %
-1	N/A	2855	99.1 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
BROTHER (GUARDIAN) (SEE NOTE)	-	1	0.0 %
DAUGHTER	-	2	0.1 %
DAUGTHER	-	1	0.0 %
GODDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
HUSBAND	-	2	0.1 %
NIECE	-	1	0.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1000-1028 (width: 29; decimal: 0)

Variable Type: character

SEX91: Gender (9)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-	-	17	0.6 %
-1	N/A	2855	99.1 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	6	0.2 %
M	-	3	0.1 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1029-1030 (width: 2; decimal: 0)

Variable Type: character

AGE91: Age (9)

Please tell me their age.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
4	-	1	0.0 %
11	-	1	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
46	-	1	0.0 %
	Missing Data		
-1	N/A	2855	99.1 %

Value	Label	Unweighted Frequency	%
-		17	0.6 %
Total		2,881	100%

Based upon 9 valid cases out of 2,881 total cases.

- Mean: 20.78
- Median: 19.00
- Minimum: 1.00
- Maximum: 46.00
- Standard Deviation: 18.10

Location: 1031-1032 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT101: Relationship to yourself (10)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	2861	99.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
DAUGHTER	-	1	0.0 %
GRANDSON	-	1	0.0 %
ROOMATE	-	1	0.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1033-1040 (width: 8; decimal: 0)

Variable Type: character

SEX101: Gender (10)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	2861	99.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
F	-	2	0.1 %
M	-	1	0.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1041-1042 (width: 2; decimal: 0)

Variable Type: character

AGE101: Age (10)

Please tell me their age.

Value	Label	Unweighted Frequency	%
3	-	2	0.1 %
60	-	1	0.0 %
	Missing Data		
-1	N/A	2861	99.3 %
.	-	17	0.6 %
	Total	2,881	100%

Based upon 3 valid cases out of 2,881 total cases.

- Mean: 22.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 60.00
- Standard Deviation: 32.91

Location: 1043-1044 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT111: Relationship to yourself (11)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
	-	17	0.6 %
-1	N/A	2863	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
GRANDDAUGHTER	-	1	0.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1045-1057 (width: 13; decimal: 0)

Variable Type: character

SEX111: Gender (11)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	2863	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
F	-	1	0.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1058-1059 (width: 2; decimal: 0)

Variable Type: character

AGE111: Age (11)

Please tell me their age.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
Missing Data			
-1	N/A	2863	99.4 %
.	-	17	0.6 %
Total		2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 1060-1061 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT121: Relationship to yourself (12)

Please tell me their relationship to you.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	2863	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
FRIEND OF FAMILY	-	1	0.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1062-1077 (width: 16; decimal: 0)

Variable Type: character

SEX121: Gender (12)

Please tell me their gender.

Value	Label	Unweighted Frequency	%
-		17	0.6 %
-1	N/A	2863	99.4 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
M	-	1	0.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1078-1079 (width: 2; decimal: 0)

Variable Type: character

AGE121: Age (12)

Please tell me their age.

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
	Missing Data		
-1	N/A	2863	99.4 %
-	-	17	0.6 %
	Total	2,881	100%

Based upon 1 valid cases out of 2,881 total cases.

- Mean: 23.00
- Median: 23.00
- Mode: 23.00
- Minimum: 23.00
- Maximum: 23.00
- Standard Deviation: 0.00

Location: 1080-1081 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESCPER1: Describe your menstrual periods

Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	Become farther apart	241	8.4 %
2	Become closer together	247	8.6 %
3	Occurred at more variable intervals	391	13.6 %
4	Stayed the same	664	23.0 %
5	Become more regular	55	1.9 %
Missing Data			
-	-	1283	44.5 %
Total		2,881	100%

Based upon 1,598 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1082-1083 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL1: Unable to control important things in your life

In the past two weeks you have felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Never	601	20.9 %
2	Almost never	539	18.7 %
3	Sometimes	389	13.5 %
4	Fairly often	85	3.0 %
5	Very often	32	1.1 %
Missing Data			
-1	N/A	396	13.7 %
-	-	839	29.1 %

Value	Label	Unweighted Frequency	%
	Total	2,881	100%

Based upon 1,646 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1084-1085 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY1: Confident in ability to handle problems

In the past two weeks you have felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	Never	16	0.6 %
2	Almost never	57	2.0 %
3	Sometimes	251	8.7 %
4	Fairly often	603	20.9 %
5	Very often	719	25.0 %
	Missing Data		
-1	N/A	396	13.7 %
.	-	839	29.1 %
	Total	2,881	100%

Based upon 1,646 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1086-1087 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY1: Things were going your way

In the past two weeks you have felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	Never	23	0.8 %
2	Almost never	67	2.3 %
3	Sometimes	447	15.5 %
4	Fairly often	698	24.2 %
5	Very often	410	14.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	397	13.8 %
.	-	839	29.1 %
	Total	2,881	100%

Based upon 1,645 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING1: Difficulties piling up

In the past two weeks you have felt difficulties were piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	Never	650	22.6 %
2	Almost never	568	19.7 %
3	Sometimes	324	11.2 %
4	Fairly often	76	2.6 %
5	Very often	27	0.9 %
	Missing Data		
-1	N/A	397	13.8 %
.	-	839	29.1 %
	Total	2,881	100%

Based upon 1,645 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1090-1091 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR11: Osteoporosis medications

Do you take medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol)?

Value	Label	Unweighted Frequency	%
1	No	2866	99.5 %
2	Yes	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	14	0.5 %
	Total	2,881	100%

Based upon 2,867 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAADAY1: Self-administered-Part A day

Value	Label	Unweighted Frequency	%
202	-	1	0.0 %
240	-	1	0.0 %
251	-	1	0.0 %
252	-	1	0.0 %
256	-	1	0.0 %
261	-	1	0.0 %
265	-	1	0.0 %
268	-	1	0.0 %
273	-	2	0.1 %
274	-	4	0.1 %
275	-	1	0.0 %
279	-	1	0.0 %
281	-	1	0.0 %
283	-	2	0.1 %
284	-	1	0.0 %
286	-	1	0.0 %
287	-	3	0.1 %
288	-	1	0.0 %
289	-	2	0.1 %
290	-	1	0.0 %
291	-	2	0.1 %
292	-	3	0.1 %
293	-	2	0.1 %
294	-	3	0.1 %
295	-	1	0.0 %
296	-	5	0.2 %
297	-	3	0.1 %

Value	Label	Unweighted Frequency	%
299	-	2	0.1 %
300	-	5	0.2 %
301	-	6	0.2 %
302	-	3	0.1 %
303	-	4	0.1 %
304	-	3	0.1 %
305	-	3	0.1 %
306	-	2	0.1 %
307	-	2	0.1 %
308	-	8	0.3 %
309	-	6	0.2 %
310	-	6	0.2 %
311	-	3	0.1 %
312	-	7	0.2 %
313	-	6	0.2 %
314	-	3	0.1 %
315	-	13	0.5 %
316	-	4	0.1 %
317	-	6	0.2 %
318	-	1	0.0 %
319	-	10	0.3 %
320	-	15	0.5 %
321	-	14	0.5 %
Missing Data			
.	-	18	0.6 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,863 valid cases out of 2,881 total cases.

- Mean: 377.34
- Minimum: 202.00
- Maximum: 832.00
- Standard Deviation: 48.03

Location: 1094-1096 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGSAA1: Language of Self-A

Value	Label	Unweighted Frequency	%
1	English	2469	85.7 %
2	Spanish	198	6.9 %
3	Cantonese	82	2.8 %
4	Japanese	111	3.9 %
Missing Data			
-9	Missing	3	0.1 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,860 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1097-1098 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OVERHLT1: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	499	17.3 %
2	Very good	1114	38.7 %
3	Good	862	29.9 %
4	Fair	313	10.9 %
5	Poor	54	1.9 %
Missing Data			
-9	Missing	13	0.5 %
-8	Do not know	5	0.2 %
-1	N/A	2	0.1 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,842 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1099-1100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSPSTA1: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	2664	92.5 %
1	-	135	4.7 %
2	-	35	1.2 %
3	-	9	0.3 %
4	-	6	0.2 %
5	-	1	0.0 %
10	-	1	0.0 %
Missing Data			
-9	Missing	12	0.4 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.44

Location: 1101-1102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK1: Number times talked to doctor since last visit

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count health care providers that you have seen during a visit for this study.)

Value	Label	Unweighted Frequency	%
0	-	358	12.4 %
1	-	473	16.4 %
2	-	514	17.8 %
3	-	379	13.2 %
4	-	301	10.4 %
5	-	207	7.2 %
6	-	151	5.2 %
7	-	45	1.6 %
8	-	71	2.5 %
9	-	10	0.3 %
10	-	112	3.9 %

Value	Label	Unweighted Frequency	%
11	-	9	0.3 %
12	-	55	1.9 %
13	-	3	0.1 %
14	-	12	0.4 %
15	-	28	1.0 %
16	-	9	0.3 %
17	-	1	0.0 %
18	-	8	0.3 %
20	-	30	1.0 %
23	-	1	0.0 %
24	-	8	0.3 %
25	-	8	0.3 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	17	0.6 %
35	-	4	0.1 %
40	-	4	0.1 %
41	-	1	0.0 %
48	-	1	0.0 %
50	-	5	0.2 %
52	-	1	0.0 %
53	-	1	0.0 %
60	-	4	0.1 %
64	-	1	0.0 %
80	-	1	0.0 %
95	-	1	0.0 %
Missing Data			
-9	Missing	26	0.9 %
-1	N/A	1	0.0 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,836 valid cases out of 2,881 total cases.

- Mean: 4.36
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 6.39

Location: 1103-1104 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA1: Pap smear since last visit

Since your last study visit, have you had a pap smear?

Value	Label	Unweighted Frequency	%
1	No	996	34.6 %
2	Yes	1861	64.6 %
	Missing Data		
-9	Missing	6	0.2 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,857 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1105-1106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA1: Breast exam since last visit

Since your last study visit, have you had a breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	No	884	30.7 %
2	Yes	1976	68.6 %
	Missing Data		
-9	Missing	3	0.1 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,860 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1107-1108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA1: Mammogram since last visit

Since your last study visit, have you had a mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	No	1299	45.1 %
2	Yes	1559	54.1 %
	Missing Data		
-9	Missing	5	0.2 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1109-1110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER1: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	No	2511	87.2 %
2	Yes	334	11.6 %
	Missing Data		
-9	Missing	18	0.6 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1111-1112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSV11: Health services (1)

What kind of health services?

Value	Label	Unweighted Frequency	%
-1	N/A	0	0.0 %
-7	Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
MASKED BY ICPSR	-	2881	100.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1113-1127 (width: 15; decimal: 0)

Variable Type: character

HLTHSV21: Health services (2)

What kind of health services?

Value	Label	Unweighted Frequency	%
	-	18	0.6 %
-1	N/A	2717	94.3 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	7	0.2 %
1	-	1	0.0 %
A MAMMAGRAM	-	1	0.0 %
ANOTHER MAMMOGRAM	-	1	0.0 %
BACK PAIN	-	1	0.0 %
BAD RASH	-	1	0.0 %
BETTER NATIONAL HEALTH	-	1	0.0 %
BLOOD PRESSURE CHECK	-	1	0.0 %
BLOOD WORK	-	1	0.0 %
BOIL THAT NEEDS LANCING	-	1	0.0 %
BREAST EXAM	-	5	0.2 %
BREAST EXAM MAMAGRAM	-	1	0.0 %
BREAST PHYSICAL EXAM	-	2	0.1 %
CHECK HURT ARM & BACK	-	1	0.0 %
CHECK ON LOWER BACK PAIN	-	1	0.0 %
CHECK UP	-	1	0.0 %
CHEST X-RAY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CHIROPRACTIC	-	2	0.1 %
CHIROPRACTOR	-	1	0.0 %
COLONOSCOPY	-	1	0.0 %
DENTAL	-	2	0.1 %
DENTAL EXAM	-	2	0.1 %
DENTAL EXAM/SENSITIVE TOOTH	-	1	0.0 %
DENTAL SERVICES	-	1	0.0 %
DENTIST	-	1	0.0 %
DENTIST-BRIDGE (MISSING TEETH)	-	1	0.0 %
DERMATOLOGIST	-	1	0.0 %
DOCTOR FOR CONSTANT WRIST PAIN	-	1	0.0 %
EAR NOSE THROAT SPECIALIST	-	1	0.0 %
ELBOW AND JOINT PROBLEMS	-	1	0.0 %
EYE	-	1	0.0 %
EYE EXAM	-	2	0.1 %
EYE EXAMINATION	-	2	0.1 %
EYES CHECKED	-	1	0.0 %
F/U ENDOCRINE (COLD THYROID ?)	-	1	0.0 %
FEMALE	-	1	0.0 %
FIBROID TUMOR REMOVED	-	1	0.0 %
FLEXIBLE SIGMOIDOSCOPY	-	1	0.0 %
FOLLOW UP MAMMOGRAM	-	1	0.0 %
GENERAL CHECK	-	1	0.0 %
GENERAL HEALTH	-	1	0.0 %
GENERAL PHYS. EXAM	-	1	0.0 %
GLASSES NEEDED	-	1	0.0 %
GYNECOLOGICAL EXAM	-	2	0.1 %
GYNECOLOGIST	-	1	0.0 %
GYNECOLOGY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1128-1157 (width: 30; decimal: 0)

Variable Type: character

HLTHSV31: Health services (3)

What kind of health services?

Value	Label	Unweighted Frequency	%
-	-	18	0.6 %
-1	N/A	2801	97.2 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	8	0.3 %
1	-	2	0.1 %
ALLERGY TEST	-	1	0.0 %
ANKLE & FOOT	-	1	0.0 %
ANNUAL PHYSICAL	-	1	0.0 %
BIANNUAL HME WITH PRIMARY CARE	-	1	0.0 %
BLOOD CHOLESTEROL	-	1	0.0 %
BLOOD PRESSURE CHECK	-	1	0.0 %
BLOOD WORK	-	1	0.0 %
BREAST EXAM	-	2	0.1 %
BREAST PHYSICAL EXAM	-	1	0.0 %
CH ON CYSTIN NYLLT OVARY	-	1	0.0 %
CHECK BAD KNEE FOR DETERIORATN	-	1	0.0 %
CLTHOPEDIC DOCTER	-	1	0.0 %
DENTAL	-	3	0.1 %
DOC LIKE CAR.STREES TEST	-	1	0.0 %

Value	Label	Unweighted Frequency	%
EYE EXAM	-	1	0.0 %
EYES CHECKED	-	1	0.0 %
F/U	-	1	0.0 %
DERMATOLOGY (BASAL CELL CA)			
FOOT DOCTOR	-	1	0.0 %
GENERAL CHECKUP	-	1	0.0 %
GENERAL PHYSICAL	-	1	0.0 %
GENERAL PHYSICAL EXAM	-	1	0.0 %
LEG PAINS	-	1	0.0 %
MAMMOGRAM	-	9	0.3 %
MAMOGGRAM	-	1	0.0 %
MD	-	1	0.0 %
MENTAL HEALTH CARE	-	1	0.0 %
MENTAL THERAPY	-	1	0.0 %
NERVOUS TENSION/PAIN MGMT NEED	-	1	0.0 %
PAP SMEAR	-	2	0.1 %
PAP TEST	-	1	0.0 %
PHYSICAL	-	1	0.0 %
PHYSICAL EXAM/SKIN EXAM	-	1	0.0 %
PODIATRY	-	1	0.0 %
SQUEEZING SENSATION IN CHEST	-	1	0.0 %
TESTS FOR PAIN IN MY LEGS	-	1	0.0 %
URINALYSIS & FOLLOW-UP	-	1	0.0 %
VISION	-	1	0.0 %
WANTED TO SEE GYNECOLOGIST	-	1	0.0 %
WEIGHT	-	1	0.0 %
YEARLY PHYSICAL	-	1	0.0 %
Total		2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1158-1187 (width: 30; decimal: 0)

Variable Type: character

PRIMREA1: Primary reason not receive health care

What is the primary reason for not receiving these health services?

Value	Label	Unweighted Frequency	%
1	Not covered by insurance/health plan	44	1.5 %
2	Cannot afford	59	2.0 %
3	Travel distance/lack of transport	2	0.1 %
4	No health care provider	24	0.8 %
5	Too busy/no time	96	3.3 %
6	Other	90	3.1 %
Missing Data			
-9	Missing	19	0.7 %
-1	N/A	2529	87.8 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 315 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE1: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	No	2398	83.2 %
2	Yes	455	15.8 %
Missing Data			
-9	Missing	9	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1190-1191 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA1: Average cigarettes/day since last visit

[If yes] how many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	27	0.9 %
1	-	12	0.4 %
2	-	16	0.6 %
3	-	12	0.4 %
4	-	20	0.7 %
5	-	31	1.1 %
6	-	20	0.7 %
7	-	9	0.3 %
8	-	15	0.5 %
9	-	2	0.1 %
10	-	65	2.3 %
11	-	1	0.0 %
12	-	9	0.3 %
13	-	4	0.1 %
15	-	45	1.6 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	2	0.1 %
20	-	103	3.6 %
22	-	1	0.0 %
25	-	10	0.3 %
30	-	21	0.7 %
35	-	1	0.0 %
40	-	14	0.5 %
45	-	1	0.0 %
60	-	1	0.0 %
Missing Data			
-9	Missing	9	0.3 %
-1	N/A	2408	83.6 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 446 valid cases out of 2,881 total cases.

- Mean: 13.22
- Median: 10.00
- Mode: 20.00

- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 9.73

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HHMEMSM1: Household members who smoke

Since your last study visit, how many other members of your household have smoked tobacco, inside the house (at least 1 cigarette, cigar or pipe bowl per day)?

Value	Label	Unweighted Frequency	%
0	-	2235	77.6 %
1	-	445	15.4 %
2	-	90	3.1 %
3	-	17	0.6 %
4	-	7	0.2 %
7	-	3	0.1 %
40	-	1	0.0 %
Missing Data			
-9	Missing	64	2.2 %
-8	Do not know	1	0.0 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,798 valid cases out of 2,881 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 0.97

Location: 1194-1195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPD1: Days exposed to smoke in home past week

During the past 7 days, how many days were you exposed to tobacco smoke in your home?

Value	Label	Unweighted Frequency	%
0	-	96	3.3 %
1	-	31	1.1 %
2	-	32	1.1 %

Value	Label	Unweighted Frequency	%
3	-	29	1.0 %
4	-	15	0.5 %
5	-	20	0.7 %
6	-	8	0.3 %
7	-	315	10.9 %
Missing Data			
-9	Missing	15	0.5 %
-1	N/A	2300	79.8 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 546 valid cases out of 2,881 total cases.

- Mean: 4.75
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.89

Location: 1196-1197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOMEXPH1: Hours exposed to smoke in home past week

Over the past 7 days, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	12	0.4 %
1	-	122	4.2 %
2	-	49	1.7 %
3	-	48	1.7 %
4	-	47	1.6 %
5	-	37	1.3 %
6	-	26	0.9 %
7	-	8	0.3 %
8	-	29	1.0 %
9	-	2	0.1 %
10	-	16	0.6 %
11	-	2	0.1 %
12	-	17	0.6 %
14	-	2	0.1 %

Value	Label	Unweighted Frequency	%
15	-	3	0.1 %
16	-	10	0.3 %
18	-	4	0.1 %
20	-	1	0.0 %
24	-	8	0.3 %
Missing Data			
-9	Missing	7	0.2 %
-1	N/A	2411	83.7 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 443 valid cases out of 2,881 total cases.

- Mean: 4.74
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.76

Location: 1198-1199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DRNKBEE1: Drink alcoholic beverage since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	No	851	29.5 %
2	Yes	1999	69.4 %
Missing Data			
-9	Missing	13	0.5 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,850 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1200-1201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GLASBEE1: Average glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/month	1325	46.0 %
2	1-3/month	353	12.3 %
3	1/week	96	3.3 %
4	2-4/week	120	4.2 %
5	5-6/week	45	1.6 %
6	1/day	26	0.9 %
7	2-3/day	19	0.7 %
8	4/day	5	0.2 %
9	>= 5/day	4	0.1 %
Missing Data			
-9	Missing	6	0.2 %
-1	N/A	864	30.0 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 1,993 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1202-1203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASWIN1: Average glasses of wine

How many glasses of wine or wine coolers, (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/month	969	33.6 %
2	1-3/month	506	17.6 %
3	1/week	145	5.0 %
4	2-4/week	209	7.3 %
5	5-6/week	58	2.0 %
6	1/day	53	1.8 %
7	2-3/day	48	1.7 %
8	4/day	5	0.2 %
9	>= 5/day	1	0.0 %
Missing Data			
-9	Missing	5	0.2 %

Value	Label	Unweighted Frequency	%
-1	N/A	864	30.0 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,994 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1204-1205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASLIQ1: Average glasses of liquor

How many glasses of liquor or mixed drinks, (a medium serving is one shot), did you drink on average, per day, week or month?

Value	Label	Unweighted Frequency	%
1	None or < 1/month	1422	49.4 %
2	1-3/month	375	13.0 %
3	1/week	68	2.4 %
4	2-4/week	84	2.9 %
5	5-6/week	23	0.8 %
6	1/day	11	0.4 %
7	2-3/day	13	0.5 %
8	4/day	0	0.0 %
9	>= 5/day	1	0.0 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	864	30.0 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,997 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1206-1207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYCTDW1: Cut down on activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a

result of your physical health:

Cut down the amount of time you spent on work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2400	83.3 %
2	Yes	454	15.8 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1208-1209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYACCO1: Accomplished less past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health:

Accomplished less than you would like?

Value	Label	Unweighted Frequency	%
1	No	2087	72.4 %
2	Yes	767	26.6 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1210-1211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYLIMI1: Limited in activity/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health:

Were limited in the kind of work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2358	81.8 %
2	Yes	496	17.2 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDFCL1: Difficulty performing activities/work past month due to health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health:

Had difficulty performing the work or other activities (for example, it took extra effort)?

Value	Label	Unweighted Frequency	%
1	No	2219	77.0 %
2	Yes	635	22.0 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCTDW1: Cut down on activity/work past month due to emotional problem

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious):

Cut down the amount of time you spent on work or other activities?

Value	Label	Unweighted Frequency	%
1	No	2417	83.9 %
2	Yes	437	15.2 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1216-1217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOACCO1: Accomplished less past month due to emotional problem

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious):

Accomplished less than you would like?

Value	Label	Unweighted Frequency	%
1	No	2151	74.7 %
2	Yes	702	24.4 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1218-1219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCARE1: Activity/work less carefully past month due to emotional problem

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious):

Didn't do work or other activities as carefully as usual?

Value	Label	Unweighted Frequency	%
1	No	2385	82.8 %
2	Yes	468	16.2 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTERFR1: Physical health/emotional problem interfered w/ normal social activity

During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

Value	Label	Unweighted Frequency	%
1	Not at all	1556	54.0 %
2	Slightly	758	26.3 %
3	Moderately	340	11.8 %
4	Quite a bit	172	6.0 %
5	Extremely	29	1.0 %
	Missing Data		
-9	Missing	8	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,855 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1222-1223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BODYPAI1: Bodily pain past month

How much bodily pain have you had during the past 4 weeks?

Value	Label	Unweighted Frequency	%
1	None	593	20.6 %
2	Very mild	946	32.8 %
3	Mild	603	20.9 %
4	Moderately	552	19.2 %
5	Severe	129	4.5 %
6	Very severe	31	1.1 %
Missing Data			
-9	Missing	9	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 6.00

Location: 1224-1225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTRF1: Pain interfere w/ work past month

During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

Value	Label	Unweighted Frequency	%
1	Not at all	1530	53.1 %
2	Slightly	816	28.3 %
3	Moderately	330	11.5 %
4	Quite a bit	141	4.9 %
5	Extremely	36	1.2 %
Missing Data			
-9	Missing	9	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1226-1227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP1: Full of pep last month

During the past 4 weeks, how much time did you feel "full of pep"?

Value	Label	Unweighted Frequency	%
1	All of the time	62	2.2 %
2	Most of the time	632	21.9 %
3	A good bit of the time	695	24.1 %
4	Some of the time	801	27.8 %
5	A little of the time	493	17.1 %
6	None of the time	168	5.8 %
Missing Data			
-9	Missing	11	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY1: Lots energy last month

During the past 4 weeks, how much time did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	All of the time	64	2.2 %
2	Most of the time	634	22.0 %
3	A good bit of the time	677	23.5 %
4	Some of the time	816	28.3 %
5	A little of the time	493	17.1 %
6	None of the time	167	5.8 %
Missing Data			
-9	Missing	11	0.4 %

Value	Label	Unweighted Frequency	%
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1230-1231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOOUT1: Felt worn out last month

During the past 4 weeks, how much time did you feel worn out?

Value	Label	Unweighted Frequency	%
1	All of the time	39	1.4 %
2	Most of the time	274	9.5 %
3	A good bit of the time	410	14.2 %
4	Some of the time	888	30.8 %
5	A little of the time	984	34.2 %
6	None of the time	257	8.9 %
Missing Data			
-9	Missing	10	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1232-1233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TIRED1: Felt tired last month

During the past 4 weeks, how much time did you feel tired?

Value	Label	Unweighted Frequency	%
1	All of the time	59	2.0 %
2	Most of the time	292	10.1 %
3	A good bit of the time	435	15.1 %
4	Some of the time	1020	35.4 %

Value	Label	Unweighted Frequency	%
5	A little of the time	960	33.3 %
6	None of the time	90	3.1 %
Missing Data			
-9	Missing	6	0.2 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1234-1235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOCIAL1: Physical health/emotional problem interfered w/ social activity/visiting

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?

Value	Label	Unweighted Frequency	%
1	All of the time	53	1.8 %
2	Most of the time	117	4.1 %
3	Some of the time	487	16.9 %
4	A little of the time	715	24.8 %
5	None of the time	1484	51.5 %
Missing Data			
-9	Missing	6	0.2 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1236-1237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSACT1: Physical activity compared to other women same age

In comparison with other women your age, is your usual level of physical activity:

Value	Label	Unweighted Frequency	%
1	Much less	189	6.6 %
2	Somewhat less	505	17.5 %
3	The same	1110	38.5 %
4	Somewhat more	754	26.2 %
5	Much more	298	10.3 %
Missing Data			
-9	Missing	6	0.2 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1238-1239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV1: Time spent watching television

Since your last study visit, did you watch television...

Value	Label	Unweighted Frequency	%
1	Never or less than 1 hour/week	152	5.3 %
2	At least 1 hour/week but < 1 hour/day	628	21.8 %
3	1-2 hours/day	1044	36.2 %
4	2-4 hours/day	740	25.7 %
5	More than 4 hours/day	298	10.3 %
Missing Data			
-9	Missing	1	0.0 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,862 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1240-1241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKBIK1: Time spent walk/bike

Did you walk or bike to and from work, school or errands...

Value	Label	Unweighted Frequency	%
1	Never or less 5 minutes per day	1390	48.2 %
2	5-15 minutes/day	616	21.4 %
3	16-30 minutes/day	475	16.5 %
4	31-45 minutes/day	190	6.6 %
5	More than 45 minutes/day	184	6.4 %
Missing Data			
-9	Missing	8	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,855 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1242-1243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SWEATPA1: Sweat from exertion

Did you sweat from exertion...

Value	Label	Unweighted Frequency	%
1	Never or less than once a month	996	34.6 %
2	Once a month	276	9.6 %
3	2-3 times a month	416	14.4 %
4	Once/week	342	11.9 %
5	More than once/week	829	28.8 %
Missing Data			
-9	Missing	4	0.1 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,859 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1244-1245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS1: Play sport/exercise

Since your last study visit, did you play sports or exercise...

Value	Label	Unweighted Frequency	%
1	Never or less than once a month	1039	36.1 %
2	Once a month	246	8.5 %
3	2-3 times a month	307	10.7 %
4	Once/week	277	9.6 %
5	More than once/week	989	34.3 %
Missing Data			
-9	Missing	5	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1246-1247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHORES1: Chores-current level of physical act

Since your last study visit, is your current level of physical activity doing chores around your home (such as cleaning, laundry, childcare, care of elders, etc., not performed for pay):

Value	Label	Unweighted Frequency	%
1	Much greater now	137	4.8 %
2	Greater now	250	8.7 %
3	About the same	2138	74.2 %
4	Less now	257	8.9 %
5	Much less now	69	2.4 %
Missing Data			
-9	Missing	12	0.4 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1248-1249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKPHY1: Work for pay-current level of physical act

Since your last study visit, is your current level of physical activity at work performed for pay:

Value	Label	Unweighted Frequency	%
1	Much greater now	132	4.6 %
2	Greater now	360	12.5 %
3	About the same	1741	60.4 %
4	Less now	137	4.8 %
5	Much less now	39	1.4 %
Missing Data			
-9	Missing	15	0.5 %
-1	N/A	439	15.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,409 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1250-1251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PLANSPO1: Planned sports-current level of physical act

Since your last study visit, is your current level of physical activity in planned sports (such as volleyball, softball or tennis) and exercise (such as aerobics or jogging):

Value	Label	Unweighted Frequency	%
1	Much greater now	114	4.0 %
2	Greater now	301	10.4 %
3	About the same	1732	60.1 %
4	Less now	403	14.0 %
5	Much less now	297	10.3 %
Missing Data			
-9	Missing	16	0.6 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,847 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1252-1253 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

ROUTINE1: Routine physical activity-current level of physical activity

Since your last study visit, is your current level of other routine physical activity (such as walking, gardening, climbing stairs, etc.):

Value	Label	Unweighted Frequency	%
1	Much greater now	130	4.5 %
2	Greater now	472	16.4 %
3	About the same	1876	65.1 %
4	Less now	270	9.4 %
5	Much less now	107	3.7 %
Missing Data			
-9	Missing	8	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,855 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1254-1255 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

STIFF1: Stiffness/soreness past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had stiffness or soreness in joints, neck or shoulder?

Value	Label	Unweighted Frequency	%
1	Not at all	724	25.1 %
2	1-5 days	1355	47.0 %
3	6-8 days	216	7.5 %
4	9-13 days	144	5.0 %
5	Every day	411	14.3 %
Missing Data			
-9	Missing	12	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,850 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1256-1257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ACHES1: Backaches/pains past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had back aches or pains?

Value	Label	Unweighted Frequency	%
1	Not at all	1110	38.5 %
2	1-5 days	1192	41.4 %
3	6-8 days	173	6.0 %
4	9-13 days	123	4.3 %
5	Every day	256	8.9 %
Missing Data			
-9	Missing	8	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE1: Cold sweats past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had cold sweats?

Value	Label	Unweighted Frequency	%
1	Not at all	2516	87.3 %
2	1-5 days	227	7.9 %

Value	Label	Unweighted Frequency	%
3	6-8 days	47	1.6 %
4	9-13 days	22	0.8 %
5	Every day	31	1.1 %
Missing Data			
-9	Missing	19	0.7 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,843 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1260-1261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE1: Night sweats past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had night sweats?

Value	Label	Unweighted Frequency	%
1	Not at all	1951	67.7 %
2	1-5 days	635	22.0 %
3	6-8 days	114	4.0 %
4	9-13 days	72	2.5 %
5	Every day	73	2.5 %
Missing Data			
-9	Missing	17	0.6 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1262-1263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR1: Vaginal dryness past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not at all	2254	78.2 %
2	1-5 days	407	14.1 %
3	6-8 days	83	2.9 %
4	9-13 days	49	1.7 %
5	Every day	57	2.0 %
Missing Data			
-9	Missing	11	0.4 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,850 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1264-1265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU1: Feeling blue past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you felt blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not at all	1208	41.9 %
2	1-5 days	1270	44.1 %
3	6-8 days	195	6.8 %
4	9-13 days	123	4.3 %
5	Every day	58	2.0 %
Missing Data			
-9	Missing	8	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1266-1267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DIZZY1: Dizzy spells past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not at all	2238	77.7 %
2	1-5 days	535	18.6 %
3	6-8 days	37	1.3 %
4	9-13 days	20	0.7 %
5	Every day	20	0.7 %
Missing Data			
-9	Missing	12	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,850 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1268-1269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB1: Irritability past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not at all	878	30.5 %
2	1-5 days	1623	56.3 %

Value	Label	Unweighted Frequency	%
3	6-8 days	212	7.4 %
4	9-13 days	94	3.3 %
5	Every day	45	1.6 %
Missing Data			
-9	Missing	10	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1270-1271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS1: Tense/nervous past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you felt tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not at all	1061	36.8 %
2	1-5 days	1402	48.7 %
3	6-8 days	202	7.0 %
4	9-13 days	107	3.7 %
5	Every day	75	2.6 %
Missing Data			
-9	Missing	15	0.5 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,847 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1272-1273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FORGET1: Forgetfulness past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not at all	1093	37.9 %
2	1-5 days	1287	44.7 %
3	6-8 days	248	8.6 %
4	9-13 days	104	3.6 %
5	Every day	119	4.1 %
Missing Data			
-9	Missing	11	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1274-1275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG1: Frequent mood changes past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not at all	1553	53.9 %
2	1-5 days	1016	35.3 %
3	6-8 days	159	5.5 %
4	9-13 days	74	2.6 %
5	Every day	48	1.7 %
Missing Data			
-9	Missing	12	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,850 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1276-1277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC1: Heart pounding/racing past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not at all	2083	72.3 %
2	1-5 days	608	21.1 %
3	6-8 days	85	3.0 %
4	9-13 days	49	1.7 %
5	Every day	26	0.9 %
Missing Data			
-9	Missing	11	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1278-1279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA1: Feeling fearful past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you felt fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not at all	2355	81.7 %
2	1-5 days	386	13.4 %

Value	Label	Unweighted Frequency	%
3	6-8 days	58	2.0 %
4	9-13 days	34	1.2 %
5	Every day	19	0.7 %
Missing Data			
-9	Missing	10	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1280-1281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE1: Headaches past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had headaches?

Value	Label	Unweighted Frequency	%
1	Not at all	1104	38.3 %
2	1-5 days	1436	49.8 %
3	6-8 days	183	6.4 %
4	9-13 days	82	2.8 %
5	Every day	51	1.8 %
Missing Data			
-9	Missing	6	0.2 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1282-1283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS1: Hot flashes past 2 weeks

Below is a list of common problems which affect us from time to time in our daily lives. Thinking back over the past two weeks, please circle the number corresponding to how often you experienced any of the following:

How often have you had hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not at all	1878	65.2 %
2	1-5 days	633	22.0 %
3	6-8 days	147	5.1 %
4	9-13 days	94	3.3 %
5	Every day	102	3.5 %
Missing Data			
-9	Missing	8	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1284-1285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE1: Trouble falling asleep past 2 weeks

These questions are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks:

In the past two weeks did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, not in the past 2 weeks	1656	57.5 %
2	Yes, < once a week	497	17.3 %
3	Yes, 1-2 times/week	382	13.3 %
4	Yes, 3-4 times/week	171	5.9 %
5	Yes, 5 or more times/week	150	5.2 %
Missing Data			
-9	Missing	7	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1286-1287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP1: Wake up several times/night past 2 weeks

These questions are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks:

In the past two weeks did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, not in the past 2 weeks	1019	35.4 %
2	Yes, < once a week	554	19.2 %
3	Yes, 1-2 times/week	559	19.4 %
4	Yes, 3-4 times/week	357	12.4 %
5	Yes, 5 or more times/week	368	12.8 %
Missing Data			
-9	Missing	6	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,857 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1288-1289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL1: Wake up early past 2 weeks

These questions are about your sleep habits over the past two weeks. Please circle one answer for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 2 weeks:

In the past two weeks did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, not in the past 2 weeks	1471	51.1 %
2	Yes, < once a week	585	20.3 %

Value	Label	Unweighted Frequency	%
3	Yes, 1-2 times/week	427	14.8 %
4	Yes, 3-4 times/week	205	7.1 %
5	Yes, 5 or more times/week	168	5.8 %
Missing Data			
-9	Missing	7	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1290-1291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TYPNIGH1: Typical night's sleep past 2 weeks

Overall, was your typical night's sleep during the past 2 weeks:

Value	Label	Unweighted Frequency	%
1	Very sound or restful	296	10.3 %
2	Sound or restful	772	26.8 %
3	Average quality	1159	40.2 %
4	Restless	525	18.2 %
5	Very restless	104	3.6 %
Missing Data			
-9	Missing	7	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1292-1293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPUR1: How often get up to urinate

How often do you usually get up from bed at night to urinate?

Value	Label	Unweighted Frequency	%
1	Never	492	17.1 %
2	Rarely (< once a week)	714	24.8 %
3	Once/week	174	6.0 %
4	A few times/week	534	18.5 %
5	Once a night, every night	630	21.9 %
6	More than once per night	312	10.8 %
Missing Data			
-9	Missing	7	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1294-1295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTI1: Urinary tract infection since last visit

Since your last study visit, have you had any urinary tract infections?

Value	Label	Unweighted Frequency	%
1	No	2604	90.4 %
2	Yes	250	8.7 %
Missing Data			
-9	Missing	8	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1296-1297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INVOLEA1: Involuntary leakage

Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

Value	Label	Unweighted Frequency	%
1	No	1192	41.4 %
2	Yes	1659	57.6 %
	Missing Data		
-9	Missing	11	0.4 %
.	-	19	0.7 %
	Total	2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1298-1299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYSLEA1: Leakage days past month

In the last month, about how many days have you lost any urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	Never	221	7.7 %
2	Less than 1 day/week	955	33.1 %
3	Several days/week	320	11.1 %
4	Almost daily/daily	157	5.4 %
	Missing Data		
-9	Missing	6	0.2 %
-1	N/A	1204	41.8 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,653 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1300-1301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGHIN1: Coughing caused leakage

Under what circumstances does it occur?

Coughing?

Value	Label	Unweighted Frequency	%
1	No	637	22.1 %
2	Yes	920	31.9 %
	Missing Data		
-9	Missing	100	3.5 %
-1	N/A	1206	41.9 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,557 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1302-1303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LAUGHIN1: Laughing caused leakage

Under what circumstances does it occur?

Laughing?

Value	Label	Unweighted Frequency	%
1	No	1042	36.2 %
2	Yes	462	16.0 %
	Missing Data		
-9	Missing	153	5.3 %
-1	N/A	1206	41.9 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,504 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1304-1305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SNEEZIN1: Sneezing caused leakage

Under what circumstances does it occur?

Sneezing?

Value	Label	Unweighted Frequency	%
1	No	579	20.1 %
2	Yes	983	34.1 %
	Missing Data		
-9	Missing	96	3.3 %
-1	N/A	1205	41.8 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,562 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1306-1307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOGGING1: Jogging caused leakage

Under what circumstances does it occur?

Jogging?

Value	Label	Unweighted Frequency	%
1	No	1289	44.7 %
2	Yes	189	6.6 %
	Missing Data		
-9	Missing	177	6.1 %
-1	N/A	1208	41.9 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,478 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1308-1309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PICKUP1: Picking up object caused leakage

Under what circumstances does it occur?

Picking up an object from the floor?

Value	Label	Unweighted Frequency	%
1	No	1357	47.1 %
2	Yes	121	4.2 %
	Missing Data		
-9	Missing	177	6.1 %
-1	N/A	1207	41.9 %
.	-	19	0.7 %
	Total	2,881	100%

Based upon 1,478 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1310-1311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

URGEVOI1: Urge to void caused leakage

Under what circumstances does it occur?

When you have an urge to void and can't get to a toilet fast enough?

Value	Label	Unweighted Frequency	%
1	No	733	25.4 %
2	Yes	822	28.5 %
	Missing Data		
-9	Missing	103	3.6 %
-1	N/A	1205	41.8 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,555 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1312-1313 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRLEA1: Other causes of leakage

Under what circumstances does it occur?

Other? Please specify.

Value	Label	Unweighted Frequency	%
1	No	1209	42.0 %
2	Yes	168	5.8 %
	Missing Data		
-9	Missing	279	9.7 %
-1	N/A	1207	41.9 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,377 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1314-1315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AMTLEAK1: Amount of leakage

How much urine do you lose when you leak?

Value	Label	Unweighted Frequency	%
1	A drop or two	1068	37.1 %
2	Enough to change underwear/wear liner	542	18.8 %
3	Enough to wet outer clothing	39	1.4 %
4	Enough to wet floor	5	0.2 %
	Missing Data		
-9	Missing	4	0.1 %
-1	N/A	1205	41.8 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 1,654 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 1316-1317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKBOT1: Leakage bothers (scale 0-10)

On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you?

Value	Label	Unweighted Frequency	%
0	-	144	5.0 %
1	-	219	7.6 %
2	-	199	6.9 %
3	-	185	6.4 %
4	-	113	3.9 %
5	-	303	10.5 %
6	-	86	3.0 %
7	-	109	3.8 %
8	-	101	3.5 %
9	-	44	1.5 %
10	-	152	5.3 %
Missing Data			
-9	Missing	4	0.1 %
-1	N/A	1204	41.8 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 1,655 valid cases out of 2,881 total cases.

- Mean: 4.32
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.00

Location: 1318-1319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRIRE1: Nutritional remedies past year

In the past 12 months, have you used any of the following for any reason? Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?

Value	Label	Unweighted Frequency	%
1	No	1826	63.4 %
2	Yes	1033	35.9 %
	Missing Data		
-9	Missing	4	0.1 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,859 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1320-1321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBREM1: Herbal remedies past year

In the past 12 months, have you used any of the following for any reason? Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?

Value	Label	Unweighted Frequency	%
1	No	2188	75.9 %
2	Yes	668	23.2 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1322-1323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCMET1: Psychological methods past year

In the past 12 months, have you used any of the following for any reason? Psychological methods, such as meditation, mental imagery, or relaxation techniques?

Value	Label	Unweighted Frequency	%
1	No	2283	79.2 %
2	Yes	570	19.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	10	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1324-1325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSMET1: Physical methods past year

In the past 12 months, have you used any of the following for any reason? Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?

Value	Label	Unweighted Frequency	%
1	No	2262	78.5 %
2	Yes	592	20.5 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1326-1327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLKMED1: Folk medicine past year

In the past 12 months, have you used any of the following for any reason? Folk medicine or traditional Chinese medicine?

Value	Label	Unweighted Frequency	%
1	No	2713	94.2 %
2	Yes	140	4.9 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	18	0.6 %

Value	Label	Unweighted Frequency	%
	Total	2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1328-1329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTHE1: Other diet/behavior therapies past year

Any others?

Value	Label	Unweighted Frequency	%
1	No	2509	87.1 %
2	Yes	279	9.7 %
	Missing Data		
-9	Missing	75	2.6 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,788 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1330-1331 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECOTH1: Other diet/behavior therapies-specify

[If yes] Please specify.

Value	Label	Unweighted Frequency	%
-1	N/A	0	0.0 %
-7	Refused	0	0.0 %
-8	Do not know	0	0.0 %
-9	Missing	0	0.0 %
MASKED BY ICPSR	-	2881	100.0 %
	Total	2,881	100%

Based upon 2,881 valid cases out of 2,881 total cases.

Location: 1332-1346 (width: 15; decimal: 0)

Variable Type: character

STARTNE1: Started new job/school upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	No	2133	74.0 %
2	Yes, not at all upsetting	393	13.6 %
3	Yes, somewhat upsetting	261	9.1 %
4	Yes, very upsetting	49	1.7 %
5	Yes, very upsetting and still upsetting	24	0.8 %
Missing Data			
-9	Missing	3	0.1 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,860 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1347-1348 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB1: Work problems upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	No	1852	64.3 %
2	Yes, not at all upsetting	126	4.4 %
3	Yes, somewhat upsetting	588	20.4 %
4	Yes, very upsetting	197	6.8 %
5	Yes, very upsetting and still upsetting	92	3.2 %
Missing Data			
-9	Missing	8	0.3 %

Value	Label	Unweighted Frequency	%
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,855 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1349-1350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB1: Quit job upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	No	2620	90.9 %
2	Yes, not at all upsetting	89	3.1 %
3	Yes, somewhat upsetting	79	2.7 %
4	Yes, very upsetting	37	1.3 %
5	Yes, very upsetting and still upsetting	32	1.1 %
Missing Data			
-9	Missing	6	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,857 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1351-1352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOA1: Increase work load upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Took on a greatly increased work load at job?

Value	Label	Unweighted Frequency	%
1	No	1943	67.4 %
2	Yes, not at all upsetting	362	12.6 %
3	Yes, somewhat upsetting	441	15.3 %
4	Yes, very upsetting	73	2.5 %
5	Yes, very upsetting and still upsetting	35	1.2 %
Missing Data			
-9	Missing	9	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1353-1354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM1: Partner unemployed upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	No	2654	92.1 %
2	Yes, not at all upsetting	43	1.5 %
3	Yes, somewhat upsetting	84	2.9 %
4	Yes, very upsetting	41	1.4 %
5	Yes, very upsetting and still upsetting	33	1.1 %
Missing Data			
-9	Missing	8	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,855 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1355-1356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR1: Money problems upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Major money problems?

Value	Label	Unweighted Frequency	%
1	No	2024	70.3 %
2	Yes, not at all upsetting	108	3.7 %
3	Yes, somewhat upsetting	433	15.0 %
4	Yes, very upsetting	165	5.7 %
5	Yes, very upsetting and still upsetting	122	4.2 %
Missing Data			
-9	Missing	11	0.4 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1357-1358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL1: Worsening relationship upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	No	2471	85.8 %
2	Yes, not at all upsetting	62	2.2 %
3	Yes, somewhat upsetting	158	5.5 %
4	Yes, very upsetting	87	3.0 %
5	Yes, very upsetting and still upsetting	75	2.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	10	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1359-1360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN1: Ended relationship upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	No	2688	93.3 %
2	Yes, not at all upsetting	27	0.9 %
3	Yes, somewhat upsetting	60	2.1 %
4	Yes, very upsetting	37	1.3 %
5	Yes, very upsetting and still upsetting	40	1.4 %
	Missing Data		
-9	Missing	11	0.4 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1361-1362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO1: Serious family problem upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you

experienced any of the following:

Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	No	1984	68.9 %
2	Yes, not at all upsetting	87	3.0 %
3	Yes, somewhat upsetting	357	12.4 %
4	Yes, very upsetting	234	8.1 %
5	Yes, very upsetting and still upsetting	191	6.6 %
Missing Data			
-9	Missing	10	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1363-1364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO1: Child moved upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	No	2435	84.5 %
2	Yes, not at all upsetting	178	6.2 %
3	Yes, somewhat upsetting	163	5.7 %
4	Yes, very upsetting	41	1.4 %
5	Yes, very upsetting and still upsetting	41	1.4 %
Missing Data			
-9	Missing	5	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1365-1366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR1: Responsibility for care upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	No	2451	85.1 %
2	Yes, not at all upsetting	153	5.3 %
3	Yes, somewhat upsetting	171	5.9 %
4	Yes, very upsetting	48	1.7 %
5	Yes, very upsetting and still upsetting	37	1.3 %
Missing Data			
-9	Missing	3	0.1 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,860 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1367-1368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR1: Legal problems upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Family member had legal problems or a problem with police?

Value	Label	Unweighted Frequency	%
1	No	2552	88.6 %
2	Yes, not at all upsetting	50	1.7 %
3	Yes, somewhat upsetting	124	4.3 %

Value	Label	Unweighted Frequency	%
4	Yes, very upsetting	62	2.2 %
5	Yes, very upsetting and still upsetting	66	2.3 %
Missing Data			
-9	Missing	8	0.3 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1369-1370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HUSBDIE1: Husband/partner died upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

A husband or partner died?

Value	Label	Unweighted Frequency	%
1	No	2795	97.0 %
2	Yes, not at all upsetting	6	0.2 %
3	Yes, somewhat upsetting	9	0.3 %
4	Yes, very upsetting	10	0.3 %
5	Yes, very upsetting and still upsetting	20	0.7 %
Missing Data			
-9	Missing	21	0.7 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,840 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1371-1372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHLDDIE1: Child died upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

A child died?

Value	Label	Unweighted Frequency	%
1	No	2784	96.6 %
2	Yes, not at all upsetting	4	0.1 %
3	Yes, somewhat upsetting	5	0.2 %
4	Yes, very upsetting	5	0.2 %
5	Yes, very upsetting and still upsetting	10	0.3 %
Missing Data			
-9	Missing	53	1.8 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,808 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRNTDIE1: Parent died upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

A parent died?

Value	Label	Unweighted Frequency	%
1	No	2641	91.7 %
2	Yes, not at all upsetting	15	0.5 %
3	Yes, somewhat upsetting	42	1.5 %
4	Yes, very upsetting	47	1.6 %
5	Yes, very upsetting and still upsetting	78	2.7 %
Missing Data			
-9	Missing	39	1.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,823 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1375-1376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE1: Other close friend/relative died upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

A close friend or family member other than a husband/partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	No	2120	73.6 %
2	Yes, not at all upsetting	112	3.9 %
3	Yes, somewhat upsetting	336	11.7 %
4	Yes, very upsetting	191	6.6 %
5	Yes, very upsetting and still upsetting	92	3.2 %
Missing Data			
-9	Missing	11	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1377-1378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO1: Violent event to self upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	No	2716	94.3 %
2	Yes, not at all upsetting	14	0.5 %

Value	Label	Unweighted Frequency	%
3	Yes, somewhat upsetting	49	1.7 %
4	Yes, very upsetting	48	1.7 %
5	Yes, very upsetting and still upsetting	29	1.0 %
Missing Data			
-9	Missing	6	0.2 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMILVIO1: Violent event to other family member upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	No	2631	91.3 %
2	Yes, not at all upsetting	18	0.6 %
3	Yes, somewhat upsetting	98	3.4 %
4	Yes, very upsetting	71	2.5 %
5	Yes, very upsetting and still upsetting	39	1.4 %
Missing Data			
-9	Missing	5	0.2 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,857 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL1: Serious illness family upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	No	2160	75.0 %
2	Yes, not at all upsetting	49	1.7 %
3	Yes, somewhat upsetting	295	10.2 %
4	Yes, very upsetting	197	6.8 %
5	Yes, very upsetting and still upsetting	155	5.4 %
Missing Data			
-9	Missing	6	0.2 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN1: Other major event upsetting past year

These next questions ask about events that we sometimes experience in our lives. Since your last study visit, have you experienced any of the following:

Other major event not included above?

Value	Label	Unweighted Frequency	%
1	No	2491	86.5 %
2	Yes, not at all upsetting	26	0.9 %
3	Yes, somewhat upsetting	119	4.1 %
4	Yes, very upsetting	99	3.4 %
5	Yes, very upsetting and still upsetting	94	3.3 %
Missing Data			
-9	Missing	32	1.1 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,829 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1385-1386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GRAYHAI1: Dreaded gray hair

Please indicate the extent you personally agree or disagree with the following statements about yourself:

I have never dreaded the day I would look in the mirror and see gray hairs.

Value	Label	Unweighted Frequency	%
1	Strongly agree	658	22.8 %
2	Agree	764	26.5 %
3	Neither agree or disagree	679	23.6 %
4	Disagree	604	21.0 %
5	Strongly disagree	153	5.3 %
Missing Data			
-9	Missing	3	0.1 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMAGNOL1: Not bothered imagine being old

Please indicate the extent you personally agree or disagree with the following statements about yourself:

It doesn't bother me at all to imagine myself being old.

Value	Label	Unweighted Frequency	%
1	Strongly agree	365	12.7 %
2	Agree	738	25.6 %
3	Neither agree or disagree	600	20.8 %

Value	Label	Unweighted Frequency	%
4	Disagree	972	33.7 %
5	Strongly disagree	181	6.3 %
Missing Data			
-9	Missing	5	0.2 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOOKSAG1: Not bothered looks change w/ age

Please indicate the extent you personally agree or disagree with the following statements about yourself:

When I look in the mirror, it doesn't bother me to see how my looks have changed with age.

Value	Label	Unweighted Frequency	%
1	Strongly agree	324	11.2 %
2	Agree	792	27.5 %
3	Neither agree or disagree	544	18.9 %
4	Disagree	1026	35.6 %
5	Strongly disagree	174	6.0 %
Missing Data			
-9	Missing	1	0.0 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,860 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1391-1392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOODOLD1: Expect to feel good about life when old

Please indicate the extent you personally agree or disagree with the following statements about yourself:

I expect to feel good about life when I am old.

Value	Label	Unweighted Frequency	%
1	Strongly agree	788	27.4 %
2	Agree	1529	53.1 %
3	Neither agree or disagree	389	13.5 %
4	Disagree	106	3.7 %
5	Strongly disagree	46	1.6 %
Missing Data			
-9	Missing	3	0.1 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1393-1394 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEAROLD1: Hard to find contentment when old

Please indicate the extent you personally agree or disagree with the following statements about yourself:

I fear it will be very hard for me to find contentment in old age.

Value	Label	Unweighted Frequency	%
1	Strongly agree	93	3.2 %
2	Agree	231	8.0 %
3	Neither agree or disagree	517	17.9 %
4	Disagree	1349	46.8 %
5	Strongly disagree	668	23.2 %
Missing Data			
-9	Missing	3	0.1 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PLNTYOC1: Plenty to occupy time when old

Please indicate the extent you personally agree or disagree with the following statements about yourself:

I will have plenty to occupy my time when I am old.

Value	Label	Unweighted Frequency	%
1	Strongly agree	839	29.1 %
2	Agree	1334	46.3 %
3	Neither agree or disagree	434	15.1 %
4	Disagree	149	5.2 %
5	Strongly disagree	63	2.2 %
Missing Data			
-9	Missing	1	0.0 %
-	-	61	2.1 %
Total		2,881	100%

Based upon 2,819 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1397-1398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AGEWORS1: Feel worse about self as age

Please indicate the extent you personally agree or disagree with the following statements about yourself:

As I age I feel worse about myself.

Value	Label	Unweighted Frequency	%
1	Strongly agree	63	2.2 %
2	Agree	263	9.1 %
3	Neither agree or disagree	495	17.2 %
4	Disagree	1235	42.9 %
5	Strongly disagree	802	27.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	3	0.1 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,858 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1399-1400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

STEADY1: I am a steady person

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I am a steady person.

Value	Label	Unweighted Frequency	%
1	Not at all like me	44	1.5 %
2	A little like me	220	7.6 %
3	Somewhat like me	741	25.7 %
4	A lot like me	1845	64.0 %
	Missing Data		
-9	Missing	11	0.4 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,850 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1401-1402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SATISMY1: Satisfied w/ myself

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I feel satisfied with myself.

Value	Label	Unweighted Frequency	%
1	Not at all like me	113	3.9 %
2	A little like me	355	12.3 %
3	Somewhat like me	1150	39.9 %
4	A lot like me	1235	42.9 %
	Missing Data		
-9	Missing	8	0.3 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVRES1: I feel nervous and restless

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I feel nervous and restless.

Value	Label	Unweighted Frequency	%
1	Not at all like me	1252	43.5 %
2	A little like me	963	33.4 %
3	Somewhat like me	469	16.3 %
4	A lot like me	165	5.7 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,849 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPYAS1: Wish could be as happy as others

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I wish I could be as happy as others seem to be.

Value	Label	Unweighted Frequency	%
1	Not at all like me	1477	51.3 %
2	A little like me	660	22.9 %
3	Somewhat like me	462	16.0 %
4	A lot like me	250	8.7 %
Missing Data			
-9	Missing	12	0.4 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,849 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1407-1408 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILUREA1: Feel like failure

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I feel like a failure.

Value	Label	Unweighted Frequency	%
1	Not at all like me	2132	74.0 %
2	A little like me	457	15.9 %
3	Somewhat like me	157	5.4 %
4	A lot like me	105	3.6 %
Missing Data			
-9	Missing	10	0.3 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

TURMOIL1: Get in state of turmoil/tension

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I get in a state of turmoil or tension as I think over my recent concerns and interests.

Value	Label	Unweighted Frequency	%
1	Not at all like me	1387	48.1 %
2	A little like me	847	29.4 %
3	Somewhat like me	414	14.4 %
4	A lot like me	200	6.9 %
Missing Data			
-9	Missing	13	0.5 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,848 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SECURE1: I feel secure

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I feel secure.

Value	Label	Unweighted Frequency	%
1	Not at all like me	167	5.8 %
2	A little like me	406	14.1 %
3	Somewhat like me	1021	35.4 %

Value	Label	Unweighted Frequency	%
4	A lot like me	1250	43.4 %
	Missing Data		
-9	Missing	16	0.6 %
.	-	21	0.7 %
	Total	2,881	100%

Based upon 2,844 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1413-1414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LACKCON1: I lack self-confidence

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I lack self-confidence.

Value	Label	Unweighted Frequency	%
1	Not at all like me	1357	47.1 %
2	A little like me	891	30.9 %
3	Somewhat like me	419	14.5 %
4	A lot like me	179	6.2 %
	Missing Data		
-9	Missing	15	0.5 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,846 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1415-1416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADEQUAT1: I feel inadequate

A number of statements that people have used to describe themselves are given below. Please read each

statement and circle the number that represents how you generally feel:

I feel inadequate.

Value	Label	Unweighted Frequency	%
1	Not at all like me	1664	57.8 %
2	A little like me	764	26.5 %
3	Somewhat like me	302	10.5 %
4	A lot like me	115	4.0 %
	Missing Data		
-9	Missing	15	0.5 %
.	-	21	0.7 %
	Total	2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1417-1418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORYMUC1: Worry too much

A number of statements that people have used to describe themselves are given below. Please read each statement and circle the number that represents how you generally feel:

I worry too much over something that does not matter.

Value	Label	Unweighted Frequency	%
1	Not at all like me	1084	37.6 %
2	A little like me	1012	35.1 %
3	Somewhat like me	472	16.4 %
4	A lot like me	284	9.9 %
	Missing Data		
-9	Missing	9	0.3 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1419-1420 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMPLYPA1: Employed for pay

Are you currently employed for pay?

Value	Label	Unweighted Frequency	%
1	No	564	19.6 %
2	Yes	2287	79.4 %
	Missing Data		
-9	Missing	12	0.4 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,851 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDJO1: How rewarding is job

How rewarding is your job?

Value	Label	Unweighted Frequency	%
1	Not at all	57	2.0 %
2	A little	199	6.9 %
3	Somewhat	660	22.9 %
4	Quite a bit	964	33.5 %
5	Extremely	370	12.8 %
	Missing Data		
-9	Missing	36	1.2 %
-1	N/A	577	20.0 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,250 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1423-1424 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSJO1: How stressful is job

How stressful is your job?

Value	Label	Unweighted Frequency	%
1	Not at all	159	5.5 %
2	A little	394	13.7 %
3	Somewhat	722	25.1 %
4	Quite a bit	647	22.5 %
5	Extremely	331	11.5 %
Missing Data			
-9	Missing	33	1.1 %
-1	N/A	577	20.0 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,253 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1425-1426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTCAR1: Caring for older/disabled family member

Are you currently caring for an older or disabled family member?

Value	Label	Unweighted Frequency	%
1	No	2495	86.6 %
2	Yes	340	11.8 %
Missing Data			
-9	Missing	24	0.8 %
.	-	22	0.8 %
Total		2,881	100%

Based upon 2,835 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1427-1428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDCAR1: How rewarding caregiver role

How rewarding is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not at all	21	0.7 %
2	A little	44	1.5 %
3	Somewhat	115	4.0 %
4	Quite a bit	103	3.6 %
5	Extremely	54	1.9 %
Missing Data			
-9	Missing	3	0.1 %
-1	N/A	2523	87.6 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 337 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRSCAR1: How stressful caregiver role

How stressful is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not at all	28	1.0 %
2	A little	67	2.3 %
3	Somewhat	114	4.0 %
4	Quite a bit	89	3.1 %
5	Extremely	40	1.4 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	2523	87.6 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 338 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTMAR1: Currently married/committed relationship

Are you currently married or in a committed relationship?

Value	Label	Unweighted Frequency	%
1	No	711	24.7 %
2	Yes	2145	74.5 %
	Missing Data		
-9	Missing	7	0.2 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1433-1434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDREL1: How rewarding is relationship

How rewarding is this relationship?

Value	Label	Unweighted Frequency	%
1	Not at all	61	2.1 %
2	A little	129	4.5 %
3	Somewhat	406	14.1 %
4	Quite a bit	850	29.5 %
5	Extremely	675	23.4 %
	Missing Data		
-9	Missing	21	0.7 %
-1	N/A	721	25.0 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,121 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1435-1436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSREL1: How stressful is relationship

How stressful is this relationship?

Value	Label	Unweighted Frequency	%
1	Not at all	508	17.6 %
2	A little	784	27.2 %
3	Somewhat	521	18.1 %
4	Quite a bit	222	7.7 %
5	Extremely	85	3.0 %
Missing Data			
-9	Missing	22	0.8 %
-1	N/A	721	25.0 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,120 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDRE1: Have children/stepchildren

Do you have any children or stepchildren

Value	Label	Unweighted Frequency	%
1	No	492	17.1 %
2	Yes	2364	82.1 %
Missing Data			
-9	Missing	7	0.2 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,856 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDMO1: How rewarding is role as mother

How rewarding is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not at all	28	1.0 %
2	A little	54	1.9 %
3	Somewhat	285	9.9 %
4	Quite a bit	857	29.7 %
5	Extremely	1123	39.0 %
Missing Data			
-9	Missing	16	0.6 %
-1	N/A	500	17.4 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,347 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSMO1: How stressful is role as mother

How stressful is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not at all	265	9.2 %
2	A little	676	23.5 %
3	Somewhat	759	26.3 %
4	Quite a bit	447	15.5 %
5	Extremely	203	7.0 %
Missing Data			
-9	Missing	13	0.5 %
-1	N/A	500	17.4 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,350 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME1: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	Less than \$19,999	341	11.8 %
2	\$20,000 to \$49,999	856	29.7 %
3	\$50,000 to \$99,999	1075	37.3 %
4	\$100,000 or more	493	17.1 %
	Missing Data		
-9	Missing	7	0.2 %
-8	Do not know	32	1.1 %
-7	Refused	59	2.0 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,765 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1445-1446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AWAREBO1: Aware things happening w/ body

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general:

I am often aware of various things happening within my body.

Value	Label	Unweighted Frequency	%
1	Not at all true	95	3.3 %
2	A little bit true	406	14.1 %
3	Moderately true	668	23.2 %
4	Quite a bit true	1042	36.2 %
5	Extremely true	642	22.3 %
	Missing Data		
-9	Missing	10	0.3 %
.	-	18	0.6 %
	Total	2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1447-1448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

NOISES1: Sudden noises bother me

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general:

Sudden loud noises really bother me.

Value	Label	Unweighted Frequency	%
1	Not at all true	549	19.1 %
2	A little bit true	912	31.7 %
3	Moderately true	625	21.7 %
4	Quite a bit true	536	18.6 %
5	Extremely true	230	8.0 %
Missing Data			
-9	Missing	11	0.4 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1449-1450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HOTCOLD1: Hate being too hot/cold

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general:

I hate to be too hot or too cold.

Value	Label	Unweighted Frequency	%
1	Not at all true	183	6.4 %
2	A little bit true	598	20.8 %

Value	Label	Unweighted Frequency	%
3	Moderately true	796	27.6 %
4	Quite a bit true	776	26.9 %
5	Extremely true	497	17.3 %
Missing Data			
-9	Missing	12	0.4 %
.	-	19	0.7 %
Total		2,881	100%

Based upon 2,850 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1451-1452 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HUNGER1: Quick to sense hunger

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general:

I am quick to sense the hunger contractions in my stomach.

Value	Label	Unweighted Frequency	%
1	Not at all true	279	9.7 %
2	A little bit true	667	23.2 %
3	Moderately true	767	26.6 %
4	Quite a bit true	686	23.8 %
5	Extremely true	455	15.8 %
Missing Data			
-9	Missing	9	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,854 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1453-1454 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

STNDPAI1: Can't stand pain

The next question deals with how you respond to your physical senses. For each item, please indicate the degree to which each statement is true of you in general:

I can't stand pain.

Value	Label	Unweighted Frequency	%
1	Not at all true	532	18.5 %
2	A little bit true	1051	36.5 %
3	Moderately true	742	25.8 %
4	Quite a bit true	309	10.7 %
5	Extremely true	221	7.7 %
Missing Data			
-9	Missing	8	0.3 %
.	-	18	0.6 %
Total		2,881	100%

Based upon 2,855 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1455-1456 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPBEST1: I usually expect best

Please read the following statements about yourself and indicate how much the statement describes the way you usually are:

In uncertain times, I usually expect the best.

Value	Label	Unweighted Frequency	%
0	Not at all like me	246	8.5 %
1	A little like me	586	20.3 %
2	Somewhat like me	1092	37.9 %
3	A lot like me	885	30.7 %
Missing Data			
-9	Missing	10	0.3 %
.	-	62	2.2 %
Total		2,881	100%

Based upon 2,809 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOWRONG1: Expect things to go wrong

Please read the following statements about yourself and indicate how much the statement describes the way you usually are:

If something can go wrong for me, it will.

Value	Label	Unweighted Frequency	%
0	Not at all like me	1088	37.8 %
1	A little like me	1043	36.2 %
2	Somewhat like me	478	16.6 %
3	A lot like me	236	8.2 %
Missing Data			
-9	Missing	15	0.5 %
.	-	21	0.7 %
Total		2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OPTIMIS1: Always optimistic about future

Please read the following statements about yourself and indicate how much the statement describes the way you usually are:

I'm always optimistic about my future.

Value	Label	Unweighted Frequency	%
0	Not at all like me	141	4.9 %
1	A little like me	470	16.3 %
2	Somewhat like me	1142	39.6 %
3	A lot like me	1090	37.8 %
Missing Data			
-9	Missing	17	0.6 %

Value	Label	Unweighted Frequency	%
.	-	21	0.7 %
Total		2,881	100%

Based upon 2,843 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRDLEXP1: Hardly ever expect things go my way

Please read the following statements about yourself and indicate how much the statement describes the way you usually are:

I hardly ever expect things to go my way.

Value	Label	Unweighted Frequency	%
0	Not at all like me	1503	52.2 %
1	A little like me	838	29.1 %
2	Somewhat like me	376	13.1 %
3	A lot like me	129	4.5 %
	Missing Data		
-9	Missing	14	0.5 %
.	-	21	0.7 %
Total		2,881	100%

Based upon 2,846 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1463-1464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOODTHI1: Good things to happen rarely to me

Please read the following statements about yourself and indicate how much the statement describes the way you usually are:

I rarely count on good things happening to me.

Value	Label	Unweighted Frequency	%
0	Not at all like me	1561	54.2 %
1	A little like me	702	24.4 %
2	Somewhat like me	393	13.6 %
3	A lot like me	196	6.8 %
Missing Data			
-9	Missing	8	0.3 %
.	-	21	0.7 %
Total		2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1465-1466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MOREGOO1: Overall, expect more good than bad

Please read the following statements about yourself and indicate how much the statement describes the way you usually are:

Overall, I expect more good things to happen to me than bad.

Value	Label	Unweighted Frequency	%
0	Not at all like me	119	4.1 %
1	A little like me	299	10.4 %
2	Somewhat like me	727	25.2 %
3	A lot like me	1707	59.3 %
Missing Data			
-9	Missing	8	0.3 %
.	-	21	0.7 %
Total		2,881	100%

Based upon 2,852 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1467-1468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

COURTES1: Treated w/ less courtesy than others

In your day-to-day life have you had the following experiences:

You are treated with less courtesy than other people.

Value	Label	Unweighted Frequency	%
1	Often	54	1.9 %
2	Sometimes	573	19.9 %
3	Rarely	1492	51.8 %
4	Never	727	25.2 %
Missing Data			
-9	Missing	15	0.5 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,846 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1469-1470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPECT1: Treated w/ less respect than others

In your day-to-day life have you had the following experiences:

You are treated with less respect than other people.

Value	Label	Unweighted Frequency	%
1	Often	49	1.7 %
2	Sometimes	532	18.5 %
3	Rarely	1511	52.4 %
4	Never	755	26.2 %
Missing Data			
-9	Missing	14	0.5 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,847 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1471-1472 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

POORSER1: Received poorer service than others

In your day-to-day life have you had the following experiences:

You receive poorer service than other people at restaurants or stores.

Value	Label	Unweighted Frequency	%
1	Often	30	1.0 %
2	Sometimes	370	12.8 %
3	Rarely	1464	50.8 %
4	Never	981	34.1 %
Missing Data			
-9	Missing	16	0.6 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1473-1474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTSMAR1: People think not as smart as others

In your day-to-day life have you had the following experiences:

People act as if they think you are not smart.

Value	Label	Unweighted Frequency	%
1	Often	55	1.9 %
2	Sometimes	434	15.1 %
3	Rarely	1318	45.7 %
4	Never	1038	36.0 %
Missing Data			
-9	Missing	16	0.6 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1475-1476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAIDO1: People act as if afraid of you

In your day-to-day life have you had the following experiences:

People act as if they are afraid of you.

Value	Label	Unweighted Frequency	%
1	Often	41	1.4 %
2	Sometimes	370	12.8 %
3	Rarely	1050	36.4 %
4	Never	1384	48.0 %
Missing Data			
-9	Missing	16	0.6 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1477-1478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISHONS1: People think you are dishonest

In your day-to-day life have you had the following experiences:

People act as if they think you are dishonest.

Value	Label	Unweighted Frequency	%
1	Often	11	0.4 %
2	Sometimes	126	4.4 %
3	Rarely	843	29.3 %
4	Never	1864	64.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	17	0.6 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,844 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1479-1480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTER1: People act as if better than you

In your day-to-day life have you had the following experiences:

People act as if they're better than you are.

Value	Label	Unweighted Frequency	%
1	Often	57	2.0 %
2	Sometimes	691	24.0 %
3	Rarely	1318	45.7 %
4	Never	779	27.0 %
	Missing Data		
-9	Missing	16	0.6 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1481-1482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULTE1: Insulted by other people

In your day-to-day life have you had the following experiences:

You or your family members are called names or insulted.

Value	Label	Unweighted Frequency	%
1	Often	16	0.6 %
2	Sometimes	158	5.5 %
3	Rarely	744	25.8 %
4	Never	1928	66.9 %
	Missing Data		
-9	Missing	15	0.5 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,846 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1483-1484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARASSE1: Harassed by other people

In your day-to-day life have you had the following experiences:

You are threatened or harassed.

Value	Label	Unweighted Frequency	%
1	Often	14	0.5 %
2	Sometimes	103	3.6 %
3	Rarely	602	20.9 %
4	Never	2124	73.7 %
	Missing Data		
-9	Missing	18	0.6 %
.	-	20	0.7 %
	Total	2,881	100%

Based upon 2,843 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1485-1486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IGNORED1: Ignored by other people

In your day-to-day life have you had the following experiences:

People ignore you or act as if you are not there.

Value	Label	Unweighted Frequency	%
1	Often	35	1.2 %
2	Sometimes	403	14.0 %
3	Rarely	1132	39.3 %
4	Never	1276	44.3 %
Missing Data			
-9	Missing	15	0.5 %
.	-	20	0.7 %
Total		2,881	100%

Based upon 2,846 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1487-1488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRACE1: Because of race

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Race.

Value	Label	Unweighted Frequency	%
1	No	743	25.8 %
2	Yes	554	19.2 %
Missing Data			
-9	Missing	62	2.2 %
-1	N/A	1500	52.1 %
.	-	22	0.8 %
Total		2,881	100%

Based upon 1,297 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1489-1490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCETHN1: Because of ethnicity

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Ethnicity.

Value	Label	Unweighted Frequency	%
1	No	859	29.8 %
2	Yes	422	14.6 %
	Missing Data		
-9	Missing	78	2.7 %
-1	N/A	1500	52.1 %
.	-	22	0.8 %
	Total	2,881	100%

Based upon 1,281 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1491-1492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCGENDR1: Because of gender

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Gender.

Value	Label	Unweighted Frequency	%
1	No	637	22.1 %
2	Yes	652	22.6 %
	Missing Data		
-9	Missing	70	2.4 %
-1	N/A	1500	52.1 %
.	-	22	0.8 %
	Total	2,881	100%

Based upon 1,289 valid cases out of 2,881 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1493-1494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCAGE1: Because of age

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Age.

Value	Label	Unweighted Frequency	%
1	No	938	32.6 %
2	Yes	344	11.9 %
	Missing Data		
-9	Missing	77	2.7 %
-1	N/A	1500	52.1 %
.	-	22	0.8 %
	Total	2,881	100%

Based upon 1,282 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1495-1496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCINCM1: Because of income level

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Income level.

Value	Label	Unweighted Frequency	%
1	No	965	33.5 %
2	Yes	315	10.9 %
	Missing Data		
-9	Missing	78	2.7 %
-1	N/A	1501	52.1 %
.	-	22	0.8 %
	Total	2,881	100%

Based upon 1,280 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1497-1498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCLANG1: Because of language

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Language.

Value	Label	Unweighted Frequency	%
1	No	1115	38.7 %
2	Yes	166	5.8 %
Missing Data			
-9	Missing	77	2.7 %
-1	N/A	1501	52.1 %
.	-	22	0.8 %
Total		2,881	100%

Based upon 1,281 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1499-1500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCWGHT1: Because of weight

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Body weight.

Value	Label	Unweighted Frequency	%
1	No	983	34.1 %
2	Yes	299	10.4 %
Missing Data			
-9	Missing	77	2.7 %
-1	N/A	1500	52.1 %

Value	Label	Unweighted Frequency	%
.	-	22	0.8 %
Total		2,881	100%

Based upon 1,282 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1501-1502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPHAPP1: Because of physical appearance

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Physical appearance (other than body weight).

Value	Label	Unweighted Frequency	%
1	No	964	33.5 %
2	Yes	313	10.9 %
Missing Data			
-9	Missing	82	2.8 %
-1	N/A	1500	52.1 %
.	-	22	0.8 %
Total		2,881	100%

Based upon 1,277 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1503-1504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCORIEN1: Because of sexual orientation

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Sexual orientation.

Value	Label	Unweighted Frequency	%
1	No	1190	41.3 %

Value	Label	Unweighted Frequency	%
2	Yes	85	3.0 %
	Missing Data		
-9	Missing	84	2.9 %
-1	N/A	1500	52.1 %
.	-	22	0.8 %
	Total	2,881	100%

Based upon 1,275 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1505-1506 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHEREX1: Because of other reason

Were any of the following reasons why you "sometimes" or "often" had these experiences?

Other.

Value	Label	Unweighted Frequency	%
1	No	916	31.8 %
2	Yes	265	9.2 %
	Missing Data		
-9	Missing	175	6.1 %
-1	N/A	1502	52.1 %
.	-	23	0.8 %
	Total	2,881	100%

Based upon 1,181 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1507-1508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKER1: Current smoker

Value	Label	Unweighted Frequency	%
0	No	2425	84.2 %
1	Yes	419	14.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	37	1.3 %
	Total	2,881	100%

Based upon 2,844 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1509-1510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY1: Self-administered-Part B day

Value	Label	Unweighted Frequency	%
202	-	1	0.0 %
241	-	1	0.0 %
251	-	2	0.1 %
252	-	1	0.0 %
256	-	1	0.0 %
261	-	1	0.0 %
268	-	1	0.0 %
269	-	1	0.0 %
273	-	2	0.1 %
274	-	4	0.1 %
275	-	1	0.0 %
277	-	1	0.0 %
281	-	1	0.0 %
283	-	3	0.1 %
284	-	1	0.0 %
285	-	1	0.0 %
286	-	1	0.0 %
287	-	3	0.1 %
289	-	1	0.0 %
290	-	1	0.0 %
291	-	1	0.0 %
292	-	4	0.1 %
293	-	1	0.0 %
294	-	2	0.1 %
295	-	2	0.1 %
296	-	5	0.2 %

Value	Label	Unweighted Frequency	%
297	-	3	0.1 %
299	-	2	0.1 %
300	-	6	0.2 %
301	-	7	0.2 %
302	-	3	0.1 %
303	-	4	0.1 %
304	-	2	0.1 %
305	-	2	0.1 %
306	-	2	0.1 %
307	-	2	0.1 %
308	-	9	0.3 %
309	-	6	0.2 %
310	-	7	0.2 %
311	-	3	0.1 %
312	-	6	0.2 %
313	-	6	0.2 %
314	-	3	0.1 %
315	-	13	0.5 %
316	-	4	0.1 %
317	-	6	0.2 %
318	-	1	0.0 %
319	-	8	0.3 %
320	-	15	0.5 %
321	-	14	0.5 %
Missing Data			
.	-	58	2.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,823 valid cases out of 2,881 total cases.

- Mean: 376.97
- Minimum: 202.00
- Maximum: 832.00
- Standard Deviation: 47.89

Location: 1511-1513 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGSAB1: Language of Self-B

Value	Label	Unweighted Frequency	%
1	English	2422	84.1 %
2	Spanish	199	6.9 %
3	Cantonese	85	3.0 %
4	Japanese	112	3.9 %
Missing Data			
-9	Missing	5	0.2 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,818 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1514-1515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPORSE1: Importance of sex

How important is sex in your life?

Value	Label	Unweighted Frequency	%
1	Extremely important	203	7.0 %
2	Quite important	635	22.0 %
3	Moderately important	1205	41.8 %
4	Not very important	562	19.5 %
5	Not at all important	197	6.8 %
Missing Data			
-9	Missing	21	0.7 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,802 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1516-1517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESIRSE1: Desire to engage in sex

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	Not at all	260	9.0 %
2	Once or twice/month	966	33.5 %
3	About once/week	795	27.6 %
4	More than once/week	699	24.3 %
5	Daily	79	2.7 %
Missing Data			
-9	Missing	24	0.8 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,799 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1518-1519 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE1: Engaged in sexual activity

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	No	647	22.5 %
2	Yes	2110	73.2 %
Missing Data			
-9	Missing	66	2.3 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,757 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1520-1521 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN1: No sex last 6 months: no partner

I have not had sex in the last 6 months because:

I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	No	205	7.1 %
2	Yes	387	13.4 %
	Missing Data		
-9	Missing	55	1.9 %
-1	N/A	2176	75.5 %
.	-	58	2.0 %
	Total	2,881	100%

Based upon 592 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1522-1523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO1: No sex last 6 months: partner physical problem

I have not had sex in the last 6 months because:

My partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	441	15.3 %
2	Yes	65	2.3 %
	Missing Data		
-9	Missing	141	4.9 %
-1	N/A	2176	75.5 %
.	-	58	2.0 %
	Total	2,881	100%

Based upon 506 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1524-1525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSR01: No sex last 6 months: physical problem

I have not had sex in the last 6 months because:

I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	466	16.2 %
2	Yes	39	1.4 %
Missing Data			
-9	Missing	142	4.9 %
-1	N/A	2176	75.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 505 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1526-1527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOSEXOT1: No sex last 6 months: other reason

I have not had sex in the last 6 months because:

Other.

Value	Label	Unweighted Frequency	%
1	No	214	7.4 %
2	Yes	132	4.6 %
Missing Data			
-9	Missing	301	10.4 %
-1	N/A	2176	75.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 346 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1528-1529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSPLE1: Physically pleasurable

In the past 6 months, how physically pleasurable was your relationship with your partner?

Value	Label	Unweighted Frequency	%
1	Extremely pleasurable	364	12.6 %
2	Very pleasurable	901	31.3 %
3	Moderately pleasurable	637	22.1 %
4	Slightly pleasurable	180	6.2 %
5	Not at all pleasurable	33	1.1 %
Missing Data			
-9	Missing	61	2.1 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,115 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1530-1531 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFY1: Emotionally satisfying

In the past 6 months, how emotionally satisfying was your relationship with your partner?

Value	Label	Unweighted Frequency	%
1	Extremely satisfying	339	11.8 %
2	Very satisfying	805	27.9 %
3	Moderately satisfying	697	24.2 %
4	Slightly satisfying	216	7.5 %
5	Not at all satisfying	55	1.9 %
Missing Data			
-9	Missing	64	2.2 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,112 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1532-1533 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

KISSING1: Frequency of sexual activity: kissing

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities?

Kissing or hugging?

Value	Label	Unweighted Frequency	%
1	Not at all	66	2.3 %
2	Once or twice/month	268	9.3 %
3	About once/week	267	9.3 %
4	More than once/week	532	18.5 %
5	Daily	971	33.7 %
Missing Data			
-9	Missing	72	2.5 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,104 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1534-1535 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

TOUCHIN1: Frequency of sexual activity: touching

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities?

Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	Not at all	54	1.9 %
2	Once or twice/month	497	17.3 %
3	About once/week	497	17.3 %
4	More than once/week	770	26.7 %
5	Daily	282	9.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	76	2.6 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
	Total	2,881	100%

Based upon 2,100 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1536-1537 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ORALSEX1: Frequency of sexual activity: oral sex

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities?

Oral sex?

Value	Label	Unweighted Frequency	%
1	Not at all	905	31.4 %
2	Once or twice/month	725	25.2 %
3	About once/week	261	9.1 %
4	More than once/week	152	5.3 %
5	Daily	5	0.2 %
	Missing Data		
-9	Missing	128	4.4 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
	Total	2,881	100%

Based upon 2,048 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1538-1539 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

INTCOUR1: Frequency of sexual activity: intercourse

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities?

Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	Not at all	86	3.0 %
2	Once or twice/month	764	26.5 %
3	About once/week	663	23.0 %
4	More than once/week	556	19.3 %
5	Daily	28	1.0 %
Missing Data			
-9	Missing	79	2.7 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,097 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1540-1541 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED1: Frequency of arousal during sexual activity

During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	616	21.4 %
2	Almost always	869	30.2 %
3	Sometimes	536	18.6 %
4	Almost never	75	2.6 %
5	Never	22	0.8 %
6	No intercourse in last 6 months	0	0.0 %
Missing Data			
-9	Missing	58	2.0 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,118 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1542-1543 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(*Range of Missing Values:* -9, -8, -7, -1, .)

PELVIC1: Vaginal or pelvic pain

During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	Always	9	0.3 %
2	Almost always	37	1.3 %
3	3 Sometimes	379	13.2 %
4	Almost never	466	16.2 %
5	Never	1154	40.1 %
6	No intercourse in last 6 months	73	2.5 %
Missing Data			
-9	Missing	58	2.0 %
-1	N/A	647	22.5 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,118 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1544-1545 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(*Range of Missing Values:* -9, -8, -7, -1, .)

LUBRICN1: Use of lubricants

During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	Always	81	2.8 %
2	Almost always	110	3.8 %
3	3 Sometimes	203	7.0 %
4	Almost never	169	5.9 %
5	Never	1499	52.0 %
6	No intercourse in last 6 months	52	1.8 %
Missing Data			
-9	Missing	61	2.1 %
-1	N/A	648	22.5 %
.	-	58	2.0 %

Value	Label	Unweighted Frequency	%
Total		2,881	100%

Based upon 2,114 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1546-1547 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB1: Frequency of masturbation

On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	Not at all	1440	50.0 %
2	Less than once/month	590	20.5 %
3	Once or twice/month	410	14.2 %
4	About once/week	195	6.8 %
5	More than once/week	95	3.3 %
6	Daily	7	0.2 %
Missing Data			
-9	Missing	85	3.0 %
-1	N/A	1	0.0 %
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,737 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1548-1549 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSABV1: Completed after visit 1 cutoff (01/31/1999)

Value	Label	Unweighted Frequency	%
0	No	2822	98.0 %
1	Yes	1	0.0 %
Missing Data			
.	-	58	2.0 %
Total		2,881	100%

Based upon 2,823 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1550-1551 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY1: Physical measures day

Value	Label	Unweighted Frequency	%
216	-	1	0.0 %
241	-	1	0.0 %
251	-	2	0.1 %
252	-	1	0.0 %
256	-	1	0.0 %
261	-	1	0.0 %
268	-	1	0.0 %
269	-	1	0.0 %
273	-	2	0.1 %
274	-	4	0.1 %
275	-	1	0.0 %
277	-	1	0.0 %
281	-	1	0.0 %
283	-	3	0.1 %
284	-	1	0.0 %
285	-	1	0.0 %
286	-	1	0.0 %
287	-	3	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
290	-	1	0.0 %
291	-	2	0.1 %
292	-	4	0.1 %
293	-	1	0.0 %
294	-	1	0.0 %
295	-	2	0.1 %
296	-	5	0.2 %
297	-	2	0.1 %
299	-	2	0.1 %
300	-	6	0.2 %
301	-	6	0.2 %

Value	Label	Unweighted Frequency	%
302	-	4	0.1 %
303	-	4	0.1 %
304	-	2	0.1 %
305	-	2	0.1 %
306	-	2	0.1 %
307	-	1	0.0 %
308	-	9	0.3 %
309	-	6	0.2 %
310	-	7	0.2 %
311	-	4	0.1 %
312	-	5	0.2 %
313	-	7	0.2 %
314	-	3	0.1 %
315	-	13	0.5 %
316	-	4	0.1 %
317	-	6	0.2 %
318	-	2	0.1 %
319	-	8	0.3 %
320	-	14	0.5 %
Missing Data			
.	-	25	0.9 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,856 valid cases out of 2,881 total cases.

- Mean: 377.47
- Minimum: 216.00
- Maximum: 706.00
- Standard Deviation: 47.57

Location: 1552-1554 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

PULSE1: Pulse, beats per 30 seconds

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
20	-	1	0.0 %
22	-	4	0.1 %
23	-	4	0.1 %

Value	Label	Unweighted Frequency	%
24	-	8	0.3 %
25	-	9	0.3 %
26	-	23	0.8 %
27	-	38	1.3 %
28	-	78	2.7 %
29	-	109	3.8 %
30	-	226	7.8 %
31	-	163	5.7 %
32	-	261	9.1 %
33	-	227	7.9 %
34	-	263	9.1 %
35	-	309	10.7 %
36	-	251	8.7 %
37	-	182	6.3 %
38	-	172	6.0 %
39	-	128	4.4 %
40	-	115	4.0 %
41	-	56	1.9 %
42	-	63	2.2 %
43	-	46	1.6 %
44	-	30	1.0 %
45	-	27	0.9 %
46	-	17	0.6 %
47	-	10	0.3 %
48	-	9	0.3 %
49	-	7	0.2 %
50	-	9	0.3 %
51	-	2	0.1 %
52	-	2	0.1 %
55	-	1	0.0 %
56	-	1	0.0 %
66	-	1	0.0 %
Missing Data			
.	-	28	1.0 %
Total		2,881	100%

Based upon 2,853 valid cases out of 2,881 total cases.

- Mean: 34.79
- Median: 35.00

- Mode: 35.00
- Minimum: 18.00
- Maximum: 66.00
- Standard Deviation: 4.56

Location: 1555-1556 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

SYSBP11: Systolic blood pressure #1

Value	Label	Unweighted Frequency	%
72	-	1	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
78	-	1	0.0 %
80	-	3	0.1 %
82	-	3	0.1 %
84	-	8	0.3 %
86	-	7	0.2 %
88	-	12	0.4 %
90	-	36	1.2 %
92	-	34	1.2 %
94	-	46	1.6 %
95	-	1	0.0 %
96	-	50	1.7 %
98	-	103	3.6 %
100	-	165	5.7 %
102	-	86	3.0 %
104	-	106	3.7 %
106	-	97	3.4 %
108	-	170	5.9 %
110	-	251	8.7 %
112	-	120	4.2 %
113	-	1	0.0 %
114	-	119	4.1 %
115	-	5	0.2 %
116	-	107	3.7 %
117	-	1	0.0 %
118	-	161	5.6 %
120	-	230	8.0 %
122	-	84	2.9 %
123	-	1	0.0 %

Value	Label	Unweighted Frequency	%
124	-	75	2.6 %
125	-	1	0.0 %
126	-	74	2.6 %
128	-	93	3.2 %
130	-	160	5.6 %
132	-	44	1.5 %
133	-	1	0.0 %
134	-	43	1.5 %
135	-	1	0.0 %
136	-	37	1.3 %
138	-	41	1.4 %
140	-	61	2.1 %
142	-	30	1.0 %
144	-	19	0.7 %
146	-	22	0.8 %
148	-	18	0.6 %
150	-	29	1.0 %
152	-	16	0.6 %
154	-	8	0.3 %
Missing Data			
.	-	35	1.2 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,846 valid cases out of 2,881 total cases.

- Mean: 116.76
- Median: 115.00
- Mode: 110.00
- Minimum: 72.00
- Maximum: 200.00
- Standard Deviation: 16.03

Location: 1557-1559 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

DIABP11: Diastolic blood pressure #1

Value	Label	Unweighted Frequency	%
40	-	3	0.1 %
42	-	2	0.1 %

Value	Label	Unweighted Frequency	%
44	-	1	0.0 %
46	-	4	0.1 %
48	-	4	0.1 %
50	-	15	0.5 %
52	-	6	0.2 %
54	-	21	0.7 %
56	-	30	1.0 %
58	-	55	1.9 %
60	-	126	4.4 %
62	-	96	3.3 %
64	-	124	4.3 %
65	-	2	0.1 %
66	-	124	4.3 %
68	-	238	8.3 %
70	-	371	12.9 %
72	-	167	5.8 %
74	-	149	5.2 %
75	-	25	0.9 %
76	-	137	4.8 %
77	-	1	0.0 %
78	-	186	6.5 %
80	-	349	12.1 %
82	-	112	3.9 %
84	-	92	3.2 %
85	-	1	0.0 %
86	-	62	2.2 %
88	-	93	3.2 %
89	-	1	0.0 %
90	-	99	3.4 %
92	-	48	1.7 %
94	-	19	0.7 %
96	-	14	0.5 %
97	-	2	0.1 %
98	-	26	0.9 %
100	-	16	0.6 %
102	-	2	0.1 %
104	-	1	0.0 %
106	-	2	0.1 %
108	-	6	0.2 %

Value	Label	Unweighted Frequency	%
109	-	1	0.0 %
110	-	6	0.2 %
112	-	4	0.1 %
120	-	3	0.1 %
	Missing Data		
.	-	35	1.2 %
	Total	2,881	100%

Based upon 2,846 valid cases out of 2,881 total cases.

- Mean: 74.35
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 120.00
- Standard Deviation: 10.35

Location: 1560-1562 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SYSBP21: Systolic blood pressure #2

Value	Label	Unweighted Frequency	%
72	-	1	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
78	-	2	0.1 %
80	-	3	0.1 %
82	-	1	0.0 %
84	-	7	0.2 %
86	-	3	0.1 %
88	-	12	0.4 %
90	-	37	1.3 %
92	-	34	1.2 %
94	-	60	2.1 %
96	-	68	2.4 %
98	-	117	4.1 %
100	-	136	4.7 %
102	-	117	4.1 %
104	-	125	4.3 %
106	-	126	4.4 %
108	-	128	4.4 %

Value	Label	Unweighted Frequency	%
110	-	243	8.4 %
112	-	123	4.3 %
113	-	1	0.0 %
114	-	112	3.9 %
115	-	5	0.2 %
116	-	115	4.0 %
117	-	1	0.0 %
118	-	145	5.0 %
119	-	1	0.0 %
120	-	225	7.8 %
122	-	92	3.2 %
124	-	71	2.5 %
125	-	1	0.0 %
126	-	81	2.8 %
128	-	93	3.2 %
130	-	129	4.5 %
132	-	53	1.8 %
133	-	2	0.1 %
134	-	40	1.4 %
136	-	39	1.4 %
138	-	45	1.6 %
140	-	49	1.7 %
142	-	24	0.8 %
144	-	22	0.8 %
146	-	21	0.7 %
148	-	19	0.7 %
150	-	20	0.7 %
152	-	21	0.7 %
154	-	11	0.4 %
156	-	6	0.2 %
158	-	9	0.3 %
Missing Data			
.	-	36	1.2 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,845 valid cases out of 2,881 total cases.

- Mean: 116.26

- Median: 114.00
- Mode: 110.00
- Minimum: 72.00
- Maximum: 196.00
- Standard Deviation: 16.08

Location: 1563-1565 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DIABP21: Diastolic blood pressure #2

Value	Label	Unweighted Frequency	%
40	-	4	0.1 %
42	-	3	0.1 %
44	-	3	0.1 %
48	-	6	0.2 %
50	-	10	0.3 %
52	-	14	0.5 %
54	-	16	0.6 %
56	-	29	1.0 %
58	-	55	1.9 %
60	-	135	4.7 %
62	-	91	3.2 %
64	-	120	4.2 %
65	-	1	0.0 %
66	-	131	4.5 %
67	-	1	0.0 %
68	-	207	7.2 %
70	-	363	12.6 %
72	-	196	6.8 %
73	-	4	0.1 %
74	-	172	6.0 %
75	-	19	0.7 %
76	-	139	4.8 %
77	-	3	0.1 %
78	-	238	8.3 %
80	-	277	9.6 %
82	-	119	4.1 %
83	-	1	0.0 %
84	-	104	3.6 %
86	-	71	2.5 %
88	-	84	2.9 %

Value	Label	Unweighted Frequency	%
90	-	89	3.1 %
92	-	45	1.6 %
94	-	22	0.8 %
96	-	19	0.7 %
97	-	1	0.0 %
98	-	16	0.6 %
100	-	13	0.5 %
102	-	5	0.2 %
104	-	2	0.1 %
108	-	4	0.1 %
110	-	6	0.2 %
112	-	3	0.1 %
113	-	1	0.0 %
116	-	1	0.0 %
118	-	1	0.0 %
120	-	1	0.0 %
Missing Data			
.	-	36	1.2 %
Total		2,881	100%

Based upon 2,845 valid cases out of 2,881 total cases.

- Mean: 74.19
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 120.00
- Standard Deviation: 10.16

Location: 1566-1568 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HEIGHT1: Height (in cm)

Value	Label	Unweighted Frequency	%
141.00	-	1	0.0 %
143.30	-	1	0.0 %
143.40	-	2	0.1 %
143.60	-	1	0.0 %
144.20	-	2	0.1 %
144.60	-	1	0.0 %
145.40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
145.50	-	1	0.0 %
145.80	-	2	0.1 %
146.20	-	1	0.0 %
146.40	-	1	0.0 %
146.50	-	1	0.0 %
146.60	-	1	0.0 %
146.70	-	2	0.1 %
146.80	-	1	0.0 %
146.90	-	1	0.0 %
147.00	-	3	0.1 %
147.10	-	2	0.1 %
147.30	-	2	0.1 %
147.40	-	1	0.0 %
147.60	-	3	0.1 %
147.70	-	4	0.1 %
147.80	-	4	0.1 %
148.00	-	4	0.1 %
148.10	-	5	0.2 %
148.30	-	1	0.0 %
148.60	-	1	0.0 %
148.70	-	2	0.1 %
148.80	-	2	0.1 %
149.00	-	5	0.2 %
149.10	-	1	0.0 %
149.20	-	3	0.1 %
149.30	-	2	0.1 %
149.40	-	4	0.1 %
149.50	-	7	0.2 %
149.60	-	5	0.2 %
149.70	-	2	0.1 %
149.80	-	1	0.0 %
149.90	-	2	0.1 %
150.00	-	9	0.3 %
150.10	-	6	0.2 %
150.20	-	1	0.0 %
150.30	-	5	0.2 %
150.40	-	4	0.1 %
150.50	-	4	0.1 %
150.60	-	2	0.1 %

Value	Label	Unweighted Frequency	%
150.70	-	2	0.1 %
150.80	-	2	0.1 %
150.90	-	2	0.1 %
151.00	-	4	0.1 %
	Missing Data		
.	-	104	3.6 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,777 valid cases out of 2,881 total cases.

- Mean: 162.35
- Minimum: 141.00
- Maximum: 185.50
- Standard Deviation: 6.68

Location: 1569-1574 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

HTMETHO1: Height measurement method

Value	Label	Unweighted Frequency	%
1	Stadiometer	2503	86.9 %
2	Portable	271	9.4 %
4	Self-reported	0	0.0 %
	Missing Data		
.	-	107	3.7 %
	Total	2,881	100%

Based upon 2,774 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1575-1576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEIGHT1: Weight (in kg)

Value	Label	Unweighted Frequency	%
39.000	-	1	0.0 %
40.900	-	3	0.1 %
41.200	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41.300	-	1	0.0 %
41.400	-	2	0.1 %
41.700	-	1	0.0 %
41.800	-	1	0.0 %
42.000	-	2	0.1 %
42.800	-	1	0.0 %
43.200	-	2	0.1 %
43.400	-	2	0.1 %
43.600	-	1	0.0 %
43.700	-	1	0.0 %
44.000	-	2	0.1 %
44.100	-	1	0.0 %
44.400	-	3	0.1 %
44.600	-	6	0.2 %
45.000	-	2	0.1 %
45.200	-	2	0.1 %
45.400	-	1	0.0 %
45.500	-	1	0.0 %
45.600	-	2	0.1 %
45.700	-	1	0.0 %
45.800	-	7	0.2 %
46.000	-	4	0.1 %
46.100	-	2	0.1 %
46.200	-	2	0.1 %
46.300	-	3	0.1 %
46.400	-	6	0.2 %
46.500	-	1	0.0 %
46.600	-	5	0.2 %
46.700	-	1	0.0 %
46.800	-	4	0.1 %
46.818	-	1	0.0 %
46.900	-	1	0.0 %
47.000	-	5	0.2 %
47.200	-	2	0.1 %
47.300	-	2	0.1 %
47.400	-	3	0.1 %
47.500	-	4	0.1 %
47.600	-	3	0.1 %
47.700	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47.800	-	3	0.1 %
47.900	-	1	0.0 %
48.000	-	4	0.1 %
48.200	-	3	0.1 %
48.300	-	1	0.0 %
48.400	-	2	0.1 %
48.500	-	2	0.1 %
48.600	-	6	0.2 %
Missing Data			
.	-	90	3.1 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,791 valid cases out of 2,881 total cases.

- Mean: 74.767
- Minimum: 39.000
- Maximum: 181.300
- Standard Deviation: 20.426

Location: 1577-1583 (width: 7; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: .

SCALE1: Weight scale type

Value	Label	Unweighted Frequency	%
1	Balance beam	1512	52.5 %
2	Clinic digital	445	15.4 %
3	Portable	820	28.5 %
4	Self-reported	2	0.1 %
Missing Data			
.	-	102	3.5 %
Total		2,881	100%

Based upon 2,779 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1584-1585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST1: Waist circumference

Value	Label	Unweighted Frequency	%
59.4	-	1	0.0 %
60.0	-	2	0.1 %
60.1	-	1	0.0 %
60.2	-	1	0.0 %
60.3	-	1	0.0 %
60.4	-	1	0.0 %
60.6	-	1	0.0 %
60.7	-	1	0.0 %
60.8	-	1	0.0 %
61.0	-	3	0.1 %
61.3	-	1	0.0 %
61.4	-	2	0.1 %
61.8	-	2	0.1 %
62.0	-	2	0.1 %
62.2	-	1	0.0 %
62.3	-	1	0.0 %
62.4	-	1	0.0 %
62.5	-	2	0.1 %
62.7	-	1	0.0 %
62.8	-	1	0.0 %
62.9	-	1	0.0 %
63.0	-	5	0.2 %
63.1	-	2	0.1 %
63.2	-	5	0.2 %
63.3	-	2	0.1 %
63.4	-	5	0.2 %
63.5	-	7	0.2 %
63.7	-	1	0.0 %
63.8	-	2	0.1 %
63.9	-	2	0.1 %
64.0	-	8	0.3 %
64.1	-	2	0.1 %
64.2	-	4	0.1 %
64.5	-	10	0.3 %
64.6	-	4	0.1 %
64.7	-	3	0.1 %
64.8	-	2	0.1 %

Value	Label	Unweighted Frequency	%
65.0	-	11	0.4 %
65.2	-	1	0.0 %
65.3	-	3	0.1 %
65.4	-	2	0.1 %
65.5	-	4	0.1 %
65.6	-	1	0.0 %
65.7	-	3	0.1 %
65.8	-	3	0.1 %
66.0	-	17	0.6 %
66.1	-	3	0.1 %
66.2	-	7	0.2 %
66.3	-	4	0.1 %
66.4	-	1	0.0 %
Missing Data			
.	-	118	4.1 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,763 valid cases out of 2,881 total cases.

- Mean: 86.69
- Minimum: 59.40
- Maximum: 173.00
- Standard Deviation: 16.27

Location: 1586-1590 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

WASTMEA1: Waist measurement taken in undergarments or light clothing

Value	Label	Unweighted Frequency	%
1	Undergarments	2288	79.4 %
2	Light clothing	459	15.9 %
Missing Data			
.	-	134	4.7 %
Total		2,881	100%

Based upon 2,747 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1591-1592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP1: Hip circumference

Value	Label	Unweighted Frequency	%
77.2	-	1	0.0 %
80.5	-	1	0.0 %
80.9	-	1	0.0 %
81.5	-	2	0.1 %
82.0	-	1	0.0 %
82.6	-	1	0.0 %
82.9	-	2	0.1 %
83.0	-	2	0.1 %
83.4	-	1	0.0 %
83.5	-	2	0.1 %
83.6	-	2	0.1 %
83.7	-	2	0.1 %
83.8	-	1	0.0 %
84.0	-	3	0.1 %
84.1	-	1	0.0 %
84.3	-	2	0.1 %
84.4	-	1	0.0 %
84.5	-	1	0.0 %
84.9	-	1	0.0 %
85.0	-	6	0.2 %
85.3	-	1	0.0 %
85.4	-	3	0.1 %
85.6	-	1	0.0 %
85.8	-	3	0.1 %
85.9	-	1	0.0 %
86.0	-	4	0.1 %
86.1	-	3	0.1 %
86.2	-	4	0.1 %
86.3	-	1	0.0 %
86.4	-	4	0.1 %
86.5	-	6	0.2 %
86.6	-	4	0.1 %
86.7	-	1	0.0 %
86.8	-	2	0.1 %
86.9	-	3	0.1 %

Value	Label	Unweighted Frequency	%
87.0	-	4	0.1 %
87.2	-	4	0.1 %
87.3	-	1	0.0 %
87.4	-	3	0.1 %
87.5	-	3	0.1 %
87.8	-	2	0.1 %
87.9	-	1	0.0 %
88.0	-	9	0.3 %
88.1	-	3	0.1 %
88.2	-	2	0.1 %
88.3	-	5	0.2 %
88.4	-	3	0.1 %
88.5	-	7	0.2 %
88.6	-	1	0.0 %
88.7	-	1	0.0 %
Missing Data			
.	-	121	4.2 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,760 valid cases out of 2,881 total cases.

- Mean: 107.18
- Minimum: 77.20
- Maximum: 191.00
- Standard Deviation: 14.88

Location: 1593-1597 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

HIPMEAS1: Hip measurement taken in undergarments or light clothing

Value	Label	Unweighted Frequency	%
1	Undergarments	2146	74.5 %
2	Light clothing	595	20.7 %
Missing Data			
.	-	140	4.9 %
Total		2,881	100%

Based upon 2,741 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1598-1599 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BMI1: Body mass index

Value	Label	Unweighted Frequency	%
14.334786629674	-	1	0.0 %
15.674117048817	-	1	0.0 %
16.662721893491	-	1	0.0 %
16.664562555233	-	1	0.0 %
16.703813670477	-	1	0.0 %
16.871828096318	-	1	0.0 %
16.913234029859	-	1	0.0 %
17.023630927681	-	1	0.0 %
17.033665352661	-	1	0.0 %
17.045867355208	-	1	0.0 %
17.089184133560	-	1	0.0 %
17.108487413678	-	1	0.0 %
17.201118864409	-	1	0.0 %
17.265589069813	-	1	0.0 %
17.421875000000	-	1	0.0 %
17.506696311339	-	1	0.0 %
17.566776271339	-	1	0.0 %
17.609757441737	-	1	0.0 %
17.625254758049	-	1	0.0 %
17.667746013780	-	1	0.0 %
17.695898377717	-	1	0.0 %
17.745896357081	-	1	0.0 %
17.866745530802	-	1	0.0 %
17.910981193880	-	1	0.0 %
17.912408323299	-	1	0.0 %
17.946848989860	-	1	0.0 %
17.979339884102	-	1	0.0 %
18.002967738132	-	1	0.0 %
18.018305508737	-	1	0.0 %
18.045438643410	-	1	0.0 %
18.105284219762	-	1	0.0 %
18.115343075668	-	1	0.0 %
18.210734621035	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.265414061436	-	1	0.0 %
18.276666776896	-	1	0.0 %
18.302167631673	-	1	0.0 %
18.419563403068	-	1	0.0 %
18.420410852995	-	1	0.0 %
18.425986717507	-	1	0.0 %
18.439262041323	-	1	0.0 %
18.546712802768	-	1	0.0 %
18.567507922137	-	1	0.0 %
18.577777777778	-	1	0.0 %
18.578534861013	-	1	0.0 %
18.644949425575	-	1	0.0 %
18.675918178274	-	1	0.0 %
18.721538202058	-	1	0.0 %
18.728738441866	-	1	0.0 %
18.732813378757	-	1	0.0 %
18.741348990484	-	1	0.0 %
	Missing Data		
.	-	114	4.0 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,767 valid cases out of 2,881 total cases.

- Mean: 28.219630028542
- Minimum: 14.334786629674
- Maximum: 62.001980000000
- Standard Deviation: 7.109966040305

Location: 1600-1614 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

HRMDAY1: Hormone measures day

Value	Label	Unweighted Frequency	%
203	-	1	0.0 %
241	-	1	0.0 %
252	-	1	0.0 %
254	-	1	0.0 %
255	-	1	0.0 %

Value	Label	Unweighted Frequency	%
261	-	1	0.0 %
265	-	1	0.0 %
268	-	1	0.0 %
272	-	1	0.0 %
274	-	2	0.1 %
277	-	1	0.0 %
280	-	1	0.0 %
281	-	1	0.0 %
282	-	1	0.0 %
284	-	1	0.0 %
286	-	1	0.0 %
287	-	2	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
291	-	2	0.1 %
292	-	1	0.0 %
293	-	3	0.1 %
294	-	2	0.1 %
295	-	2	0.1 %
296	-	5	0.2 %
297	-	2	0.1 %
298	-	1	0.0 %
299	-	1	0.0 %
300	-	4	0.1 %
301	-	4	0.1 %
302	-	4	0.1 %
303	-	2	0.1 %
304	-	5	0.2 %
305	-	2	0.1 %
307	-	3	0.1 %
308	-	6	0.2 %
309	-	3	0.1 %
310	-	1	0.0 %
311	-	1	0.0 %
312	-	4	0.1 %
313	-	2	0.1 %
314	-	7	0.2 %
315	-	8	0.3 %
316	-	4	0.1 %

Value	Label	Unweighted Frequency	%
317	-	3	0.1 %
318	-	3	0.1 %
319	-	4	0.1 %
320	-	6	0.2 %
321	-	9	0.3 %
322	-	14	0.5 %
Missing Data			
.	-	129	4.5 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,752 valid cases out of 2,881 total cases.

- Mean: 400.97
- Minimum: 203.00
- Maximum: 757.00
- Standard Deviation: 58.89

Location: 1615-1617 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

DHAS1: Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
1.6	-	1	0.0 %
3.1	-	1	0.0 %
3.8	-	1	0.0 %
6.1	-	1	0.0 %
6.5	-	1	0.0 %
7.5	-	1	0.0 %
7.9	-	1	0.0 %
8.5	-	1	0.0 %
8.6	-	1	0.0 %
9.1	-	1	0.0 %
9.3	-	1	0.0 %
10.1	-	1	0.0 %
10.4	-	1	0.0 %
10.7	-	1	0.0 %
11.5	-	1	0.0 %
11.9	-	1	0.0 %
13.2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.3	-	2	0.1 %
13.5	-	1	0.0 %
13.8	-	1	0.0 %
15.0	-	1	0.0 %
15.1	-	1	0.0 %
15.3	-	1	0.0 %
15.6	-	1	0.0 %
16.0	-	1	0.0 %
16.1	-	1	0.0 %
16.2	-	1	0.0 %
16.7	-	1	0.0 %
17.0	-	1	0.0 %
17.6	-	1	0.0 %
18.1	-	1	0.0 %
18.7	-	1	0.0 %
18.9	-	1	0.0 %
19.0	-	1	0.0 %
20.1	-	2	0.1 %
20.2	-	1	0.0 %
20.3	-	1	0.0 %
20.4	-	1	0.0 %
20.8	-	1	0.0 %
21.1	-	1	0.0 %
21.3	-	1	0.0 %
21.7	-	1	0.0 %
21.9	-	1	0.0 %
22.2	-	1	0.0 %
22.3	-	1	0.0 %
22.5	-	2	0.1 %
22.7	-	1	0.0 %
22.8	-	2	0.1 %
22.9	-	1	0.0 %
23.1	-	2	0.1 %
Missing Data			
.	-	131	4.5 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,750 valid cases out of 2,881 total cases.

- Mean: 130.14
- Minimum: 1.60
- Maximum: 527.70
- Standard Deviation: 77.64

Location: 1618-1622 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

E2AVE1: Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
5.0500000000	-	1	0.0 %
5.7000000000	-	1	0.0 %
6.1500000000	-	1	0.0 %
6.2500000000	-	1	0.0 %
6.5000000000	-	1	0.0 %
6.9500000000	-	1	0.0 %
7.1500000000	-	1	0.0 %
7.5000000000	-	1	0.0 %
7.7000000000	-	1	0.0 %
7.8500000000	-	1	0.0 %
7.9500000000	-	1	0.0 %
8.2000000000	-	1	0.0 %
8.5500000000	-	1	0.0 %
8.7500000000	-	1	0.0 %
8.8000000000	-	1	0.0 %
8.8500000000	-	1	0.0 %
8.9500000000	-	1	0.0 %
9.1000000000	-	1	0.0 %
9.4000000000	-	3	0.1 %
9.4500000000	-	1	0.0 %
9.6000000000	-	1	0.0 %
9.6500000000	-	2	0.1 %
9.7000000000	-	1	0.0 %
9.8500000000	-	1	0.0 %
9.9000000000	-	1	0.0 %
9.9500000000	-	1	0.0 %
10.1500000000	-	1	0.0 %
10.3000000000	-	3	0.1 %
10.3500000000	-	1	0.0 %
10.4000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.55000000000	-	1	0.0 %
10.60000000000	-	3	0.1 %
10.65000000000	-	1	0.0 %
10.75000000000	-	1	0.0 %
10.80000000000	-	3	0.1 %
10.95000000000	-	2	0.1 %
11.00000000000	-	1	0.0 %
11.10000000000	-	2	0.1 %
11.15000000000	-	1	0.0 %
11.20000000000	-	2	0.1 %
11.25000000000	-	1	0.0 %
11.30000000000	-	4	0.1 %
11.40000000000	-	1	0.0 %
11.45000000000	-	1	0.0 %
11.50000000000	-	1	0.0 %
11.55000000000	-	1	0.0 %
11.75000000000	-	1	0.0 %
11.80000000000	-	1	0.0 %
11.95000000000	-	1	0.0 %
12.05000000000	-	2	0.1 %
Missing Data			
.	-	129	4.5 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,752 valid cases out of 2,881 total cases.

- Mean: 74.0168059593
- Minimum: 5.0500000000
- Maximum: 1565.8000000000
- Standard Deviation: 85.1925978997

Location: 1623-1637 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

FSH1: Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
1.3	-	1	0.0 %
1.6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.7	-	1	0.0 %
2.0	-	1	0.0 %
2.4	-	3	0.1 %
2.5	-	1	0.0 %
2.8	-	2	0.1 %
2.9	-	2	0.1 %
3.0	-	2	0.1 %
3.1	-	2	0.1 %
3.2	-	3	0.1 %
3.3	-	2	0.1 %
3.4	-	2	0.1 %
3.5	-	5	0.2 %
3.6	-	4	0.1 %
3.7	-	7	0.2 %
3.9	-	3	0.1 %
4.0	-	3	0.1 %
4.1	-	3	0.1 %
4.2	-	3	0.1 %
4.3	-	3	0.1 %
4.4	-	5	0.2 %
4.5	-	1	0.0 %
4.6	-	4	0.1 %
4.7	-	4	0.1 %
4.8	-	6	0.2 %
4.9	-	4	0.1 %
5.0	-	3	0.1 %
5.1	-	5	0.2 %
5.2	-	5	0.2 %
5.3	-	5	0.2 %
5.4	-	6	0.2 %
5.5	-	4	0.1 %
5.6	-	9	0.3 %
5.7	-	3	0.1 %
5.8	-	1	0.0 %
5.9	-	6	0.2 %
6.0	-	5	0.2 %
6.1	-	3	0.1 %
6.2	-	6	0.2 %
6.3	-	4	0.1 %

Value	Label	Unweighted Frequency	%
6.4	-	6	0.2 %
6.5	-	6	0.2 %
6.6	-	5	0.2 %
6.7	-	5	0.2 %
6.8	-	8	0.3 %
6.9	-	10	0.3 %
7.0	-	4	0.1 %
7.1	-	6	0.2 %
7.2	-	5	0.2 %
Missing Data			
.	-	129	4.5 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,752 valid cases out of 2,881 total cases.

- Mean: 32.05
- Minimum: 1.30
- Maximum: 284.90
- Standard Deviation: 34.99

Location: 1638-1642 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SHBG1: Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
3.6	-	1	0.0 %
3.7	-	3	0.1 %
4.0	-	1	0.0 %
4.3	-	1	0.0 %
4.8	-	1	0.0 %
5.1	-	2	0.1 %
5.4	-	1	0.0 %
5.6	-	1	0.0 %
5.7	-	1	0.0 %
5.8	-	1	0.0 %
6.1	-	1	0.0 %
6.8	-	3	0.1 %
7.3	-	1	0.0 %
7.5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.9	-	1	0.0 %
8.2	-	1	0.0 %
8.3	-	2	0.1 %
8.4	-	1	0.0 %
8.9	-	1	0.0 %
9.1	-	3	0.1 %
10.0	-	1	0.0 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.7	-	1	0.0 %
10.9	-	3	0.1 %
11.0	-	1	0.0 %
11.1	-	1	0.0 %
11.2	-	1	0.0 %
11.3	-	2	0.1 %
11.5	-	3	0.1 %
11.6	-	4	0.1 %
11.7	-	2	0.1 %
11.8	-	1	0.0 %
11.9	-	1	0.0 %
12.1	-	4	0.1 %
12.2	-	2	0.1 %
12.3	-	3	0.1 %
12.4	-	3	0.1 %
12.5	-	4	0.1 %
12.8	-	1	0.0 %
12.9	-	4	0.1 %
13.0	-	1	0.0 %
13.1	-	2	0.1 %
13.2	-	3	0.1 %
13.3	-	1	0.0 %
13.4	-	4	0.1 %
13.5	-	2	0.1 %
13.6	-	3	0.1 %
13.7	-	2	0.1 %
13.8	-	1	0.0 %
Missing Data			
.	-	134	4.7 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,747 valid cases out of 2,881 total cases.

- Mean: 46.99
- Minimum: 3.60
- Maximum: 261.20
- Standard Deviation: 25.78

Location: 1643-1647 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

T1: Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.7	-	1	0.0 %
3.5	-	1	0.0 %
3.7	-	2	0.1 %
4.0	-	2	0.1 %
4.7	-	1	0.0 %
4.9	-	1	0.0 %
6.3	-	1	0.0 %
7.3	-	1	0.0 %
7.5	-	1	0.0 %
7.7	-	1	0.0 %
7.8	-	1	0.0 %
7.9	-	1	0.0 %
8.3	-	1	0.0 %
8.5	-	1	0.0 %
8.7	-	1	0.0 %
9.1	-	1	0.0 %
9.2	-	3	0.1 %
9.4	-	3	0.1 %
9.5	-	1	0.0 %
9.8	-	1	0.0 %
10.1	-	2	0.1 %
10.2	-	3	0.1 %
10.3	-	4	0.1 %
10.5	-	3	0.1 %
10.6	-	1	0.0 %
10.7	-	2	0.1 %
10.8	-	1	0.0 %
11.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.1	-	2	0.1 %
11.2	-	3	0.1 %
11.3	-	1	0.0 %
11.4	-	3	0.1 %
11.5	-	2	0.1 %
11.6	-	1	0.0 %
11.7	-	3	0.1 %
11.8	-	2	0.1 %
11.9	-	3	0.1 %
12.0	-	2	0.1 %
12.1	-	1	0.0 %
12.2	-	4	0.1 %
12.4	-	4	0.1 %
12.5	-	5	0.2 %
12.6	-	2	0.1 %
12.7	-	1	0.0 %
12.8	-	3	0.1 %
12.9	-	3	0.1 %
13.0	-	2	0.1 %
13.1	-	2	0.1 %
13.2	-	3	0.1 %
13.3	-	3	0.1 %
Missing Data			
.	-	136	4.7 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,745 valid cases out of 2,881 total cases.

- Mean: 40.84
- Minimum: 2.70
- Maximum: 358.60
- Standard Deviation: 21.48

Location: 1648-1652 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

CYCDAY1: Day of cycle

Value	Label	Unweighted Frequency	%
2	-	341	11.8 %

Value	Label	Unweighted Frequency	%
3	-	512	17.8 %
4	-	506	17.6 %
5	-	510	17.7 %
	Missing Data		
.	-	1012	35.1 %
	Total	2,881	100%

Based upon 1,869 valid cases out of 2,881 total cases.

- Mean: 3.63
- Median: 4.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.07

Location: 1653-1653 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FLGCV1: Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	No	2565	89.0 %
1	Yes	187	6.5 %
	Missing Data		
.	-	129	4.5 %
	Total	2,881	100%

Based upon 2,752 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1654-1655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGDIF1: 1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	No	2744	95.2 %
1	Yes	8	0.3 %
	Missing Data		
.	-	129	4.5 %
	Total	2,881	100%

Based upon 2,752 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1656-1657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

CVRDAY1: Cardiovascular measures Day

Value	Label	Unweighted Frequency	%
203	-	1	0.0 %
241	-	1	0.0 %
252	-	1	0.0 %
254	-	1	0.0 %
255	-	1	0.0 %
261	-	1	0.0 %
265	-	1	0.0 %
268	-	1	0.0 %
272	-	1	0.0 %
274	-	2	0.1 %
277	-	1	0.0 %
280	-	1	0.0 %
281	-	1	0.0 %
282	-	1	0.0 %
284	-	1	0.0 %
286	-	1	0.0 %
287	-	2	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
291	-	2	0.1 %
292	-	1	0.0 %
293	-	3	0.1 %
294	-	2	0.1 %
295	-	2	0.1 %
296	-	5	0.2 %
297	-	2	0.1 %
298	-	1	0.0 %
299	-	1	0.0 %
300	-	4	0.1 %
301	-	4	0.1 %
302	-	4	0.1 %

Value	Label	Unweighted Frequency	%
303	-	2	0.1 %
304	-	5	0.2 %
305	-	2	0.1 %
307	-	3	0.1 %
308	-	6	0.2 %
309	-	3	0.1 %
310	-	1	0.0 %
311	-	1	0.0 %
312	-	4	0.1 %
313	-	3	0.1 %
314	-	7	0.2 %
315	-	8	0.3 %
316	-	4	0.1 %
317	-	3	0.1 %
318	-	3	0.1 %
319	-	4	0.1 %
320	-	6	0.2 %
321	-	9	0.3 %
322	-	13	0.5 %
Missing Data			
.	-	125	4.3 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,756 valid cases out of 2,881 total cases.

- Mean: 400.89
- Minimum: 203.00
- Maximum: 757.00
- Standard Deviation: 58.84

Location: 1658-1660 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

PROTDAY1: Protein measures day

Value	Label	Unweighted Frequency	%
203	-	1	0.0 %
241	-	1	0.0 %
252	-	1	0.0 %
254	-	1	0.0 %

Value	Label	Unweighted Frequency	%
255	-	1	0.0 %
261	-	1	0.0 %
265	-	1	0.0 %
268	-	1	0.0 %
272	-	1	0.0 %
274	-	2	0.1 %
277	-	1	0.0 %
280	-	1	0.0 %
281	-	1	0.0 %
282	-	1	0.0 %
284	-	1	0.0 %
286	-	1	0.0 %
287	-	2	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
291	-	2	0.1 %
292	-	1	0.0 %
293	-	3	0.1 %
294	-	2	0.1 %
295	-	2	0.1 %
296	-	5	0.2 %
297	-	2	0.1 %
298	-	1	0.0 %
299	-	1	0.0 %
300	-	4	0.1 %
301	-	4	0.1 %
302	-	4	0.1 %
303	-	2	0.1 %
304	-	5	0.2 %
305	-	2	0.1 %
307	-	3	0.1 %
308	-	6	0.2 %
309	-	3	0.1 %
310	-	1	0.0 %
311	-	1	0.0 %
312	-	4	0.1 %
313	-	3	0.1 %
314	-	7	0.2 %
315	-	8	0.3 %

Value	Label	Unweighted Frequency	%
316	-	4	0.1 %
317	-	3	0.1 %
318	-	3	0.1 %
319	-	4	0.1 %
320	-	6	0.2 %
321	-	9	0.3 %
322	-	13	0.5 %
Missing Data			
.	-	125	4.3 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,756 valid cases out of 2,881 total cases.

- Mean: 400.89
- Minimum: 203.00
- Maximum: 757.00
- Standard Deviation: 58.84

Location: 1661-1663 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

CHOLRES1: Total cholesterol (mg/dl)

Value	Label	Unweighted Frequency	%
83	-	1	0.0 %
95	-	1	0.0 %
111	-	1	0.0 %
113	-	1	0.0 %
115	-	1	0.0 %
116	-	1	0.0 %
119	-	1	0.0 %
120	-	2	0.1 %
121	-	1	0.0 %
122	-	1	0.0 %
123	-	2	0.1 %
124	-	1	0.0 %
125	-	6	0.2 %
126	-	2	0.1 %
127	-	2	0.1 %
128	-	4	0.1 %

Value	Label	Unweighted Frequency	%
129	-	7	0.2 %
130	-	5	0.2 %
131	-	1	0.0 %
132	-	6	0.2 %
133	-	4	0.1 %
134	-	4	0.1 %
135	-	6	0.2 %
136	-	7	0.2 %
137	-	6	0.2 %
138	-	2	0.1 %
139	-	5	0.2 %
140	-	7	0.2 %
141	-	5	0.2 %
142	-	7	0.2 %
143	-	17	0.6 %
144	-	8	0.3 %
145	-	18	0.6 %
146	-	8	0.3 %
147	-	10	0.3 %
148	-	13	0.5 %
149	-	13	0.5 %
150	-	10	0.3 %
151	-	8	0.3 %
152	-	14	0.5 %
153	-	21	0.7 %
154	-	20	0.7 %
155	-	12	0.4 %
156	-	17	0.6 %
157	-	21	0.7 %
158	-	15	0.5 %
159	-	18	0.6 %
160	-	20	0.7 %
161	-	15	0.5 %
162	-	24	0.8 %
Missing Data			
.	-	126	4.4 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,755 valid cases out of 2,881 total cases.

- Mean: 197.34
- Median: 194.00
- Mode: 187.00
- Minimum: 83.00
- Maximum: 408.00
- Standard Deviation: 35.18

Location: 1664-1666 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

TRIGRES1: Triglycerides (mg/dl)

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
33	-	1	0.0 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	7	0.2 %
41	-	2	0.1 %
42	-	9	0.3 %
43	-	3	0.1 %
44	-	7	0.2 %
45	-	7	0.2 %
46	-	13	0.5 %
47	-	10	0.3 %
48	-	13	0.5 %
49	-	11	0.4 %
50	-	14	0.5 %
51	-	15	0.5 %
52	-	17	0.6 %
53	-	16	0.6 %
54	-	17	0.6 %
55	-	20	0.7 %
56	-	19	0.7 %
57	-	27	0.9 %
58	-	29	1.0 %
59	-	21	0.7 %
60	-	21	0.7 %
61	-	30	1.0 %

Value	Label	Unweighted Frequency	%
62	-	24	0.8 %
63	-	33	1.1 %
64	-	21	0.7 %
65	-	35	1.2 %
66	-	36	1.2 %
67	-	26	0.9 %
68	-	35	1.2 %
69	-	31	1.1 %
70	-	26	0.9 %
71	-	22	0.8 %
72	-	33	1.1 %
73	-	19	0.7 %
74	-	17	0.6 %
75	-	24	0.8 %
76	-	27	0.9 %
77	-	27	0.9 %
78	-	30	1.0 %
79	-	21	0.7 %
80	-	25	0.9 %
81	-	35	1.2 %
82	-	24	0.8 %
83	-	27	0.9 %
84	-	24	0.8 %
85	-	24	0.8 %
Missing Data			
.	-	303	10.5 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,578 valid cases out of 2,881 total cases.

- Mean: 121.49
- Minimum: 32.00
- Maximum: 2538.00
- Standard Deviation: 95.21

Location: 1667-1670 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LDLRESU1: Estimated LDL (mg/dl)

Low-density lipoprotein cholesterol (estimated)

Value	Label	Unweighted Frequency	%
25	-	1	0.0 %
28	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
45	-	2	0.1 %
47	-	3	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.1 %
51	-	3	0.1 %
52	-	2	0.1 %
53	-	2	0.1 %
54	-	2	0.1 %
55	-	2	0.1 %
56	-	4	0.1 %
57	-	5	0.2 %
58	-	3	0.1 %
59	-	4	0.1 %
60	-	8	0.3 %
61	-	9	0.3 %
62	-	10	0.3 %
63	-	7	0.2 %
64	-	6	0.2 %
65	-	8	0.3 %
66	-	7	0.2 %
67	-	13	0.5 %
68	-	14	0.5 %
69	-	10	0.3 %
70	-	14	0.5 %
71	-	15	0.5 %
72	-	7	0.2 %
73	-	19	0.7 %
74	-	10	0.3 %
75	-	12	0.4 %
76	-	18	0.6 %

Value	Label	Unweighted Frequency	%
77	-	14	0.5 %
78	-	23	0.8 %
79	-	18	0.6 %
80	-	20	0.7 %
81	-	25	0.9 %
82	-	24	0.8 %
83	-	22	0.8 %
84	-	20	0.7 %
85	-	25	0.9 %
86	-	23	0.8 %
87	-	27	0.9 %
88	-	30	1.0 %
Missing Data			
.	-	336	11.7 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,545 valid cases out of 2,881 total cases.

- Mean: 115.77
- Median: 113.00
- Mode: 105.00
- Minimum: 25.00
- Maximum: 256.00
- Standard Deviation: 31.59

Location: 1671-1673 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HDLRESU1: HDL (mg/dl)

High density lipoprotein cholesterol

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
18	-	1	0.0 %
22	-	2	0.1 %
24	-	1	0.0 %
26	-	4	0.1 %
27	-	1	0.0 %
28	-	11	0.4 %

Value	Label	Unweighted Frequency	%
29	-	3	0.1 %
30	-	7	0.2 %
31	-	4	0.1 %
32	-	14	0.5 %
33	-	6	0.2 %
34	-	17	0.6 %
35	-	16	0.6 %
36	-	37	1.3 %
37	-	15	0.5 %
38	-	52	1.8 %
39	-	34	1.2 %
40	-	56	1.9 %
41	-	41	1.4 %
42	-	66	2.3 %
43	-	41	1.4 %
44	-	61	2.1 %
45	-	61	2.1 %
46	-	81	2.8 %
47	-	71	2.5 %
48	-	81	2.8 %
49	-	76	2.6 %
50	-	80	2.8 %
51	-	66	2.3 %
52	-	61	2.1 %
53	-	81	2.8 %
54	-	80	2.8 %
55	-	70	2.4 %
56	-	80	2.8 %
57	-	87	3.0 %
58	-	71	2.5 %
59	-	66	2.3 %
60	-	74	2.6 %
61	-	67	2.3 %
62	-	60	2.1 %
63	-	67	2.3 %
64	-	56	1.9 %
65	-	43	1.5 %
66	-	71	2.5 %
67	-	53	1.8 %

Value	Label	Unweighted Frequency	%
68	-	60	2.1 %
69	-	42	1.5 %
70	-	40	1.4 %
71	-	42	1.5 %
	Missing Data		
.	-	128	4.4 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,753 valid cases out of 2,881 total cases.

- Mean: 58.00
- Median: 56.00
- Mode: 57.00
- Minimum: 12.00
- Maximum: 121.00
- Standard Deviation: 14.77

Location: 1674-1676 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GLUCRES1: Glucose (mg/dl)

Value	Label	Unweighted Frequency	%
52	-	1	0.0 %
53	-	1	0.0 %
64	-	2	0.1 %
65	-	3	0.1 %
67	-	1	0.0 %
68	-	3	0.1 %
69	-	1	0.0 %
70	-	3	0.1 %
71	-	4	0.1 %
72	-	13	0.5 %
73	-	15	0.5 %
74	-	17	0.6 %
75	-	11	0.4 %
76	-	26	0.9 %
77	-	28	1.0 %
78	-	33	1.1 %
79	-	42	1.5 %

Value	Label	Unweighted Frequency	%
80	-	50	1.7 %
81	-	84	2.9 %
82	-	83	2.9 %
83	-	88	3.1 %
84	-	110	3.8 %
85	-	92	3.2 %
86	-	131	4.5 %
87	-	121	4.2 %
88	-	109	3.8 %
89	-	127	4.4 %
90	-	118	4.1 %
91	-	106	3.7 %
92	-	95	3.3 %
93	-	99	3.4 %
94	-	86	3.0 %
95	-	86	3.0 %
96	-	82	2.8 %
97	-	61	2.1 %
98	-	59	2.0 %
99	-	52	1.8 %
100	-	55	1.9 %
101	-	37	1.3 %
102	-	45	1.6 %
103	-	28	1.0 %
104	-	27	0.9 %
105	-	24	0.8 %
106	-	25	0.9 %
107	-	19	0.7 %
108	-	8	0.3 %
109	-	14	0.5 %
110	-	11	0.4 %
111	-	14	0.5 %
112	-	11	0.4 %
Missing Data			
.	-	301	10.4 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,580 valid cases out of 2,881 total cases.

- Mean: 97.04
- Median: 90.00
- Mode: 86.00
- Minimum: 52.00
- Maximum: 627.00
- Standard Deviation: 33.23

Location: 1677-1679 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

INSURES1: Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
2.1	-	1	0.0 %
2.4	-	1	0.0 %
2.6	-	2	0.1 %
2.7	-	4	0.1 %
2.8	-	1	0.0 %
2.9	-	2	0.1 %
3.0	-	3	0.1 %
3.1	-	5	0.2 %
3.2	-	4	0.1 %
3.3	-	5	0.2 %
3.4	-	2	0.1 %
3.5	-	12	0.4 %
3.6	-	6	0.2 %
3.7	-	13	0.5 %
3.8	-	7	0.2 %
3.9	-	11	0.4 %
4.0	-	13	0.5 %
4.1	-	15	0.5 %
4.2	-	12	0.4 %
4.3	-	20	0.7 %
4.4	-	17	0.6 %
4.5	-	24	0.8 %
4.6	-	15	0.5 %
4.7	-	25	0.9 %
4.8	-	15	0.5 %
4.9	-	27	0.9 %
5.0	-	24	0.8 %
5.1	-	17	0.6 %

Value	Label	Unweighted Frequency	%
5.2	-	26	0.9 %
5.3	-	25	0.9 %
5.4	-	27	0.9 %
5.5	-	32	1.1 %
5.6	-	33	1.1 %
5.7	-	31	1.1 %
5.8	-	37	1.3 %
5.9	-	27	0.9 %
6.0	-	27	0.9 %
6.1	-	30	1.0 %
6.2	-	28	1.0 %
6.3	-	34	1.2 %
6.4	-	44	1.5 %
6.5	-	36	1.2 %
6.6	-	45	1.6 %
6.7	-	40	1.4 %
6.8	-	35	1.2 %
6.9	-	35	1.2 %
7.0	-	22	0.8 %
7.1	-	25	0.9 %
7.2	-	25	0.9 %
7.3	-	28	1.0 %
Missing Data			
.	-	324	11.2 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,557 valid cases out of 2,881 total cases.

- Mean: 11.87
- Minimum: 2.10
- Maximum: 422.60
- Standard Deviation: 14.88

Location: 1680-1684 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

FACRESU1: Factor VII (%)

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
33	-	1	0.0 %
44	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	2	0.1 %
52	-	2	0.1 %
54	-	4	0.1 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	2	0.1 %
58	-	1	0.0 %
59	-	2	0.1 %
60	-	2	0.1 %
61	-	3	0.1 %
62	-	5	0.2 %
63	-	2	0.1 %
64	-	4	0.1 %
65	-	4	0.1 %
66	-	1	0.0 %
67	-	4	0.1 %
68	-	6	0.2 %
69	-	4	0.1 %
70	-	7	0.2 %
71	-	10	0.3 %
72	-	8	0.3 %
73	-	10	0.3 %
74	-	8	0.3 %
75	-	19	0.7 %
76	-	19	0.7 %
77	-	12	0.4 %
78	-	22	0.8 %
79	-	19	0.7 %
80	-	21	0.7 %
81	-	16	0.6 %
82	-	9	0.3 %
83	-	27	0.9 %
84	-	18	0.6 %
85	-	25	0.9 %

Value	Label	Unweighted Frequency	%
86	-	25	0.9 %
87	-	25	0.9 %
88	-	31	1.1 %
89	-	39	1.4 %
90	-	29	1.0 %
91	-	46	1.6 %
92	-	20	0.7 %
93	-	41	1.4 %
94	-	41	1.4 %
95	-	16	0.6 %
Missing Data			
.	-	344	11.9 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,537 valid cases out of 2,881 total cases.

- Mean: 114.97
- Median: 111.00
- Mode: 107.00
- Minimum: 21.00
- Maximum: 581.00
- Standard Deviation: 31.85

Location: 1685-1687 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FIBRESU1: Fibrinogen (mg/dl)

Value	Label	Unweighted Frequency	%
99	-	1	0.0 %
108	-	1	0.0 %
110	-	1	0.0 %
116	-	1	0.0 %
120	-	1	0.0 %
121	-	1	0.0 %
124	-	1	0.0 %
131	-	1	0.0 %
136	-	1	0.0 %
140	-	1	0.0 %
143	-	2	0.1 %

Value	Label	Unweighted Frequency	%
146	-	1	0.0 %
152	-	1	0.0 %
154	-	2	0.1 %
155	-	2	0.1 %
157	-	2	0.1 %
158	-	1	0.0 %
160	-	1	0.0 %
161	-	2	0.1 %
162	-	1	0.0 %
163	-	1	0.0 %
164	-	2	0.1 %
165	-	1	0.0 %
167	-	1	0.0 %
169	-	4	0.1 %
170	-	1	0.0 %
171	-	1	0.0 %
173	-	2	0.1 %
174	-	4	0.1 %
176	-	1	0.0 %
177	-	1	0.0 %
178	-	6	0.2 %
179	-	3	0.1 %
181	-	4	0.1 %
183	-	10	0.3 %
185	-	5	0.2 %
186	-	4	0.1 %
188	-	11	0.4 %
189	-	1	0.0 %
190	-	9	0.3 %
191	-	5	0.2 %
192	-	3	0.1 %
193	-	11	0.4 %
194	-	1	0.0 %
195	-	9	0.3 %
196	-	6	0.2 %
198	-	12	0.4 %
199	-	5	0.2 %
200	-	8	0.3 %
201	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	255	8.9 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,626 valid cases out of 2,881 total cases.

- Mean: 282.75
- Median: 273.00
- Mode: 251.00
- Minimum: 99.00
- Maximum: 676.00
- Standard Deviation: 63.55

Location: 1688-1690 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

PAIRESU1: PAI-1 (ng/ml)

Value	Label	Unweighted Frequency	%
0.9	-	1	0.0 %
1.2	-	2	0.1 %
1.3	-	2	0.1 %
1.4	-	1	0.0 %
1.5	-	1	0.0 %
1.6	-	2	0.1 %
1.7	-	2	0.1 %
1.8	-	1	0.0 %
2.0	-	1	0.0 %
2.1	-	4	0.1 %
2.2	-	4	0.1 %
2.3	-	2	0.1 %
2.4	-	3	0.1 %
2.5	-	3	0.1 %
2.6	-	1	0.0 %
2.7	-	2	0.1 %
2.8	-	2	0.1 %
2.9	-	4	0.1 %
3.0	-	8	0.3 %
3.1	-	7	0.2 %
3.2	-	4	0.1 %

Value	Label	Unweighted Frequency	%
3.3	-	3	0.1 %
3.4	-	3	0.1 %
3.5	-	3	0.1 %
3.6	-	5	0.2 %
3.7	-	4	0.1 %
3.8	-	7	0.2 %
3.9	-	6	0.2 %
4.0	-	8	0.3 %
4.1	-	5	0.2 %
4.2	-	6	0.2 %
4.3	-	8	0.3 %
4.4	-	8	0.3 %
4.5	-	8	0.3 %
4.6	-	11	0.4 %
4.7	-	8	0.3 %
4.8	-	5	0.2 %
4.9	-	10	0.3 %
5.0	-	8	0.3 %
5.1	-	3	0.1 %
5.2	-	5	0.2 %
5.3	-	7	0.2 %
5.4	-	11	0.4 %
5.5	-	6	0.2 %
5.6	-	9	0.3 %
5.7	-	8	0.3 %
5.8	-	11	0.4 %
5.9	-	14	0.5 %
6.0	-	12	0.4 %
6.1	-	10	0.3 %
Missing Data			
.	-	296	10.3 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,585 valid cases out of 2,881 total cases.

- Mean: 30.46
- Minimum: 0.90
- Maximum: 774.40
- Standard Deviation: 43.82

Location: 1691-1695 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

TPARESU1: tPA (ng/ml)

Value	Label	Unweighted Frequency	%
1.0	-	1	0.0 %
1.4	-	2	0.1 %
1.5	-	1	0.0 %
1.6	-	2	0.1 %
1.7	-	4	0.1 %
1.8	-	1	0.0 %
1.9	-	1	0.0 %
2.0	-	2	0.1 %
2.1	-	2	0.1 %
2.2	-	4	0.1 %
2.3	-	7	0.2 %
2.4	-	4	0.1 %
2.5	-	4	0.1 %
2.6	-	7	0.2 %
2.7	-	6	0.2 %
2.8	-	6	0.2 %
2.9	-	14	0.5 %
3.0	-	8	0.3 %
3.1	-	8	0.3 %
3.2	-	14	0.5 %
3.3	-	9	0.3 %
3.4	-	12	0.4 %
3.5	-	24	0.8 %
3.6	-	16	0.6 %
3.7	-	19	0.7 %
3.8	-	24	0.8 %
3.9	-	11	0.4 %
4.0	-	18	0.6 %
4.1	-	33	1.1 %
4.2	-	22	0.8 %
4.3	-	18	0.6 %
4.4	-	21	0.7 %
4.5	-	22	0.8 %
4.6	-	25	0.9 %
4.7	-	26	0.9 %

Value	Label	Unweighted Frequency	%
4.8	-	22	0.8 %
4.9	-	30	1.0 %
5.0	-	23	0.8 %
5.1	-	24	0.8 %
5.2	-	26	0.9 %
5.3	-	33	1.1 %
5.4	-	35	1.2 %
5.5	-	31	1.1 %
5.6	-	31	1.1 %
5.7	-	34	1.2 %
5.8	-	32	1.1 %
5.9	-	27	0.9 %
6.0	-	24	0.8 %
6.1	-	41	1.4 %
6.2	-	26	0.9 %
Missing Data			
.	-	299	10.4 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,582 valid cases out of 2,881 total cases.

- Mean: 8.78
- Median: 7.80
- Mode: 7.90
- Minimum: 1.00
- Maximum: 215.00
- Standard Deviation: 7.45

Location: 1696-1700 (*width:* 5; *decimal:* 1)

Variable Type: numeric

(Range of) Missing Values: .

LPARESU1: Lipoprotein Lp(a) (mg/dl)

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	208	7.2 %
2	-	170	5.9 %
3	-	128	4.4 %
4	-	120	4.2 %
5	-	75	2.6 %

Value	Label	Unweighted Frequency	%
6	-	100	3.5 %
7	-	77	2.7 %
8	-	84	2.9 %
9	-	73	2.5 %
10	-	67	2.3 %
11	-	78	2.7 %
12	-	43	1.5 %
13	-	45	1.6 %
14	-	53	1.8 %
15	-	35	1.2 %
16	-	38	1.3 %
17	-	42	1.5 %
18	-	37	1.3 %
19	-	46	1.6 %
20	-	29	1.0 %
21	-	32	1.1 %
22	-	27	0.9 %
23	-	25	0.9 %
24	-	27	0.9 %
25	-	23	0.8 %
26	-	20	0.7 %
27	-	34	1.2 %
28	-	14	0.5 %
29	-	31	1.1 %
30	-	20	0.7 %
31	-	20	0.7 %
32	-	23	0.8 %
33	-	26	0.9 %
34	-	30	1.0 %
35	-	23	0.8 %
36	-	22	0.8 %
37	-	19	0.7 %
38	-	14	0.5 %
39	-	15	0.5 %
40	-	21	0.7 %
41	-	20	0.7 %
42	-	17	0.6 %
43	-	14	0.5 %
44	-	14	0.5 %

Value	Label	Unweighted Frequency	%
45	-	12	0.4 %
46	-	20	0.7 %
47	-	16	0.6 %
48	-	12	0.4 %
49	-	13	0.5 %
Missing Data			
.	-	153	5.3 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,728 valid cases out of 2,881 total cases.

- Mean: 29.21
- Median: 16.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 235.00
- Standard Deviation: 33.43

Location: 1701-1703 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LPA1RES1: Lipoprotein A-1 (mg/dl)

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
19	-	1	0.0 %
20	-	3	0.1 %
21	-	10	0.3 %
22	-	8	0.3 %
23	-	13	0.5 %
24	-	10	0.3 %
25	-	16	0.6 %
26	-	16	0.6 %
27	-	22	0.8 %
28	-	37	1.3 %
29	-	27	0.9 %
30	-	71	2.5 %
31	-	62	2.2 %
32	-	68	2.4 %
33	-	59	2.0 %

Value	Label	Unweighted Frequency	%
34	-	75	2.6 %
35	-	87	3.0 %
36	-	106	3.7 %
37	-	79	2.7 %
38	-	91	3.2 %
39	-	95	3.3 %
40	-	79	2.7 %
41	-	100	3.5 %
42	-	109	3.8 %
43	-	84	2.9 %
44	-	95	3.3 %
45	-	110	3.8 %
46	-	82	2.8 %
47	-	81	2.8 %
48	-	77	2.7 %
49	-	65	2.3 %
50	-	77	2.7 %
51	-	66	2.3 %
52	-	72	2.5 %
53	-	60	2.1 %
54	-	72	2.5 %
55	-	74	2.6 %
56	-	69	2.4 %
57	-	46	1.6 %
58	-	47	1.6 %
59	-	55	1.9 %
60	-	38	1.3 %
61	-	28	1.0 %
62	-	27	0.9 %
63	-	21	0.7 %
64	-	19	0.7 %
65	-	14	0.5 %
66	-	14	0.5 %
67	-	17	0.6 %
Missing Data			
.	-	141	4.9 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,740 valid cases out of 2,881 total cases.

- Mean: 44.92
- Median: 44.00
- Mode: 45.00
- Minimum: 18.00
- Maximum: 100.00
- Standard Deviation: 11.34

Location: 1704-1706 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

APOARES1: Apolipoprotein A-1 (mg/dl)

Value	Label	Unweighted Frequency	%
33	-	1	0.0 %
50	-	1	0.0 %
56	-	4	0.1 %
58	-	1	0.0 %
63	-	1	0.0 %
64	-	2	0.1 %
67	-	1	0.0 %
69	-	2	0.1 %
70	-	1	0.0 %
71	-	1	0.0 %
72	-	1	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	2	0.1 %
77	-	1	0.0 %
79	-	1	0.0 %
83	-	1	0.0 %
84	-	3	0.1 %
85	-	2	0.1 %
86	-	1	0.0 %
87	-	1	0.0 %
89	-	4	0.1 %
90	-	2	0.1 %
91	-	2	0.1 %
92	-	5	0.2 %
93	-	2	0.1 %

Value	Label	Unweighted Frequency	%
94	-	6	0.2 %
95	-	4	0.1 %
96	-	3	0.1 %
97	-	5	0.2 %
98	-	3	0.1 %
99	-	4	0.1 %
100	-	6	0.2 %
101	-	2	0.1 %
102	-	6	0.2 %
103	-	5	0.2 %
104	-	11	0.4 %
105	-	8	0.3 %
106	-	12	0.4 %
107	-	4	0.1 %
108	-	10	0.3 %
109	-	10	0.3 %
110	-	16	0.6 %
111	-	12	0.4 %
112	-	10	0.3 %
113	-	21	0.7 %
114	-	7	0.2 %
115	-	16	0.6 %
116	-	19	0.7 %
117	-	18	0.6 %
Missing Data			
.	-	149	5.2 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,732 valid cases out of 2,881 total cases.

- Mean: 151.81
- Median: 151.00
- Mode: 155.00
- Minimum: 33.00
- Maximum: 257.00
- Standard Deviation: 28.54

Location: 1707-1709 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

APOBRES1: Apolipoprotein B (mg/dl)

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
34	-	1	0.0 %
40	-	2	0.1 %
41	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.1 %
46	-	1	0.0 %
47	-	4	0.1 %
48	-	2	0.1 %
50	-	1	0.0 %
51	-	2	0.1 %
52	-	5	0.2 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	1	0.0 %
56	-	4	0.1 %
57	-	1	0.0 %
58	-	4	0.1 %
59	-	1	0.0 %
60	-	8	0.3 %
61	-	10	0.3 %
62	-	9	0.3 %
63	-	6	0.2 %
64	-	15	0.5 %
65	-	9	0.3 %
66	-	15	0.5 %
67	-	12	0.4 %
68	-	17	0.6 %
69	-	22	0.8 %
70	-	21	0.7 %
71	-	22	0.8 %
72	-	32	1.1 %
73	-	21	0.7 %
74	-	21	0.7 %
75	-	22	0.8 %
76	-	28	1.0 %
77	-	24	0.8 %

Value	Label	Unweighted Frequency	%
78	-	27	0.9 %
79	-	30	1.0 %
80	-	31	1.1 %
81	-	25	0.9 %
82	-	34	1.2 %
83	-	23	0.8 %
84	-	38	1.3 %
85	-	37	1.3 %
86	-	38	1.3 %
87	-	41	1.4 %
88	-	43	1.5 %
89	-	33	1.1 %
90	-	39	1.4 %
Missing Data			
.	-	151	5.2 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,730 valid cases out of 2,881 total cases.

- Mean: 107.19
- Median: 104.00
- Mode: 102.00
- Minimum: 31.00
- Maximum: 241.00
- Standard Deviation: 27.42

Location: 1710-1712 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

CRPRESU1: C-reactive protein (mg/l)

Value	Label	Unweighted Frequency	%
0.044	-	1	0.0 %
0.046	-	1	0.0 %
0.050	-	1	0.0 %
0.051	-	1	0.0 %
0.054	-	2	0.1 %
0.055	-	1	0.0 %
0.059	-	1	0.0 %
0.061	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.062	-	2	0.1 %
0.063	-	1	0.0 %
0.064	-	1	0.0 %
0.065	-	2	0.1 %
0.066	-	1	0.0 %
0.067	-	3	0.1 %
0.068	-	2	0.1 %
0.069	-	2	0.1 %
0.070	-	1	0.0 %
0.073	-	1	0.0 %
0.074	-	1	0.0 %
0.075	-	1	0.0 %
0.076	-	2	0.1 %
0.077	-	1	0.0 %
0.078	-	2	0.1 %
0.080	-	1	0.0 %
0.081	-	1	0.0 %
0.082	-	2	0.1 %
0.083	-	1	0.0 %
0.084	-	2	0.1 %
0.085	-	3	0.1 %
0.086	-	1	0.0 %
0.088	-	2	0.1 %
0.090	-	2	0.1 %
0.091	-	2	0.1 %
0.092	-	1	0.0 %
0.093	-	1	0.0 %
0.094	-	1	0.0 %
0.095	-	1	0.0 %
0.097	-	1	0.0 %
0.099	-	3	0.1 %
0.101	-	3	0.1 %
0.102	-	1	0.0 %
0.103	-	1	0.0 %
0.105	-	2	0.1 %
0.110	-	1	0.0 %
0.111	-	1	0.0 %
0.112	-	3	0.1 %
0.113	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.114	-	1	0.0 %
0.116	-	2	0.1 %
0.117	-	2	0.1 %
	Missing Data		
.	-	176	6.1 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,705 valid cases out of 2,881 total cases.

- Mean: 3.698
- Minimum: 0.044
- Maximum: 138.300
- Standard Deviation: 6.637

Location: 1713-1719 (width: 7; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: .

FLAGSER1: Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	2755	95.6 %
1	Yes	7	0.2 %
	Missing Data		
.	-	119	4.1 %
	Total	2,881	100%

Based upon 2,762 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1720-1721 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGCVRV1: Collected after visit 1 cutoff (01/31/1999)

Value	Label	Unweighted Frequency	%
0	No	2761	95.8 %
1	Yes	1	0.0 %
	Missing Data		
.	-	119	4.1 %

Value	Label	Unweighted Frequency	%
Total		2,881	100%

Based upon 2,762 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1722-1723 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPSCDAY1: Spine scan day

Value	Label	Unweighted Frequency	%
216	-	1	0.0 %
241	-	1	0.0 %
251	-	2	0.1 %
252	-	1	0.0 %
261	-	1	0.0 %
263	-	1	0.0 %
268	-	1	0.0 %
269	-	1	0.0 %
273	-	2	0.1 %
274	-	4	0.1 %
275	-	1	0.0 %
277	-	1	0.0 %
281	-	1	0.0 %
283	-	3	0.1 %
284	-	1	0.0 %
285	-	1	0.0 %
286	-	1	0.0 %
287	-	3	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
290	-	1	0.0 %
291	-	2	0.1 %
292	-	4	0.1 %
293	-	1	0.0 %
294	-	1	0.0 %
295	-	1	0.0 %
296	-	5	0.2 %
297	-	2	0.1 %

Value	Label	Unweighted Frequency	%
299	-	1	0.0 %
300	-	5	0.2 %
301	-	5	0.2 %
302	-	4	0.1 %
303	-	4	0.1 %
304	-	2	0.1 %
305	-	2	0.1 %
306	-	2	0.1 %
307	-	1	0.0 %
308	-	9	0.3 %
309	-	6	0.2 %
310	-	4	0.1 %
311	-	3	0.1 %
312	-	4	0.1 %
313	-	4	0.1 %
314	-	3	0.1 %
315	-	9	0.3 %
316	-	2	0.1 %
317	-	3	0.1 %
319	-	1	0.0 %
320	-	4	0.1 %
321	-	5	0.2 %
Missing Data			
.	-	865	30.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,016 valid cases out of 2,881 total cases.

- Mean: 384.59
- Median: 379.00
- Mode: 364.00
- Minimum: 216.00
- Maximum: 706.00
- Standard Deviation: 48.31

Location: 1724-1726 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SPSCTIM1: Spine scan time

Value	Label	Unweighted Frequency	%
0:05:05	-	1	0.0 %
0:06:34	-	1	0.0 %
0:06:39	-	1	0.0 %
0:06:41	-	1	0.0 %
0:06:46	-	1	0.0 %
0:06:48	-	1	0.0 %
0:06:49	-	1	0.0 %
0:06:50	-	1	0.0 %
0:06:51	-	2	0.1 %
0:06:55	-	1	0.0 %
0:07:00	-	1	0.0 %
0:07:05	-	1	0.0 %
0:07:10	-	2	0.1 %
0:07:11	-	1	0.0 %
0:07:12	-	4	0.1 %
0:07:14	-	2	0.1 %
0:07:16	-	1	0.0 %
0:07:17	-	1	0.0 %
0:07:18	-	1	0.0 %
0:07:21	-	1	0.0 %
0:07:22	-	2	0.1 %
0:07:24	-	2	0.1 %
0:07:26	-	2	0.1 %
0:07:28	-	1	0.0 %
0:07:29	-	2	0.1 %
0:07:30	-	1	0.0 %
0:07:31	-	1	0.0 %
0:07:33	-	1	0.0 %
0:07:34	-	3	0.1 %
0:07:35	-	4	0.1 %
0:07:36	-	1	0.0 %
0:07:39	-	2	0.1 %
0:07:41	-	2	0.1 %
0:07:42	-	2	0.1 %
0:07:43	-	3	0.1 %
0:07:45	-	2	0.1 %
0:07:48	-	1	0.0 %
0:07:49	-	1	0.0 %
0:07:50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:07:51	-	1	0.0 %
0:07:54	-	2	0.1 %
0:07:55	-	3	0.1 %
0:07:57	-	3	0.1 %
0:07:58	-	1	0.0 %
0:07:59	-	3	0.1 %
0:08:00	-	2	0.1 %
0:08:01	-	1	0.0 %
0:08:02	-	2	0.1 %
0:08:06	-	1	0.0 %
0:08:07	-	4	0.1 %
	Missing Data		
.	-	911	31.6 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,970 valid cases out of 2,881 total cases.

Location: 1727-1738 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

SPSCMOD1: Spine scan mode

Value	Label	Unweighted Frequency	%
5	2000 machine	791	27.5 %
11	14500 machine	1179	40.9 %
	Missing Data		
.	-	911	31.6 %
	Total	2,881	100%

Based upon 1,970 valid cases out of 2,881 total cases.

- Minimum: 5.00

- Maximum: 11.00

Location: 1739-1740 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HPSCDAY1: Hip scan day

Value	Label	Unweighted Frequency	%
216	-	1	0.0 %
241	-	1	0.0 %
251	-	2	0.1 %
252	-	1	0.0 %
261	-	1	0.0 %
263	-	1	0.0 %
268	-	1	0.0 %
269	-	1	0.0 %
273	-	2	0.1 %
274	-	4	0.1 %
275	-	1	0.0 %
277	-	1	0.0 %
281	-	1	0.0 %
283	-	3	0.1 %
284	-	1	0.0 %
285	-	1	0.0 %
286	-	1	0.0 %
287	-	3	0.1 %
288	-	1	0.0 %
289	-	1	0.0 %
290	-	1	0.0 %
291	-	2	0.1 %
292	-	4	0.1 %
293	-	1	0.0 %
294	-	1	0.0 %
295	-	1	0.0 %
296	-	5	0.2 %
297	-	2	0.1 %
299	-	1	0.0 %
300	-	5	0.2 %
301	-	5	0.2 %
302	-	4	0.1 %
303	-	4	0.1 %
304	-	2	0.1 %
305	-	2	0.1 %
306	-	2	0.1 %
307	-	1	0.0 %
308	-	9	0.3 %
309	-	6	0.2 %

Value	Label	Unweighted Frequency	%
310	-	4	0.1 %
311	-	3	0.1 %
312	-	4	0.1 %
313	-	4	0.1 %
314	-	3	0.1 %
315	-	9	0.3 %
316	-	2	0.1 %
317	-	3	0.1 %
319	-	1	0.0 %
320	-	4	0.1 %
321	-	5	0.2 %
Missing Data			
.	-	864	30.0 %
Total		2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,017 valid cases out of 2,881 total cases.

- Mean: 384.60
- Median: 379.00
- Mode: 364.00
- Minimum: 216.00
- Maximum: 706.00
- Standard Deviation: 48.28

Location: 1741-1743 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HPSCTIM1: Hip scan time

Value	Label	Unweighted Frequency	%
0:04:50	-	1	0.0 %
0:06:32	-	1	0.0 %
0:06:34	-	1	0.0 %
0:06:39	-	1	0.0 %
0:06:41	-	1	0.0 %
0:06:43	-	2	0.1 %
0:06:47	-	1	0.0 %
0:06:48	-	1	0.0 %
0:06:55	-	1	0.0 %
0:06:57	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:07:02	-	2	0.1 %
0:07:04	-	1	0.0 %
0:07:08	-	1	0.0 %
0:07:11	-	1	0.0 %
0:07:12	-	1	0.0 %
0:07:14	-	1	0.0 %
0:07:15	-	1	0.0 %
0:07:16	-	1	0.0 %
0:07:18	-	4	0.1 %
0:07:20	-	1	0.0 %
0:07:21	-	1	0.0 %
0:07:23	-	1	0.0 %
0:07:24	-	2	0.1 %
0:07:26	-	1	0.0 %
0:07:27	-	1	0.0 %
0:07:28	-	1	0.0 %
0:07:29	-	2	0.1 %
0:07:31	-	3	0.1 %
0:07:33	-	1	0.0 %
0:07:36	-	3	0.1 %
0:07:39	-	1	0.0 %
0:07:40	-	3	0.1 %
0:07:41	-	1	0.0 %
0:07:42	-	1	0.0 %
0:07:43	-	1	0.0 %
0:07:45	-	2	0.1 %
0:07:46	-	3	0.1 %
0:07:47	-	2	0.1 %
0:07:48	-	1	0.0 %
0:07:49	-	4	0.1 %
0:07:50	-	1	0.0 %
0:07:51	-	1	0.0 %
0:07:53	-	2	0.1 %
0:07:54	-	2	0.1 %
0:07:55	-	1	0.0 %
0:07:57	-	1	0.0 %
0:08:00	-	1	0.0 %
0:08:02	-	2	0.1 %
0:08:04	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0:08:05	-	1	0.0 %
	Missing Data		
.	-	870	30.2 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,011 valid cases out of 2,881 total cases.

Location: 1744-1755 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HPSCMOD1: Hip scan mode

Value	Label	Unweighted Frequency	%
5	2000 machine	798	27.7 %
11	14500 machine	1213	42.1 %
	Missing Data		
.	-	870	30.2 %
	Total	2,881	100%

Based upon 2,011 valid cases out of 2,881 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 1756-1757 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SPBMDT1: Total spine bone mineral density w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.699100	-	1	0.0 %
0.730600	-	1	0.0 %
0.740500	-	1	0.0 %
0.746200	-	1	0.0 %
0.747600	-	1	0.0 %
0.752559	-	1	0.0 %
0.757200	-	1	0.0 %
0.759900	-	1	0.0 %
0.760300	-	1	0.0 %
0.761900	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.771900	-	1	0.0 %
0.773300	-	1	0.0 %
0.774385	-	1	0.0 %
0.781000	-	1	0.0 %
0.781300	-	1	0.0 %
0.782200	-	1	0.0 %
0.782900	-	1	0.0 %
0.783300	-	1	0.0 %
0.788371	-	1	0.0 %
0.788668	-	1	0.0 %
0.789200	-	1	0.0 %
0.791600	-	2	0.1 %
0.791900	-	1	0.0 %
0.795568	-	1	0.0 %
0.796900	-	1	0.0 %
0.798267	-	1	0.0 %
0.801600	-	1	0.0 %
0.801900	-	1	0.0 %
0.802363	-	1	0.0 %
0.806600	-	1	0.0 %
0.806800	-	1	0.0 %
0.807600	-	1	0.0 %
0.809900	-	1	0.0 %
0.809943	-	1	0.0 %
0.811700	-	1	0.0 %
0.811800	-	1	0.0 %
0.812000	-	1	0.0 %
0.812900	-	1	0.0 %
0.813300	-	1	0.0 %
0.813900	-	1	0.0 %
0.814000	-	1	0.0 %
0.814400	-	1	0.0 %
0.814600	-	1	0.0 %
0.814900	-	1	0.0 %
0.815100	-	1	0.0 %
0.816600	-	1	0.0 %
0.816700	-	1	0.0 %
0.816900	-	1	0.0 %
0.818300	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.818400	-	1	0.0 %
	Missing Data		
.	-	880	30.5 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,001 valid cases out of 2,881 total cases.

- Mean: 1.074616
- Minimum: 0.699100
- Maximum: 1.758000
- Standard Deviation: 0.140717

Location: 1758-1765 (width: 8; decimal: 6)

Variable Type: numeric

(Range of) Missing Values: .

HPBMDT1: Total hip bone mineral density w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.532000	-	1	0.0 %
0.593700	-	1	0.0 %
0.596600	-	1	0.0 %
0.624000	-	1	0.0 %
0.628512	-	1	0.0 %
0.631600	-	1	0.0 %
0.632400	-	1	0.0 %
0.652000	-	1	0.0 %
0.653000	-	1	0.0 %
0.661100	-	1	0.0 %
0.661300	-	1	0.0 %
0.665500	-	1	0.0 %
0.665600	-	1	0.0 %
0.669100	-	1	0.0 %
0.671000	-	1	0.0 %
0.674000	-	1	0.0 %
0.677800	-	1	0.0 %
0.678200	-	1	0.0 %
0.680400	-	1	0.0 %
0.681300	-	1	0.0 %
0.681800	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.682200	-	1	0.0 %
0.683200	-	1	0.0 %
0.685600	-	1	0.0 %
0.686900	-	1	0.0 %
0.688500	-	2	0.1 %
0.688700	-	1	0.0 %
0.689300	-	2	0.1 %
0.690400	-	1	0.0 %
0.691500	-	1	0.0 %
0.692300	-	1	0.0 %
0.696300	-	1	0.0 %
0.696800	-	1	0.0 %
0.698800	-	1	0.0 %
0.699600	-	1	0.0 %
0.701900	-	1	0.0 %
0.704100	-	1	0.0 %
0.705000	-	1	0.0 %
0.706200	-	1	0.0 %
0.707900	-	1	0.0 %
0.708300	-	1	0.0 %
0.709400	-	1	0.0 %
0.710700	-	1	0.0 %
0.711000	-	1	0.0 %
0.711600	-	1	0.0 %
0.712116	-	1	0.0 %
0.714500	-	1	0.0 %
0.714800	-	1	0.0 %
0.715400	-	1	0.0 %
0.715500	-	1	0.0 %
	Missing Data		
.	-	870	30.2 %
	Total	2,881	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,011 valid cases out of 2,881 total cases.

- Mean: 0.959566
- Minimum: 0.532000
- Maximum: 1.526559

- Standard Deviation: 0.143844

Location: 1766-1773 (width: 8; decimal: 6)

Variable Type: numeric

(Range of) Missing Values: .

BMDFLG1: PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	No	2019	70.1 %
1	Yes	2	0.1 %
	Missing Data		
.	-	860	29.9 %
	Total	2,881	100%

Based upon 2,021 valid cases out of 2,881 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1774-1775 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STATUS1: Menopausal status

Value	Label	Unweighted Frequency	%
1	Post by Bilateral Salpingo Oophorectomy	18	0.6 %
2	Natural post	42	1.5 %
3	Late perimenopause	121	4.2 %
4	Early perimenopause	1728	60.0 %
5	Pre-menopausal	719	25.0 %
6	Pregnant/breastfeeding	2	0.1 %
7	Unknown due to hormone therapy use	215	7.5 %
8	Unknown due to hysterectomy	14	0.5 %
	Missing Data		
.	-	22	0.8 %
	Total	2,881	100%

Based upon 2,859 valid cases out of 2,881 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1776-1776 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .