

ICPSR 30501

**Study of Women's Health Across
the Nation (SWAN), 2001-2003: Visit
05 Dataset**

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 2001-2003: Visit 05 Dataset

Kim Sutton-Tyrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran R. (Mary Francis Roy) Sowers
University of Michigan

Robert Neer
Massachusetts General Hospital, Boston

Lynda Powell
Rush-Presbyterian-St. Luke's Medical Center

Ellen B. Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry of New Jersey

Karen Matthews
University of Pittsburgh

Sonja McKinlay
New England Research Institutes

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30501/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #30501

Study of Women's Health Across the Nation (SWAN), 2001-2003: Visit 05 Dataset

1. **Variable Link:** Using the variable **SWANID**, this dataset can be linked with the SWAN Cross-Sectional Screener Data (ICPSR 04368), Baseline Data (ICPSR 28762), Visit 1 Data (ICPSR 29221), Visit 2 Data (ICPSR 29401), Visit 3 Data (ICPSR 29701), Visit 4 Data (ICPSR 30142), Visit 6 Data (ICPSR 31181), Visit 7 Data (ICPSR 31901), Visit 8 Data (ICPSR 32122), Visit 9 Data (ICPSR 32721), and Visit 10 Data (ICPSR 32961).
2. **Stata Limitations:** Due to Stata limitations, the following variables do not contain value labels for character values within the Stata files:

EATFATM5	EATSALT5	EATSKIN5	GLOBCER5
GLOBFR5T	GLOBMLK5	GLOBVEG5	LANGEFP5
LANGFFQ5	LANGSPK5	LFATCAK5	LFATCHS5
LFATICE5	LFATSAL5	OJCALC5	TAKEVIT5
WELLDNE5	WLOSSDT5	YRSAO5	YRSBETA5
YRSCA5	YRSIRON5	YRSONEA5	YRSSELE5
YRSVITA5	YRSVITC5	YRSVITE5	YRSZINC5

3. **Additional Information:** For additional information on the Study of Women's Health Across the Nation, please visit the [SWAN](#) website.

ICPSR 30501

Study of Women's Health Across the Nation (SWAN), 2001-2003: Visit 05 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: Respondent ID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10126	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10464	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10604	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10747	-	1	0.0 %
10757	-	1	0.0 %
10801	-	1	0.0 %
10879	-	1	0.0 %
10910	-	1	0.0 %
10968	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11047	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11119	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11298	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11338	-	1	0.0 %
11347	-	1	0.0 %
11430	-	1	0.0 %
11463	-	1	0.0 %
11478	-	1	0.0 %
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
11642	-	1	0.0 %
11740	-	1	0.0 %
11769	-	1	0.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

- Mean: 54719.73
- Minimum: 10046.00
- Maximum: 99992.00
- Standard Deviation: 25785.83

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT: Study Visit

SWAN study visit number

Value	Label	Unweighted Frequency	%
05	-	2617	100.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

INTDAY5: Interview Day

Date form completed

Value	Label	Unweighted Frequency	%
1691	-	1	0.0 %
1719	-	1	0.0 %
1720	-	1	0.0 %
1732	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1751	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	4	0.2 %
1768	-	3	0.1 %
1769	-	1	0.0 %
1770	-	6	0.2 %
1771	-	2	0.1 %
1772	-	3	0.1 %
1774	-	1	0.0 %
1775	-	3	0.1 %
1776	-	4	0.2 %
1777	-	3	0.1 %
1778	-	6	0.2 %
1779	-	3	0.1 %
1780	-	3	0.1 %
1781	-	13	0.5 %
1782	-	18	0.7 %
1783	-	22	0.8 %
1784	-	20	0.8 %
1785	-	21	0.8 %
1786	-	10	0.4 %
1787	-	12	0.5 %
1788	-	8	0.3 %

Value	Label	Unweighted Frequency	%
1789	-	11	0.4 %
1790	-	15	0.6 %
1791	-	20	0.8 %
1792	-	35	1.3 %
1793	-	23	0.9 %
1794	-	20	0.8 %
1795	-	11	0.4 %
1796	-	20	0.8 %
1797	-	21	0.8 %
1798	-	18	0.7 %
1799	-	32	1.2 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,604 valid cases out of 2,617 total cases.

- Mean: 1862.87
- Minimum: 1691.00
- Maximum: 2443.00
- Standard Deviation: 75.27

Location: 8-11 (*width:* 4; *decimal:* 0)

Variable Type: numeric

AGE5: Age At Current Visit(Integer)

Calculated from date of birth to when the interview form was completed, and rounded to the next lowest integer

Value	Label	Unweighted Frequency	%
46	-	7	0.3 %
47	-	250	9.6 %
48	-	308	11.8 %
49	-	325	12.4 %
50	-	312	11.9 %
51	-	324	12.4 %
52	-	318	12.2 %
53	-	252	9.6 %
54	-	219	8.4 %
55	-	144	5.5 %
56	-	89	3.4 %

Value	Label	Unweighted Frequency	%
57	-	58	2.2 %
58	-	11	0.4 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

- Mean: 51.00
- Median: 51.00
- Mode: 49.00
- Minimum: 46.00
- Maximum: 58.00
- Standard Deviation: 2.70

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

LANGINT5: Language of Interview

Interview language

Value	Label	Unweighted Frequency	%
1	English	2253	86.1 %
2	Spanish	165	6.3 %
3	Cantonese	77	2.9 %
4	Japanese	109	4.2 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RACE: Race/Ethnicity

Value	Label	Unweighted Frequency	%
1	Black/African American	700	26.7 %
2	Chinese/Chinese American	229	8.8 %
3	Japanese/Japanese American	265	10.1 %
4	Caucasian/ White Non-Hispanic	1252	47.8 %
5	Hispanic	171	6.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

PREGNAN5: Currently Pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	No	2162	82.6 %
2	Yes	0	0.0 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	454	17.3 %
	Total	2,617	100%

Based upon 2,162 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PREVBLO5: Blood Drawn Previously

Was blood for this annual follow-up drawn previous to this interview date?

Value	Label	Unweighted Frequency	%
1	No	1234	47.2 %
2	Yes	0	0.0 %
	Missing Data		
.	-	1383	52.8 %
	Total	2,617	100%

Based upon 1,234 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN5: Eat/Drink in last 12 hrs

Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	No	2120	81.0 %
2	Yes	43	1.6 %
	Missing Data		
.	-	454	17.3 %
	Total	2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER5: Start Period in Last Week

Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
1	No	1480	56.6 %
2	Yes	683	26.1 %
	Missing Data		
.	-	454	17.3 %
	Total	2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYBLE5: Day that you started to bleed

What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
1716	-	1	0.0 %
1724	-	1	0.0 %
1738	-	2	0.1 %
1744	-	1	0.0 %
1753	-	1	0.0 %
1757	-	1	0.0 %
1758	-	1	0.0 %
1759	-	1	0.0 %
1760	-	1	0.0 %
1763	-	1	0.0 %
1768	-	1	0.0 %
1769	-	1	0.0 %
1770	-	2	0.1 %
1774	-	1	0.0 %
1775	-	1	0.0 %
1776	-	3	0.1 %
1778	-	1	0.0 %
1779	-	1	0.0 %
1780	-	1	0.0 %
1781	-	6	0.2 %
1782	-	7	0.3 %
1783	-	3	0.1 %
1784	-	3	0.1 %
1785	-	1	0.0 %
1786	-	2	0.1 %
1787	-	1	0.0 %
1788	-	3	0.1 %
1789	-	8	0.3 %
1790	-	3	0.1 %
1791	-	1	0.0 %
1792	-	1	0.0 %
1793	-	4	0.2 %
1794	-	5	0.2 %
1795	-	4	0.2 %
1796	-	8	0.3 %
1797	-	4	0.2 %
1798	-	6	0.2 %
1799	-	2	0.1 %
1800	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1801	-	5	0.2 %
1802	-	1	0.0 %
1803	-	6	0.2 %
1804	-	5	0.2 %
1805	-	4	0.2 %
1806	-	2	0.1 %
1807	-	4	0.2 %
1808	-	5	0.2 %
1809	-	3	0.1 %
1810	-	3	0.1 %
1811	-	2	0.1 %
Missing Data			
.	-	1934	73.9 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 683 valid cases out of 2,617 total cases.

- Mean: 1865.07
- Median: 1854.00
- Minimum: 1716.00
- Maximum: 2112.00
- Standard Deviation: 65.61

Location: 25-28 (width: 4; decimal: 0)

Variable Type: numeric

BLDRWAT5: Blood Draw Attempted

Blood draw attempted?

Value	Label	Unweighted Frequency	%
1	Yes, as per protocol	1717	65.6 %
2	Yes, menses too variable	298	11.4 %
3	Yes, Last attempt	148	5.7 %
4	Yes, Respondent Pregnant	0	0.0 %
5	No, Not fasting and/or not in window	0	0.0 %
Missing Data			
.	-	454	17.3 %
Total		2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW5: Blood Drawn

Blood drawn?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	2163	82.7 %
	Missing Data		
.	-	454	17.3 %
	Total	2,617	100%

Based upon 2,163 valid cases out of 2,617 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPEDAY5: Blood Specimen Day

Blood Specimen Day

Value	Label	Unweighted Frequency	%
1719	-	1	0.0 %
1726	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	2	0.1 %
1759	-	2	0.1 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1767	-	2	0.1 %
1768	-	2	0.1 %
1770	-	3	0.1 %
1771	-	1	0.0 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1779	-	3	0.1 %
1780	-	1	0.0 %
1781	-	8	0.3 %
1782	-	16	0.6 %
1783	-	14	0.5 %
1784	-	16	0.6 %
1785	-	18	0.7 %
1786	-	9	0.3 %
1787	-	9	0.3 %
1788	-	6	0.2 %
1789	-	6	0.2 %
1790	-	16	0.6 %
1791	-	16	0.6 %
1792	-	19	0.7 %
1793	-	15	0.6 %
1794	-	11	0.4 %
1795	-	11	0.4 %
1796	-	13	0.5 %
1797	-	13	0.5 %
1798	-	18	0.7 %
1799	-	27	1.0 %
1800	-	7	0.3 %
1801	-	11	0.4 %
1802	-	13	0.5 %
1803	-	9	0.3 %
1804	-	10	0.4 %
1805	-	14	0.5 %
Missing Data			
.	-	440	16.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,177 valid cases out of 2,617 total cases.

- Mean: 1869.94
- Minimum: 1719.00
- Maximum: 2185.00
- Standard Deviation: 71.05

Location: 33-36 (width: 4; decimal: 0)

Variable Type: numeric

ANTICO15: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	2552	97.5 %
2	Yes	52	2.0 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW15: Anticoagulant #1 taken 2x/wk for last mo

If YES to ANTICO15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	12	0.5 %
2	Yes	40	1.5 %
	Missing Data		
-1	N/A	2552	97.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 52 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 39-40 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO25: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	No	44	1.7 %
2	Yes	8	0.3 %
Missing Data			
-1	N/A	2552	97.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 52 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 41-42 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW25: Anticoagulant #2 taken 2x/wk for last mo

If YES to ANTICO25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	5	0.2 %
Missing Data			
-1	N/A	2596	99.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 8 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 43-44 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART15: Heart med #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	2533	96.8 %
2	Yes	71	2.7 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW15: Heart med #1 taken 2x/wk for last mo

If YES to HEART15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	10	0.4 %
2	Yes	60	2.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2533	96.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 70 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART25: Heart med #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	No	53	2.0 %
2	Yes	18	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2533	96.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 71 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW25: Heart med #2 taken 2x/wk for last mo

If YES to HEART25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	17	0.6 %
	Missing Data		
-1	N/A	2586	98.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 18 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST15: Cholesterol med #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	2413	92.2 %
2	Yes	190	7.3 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW15: Cholesterol med #1 taken 2x/wk for last mo

If YES to CHOLST15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	20	0.8 %
2	Yes	170	6.5 %
	Missing Data		
-1	N/A	2414	92.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 190 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST25: Cholesterol med #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	No	181	6.9 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2414	92.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 190 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW25: Cholesterol med #2 taken 2x/wk for last mo

If YES to CHOLST25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2595	99.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 9 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP15: Blood pressure med #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	2050	78.3 %
2	Yes	554	21.2 %
	Missing Data		
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW15: Blood pressure med #1 taken 2x/wk last mo

If YES to BP15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	22	0.8 %

Value	Label	Unweighted Frequency	%
2	Yes	532	20.3 %
	Missing Data		
-1	N/A	2050	78.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 554 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP25: Blood pressure med #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	No	371	14.2 %
2	Yes	183	7.0 %
	Missing Data		
-1	N/A	2050	78.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 554 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW25: Blood pressure med #2 taken 2x/wk last mo

If YES to BP25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	174	6.6 %
	Missing Data		
-1	N/A	2421	92.5 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 183 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET15: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	2453	93.7 %
2	Yes	151	5.8 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW15: Diuretic #1 taken 2x/wk for last mo

If YES to DIURET15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	25	1.0 %
2	Yes	126	4.8 %
	Missing Data		
-1	N/A	2453	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 151 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET25: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	No	145	5.5 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2453	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 151 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW25: Diuretic #2 taken 2x/wk for last mo

If YES to DIURET25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2598	99.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 6 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI15: Thyroid med #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	2351	89.8 %
2	Yes	253	9.7 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW15: Thyroid med #1 taken 2x/wk for last mo

If YES to THYROI15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	243	9.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2351	89.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 252 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI25: Thyroid med #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	No	245	9.4 %
2	Yes	8	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2351	89.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 253 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW25: Thyroid med #2 taken 2x/wk for last mo

If YES to THYROI25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	2	0.1 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2596	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 8 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN15: Insulin med #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	2463	94.1 %
2	Yes	141	5.4 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW15: Insulin med #1 taken 2x/wk for last mo

If YES to INSULN15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	132	5.0 %
	Missing Data		
-1	N/A	2463	94.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 141 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN25: Insulin med #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	No	68	2.6 %
2	Yes	73	2.8 %
	Missing Data		
-1	N/A	2463	94.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 141 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW25: Insulin med #2 taken 2x/wk for last mo

If YES to INSULN25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	70	2.7 %
	Missing Data		
-1	N/A	2531	96.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 73 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS15: Nervous cond med #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	2210	84.4 %
2	Yes	393	15.0 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW15: Nervous cond med #1 taken 2x/wk last mo

If YES to NERVS15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	97	3.7 %
2	Yes	296	11.3 %
	Missing Data		
-1	N/A	2211	84.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS25: Nervous cond med #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	No	268	10.2 %
2	Yes	125	4.8 %
	Missing Data		
-1	N/A	2211	84.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW25: Nervous cond med #2 taken 2x/wk last mo

If YES to NERVS25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	38	1.5 %
2	Yes	87	3.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2479	94.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 125 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI15: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	2506	95.8 %
2	Yes	97	3.7 %
	Missing Data		
-9	Missing	1	0.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW15: Steroid #1 taken 2x/wk for last mo

If YES to STEROI15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	59	2.3 %
2	Yes	38	1.5 %
	Missing Data		
-1	N/A	2507	95.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 97 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI25: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	No	90	3.4 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2507	95.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 97 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW25: Steroid #2 taken 2x/wk for last mo

If YES to STEROI25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2597	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 7 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL15: Fertility med #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	2603	99.5 %
2	Yes	0	0.0 %
Missing Data			
-9	Missing	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW15: Fertility med #1 taken 2x/wk last mo

If YES to FERTIL15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
Missing Data			
-1	N/A	2604	99.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL25: Fertility med #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (Pergonal, Clomid)?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW25: Fertility med #2 taken 2x/wk last mo

If YES to FERTIL25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP15: Birth Control Pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	2557	97.7 %
2	Yes	47	1.8 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI15: Birth Control Pill #1 taken 2x/wk last mo

If YES to BCP15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	17	0.6 %
2	Yes	30	1.1 %
	Missing Data		
-1	N/A	2557	97.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 47 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP25: Birth Control Pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	No	41	1.6 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2557	97.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 47 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI25: Birth control pills #2 taken 2x/wk last mo

If YES to BCP25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2598	99.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 6 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS5: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	Prevent Pregnancy	9	0.3 %
2	Help Control Pre Menstrual Symptoms	1	0.0 %
3	Help Control Menopausal Symptoms	10	0.4 %
4	Control Other Symptoms	0	0.0 %
5	Regulate Periods	11	0.4 %
6	Prevent Osteoporosis	0	0.0 %
7	Reduce Bleeding	9	0.3 %
8	Other	6	0.2 %
	Missing Data		
-1	N/A	2558	97.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 46 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S5: Primary reason other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2598	99.3 %
DISCOMFORT DURING PERIODS	-	1	0.0 %
FIBROIDS - STOP DEVELOPMENT	-	1	0.0 %
FOR FIBROIDS TRYING TO SHRINK	-	1	0.0 %
FOR HOT FLASH	-	1	0.0 %
TO IMPROVE MEMORY	-	1	0.0 %
TREAT DEPRESSION	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 127-155 (width: 29; decimal: 0)

Variable Type: character

ESTROG15: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	2361	90.2 %
2	Yes	243	9.3 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW15: Estrogen pills #1 taken 2x/wk for last mo

If YES to ESTROG15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	31	1.2 %
2	Yes	212	8.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2361	90.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 243 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG25: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	No	231	8.8 %
2	Yes	12	0.5 %
	Missing Data		
-1	N/A	2361	90.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 243 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW25: Estrogen pills #2 taken 2x/wk for last mo

If YES to ESTROG25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2592	99.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 12 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 162-163 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA15: Estr #1 rx daily or off & on

If YES to ESTRTW15: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	222	8.5 %
2	Off and On	16	0.6 %
	Missing Data		
-9	Missing	3	0.1 %
-8	Do not know	2	0.1 %
-1	N/A	2361	90.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 238 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

ESTRDA25: Estr #2 rx daily or off & on

If YES to ESTRTW25: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	10	0.4 %
2	Off and On	2	0.1 %
	Missing Data		
-1	N/A	2592	99.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 12 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 166-167 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -1 , .

ESTRNJ15: Estrogen inj/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	2583	98.7 %
2	Yes	21	0.8 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 168-169 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW15: Estrogen inj/patch #1 taken 2x/wk last mo

If YES to ESTRNJ15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	15	0.6 %
	Missing Data		
-1	N/A	2583	98.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 21 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 170-171 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ25: Estrogen inj/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	No	25	1.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2579	98.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 25 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW25: Estrogen inj/patch #2 taken 2x/wk last mo

If YES to ESTRNJ25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN15: Comb estrogen/progestin #1

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	2415	92.3 %
2	Yes	189	7.2 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW15: Comb estrogen/progestin #1 taken 2x/wk last mo

If YES to COMBIN15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	30	1.1 %
2	Yes	159	6.1 %
	Missing Data		
-1	N/A	2415	92.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 189 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN25: Comb estrogen/progestin #2

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	No	180	6.9 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	2418	92.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 186 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW25: Comb estrogen/progestin #2 taken 2x/wk last mo

If YES to COMBIN25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2598	99.3 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 6 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES15: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	2424	92.6 %
2	Yes	180	6.9 %
	Missing Data		
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW15: Progestin pills #1 taken 2x/wk last mo

If YES to PROGES15: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	33	1.3 %

Value	Label	Unweighted Frequency	%
2	Yes	147	5.6 %
	Missing Data		
-1	N/A	2424	92.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 180 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES25: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	No	178	6.8 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2424	92.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 180 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW25: Progestin pills #2 taken 2x/wk last mo

If YES to PROGES25: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA15: Prog #1 rx daily or off & on

If YES to PROGTW15: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	92	3.5 %
2	Off and On	84	3.2 %
	Missing Data		
-9	Missing	2	0.1 %
-8	Do not know	2	0.1 %
-1	N/A	2424	92.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 176 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

PROGDA25: Prog #2 rx daily or off & on

If YES to PROGTW25: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	Every Day	1	0.0 %
2	Off and On	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -1 , .

OSTEPR15: Osteoporosis med #1

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	2561	97.9 %
2	Yes	43	1.6 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTETW15: Osteoporosis med #1 taken 2x/wk for last mo

If YES to OSTEPR15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	32	1.2 %
	Missing Data		
-1	N/A	2561	97.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 43 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEPR25: Osteoporosis med #2

Since your last study visit, have you taken: Medications to prevent or treat osteoporosis (brittle or thinning bones such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel)?

Value	Label	Unweighted Frequency	%
1	No	43	1.6 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2561	97.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 43 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

OSTETW25: Osteoporosis med #2 taken 2x/wk for last mo

If YES to OSTEPR25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ARTHRT15: Arthritis med #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	2349	89.8 %
2	Yes	191	7.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW15: Arthritis med #1 taken 2x/wk last mo

If YES to ARTHRT15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	53	2.0 %
2	Yes	138	5.3 %
	Missing Data		
-1	N/A	2413	92.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 191 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT25: Arthritis med #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	No	161	6.2 %
2	Yes	30	1.1 %
	Missing Data		
-1	N/A	2413	92.2 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 191 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW25: Arthritis med #2 taken 2x/wk last mo

If YES to ARTHRT15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	22	0.8 %
	Missing Data		
-1	N/A	2574	98.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 30 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED15: Other rx med #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1477	56.4 %
2	Yes	1127	43.1 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW15: Other rx med #1 taken 2x/wk last mo

If YES to OTHMED15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	488	18.6 %
2	Yes	639	24.4 %
Missing Data			
-1	N/A	1477	56.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,127 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED25: Other rx med #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	531	20.3 %
2	Yes	595	22.7 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	1477	56.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,126 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW25: Other rx med #2 taken 2x/wk last mo

If YES to OTHMED25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	265	10.1 %
2	Yes	330	12.6 %
	Missing Data		
-1	N/A	2009	76.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 595 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED35: Other rx med #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	255	9.7 %
2	Yes	340	13.0 %
	Missing Data		
-1	N/A	2009	76.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 595 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW35: Other rx med #3 taken 2x/wk last mo

If YES to OTHMED35: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	124	4.7 %
2	Yes	215	8.2 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2264	86.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 339 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHMED45: Other rx med #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	143	5.5 %
2	Yes	197	7.5 %
	Missing Data		
-1	N/A	2264	86.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 340 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW45: Other rx med #4 taken 2x/wk last mo

If YES to OTHMED45: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	84	3.2 %
2	Yes	113	4.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2407	92.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 197 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED55: Other rx med #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	78	3.0 %
2	Yes	119	4.5 %
	Missing Data		
-1	N/A	2407	92.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 197 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW55: Other rx med #5 taken 2x/wk last mo

If YES to OTHMED55: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	53	2.0 %
2	Yes	66	2.5 %
	Missing Data		
-1	N/A	2485	95.0 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 119 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED65: Other rx med #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	43	1.6 %
2	Yes	76	2.9 %
	Missing Data		
-1	N/A	2485	95.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 119 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW65: Other rx med #6 taken 2x/wk last mo

If YES to OTHMED65: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	36	1.4 %
2	Yes	40	1.5 %
	Missing Data		
-1	N/A	2528	96.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 76 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED75: Other rx med #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	37	1.4 %
2	Yes	39	1.5 %
	Missing Data		
-1	N/A	2528	96.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 76 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW75: Other rx med #7 taken 2x/wk last mo

If YES to OTHMED75: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	22	0.8 %
2	Yes	17	0.6 %
	Missing Data		
-1	N/A	2565	98.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 39 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED85: Other rx med #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	15	0.6 %
2	Yes	24	0.9 %
	Missing Data		
-1	N/A	2565	98.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 39 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW85: Other rx med #8 taken 2x/wk last mo

If YES to OTHMED85: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	10	0.4 %
	Missing Data		
-1	N/A	2580	98.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 24 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED95: Other rx med #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	8	0.3 %
2	Yes	16	0.6 %
Missing Data			
-1	N/A	2580	98.6 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 24 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW95: Other rx med #9 taken 2x/wk last mo

If YES to OTHMED95: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	7	0.3 %
Missing Data			
-1	N/A	2588	98.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 16 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME105: Other rx med #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	10	0.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	N/A	2588	98.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 16 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW105: Other rx med #10 taken 2x/wk last mo

If YES to OTHME105: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	6	0.2 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2594	99.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 10 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME115: Other rx med #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	2594	99.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 10 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW115: Other rx med #11 taken 2x/wk last mo

If YES to OTHME115: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2597	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 7 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME125: Other rx med #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	3	0.1 %
2	Yes	4	0.2 %
	Missing Data		
-1	N/A	2597	99.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 7 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW125: Other rx med #12 taken 2x/wk last mo

If YES to OTHME125: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	4	0.2 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2600	99.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 4 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 258-259 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME135: Other rx med #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2600	99.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 4 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 260-261 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW135: Other rx med #13 taken 2x/wk last mo

If YES to OTHME135: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
Missing Data			
-1	N/A	2601	99.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 3 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME145: Other rx med #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	2	0.1 %
Missing Data			
-1	N/A	2601	99.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 3 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW145: Other rx med #14 taken 2x/wk last mo

If YES to OTHME145: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME155: Other rx med #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW155: Other rx med #15 taken 2x/wk last mo

If YES to OTHME155: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2603	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 1 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ESTLSTV5: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	No	147	5.6 %
2	Yes	309	11.8 %
	Missing Data		
-8	Do not know	6	0.2 %
-1	N/A	2142	81.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 456 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR5: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	No	126	4.8 %
2	Yes	27	1.0 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-275 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOP05: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	No	100	3.8 %
2	Yes	53	2.0 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM5: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	No	44	1.7 %
2	Yes	109	4.2 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK5: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	No	135	5.2 %
2	Yes	18	0.7 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HCPADVI5: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	No	38	1.5 %
2	Yes	115	4.4 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADVI5: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	No	140	5.3 %
2	Yes	13	0.5 %
Missing Data			
-1	N/A	2451	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM5: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	No	139	5.3 %
2	Yes	14	0.5 %
Missing Data			
-1	N/A	2451	93.7 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI5: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	No	116	4.4 %
2	Yes	37	1.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH5: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	No	129	4.9 %
2	Yes	24	0.9 %
	Missing Data		
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 153 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO5: Don't know/rem why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	No	152	5.8 %
2	Yes	0	0.0 %
	Missing Data		
-9	Missing	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	N/A	2451	93.7 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 152 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMDAY5: Last Took Hormones Day

Since your last study visit, you were taking some hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
1438	-	1	0.0 %
1476	-	1	0.0 %
1484	-	1	0.0 %
1487	-	1	0.0 %
1511	-	1	0.0 %
1527	-	1	0.0 %
1610	-	1	0.0 %
1615	-	1	0.0 %
1618	-	1	0.0 %
1643	-	1	0.0 %
1655	-	1	0.0 %
1664	-	1	0.0 %
1666	-	1	0.0 %
1669	-	1	0.0 %
1670	-	1	0.0 %
1672	-	1	0.0 %
1676	-	2	0.1 %
1679	-	1	0.0 %
1684	-	2	0.1 %
1685	-	1	0.0 %
1696	-	1	0.0 %
1697	-	1	0.0 %
1710	-	2	0.1 %
1712	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1713	-	1	0.0 %
1716	-	1	0.0 %
1724	-	1	0.0 %
1732	-	1	0.0 %
1734	-	1	0.0 %
1736	-	1	0.0 %
1742	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	1	0.0 %
1770	-	1	0.0 %
1779	-	1	0.0 %
1782	-	1	0.0 %
1788	-	1	0.0 %
1789	-	1	0.0 %
1795	-	1	0.0 %
1798	-	1	0.0 %
1799	-	1	0.0 %
1818	-	1	0.0 %
1822	-	2	0.1 %
1823	-	1	0.0 %
1824	-	1	0.0 %
1838	-	1	0.0 %
1842	-	1	0.0 %
Missing Data			
.	-	2559	97.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 58 valid cases out of 2,617 total cases.

- Mean: 1718.53
- Median: 1720.00
- Minimum: 1438.00
- Maximum: 1944.00
- Standard Deviation: 109.88

Location: 294-297 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

PRBLEE5: Problems w/bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	No	56	2.1 %
2	Yes	10	0.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER5: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	No	65	2.5 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL5: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	No	58	2.2 %
2	Yes	8	0.3 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF5: Worried about poss side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	No	55	2.1 %
2	Yes	11	0.4 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER5: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	No	55	2.1 %
2	Yes	11	0.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO5: Health care prov advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	No	56	2.1 %
2	Yes	10	0.4 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI5: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	No	63	2.4 %

Value	Label	Unweighted Frequency	%
2	Yes	3	0.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE5: Do not like taking meds

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	No	60	2.3 %
2	Yes	6	0.2 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEMB5: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	No	65	2.5 %

Value	Label	Unweighted Frequency	%
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW5: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
1	No	65	2.5 %
2	Yes	1	0.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH5: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	No	30	1.1 %
2	Yes	36	1.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 66 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO5: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	No	64	2.4 %
2	Yes	1	0.0 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	2537	96.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 65 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN15: OTC Pain med #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	1699	64.9 %
2	Yes	842	32.2 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW15: OTC Pain med #1 taken 2x/wk last mo

If YES to PAIN15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	358	13.7 %
2	Yes	484	18.5 %
	Missing Data		
-1	N/A	1762	67.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 842 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN25: OTC Pain med #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	No	620	23.7 %
2	Yes	222	8.5 %
	Missing Data		
-1	N/A	1762	67.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 842 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW25: OTC Pain med #2 taken 2x/wk last mo

If YES to PAIN25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	124	4.7 %
2	Yes	98	3.7 %
	Missing Data		
-1	N/A	2382	91.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 222 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP15: OTC Sleep med #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	2424	92.6 %
2	Yes	117	4.5 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW15: OTC Sleep med #1 taken 2x/wk last mo

If YES to SLEEP15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	51	1.9 %
2	Yes	66	2.5 %
	Missing Data		
-1	N/A	2487	95.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 117 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP25: OTC Sleep med #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	No	108	4.1 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2487	95.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 117 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW25: OTC Sleep med #2 taken 2x/wk last mo

If YES to SLEEP25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	5	0.2 %
2	Yes	4	0.2 %
Missing Data			
-1	N/A	2595	99.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 9 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC15: Other OTC med #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	1896	72.4 %
2	Yes	645	24.6 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW15: Other OTC med #1 taken 2x/wk last mo

If YES to OTC15: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	153	5.8 %
2	Yes	491	18.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
-1	N/A	1959	74.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 644 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC25: Other OTC med #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	364	13.9 %
2	Yes	281	10.7 %
	Missing Data		
-1	N/A	1959	74.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 645 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW25: Other OTC med #2 taken 2x/wk last mo

If YES to OTC25: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	46	1.8 %
2	Yes	235	9.0 %
	Missing Data		
-1	N/A	2323	88.8 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 281 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC35: Other OTC med #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	117	4.5 %
2	Yes	164	6.3 %
	Missing Data		
-1	N/A	2323	88.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 281 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW35: Other OTC med #3 taken 2x/wk last mo

If YES to OTC35: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	21	0.8 %
2	Yes	143	5.5 %
	Missing Data		
-1	N/A	2440	93.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 164 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC45: Other OTC med #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	No	77	2.9 %
2	Yes	87	3.3 %
	Missing Data		
-1	N/A	2440	93.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 164 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW45: Other OTC med #4 taken 2x/wk last mo

If YES to OTC45: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	No	13	0.5 %
2	Yes	74	2.8 %
	Missing Data		
-1	N/A	2517	96.2 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 87 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL245: Alcohol in Last 24 hrs

Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	No	1813	69.3 %
2	Yes	341	13.0 %
	Missing Data		
-9	Missing	8	0.3 %
-1	N/A	1	0.0 %
.	-	454	17.3 %
	Total	2,617	100%

Based upon 2,154 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SOYPROT5: How often take soy protein

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	Don't take any	2203	84.2 %
2	1-3 days/week	121	4.6 %
3	4-6 days/week	43	1.6 %
4	Every day	152	5.8 %
	Missing Data		
-9	Missing	1	0.0 %
-8	Do not know	21	0.8 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,519 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CEREACA5: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1706	65.2 %
2	1/week	245	9.4 %
3	2/week	158	6.0 %
4	3-4/week	148	5.7 %
5	5-6/week	65	2.5 %
6	>=7/week	32	1.2 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	186	7.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,354 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 358-359 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BREADCA5: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1615	61.7 %
2	1/week	158	6.0 %
3	2/week	154	5.9 %
4	3-4/week	157	6.0 %
5	5-6/week	76	2.9 %
6	>=7/week	99	3.8 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	281	10.7 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,259 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORANGCA5: How many glasses high calcium OJ

Some brands of orange juice have extra calcium added. How many glasses of orange juice containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	None or <1/week	1519	58.0 %
2	1/week	246	9.4 %
3	2/week	224	8.6 %
4	3-4/week	223	8.5 %
5	5-6/week	127	4.9 %
6	>=7/week	179	6.8 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	22	0.8 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,518 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANEMIA5: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	No	2357	90.1 %
2	Yes	184	7.0 %
Missing Data			
-1	N/A	63	2.4 %

Value	Label	Unweighted Frequency	%
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE5: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	No	2457	93.9 %
2	Yes	146	5.6 %
Missing Data			
-8	Do not know	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP5: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	No	2085	79.7 %
2	Yes	519	19.8 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE5: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	No	2130	81.4 %
2	Yes	408	15.6 %
	Missing Data		
-8	Do not know	3	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,538 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN5: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	No	2391	91.4 %
2	Yes	150	5.7 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE5: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	No	2535	96.9 %
2	Yes	6	0.2 %
	Missing Data		
-1	N/A	63	2.4 %
-	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR5: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	No	2214	84.6 %
2	Yes	386	14.7 %
	Missing Data		
-8	Do not know	4	0.2 %
-	-	13	0.5 %
	Total	2,617	100%

Based upon 2,600 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID5: Over/underactive Thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	No	2374	90.7 %
2	Yes	227	8.7 %
	Missing Data		
-8	Do not know	3	0.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,601 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT5: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	No	2598	99.3 %
2	Yes	6	0.2 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA5: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	No	2590	99.0 %
2	Yes	14	0.5 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR5: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	No	2561	97.9 %
2	Yes	42	1.6 %
	Missing Data		
-8	Do not know	1	0.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS5: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, other than skin cancer?

Value	Label	Unweighted Frequency	%
1	No	2575	98.4 %
2	Yes	28	1.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	1	0.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE5: Primary site of cancer

If YES to CANCERS5: What is the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2576	98.4 %
BRAIN	-	1	0.0 %
BREAST	-	6	0.2 %
BREAST CANCER	-	6	0.2 %
BREAST CANCER IN BOTH SIDES	-	1	0.0 %
COLON	-	1	0.0 %
LEFT BREAST	-	3	0.1 %
LIVER	-	1	0.0 %
OVARIES	-	1	0.0 %
OVARY	-	1	0.0 %
RIGHT BREAST	-	2	0.1 %
SKIN OF FACE IN SWEAT GLAND	-	1	0.0 %
SPINE	-	1	0.0 %
THROAT	-	1	0.0 %
THROAT CANCER IN VOICE BOX	-	1	0.0 %
THYROID GLAND	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 388-414 (width: 27; decimal: 0)

Variable Type: character

TAMOXIF5: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	9	0.3 %
2	Yes	9	0.3 %
	Missing Data		
-1	N/A	2586	98.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 18 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH5: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	No	14	0.5 %
2	Yes	13	0.5 %
	Missing Data		
-1	N/A	2577	98.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 27 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO5: # times broke bones since last visit

Since your last study visit, how many times did you break or fracture a bone? # of times broken bones

Value	Label	Unweighted Frequency	%
0	-	2545	97.2 %
1	-	55	2.1 %

Value	Label	Unweighted Frequency	%
2	-	3	0.1 %
-9	Missing Data		
-9	Missing	1	0.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.16

Location: 419-420 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES15: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2546	97.3 %
1	-	1	0.0 %
2ND TARSUS(?) BONE IN FOOT	-	1	0.0 %
2ND TOE L. FOOT	-	1	0.0 %
2ND TOE ON LEFT FOOT	-	1	0.0 %
3 BONES IN THE LEFT FOOT	-	1	0.0 %
3RD DIGIT	-	1	0.0 %
ANKLE	-	2	0.1 %
ANKLE (DISTOL FIBULA) FELL WHI	-	1	0.0 %
ANKLE BONE FIBULA	-	1	0.0 %
BABY TOE	-	1	0.0 %
BONE IN LEFT FOOT ALTC	-	1	0.0 %
COLLARBONE (RT)	-	1	0.0 %
FIFTH METATARSAL ON RIGHT FOOT	-	1	0.0 %
FOOT 3 FRACTURES (BABY TOE	-	1	0.0 %
FX RIBS	-	1	0.0 %
KNEE	-	1	0.0 %
L ANKLE (2ND TIME)	-	1	0.0 %

Value	Label	Unweighted Frequency	%
LEFT 2ND TOE	-	1	0.0 %
LEFT ANKLE	-	2	0.1 %
LEFT ARM	-	1	0.0 %
LEFT ARM (FOREARM)	-	1	0.0 %
LEFT ELBOW	-	1	0.0 %
LEFT FOOT - METATARSAL	-	1	0.0 %
LEFT FOOT INSTEP	-	1	0.0 %
LEFT FOOT LITTLE TOE	-	1	0.0 %
LEFT FOOT UPPER PART	-	1	0.0 %
LEFT FOOT-BIG + SECOND TOE	-	1	0.0 %
LEFT HUMEROUS	-	1	0.0 %
LEFT RIB	-	1	0.0 %
LEFT SECOND TOE	-	1	0.0 %
LEFT TOE	-	2	0.1 %
LT. TOE (BIG TOE)	-	1	0.0 %
MID-FOOT (2ND METATARCELRT FT	-	1	0.0 %
NOSE	-	1	0.0 %
PELVIS	-	1	0.0 %
PROXIMAL HEAD OF RIGHT RADIUS	-	1	0.0 %
R. MENISCUS (IN KNEE)	-	1	0.0 %
RIB TIBIA	-	1	0.0 %
RIGHT ANKLE	-	2	0.1 %
RIGHT ARM - LONG BONE & SHORT	-	1	0.0 %
RIGHT HAND FIFTH FINGER	-	1	0.0 %
RIGHT KNEE	-	1	0.0 %
RIGHT METATARSAL BONE	-	1	0.0 %
RIGHT WRIST	-	2	0.1 %
RT ELBOW	-	1	0.0 %
SOCKET FLOOR IN EYE (LEFT)	-	1	0.0 %
THUMB	-	1	0.0 %
THUMB - METACARPAL	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 421-450 (width: 30; decimal: 0)

Variable Type: character

HAPPEN15: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	26	1.0 %
2	Yes	32	1.2 %
	Missing Data		
-1	N/A	2546	97.3 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 58 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

BONES25: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1	-	2601	99.4 %
BABY (PINKY) TOE	-	1	0.0 %
ONE TOE IN THE LEFT FOOT	-	1	0.0 %
RIB (LOWER LEFT RIB)	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 453-476 (width: 24; decimal: 0)

Variable Type: character

HAPPEN25: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2601	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 3 valid cases out of 2,617 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES35: Bone #5 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 479-480 (width: 2; decimal: 0)

Variable Type: character

HAPPEN35: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC5: D & C since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	No	2504	95.7 %
2	Yes	37	1.4 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

NUMDAND5: D & C # of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	-	36	1.4 %
2	-	1	0.0 %
	Missing Data		
-1	N/A	2567	98.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 37 valid cases out of 2,617 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.16

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

HYSTERE5: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2568	98.1 %
2	Yes	36	1.4 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY5: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
172	-	1	0.0 %
942	-	1	0.0 %
1279	-	1	0.0 %
1432	-	1	0.0 %
1447	-	1	0.0 %
1492	-	1	0.0 %
1505	-	1	0.0 %
1511	-	1	0.0 %
1521	-	1	0.0 %
1568	-	1	0.0 %
1573	-	1	0.0 %
1593	-	1	0.0 %
1604	-	1	0.0 %
1632	-	1	0.0 %
1685	-	1	0.0 %
1689	-	1	0.0 %
1697	-	1	0.0 %
1701	-	1	0.0 %
1710	-	1	0.0 %
1733	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1735	-	1	0.0 %
1745	-	1	0.0 %
1757	-	1	0.0 %
1767	-	1	0.0 %
1789	-	2	0.1 %
1796	-	1	0.0 %
1805	-	1	0.0 %
1811	-	1	0.0 %
1830	-	1	0.0 %
1897	-	1	0.0 %
1905	-	1	0.0 %
1953	-	1	0.0 %
1960	-	1	0.0 %
1997	-	1	0.0 %
Missing Data			
.	-	2582	98.7 %
Total		2,617	100%

Based upon 35 valid cases out of 2,617 total cases.

- Mean: 1629.20
- Median: 1701.00
- Mode: 1789.00
- Minimum: 172.00
- Maximum: 1997.00
- Standard Deviation: 326.90

Location: 489-492 (width: 4; decimal: 0)

Variable Type: numeric

OOPHORE5: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	No	2572	98.3 %
2	Yes	32	1.2 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR5: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	One Ovary Removed	7	0.3 %
2	Both Ovaries Removed	24	0.9 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	2572	98.3 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 31 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN5: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	No	2534	96.8 %
2	Yes	7	0.3 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO5: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other uterine procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	No	2432	92.9 %
2	Yes	105	4.0 %
	Missing Data		
-8	Do not know	4	0.2 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,537 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM5: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	No	2534	96.8 %
2	Yes	5	0.2 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDO5: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	No	2523	96.4 %
2	Yes	18	0.7 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDODIF5: Endometriosis difficult

If YES to ENDO5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	16	0.6 %
2	Yes	2	0.1 %
	Missing Data		
-1	N/A	2586	98.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 18 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN5: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	No	2387	91.2 %
2	Yes	154	5.9 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPELV5: Pelvic pain difficult

If YES to PELVCPN5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	104	4.0 %
2	Yes	50	1.9 %
Missing Data			
-1	N/A	2450	93.6 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 154 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS5: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	No	2490	95.1 %
2	Yes	51	1.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFPROL5: Pelvic prolapse difficult

If YES to PROLAPS5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	35	1.3 %
2	Yes	16	0.6 %
	Missing Data		
-1	N/A	2553	97.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 51 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCNC5: Pelvic cancer since last visit

Since your last study visit, have you had any of the following conditions? Pelvic cancer (cancer of the vulva, cervix, uterus, or ovaries)?

Value	Label	Unweighted Frequency	%
1	No	2540	97.1 %
2	Yes	1	0.0 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

DIFCANC5: Pelvic cancer difficult

If YES to PELVCNC5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	1	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2603	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 1 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED5: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	No	2380	90.9 %
2	Yes	160	6.1 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFBLED5: Abnormal vaginal bleeding difficult

If YES to ABBLEED5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	89	3.4 %
2	Yes	71	2.7 %
	Missing Data		
-1	N/A	2444	93.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 160 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR5: (FIBRUTR5) Fibroids since last visit

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	No	2269	86.7 %
2	Yes	272	10.4 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 523-524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIFFIBR5: Fibroids difficult

If YES to FIBRUTR5: Has it made it difficult to carry out your daily routine (e.g., work, housework, childcare)?

Value	Label	Unweighted Frequency	%
1	No	225	8.6 %
2	Yes	47	1.8 %
	Missing Data		
-1	N/A	2332	89.1 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 272 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER5: Health care provider for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	No	380	14.5 %
2	Yes	2161	82.6 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROFDEG5: Professional degree of HCP

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	Medical Doctor (MD)	1943	74.2 %

Value	Label	Unweighted Frequency	%
2	Dr. of Osteopathy (DO)	23	0.9 %
3	Chiropractor (DC)	0	0.0 %
4	Registered Nurse (RN)	8	0.3 %
5	Nurse Practitioner (NP)	161	6.2 %
6	Physician Assistant (PA)	6	0.2 %
7	Other: Specify	4	0.2 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	15	0.6 %
-1	N/A	443	16.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,145 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPECIFY5: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2600	99.4 %
ACUPUNCTURIST R	-	1	0.0 %
HERBALIST	-	1	0.0 %
HOMEOPATHIC DOCTOR	-	1	0.0 %
RESIDENT 2YR ROTATION	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 531-551 (width: 21; decimal: 0)

Variable Type: character

PROVSPC5: Provider's specialty

Which of the following best describes this provider's speciality?

Value	Label	Unweighted Frequency	%
1	Family Practitioner	582	22.2 %
2	Internist	323	12.3 %
3	Gynecologist	1002	38.3 %
4	Naturopath	7	0.3 %
5	Other	20	0.8 %
6	No specialty	1	0.0 %
Missing Data			
-8	Do not know	35	1.3 %
-1	N/A	634	24.2 %
.	.	13	0.5 %
Total		2,617	100%

Based upon 1,935 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL5: HCP specialty - other specify

Which of the following best describes this provider's specialty? - Specify

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1	-	2584	98.7 %
ADULT MEDICINE	-	1	0.0 %
ALTERNATIVE	-	1	0.0 %
DIABETES SPECIALIST	-	1	0.0 %
ENDOCRINOLOGIST	-	1	0.0 %
ENDOCRINOLOGY	-	1	0.0 %
FERTILITY AND	-	1	0.0 %
GEN MEDICINE	-	1	0.0 %
GEN'L PRACTONR	-	1	0.0 %
GEN. PRACTICE	-	1	0.0 %
GERIATRIC INTERNIST	-	1	0.0 %
GERIATRICS	-	1	0.0 %
HEMATOLOGIST	-	1	0.0 %
HERBALIST	-	1	0.0 %
HORMONE CONSULTANT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
INTERNIST OB\GY	-	1	0.0 %
NEUROLOGIST	-	1	0.0 %
RN & ACUPUNCTUR	-	1	0.0 %
SURGEN	-	1	0.0 %
WMN'S HEALTH	-	1	0.0 %
WOMEN'S ALTC	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 554-572 (width: 19; decimal: 0)

Variable Type: character

PROVTIM5: Time spent by HCP on avg

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	0-5 minutes	47	1.8 %
2	6-10 minutes	254	9.7 %
3	11-15 minutes	489	18.7 %
4	16-20 minutes	514	19.6 %
5	21-30 minutes	531	20.3 %
6	> 30 minutes	309	11.8 %
	Missing Data		
-8	Do not know	17	0.6 %
-1	N/A	443	16.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,144 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG5: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	No	912	34.8 %

Value	Label	Unweighted Frequency	%
2	Yes	1692	64.7 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON5: Menstrual bleeding in last 3 mos

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	No	300	11.5 %
2	Yes	1392	53.2 %
	Missing Data		
-1	N/A	912	34.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 1,692 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY5: Last Menstrual Period Day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
1247	-	1	0.0 %
1394	-	1	0.0 %
1424	-	1	0.0 %
1427	-	1	0.0 %
1440	-	1	0.0 %
1441	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1467	-	1	0.0 %
1468	-	1	0.0 %
1469	-	1	0.0 %
1472	-	1	0.0 %
1479	-	1	0.0 %
1486	-	1	0.0 %
1493	-	1	0.0 %
1495	-	1	0.0 %
1497	-	2	0.1 %
1506	-	1	0.0 %
1508	-	1	0.0 %
1509	-	1	0.0 %
1510	-	1	0.0 %
1513	-	1	0.0 %
1518	-	2	0.1 %
1519	-	1	0.0 %
1520	-	1	0.0 %
1523	-	2	0.1 %
1527	-	1	0.0 %
1530	-	2	0.1 %
1535	-	1	0.0 %
1536	-	1	0.0 %
1540	-	2	0.1 %
1541	-	2	0.1 %
1542	-	1	0.0 %
1545	-	2	0.1 %
1547	-	1	0.0 %
1548	-	3	0.1 %
1553	-	1	0.0 %
1556	-	2	0.1 %
1561	-	1	0.0 %
1562	-	1	0.0 %
1563	-	1	0.0 %
1564	-	1	0.0 %
1573	-	2	0.1 %
1576	-	2	0.1 %
1577	-	1	0.0 %
1578	-	1	0.0 %
1583	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1584	-	1	0.0 %
1585	-	1	0.0 %
1586	-	1	0.0 %
1588	-	2	0.1 %
1591	-	1	0.0 %
Missing Data			
.	-	935	35.7 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,682 valid cases out of 2,617 total cases.

- Mean: 1809.99
- Minimum: 1247.00
- Maximum: 2413.00
- Standard Deviation: 103.10

Location: 579-582 (width: 4; decimal: 0)

Variable Type: numeric

DESCPER5: Describe your menstrual periods

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	Become Farther Apart	426	16.3 %
2	Become Closer Together	161	6.2 %
3	Occurred At More Variable Intervals	490	18.7 %
4	Stayed The Same	425	16.2 %
5	Become More Regular	47	1.8 %
Missing Data			
-8	Do not know	7	0.3 %
-1	N/A	1048	40.0 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,549 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LENGCYL5: Length of menstrual cycle

For the next few questions I would like to ask you to think about your periods since your last study visit, during times when you were not using birth control medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	< 24 days	149	5.7 %
2	24-35 days	762	29.1 %
3	> 35 days	129	4.9 %
4	Too variable to say	468	17.9 %
Missing Data			
-8	Do not know	9	0.3 %
-1	N/A	1087	41.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 1,508 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT5: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	No	2539	97.0 %
2	Yes	2	0.1 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME5: Outcome of pregnancy

If YES to PRGNANT5: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	Live Birth	0	0.0 %
2	Still Birth	0	0.0 %
3	Miscarriage	1	0.0 %
4	Abortion	0	0.0 %
5	Tubal (Ectopic) Pregnancy	0	0.0 %
6	Still Pregnant	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2 valid cases out of 2,617 total cases.

- Minimum: 3.00
- Maximum: 6.00

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE5: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF5: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	-	9	0.3 %
1	-	8	0.3 %
2	-	8	0.3 %
3	-	39	1.5 %
4	-	54	2.1 %
5	-	159	6.1 %
6	-	196	7.5 %
7	-	508	19.4 %
8	-	909	34.7 %
9	-	493	18.8 %
10	-	221	8.4 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Mean: 7.60
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.61

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

LISTEN5: Support - someone to listen

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone you can count on to listen to you when you need to talk?

Value	Label	Unweighted Frequency	%
1	None Of The Time	17	0.6 %
2	A Little Of The Time	67	2.6 %
3	Some Of The Time	267	10.2 %
4	Most Of The Time	921	35.2 %
5	All Of The Time	1269	48.5 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKETOM5: Support - take to doctor

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to take you to the doctor if you needed it?

Value	Label	Unweighted Frequency	%
1	None Of The Time	49	1.9 %
2	A Little Of The Time	102	3.9 %
3	Some Of The Time	238	9.1 %
4	Most Of The Time	735	28.1 %
5	All Of The Time	1416	54.1 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONFIDE5: Support - confide in

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to confide in or talk to about yourself or your problems?

Value	Label	Unweighted Frequency	%
1	None Of The Time	23	0.9 %
2	A Little Of The Time	81	3.1 %
3	Some Of The Time	286	10.9 %

Value	Label	Unweighted Frequency	%
4	Most Of The Time	931	35.6 %
5	All Of The Time	1220	46.6 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HELPSC5: Support - help w/chores when sick

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available to you if you need it? Someone to help with daily chores if you were sick?

Value	Label	Unweighted Frequency	%
1	None Of The Time	132	5.0 %
2	A Little Of The Time	211	8.1 %
3	Some Of The Time	452	17.3 %
4	Most Of The Time	767	29.3 %
5	All Of The Time	979	37.4 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL5: Unable to control imp things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	Never	999	38.2 %
2	Almost Never	835	31.9 %
3	Sometimes	602	23.0 %
4	Fairly Often	113	4.3 %
5	Very Often	55	2.1 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY5: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	Never	23	0.9 %
2	Almost Never	74	2.8 %
3	Sometimes	445	17.0 %
4	Fairly Often	984	37.6 %
5	Very Often	1078	41.2 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY5: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	Never	33	1.3 %
2	Almost Never	122	4.7 %
3	Sometimes	719	27.5 %
4	Fairly Often	1130	43.2 %
5	Very Often	600	22.9 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING5: Difficulties piling up

In the past two weeks you have: Felt difficulties were piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	Never	1090	41.7 %
2	Almost Never	888	33.9 %
3	Sometimes	477	18.2 %
4	Fairly Often	105	4.0 %
5	Very Often	44	1.7 %
Missing Data			
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER5: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1466	56.0 %
2	Some/A Little Of The Time (1-2 Days)	715	27.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	297	11.3 %
4	Most/All Of The Time (5-7 Days)	63	2.4 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT5: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2028	77.5 %
2	Some/A Little Of The Time (1-2 Days)	327	12.5 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	137	5.2 %
4	Most/All Of The Time (5-7 Days)	49	1.9 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES5: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1845	70.5 %
2	Some/A Little Of The Time (1-2 Days)	479	18.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	158	6.0 %
4	Most/All Of The Time (5-7 Days)	59	2.3 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

GOOD5: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	164	6.3 %
2	Some/A Little Of The Time (1-2 Days)	127	4.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	335	12.8 %
4	Most/All Of The Time (5-7 Days)	1913	73.1 %
Missing Data			
-9	Missing	1	0.0 %
-8	Do not know	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

KEEPMIN5: Mind on what doing past week

During the past week: I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1103	42.1 %
2	Some/A Little Of The Time (1-2 Days)	867	33.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	459	17.5 %
4	Most/All Of The Time (5-7 Days)	112	4.3 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS5: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1581	60.4 %
2	Some/A Little Of The Time (1-2 Days)	674	25.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	199	7.6 %
4	Most/All Of The Time (5-7 Days)	87	3.3 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT5: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1542	58.9 %
2	Some/A Little Of The Time (1-2 Days)	647	24.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	228	8.7 %
4	Most/All Of The Time (5-7 Days)	122	4.7 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOPEFUL5: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	89	3.4 %
2	Some/A Little Of The Time (1-2 Days)	247	9.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	578	22.1 %
4	Most/All Of The Time (5-7 Days)	1625	62.1 %
Missing Data			
-9	Missing	2	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,539 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FAILURE5: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2209	84.4 %
2	Some/A Little Of The Time (1-2 Days)	242	9.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	60	2.3 %
4	Most/All Of The Time (5-7 Days)	27	1.0 %
Missing Data			
-9	Missing	2	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,538 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL5: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1938	74.1 %
2	Some/A Little Of The Time (1-2 Days)	452	17.3 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	115	4.4 %
4	Most/All Of The Time (5-7 Days)	35	1.3 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES5: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1219	46.6 %
2	Some/A Little Of The Time (1-2 Days)	730	27.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	337	12.9 %
4	Most/All Of The Time (5-7 Days)	255	9.7 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY5: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	166	6.3 %
2	Some/A Little Of The Time (1-2 Days)	335	12.8 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	687	26.3 %
4	Most/All Of The Time (5-7 Days)	1352	51.7 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES5: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1808	69.1 %
2	Some/A Little Of The Time (1-2 Days)	497	19.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	184	7.0 %
4	Most/All Of The Time (5-7 Days)	49	1.9 %
	Missing Data		
-9	Missing	3	0.1 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,538 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY5: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1829	69.9 %
2	Some/A Little Of The Time (1-2 Days)	503	19.2 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	162	6.2 %
4	Most/All Of The Time (5-7 Days)	46	1.8 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL5: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2221	84.9 %
2	Some/A Little Of The Time (1-2 Days)	260	9.9 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	42	1.6 %
4	Most/All Of The Time (5-7 Days)	17	0.6 %
	Missing Data		
-8	Do not know	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY5: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	114	4.4 %
2	Some/A Little Of The Time (1-2 Days)	315	12.0 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	528	20.2 %
4	Most/All Of The Time (5-7 Days)	1584	60.5 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING5: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2030	77.6 %
2	Some/A Little Of The Time (1-2 Days)	355	13.6 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	110	4.2 %
4	Most/All Of The Time (5-7 Days)	46	1.8 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD5: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1545	59.0 %
2	Some/A Little Of The Time (1-2 Days)	769	29.4 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	169	6.5 %
4	Most/All Of The Time (5-7 Days)	57	2.2 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE5: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	2258	86.3 %
2	Some/A Little Of The Time (1-2 Days)	227	8.7 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	38	1.5 %
4	Most/All Of The Time (5-7 Days)	17	0.6 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	63	2.4 %
.	.	13	0.5 %
	Total	2,617	100%

Based upon 2,540 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN5: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	Rarely/None Of The Time (< 1 Day)	1637	62.6 %
2	Some/A Little Of The Time (1-2 Days)	658	25.1 %
3	Occasionally/Mod Amt Of The Time (3-4 Days)	175	6.7 %
4	Most/All Of The Time (5-7 Days)	71	2.7 %
	Missing Data		
-1	N/A	63	2.4 %
.	.	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB5: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	No	1583	60.5 %
2	Yes	706	27.0 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	314	12.0 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,289 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

JOB5: Work for pay past 2 wks

During the past 2 weeks, did you work at any time at a job or business, including work for pay performed at home? (Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	No	101	3.9 %
2	Yes	605	23.1 %
	Missing Data		
-1	N/A	1898	72.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 706 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CHANGHR5: Change in usual hrs of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	No	1648	63.0 %
2	Yes	540	20.6 %
	Missing Data		
-1	N/A	416	15.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,188 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM15: Work start time

Work start time

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1 %
10:00:00	-	29	1.1 %
10:30:00	-	2	0.1 %
10:45:00	-	1	0.0 %
11:00:00	-	3	0.1 %
11:30:00	-	2	0.1 %
12:00:00	-	5	0.2 %
12:30:00	-	3	0.1 %
13:00:00	-	2	0.1 %
14:00:00	-	5	0.2 %
14:30:00	-	1	0.0 %
15:00:00	-	6	0.2 %
15:30:00	-	1	0.0 %
16:00:00	-	4	0.2 %
16:30:00	-	3	0.1 %
16:49:59	-	1	0.0 %
17:00:00	-	3	0.1 %
18:00:00	-	2	0.1 %
19:00:00	-	3	0.1 %
20:00:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
21:00:00	-	1	0.0 %
21:30:00	-	1	0.0 %
22:00:00	-	2	0.1 %
22:15:00	-	1	0.0 %
22:30:00	-	1	0.0 %
23:00:00	-	2	0.1 %
23:30:00	-	2	0.1 %
4:00:00	-	1	0.0 %
5:00:00	-	2	0.1 %
5:30:00	-	2	0.1 %
6:00:00	-	12	0.5 %
6:15:00	-	1	0.0 %
6:30:00	-	13	0.5 %
6:45:00	-	3	0.1 %
7:00:00	-	52	2.0 %
7:15:00	-	5	0.2 %
7:30:00	-	37	1.4 %
7:45:00	-	4	0.2 %
8:00:00	-	89	3.4 %
8:15:00	-	6	0.2 %
8:20:00	-	1	0.0 %
8:30:00	-	45	1.7 %
8:45:00	-	3	0.1 %
9:00:00	-	72	2.8 %
9:15:00	-	2	0.1 %
9:30:00	-	12	0.5 %
9:50:00	-	1	0.0 %
	Missing Data		
.	-	2165	82.7 %
	Total	2,617	100%

Based upon 452 valid cases out of 2,617 total cases.

Location: 657-668 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM15: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
0:00:00	-	4	0.2 %
0:30:00	-	1	0.0 %
11:00:00	-	2	0.1 %
11:30:00	-	1	0.0 %
12:00:00	-	7	0.3 %
12:15:00	-	2	0.1 %
12:30:00	-	3	0.1 %
12:45:00	-	1	0.0 %
13:00:00	-	9	0.3 %
13:15:00	-	1	0.0 %
13:30:00	-	5	0.2 %
14:00:00	-	14	0.5 %
14:30:00	-	6	0.2 %
14:34:59	-	1	0.0 %
14:45:00	-	2	0.1 %
15:00:00	-	28	1.1 %
15:15:00	-	3	0.1 %
15:19:59	-	1	0.0 %
15:30:00	-	28	1.1 %
15:42:00	-	1	0.0 %
15:45:00	-	3	0.1 %
16:00:00	-	34	1.3 %
16:12:00	-	1	0.0 %
16:15:00	-	1	0.0 %
16:30:00	-	22	0.8 %
16:45:00	-	2	0.1 %
17:00:00	-	72	2.8 %
17:30:00	-	35	1.3 %
17:34:59	-	1	0.0 %
18:00:00	-	54	2.1 %
18:30:00	-	8	0.3 %
18:45:00	-	1	0.0 %
19:00:00	-	23	0.9 %
19:30:00	-	7	0.3 %
19:45:00	-	1	0.0 %
1:30:00	-	1	0.0 %
20:00:00	-	15	0.6 %
20:30:00	-	4	0.2 %
21:00:00	-	8	0.3 %

Value	Label	Unweighted Frequency	%
21:30:00	-	1	0.0 %
22:00:00	-	4	0.2 %
23:00:00	-	10	0.4 %
23:30:00	-	1	0.0 %
2:30:00	-	1	0.0 %
3:20:00	-	1	0.0 %
3:30:00	-	1	0.0 %
4:30:00	-	1	0.0 %
5:00:00	-	1	0.0 %
5:30:00	-	1	0.0 %
6:00:00	-	3	0.1 %
	Missing Data		
.	-	2165	82.7 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 452 valid cases out of 2,617 total cases.

Location: 669-680 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT15: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	451	17.2 %
2	Yes	86	3.3 %
	Missing Data		
-9	Missing	1	0.0 %
-1	N/A	2066	78.9 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 537 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM25: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
10:00:00	-	6	0.2 %
11:00:00	-	2	0.1 %
12:00:00	-	1	0.0 %
13:30:00	-	1	0.0 %
14:30:00	-	1	0.0 %
15:00:00	-	4	0.2 %
16:00:00	-	4	0.2 %
16:30:00	-	3	0.1 %
17:00:00	-	2	0.1 %
17:30:00	-	1	0.0 %
18:00:00	-	2	0.1 %
19:00:00	-	1	0.0 %
19:30:00	-	1	0.0 %
20:00:00	-	3	0.1 %
4:15:00	-	1	0.0 %
5:30:00	-	1	0.0 %
6:30:00	-	1	0.0 %
7:00:00	-	3	0.1 %
7:30:00	-	1	0.0 %
8:00:00	-	8	0.3 %
8:30:00	-	6	0.2 %
9:00:00	-	3	0.1 %
9:30:00	-	1	0.0 %
	Missing Data		
.	-	2560	97.8 %
	Total	2,617	100%

Based upon 57 valid cases out of 2,617 total cases.

Location: 683-694 (*width:* 12; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM25: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
0:00:00	-	1	0.0 %
10:00:00	-	1	0.0 %
11:30:00	-	1	0.0 %
12:00:00	-	5	0.2 %
13:00:00	-	3	0.1 %
14:30:00	-	2	0.1 %
15:00:00	-	4	0.2 %
15:30:00	-	2	0.1 %
16:00:00	-	7	0.3 %
16:30:00	-	2	0.1 %
17:00:00	-	1	0.0 %
17:30:00	-	2	0.1 %
18:00:00	-	3	0.1 %
19:00:00	-	3	0.1 %
19:15:00	-	1	0.0 %
19:30:00	-	1	0.0 %
20:00:00	-	2	0.1 %
20:30:00	-	1	0.0 %
21:00:00	-	2	0.1 %
21:30:00	-	1	0.0 %
21:50:00	-	1	0.0 %
22:00:00	-	6	0.2 %
23:00:00	-	2	0.1 %
6:45:00	-	1	0.0 %
7:50:00	-	1	0.0 %
9:00:00	-	1	0.0 %
	Missing Data		
.	-	2560	97.8 %
	Total	2,617	100%

Based upon 57 valid cases out of 2,617 total cases.

Location: 695-706 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT25: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	57	2.2 %
2	Yes	38	1.5 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2507	95.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 95 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM35: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
10:00:00	-	2	0.1 %
14:00:00	-	1	0.0 %
16:00:00	-	1	0.0 %
8:00:00	-	4	0.2 %
8:30:00	-	2	0.1 %
9:00:00	-	1	0.0 %
	Missing Data		
.	-	2606	99.6 %
	Total	2,617	100%

Based upon 11 valid cases out of 2,617 total cases.

Location: 709-720 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM35: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
11:00:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12:00:00	-	3	0.1 %
15:00:00	-	1	0.0 %
16:00:00	-	2	0.1 %
17:00:00	-	1	0.0 %
20:00:00	-	1	0.0 %
21:00:00	-	1	0.0 %
23:00:00	-	1	0.0 %
	Missing Data		
.	-	2606	99.6 %
	Total	2,617	100%

Based upon 11 valid cases out of 2,617 total cases.

Location: 721-732 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT35: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	No	11	0.4 %
2	Yes	6	0.2 %
	Missing Data		
-9	Missing	2	0.1 %
-1	N/A	2585	98.8 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 17 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 733-734 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOURSPA5: How many hrs/wk work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	<= 10 hrs	201	7.7 %
2	11-19 hrs	92	3.5 %
3	20-34 hrs	369	14.1 %
4	35-40 hrs	977	37.3 %
5	41-60 hrs	498	19.0 %
6	>60 hrs	47	1.8 %
Missing Data			
-9	Missing	3	0.1 %
-8	Do not know	1	0.0 %
-1	N/A	416	15.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,184 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 735-736 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VOLUNTE5: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	No	1608	61.4 %
2	Yes	933	35.7 %
Missing Data			
-1	N/A	63	2.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 737-738 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VLNTHR15: Volunteer (1) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.04	-	1	0.0 %
0.08	-	1	0.0 %
0.10	-	2	0.1 %
0.15	-	2	0.1 %
0.20	-	1	0.0 %
0.25	-	11	0.4 %
0.30	-	1	0.0 %
0.31	-	1	0.0 %
0.50	-	54	2.1 %
0.73	-	1	0.0 %
0.75	-	8	0.3 %
0.77	-	1	0.0 %
1.00	-	199	7.6 %
1.20	-	2	0.1 %
1.25	-	3	0.1 %
1.30	-	1	0.0 %
1.50	-	27	1.0 %
1.92	-	1	0.0 %
2.00	-	204	7.8 %
2.50	-	22	0.8 %
2.73	-	1	0.0 %
3.00	-	83	3.2 %
3.50	-	5	0.2 %
3.80	-	1	0.0 %
4.00	-	77	2.9 %
4.50	-	1	0.0 %
5.00	-	42	1.6 %
5.50	-	1	0.0 %
6.00	-	40	1.5 %
7.00	-	10	0.4 %
8.00	-	13	0.5 %
9.00	-	3	0.1 %
10.00	-	31	1.2 %
11.00	-	2	0.1 %
12.00	-	10	0.4 %
14.00	-	1	0.0 %
15.00	-	19	0.7 %
16.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
18.00	-	2	0.1 %
19.00	-	1	0.0 %
20.00	-	20	0.8 %
21.00	-	1	0.0 %
22.00	-	1	0.0 %
24.00	-	4	0.2 %
25.00	-	3	0.1 %
30.00	-	3	0.1 %
35.00	-	2	0.1 %
40.00	-	3	0.1 %
48.00	-	1	0.0 %
50.00	-	1	0.0 %
Missing Data			
-9.00	Missing	5	0.2 %
-8.00	Do not know	1	0.0 %
-1.00	N/A	1671	63.9 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 927 valid cases out of 2,617 total cases.

- Mean: 4.12
- Median: 2.00
- Mode: 2.00
- Minimum: 0.04
- Maximum: 50.00
- Standard Deviation: 5.72

Location: 739-743 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR25: Volunteer (2) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.10	-	2	0.1 %
0.13	-	1	0.0 %
0.17	-	1	0.0 %
0.19	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.20	-	2	0.1 %
0.25	-	4	0.2 %
0.46	-	1	0.0 %
0.50	-	32	1.2 %
0.58	-	1	0.0 %
0.75	-	6	0.2 %
1.00	-	95	3.6 %
1.15	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	11	0.4 %
2.00	-	67	2.6 %
2.50	-	5	0.2 %
3.00	-	15	0.6 %
3.50	-	3	0.1 %
3.80	-	1	0.0 %
4.00	-	20	0.8 %
4.50	-	1	0.0 %
5.00	-	15	0.6 %
6.00	-	6	0.2 %
7.00	-	4	0.2 %
8.00	-	4	0.2 %
10.00	-	6	0.2 %
15.00	-	1	0.0 %
28.00	-	1	0.0 %
Missing Data			
-9.00	Missing	5	0.2 %
-1.00	N/A	2291	87.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 308 valid cases out of 2,617 total cases.

- Mean: 2.28
- Median: 1.50
- Mode: 1.00
- Minimum: 0.10
- Maximum: 28.00
- Standard Deviation: 2.56

Location: 744-748 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR35: Volunteer (3) hrs/wk

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.10	-	1	0.0 %
0.15	-	1	0.0 %
0.25	-	1	0.0 %
0.50	-	6	0.2 %
0.75	-	3	0.1 %
1.00	-	36	1.4 %
1.25	-	1	0.0 %
1.50	-	5	0.2 %
2.00	-	21	0.8 %
3.00	-	9	0.3 %
4.00	-	4	0.2 %
5.00	-	3	0.1 %
6.00	-	1	0.0 %
10.00	-	1	0.0 %
14.00	-	1	0.0 %
15.00	-	1	0.0 %
Missing Data			
-1.00	N/A	2509	95.9 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 95 valid cases out of 2,617 total cases.

- Mean: 2.06
- Median: 1.00
- Mode: 1.00
- Minimum: 0.10
- Maximum: 15.00
- Standard Deviation: 2.33

Location: 749-753 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL5: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
1	Single/Never Married	339	13.0 %

Value	Label	Unweighted Frequency	%
2	Currently Married/Living as Married	1701	65.0 %
3	Separated	93	3.6 %
4	Widowed	87	3.3 %
5	Divorced	384	14.7 %
	Missing Data		
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,604 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 754-755 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHGHLD5: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	No	1942	74.2 %
2	Yes	599	22.9 %
	Missing Data		
-1	N/A	63	2.4 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 2,541 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 756-757 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL5: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	No	52	2.0 %
2	Yes	547	20.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	N/A	2005	76.6 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 599 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 758-759 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT15: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2057	78.6 %
A BORDER	-	1	0.0 %
BORDER	-	1	0.0 %
BOYFRIEND	-	6	0.2 %
BROTHER	-	5	0.2 %
CHILD	-	1	0.0 %
COUSIN	-	2	0.1 %
COUSIN'S SON	-	1	0.0 %
DAUGHTER	-	79	3.0 %
DOMESTIC PARTNER	-	1	0.0 %
EX-HUSBAND	-	1	0.0 %
FATHE IN LAW	-	1	0.0 %
FATHER	-	2	0.1 %
FIANCE	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER DAUGHTER	-	2	0.1 %
FRIEND	-	8	0.3 %
FRIEND/ROOM MATE	-	1	0.0 %
GODSON	-	1	0.0 %
GOODFRIEND	-	1	0.0 %
GRAND DAUGHTER	-	3	0.1 %
GRANDAUGHTER	-	3	0.1 %
GRANDDAUGHTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
GRANDDAUGHTRE	-	1	0.0 %
GRANDSN	-	1	0.0 %
GRANDSON	-	4	0.2 %
GREAT AUNT	-	1	0.0 %
HOST PARENT (OUT OF TOWN)	-	1	0.0 %
HOUSE MATE	-	1	0.0 %
HOUSEMATE	-	2	0.1 %
HUSBAND	-	286	10.9 %
LIVE IN SPOUSE	-	1	0.0 %
MATE	-	1	0.0 %
MOM	-	1	0.0 %
MOTHER	-	17	0.6 %
NEPHEW	-	2	0.1 %
NIECE	-	9	0.3 %
PARTNER	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
RENTER	-	1	0.0 %
ROOM MATE	-	2	0.1 %
ROOMMATE	-	4	0.2 %
ROOMMATE-FRIEND	-	1	0.0 %
SIGNIFICANT OTHER	-	2	0.1 %
SISTER	-	5	0.2 %
SON	-	64	2.4 %
SON FIANCE	-	1	0.0 %
SON IN LAW	-	1	0.0 %
SON PART-TIME WHEN I'M NOT	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 760-785 (width: 26; decimal: 0)

Variable Type: character

SEX15: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		13	0.5 %

Value	Label	Unweighted Frequency	%
-1	-	2057	78.6 %
F	-	142	5.4 %
M	-	405	15.5 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 786-787 (width: 2; decimal: 0)

Variable Type: character

AGE15: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
3	-	1	0.0 %
4	-	1	0.0 %
6	-	2	0.1 %
7	-	3	0.1 %
8	-	2	0.1 %
9	-	2	0.1 %
10	-	2	0.1 %
11	-	3	0.1 %
12	-	5	0.2 %
13	-	6	0.2 %
14	-	5	0.2 %
15	-	12	0.5 %
16	-	11	0.4 %
17	-	8	0.3 %
18	-	8	0.3 %
19	-	9	0.3 %
20	-	7	0.3 %
21	-	7	0.3 %
22	-	11	0.4 %
23	-	13	0.5 %
24	-	6	0.2 %
25	-	10	0.4 %
26	-	6	0.2 %
27	-	6	0.2 %
28	-	6	0.2 %

Value	Label	Unweighted Frequency	%
29	-	8	0.3 %
30	-	12	0.5 %
31	-	3	0.1 %
32	-	2	0.1 %
33	-	1	0.0 %
34	-	5	0.2 %
35	-	5	0.2 %
36	-	3	0.1 %
37	-	2	0.1 %
38	-	3	0.1 %
39	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
43	-	4	0.2 %
44	-	6	0.2 %
45	-	4	0.2 %
46	-	6	0.2 %
47	-	10	0.4 %
48	-	20	0.8 %
49	-	20	0.8 %
50	-	23	0.9 %
51	-	25	1.0 %
52	-	36	1.4 %
53	-	28	1.1 %
Missing Data			
-1	N/A	2057	78.6 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 547 valid cases out of 2,617 total cases.

- Mean: 42.45
- Median: 50.00
- Mode: 52.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 17.91

Location: 788-789 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT25: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	14	0.5 %
-1	-	2223	84.9 %
BOARDER	-	1	0.0 %
BOY	-	1	0.0 %
BOYFRIEND	-	1	0.0 %
BROTHER	-	3	0.1 %
CHILD	-	1	0.0 %
COMPANION	-	1	0.0 %
DAD	-	1	0.0 %
DAUGHTER	-	121	4.6 %
DAUGHTER (3RD)	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DTR	-	1	0.0 %
EX-HUSBAND	-	1	0.0 %
FATHER	-	2	0.1 %
FIANCE	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER DAUGHTER	-	2	0.1 %
FOSTER SON	-	2	0.1 %
FRIEND	-	7	0.3 %
GODDAUGHTER	-	1	0.0 %
GRAND SON	-	1	0.0 %
GRAND-DAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	7	0.3 %
GRANDSON	-	17	0.6 %
GREAT NIECE	-	1	0.0 %
HOUSEMATE	-	3	0.1 %
HUSBAND	-	18	0.7 %
MOTHER	-	5	0.2 %
MOTHER IN LAW	-	2	0.1 %
MOTHER-IN-LAW	-	2	0.1 %
NEPHEW	-	4	0.2 %
NEPHEW OF FORMER BOYFRIEND	-	1	0.0 %
NIECE	-	3	0.1 %

Value	Label	Unweighted Frequency	%
NIECE'S BOYFRIEND	-	2	0.1 %
NIECE'S SON	-	1	0.0 %
OLDER SON	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
RENTER	-	1	0.0 %
ROOMMATE	-	1	0.0 %
SIGNIFICANT OTHER	-	2	0.1 %
SISTER	-	4	0.2 %
SISTER IN LAW	-	1	0.0 %
SOM	-	1	0.0 %
SON	-	138	5.3 %
SON (PART TIME BASIS)	-	1	0.0 %
SON IN LAW	-	1	0.0 %
SON-IN-LAW	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 790-815 (width: 26; decimal: 0)

Variable Type: character

SEX25: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2223	84.9 %
F	-	167	6.4 %
M	-	214	8.2 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 816-817 (width: 2; decimal: 0)

Variable Type: character

AGE25: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	8	0.3 %
2	-	3	0.1 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	2	0.1 %
6	-	1	0.0 %
7	-	5	0.2 %
8	-	4	0.2 %
9	-	3	0.1 %
10	-	8	0.3 %
11	-	6	0.2 %
12	-	7	0.3 %
13	-	13	0.5 %
14	-	16	0.6 %
15	-	17	0.6 %
16	-	14	0.5 %
17	-	22	0.8 %
18	-	20	0.8 %
19	-	18	0.7 %
20	-	12	0.5 %
21	-	17	0.6 %
22	-	30	1.1 %
23	-	25	1.0 %
24	-	18	0.7 %
25	-	8	0.3 %
26	-	14	0.5 %
27	-	3	0.1 %
28	-	8	0.3 %
29	-	8	0.3 %
30	-	5	0.2 %
31	-	2	0.1 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	2	0.1 %
36	-	2	0.1 %
37	-	1	0.0 %
39	-	1	0.0 %
44	-	2	0.1 %

Value	Label	Unweighted Frequency	%
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	4	0.2 %
50	-	2	0.1 %
51	-	2	0.1 %
52	-	7	0.3 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	4	0.2 %
56	-	1	0.0 %
Missing Data			
-9	Missing	1	0.0 %
-1	N/A	2223	84.9 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 380 valid cases out of 2,617 total cases.

- Mean: 24.33
- Median: 21.00
- Mode: 22.00
- Minimum: 1.00
- Maximum: 93.00
- Standard Deviation: 16.46

Location: 818-819 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT35: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1	-	2393	91.4 %
ADOPTED DAUGHTER	-	1	0.0 %
AUNT	-	1	0.0 %
BOYFRIEND	-	1	0.0 %
BROTHER	-	2	0.1 %

Value	Label	Unweighted Frequency	%
BROTHER-IN-LAW	-	1	0.0 %
CARE GIVER	-	1	0.0 %
DAUGHTER	-	48	1.8 %
DAUGHTER (IN COLLEGE)	-	1	0.0 %
DAUGHTER IN LAW	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER SON	-	2	0.1 %
FRIEND	-	4	0.2 %
FRIEND'S SON	-	1	0.0 %
GIRL	-	1	0.0 %
GODCHILD	-	1	0.0 %
GODSON	-	1	0.0 %
GRAND DAUGHTER	-	3	0.1 %
GRAND SON	-	1	0.0 %
GRAND-DAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	4	0.2 %
GRANDCHILD	-	2	0.1 %
GRANDDAUGHTER	-	3	0.1 %
GRANDSON	-	16	0.6 %
GRANSON	-	1	0.0 %
GREAT AUNT	-	1	0.0 %
GREAT NEPHEW	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
HUSBAND	-	10	0.4 %
MOTHER	-	2	0.1 %
MOTHER-IN-LAW	-	1	0.0 %
NEPHEW	-	2	0.1 %
NIECE	-	2	0.1 %
NIECE'S SON	-	1	0.0 %
RENTER	-	1	0.0 %
SISTER	-	2	0.1 %
SON	-	83	3.2 %
SON'S GIRLFRIEND	-	1	0.0 %
STEP DAUGHTER	-	1	0.0 %
STEP SON	-	1	0.0 %
UNCLE	-	1	0.0 %
WIFE (SON'S)	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 820-840 (width: 21; decimal: 0)

Variable Type: character

SEX35: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2393	91.4 %
F	-	77	2.9 %
M	-	134	5.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 841-842 (width: 2; decimal: 0)

Variable Type: character

AGE35: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	8	0.3 %
2	-	3	0.1 %
3	-	4	0.2 %
4	-	1	0.0 %
5	-	2	0.1 %
6	-	2	0.1 %
7	-	4	0.2 %
8	-	2	0.1 %
9	-	7	0.3 %
10	-	7	0.3 %
11	-	9	0.3 %
12	-	6	0.2 %
13	-	10	0.4 %
14	-	11	0.4 %
15	-	7	0.3 %
16	-	4	0.2 %
17	-	9	0.3 %
18	-	6	0.2 %
19	-	9	0.3 %

Value	Label	Unweighted Frequency	%
20	-	17	0.6 %
21	-	14	0.5 %
22	-	11	0.4 %
23	-	4	0.2 %
24	-	7	0.3 %
25	-	8	0.3 %
26	-	1	0.0 %
28	-	2	0.1 %
29	-	1	0.0 %
30	-	3	0.1 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
38	-	2	0.1 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.1 %
51	-	2	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.1 %
58	-	2	0.1 %
59	-	1	0.0 %
62	-	2	0.1 %
65	-	2	0.1 %
77	-	1	0.0 %
Missing Data			
-1	N/A	2393	91.4 %
.	-	13	0.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 211 valid cases out of 2,617 total cases.

- Mean: 21.64
- Median: 19.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 84.00
- Standard Deviation: 16.39

Location: 843-844 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT45: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2494	95.3 %
BROTHER	-	1	0.0 %
BROTHER-IN-LAW	-	1	0.0 %
DAUGHTER	-	17	0.6 %
DAUGHTER-IN-LAW	-	2	0.1 %
ELDER SISTER	-	1	0.0 %
FATHER	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FRIEND	-	3	0.1 %
FRIEND'S DAUGHTER	-	1	0.0 %
FRIEND'S WIFE	-	1	0.0 %
GRAND DAUGHTER	-	1	0.0 %
GRAND-DAUGHTER	-	1	0.0 %
GRAND-SON	-	1	0.0 %
GRANDDAUGHTER	-	4	0.2 %
GRANDDAUGHTER'S BROTHER	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	5	0.2 %
GRANDSON	-	7	0.3 %
GREAT NIECE	-	1	0.0 %
GREAT-NEPHEW	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
HUSBAND	-	6	0.2 %
MOM	-	1	0.0 %
MOTHER	-	2	0.1 %
MOTHER-IN-LAW	-	1	0.0 %
NEPHEW	-	3	0.1 %

Value	Label	Unweighted Frequency	%
NIECE	-	3	0.1 %
SIGNIFICANT OTHER	-	1	0.0 %
SISTER-IN-LAW	-	1	0.0 %
SON	-	27	1.0 %
SON (FOSTER)	-	1	0.0 %
SON OLD ROOM MATE	-	1	0.0 %
SON'S FRIEND	-	1	0.0 %
SON'S GIRLFRIEND	-	3	0.1 %
SON-IN-LAW	-	2	0.1 %
STEP SON	-	1	0.0 %
STEPSON	-	1	0.0 %
UNCLE'S CAREGIVER	-	1	0.0 %
WEEKEND ASSISTANT	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 845-866 (width: 22; decimal: 0)

Variable Type: character

SEX45: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2494	95.3 %
F	-	49	1.9 %
M	-	61	2.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 867-868 (width: 2; decimal: 0)

Variable Type: character

AGE45: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	8	0.3 %
2	-	1	0.0 %
3	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
5	-	3	0.1 %
6	-	4	0.2 %
7	-	3	0.1 %
8	-	4	0.2 %
9	-	4	0.2 %
10	-	6	0.2 %
11	-	2	0.1 %
12	-	4	0.2 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	5	0.2 %
16	-	4	0.2 %
17	-	4	0.2 %
18	-	6	0.2 %
19	-	2	0.1 %
20	-	5	0.2 %
21	-	2	0.1 %
22	-	4	0.2 %
23	-	3	0.1 %
24	-	1	0.0 %
25	-	3	0.1 %
29	-	2	0.1 %
30	-	1	0.0 %
35	-	3	0.1 %
41	-	1	0.0 %
46	-	2	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.1 %
52	-	4	0.2 %
53	-	1	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
73	-	1	0.0 %
74	-	1	0.0 %
86	-	3	0.1 %
Missing Data			
-1	N/A	2494	95.3 %

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
Total		2,617	100%

Based upon 110 valid cases out of 2,617 total cases.

- Mean: 21.81
- Median: 16.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 19.41

Location: 869-870 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT55: Relationship to yourself (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2551	97.5 %
BROTHER	-	1	0.0 %
DAUGHTER	-	6	0.2 %
DAUGHTER'S FRIEND	-	1	0.0 %
FATHER	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIEND	-	1	0.0 %
FRIEND'S DAUGHTER	-	1	0.0 %
FRIENDS' SON	-	1	0.0 %
GRANCHILD	-	1	0.0 %
GRAND DAUGHTER	-	4	0.2 %
GRANDAUGHTER	-	1	0.0 %
GRANDDAUGHTER	-	2	0.1 %
GRANDMOTHER	-	1	0.0 %
GRANDSON	-	5	0.2 %
HOUSEKEEPER	-	1	0.0 %
HUSBAND	-	4	0.2 %
MOTHER	-	1	0.0 %
MOTHER IN LAW	-	1	0.0 %
NEICE	-	1	0.0 %
NEPHEW	-	3	0.1 %

Value	Label	Unweighted Frequency	%
NIECE'S SON	-	1	0.0 %
ROOM MATE	-	1	0.0 %
SIGNIFICANT OTHER	-	1	0.0 %
SISTER IN LAW NIECE	-	1	0.0 %
SON	-	9	0.3 %
SON'S FREIND	-	1	0.0 %
SON'S GIRLFRIEND	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 871-889 (width: 19; decimal: 0)

Variable Type: character

SEX55: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2551	97.5 %
F	-	24	0.9 %
M	-	29	1.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 890-891 (width: 2; decimal: 0)

Variable Type: character

AGE55: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	2	0.1 %
3	-	2	0.1 %
4	-	1	0.0 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11	-	2	0.1 %
12	-	3	0.1 %
13	-	2	0.1 %
16	-	2	0.1 %
17	-	4	0.2 %
18	-	1	0.0 %
19	-	2	0.1 %
20	-	2	0.1 %
21	-	2	0.1 %
22	-	2	0.1 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
38	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.1 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.1 %
76	-	2	0.1 %
81	-	1	0.0 %
87	-	1	0.0 %
Missing Data			
-1	N/A	2551	97.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 53 valid cases out of 2,617 total cases.

- Mean: 23.43
- Median: 17.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 87.00
- Standard Deviation: 21.62

Location: 892-893 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT65: Relationship to yourself (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2585	98.8 %
DAUGHTER	-	1	0.0 %
FIANCEE OF SON	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIENDS' SON	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %
GRANDSON	-	4	0.2 %
HISBAND	-	1	0.0 %
HUSBAND	-	1	0.0 %
NEPHEW	-	2	0.1 %
SISTER	-	1	0.0 %
SON	-	1	0.0 %
SON FRIEND	-	1	0.0 %
SON'S FRIEND	-	2	0.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 894-907 (width: 14; decimal: 0)

Variable Type: character

SEX65: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2585	98.8 %
F	-	5	0.2 %
M	-	14	0.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 908-909 (width: 2; decimal: 0)

Variable Type: character

AGE65: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
17	-	1	0.0 %
19	-	2	0.1 %
23	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
37	-	1	0.0 %
54	-	1	0.0 %
59	-	1	0.0 %
Missing Data			
-1	N/A	2585	98.8 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 19 valid cases out of 2,617 total cases.

- Mean: 18.05
- Median: 12.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 59.00
- Standard Deviation: 16.53

Location: 910-911 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT75: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2595	99.2 %

Value	Label	Unweighted Frequency	%
BROTHER	-	1	0.0 %
BROTHER MOTHER IN LAW	-	1	0.0 %
DAUGHTER	-	1	0.0 %
FATHER	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
GRANDSON	-	2	0.1 %
HUSBAND	-	1	0.0 %
SON	-	1	0.0 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 912-932 (width: 21; decimal: 0)

Variable Type: character

SEX75: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2595	99.2 %
F	-	2	0.1 %
M	-	7	0.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 933-934 (width: 2; decimal: 0)

Variable Type: character

AGE75: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
-9	Missing	0	0.0 %
-8	Do not know	0	0.0 %
-7	Refused	0	0.0 %
1	-	1	0.0 %
4	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
55	-	1	0.0 %
77	-	1	0.0 %
81	-	1	0.0 %
Missing Data			
-1	N/A	2595	99.2 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 9 valid cases out of 2,617 total cases.

- Mean: 33.67
- Median: 25.00
- Minimum: 1.00
- Maximum: 81.00
- Standard Deviation: 31.52

Location: 935-936 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1, .

RELAT85: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1	-	2600	99.4 %
DAUGHTER	-	1	0.0 %
DAUGHTER-IN-LAW	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
SON	-	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 937-951 (width: 15; decimal: 0)

Variable Type: character

SEX85: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		13	0.5 %

Value	Label	Unweighted Frequency	%
-1	-	2600	99.4 %
F	-	2	0.1 %
M	-	2	0.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 952-953 (width: 2; decimal: 0)

Variable Type: character

AGE85: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
13	-	1	0.0 %
17	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
-1	N/A	2600	99.4 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 4 valid cases out of 2,617 total cases.

- Mean: 14.75
- Median: 15.00
- Minimum: 7.00
- Maximum: 22.00
- Standard Deviation: 6.34

Location: 954-955 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT95: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	13	0.5 %
-1	-	2602	99.4 %
GRANDCHILD	-	1	0.0 %
GRANDDAUGHTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 956-968 (width: 13; decimal: 0)

Variable Type: character

SEX95: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	Total	2,617	100%
-	-	13	0.5 %
-1	-	2602	99.4 %
F	-	2	0.1 %

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 969-970 (width: 2; decimal: 0)

Variable Type: character

AGE95: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Total	2,617	100%
1	-	1	0.0 %
2	-	1	0.0 %
	Missing Data		
-1	N/A	2602	99.4 %
.	-	13	0.5 %

Based upon 2 valid cases out of 2,617 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.71

Location: 971-972 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT105: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2604	99.5 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 973-974 (width: 2; decimal: 0)

Variable Type: character

SEX105: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
-1	-	2604	99.5 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 975-976 (width: 2; decimal: 0)

Variable Type: character

AGE105: Age (10)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 977-978 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT115: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %

Value	Label	Unweighted Frequency	%
-1	-	2604	99.5 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 979-980 (width: 2; decimal: 0)

Variable Type: character

SEX115: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1	-	2604	99.5 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 981-982 (width: 2; decimal: 0)

Variable Type: character

AGE115: Age (11)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
Total		2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 983-984 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT125: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1	-	2604	99.5 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 985-986 (width: 2; decimal: 0)

Variable Type: character

SEX125: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
-		13	0.5 %
-1	-	2604	99.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 987-988 (width: 2; decimal: 0)

Variable Type: character

AGE125: Age (12)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	N/A	2604	99.5 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 989-990 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FIBROID5: (FIBROID5) Fibroids since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Fibroids, benign growths of the uterus or womb?

Value	Label	Unweighted Frequency	%
1	No	60	2.3 %
2	Yes	3	0.1 %
	Missing Data		
-1	N/A	2541	97.1 %
.	-	13	0.5 %
	Total	2,617	100%

Based upon 63 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 991-992 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMFLG5: Abbreviated (AIN) or regular (INT) interview

Abbreviated (AIN) or regular (INT) interview

Value	Label	Unweighted Frequency	%
-	-	13	0.5 %
AIN	-	63	2.4 %
INT	-	2541	97.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 993-995 (width: 3; decimal: 0)

Variable Type: character

STATUS5: Menopausal Status

Menopausal Status

Value	Label	Unweighted Frequency	%
1	Hysterectomy/both ovaries removed	90	3.4 %
2	Post-menopausal	808	30.9 %
3	Late Peri	278	10.6 %
4	Early Peri	997	38.1 %
5	Pre-menopausal	121	4.6 %
6	Pregnant/breastfeeding	1	0.0 %
7	Unknown due to HT use	257	9.8 %
8	Unknown due to hysterectomy	51	1.9 %
	Missing Data		
.	-	14	0.5 %
	Total	2,617	100%

Based upon 2,603 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 996-996 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SAADAY5: Self-administered-Part A Day

Self-administered-Part A Day

Value	Label	Unweighted Frequency	%
1691	-	1	0.0 %
1720	-	1	0.0 %
1721	-	1	0.0 %
1740	-	1	0.0 %
1741	-	1	0.0 %
1744	-	1	0.0 %
1745	-	1	0.0 %
1746	-	1	0.0 %
1749	-	1	0.0 %
1751	-	1	0.0 %
1752	-	1	0.0 %
1755	-	2	0.1 %
1757	-	1	0.0 %
1760	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	1	0.0 %
1764	-	4	0.2 %
1765	-	1	0.0 %
1766	-	2	0.1 %
1767	-	1	0.0 %
1768	-	2	0.1 %
1769	-	3	0.1 %
1770	-	6	0.2 %
1771	-	2	0.1 %
1772	-	1	0.0 %
1773	-	1	0.0 %
1774	-	7	0.3 %
1775	-	4	0.2 %
1776	-	6	0.2 %
1777	-	8	0.3 %
1778	-	5	0.2 %
1779	-	4	0.2 %
1780	-	7	0.3 %
1781	-	14	0.5 %
1782	-	18	0.7 %

Value	Label	Unweighted Frequency	%
1783	-	21	0.8 %
1784	-	13	0.5 %
1785	-	17	0.6 %
1786	-	9	0.3 %
1787	-	10	0.4 %
1788	-	9	0.3 %
1789	-	15	0.6 %
1790	-	14	0.5 %
1791	-	17	0.6 %
1792	-	36	1.4 %
1793	-	18	0.7 %
1794	-	19	0.7 %
1795	-	15	0.6 %
1796	-	20	0.8 %
Missing Data			
.	-	121	4.6 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,496 valid cases out of 2,617 total cases.

- Mean: 1860.91
- Minimum: 1691.00
- Maximum: 2443.00
- Standard Deviation: 73.35

Location: 997-1000 (width: 4; decimal: 0)

Variable Type: numeric

FORMSAA5: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Value	Label	Unweighted Frequency	%
-		121	4.6 %
AIN	-	43	1.6 %
PAT	-	37	1.4 %
SAA	-	2416	92.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1001-1003 (width: 3; decimal: 0)

Variable Type: character

LANGSAA5: Language of Self-A

Language of Self-A

Value	Label	Unweighted Frequency	%
1	English	2152	82.2 %
2	Spanish	155	5.9 %
3	Cantonese	84	3.2 %
4	Japanese	104	4.0 %
Missing Data			
-9	Missing	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1004-1005 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OVERHLT5: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	365	13.9 %
2	Very good	930	35.5 %
3	Good	805	30.8 %
4	Fair	320	12.2 %
5	Poor	47	1.8 %
Missing Data			
-9	Missing	8	0.3 %
-8	Do not know	4	0.2 %
-7	Refused	17	0.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,467 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1006-1007 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

HOSPSTA5: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	2212	84.5 %
1	-	138	5.3 %
2	-	37	1.4 %
3	-	12	0.5 %
4	-	6	0.2 %
5	-	2	0.1 %
6	-	2	0.1 %
10	-	1	0.0 %
16	-	1	0.0 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.62

Location: 1008-1009 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

MDTALK5: # times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	243	9.3 %
1	-	372	14.2 %
2	-	473	18.1 %
3	-	330	12.6 %

Value	Label	Unweighted Frequency	%
4	-	292	11.2 %
5	-	170	6.5 %
6	-	150	5.7 %
7	-	46	1.8 %
8	-	68	2.6 %
9	-	15	0.6 %
10	-	85	3.2 %
11	-	5	0.2 %
12	-	59	2.3 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	20	0.8 %
16	-	4	0.2 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	30	1.1 %
22	-	2	0.1 %
23	-	2	0.1 %
24	-	3	0.1 %
25	-	4	0.2 %
26	-	2	0.1 %
30	-	8	0.3 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	3	0.1 %
40	-	6	0.2 %
48	-	1	0.0 %
50	>=50 times	9	0.3 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Mean: 4.31
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 50.00

- Standard Deviation: 5.57

Location: 1010-1011 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES5: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1953	74.6 %
1	-	133	5.1 %
2	-	75	2.9 %
3	-	29	1.1 %
4	-	31	1.2 %
5	-	15	0.6 %
6	-	31	1.2 %
7	-	6	0.2 %
8	-	17	0.6 %
9	-	1	0.0 %
10	-	23	0.9 %
11	-	1	0.0 %
12	-	23	0.9 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	8	0.3 %
18	-	3	0.1 %
20	-	11	0.4 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	2	0.1 %
25	-	6	0.2 %
30	-	4	0.2 %
35	-	2	0.1 %
36	-	5	0.2 %
40	-	9	0.3 %
42	-	1	0.0 %
45	-	3	0.1 %
49	-	1	0.0 %
50	-	3	0.1 %
52	-	4	0.2 %

Value	Label	Unweighted Frequency	%
60	>=60 times	4	0.2 %
	Missing Data		
-9	Missing	82	3.1 %
-7	Refused	6	0.2 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,408 valid cases out of 2,617 total cases.

- Mean: 1.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.03

Location: 1012-1013 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA5: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	No	670	25.6 %
2	Yes	1744	66.6 %
	Missing Data		
-9	Missing	81	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1014-1015 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA5: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	No	586	22.4 %
2	Yes	1829	69.9 %
	Missing Data		
-9	Missing	81	3.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1016-1017 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA5: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	No	784	30.0 %
2	Yes	1631	62.3 %
	Missing Data		
-9	Missing	81	3.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1018-1019 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER5: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	No	2083	79.6 %
2	Yes	302	11.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Missing	106	4.1 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,385 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1020-1021 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN5: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	No	188	7.2 %
2	Yes	80	3.1 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	34	1.3 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 268 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1022-1023 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR5: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Cannot afford

Value	Label	Unweighted Frequency	%
1	No	182	7.0 %
2	Yes	85	3.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	35	1.3 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 267 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1024-1025 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRANS5: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	No	239	9.1 %
2	Yes	26	1.0 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	37	1.4 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 265 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1026-1027 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPROVI5: No health care provider

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - No health care provider

Value	Label	Unweighted Frequency	%
1	No	222	8.5 %
2	Yes	44	1.7 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	36	1.4 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 266 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1028-1029 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOBUSY5: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	No	137	5.2 %
2	Yes	143	5.5 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	22	0.8 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 280 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1030-1031 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST5: Don't trust drs

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	No	234	8.9 %
2	Yes	30	1.1 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	38	1.5 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 264 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1032-1033 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTROF5: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	No	251	9.6 %
2	Yes	14	0.5 %
	Missing Data		
-9	Missing	106	4.1 %
-7	Refused	37	1.4 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 265 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1034-1035 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH5: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other

Value	Label	Unweighted Frequency	%
1	No	164	6.3 %
2	Yes	102	3.9 %
	Missing Data		
-9	Missing	107	4.1 %
-7	Refused	35	1.3 %
-1	N/A	2088	79.8 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 266 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE5: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	No	2155	82.3 %
2	Yes	339	13.0 %
	Missing Data		
-7	Refused	2	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1038-1039 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA5: Avg cigarettes/day since last visit

If YES to SMOKERE5: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	21	0.8 %
1	-	6	0.2 %

Value	Label	Unweighted Frequency	%
2	-	15	0.6 %
3	-	13	0.5 %
4	-	17	0.6 %
5	-	24	0.9 %
6	-	20	0.8 %
7	-	6	0.2 %
8	-	11	0.4 %
9	-	1	0.0 %
10	-	58	2.2 %
11	-	1	0.0 %
12	-	11	0.4 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	27	1.0 %
16	-	3	0.1 %
18	-	1	0.0 %
20	-	72	2.8 %
25	-	3	0.1 %
26	-	1	0.0 %
30	-	13	0.5 %
35	-	5	0.2 %
40	-	8	0.3 %
Missing Data			
-1	N/A	2157	82.4 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 339 valid cases out of 2,617 total cases.

- Mean: 12.30
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 9.20

Location: 1040-1041 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP5: Full of pep last mo

During the past 4 weeks, how much time: Did you feel full of pep?

Value	Label	Unweighted Frequency	%
1	All Of The Time	37	1.4 %
2	Most Of The Time	492	18.8 %
3	A Good Bit Of The Time	584	22.3 %
4	Some Of The Time	748	28.6 %
5	A Little Of The Time	404	15.4 %
6	None Of The Time	144	5.5 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,409 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1042-1043 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY5: Lots energy last mo

During the past 4 weeks, how much time: Did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	All Of The Time	43	1.6 %
2	Most Of The Time	486	18.6 %
3	A Good Bit Of The Time	575	22.0 %
4	Some Of The Time	746	28.5 %
5	A Little Of The Time	425	16.2 %
6	None Of The Time	137	5.2 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1044-1045 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOOUT5: Felt worn out last mo

During the past 4 weeks, how much time: Did you feel worn out?

Value	Label	Unweighted Frequency	%
1	All Of The Time	48	1.8 %
2	Most Of The Time	191	7.3 %
3	A Good Bit Of The Time	337	12.9 %
4	Some Of The Time	790	30.2 %
5	A Little Of The Time	822	31.4 %
6	None Of The Time	222	8.5 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	4	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1046-1047 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TIRED5: Felt tired last mo

During the past 4 weeks, how much time: Did you feel tired?

Value	Label	Unweighted Frequency	%
1	All Of The Time	65	2.5 %
2	Most Of The Time	216	8.3 %
3	A Good Bit Of The Time	369	14.1 %
4	Some Of The Time	902	34.5 %
5	A Little Of The Time	798	30.5 %
6	None Of The Time	62	2.4 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1048-1049 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

CARING5: Time spent past yr caring for child

During the past year (in the last 12 months), how much time did you spend on average: Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)

Value	Label	Unweighted Frequency	%
1	None Or Less Than 1 Hr/Wk	1873	71.6 %
2	At Least 1 hr But < 20 Hrs/Wk	339	13.0 %
3	20 Hrs Or More/Wk	178	6.8 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	7	0.3 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,390 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1050-1051 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

MEALS5: Time spent past yr preparing meals

During the past year (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals?

Value	Label	Unweighted Frequency	%
1	1 Hour Or Less Per Day	860	32.9 %
2	Between 1 And 2 Hrs/Day	1132	43.3 %
3	More Than 2 Hrs/Day	403	15.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %

Value	Label	Unweighted Frequency	%
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,395 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1052-1053 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROUTNCH5: Time spent past yr light chores

During the past year (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping?

Value	Label	Unweighted Frequency	%
1	Once/Wk Or Less	477	18.2 %
2	More Than Once/Wk But < Daily	1168	44.6 %
3	Daily Or More	750	28.7 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,395 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1054-1055 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODERAT5: Time spent past yr moderate chores

During the past year (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening/yard work such as mowing the lawn or raking leaves?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	567	21.7 %
2	2-3 Times/Month	739	28.2 %
3	4 Or More Times/Month	1088	41.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,394 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1056-1057 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VIGOROU5: Time spent past yr vigorous chores

During the past year (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling or outdoor painting?

Value	Label	Unweighted Frequency	%
1	Once A Month Or Less	2050	78.3 %
2	2-3 Times/Month	249	9.5 %
3	4 Or More Times/Month	96	3.7 %
	Missing Data		
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,395 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1058-1059 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSACT5: Recreational activity compared to other women same age

In comparison with other women of your own age, do you think your recreational physical activity is...

Value	Label	Unweighted Frequency	%
1	Much Less	304	11.6 %
2	Somewhat Less	630	24.1 %
3	The Same	796	30.4 %
4	Somewhat More	517	19.8 %
5	Much More	145	5.5 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	5	0.2 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,392 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1060-1061 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV5: Time spent past yr watching TV

During the past year, when you were not working or doing chores around the house: Did you watch television...

Value	Label	Unweighted Frequency	%
1	Never Or Less Than 1 Hr/Wk	153	5.8 %
2	At Least 1 Hr/Wk But < 1 Hr/Day	482	18.4 %
3	1-2 Hrs/Day	919	35.1 %
4	2-4 Hrs/Day	606	23.2 %
5	More Than 4 Hrs/Day	251	9.6 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1062-1063 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKBIK5: Time spent walk/bike

During the past year, when you were not working or doing chores around the house: Did you walk or bike to and from work, school or errands...

Value	Label	Unweighted Frequency	%
1	Never/ < 5 Minutes Per Day	1266	48.4 %
2	5-15 Minutes/Day	527	20.1 %
3	16-30 Minutes/Day	376	14.4 %
4	31-45 Minutes/Day	133	5.1 %
5	More Than 45 Minutes/Day	90	3.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	6	0.2 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,392 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1064-1065 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SWEATPA5: Time spent sweat from exertion

During the past year, when you were not working or doing chores around the house: Did you sweat from exertion...

Value	Label	Unweighted Frequency	%
1	Never/Less Than Once A Month	765	29.2 %
2	Once A Month	316	12.1 %
3	2-3 Times A Month	384	14.7 %
4	Once/Wk	275	10.5 %
5	More Than Once/Wk	670	25.6 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	6	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1066-1067 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS5: Time spent sport/exercise

During the past year, when you were not working or doing chores around the house: Did you play sports or exercise...

Value	Label	Unweighted Frequency	%
1	Never	691	26.4 %
2	LT Once/Month	240	9.2 %
3	Once/Month	106	4.1 %
4	2-3 Times/Month	227	8.7 %
5	Once/Wk	237	9.1 %
6	More Than Once/Wk	848	32.4 %
Missing Data			
-9	Missing	109	4.2 %
-7	Refused	6	0.2 %
-1	N/A	32	1.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,349 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1068-1069 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX15: Sport done most freq past yr

Which sport or exercise did you do most frequently during the past year?

Value	Label	Unweighted Frequency	%
	-	121	4.6 %
-1	-	729	27.9 %
-7	-	22	0.8 %
-9	-	88	3.4 %
AB MACHINE	-	2	0.1 %
AB TRANING	-	1	0.0 %
AB-DOER/STATIONARY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ABDOER	-	1	0.0 %
AEROBIC	-	6	0.2 %
AEROBIC (STATIONARY BIKE), WALKING, MUSCLE TONING	-	1	0.0 %
AEROBIC + WEIGHT	-	1	0.0 %
AEROBIC DANCE	-	3	0.1 %
AEROBIC DANCING	-	1	0.0 %
AEROBIC ELLIPTICAL T	-	1	0.0 %
AEROBIC EXERCISE	-	5	0.2 %
AEROBIC EXERCISE ON	-	1	0.0 %
AEROBIC KICK BOXING	-	1	0.0 %
AEROBIC RIDER HEALTH	-	1	0.0 %
AEROBIC STEP, TREADMILL	-	1	0.0 %
AEROBIC TYPE VIDEO	-	1	0.0 %
AEROBIC W/WEIGHTS	-	1	0.0 %
AEROBIC, WALKING	-	1	0.0 %
AEROBICS	-	44	1.7 %
AEROBICS - DANCE	-	1	0.0 %
AEROBICS - ELLIPTICAL TRAINING	-	1	0.0 %
AEROBICS CARDIOBOX	-	1	0.0 %
AEROBICS CLASS	-	4	0.2 %
AEROBICS CLASSES	-	1	0.0 %
AEROBICS DANCE	-	1	0.0 %
AEROBICS GLIDER	-	1	0.0 %
AEROBICS W/WEIGHTS	-	1	0.0 %
AEROBICS(IN WATER)	-	1	0.0 %
AEROBICS, LIFT WEIGHTS, WALK	-	1	0.0 %
AEROBICS/ DANCE	-	1	0.0 %
AEROBICS/SWIMMING	-	1	0.0 %
AEROBICS/TONING	-	1	0.0 %
AIKIDO WEIGHT TRAINI	-	1	0.0 %
AQUA AEROBICS	-	3	0.1 %
AQUATIC AEROBIC	-	1	0.0 %
AROBEC	-	1	0.0 %
AROBICS	-	1	0.0 %
BADMINTON	-	1	0.0 %
BALLET	-	2	0.1 %
BALLROOM DANCE	-	1	0.0 %
BALLROOMLATIN DANCE	-	1	0.0 %
BASKETBALL	-	6	0.2 %

Value	Label	Unweighted Frequency	%
BASKETBALL-H20 AEROBICS	-	1	0.0 %
BICYCLE	-	4	0.2 %
BICYCLING	-	8	0.3 %
BIKE	-	8	0.3 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1070-1129 (width: 60; decimal: 0)

Variable Type: character

RATEIN15: Incr heart rate sport 1

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	97	3.7 %
2	Yes, A Small Increase	573	21.9 %
3	Yes, A Moderate Increase	782	29.9 %
4	Yes, A Large Increase	232	8.9 %
	Missing Data		
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 1,684 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1130-1131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC15: Sport 1 # months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	114	4.4 %
2	1-3 Months	258	9.9 %

Value	Label	Unweighted Frequency	%
3	4-6 Months	296	11.3 %
4	7-9 Months	234	8.9 %
5	More Than 9 Months	781	29.8 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,683 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1132-1133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HRSACT15: Sport 1 hrs/wk

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	295	11.3 %
2	At Least 1 But < 2 Hrs	447	17.1 %
3	At Least 2 But < 3 Hrs	372	14.2 %
4	At Least 3 But < 4 Hrs	287	11.0 %
5	More Than 4 Hours	282	10.8 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,683 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1134-1135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHSPOR5: Other sports done past yr

Did you do any other exercise or play any other sport in this past year?

Value	Label	Unweighted Frequency	%
1	No	882	33.7 %
2	Yes	802	30.6 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	1	0.0 %
-1	N/A	729	27.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,684 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1136-1137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX25: Sport second most freq past yr

What was the second most frequent sport or exercise you did during the past year?

Value	Label	Unweighted Frequency	%
-	-	121	4.6 %
-1	-	1613	61.6 %
-7	-	6	0.2 %
-9	-	83	3.2 %
AB SLIDE(EXERISER)	-	1	0.0 %
AB-ROLLER	-	1	0.0 %
ABDOMINALS	-	1	0.0 %
AEROBIC	-	1	0.0 %
AEROBIC (SEE MORE)	-	1	0.0 %
AEROBIC + BACK	-	1	0.0 %
AEROBIC DANCE	-	1	0.0 %
AEROBIC DANCING	-	1	0.0 %
AEROBIC SKI-MACHINE	-	1	0.0 %
AEROBICS	-	12	0.5 %
AEROBICS (STATIONARY)	-	1	0.0 %
AEROBICS CLASS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AEROBICS, STEPS AEROBICS	-	1	0.0 %
AEROBICS/VIDEO TAPE	-	1	0.0 %
AEROBICS/WEIGHTS	-	1	0.0 %
AREOBIC EXERCISE	-	1	0.0 %
AROBICS	-	3	0.1 %
BACKPACKING/HIKING	-	1	0.0 %
BALL DANCING	-	1	0.0 %
BALLET	-	2	0.1 %
BALLET EXERCISE TAI	-	1	0.0 %
BALLROOM DANCING	-	1	0.0 %
BASEBALL BASKETBALL	-	1	0.0 %
BASEBALL I PITCH TO	-	1	0.0 %
BASKETBALL	-	2	0.1 %
BICYCLE	-	5	0.2 %
BICYCLE RIDING	-	1	0.0 %
BICYCLE-STATIONARY	-	1	0.0 %
BICYCLING	-	15	0.6 %
BICYLING	-	1	0.0 %
BIKE	-	6	0.2 %
BIKE MACHINE	-	1	0.0 %
BIKE RIDING	-	10	0.4 %
BIKE RIDING (STATIONARY BIKE)	-	1	0.0 %
BIKING	-	26	1.0 %
BILLIARDS	-	1	0.0 %
BIWEEKLY CRUNCH CLAS	-	1	0.0 %
BOCCE BALL	-	1	0.0 %
BODY BUILDING W/MACH	-	1	0.0 %
BODY STRETCHING	-	1	0.0 %
BODYWORK, TONING CLASS	-	1	0.0 %
BOWEL	-	1	0.0 %
BOWILING	-	1	0.0 %
BOWLING	-	8	0.3 %
BOXING	-	1	0.0 %
BRISK WALK FOR 30 M3	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1138-1189 (*width:* 52; *decimal:* 0)

Variable Type: character

RATEIN25: Incr heart rate sport 2

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	No	50	1.9 %
2	Yes, A Small Increase	307	11.7 %
3	Yes, A Moderate Increase	332	12.7 %
4	Yes, A Large Increase	111	4.2 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
-1	N/A	1613	61.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 800 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1190-1191 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC25: Sport 2 # months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Month	72	2.8 %
2	1-3 Months	216	8.3 %
3	4-6 Months	157	6.0 %
4	7-9 Months	83	3.2 %
5	More Than 9 Months	273	10.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
-1	N/A	1613	61.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 801 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRSACT25: Sport 2 hrs/wk

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	Less Than 1 Hour	198	7.6 %
2	At Least 1 But < 2 Hrs	270	10.3 %
3	At Least 2 But < 3 Hrs	160	6.1 %
4	At Least 3 But < 4 Hrs	86	3.3 %
5	More Than 4 Hours	86	3.3 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	2	0.1 %
-1	N/A	1613	61.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 800 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1194-1195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRENEX5: Strenuous exercise x/wk

Considering a usual 7-day period (a week) in the past year, how many times on the average did you do the following kinds of exercise or physical activity for more than 15 minutes, not counting activity you do at work? - Strenuous exercise/physical activity (heart rate and breathing increase a lot) (i.e., running, jogging, soccer, singles tennis, basketball, cross country skiing, judo, roller skating/blading, vigorous long distance bicycling, vigorous aerobic dance)

Value	Label	Unweighted Frequency	%
0	-	53	2.0 %
1	-	10	0.4 %
2	-	6	0.2 %
3	-	8	0.3 %
4	-	3	0.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	Missing	2416	92.3 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 80 valid cases out of 2,617 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.19

Location: 1196-1197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MODEREX5: Moderate exercise x/wk

Considering a usual 7-day period (a week) in the past year, how many times on the average did you do the following kinds of exercise or physical activity for more than 15 minutes, not counting activity you do at work? - Moderate exercise/physical activity (heart rate and breathing increase somewhat) (i.e., fast walking, doubles tennis, easy bicycling, volleyball, badminton, easy swimming, alpine skiing, popular and folk dancing, low impact aerobics, weight lifting/training)

Value	Label	Unweighted Frequency	%
0.0	-	21	0.8 %
1.0	-	8	0.3 %
1.5	-	1	0.0 %
2.0	-	11	0.4 %
2.5	-	1	0.0 %
3.0	-	11	0.4 %
4.0	-	10	0.4 %
5.0	-	7	0.3 %
6.0	-	6	0.2 %
7.0	-	4	0.2 %
	Missing Data		
-9.0	Missing	2416	92.3 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 80 valid cases out of 2,617 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 7.00
- Standard Deviation: 2.18

Location: 1198-1201 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

STIFF5: Stiffness/soreness past 2 wks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	Not At All	585	22.4 %
2	1-5 Days	1037	39.6 %
3	6-8 Days	208	7.9 %
4	9-13 Days	153	5.8 %
5	Every Day	508	19.4 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,491 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1202-1203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACHE5: Back aches/pains past 2 wks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	Not At All	897	34.3 %
2	1-5 Days	915	35.0 %
3	6-8 Days	196	7.5 %
4	9-13 Days	129	4.9 %
5	Every Day	276	10.5 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1204-1205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE5: Cold sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	2076	79.3 %
2	1-5 Days	240	9.2 %
3	6-8 Days	43	1.6 %
4	9-13 Days	13	0.5 %
5	Every Day	35	1.3 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,407 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1206-1207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE5: Night sweats past 2 wks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	Not At All	1538	58.8 %
2	1-5 Days	656	25.1 %
3	6-8 Days	126	4.8 %
4	9-13 Days	70	2.7 %
5	Every Day	98	3.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	3	0.1 %
-7	Refused	5	0.2 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,488 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1208-1209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR5: Vaginal dryness past 2 wks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	Not At All	1716	65.6 %
2	1-5 Days	492	18.8 %
3	6-8 Days	100	3.8 %
4	9-13 Days	58	2.2 %
5	Every Day	116	4.4 %
	Missing Data		
-9	Missing	5	0.2 %
-7	Refused	9	0.3 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,482 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1210-1211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU5: Feeling blue past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	Not At All	1084	41.4 %

Value	Label	Unweighted Frequency	%
2	1-5 Days	1048	40.0 %
3	6-8 Days	188	7.2 %
4	9-13 Days	99	3.8 %
5	Every Day	70	2.7 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	6	0.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,489 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY5: Dizzy spells past 2 wks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	Not At All	1934	73.9 %
2	1-5 Days	417	15.9 %
3	6-8 Days	38	1.5 %
4	9-13 Days	14	0.5 %
5	Every Day	11	0.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1214-1215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB5: Irritability past 2 wks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	Not At All	868	33.2 %
2	1-5 Days	1322	50.5 %
3	6-8 Days	185	7.1 %
4	9-13 Days	76	2.9 %
5	Every Day	42	1.6 %
Missing Data			
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1216-1217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS5: Tense/nervous past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	Not At All	907	34.7 %
2	1-5 Days	1115	42.6 %
3	6-8 Days	216	8.3 %
4	9-13 Days	112	4.3 %
5	Every Day	64	2.4 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1218-1219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET5: Forgetfulness past 2 wks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	Not At All	728	27.8 %
2	1-5 Days	1111	42.5 %
3	6-8 Days	241	9.2 %
4	9-13 Days	157	6.0 %
5	Every Day	175	6.7 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1220-1221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG5: Freq mood changes past 2 wks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	Not At All	1450	55.4 %
2	1-5 Days	806	30.8 %
3	6-8 Days	135	5.2 %
4	9-13 Days	63	2.4 %
5	Every Day	40	1.5 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1222-1223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC5: Heart pounding/racing past 2 wks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	Not At All	1766	67.5 %
2	1-5 Days	511	19.5 %
3	6-8 Days	80	3.1 %
4	9-13 Days	37	1.4 %
5	Every Day	20	0.8 %
Missing Data			
-7	Refused	2	0.1 %
.	-	201	7.7 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1224-1225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA5: Feeling fearful past 2 wks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	Not At All	1995	76.2 %
2	1-5 Days	313	12.0 %
3	6-8 Days	60	2.3 %
4	9-13 Days	23	0.9 %
5	Every Day	22	0.8 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1226-1227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE5: Headaches past 2 wks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	Not At All	956	36.5 %
2	1-5 Days	1156	44.2 %
3	6-8 Days	176	6.7 %
4	9-13 Days	80	3.1 %
5	Every Day	40	1.5 %
Missing Data			
-9	Missing	87	3.3 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,408 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS5: Hot flashes past 2 wks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	Not At All	1354	51.7 %
2	1-5 Days	675	25.8 %
3	6-8 Days	179	6.8 %
4	9-13 Days	101	3.9 %
5	Every Day	182	7.0 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	4	0.2 %
.	-	121	4.6 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Based upon 2,491 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1230-1231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTPAI5: Breast pain/tenderness past 2 wks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	Not At All	1667	63.7 %
2	1-5 Days	593	22.7 %
3	6-8 Days	80	3.1 %
4	9-13 Days	30	1.1 %
5	Every Day	23	0.9 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	4	0.2 %
-1	N/A	18	0.7 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1232-1233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE5: Trouble falling asleep past 2 wks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1337	51.1 %
2	Yes, < Once A Wk	436	16.7 %
3	Yes, 1-2 Times/Wk	344	13.1 %
4	Yes, 3-4 Times/Wk	160	6.1 %

Value	Label	Unweighted Frequency	%
5	Yes, 5 or More Times/Wk	137	5.2 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1234-1235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP5: Wake up several times/night past 2 wks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	700	26.7 %
2	Yes, < Once A Wk	433	16.5 %
3	Yes, 1-2 Times/Wk	494	18.9 %
4	Yes, 3-4 Times/Wk	349	13.3 %
5	Yes, 5 or More Times/Wk	438	16.7 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1236-1237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL5: Wake up early past 2 wks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	No, Not In The Past 2 Wks	1127	43.1 %
2	Yes, < Once A Wk	522	19.9 %
3	Yes, 1-2 Times/Wk	408	15.6 %
4	Yes, 3-4 Times/Wk	191	7.3 %
5	Yes, 5 or More Times/Wk	165	6.3 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,413 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1238-1239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL5: Overall sleep quality past mo

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	595	22.7 %
2	Fairly good	1308	50.0 %
3	Fairly bad	429	16.4 %
4	Very bad	80	3.1 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1240-1241 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETUPUR5: How often get up to urinate

How often do you usually get up from bed at night to urinate?

Value	Label	Unweighted Frequency	%
1	Never	292	11.2 %
2	Rarely (< Once A Wk)	574	21.9 %
3	Once/Wk	181	6.9 %
4	A Few Times/Wk	461	17.6 %
5	Once A Night, Every Night	602	23.0 %
6	More Than Once Per Night	302	11.5 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1242-1243 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INVOLEA5: Involuntary leakage since last visit

Since your last study visit, have you ever leaked, even a very small amount, of urine involuntarily?

Value	Label	Unweighted Frequency	%
1	No	926	35.4 %
2	Yes	1565	59.8 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,491 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1244-1245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DAYSLEA5: Leakage days past mo

If YES to INVOLEA5: In the last month, about how many days have you lost any urine, even a small amount, beyond your own control?

Value	Label	Unweighted Frequency	%
1	Never	181	6.9 %
2	Less Than 1 Day/Week	892	34.1 %
3	Several Days/Week	315	12.0 %
4	Almost Daily/Daily	168	6.4 %
Missing Data			
-8	Do not know	2	0.1 %
-7	Refused	7	0.3 %
-1	N/A	931	35.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,556 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1246-1247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGHLE5: Leak bec cough,sneeze,laugh,jog,pick up

If YES to INVOLEA5: Under what circumstances does it occur? - When you are coughing, laughing, sneezing, jogging, or picking up an object from the floor.

Value	Label	Unweighted Frequency	%
1	No	364	13.9 %
2	Yes	1117	42.7 %
Missing Data			
-9	Missing	50	1.9 %
-7	Refused	25	1.0 %
-1	N/A	940	35.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,481 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1248-1249 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGEVOI5: Urge to void caused leakage

If YES to INVOLEA5: Under what circumstances does it occur? - When you have an urge to void and can't get to a toilet fast enough.

Value	Label	Unweighted Frequency	%
1	No	702	26.8 %
2	Yes	775	29.6 %
Missing Data			
-9	Missing	48	1.8 %
-7	Refused	40	1.5 %
-1	N/A	931	35.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,477 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1250-1251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRLEA5: Other causes of leakage

If YES to INVOLEA5: Under what circumstances does it occur? - Other

Value	Label	Unweighted Frequency	%
1	No	1127	43.1 %
2	Yes	165	6.3 %
Missing Data			
-9	Missing	46	1.8 %
-7	Refused	227	8.7 %
-1	N/A	931	35.6 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,292 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1252-1253 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRIRE5: Nutritional remedies past yr

In the past 12 months, have you used any of the following for any reason? Special diets or nutritional remedies, such as macrobiotic or vegetarian diets, or vitamin supplements or therapy?

Value	Label	Unweighted Frequency	%
1	No	1592	60.8 %
2	Yes	902	34.5 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1254-1255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HERBREM5: Herbal remedies past yr

In the past 12 months, have you used any of the following for any reason? Herbs or herbal remedies, such as homeopathy or Chinese herbs or teas?

Value	Label	Unweighted Frequency	%
1	No	2022	77.3 %
2	Yes	471	18.0 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1256-1257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSYCMET5: Psychological methods past yr

In the past 12 months, have you used any of the following for any reason? Psychological methods, such as meditation, mental imagery, or relaxation techniques?

Value	Label	Unweighted Frequency	%
1	No	1980	75.7 %
2	Yes	513	19.6 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSMET5: Physical methods past yr

In the past 12 months, have you used any of the following for any reason? Physical methods, such as massage, acupressure, acupuncture, or chiropractic therapy?

Value	Label	Unweighted Frequency	%
1	No	1902	72.7 %
2	Yes	592	22.6 %
Missing Data			
-9	Missing	1	0.0 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1260-1261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLKMED5: Folk medicine past yr

In the past 12 months, have you used and of the following for any reason? Folk medicine or traditional Chinese medicine?

Value	Label	Unweighted Frequency	%
1	No	2398	91.6 %
2	Yes	95	3.6 %
	Missing Data		
-9	Missing	1	0.0 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1262-1263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHRTHE5: Other diet/behav therapies past yr

In the past 12 months, have you used and of the following for any reason? Any others?

Value	Label	Unweighted Frequency	%
1	No	2138	81.7 %
2	Yes	226	8.6 %
	Missing Data		
-9	Missing	2	0.1 %
-7	Refused	130	5.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,364 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1264-1265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SPECOTH5: Other diet/behav therapies-specify

In the past 12 months, have you used and of the following for any reason? Any others? - Specify

Value	Label	Unweighted Frequency	%
-	-	121	4.6 %
"MORE FREE" GLUCOSAMINE/C	-	1	0.0 %
(QI GONG)	-	1	0.0 %
-1	-	2269	86.7 %
-9	-	5	0.2 %
ACCUPRESSURE FOR STRESS A	-	1	0.0 %
ADIPEX (DIET PILL) STOP T	-	1	0.0 %
ADKINS DIET	-	1	0.0 %
AROMA THERAPY (INFUSER)	-	1	0.0 %
AROMATHERAPY	-	1	0.0 %
ASIAN SOUP-PROTEIN SHAKES	-	1	0.0 %
BARLEY GREEN SUPPLEMENT	-	1	0.0 %
BEEN ON WEIGHT WATCHERS S	-	1	0.0 %
BELONG TO A SMALL CHURCH	-	1	0.0 %
BODY SOLUTIONS	-	1	0.0 %
BODY SOLUTIONS (3 MONTHS)	-	1	0.0 %
BUDDHIST PRATICE, VARIOUS	-	1	0.0 %
CALCIUM (TUMS) GREEN TEA	-	1	0.0 %
CALCIUM, MULTI VITAMINS &	-	1	0.0 %
CALCIUM-FORTIFIED ORANGE	-	1	0.0 %
CALCIUM-IN MY DIET ON WEE	-	1	0.0 %
CALORIE MONITORING, HERBA	-	1	0.0 %
CANDLE THERAPY MUSIC	-	1	0.0 %
CELEXA DAILY	-	1	0.0 %
CHI GONG	-	1	0.0 %
CHI GUNG OSTEPOATHY ROSEN	-	1	0.0 %
CHI KING, TAICHI, KARATE,	-	1	0.0 %
CHI KUNG	-	1	0.0 %
CHINESE HERBS & TEA; RELA	-	1	0.0 %
CHINESE HERBS TEA ONCE A	-	1	0.0 %
CHIROPRACTIC	-	2	0.1 %
CO-COUNSELING (NOT A THER	-	1	0.0 %
COLON CLEANSE	-	1	0.0 %
CUPPING; MOXIBUSTION	-	1	0.0 %
CUTTING DOWN ON AMOUNT OF	-	1	0.0 %
DAILY; FOLLOWING A MODERA	-	1	0.0 %
DIABETIC DIET 1200	-	1	0.0 %
DIET SODAS TO FILL ME UP	-	1	0.0 %
DISTANCE HEALING CIRCLES	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DRINK ENSURE BOOST,3-PROP	-	1	0.0 %
DRINK HERB TEAS, ACUPRESS	-	1	0.0 %
DUE TO DEPRESSION I WAS P	-	1	0.0 %
ECHINACEA TAKEN WHEN I ST	-	1	0.0 %
EMERGENCY WORK-HANDS ON H	-	1	0.0 %
EXERCISE	-	2	0.1 %
EXERCISE TAPE APPLE CIDER	-	1	0.0 %
EXERCISE, HIP JOINTS, ETC	-	1	0.0 %
FIBER TABLETS	-	1	0.0 %
FOR NERVOUSNESS	-	1	0.0 %
GINGER POWDER W/LEMON TO	-	1	0.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1266-1290 (width: 25; decimal: 0)

Variable Type: character

STARTNE5: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	No	1918	73.3 %
2	Yes, Not At All Upsetting	266	10.2 %
3	Yes, Somewhat Upsetting	188	7.2 %
4	Yes, Very Upsetting	22	0.8 %
5	Yes, Very Upsetting & Still Upsetting	21	0.8 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1291-1292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB5: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	No	1715	65.5 %
2	Yes, Not At All Upsetting	100	3.8 %
3	Yes, Somewhat Upsetting	432	16.5 %
4	Yes, Very Upsetting	155	5.9 %
5	Yes, Very Upsetting & Still Upsetting	93	3.6 %
Missing Data			
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1293-1294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB5: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	No	2217	84.7 %
2	Yes, Not At All Upsetting	61	2.3 %
3	Yes, Somewhat Upsetting	66	2.5 %
4	Yes, Very Upsetting	38	1.5 %
5	Yes, Very Upsetting & Still Upsetting	28	1.1 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1295-1296 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOAD5: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job?

Value	Label	Unweighted Frequency	%
1	No	1716	65.6 %
2	Yes, Not At All Upsetting	257	9.8 %
3	Yes, Somewhat Upsetting	347	13.3 %
4	Yes, Very Upsetting	65	2.5 %
5	Yes, Very Upsetting & Still Upsetting	29	1.1 %
Missing Data			
-9	Missing	81	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1297-1298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM5: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	No	2253	86.1 %
2	Yes, Not At All Upsetting	32	1.2 %
3	Yes, Somewhat Upsetting	75	2.9 %
4	Yes, Very Upsetting	28	1.1 %
5	Yes, Very Upsetting & Still Upsetting	22	0.8 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,410 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1299-1300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR5: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems?

Value	Label	Unweighted Frequency	%
1	No	1870	71.5 %
2	Yes, Not At All Upsetting	87	3.3 %
3	Yes, Somewhat Upsetting	324	12.4 %
4	Yes, Very Upsetting	119	4.5 %
5	Yes, Very Upsetting & Still Upsetting	95	3.6 %
Missing Data			
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1301-1302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL5: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	No	2154	82.3 %
2	Yes, Not At All Upsetting	30	1.1 %
3	Yes, Somewhat Upsetting	134	5.1 %
4	Yes, Very Upsetting	48	1.8 %
5	Yes, Very Upsetting & Still Upsetting	45	1.7 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	1	0.0 %
.	-	121	4.6 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1303-1304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN5: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	No	2284	87.3 %
2	Yes, Not At All Upsetting	24	0.9 %
3	Yes, Somewhat Upsetting	52	2.0 %
4	Yes, Very Upsetting	29	1.1 %
5	Yes, Very Upsetting & Still Upsetting	23	0.9 %
Missing Data			
-9	Missing	83	3.2 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,412 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1305-1306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO5: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	No	1784	68.2 %
2	Yes, Not At All Upsetting	68	2.6 %
3	Yes, Somewhat Upsetting	296	11.3 %

Value	Label	Unweighted Frequency	%
4	Yes, Very Upsetting	187	7.1 %
5	Yes, Very Upsetting & Still Upsetting	160	6.1 %
Missing Data			
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,495 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1307-1308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO5: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	No	2007	76.7 %
2	Yes, Not At All Upsetting	194	7.4 %
3	Yes, Somewhat Upsetting	151	5.8 %
4	Yes, Very Upsetting	31	1.2 %
5	Yes, Very Upsetting & Still Upsetting	33	1.3 %
Missing Data			
-9	Missing	80	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,416 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1309-1310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR5: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	No	2058	78.6 %
2	Yes, Not At All Upsetting	149	5.7 %
3	Yes, Somewhat Upsetting	148	5.7 %
4	Yes, Very Upsetting	33	1.3 %
5	Yes, Very Upsetting & Still Upsetting	28	1.1 %
Missing Data			
-9	Missing	80	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,416 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1311-1312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR5: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police?

Value	Label	Unweighted Frequency	%
1	No	2160	82.5 %
2	Yes, Not At All Upsetting	29	1.1 %
3	Yes, Somewhat Upsetting	125	4.8 %
4	Yes, Very Upsetting	58	2.2 %
5	Yes, Very Upsetting & Still Upsetting	43	1.6 %
Missing Data			
-9	Missing	81	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1313-1314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE5: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died?

Value	Label	Unweighted Frequency	%
1	No	2202	84.1 %
2	Yes, Not At All Upsetting	21	0.8 %
3	Yes, Somewhat Upsetting	94	3.6 %
4	Yes, Very Upsetting	99	3.8 %
5	Yes, Very Upsetting & Still Upsetting	77	2.9 %
Missing Data			
-9	Missing	2	0.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,493 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1315-1316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE5: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	No	1901	72.6 %
2	Yes, Not At All Upsetting	73	2.8 %
3	Yes, Somewhat Upsetting	294	11.2 %
4	Yes, Very Upsetting	148	5.7 %
5	Yes, Very Upsetting & Still Upsetting	78	3.0 %
Missing Data			
-9	Missing	2	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,494 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1317-1318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO5: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	No	2305	88.1 %
2	Yes, Not At All Upsetting	6	0.2 %
3	Yes, Somewhat Upsetting	44	1.7 %
4	Yes, Very Upsetting	32	1.2 %
5	Yes, Very Upsetting & Still Upsetting	27	1.0 %
Missing Data			
-9	Missing	82	3.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,414 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1319-1320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMILVIO5: Violent event to other fam mem upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	No	2241	85.6 %
2	Yes, Not At All Upsetting	13	0.5 %
3	Yes, Somewhat Upsetting	77	2.9 %
4	Yes, Very Upsetting	50	1.9 %
5	Yes, Very Upsetting & Still Upsetting	34	1.3 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1321-1322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL5: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	No	1828	69.9 %
2	Yes, Not At All Upsetting	31	1.2 %
3	Yes, Somewhat Upsetting	260	9.9 %
4	Yes, Very Upsetting	177	6.8 %
5	Yes, Very Upsetting & Still Upsetting	119	4.5 %
Missing Data			
-9	Missing	80	3.1 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,415 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1323-1324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN5: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above?

Value	Label	Unweighted Frequency	%
1	No	2130	81.4 %
2	Yes, Not At All Upsetting	20	0.8 %
3	Yes, Somewhat Upsetting	108	4.1 %
4	Yes, Very Upsetting	92	3.5 %
5	Yes, Very Upsetting & Still Upsetting	107	4.1 %
Missing Data			
-9	Missing	3	0.1 %
-7	Refused	36	1.4 %
.	-	121	4.6 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,457 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1325-1326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMPYPA5: Employed for pay

Are you currently employed for pay?

Value	Label	Unweighted Frequency	%
1	No	520	19.9 %
2	Yes	1886	72.1 %
	Missing Data		
-9	Missing	89	3.4 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,406 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1327-1328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDJO5: How rewarding is job

If YES to EMPYPA5: How rewarding is your job?

Value	Label	Unweighted Frequency	%
1	Not At All	50	1.9 %
2	A Little	137	5.2 %
3	Somewhat	620	23.7 %
4	Quite A Bit	750	28.7 %
5	Extremely	300	11.5 %
	Missing Data		
-9	Missing	91	3.5 %
-7	Refused	18	0.7 %

Value	Label	Unweighted Frequency	%
-1	N/A	530	20.3 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 1,857 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1329-1330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSJO5: How stressful is job

If YES to EMPLYPA5: How stressful is your job?

Value	Label	Unweighted Frequency	%
1	Not At All	139	5.3 %
2	A Little	353	13.5 %
3	Somewhat	673	25.7 %
4	Quite A Bit	488	18.6 %
5	Extremely	205	7.8 %
	Missing Data		
-9	Missing	92	3.5 %
-7	Refused	16	0.6 %
-1	N/A	530	20.3 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 1,858 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1331-1332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTCAR5: Caring for older/disabled fam mem

Are you currently caring for an older or disabled family member?

Value	Label	Unweighted Frequency	%
1	No	2083	79.6 %
2	Yes	317	12.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	Missing	93	3.6 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,400 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1333-1334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDCAR5: How rewarding caregiver role

If YES to CRNTCAR5: How rewarding is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	42	1.6 %
2	A Little	46	1.8 %
3	Somewhat	112	4.3 %
4	Quite A Bit	75	2.9 %
5	Extremely	39	1.5 %
	Missing Data		
-9	Missing	81	3.1 %
-7	Refused	2	0.1 %
-1	N/A	2099	80.2 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 314 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1335-1336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSCAR5: How stressful caregiver role

If YES to CRNTCAR5: How stressful is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	Not At All	16	0.6 %
2	A Little	61	2.3 %
3	Somewhat	114	4.4 %
4	Quite A Bit	84	3.2 %
5	Extremely	38	1.5 %
Missing Data			
-9	Missing	82	3.1 %
-7	Refused	2	0.1 %
-1	N/A	2099	80.2 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 313 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1337-1338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTMAR5: Currently married/committed rel

Are you currently married or in a committed relationship?

Value	Label	Unweighted Frequency	%
1	No	630	24.1 %
2	Yes	1776	67.9 %
Missing Data			
-9	Missing	87	3.3 %
-7	Refused	3	0.1 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,406 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1339-1340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDREL5: How rewarding is relationship

If YES to CRNTMAR5: How rewarding is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	48	1.8 %
2	A Little	91	3.5 %
3	Somewhat	396	15.1 %
4	Quite A Bit	659	25.2 %
5	Extremely	571	21.8 %
Missing Data			
-9	Missing	87	3.3 %
-7	Refused	4	0.2 %
-1	N/A	640	24.5 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,765 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1341-1342 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSREL5: How stressful is relationship

If YES to CRNTMAR5: How stressful is this relationship?

Value	Label	Unweighted Frequency	%
1	Not At All	414	15.8 %
2	A Little	668	25.5 %
3	Somewhat	455	17.4 %
4	Quite A Bit	175	6.7 %
5	Extremely	53	2.0 %
Missing Data			
-9	Missing	88	3.4 %
-7	Refused	3	0.1 %
-1	N/A	640	24.5 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,765 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1343-1344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDRE5: Have children/stepchildren

Do you have any children or stepchildren?

Value	Label	Unweighted Frequency	%
1	No	412	15.7 %
2	Yes	1999	76.4 %
Missing Data			
-9	Missing	84	3.2 %
-7	Refused	1	0.0 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 2,411 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1345-1346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDMO5: How rewarding is role as mother

If YES to CHILDRE5: How rewarding is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	25	1.0 %
2	A Little	75	2.9 %
3	Somewhat	254	9.7 %
4	Quite A Bit	712	27.2 %
5	Extremely	915	35.0 %
Missing Data			
-9	Missing	86	3.3 %
-7	Refused	12	0.5 %
-1	N/A	417	15.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,981 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1347-1348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSMO5: How stressful is role as mother

If YES to CHILDRE5: How stressful is your role as a mother?

Value	Label	Unweighted Frequency	%
1	Not At All	289	11.0 %
2	A Little	598	22.9 %
3	Somewhat	635	24.3 %
4	Quite A Bit	320	12.2 %
5	Extremely	138	5.3 %
Missing Data			
-9	Missing	86	3.3 %
-7	Refused	13	0.5 %
-1	N/A	417	15.9 %
.	-	121	4.6 %
Total		2,617	100%

Based upon 1,980 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1349-1350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME5: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	Less Than \$19,999	245	9.4 %
2	\$20,000 to \$49,999	614	23.5 %
3	\$50,000 to \$99,999	869	33.2 %
4	\$100,000 or More	569	21.7 %
Missing Data			
-9	Missing	81	3.1 %
-8	Do not know	33	1.3 %
-7	Refused	85	3.2 %
.	-	121	4.6 %

Value	Label	Unweighted Frequency	%
	Total	2,617	100%

Based upon 2,297 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1351-1352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSAAV5: (FLGSAAV5) Completed after V5 cutoff (02/15/2003)

Completed after V5 cutoff (02/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2490	95.1 %
1	Yes	2	0.1 %
	Missing Data		
-1	N/A	4	0.2 %
.	-	121	4.6 %
	Total	2,617	100%

Based upon 2,492 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1353-1354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY5: Self-administered-Part B Day

Self-administered-Part B Day

Value	Label	Unweighted Frequency	%
1719	-	1	0.0 %
1720	-	1	0.0 %
1741	-	1	0.0 %
1744	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1757	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1759	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1766	-	1	0.0 %
1767	-	3	0.1 %
1768	-	2	0.1 %
1769	-	2	0.1 %
1770	-	5	0.2 %
1771	-	1	0.0 %
1772	-	3	0.1 %
1773	-	1	0.0 %
1774	-	3	0.1 %
1775	-	2	0.1 %
1776	-	4	0.2 %
1777	-	4	0.2 %
1778	-	4	0.2 %
1779	-	2	0.1 %
1780	-	4	0.2 %
1781	-	14	0.5 %
1782	-	16	0.6 %
1783	-	24	0.9 %
1784	-	17	0.6 %
1785	-	19	0.7 %
1786	-	9	0.3 %
1787	-	12	0.5 %
1788	-	8	0.3 %
1789	-	11	0.4 %
1790	-	17	0.6 %
1791	-	19	0.7 %
1792	-	33	1.3 %
1793	-	16	0.6 %
1794	-	19	0.7 %
1795	-	11	0.4 %
1796	-	20	0.8 %
1797	-	20	0.8 %
1798	-	15	0.6 %
1799	-	35	1.3 %

Value	Label	Unweighted Frequency	%
1800	-	12	0.5 %
1801	-	20	0.8 %
	Missing Data		
.	-	233	8.9 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,384 valid cases out of 2,617 total cases.

- Mean: 1859.71
- Minimum: 1719.00
- Maximum: 2443.00
- Standard Deviation: 71.55

Location: 1355-1358 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: ..

LANGSAB5: Language of Self-B

Language of Self-B

Value	Label	Unweighted Frequency	%
1	English	2051	78.4 %
2	Spanish	152	5.8 %
3	Cantonese	80	3.1 %
4	Japanese	101	3.9 %
	Missing Data		
.	-	233	8.9 %
	Total	2,617	100%

Based upon 2,384 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1359-1360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESIRSE5: Desire to Engage in Sex past 6 mos

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	Not At All	325	12.4 %
2	Once or Twice/Mon	908	34.7 %
3	About Once/Wk	596	22.8 %
4	More than Once/Wk	447	17.1 %
5	Daily	50	1.9 %
Missing Data			
-9	Missing	24	0.9 %
-7	Refused	34	1.3 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 2,326 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1361-1362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE5: Engaged in Sexual Activity past 6 mos

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	No	701	26.8 %
2	Yes	1662	63.5 %
Missing Data			
-9	Missing	7	0.3 %
-7	Refused	14	0.5 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 2,363 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1363-1364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN5: No Sex Past 6 Mos: No Partner

If NO to ENGAGSE5: I have not had sex in the last 6 months because: I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	No	238	9.1 %
2	Yes	382	14.6 %
	Missing Data		
-9	Missing	25	1.0 %
-7	Refused	61	2.3 %
-1	N/A	1678	64.1 %
.	-	233	8.9 %
	Total	2,617	100%

Based upon 620 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1365-1366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO5: No Sex Past 6 Mos: Partner Phys Prob

If NO to ENGAGSE5: I have not had sex in the last 6 months because: My partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	415	15.9 %
2	Yes	92	3.5 %
	Missing Data		
-9	Missing	40	1.5 %
-8	Do not know	1	0.0 %
-7	Refused	158	6.0 %
-1	N/A	1678	64.1 %
.	-	233	8.9 %
	Total	2,617	100%

Based upon 507 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1367-1368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSR5: No Sex Past 6 Mos: Phys Prob

If NO to ENGAGSE5: I have not had sex in the last 6 months because: I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	No	458	17.5 %
2	Yes	32	1.2 %
Missing Data			
-9	Missing	42	1.6 %
-8	Do not know	1	0.0 %
-7	Refused	172	6.6 %
-1	N/A	1679	64.2 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 490 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1369-1370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NOSEXOT5: No Sex Past 6 Mos: Other Reason

If NO to ENGAGSE5: I have not had sex in the last 6 months because: Other - Please Specify

Value	Label	Unweighted Frequency	%
1	No	238	9.1 %
2	Yes	155	5.9 %
Missing Data			
-9	Missing	47	1.8 %
-8	Do not know	5	0.2 %
-7	Refused	261	10.0 %
-1	N/A	1678	64.1 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 393 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1371-1372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SATISFY5: Emotionally Satisfying past 6 mos

If YES to ENGAGSE5: In the past 6 months, how emotionally satisfying was your relationship with your main partner?

Value	Label	Unweighted Frequency	%
1	Extremely Satisfying	249	9.5 %
2	Very Satisfying	674	25.8 %
3	Moderately Satisfying	537	20.5 %
4	Slightly Satisfying	156	6.0 %
5	Not At All Satisfying	42	1.6 %
Missing Data			
-9	Missing	8	0.3 %
-7	Refused	2	0.1 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,658 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KISSING5: Freq of Sexual Activity: Kissing

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Kissing or hugging?

Value	Label	Unweighted Frequency	%
1	Not At All	61	2.3 %
2	Once or Twice/Mon	245	9.4 %
3	About Once/Wk	217	8.3 %
4	More than Once/Wk	378	14.4 %
5	Daily	746	28.5 %
Missing Data			
-9	Missing	17	0.6 %
-7	Refused	4	0.2 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,647 valid cases out of 2,617 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 1375-1376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOUCHIN5: Freq of Sexual Activity: Touching

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	Not At All	53	2.0 %
2	Once or Twice/Mon	452	17.3 %
3	About Once/Wk	382	14.6 %
4	More than Once/Wk	556	21.2 %
5	Daily	185	7.1 %
Missing Data			
-9	Missing	30	1.1 %
-7	Refused	10	0.4 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,628 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1377-1378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORALSEX5: Freq of Sexual Activity: Oral Sex

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Oral sex?

Value	Label	Unweighted Frequency	%
1	Not At All	770	29.4 %
2	Once or Twice/Mon	538	20.6 %
3	About Once/Wk	190	7.3 %
4	More than Once/Wk	114	4.4 %
5	Daily	2	0.1 %
Missing Data			
-9	Missing	41	1.6 %
-7	Refused	13	0.5 %

Value	Label	Unweighted Frequency	%
-1	N/A	716	27.4 %
.	-	233	8.9 %
	Total	2,617	100%

Based upon 1,614 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTCOUR5: Freq of Sexual Activity: Intercourse

During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? - Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	Not At All	66	2.5 %
2	Once or Twice/Mon	677	25.9 %
3	About Once/Wk	511	19.5 %
4	More than Once/Wk	369	14.1 %
5	Daily	16	0.6 %
	Missing Data		
-9	Missing	23	0.9 %
-7	Refused	6	0.2 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
	Total	2,617	100%

Based upon 1,639 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED5: Arousal during sexual activity past 6 mos

During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	450	17.2 %

Value	Label	Unweighted Frequency	%
2	Almost Always	607	23.2 %
3	Sometimes	492	18.8 %
4	Almost Never	78	3.0 %
5	Never	26	1.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	12	0.5 %
-7	Refused	3	0.1 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,653 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVIC5: Vaginal or Pelvic Pain past 6 mos

During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	Always	21	0.8 %
2	Almost Always	54	2.1 %
3	Sometimes	352	13.5 %
4	Almost Never	338	12.9 %
5	Never	826	31.6 %
6	No Intercourse In Last 6 Mons	66	2.5 %
Missing Data			
-9	Missing	10	0.4 %
-7	Refused	1	0.0 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,657 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1385-1386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LUBRICN5: Use of Lubricants past 6 mos

During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	Always	140	5.3 %
2	Almost Always	121	4.6 %
3	Sometimes	210	8.0 %
4	Almost Never	127	4.9 %
5	Never	1011	38.6 %
6	No Intercourse In Last 6 Mons	49	1.9 %
Missing Data			
-9	Missing	9	0.3 %
-7	Refused	1	0.0 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,658 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1387-1388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLECLM5: Able to reach climax past 6 mos

During the past 6 months, how often were you able to reach climax (come)?

Value	Label	Unweighted Frequency	%
1	Always	307	11.7 %
2	Almost Always	608	23.2 %
3	Sometimes	543	20.7 %
4	Almost Never	115	4.4 %
5	Never	78	3.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	14	0.5 %
-7	Refused	3	0.1 %

Value	Label	Unweighted Frequency	%
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,651 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFD5: Satisfied after sexual activity past 6 mos

During the past 6 months, how often did you feel satisfied after sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	353	13.5 %
2	Almost Always	707	27.0 %
3	Sometimes	471	18.0 %
4	Almost Never	83	3.2 %
5	Never	38	1.5 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	13	0.5 %
-7	Refused	3	0.1 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,652 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1391-1392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FREQUEN5: Satisfied w/freq sex activity past 6 mos

During the past 6 months, how often were you satisfied with the frequency of sexual activity?

Value	Label	Unweighted Frequency	%
1	Always	269	10.3 %

Value	Label	Unweighted Frequency	%
2	Almost Always	650	24.8 %
3	Sometimes	553	21.1 %
4	Almost Never	127	4.9 %
5	Never	52	2.0 %
6	No Intercourse In Last 6 Mons	0	0.0 %
Missing Data			
-9	Missing	15	0.6 %
-7	Refused	2	0.1 %
-1	N/A	716	27.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,651 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB5: Freq of Masturbation past 6 mos

On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	Not At All	1160	44.3 %
2	Less Than Once/Mon	511	19.5 %
3	Once or Twice/Mon	432	16.5 %
4	About Once/Wk	157	6.0 %
5	More than Once/Wk	58	2.2 %
6	Daily	11	0.4 %
Missing Data			
-9	Missing	21	0.8 %
-7	Refused	34	1.3 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 2,329 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEN6MOS5: # men had intercourse w/in past 6 mos

Over the past 6 months, how many men have you had intercourse with?

Value	Label	Unweighted Frequency	%
1	Zero	147	5.6 %
2	One	1311	50.1 %
3	Two	40	1.5 %
4	Three	3	0.1 %
5	Four - Ten	4	0.2 %
6	More than 10	0	0.0 %
Missing Data			
-9	Missing	11	0.4 %
-7	Refused	20	0.8 %
-1	N/A	848	32.4 %
.	-	233	8.9 %
Total		2,617	100%

Based upon 1,505 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1397-1398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSABV5: (FLGSABV5) Completed after V5 cutoff (02/15/2003)

Completed after V5 cutoff (02/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2383	91.1 %
1	Yes	1	0.0 %
Missing Data			
.	-	233	8.9 %
Total		2,617	100%

Based upon 2,384 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1399-1400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDAY5: Physical measures Day

Physical measures Day

Value	Label	Unweighted Frequency	%
1485	-	1	0.0 %
1677	-	1	0.0 %
1691	-	1	0.0 %
1719	-	1	0.0 %
1720	-	1	0.0 %
1732	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1751	-	1	0.0 %
1752	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	3	0.1 %
1769	-	1	0.0 %
1770	-	6	0.2 %
1771	-	2	0.1 %
1772	-	3	0.1 %
1775	-	2	0.1 %
1776	-	4	0.2 %
1777	-	3	0.1 %
1778	-	5	0.2 %
1779	-	2	0.1 %
1780	-	3	0.1 %
1781	-	13	0.5 %
1782	-	17	0.6 %
1783	-	22	0.8 %
1784	-	19	0.7 %
1785	-	20	0.8 %

Value	Label	Unweighted Frequency	%
1786	-	10	0.4 %
1787	-	12	0.5 %
1788	-	9	0.3 %
1789	-	11	0.4 %
1790	-	15	0.6 %
1791	-	17	0.6 %
1792	-	33	1.3 %
1793	-	22	0.8 %
1794	-	19	0.7 %
1795	-	12	0.5 %
1796	-	19	0.7 %
1797	-	19	0.7 %
1798	-	17	0.6 %
1799	-	32	1.2 %
Missing Data			
.	-	213	8.1 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,404 valid cases out of 2,617 total cases.

- Mean: 1855.64
- Minimum: 1485.00
- Maximum: 2185.00
- Standard Deviation: 65.81

Location: 1401-1404 (*width:* 4; *decimal:* 0)

Variable Type: numeric

PULSE5: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	18	0.7 %
25	-	15	0.6 %
26	-	33	1.3 %
27	-	51	1.9 %

Value	Label	Unweighted Frequency	%
28	-	123	4.7 %
29	-	107	4.1 %
30	-	182	7.0 %
31	-	155	5.9 %
32	-	210	8.0 %
33	-	168	6.4 %
34	-	232	8.9 %
35	-	162	6.2 %
36	-	178	6.8 %
37	-	106	4.1 %
38	-	128	4.9 %
39	-	66	2.5 %
40	-	114	4.4 %
41	-	46	1.8 %
42	-	75	2.9 %
43	-	27	1.0 %
44	-	26	1.0 %
45	-	22	0.8 %
46	-	14	0.5 %
47	-	11	0.4 %
48	-	13	0.5 %
49	-	3	0.1 %
50	-	3	0.1 %
51	-	3	0.1 %
52	-	3	0.1 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	2	0.1 %
70	-	1	0.0 %
Missing Data			
.	-	312	11.9 %
Total		2,617	100%

Based upon 2,305 valid cases out of 2,617 total cases.

- Mean: 34.36
- Median: 34.00
- Mode: 34.00
- Minimum: 19.00
- Maximum: 70.00
- Standard Deviation: 5.02

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

SYSBP15: Systolic BP #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
80	-	3	0.1 %
84	-	5	0.2 %
86	-	2	0.1 %
88	-	14	0.5 %
90	-	24	0.9 %
92	-	31	1.2 %
94	-	38	1.5 %
95	-	1	0.0 %
96	-	50	1.9 %
98	-	77	2.9 %
100	-	84	3.2 %
102	-	103	3.9 %
104	-	78	3.0 %
106	-	92	3.5 %
108	-	123	4.7 %
110	-	175	6.7 %
112	-	119	4.5 %
114	-	79	3.0 %
115	-	1	0.0 %
116	-	87	3.3 %
117	-	1	0.0 %
118	-	118	4.5 %
120	-	143	5.5 %
122	-	87	3.3 %
123	-	1	0.0 %
124	-	71	2.7 %
125	-	1	0.0 %
126	-	58	2.2 %
128	-	96	3.7 %
130	-	101	3.9 %
132	-	47	1.8 %
134	-	40	1.5 %
136	-	36	1.4 %
138	-	52	2.0 %

Value	Label	Unweighted Frequency	%
140	-	63	2.4 %
142	-	35	1.3 %
144	-	22	0.8 %
146	-	18	0.7 %
148	-	26	1.0 %
150	-	23	0.9 %
152	-	8	0.3 %
154	-	1	0.0 %
156	-	7	0.3 %
158	-	9	0.3 %
160	-	11	0.4 %
162	-	7	0.3 %
164	-	3	0.1 %
166	-	1	0.0 %
168	-	4	0.2 %
170	-	5	0.2 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,304 valid cases out of 2,617 total cases.

- Mean: 118.14
- Median: 116.00
- Mode: 110.00
- Minimum: 80.00
- Maximum: 218.00
- Standard Deviation: 16.95

Location: 1407-1409 (width: 3; decimal: 0)

Variable Type: numeric

DIABP15: Diastolic BP #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
40	-	2	0.1 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	14	0.5 %
52	-	6	0.2 %
54	-	10	0.4 %
56	-	15	0.6 %
58	-	57	2.2 %
60	-	89	3.4 %
62	-	77	2.9 %
64	-	104	4.0 %
66	-	101	3.9 %
68	-	205	7.8 %
70	-	233	8.9 %
72	-	166	6.3 %
74	-	145	5.5 %
75	-	2	0.1 %
76	-	122	4.7 %
77	-	1	0.0 %
78	-	188	7.2 %
80	-	183	7.0 %
82	-	113	4.3 %
84	-	90	3.4 %
85	-	2	0.1 %
86	-	70	2.7 %
88	-	99	3.8 %
90	-	84	3.2 %
92	-	27	1.0 %
93	-	1	0.0 %
94	-	14	0.5 %
96	-	13	0.5 %
98	-	21	0.8 %
99	-	1	0.0 %
100	-	26	1.0 %
102	-	7	0.3 %
104	-	5	0.2 %
106	-	2	0.1 %
108	-	1	0.0 %
110	-	1	0.0 %
114	-	1	0.0 %
118	-	1	0.0 %
122	-	1	0.0 %

Value	Label	Unweighted Frequency	%
128	-	1	0.0 %
	Missing Data		
-	-	313	12.0 %
	Total	2,617	100%

Based upon 2,304 valid cases out of 2,617 total cases.

- Mean: 74.84
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 128.00
- Standard Deviation: 10.35

Location: 1410-1412 (width: 3; decimal: 0)

Variable Type: numeric

SYSBP25: Systolic BP #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
78	-	1	0.0 %
84	-	8	0.3 %
86	-	8	0.3 %
88	-	11	0.4 %
90	-	22	0.8 %
92	-	29	1.1 %
94	-	39	1.5 %
95	-	1	0.0 %
96	-	56	2.1 %
98	-	73	2.8 %
100	-	97	3.7 %
102	-	82	3.1 %
104	-	104	4.0 %
106	-	96	3.7 %
107	-	1	0.0 %
108	-	139	5.3 %
110	-	144	5.5 %
112	-	124	4.7 %
114	-	88	3.4 %
116	-	94	3.6 %
117	-	1	0.0 %

Value	Label	Unweighted Frequency	%
118	-	118	4.5 %
120	-	123	4.7 %
122	-	79	3.0 %
124	-	72	2.8 %
126	-	69	2.6 %
128	-	112	4.3 %
130	-	73	2.8 %
132	-	51	1.9 %
134	-	43	1.6 %
136	-	43	1.6 %
138	-	58	2.2 %
140	-	58	2.2 %
142	-	28	1.1 %
144	-	15	0.6 %
146	-	19	0.7 %
148	-	24	0.9 %
150	-	20	0.8 %
152	-	8	0.3 %
154	-	3	0.1 %
156	-	7	0.3 %
158	-	8	0.3 %
160	-	9	0.3 %
162	-	3	0.1 %
164	-	3	0.1 %
166	-	2	0.1 %
168	-	8	0.3 %
170	-	8	0.3 %
172	-	2	0.1 %
174	-	2	0.1 %
Missing Data			
.	-	315	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,302 valid cases out of 2,617 total cases.

- Mean: 117.79
- Median: 116.00
- Mode: 110.00
- Minimum: 78.00

- Maximum: 220.00
- Standard Deviation: 16.94

Location: 1413-1415 (*width:* 3; *decimal:* 0)

Variable Type: numeric

DIABP25: Diastolic BP #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
46	-	1	0.0 %
48	-	2	0.1 %
50	-	9	0.3 %
52	-	6	0.2 %
54	-	11	0.4 %
56	-	14	0.5 %
58	-	45	1.7 %
60	-	99	3.8 %
62	-	83	3.2 %
64	-	111	4.2 %
65	-	1	0.0 %
66	-	104	4.0 %
68	-	200	7.6 %
70	-	240	9.2 %
72	-	155	5.9 %
74	-	155	5.9 %
76	-	153	5.8 %
78	-	167	6.4 %
80	-	207	7.9 %
82	-	100	3.8 %
84	-	94	3.6 %
85	-	1	0.0 %
86	-	66	2.5 %
88	-	90	3.4 %
90	-	74	2.8 %
92	-	19	0.7 %
93	-	1	0.0 %
94	-	9	0.3 %
96	-	17	0.6 %
98	-	28	1.1 %
100	-	16	0.6 %

Value	Label	Unweighted Frequency	%
102	-	7	0.3 %
104	-	6	0.2 %
106	-	5	0.2 %
110	-	1	0.0 %
112	-	1	0.0 %
118	-	1	0.0 %
120	-	1	0.0 %
130	-	1	0.0 %
Missing Data			
.	-	315	12.0 %
Total		2,617	100%

Based upon 2,302 valid cases out of 2,617 total cases.

- Mean: 74.65
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 130.00
- Standard Deviation: 10.12

Location: 1416-1418 (width: 3; decimal: 0)

Variable Type: numeric

HEIGHT5: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
141.90	-	1	0.0 %
143.10	-	1	0.0 %
143.70	-	1	0.0 %
143.80	-	1	0.0 %
144.00	-	1	0.0 %
144.20	-	1	0.0 %
144.40	-	1	0.0 %
144.90	-	1	0.0 %
145.00	-	1	0.0 %
145.30	-	1	0.0 %
145.70	-	3	0.1 %
145.80	-	1	0.0 %
146.20	-	1	0.0 %
146.30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
146.50	-	1	0.0 %
146.80	-	1	0.0 %
146.90	-	1	0.0 %
147.00	-	2	0.1 %
147.10	-	2	0.1 %
147.20	-	1	0.0 %
147.30	-	1	0.0 %
147.40	-	1	0.0 %
147.60	-	2	0.1 %
147.90	-	1	0.0 %
148.00	-	3	0.1 %
148.10	-	3	0.1 %
148.20	-	1	0.0 %
148.30	-	1	0.0 %
148.40	-	1	0.0 %
148.50	-	3	0.1 %
148.60	-	3	0.1 %
148.80	-	1	0.0 %
148.90	-	2	0.1 %
149.00	-	2	0.1 %
149.40	-	1	0.0 %
149.50	-	7	0.3 %
149.60	-	4	0.2 %
149.80	-	1	0.0 %
149.90	-	1	0.0 %
150.00	-	7	0.3 %
150.10	-	1	0.0 %
150.11	-	1	0.0 %
150.20	-	1	0.0 %
150.30	-	1	0.0 %
150.40	-	7	0.3 %
150.50	-	5	0.2 %
150.60	-	1	0.0 %
150.70	-	3	0.1 %
150.80	-	1	0.0 %
151.00	-	6	0.2 %
Missing Data			
.	-	325	12.4 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,292 valid cases out of 2,617 total cases.

- Mean: 162.10
- Minimum: 141.90
- Maximum: 185.90
- Standard Deviation: 6.65

Location: 1419-1424 (width: 6; decimal: 2)

Variable Type: numeric

HTMETHO5: Height Measurement Method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	Stadiometer	2025	77.4 %
2	Portable	267	10.2 %
3	Self-Reported	1	0.0 %
	Missing Data		
.	-	324	12.4 %
	Total	2,617	100%

Based upon 2,293 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1425-1426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEIGHT5: Weight (in kg)

Weight (in kg)

Value	Label	Unweighted Frequency	%
37.000000000000	-	1	0.0 %
38.400000000000	-	1	0.0 %
40.500000000000	-	1	0.0 %
41.400000000000	-	1	0.0 %
41.500000000000	-	1	0.0 %
41.600000000000	-	1	0.0 %
41.900000000000	-	1	0.0 %
42.200000000001	-	1	0.0 %
42.300000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
42.600000000000	-	2	0.1 %
42.700000000001	-	1	0.0 %
43.000000000000	-	1	0.0 %
43.800000000000	-	1	0.0 %
44.000000000000	-	1	0.0 %
44.09090909091	-	1	0.0 %
44.200000000000	-	1	0.0 %
44.300000000000	-	1	0.0 %
44.500000000000	-	1	0.0 %
44.600000000000	-	2	0.1 %
44.800000000000	-	2	0.1 %
45.000000000000	-	2	0.1 %
45.300000000000	-	1	0.0 %
45.45454545455	-	1	0.0 %
45.500000000000	-	1	0.0 %
45.600000000000	-	2	0.1 %
45.700000000000	-	2	0.1 %
45.800000000000	-	1	0.0 %
46.000000000000	-	2	0.1 %
46.100000000000	-	2	0.1 %
46.200000000000	-	2	0.1 %
46.300000000000	-	2	0.1 %
46.500000000000	-	1	0.0 %
46.600000000000	-	2	0.1 %
46.700000000000	-	1	0.0 %
46.800000000000	-	2	0.1 %
46.900000000000	-	1	0.0 %
47.000000000000	-	1	0.0 %
47.200000000000	-	1	0.0 %
47.400000000000	-	2	0.1 %
47.500000000000	-	3	0.1 %
47.600000000000	-	3	0.1 %
47.700000000000	-	1	0.0 %
47.72727272728	-	1	0.0 %
47.800000000000	-	6	0.2 %
47.900000000000	-	1	0.0 %
48.000000000000	-	3	0.1 %
48.100000000000	-	2	0.1 %
48.18181818182	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48.200000000000	-	1	0.0 %
48.300000000000	-	1	0.0 %
	Missing Data		
.	-	219	8.4 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,398 valid cases out of 2,617 total cases.

- Mean: 76.21608158314
- Minimum: 37.000000000000
- Maximum: 209.900000000000
- Standard Deviation: 20.82190959634

Location: 1427-1441 (width: 15; decimal: 11)

Variable Type: numeric

SCALE5: Weight Scale Type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	Balance Beam	1260	48.1 %
2	Clinic Digital	354	13.5 %
3	Portable	686	26.2 %
4	Self-Reported	99	3.8 %
	Missing Data		
.	-	218	8.3 %
	Total	2,617	100%

Based upon 2,399 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1442-1443 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAIST5: Waist Circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
56.5	-	1	0.0 %
60.1	-	1	0.0 %
60.8	-	2	0.1 %
61.0	-	2	0.1 %
61.1	-	1	0.0 %
61.4	-	1	0.0 %
61.5	-	3	0.1 %
61.8	-	1	0.0 %
61.9	-	1	0.0 %
62.1	-	1	0.0 %
62.3	-	1	0.0 %
62.4	-	1	0.0 %
62.5	-	1	0.0 %
62.6	-	1	0.0 %
62.7	-	1	0.0 %
62.8	-	1	0.0 %
63.0	-	1	0.0 %
63.1	-	1	0.0 %
63.2	-	1	0.0 %
63.3	-	1	0.0 %
63.4	-	3	0.1 %
63.5	-	3	0.1 %
63.6	-	2	0.1 %
63.8	-	2	0.1 %
64.0	-	2	0.1 %
64.1	-	1	0.0 %
64.2	-	4	0.2 %
64.4	-	1	0.0 %
64.5	-	1	0.0 %
64.6	-	1	0.0 %
64.7	-	2	0.1 %
64.8	-	2	0.1 %
64.9	-	1	0.0 %
65.0	-	1	0.0 %
65.1	-	4	0.2 %
65.2	-	1	0.0 %
65.3	-	2	0.1 %
65.4	-	3	0.1 %
65.5	-	2	0.1 %

Value	Label	Unweighted Frequency	%
65.6	-	5	0.2 %
65.7	-	3	0.1 %
65.8	-	5	0.2 %
65.9	-	3	0.1 %
66.0	-	6	0.2 %
66.1	-	3	0.1 %
66.2	-	3	0.1 %
66.3	-	3	0.1 %
66.4	-	5	0.2 %
66.5	-	2	0.1 %
66.6	-	4	0.2 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,304 valid cases out of 2,617 total cases.

- Mean: 88.76
- Minimum: 56.50
- Maximum: 183.00
- Standard Deviation: 16.81

Location: 1444-1448 (width: 5; decimal: 1)

Variable Type: numeric

WASTMEA5: Waist measurement taken in:

Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1977	75.5 %
2	Light Clothing	327	12.5 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Based upon 2,304 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1449-1450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP5: Hip Circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
74.3	-	1	0.0 %
76.0	-	1	0.0 %
78.4	-	1	0.0 %
79.8	-	1	0.0 %
80.0	-	1	0.0 %
81.0	-	1	0.0 %
81.2	-	1	0.0 %
82.1	-	1	0.0 %
82.7	-	1	0.0 %
83.0	-	2	0.1 %
83.1	-	2	0.1 %
83.3	-	1	0.0 %
84.0	-	2	0.1 %
84.3	-	1	0.0 %
84.5	-	1	0.0 %
84.6	-	1	0.0 %
84.8	-	2	0.1 %
84.9	-	2	0.1 %
85.0	-	3	0.1 %
85.1	-	2	0.1 %
85.2	-	1	0.0 %
85.3	-	1	0.0 %
85.4	-	1	0.0 %
85.5	-	2	0.1 %
85.6	-	2	0.1 %
85.7	-	1	0.0 %
85.8	-	2	0.1 %
86.0	-	6	0.2 %
86.3	-	1	0.0 %
86.4	-	2	0.1 %
86.5	-	2	0.1 %
86.6	-	2	0.1 %
86.7	-	2	0.1 %
86.8	-	2	0.1 %

Value	Label	Unweighted Frequency	%
87.0	-	7	0.3 %
87.1	-	1	0.0 %
87.3	-	2	0.1 %
87.5	-	2	0.1 %
87.6	-	1	0.0 %
87.7	-	2	0.1 %
87.8	-	3	0.1 %
87.9	-	1	0.0 %
88.0	-	7	0.3 %
88.1	-	2	0.1 %
88.2	-	6	0.2 %
88.3	-	4	0.2 %
88.4	-	2	0.1 %
88.5	-	1	0.0 %
88.6	-	10	0.4 %
88.7	-	3	0.1 %
Missing Data			
.	-	314	12.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,303 valid cases out of 2,617 total cases.

- Mean: 107.68
- Minimum: 74.30
- Maximum: 188.00
- Standard Deviation: 15.21

Location: 1451-1455 (*width:* 5; *decimal:* 1)

Variable Type: numeric

HIPMEAS5: Hip Measurement taken in:

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	Undergarments	1756	67.1 %
2	Light Clothing	548	20.9 %
Missing Data			
.	-	313	12.0 %
Total		2,617	100%

Based upon 2,304 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1456-1457 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGPHY5: Abbreviated or Full Physical Measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
-		213	8.1 %
AIN	-	61	2.3 %
PAT	-	37	1.4 %
PHY	-	2306	88.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1458-1460 (width: 3; decimal: 0)

Variable Type: character

BMI5: Body Mass Index

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
15.758882531074	-	1	0.0 %
16.560653393052	-	1	0.0 %
16.710746907157	-	1	0.0 %
16.883792025202	-	1	0.0 %
17.032892490768	-	1	0.0 %
17.180500204153	-	1	0.0 %
17.246627983416	-	1	0.0 %
17.387429974843	-	1	0.0 %
17.452743681273	-	1	0.0 %
17.529700413223	-	1	0.0 %
17.679653975053	-	1	0.0 %
17.735754004693	-	1	0.0 %
17.740704025023	-	1	0.0 %
17.754431210123	-	1	0.0 %
17.784671629873	-	1	0.0 %
17.828216507395	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.904382639203	-	1	0.0 %
17.945985581536	-	1	0.0 %
18.106482512809	-	1	0.0 %
18.120765142339	-	1	0.0 %
18.211619012930	-	1	0.0 %
18.214021528415	-	1	0.0 %
18.227909857850	-	1	0.0 %
18.297769523941	-	1	0.0 %
18.413299663300	-	1	0.0 %
18.435186529250	-	1	0.0 %
18.446386201169	-	1	0.0 %
18.449164974750	-	1	0.0 %
18.546707258452	-	1	0.0 %
18.552851792347	-	1	0.0 %
18.561128516614	-	1	0.0 %
18.630997266472	-	1	0.0 %
18.695457671481	-	1	0.0 %
18.710042270126	-	1	0.0 %
18.727985105545	-	1	0.0 %
18.781451275403	-	1	0.0 %
18.793517306079	-	2	0.1 %
18.815388841831	-	1	0.0 %
18.846832531111	-	1	0.0 %
18.865712559406	-	1	0.0 %
18.867952726251	-	1	0.0 %
18.907141538733	-	1	0.0 %
18.909696418723	-	1	0.0 %
18.953054998167	-	1	0.0 %
18.971278440975	-	1	0.0 %
18.980228928200	-	1	0.0 %
18.980749199491	-	1	0.0 %
18.982511386256	-	1	0.0 %
18.986441609443	-	1	0.0 %
18.992178023659	-	1	0.0 %
	Missing Data		
.	-	331	12.6 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,286 valid cases out of 2,617 total cases.

- Mean: 28.932420927895
- Minimum: 15.758882531074
- Maximum: 65.426200135190
- Standard Deviation: 7.304078756361

Location: 1461-1475 (width: 15; decimal: 12)

Variable Type: numeric

FFQDAY5: Food Frequency Day

Food Frequency Day

Value	Label	Unweighted Frequency	%
1126	-	1	0.0 %
1427	-	1	0.0 %
1463	-	1	0.0 %
1470	-	1	0.0 %
1530	-	1	0.0 %
1576	-	1	0.0 %
1719	-	1	0.0 %
1720	-	1	0.0 %
1732	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1756	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	2	0.1 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	2	0.1 %
1767	-	3	0.1 %
1768	-	2	0.1 %
1769	-	1	0.0 %
1770	-	5	0.2 %
1771	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1772	-	3	0.1 %
1773	-	1	0.0 %
1775	-	4	0.2 %
1776	-	4	0.2 %
1777	-	3	0.1 %
1778	-	5	0.2 %
1779	-	2	0.1 %
1780	-	1	0.0 %
1781	-	13	0.5 %
1782	-	15	0.6 %
1783	-	21	0.8 %
1784	-	18	0.7 %
1785	-	19	0.7 %
1786	-	10	0.4 %
1787	-	13	0.5 %
1788	-	8	0.3 %
1789	-	11	0.4 %
1790	-	13	0.5 %
1791	-	19	0.7 %
1792	-	32	1.2 %
1793	-	19	0.7 %
1794	-	17	0.6 %
1795	-	11	0.4 %
Missing Data			
.	-	380	14.5 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,237 valid cases out of 2,617 total cases.

- Mean: 1852.82
- Minimum: 1126.00
- Maximum: 2185.00
- Standard Deviation: 67.56

Location: 1476-1479 (*width:* 4; *decimal:* 0)

Variable Type: numeric

LANGFFQ5: FFQ Language

FFQ Language

Value	Label	Unweighted Frequency	%
-		492	18.8 %
C	Chinese	208	7.9 %
E	English	1574	60.1 %
J	Japanese	227	8.7 %
S	Spanish	116	4.4 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1480-1480 (width: 1; decimal: 0)

Variable Type: character

LANGSPK5: Lang used at home

What language do you usually speak at home or with friends?

Value	Label	Unweighted Frequency	%
-		501	19.1 %
1	English	1776	67.9 %
2	Other	284	10.9 %
3	Both	56	2.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1481-1481 (width: 1; decimal: 0)

Variable Type: character

WLOSSDT5: How many times on diet

About how many times have you gone on a diet to lose weight?

Value	Label	Unweighted Frequency	%
-		501	19.1 %
1	Never	633	24.2 %
2	1-2 times	297	11.3 %
3	3-5 times	365	13.9 %
4	6-8 times	159	6.1 %
5	9-11 times	163	6.2 %
6	12 or more	499	19.1 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1482-1482 (width: 1; decimal: 0)

Variable Type: character

GLOBVEG5: Global vegetable servings, excl salad/potato

Global vegetable servings, excl salad/potato

Value	Label	Unweighted Frequency	%
-		492	18.8 %
1	< 1/wk	53	2.0 %
2	1-2/wk	178	6.8 %
3	3-4/wk	356	13.6 %
4	5-6/wk	286	10.9 %
5	1/day	505	19.3 %
6	1 1/2 /day	163	6.2 %
7	2/day	397	15.2 %
8	3/day	128	4.9 %
9	4+ /day	59	2.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1483-1483 (width: 1; decimal: 0)

Variable Type: character

GLOBFRT5: Global fruit servings, excl juices

Global fruit servings, excl juices

Value	Label	Unweighted Frequency	%
-		493	18.8 %
1	< 1/wk	132	5.0 %
2	1-2/wk	313	12.0 %
3	3-4/wk	354	13.5 %
4	5-6/wk	167	6.4 %
5	1/day	446	17.0 %
6	1 1/2 /day	119	4.5 %
7	2/day	390	14.9 %
8	3/day	160	6.1 %
9	4+ /day	43	1.6 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1484-1484 (width: 1; decimal: 0)

Variable Type: character

GLOBCER5: Global cereal servings

Global cereal servings

Value	Label	Unweighted Frequency	%
-		503	19.2 %
1	< 1/wk	1037	39.6 %
2	1-2/wk	445	17.0 %
3	3-4/wk	270	10.3 %
4	5-6/wk	100	3.8 %
5	1/day	244	9.3 %
6	1 1/2 /day	7	0.3 %
7	2/day	9	0.3 %
8	3/day	1	0.0 %
9	4+ /day	1	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1485-1485 (width: 1; decimal: 0)

Variable Type: character

GLOBMLK5: Global milk servings by glass

Global milk servings by glass

Value	Label	Unweighted Frequency	%
-		498	19.0 %
1	< 1/wk	1038	39.7 %
2	1-2/wk	288	11.0 %
3	3-4/wk	175	6.7 %
4	5-6/wk	91	3.5 %
5	1/day	329	12.6 %
6	1 1/2 /day	47	1.8 %
7	2/day	113	4.3 %
8	3/day	29	1.1 %
9	4+ /day	9	0.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1486-1486 (width: 1; decimal: 0)

Variable Type: character

OJCALC5: How often drink OJ w/Calcium

How often drink OJ w/Calcium

Value	Label	Unweighted Frequency	%
-		642	24.5 %
1	Usually	679	25.9 %
2	Sometimes	373	14.3 %
3	Rarely	923	35.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1487-1487 (width: 1; decimal: 0)

Variable Type: character

LFATCHS5: How often eat lowfat cheese

How often eat lowfat cheese

Value	Label	Unweighted Frequency	%
-		647	24.7 %
1	Always low-fat	240	9.2 %
2	Sometimes low-fat	646	24.7 %
3	Rarely low-fat	1084	41.4 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1488-1488 (width: 1; decimal: 0)

Variable Type: character

LFATICE5: How often eat lowfat ice cream/yogurt

How often eat lowfat ice cream/yogurt

Value	Label	Unweighted Frequency	%
-		644	24.6 %
1	Always low-fat	469	17.9 %
2	Sometimes low-fat	658	25.1 %
3	Rarely low-fat	846	32.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1489-1489 (width: 1; decimal: 0)

Variable Type: character

LFATSAL5: How often eat lowfat salad dressing

How often eat lowfat salad dressing

Value	Label	Unweighted Frequency	%
-		622	23.8 %
1	Always low-fat	472	18.0 %
2	Sometimes low-fat	720	27.5 %
3	Rarely low-fat	803	30.7 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1490-1490 (width: 1; decimal: 0)

Variable Type: character

LFATCAK5: How often eat lowfat cake/cookies

How often eat lowfat cake/cookies

Value	Label	Unweighted Frequency	%
-		648	24.8 %
1	Always low-fat	83	3.2 %
2	Sometimes low-fat	469	17.9 %
3	Rarely low-fat	1417	54.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1491-1491 (width: 1; decimal: 0)

Variable Type: character

EATSALT5: How often add table salt

How often add table salt

Value	Label	Unweighted Frequency	%
-		501	19.1 %
1	Seldom	1474	56.3 %
2	Sometimes	346	13.2 %
3	Often	296	11.3 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1492-1492 (width: 1; decimal: 0)

Variable Type: character

EATSKIN5: How often eat chicken skin

How often eat chicken skin

Value	Label	Unweighted Frequency	%
-		622	23.8 %
1	Seldom	1131	43.2 %
2	Sometimes	466	17.8 %
3	Often	398	15.2 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1493-1493 (width: 1; decimal: 0)

Variable Type: character

EATFATM5: How often eat meat fat

How often eat meat fat

Value	Label	Unweighted Frequency	%
-		669	25.6 %
1	Seldom	1502	57.4 %
2	Sometimes	355	13.6 %
3	Often	91	3.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1494-1494 (width: 1; decimal: 0)

Variable Type: character

WELLDNE5: How do you like your meat cooked

How do you like your meat cooked

Value	Label	Unweighted Frequency	%
-		591	22.6 %
1	Rare	215	8.2 %
2	Medium	900	34.4 %
3	Well done	911	34.8 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1495-1495 (width: 1; decimal: 0)

Variable Type: character

TAKEVIT5: Take vitamins/minerals regularly

Take vitamins/minerals regularly

Value	Label	Unweighted Frequency	%
-		541	20.7 %
1	No, not reg	676	25.8 %
2	Yes, fairly reg	1400	53.5 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1496-1496 (width: 1; decimal: 0)

Variable Type: character

YRSONEA5: How many yrs taken multiple vitamin

How many yrs taken multiple vitamin

Value	Label	Unweighted Frequency	%
-		1518	58.0 %
1	< yr	144	5.5 %
2	1 yr	138	5.3 %
3	2 yrs	137	5.2 %
4	3-4 yrs	202	7.7 %
5	5-9 yrs	198	7.6 %
6	10+ yrs	280	10.7 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1497-1497 (width: 1; decimal: 0)

Variable Type: character

YRSAO5: How many yrs taken antioxidant

How many yrs taken antioxidant

Value	Label	Unweighted Frequency	%
-		2483	94.9 %
1	< yr	16	0.6 %
2	1 yr	12	0.5 %
3	2 yrs	19	0.7 %
4	3-4 yrs	26	1.0 %
5	5-9 yrs	33	1.3 %
6	10+ yrs	28	1.1 %
	Total	2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1498-1498 (width: 1; decimal: 0)

Variable Type: character

YRSVITA5: How many yrs taken vitamin A

How many yrs taken vitamin A

Value	Label	Unweighted Frequency	%
-		2568	98.1 %
1	< yr	9	0.3 %
2	1 yr	10	0.4 %
3	2 yrs	11	0.4 %
4	3-4 yrs	5	0.2 %
5	5-9 yrs	7	0.3 %
6	10+ yrs	7	0.3 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1499-1499 (width: 1; decimal: 0)

Variable Type: character

YRSBETA5: How many yrs taken beta-carotene

How many yrs taken beta-carotene

Value	Label	Unweighted Frequency	%
-		2551	97.5 %
1	< yr	11	0.4 %
2	1 yr	4	0.2 %
3	2 yrs	6	0.2 %
4	3-4 yrs	12	0.5 %
5	5-9 yrs	15	0.6 %
6	10+ yrs	18	0.7 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1500-1500 (width: 1; decimal: 0)

Variable Type: character

YRSVITC5: How many yrs taken vitamin C

How many yrs taken vitamin C

Value	Label	Unweighted Frequency	%
-		2143	81.9 %
1	< yr	57	2.2 %
2	1 yr	33	1.3 %
3	2 yrs	62	2.4 %
4	3-4 yrs	76	2.9 %
5	5-9 yrs	92	3.5 %
6	10+ yrs	154	5.9 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1501-1501 (width: 1; decimal: 0)

Variable Type: character

YRSVITE5: How many yrs taken vitamin E

How many yrs taken vitamin E

Value	Label	Unweighted Frequency	%
-		2056	78.6 %
1	< yr	63	2.4 %
2	1 yr	68	2.6 %
3	2 yrs	83	3.2 %
4	3-4 yrs	120	4.6 %
5	5-9 yrs	111	4.2 %
6	10+ yrs	116	4.4 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1502-1502 (width: 1; decimal: 0)

Variable Type: character

YRSCA5: How many yrs taken calcium/Tums

How many yrs taken calcium/Tums

Value	Label	Unweighted Frequency	%
-		1798	68.7 %
1	< yr	137	5.2 %
2	1 yr	99	3.8 %
3	2 yrs	156	6.0 %
4	3-4 yrs	173	6.6 %
5	5-9 yrs	145	5.5 %

Value	Label	Unweighted Frequency	%
6	10+ yrs	109	4.2 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1503-1503 (width: 1; decimal: 0)

Variable Type: character

YRSIRON5: How many yrs taken iron

How many yrs taken iron

Value	Label	Unweighted Frequency	%
-		2487	95.0 %
1	< yr	33	1.3 %
2	1 yr	24	0.9 %
3	2 yrs	18	0.7 %
4	3-4 yrs	24	0.9 %
5	5-9 yrs	16	0.6 %
6	10+ yrs	15	0.6 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1504-1504 (width: 1; decimal: 0)

Variable Type: character

YRSZINC5: How many yrs taken zinc

How many yrs taken zinc

Value	Label	Unweighted Frequency	%
-		2478	94.7 %
1	< yr	23	0.9 %
2	1 yr	13	0.5 %
3	2 yrs	26	1.0 %
4	3-4 yrs	35	1.3 %
5	5-9 yrs	19	0.7 %
6	10+ yrs	23	0.9 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1505-1505 (width: 1; decimal: 0)

Variable Type: character

YRSSELE5: How many yrs taken selenium

How many yrs taken selenium

Value	Label	Unweighted Frequency	%
-		2557	97.7 %
1	< yr	12	0.5 %
2	1 yr	6	0.2 %
3	2 yrs	8	0.3 %
4	3-4 yrs	8	0.3 %
5	5-9 yrs	11	0.4 %
6	10+ yrs	15	0.6 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 1506-1506 (width: 1; decimal: 0)

Variable Type: character

SUPVITA5: Supplement Vitamin A, RE

Supplement Vitamin A, RE

Value	Label	Unweighted Frequency	%
0.0	-	1002	38.3 %
1429.0	-	164	6.3 %
2858.0	-	6	0.2 %
3572.5	-	171	6.5 %
4287.0	-	1	0.0 %
5000.0	-	741	28.3 %
6430.5	-	2	0.1 %
7145.0	-	2	0.1 %
7858.0	-	4	0.2 %
10000.0	-	15	0.6 %
10717.5	-	3	0.1 %
12145.0	-	1	0.0 %
15000.0	-	13	0.5 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2362.15
- Median: 1429.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15000.00
- Standard Deviation: 2621.94

Location: 1507-1513 (width: 7; decimal: 1)

Variable Type: numeric

SUPVITC5: Supplement Vitamin_C, mg

Supplement Vitamin_C, mg

Value	Label	Unweighted Frequency	%
0.0	-	871	33.3 %
17.1	-	126	4.8 %
42.9	-	108	4.1 %
45.7	-	1	0.0 %
60.0	-	532	20.3 %
71.5	-	9	0.3 %
88.6	-	13	0.5 %
100.0	-	5	0.2 %
114.3	-	3	0.1 %
131.5	-	10	0.4 %
142.9	-	23	0.9 %
160.0	-	15	0.6 %
178.6	-	3	0.1 %
185.8	-	11	0.4 %
195.8	-	1	0.0 %
202.9	-	20	0.8 %
221.5	-	6	0.2 %
231.5	-	2	0.1 %
238.6	-	3	0.1 %
250.0	-	10	0.4 %
285.8	-	6	0.2 %
302.9	-	4	0.2 %
310.0	-	31	1.2 %
328.7	-	5	0.2 %
345.8	-	5	0.2 %
357.2	-	11	0.4 %
374.4	-	2	0.1 %
400.1	-	15	0.6 %
417.2	-	10	0.4 %

Value	Label	Unweighted Frequency	%
445.8	-	1	0.0 %
488.7	-	1	0.0 %
500.0	-	47	1.8 %
517.1	-	4	0.2 %
542.9	-	5	0.2 %
560.0	-	64	2.4 %
578.7	-	2	0.1 %
714.5	-	3	0.1 %
750.0	-	1	0.0 %
757.4	-	17	0.6 %
774.5	-	2	0.1 %
810.0	-	4	0.2 %
857.4	-	1	0.0 %
917.4	-	1	0.0 %
1000.0	-	28	1.1 %
1042.9	-	1	0.0 %
1060.0	-	57	2.2 %
1071.8	-	1	0.0 %
1471.9	-	2	0.1 %
1500.0	-	2	0.1 %
1560.0	-	4	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 150.17
- Median: 42.90
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3060.00
- Standard Deviation: 323.45

Location: 1514-1519 (*width:* 6; *decimal:* 1)

Variable Type: numeric

SUPVITD5: Supplement Vitamin D, IU

Supplement Vitamin D, IU

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
114.3	-	165	6.3 %
285.8	-	176	6.7 %
400.0	-	759	29.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 175.42
- Median: 114.30
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 184.86

Location: 1520-1524 (width: 5; decimal: 1)

Variable Type: numeric

SUPVITE5: Supplement Vitamin_E, a-TE

Supplement Vitamin_E, a-TE

Value	Label	Unweighted Frequency	%
0.0	-	860	32.9 %
5.7	-	130	5.0 %
14.4	-	102	3.9 %
19.1	-	13	0.5 %
20.1	-	458	17.5 %
24.9	-	11	0.4 %
33.5	-	4	0.2 %
38.3	-	2	0.1 %
39.2	-	9	0.3 %
44.0	-	4	0.2 %
47.9	-	3	0.1 %
52.7	-	4	0.2 %
57.4	-	1	0.0 %
58.4	-	1	0.0 %
62.2	-	10	0.4 %
67.0	-	7	0.3 %
68.0	-	1	0.0 %
71.8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
76.6	-	14	0.5 %
77.5	-	1	0.0 %
81.4	-	3	0.1 %
82.3	-	9	0.3 %
87.1	-	32	1.2 %
91.0	-	3	0.1 %
95.7	-	2	0.1 %
96.7	-	20	0.8 %
110.1	-	1	0.0 %
115.8	-	2	0.1 %
134.0	-	5	0.2 %
143.6	-	1	0.0 %
153.2	-	3	0.1 %
154.1	-	17	0.6 %
158.0	-	1	0.0 %
158.9	-	2	0.1 %
163.7	-	1	0.0 %
173.3	-	1	0.0 %
191.5	-	13	0.5 %
197.2	-	6	0.2 %
201.0	-	1	0.0 %
205.8	-	28	1.1 %
211.6	-	12	0.5 %
221.1	-	3	0.1 %
268.0	-	75	2.9 %
273.7	-	2	0.1 %
282.4	-	6	0.2 %
288.1	-	148	5.7 %
301.6	-	1	0.0 %
397.3	-	4	0.2 %
402.0	-	2	0.1 %
422.1	-	8	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 74.51
- Median: 14.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1360.10
- Standard Deviation: 144.11

Location: 1525-1530 (width: 6; decimal: 1)

Variable Type: numeric

SUPCA5: Supplement Calcium, mg

Supplement Calcium, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
37.2	-	165	6.3 %
92.9	-	176	6.7 %
130.0	-	759	29.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 57.02
- Median: 37.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 130.00
- Standard Deviation: 60.08

Location: 1531-1535 (width: 5; decimal: 1)

Variable Type: numeric

SUPBCAR5: Supplement BetaCarotene, mcg

Supplement BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1001	38.2 %
343.0	-	163	6.2 %
857.4	-	167	6.4 %
1200.0	-	735	28.1 %
7145.0	-	10	0.4 %
7488.0	-	1	0.0 %
8002.4	-	4	0.2 %
8345.0	-	7	0.3 %

Value	Label	Unweighted Frequency	%
17862.5	-	3	0.1 %
18719.9	-	5	0.2 %
19062.5	-	1	0.0 %
25000.0	-	11	0.4 %
25343.0	-	1	0.0 %
26200.0	-	16	0.6 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1005.29
- Median: 343.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26200.00
- Standard Deviation: 3213.68

Location: 1536-1542 (width: 7; decimal: 1)

Variable Type: numeric

SUPB15: Supplement B1, mg

Supplement B1, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
0.4	-	165	6.3 %
1.1	-	176	6.7 %
1.5	-	759	29.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.66
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.50
- Standard Deviation: 0.70

Location: 1543-1545 (width: 3; decimal: 1)

Variable Type: numeric

SUPB65: Supplement B6, mg

Supplement B6, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
0.6	-	165	6.3 %
1.4	-	176	6.7 %
2.0	-	759	29.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.88
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.92

Location: 1546-1548 (width: 3; decimal: 1)

Variable Type: numeric

SUPB125: Supplement B12, mcg

Supplement B12, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
1.7	-	165	6.3 %
4.3	-	176	6.7 %
6.0	-	759	29.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.63
- Median: 1.70
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.77

Location: 1549-1551 (width: 3; decimal: 1)

Variable Type: numeric

SUPFOL5: Supplement Folate, mcg

Supplement Folate, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
114.3	-	165	6.3 %
285.8	-	176	6.7 %
400.0	-	759	29.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 175.42
- Median: 114.30
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 184.86

Location: 1552-1556 (width: 5; decimal: 1)

Variable Type: numeric

SUPCU5: Supplement Copper, mg

Supplement Copper, mg

Value	Label	Unweighted Frequency	%
0.0	-	1025	39.2 %
0.6	-	165	6.3 %
1.4	-	176	6.7 %
2.0	-	759	29.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.88
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.92

Location: 1557-1559 (width: 3; decimal: 1)

Variable Type: numeric

SUPSEL5: Supplement Selenium, mcg

Supplement Selenium, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1367	52.2 %
14.3	-	14	0.5 %
35.7	-	8	0.3 %
50.0	-	38	1.5 %
Missing Data			
-		1190	45.5 %
Total		2,617	100%

Based upon 1,427 valid cases out of 2,617 total cases.

- Mean: 1.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 8.54

Location: 1560-1563 (width: 4; decimal: 1)

Variable Type: numeric

SUPFE5: Supplement Iron, mg

Supplement Iron, mg

Value	Label	Unweighted Frequency	%
0.0	-	971	37.1 %
5.1	-	155	5.9 %
12.9	-	158	6.0 %
14.3	-	18	0.7 %
18.0	-	706	27.0 %
19.4	-	5	0.2 %
27.2	-	11	0.4 %
32.3	-	10	0.4 %
35.7	-	5	0.2 %
40.8	-	2	0.1 %
48.6	-	6	0.2 %
50.0	-	31	1.2 %
55.1	-	3	0.1 %

Value	Label	Unweighted Frequency	%
62.9	-	1	0.0 %
68.0	-	43	1.6 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 10.243388235294
- Median: 5.100000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 68.000000000000
- Standard Deviation: 13.260786740385

Location: 1564-1578 (width: 15; decimal: 12)

Variable Type: numeric

SUPZINC5: Supplement Zinc, mg

Supplement Zinc, mg

Value	Label	Unweighted Frequency	%
0.0	-	973	37.2 %
4.3	-	156	6.0 %
10.7	-	166	6.3 %
14.3	-	15	0.6 %
15.0	-	692	26.4 %
18.6	-	8	0.3 %
25.0	-	7	0.3 %
29.3	-	16	0.6 %
35.7	-	4	0.2 %
46.4	-	2	0.1 %
50.0	-	33	1.3 %
50.7	-	2	0.1 %
54.3	-	1	0.0 %
60.7	-	1	0.0 %
65.0	-	49	1.9 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 8.998164705882
- Median: 4.300000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 65.000000000000
- Standard Deviation: 12.655505096511

Location: 1579-1593 (width: 15; decimal: 12)

Variable Type: numeric

DTTKCAL5: DDE KCAL - total caloric intake

DDE KCAL - total caloric intake

Value	Label	Unweighted Frequency	%
502.4100000000	-	1	0.0 %
509.0900000000	-	1	0.0 %
532.8000000000	-	1	0.0 %
540.6100000000	-	1	0.0 %
558.0400000000	-	1	0.0 %
579.9200000000	-	1	0.0 %
586.3500000000	-	1	0.0 %
592.3900000000	-	1	0.0 %
596.6700000000	-	1	0.0 %
610.8700000000	-	1	0.0 %
619.5700000001	-	1	0.0 %
621.9700000000	-	1	0.0 %
628.2500000000	-	1	0.0 %
648.3500000000	-	1	0.0 %
650.0600000000	-	1	0.0 %
659.3600000000	-	1	0.0 %
664.2400000000	-	1	0.0 %
668.2100000000	-	1	0.0 %
676.3600000000	-	1	0.0 %
684.8500000000	-	1	0.0 %
687.6400000000	-	1	0.0 %
690.6700000001	-	1	0.0 %
694.2000000000	-	1	0.0 %
698.8900000000	-	1	0.0 %
709.6700000000	-	1	0.0 %
710.8700000000	-	1	0.0 %
739.2600000000	-	1	0.0 %
742.0500000000	-	1	0.0 %
743.6100000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
744.3200000001	-	1	0.0 %
745.5400000000	-	1	0.0 %
756.4100000000	-	1	0.0 %
757.8200000001	-	1	0.0 %
760.8000000000	-	1	0.0 %
763.5700000001	-	1	0.0 %
765.7400000000	-	1	0.0 %
769.1400000000	-	1	0.0 %
774.9700000000	-	1	0.0 %
776.3700000000	-	1	0.0 %
780.5100000000	-	1	0.0 %
781.6800000000	-	1	0.0 %
784.9900000000	-	1	0.0 %
788.1800000000	-	1	0.0 %
788.6000000000	-	1	0.0 %
789.9700000000	-	1	0.0 %
793.3500000000	-	1	0.0 %
794.3800000000	-	1	0.0 %
796.9600000000	-	1	0.0 %
800.5200000000	-	1	0.0 %
801.0600000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1761.1100423530
- Minimum: 502.4100000000
- Maximum: 4995.0200000001
- Standard Deviation: 657.4818206337

Location: 1594-1608 (*width:* 15; *decimal:* 10)

Variable Type: numeric

DTTPROT5: DDE Protein, gms

DDE Protein, gms

Value	Label	Unweighted Frequency	%
12.11000000000	-	1	0.0 %
20.68000000000	-	1	0.0 %
20.77000000000	-	1	0.0 %
21.51000000001	-	1	0.0 %
21.79000000000	-	1	0.0 %
22.46000000000	-	1	0.0 %
22.52000000001	-	1	0.0 %
23.22000000000	-	1	0.0 %
23.77000000000	-	1	0.0 %
24.19000000000	-	1	0.0 %
24.31000000000	-	1	0.0 %
24.72000000000	-	1	0.0 %
25.39000000000	-	1	0.0 %
25.47000000000	-	1	0.0 %
25.51000000000	-	1	0.0 %
25.98000000000	-	1	0.0 %
26.18000000000	-	1	0.0 %
26.37000000000	-	1	0.0 %
26.49000000000	-	1	0.0 %
27.05000000000	-	1	0.0 %
27.25000000000	-	1	0.0 %
28.51000000000	-	1	0.0 %
29.77000000000	-	1	0.0 %
30.55000000000	-	2	0.1 %
30.59000000000	-	1	0.0 %
30.78000000000	-	1	0.0 %
30.86000000000	-	1	0.0 %
30.91000000000	-	1	0.0 %
30.99000000000	-	1	0.0 %
31.10000000000	-	1	0.0 %
31.22000000000	-	1	0.0 %
31.33000000000	-	1	0.0 %
31.34000000000	-	1	0.0 %
31.38000000000	-	1	0.0 %
31.63000000000	-	1	0.0 %
31.69000000000	-	2	0.1 %
31.73000000000	-	1	0.0 %
31.84000000000	-	1	0.0 %
31.87000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
31.990000000000	-	1	0.0 %
32.180000000000	-	1	0.0 %
32.400000000000	-	1	0.0 %
32.500000000000	-	1	0.0 %
32.540000000000	-	1	0.0 %
32.540000000001	-	1	0.0 %
32.600000000000	-	1	0.0 %
32.650000000000	-	1	0.0 %
32.870000000000	-	1	0.0 %
33.090000000001	-	1	0.0 %
33.260000000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 71.77053176471
- Minimum: 12.11000000000
- Maximum: 220.49000000000
- Standard Deviation: 26.65823008935

Location: 1609-1623 (*width:* 15; *decimal:* 11)

Variable Type: numeric

DTTCARB5: DDE Carb, gms

DDE Carb, gms

Value	Label	Unweighted Frequency	%
21.590000000000	-	1	0.0 %
25.510000000000	-	1	0.0 %
36.260000000000	-	1	0.0 %
37.610000000000	-	1	0.0 %
44.970000000000	-	1	0.0 %
49.070000000000	-	1	0.0 %
49.090000000000	-	1	0.0 %
51.110000000000	-	1	0.0 %
51.760000000000	-	1	0.0 %
52.860000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
55.600000000000	-	1	0.0 %
56.700000000000	-	1	0.0 %
58.480000000000	-	1	0.0 %
59.160000000000	-	1	0.0 %
60.660000000000	-	1	0.0 %
63.090000000000	-	1	0.0 %
63.320000000000	-	1	0.0 %
66.450000000000	-	1	0.0 %
67.010000000001	-	1	0.0 %
67.560000000000	-	1	0.0 %
67.620000000000	-	1	0.0 %
69.290000000000	-	1	0.0 %
69.550000000000	-	1	0.0 %
69.970000000000	-	1	0.0 %
70.240000000000	-	1	0.0 %
70.500000000000	-	1	0.0 %
70.640000000000	-	1	0.0 %
71.440000000000	-	1	0.0 %
72.640000000000	-	1	0.0 %
73.270000000000	-	1	0.0 %
73.320000000000	-	1	0.0 %
73.590000000000	-	1	0.0 %
74.910000000000	-	1	0.0 %
75.380000000000	-	1	0.0 %
76.420000000000	-	1	0.0 %
76.670000000000	-	1	0.0 %
77.110000000000	-	1	0.0 %
77.310000000000	-	1	0.0 %
77.390000000000	-	1	0.0 %
78.020000000000	-	1	0.0 %
78.300000000000	-	1	0.0 %
78.370000000000	-	1	0.0 %
78.520000000000	-	1	0.0 %
79.020000000000	-	1	0.0 %
79.310000000000	-	1	0.0 %
80.680000000000	-	1	0.0 %
80.850000000000	-	1	0.0 %
80.880000000001	-	1	0.0 %
80.930000000001	-	1	0.0 %

Value	Label	Unweighted Frequency	%
81.420000000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 213.75083764706
- Minimum: 21.59000000000
- Maximum: 773.00000000000
- Standard Deviation: 90.49671899794

Location: 1624-1638 (width: 15; decimal: 11)

Variable Type: numeric

DTTFAT5: DDE Fat, gms

DDE Fat, gms

Value	Label	Unweighted Frequency	%
4.66000000000	-	1	0.0 %
10.82000000000	-	1	0.0 %
12.02000000000	-	1	0.0 %
13.29000000000	-	1	0.0 %
13.37000000000	-	1	0.0 %
13.38000000000	-	1	0.0 %
13.90000000000	-	1	0.0 %
14.49000000000	-	1	0.0 %
14.80000000000	-	1	0.0 %
14.90000000000	-	1	0.0 %
15.09000000000	-	1	0.0 %
15.23000000000	-	1	0.0 %
15.41000000000	-	1	0.0 %
15.78000000000	-	1	0.0 %
16.82000000000	-	1	0.0 %
17.23000000000	-	1	0.0 %
17.26000000001	-	1	0.0 %
17.66000000000	-	1	0.0 %
17.78000000000	-	1	0.0 %
17.89000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.900000000000	-	1	0.0 %
17.910000000000	-	1	0.0 %
18.740000000000	-	1	0.0 %
18.790000000000	-	1	0.0 %
19.180000000000	-	1	0.0 %
19.200000000000	-	1	0.0 %
19.320000000000	-	1	0.0 %
19.420000000001	-	1	0.0 %
19.730000000000	-	1	0.0 %
19.900000000000	-	1	0.0 %
19.910000000000	-	1	0.0 %
20.320000000000	-	1	0.0 %
20.710000000000	-	1	0.0 %
21.580000000000	-	1	0.0 %
21.620000000000	-	1	0.0 %
21.650000000000	-	1	0.0 %
22.040000000000	-	1	0.0 %
22.130000000000	-	1	0.0 %
22.200000000000	-	1	0.0 %
22.410000000000	-	2	0.1 %
22.440000000000	-	1	0.0 %
22.590000000000	-	1	0.0 %
22.610000000000	-	1	0.0 %
22.650000000000	-	1	0.0 %
22.740000000000	-	1	0.0 %
22.840000000000	-	1	0.0 %
23.060000000000	-	1	0.0 %
23.070000000000	-	1	0.0 %
23.270000000000	-	1	0.0 %
23.470000000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 67.62464470588

- Minimum: 4.66000000000
- Maximum: 232.30000000000
- Standard Deviation: 30.74367402400

Location: 1639-1653 (*width:* 15; *decimal:* 11)

Variable Type: numeric

DTTCALC5: DDE Calcium, mg

DDE Calcium, mg

Value	Label	Unweighted Frequency	%
113.55000000000	-	1	0.0 %
128.54000000000	-	1	0.0 %
132.65000000000	-	1	0.0 %
136.93000000000	-	1	0.0 %
139.03000000000	-	1	0.0 %
142.06000000000	-	1	0.0 %
147.72000000000	-	1	0.0 %
148.46000000000	-	1	0.0 %
152.46000000000	-	1	0.0 %
152.79000000000	-	1	0.0 %
153.77000000000	-	1	0.0 %
154.71000000000	-	1	0.0 %
171.88000000000	-	1	0.0 %
173.48000000000	-	1	0.0 %
173.99000000000	-	1	0.0 %
174.46000000000	-	1	0.0 %
180.6100000001	-	1	0.0 %
184.98000000000	-	1	0.0 %
186.72000000000	-	1	0.0 %
188.0800000001	-	1	0.0 %
191.32000000000	-	1	0.0 %
191.87000000000	-	1	0.0 %
193.5400000001	-	1	0.0 %
194.53000000000	-	1	0.0 %
196.77000000000	-	1	0.0 %
197.19000000000	-	1	0.0 %
199.48000000000	-	1	0.0 %
199.71000000000	-	1	0.0 %
203.00000000000	-	1	0.0 %
207.49000000000	-	1	0.0 %
210.09000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
214.7200000000	-	1	0.0 %
214.7400000000	-	1	0.0 %
215.3600000001	-	1	0.0 %
218.7600000000	-	1	0.0 %
219.0400000000	-	1	0.0 %
219.1200000000	-	1	0.0 %
219.2100000000	-	1	0.0 %
219.2900000000	-	1	0.0 %
220.7600000000	-	1	0.0 %
220.8900000000	-	1	0.0 %
221.1500000000	-	1	0.0 %
222.0000000000	-	1	0.0 %
222.4600000000	-	1	0.0 %
223.5200000000	-	1	0.0 %
224.3100000000	-	1	0.0 %
226.4500000000	-	1	0.0 %
227.2100000000	-	1	0.0 %
228.2200000000	-	1	0.0 %
230.5400000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 794.7830070588
- Minimum: 113.5500000000
- Maximum: 4703.1100000000
- Standard Deviation: 450.3669647444

Location: 1654-1668 (width: 15; decimal: 10)

Variable Type: numeric

DTTPHOS5: DDE Phos, mg

DDE Phos, mg

Value	Label	Unweighted Frequency	%
281.4500000000	-	1	0.0 %
347.5100000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
350.1300000000	-	1	0.0 %
369.3400000000	-	1	0.0 %
385.5000000000	-	1	0.0 %
387.6900000000	-	1	0.0 %
389.5300000001	-	1	0.0 %
397.9300000000	-	1	0.0 %
401.2100000000	-	1	0.0 %
404.6000000000	-	1	0.0 %
408.6500000000	-	1	0.0 %
415.5900000000	-	1	0.0 %
419.8800000000	-	1	0.0 %
421.3900000000	-	1	0.0 %
424.7800000000	-	1	0.0 %
428.2700000000	-	1	0.0 %
433.9500000000	-	1	0.0 %
435.0900000001	-	1	0.0 %
435.3700000000	-	1	0.0 %
440.6600000000	-	1	0.0 %
440.8300000000	-	1	0.0 %
443.3300000000	-	1	0.0 %
443.4900000000	-	1	0.0 %
448.3300000000	-	1	0.0 %
450.0100000000	-	1	0.0 %
453.6000000000	-	1	0.0 %
456.1300000000	-	1	0.0 %
456.7300000000	-	1	0.0 %
458.6900000000	-	1	0.0 %
460.3400000000	-	1	0.0 %
463.6000000000	-	1	0.0 %
465.8700000000	-	1	0.0 %
466.6700000000	-	1	0.0 %
469.2000000000	-	1	0.0 %
470.6600000000	-	1	0.0 %
471.0400000000	-	1	0.0 %
472.6600000000	-	1	0.0 %
473.3900000000	-	1	0.0 %
476.2900000000	-	1	0.0 %
477.6600000000	-	1	0.0 %
478.7200000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
479.2000000000	-	1	0.0 %
479.7800000000	-	1	0.0 %
487.5800000000	-	1	0.0 %
488.7800000000	-	1	0.0 %
489.4900000000	-	1	0.0 %
492.7400000000	-	1	0.0 %
494.6700000000	-	1	0.0 %
495.9400000000	-	1	0.0 %
497.8700000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1150.4531388235
- Minimum: 281.4500000000
- Maximum: 4347.4000000001
- Standard Deviation: 468.3504383256

Location: 1669-1683 (width: 15; decimal: 10)

Variable Type: numeric

DTTFe5: DDE Iron, mg

DDE Iron, mg

Value	Label	Unweighted Frequency	%
3.01	-	1	0.0 %
3.47	-	1	0.0 %
3.78	-	1	0.0 %
3.83	-	1	0.0 %
3.84	-	1	0.0 %
3.90	-	1	0.0 %
4.05	-	1	0.0 %
4.15	-	1	0.0 %
4.17	-	1	0.0 %
4.27	-	1	0.0 %
4.28	-	1	0.0 %
4.36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.42	-	1	0.0 %
4.44	-	1	0.0 %
4.47	-	1	0.0 %
4.51	-	1	0.0 %
4.52	-	1	0.0 %
4.55	-	2	0.1 %
4.57	-	1	0.0 %
4.60	-	1	0.0 %
4.68	-	1	0.0 %
4.69	-	1	0.0 %
4.75	-	1	0.0 %
4.80	-	3	0.1 %
4.84	-	1	0.0 %
4.87	-	2	0.1 %
4.90	-	2	0.1 %
4.91	-	1	0.0 %
4.99	-	1	0.0 %
5.00	-	1	0.0 %
5.01	-	1	0.0 %
5.04	-	1	0.0 %
5.08	-	1	0.0 %
5.09	-	2	0.1 %
5.14	-	1	0.0 %
5.15	-	2	0.1 %
5.17	-	2	0.1 %
5.20	-	1	0.0 %
5.21	-	1	0.0 %
5.25	-	1	0.0 %
5.26	-	1	0.0 %
5.27	-	1	0.0 %
5.28	-	1	0.0 %
5.30	-	1	0.0 %
5.31	-	1	0.0 %
5.32	-	1	0.0 %
5.34	-	1	0.0 %
5.37	-	1	0.0 %
5.38	-	1	0.0 %
5.39	-	2	0.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 12.401647058824
- Minimum: 3.010000000000
- Maximum: 46.530000000000
- Standard Deviation: 4.736474232191

Location: 1684-1698 (*width:* 15; *decimal:* 12)

Variable Type: numeric

DTTNA5: DDE Sodium, mg

DDE Sodium, mg

Value	Label	Unweighted Frequency	%
101.9300000001	-	1	0.0 %
480.5500000000	-	1	0.0 %
487.8200000000	-	1	0.0 %
553.4100000000	-	1	0.0 %
556.3700000000	-	1	0.0 %
563.3300000000	-	1	0.0 %
569.1000000000	-	1	0.0 %
583.9700000000	-	1	0.0 %
592.9000000000	-	1	0.0 %
618.7700000000	-	1	0.0 %
624.9900000000	-	1	0.0 %
626.2200000000	-	1	0.0 %
645.4200000000	-	1	0.0 %
679.0200000000	-	1	0.0 %
683.1000000000	-	1	0.0 %
683.4800000000	-	1	0.0 %
683.6900000001	-	1	0.0 %
685.6200000000	-	1	0.0 %
691.2600000000	-	1	0.0 %
692.7300000000	-	1	0.0 %
709.4900000000	-	1	0.0 %
724.5500000001	-	1	0.0 %
731.7400000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
735.0700000001	-	1	0.0 %
740.8300000000	-	1	0.0 %
748.1700000000	-	1	0.0 %
750.5300000000	-	1	0.0 %
763.5700000001	-	1	0.0 %
764.0100000000	-	1	0.0 %
769.8900000000	-	1	0.0 %
778.9200000000	-	1	0.0 %
784.8000000000	-	1	0.0 %
792.6000000000	-	1	0.0 %
793.4700000000	-	1	0.0 %
799.4600000000	-	1	0.0 %
805.0400000000	-	1	0.0 %
806.4000000000	-	1	0.0 %
807.9700000000	-	1	0.0 %
812.5700000001	-	1	0.0 %
831.3400000000	-	1	0.0 %
836.3600000000	-	1	0.0 %
836.9200000000	-	1	0.0 %
837.8400000000	-	1	0.0 %
840.6600000000	-	1	0.0 %
852.2400000000	-	1	0.0 %
859.0200000000	-	1	0.0 %
860.2700000000	-	1	0.0 %
862.0100000000	-	1	0.0 %
865.2800000000	-	1	0.0 %
870.7400000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2243.8492376471
- Minimum: 101.9300000001
- Maximum: 7182.2800000000
- Standard Deviation: 959.6525727610

Location: 1699-1713 (width: 15; decimal: 10)

Variable Type: numeric

DTTPOTA5: DDE Potassium, mg

DDE Potassium, mg

Value	Label	Unweighted Frequency	%
717.4700000000	-	1	0.0 %
799.2400000000	-	1	0.0 %
878.5000000000	-	1	0.0 %
923.5100000000	-	1	0.0 %
945.8200000000	-	1	0.0 %
947.2600000000	-	1	0.0 %
956.3900000000	-	1	0.0 %
959.0800000000	-	1	0.0 %
966.2100000000	-	1	0.0 %
969.6700000000	-	1	0.0 %
972.0600000000	-	1	0.0 %
988.3200000000	-	1	0.0 %
999.9200000000	-	1	0.0 %
1011.7800000000	-	1	0.0 %
1015.4300000000	-	1	0.0 %
1016.7200000000	-	1	0.0 %
1027.2700000000	-	1	0.0 %
1038.0500000000	-	1	0.0 %
1040.6300000001	-	1	0.0 %
1047.0500000000	-	1	0.0 %
1059.7000000000	-	1	0.0 %
1065.5900000000	-	1	0.0 %
1074.7700000000	-	1	0.0 %
1079.3700000000	-	1	0.0 %
1091.2100000000	-	1	0.0 %
1098.8600000000	-	1	0.0 %
1110.1200000000	-	1	0.0 %
1110.2400000000	-	1	0.0 %
1116.7500000000	-	1	0.0 %
1119.3700000000	-	1	0.0 %
1120.4900000000	-	1	0.0 %
1132.9700000000	-	1	0.0 %
1136.2800000000	-	1	0.0 %
1139.6000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1149.3600000001	-	1	0.0 %
1167.9800000000	-	1	0.0 %
1169.8500000000	-	1	0.0 %
1169.9500000000	-	1	0.0 %
1171.6200000000	-	1	0.0 %
1172.7000000000	-	1	0.0 %
1178.8400000000	-	1	0.0 %
1180.1400000001	-	1	0.0 %
1182.4100000000	-	1	0.0 %
1187.0900000000	-	1	0.0 %
1192.3600000000	-	1	0.0 %
1194.6000000000	-	1	0.0 %
1199.0800000000	-	1	0.0 %
1207.9400000000	-	1	0.0 %
1213.2500000000	-	1	0.0 %
1231.2600000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2731.8613223530
- Minimum: 717.4700000000
- Maximum: 9465.5200000000
- Standard Deviation: 1026.2942709503

Location: 1714-1728 (width: 15; decimal: 10)

Variable Type: numeric

DTTAIU5: DDE A_IU, international units

DDE A_IU, international units

Value	Label	Unweighted Frequency	%
705.900000000	-	1	0.0 %
833.040000000	-	1	0.0 %
969.960000000	-	1	0.0 %
1034.970000000	-	1	0.0 %
1037.960000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1087.670000001	-	1	0.0 %
1137.180000000	-	1	0.0 %
1141.330000000	-	1	0.0 %
1145.570000000	-	1	0.0 %
1148.400000000	-	1	0.0 %
1232.420000000	-	1	0.0 %
1263.230000000	-	1	0.0 %
1309.160000000	-	1	0.0 %
1376.460000000	-	1	0.0 %
1392.210000000	-	1	0.0 %
1419.250000000	-	1	0.0 %
1436.120000000	-	1	0.0 %
1467.140000000	-	1	0.0 %
1473.560000000	-	1	0.0 %
1504.150000000	-	1	0.0 %
1504.480000000	-	1	0.0 %
1509.460000000	-	1	0.0 %
1512.980000000	-	1	0.0 %
1517.470000000	-	1	0.0 %
1523.510000000	-	1	0.0 %
1537.900000000	-	1	0.0 %
1548.670000000	-	1	0.0 %
1563.670000000	-	1	0.0 %
1567.170000000	-	1	0.0 %
1570.760000000	-	1	0.0 %
1595.820000000	-	1	0.0 %
1606.080000000	-	1	0.0 %
1606.140000000	-	1	0.0 %
1617.810000000	-	1	0.0 %
1628.240000000	-	1	0.0 %
1631.860000000	-	1	0.0 %
1652.500000000	-	1	0.0 %
1663.100000000	-	1	0.0 %
1677.770000000	-	1	0.0 %
1681.160000000	-	1	0.0 %
1686.180000000	-	1	0.0 %
1688.110000000	-	1	0.0 %
1689.140000000	-	1	0.0 %
1692.680000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1695.620000000	-	1	0.0 %
1709.310000000	-	1	0.0 %
1723.880000000	-	1	0.0 %
1727.700000000	-	1	0.0 %
1731.130000000	-	1	0.0 %
1738.810000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6890.284277647
- Minimum: 705.900000000
- Maximum: 44346.670000000
- Standard Deviation: 4622.942293630

Location: 1729-1743 (width: 15; decimal: 9)

Variable Type: numeric

DTTARE5: DDE retinol equivalents

DDE retinol equivalents

Value	Label	Unweighted Frequency	%
117.670000000	-	1	0.0 %
146.950000001	-	1	0.0 %
147.090000000	-	1	0.0 %
168.190000000	-	1	0.0 %
172.560000000	-	1	0.0 %
177.890000000	-	1	0.0 %
195.250000000	-	1	0.0 %
195.270000000	-	1	0.0 %
198.110000000	-	1	0.0 %
198.130000000	-	1	0.0 %
202.060000000	-	1	0.0 %
205.350000001	-	1	0.0 %
208.110000001	-	1	0.0 %
213.180000000	-	1	0.0 %
220.480000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
221.0100000000	-	1	0.0 %
224.6000000000	-	1	0.0 %
229.3900000000	-	1	0.0 %
229.5300000000	-	1	0.0 %
232.7100000000	-	1	0.0 %
234.9200000000	-	1	0.0 %
236.0000000000	-	1	0.0 %
239.2600000000	-	1	0.0 %
241.9900000000	-	1	0.0 %
243.5700000000	-	1	0.0 %
244.3900000000	-	1	0.0 %
247.4300000000	-	1	0.0 %
250.1300000000	-	1	0.0 %
252.2700000000	-	1	0.0 %
253.9400000000	-	1	0.0 %
254.5100000000	-	1	0.0 %
256.0400000000	-	1	0.0 %
256.3000000000	-	1	0.0 %
257.0800000000	-	1	0.0 %
262.4100000001	-	1	0.0 %
265.2800000000	-	1	0.0 %
266.9300000000	-	1	0.0 %
266.9900000000	-	1	0.0 %
267.1400000000	-	1	0.0 %
268.6800000000	-	1	0.0 %
269.9700000001	-	1	0.0 %
272.5400000000	-	1	0.0 %
274.1000000000	-	1	0.0 %
279.9500000000	-	1	0.0 %
280.6300000000	-	1	0.0 %
280.9300000000	-	1	0.0 %
281.9500000000	-	1	0.0 %
286.0200000000	-	1	0.0 %
286.0700000000	-	1	0.0 %
287.0700000001	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 993.1596564706
- Minimum: 117.6700000000
- Maximum: 6724.8300000000
- Standard Deviation: 606.7093178308

Location: 1744-1758 (width: 15; decimal: 10)

Variable Type: numeric

DTTB15: DDE B1, mg

DDE B1, mg

Value	Label	Unweighted Frequency	%
0.29	-	1	0.0 %
0.31	-	1	0.0 %
0.32	-	3	0.1 %
0.39	-	3	0.1 %
0.40	-	3	0.1 %
0.42	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	3	0.1 %
0.46	-	5	0.2 %
0.47	-	1	0.0 %
0.48	-	5	0.2 %
0.49	-	6	0.2 %
0.50	-	4	0.2 %
0.51	-	4	0.2 %
0.52	-	7	0.3 %
0.53	-	5	0.2 %
0.54	-	9	0.3 %
0.55	-	6	0.2 %
0.56	-	6	0.2 %
0.57	-	10	0.4 %
0.58	-	4	0.2 %
0.59	-	7	0.3 %
0.60	-	14	0.5 %
0.61	-	8	0.3 %
0.62	-	7	0.3 %
0.63	-	11	0.4 %
0.64	-	11	0.4 %

Value	Label	Unweighted Frequency	%
0.65	-	12	0.5 %
0.66	-	11	0.4 %
0.67	-	13	0.5 %
0.68	-	18	0.7 %
0.69	-	12	0.5 %
0.70	-	12	0.5 %
0.71	-	9	0.3 %
0.72	-	11	0.4 %
0.73	-	9	0.3 %
0.74	-	15	0.6 %
0.75	-	8	0.3 %
0.76	-	10	0.4 %
0.77	-	12	0.5 %
0.78	-	14	0.5 %
0.79	-	17	0.6 %
0.80	-	17	0.6 %
0.81	-	10	0.4 %
0.82	-	24	0.9 %
0.83	-	14	0.5 %
0.84	-	16	0.6 %
0.85	-	8	0.3 %
0.86	-	13	0.5 %
0.87	-	20	0.8 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.2833223529412
- Median: 1.220000000000000
- Mode: 1.0300000000000
- Minimum: 0.2900000000000
- Maximum: 3.8200000000000
- Standard Deviation: 0.5022419342713

Location: 1759-1773 (*width:* 15; *decimal:* 13)

Variable Type: numeric

DTTB65: DDE B6, mg

DDE B6, mg

Value	Label	Unweighted Frequency	%
0.31	-	1	0.0 %
0.43	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.51	-	3	0.1 %
0.54	-	2	0.1 %
0.55	-	3	0.1 %
0.56	-	2	0.1 %
0.57	-	2	0.1 %
0.58	-	2	0.1 %
0.59	-	4	0.2 %
0.60	-	4	0.2 %
0.61	-	7	0.3 %
0.62	-	5	0.2 %
0.63	-	5	0.2 %
0.64	-	6	0.2 %
0.65	-	7	0.3 %
0.66	-	10	0.4 %
0.67	-	7	0.3 %
0.68	-	5	0.2 %
0.69	-	4	0.2 %
0.70	-	6	0.2 %
0.71	-	7	0.3 %
0.72	-	11	0.4 %
0.73	-	5	0.2 %
0.74	-	7	0.3 %
0.75	-	15	0.6 %
0.76	-	4	0.2 %
0.77	-	7	0.3 %
0.78	-	10	0.4 %
0.79	-	13	0.5 %
0.80	-	12	0.5 %
0.81	-	14	0.5 %
0.82	-	14	0.5 %
0.83	-	10	0.4 %
0.84	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.85	-	16	0.6 %
0.86	-	6	0.2 %
0.87	-	10	0.4 %
0.88	-	6	0.2 %
0.89	-	12	0.5 %
0.90	-	11	0.4 %
0.91	-	17	0.6 %
0.92	-	14	0.5 %
0.93	-	11	0.4 %
0.94	-	19	0.7 %
0.95	-	11	0.4 %
0.96	-	14	0.5 %
Missing Data			
-	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.4835717647059
- Minimum: 0.3100000000000
- Maximum: 4.8600000000000
- Standard Deviation: 0.5601722353786

Location: 1774-1788 (width: 15; decimal: 13)

Variable Type: numeric

DTTRIBO5: DDE Riboflavin, mg

DDE Riboflavin, mg

Value	Label	Unweighted Frequency	%
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	3	0.1 %
0.52	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.53	-	3	0.1 %
0.54	-	2	0.1 %
0.55	-	3	0.1 %
0.56	-	4	0.2 %
0.57	-	3	0.1 %
0.58	-	2	0.1 %
0.59	-	4	0.2 %
0.60	-	3	0.1 %
0.61	-	3	0.1 %
0.62	-	2	0.1 %
0.63	-	8	0.3 %
0.64	-	5	0.2 %
0.65	-	6	0.2 %
0.66	-	11	0.4 %
0.67	-	6	0.2 %
0.68	-	9	0.3 %
0.69	-	6	0.2 %
0.70	-	2	0.1 %
0.71	-	7	0.3 %
0.72	-	7	0.3 %
0.73	-	7	0.3 %
0.74	-	8	0.3 %
0.75	-	15	0.6 %
0.76	-	6	0.2 %
0.77	-	7	0.3 %
0.78	-	5	0.2 %
0.79	-	13	0.5 %
0.80	-	10	0.4 %
0.81	-	5	0.2 %
0.82	-	17	0.6 %
0.83	-	5	0.2 %
0.84	-	13	0.5 %
0.85	-	10	0.4 %
0.86	-	7	0.3 %
0.87	-	8	0.3 %
0.88	-	16	0.6 %
0.89	-	10	0.4 %
0.90	-	7	0.3 %
0.91	-	13	0.5 %

Value	Label	Unweighted Frequency	%
0.92	-	7	0.3 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.6252705882353
- Minimum: 0.380000000000000
- Maximum: 7.49000000000000
- Standard Deviation: 0.7389511225333

Location: 1789-1803 (width: 15; decimal: 13)

Variable Type: numeric

DTTNIAC5: DDE Niacin, mg

DDE Niacin, mg

Value	Label	Unweighted Frequency	%
4.04	-	1	0.0 %
4.61	-	1	0.0 %
4.69	-	1	0.0 %
4.98	-	1	0.0 %
5.18	-	1	0.0 %
5.24	-	1	0.0 %
5.43	-	1	0.0 %
5.57	-	1	0.0 %
5.94	-	1	0.0 %
6.18	-	2	0.1 %
6.33	-	1	0.0 %
6.36	-	1	0.0 %
6.50	-	2	0.1 %
6.51	-	1	0.0 %
6.54	-	1	0.0 %
6.57	-	2	0.1 %
6.58	-	1	0.0 %
6.60	-	1	0.0 %
6.69	-	1	0.0 %
6.74	-	1	0.0 %
6.81	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.84	-	1	0.0 %
6.89	-	1	0.0 %
6.90	-	1	0.0 %
6.91	-	1	0.0 %
6.92	-	1	0.0 %
7.04	-	2	0.1 %
7.05	-	2	0.1 %
7.11	-	1	0.0 %
7.18	-	1	0.0 %
7.19	-	1	0.0 %
7.37	-	1	0.0 %
7.44	-	1	0.0 %
7.45	-	1	0.0 %
7.47	-	1	0.0 %
7.49	-	1	0.0 %
7.56	-	1	0.0 %
7.58	-	1	0.0 %
7.62	-	1	0.0 %
7.63	-	1	0.0 %
7.64	-	1	0.0 %
7.66	-	1	0.0 %
7.68	-	1	0.0 %
7.69	-	1	0.0 %
7.71	-	1	0.0 %
7.73	-	1	0.0 %
7.75	-	1	0.0 %
7.78	-	2	0.1 %
7.88	-	1	0.0 %
7.89	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 17.618922352941
- Minimum: 4.040000000000
- Maximum: 52.780000000000
- Standard Deviation: 6.432875288581

Location: 1804-1818 (width: 15; decimal: 12)

Variable Type: numeric

DTTVITC5: DDE Vitamin C, mg

DDE Vitamin C, mg

Value	Label	Unweighted Frequency	%
10.560000000000	-	1	0.0 %
10.840000000000	-	1	0.0 %
11.100000000000	-	1	0.0 %
11.850000000000	-	1	0.0 %
11.950000000000	-	1	0.0 %
14.400000000000	-	1	0.0 %
15.440000000000	-	1	0.0 %
15.690000000000	-	1	0.0 %
15.900000000000	-	1	0.0 %
16.890000000000	-	1	0.0 %
17.130000000000	-	1	0.0 %
17.350000000001	-	1	0.0 %
17.520000000000	-	1	0.0 %
17.580000000000	-	1	0.0 %
17.830000000000	-	1	0.0 %
17.860000000000	-	1	0.0 %
18.230000000000	-	1	0.0 %
18.450000000000	-	1	0.0 %
18.510000000001	-	1	0.0 %
19.050000000000	-	1	0.0 %
19.180000000000	-	1	0.0 %
19.440000000001	-	1	0.0 %
20.570000000000	-	1	0.0 %
20.700000000000	-	1	0.0 %
21.000000000000	-	1	0.0 %
21.020000000000	-	1	0.0 %
21.060000000000	-	1	0.0 %
21.240000000000	-	1	0.0 %
21.330000000000	-	1	0.0 %
21.350000000001	-	1	0.0 %
21.540000000000	-	1	0.0 %
21.740000000000	-	1	0.0 %
21.810000000000	-	1	0.0 %
21.860000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
21.960000000000	-	1	0.0 %
22.350000000000	-	1	0.0 %
22.370000000000	-	1	0.0 %
22.650000000000	-	1	0.0 %
22.760000000000	-	1	0.0 %
23.150000000000	-	1	0.0 %
23.190000000000	-	1	0.0 %
23.530000000000	-	1	0.0 %
23.580000000000	-	1	0.0 %
23.710000000000	-	1	0.0 %
23.850000000000	-	1	0.0 %
23.880000000000	-	1	0.0 %
23.960000000000	-	1	0.0 %
24.380000000000	-	1	0.0 %
24.440000000000	-	1	0.0 %
24.590000000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 121.21992000000
- Minimum: 10.56000000000
- Maximum: 729.60000000000
- Standard Deviation: 80.27818559680

Location: 1819-1833 (*width:* 15; *decimal:* 11)

Variable Type: numeric

DTTSFAT5: DDE Saturated Fat, gms

DDE Saturated Fat, gms

Value	Label	Unweighted Frequency	%
0.80	-	1	0.0 %
2.50	-	1	0.0 %
3.06	-	1	0.0 %
3.30	-	1	0.0 %
3.39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.50	-	1	0.0 %
3.79	-	1	0.0 %
3.98	-	1	0.0 %
4.34	-	1	0.0 %
4.37	-	1	0.0 %
4.47	-	2	0.1 %
4.67	-	1	0.0 %
4.81	-	1	0.0 %
4.83	-	2	0.1 %
4.95	-	1	0.0 %
5.13	-	2	0.1 %
5.14	-	1	0.0 %
5.16	-	1	0.0 %
5.32	-	1	0.0 %
5.33	-	1	0.0 %
5.36	-	1	0.0 %
5.38	-	1	0.0 %
5.44	-	1	0.0 %
5.45	-	1	0.0 %
5.54	-	1	0.0 %
5.60	-	1	0.0 %
5.71	-	1	0.0 %
5.75	-	1	0.0 %
5.77	-	1	0.0 %
5.80	-	1	0.0 %
6.00	-	1	0.0 %
6.01	-	1	0.0 %
6.07	-	1	0.0 %
6.08	-	1	0.0 %
6.15	-	1	0.0 %
6.23	-	1	0.0 %
6.26	-	2	0.1 %
6.27	-	2	0.1 %
6.29	-	1	0.0 %
6.30	-	1	0.0 %
6.34	-	1	0.0 %
6.39	-	1	0.0 %
6.44	-	2	0.1 %
6.47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.54	-	1	0.0 %
6.58	-	1	0.0 %
6.59	-	1	0.0 %
6.61	-	1	0.0 %
6.63	-	1	0.0 %
6.68	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 20.915402352941
- Minimum: 0.800000000000
- Maximum: 83.800000000000
- Standard Deviation: 10.643330877860

Location: 1834-1848 (*width:* 15; *decimal:* 12)

Variable Type: numeric

DTTOLEC5: DDE Oleic Acid, gms

DDE Oleic Acid, gms

Value	Label	Unweighted Frequency	%
0.760000000000	-	1	0.0 %
4.670000000000	-	1	0.0 %
4.740000000000	-	1	0.0 %
4.840000000000	-	1	0.0 %
4.910000000000	-	1	0.0 %
5.060000000000	-	1	0.0 %
5.140000000000	-	1	0.0 %
5.150000000000	-	1	0.0 %
5.250000000000	-	1	0.0 %
5.310000000000	-	1	0.0 %
5.690000000000	-	1	0.0 %
5.850000000000	-	1	0.0 %
6.000000000000	-	1	0.0 %
6.050000000000	-	2	0.1 %
6.090000000000	-	1	0.0 %
6.200000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.410000000000	-	1	0.0 %
6.490000000000	-	1	0.0 %
6.560000000000	-	2	0.1 %
6.680000000000	-	1	0.0 %
6.700000000000	-	2	0.1 %
6.730000000000	-	1	0.0 %
6.790000000000	-	1	0.0 %
6.820000000000	-	1	0.0 %
6.980000000000	-	1	0.0 %
7.010000000000	-	1	0.0 %
7.030000000000	-	1	0.0 %
7.060000000000	-	1	0.0 %
7.120000000000	-	1	0.0 %
7.140000000000	-	1	0.0 %
7.300000000000	-	1	0.0 %
7.340000000001	-	1	0.0 %
7.460000000000	-	1	0.0 %
7.710000000000	-	1	0.0 %
7.740000000000	-	1	0.0 %
7.800000000000	-	1	0.0 %
7.810000000000	-	1	0.0 %
7.860000000000	-	1	0.0 %
7.870000000000	-	1	0.0 %
7.890000000000	-	1	0.0 %
7.940000000000	-	1	0.0 %
7.960000000000	-	2	0.1 %
8.030000000000	-	1	0.0 %
8.190000000000	-	1	0.0 %
8.210000000001	-	1	0.0 %
8.240000000000	-	1	0.0 %
8.280000000000	-	1	0.0 %
8.300000000001	-	1	0.0 %
8.440000000000	-	1	0.0 %
8.520000000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 26.39957176471
- Minimum: 0.76000000000
- Maximum: 103.82000000000
- Standard Deviation: 12.65831760060

Location: 1849-1863 (width: 15; decimal: 11)

Variable Type: numeric

DTTLIN5: DDE Linoleic Acid, gms

DDE Linoleic Acid, gms

Value	Label	Unweighted Frequency	%
1.00	-	1	0.0 %
1.31	-	1	0.0 %
1.63	-	1	0.0 %
1.75	-	1	0.0 %
1.85	-	1	0.0 %
1.95	-	1	0.0 %
2.16	-	1	0.0 %
2.32	-	1	0.0 %
2.33	-	1	0.0 %
2.34	-	1	0.0 %
2.35	-	1	0.0 %
2.41	-	1	0.0 %
2.48	-	1	0.0 %
2.51	-	1	0.0 %
2.61	-	1	0.0 %
2.63	-	1	0.0 %
2.65	-	1	0.0 %
2.71	-	1	0.0 %
2.75	-	1	0.0 %
2.80	-	1	0.0 %
2.83	-	2	0.1 %
2.86	-	1	0.0 %
2.87	-	2	0.1 %
2.91	-	1	0.0 %
3.02	-	1	0.0 %
3.07	-	1	0.0 %
3.13	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.16	-	1	0.0 %
3.18	-	2	0.1 %
3.23	-	1	0.0 %
3.24	-	1	0.0 %
3.25	-	1	0.0 %
3.30	-	1	0.0 %
3.32	-	1	0.0 %
3.35	-	2	0.1 %
3.38	-	2	0.1 %
3.39	-	1	0.0 %
3.42	-	1	0.0 %
3.46	-	1	0.0 %
3.50	-	1	0.0 %
3.51	-	2	0.1 %
3.53	-	1	0.0 %
3.56	-	1	0.0 %
3.61	-	1	0.0 %
3.67	-	1	0.0 %
3.73	-	1	0.0 %
3.75	-	1	0.0 %
3.76	-	1	0.0 %
3.78	-	1	0.0 %
3.80	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 13.245129411765
- Minimum: 1.000000000000
- Maximum: 53.060000000000
- Standard Deviation: 6.689714724332

Location: 1864-1878 (*width:* 15; *decimal:* 12)

Variable Type: numeric

DTCHOL5: DDE Cholesterol, mg

DDE Cholesterol, mg

Value	Label	Unweighted Frequency	%
0.000000000000	-	1	0.0 %
4.410000000000	-	1	0.0 %
6.800000000000	-	1	0.0 %
14.550000000000	-	1	0.0 %
19.050000000000	-	1	0.0 %
19.300000000000	-	1	0.0 %
22.430000000000	-	1	0.0 %
23.600000000000	-	1	0.0 %
27.270000000000	-	1	0.0 %
30.930000000000	-	1	0.0 %
32.630000000001	-	1	0.0 %
33.950000000001	-	1	0.0 %
37.550000000000	-	1	0.0 %
38.750000000000	-	1	0.0 %
41.560000000000	-	1	0.0 %
42.110000000000	-	1	0.0 %
47.400000000000	-	1	0.0 %
48.000000000000	-	1	0.0 %
48.780000000000	-	1	0.0 %
49.580000000000	-	1	0.0 %
50.800000000000	-	1	0.0 %
52.190000000000	-	1	0.0 %
52.580000000000	-	1	0.0 %
52.670000000000	-	1	0.0 %
54.860000000000	-	1	0.0 %
56.120000000000	-	1	0.0 %
56.350000000000	-	1	0.0 %
57.260000000000	-	1	0.0 %
57.360000000000	-	1	0.0 %
57.540000000000	-	1	0.0 %
60.340000000000	-	1	0.0 %
61.700000000000	-	1	0.0 %
62.580000000000	-	1	0.0 %
63.260000000000	-	1	0.0 %
63.630000000000	-	1	0.0 %
63.700000000000	-	1	0.0 %
64.090000000000	-	1	0.0 %
64.310000000000	-	1	0.0 %
64.550000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
64.740000000000	-	1	0.0 %
64.870000000000	-	1	0.0 %
65.520000000000	-	1	0.0 %
65.810000000000	-	1	0.0 %
66.350000000000	-	1	0.0 %
66.810000000000	-	1	0.0 %
67.110000000000	-	1	0.0 %
67.340000000000	-	1	0.0 %
67.410000000000	-	1	0.0 %
67.700000000000	-	1	0.0 %
68.440000000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 228.94860235294
- Minimum: 0.00000000000
- Maximum: 927.98000000000
- Standard Deviation: 121.06398395590

Location: 1879-1893 (width: 15; decimal: 11)

Variable Type: numeric

DTTDFIB5: DDE Dietary Fiber, gms

DDE Dietary Fiber, gms

Value	Label	Unweighted Frequency	%
2.46	-	1	0.0 %
2.47	-	1	0.0 %
2.50	-	1	0.0 %
2.57	-	1	0.0 %
2.75	-	1	0.0 %
2.85	-	1	0.0 %
3.03	-	1	0.0 %
3.31	-	1	0.0 %
3.41	-	1	0.0 %
3.55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.66	-	1	0.0 %
3.69	-	1	0.0 %
3.72	-	1	0.0 %
3.73	-	1	0.0 %
3.80	-	1	0.0 %
3.82	-	1	0.0 %
3.86	-	1	0.0 %
3.88	-	1	0.0 %
3.89	-	1	0.0 %
3.91	-	1	0.0 %
3.95	-	1	0.0 %
3.99	-	1	0.0 %
4.05	-	1	0.0 %
4.07	-	2	0.1 %
4.08	-	1	0.0 %
4.11	-	1	0.0 %
4.14	-	1	0.0 %
4.18	-	1	0.0 %
4.20	-	1	0.0 %
4.23	-	1	0.0 %
4.28	-	2	0.1 %
4.29	-	2	0.1 %
4.32	-	1	0.0 %
4.33	-	2	0.1 %
4.34	-	1	0.0 %
4.35	-	1	0.0 %
4.38	-	1	0.0 %
4.43	-	1	0.0 %
4.44	-	1	0.0 %
4.49	-	1	0.0 %
4.50	-	2	0.1 %
4.52	-	3	0.1 %
4.56	-	1	0.0 %
4.57	-	1	0.0 %
4.60	-	1	0.0 %
4.62	-	2	0.1 %
4.64	-	1	0.0 %
4.65	-	1	0.0 %
4.66	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.67	-	1	0.0 %
	Missing Data		
-		492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 13.075609411765
- Minimum: 2.460000000000
- Maximum: 46.340000000000
- Standard Deviation: 6.210867000374

Location: 1894-1908 (*width:* 15; *decimal:* 12)

Variable Type: numeric

DTTFOL5: DDE Folate, mcg

DDE Folate, mcg

Value	Label	Unweighted Frequency	%
71.8900000000	-	1	0.0 %
75.5700000000	-	1	0.0 %
84.1200000000	-	1	0.0 %
94.7100000000	-	1	0.0 %
99.0200000000	-	1	0.0 %
99.8000000000	-	1	0.0 %
103.1500000000	-	1	0.0 %
105.4000000000	-	1	0.0 %
105.6600000001	-	1	0.0 %
105.6700000000	-	1	0.0 %
105.8200000000	-	1	0.0 %
110.1200000000	-	1	0.0 %
111.5000000000	-	1	0.0 %
111.6200000000	-	1	0.0 %
112.8300000000	-	1	0.0 %
117.7400000000	-	1	0.0 %
118.1400000000	-	1	0.0 %
118.6900000000	-	1	0.0 %
118.7200000000	-	1	0.0 %
120.4400000000	-	1	0.0 %
120.9600000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
122.2300000000	-	1	0.0 %
122.6800000000	-	1	0.0 %
123.7000000000	-	1	0.0 %
124.2500000000	-	1	0.0 %
124.4000000000	-	1	0.0 %
124.5800000000	-	1	0.0 %
124.9300000000	-	1	0.0 %
125.1400000000	-	1	0.0 %
126.6600000000	-	1	0.0 %
127.1800000000	-	1	0.0 %
127.4200000000	-	1	0.0 %
127.4500000000	-	1	0.0 %
128.7200000000	-	1	0.0 %
129.4300000000	-	1	0.0 %
129.6600000000	-	1	0.0 %
130.3300000001	-	1	0.0 %
130.7100000000	-	1	0.0 %
134.5600000000	-	1	0.0 %
135.3000000000	-	1	0.0 %
135.8100000000	-	1	0.0 %
136.3200000000	-	1	0.0 %
136.3500000000	-	1	0.0 %
137.7100000000	-	1	0.0 %
138.4000000000	-	1	0.0 %
138.6500000000	-	1	0.0 %
140.1700000000	-	1	0.0 %
141.1800000000	-	1	0.0 %
141.2500000000	-	1	0.0 %
141.3000000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 341.7600235294
- Minimum: 71.8900000000
- Maximum: 1140.0000000000

- Standard Deviation: 137.2436779994

Location: 1909-1923 (width: 15; decimal: 10)

Variable Type: numeric

DTTDFE5: DDE Folate DFE, mcg_DFE

DDE Folate DFE, mcg_DFE

Value	Label	Unweighted Frequency	%
80.2900000001	-	1	0.0 %
93.0800000000	-	1	0.0 %
96.4600000000	-	1	0.0 %
100.4600000000	-	1	0.0 %
100.5500000000	-	1	0.0 %
105.1300000000	-	1	0.0 %
109.6400000000	-	1	0.0 %
110.5600000000	-	1	0.0 %
114.3600000000	-	1	0.0 %
120.8100000000	-	1	0.0 %
127.7900000000	-	1	0.0 %
132.0300000000	-	1	0.0 %
133.3000000000	-	1	0.0 %
137.2300000000	-	1	0.0 %
138.3100000000	-	1	0.0 %
142.5600000000	-	1	0.0 %
143.1000000000	-	1	0.0 %
144.0000000000	-	1	0.0 %
147.1800000000	-	1	0.0 %
148.1000000000	-	1	0.0 %
149.1200000000	-	1	0.0 %
149.2700000000	-	1	0.0 %
149.3200000000	-	1	0.0 %
149.8100000000	-	1	0.0 %
154.3100000000	-	1	0.0 %
155.4500000001	-	1	0.0 %
158.5300000000	-	1	0.0 %
160.7900000001	-	1	0.0 %
161.0200000000	-	1	0.0 %
162.2100000000	-	1	0.0 %
164.4200000000	-	1	0.0 %
166.0200000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
166.0800000001	-	1	0.0 %
166.2900000000	-	1	0.0 %
166.6500000000	-	1	0.0 %
167.1100000001	-	1	0.0 %
167.4600000000	-	1	0.0 %
169.0300000000	-	1	0.0 %
170.8800000000	-	1	0.0 %
172.0600000000	-	1	0.0 %
172.6700000000	-	1	0.0 %
173.4300000000	-	1	0.0 %
173.9100000000	-	1	0.0 %
174.2700000000	-	1	0.0 %
175.5200000000	-	1	0.0 %
175.5400000000	-	1	0.0 %
177.2200000000	-	1	0.0 %
177.2800000000	-	1	0.0 %
177.2900000000	-	1	0.0 %
178.2900000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 491.9461505882
- Minimum: 80.2900000001
- Maximum: 2028.9400000000
- Standard Deviation: 218.2654873865

Location: 1924-1938 (width: 15; decimal: 10)

Variable Type: numeric

DTTVITE5: DDE Vitamin E, a-TE

DDE Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
0.81	-	1	0.0 %
1.16	-	1	0.0 %
1.46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.78	-	1	0.0 %
2.06	-	1	0.0 %
2.17	-	2	0.1 %
2.27	-	1	0.0 %
2.33	-	1	0.0 %
2.56	-	1	0.0 %
2.61	-	1	0.0 %
2.62	-	2	0.1 %
2.74	-	2	0.1 %
2.81	-	1	0.0 %
2.86	-	1	0.0 %
2.87	-	1	0.0 %
2.88	-	1	0.0 %
2.89	-	2	0.1 %
2.91	-	1	0.0 %
3.05	-	1	0.0 %
3.06	-	2	0.1 %
3.07	-	2	0.1 %
3.09	-	1	0.0 %
3.10	-	1	0.0 %
3.13	-	1	0.0 %
3.16	-	2	0.1 %
3.18	-	1	0.0 %
3.19	-	1	0.0 %
3.21	-	1	0.0 %
3.25	-	1	0.0 %
3.27	-	1	0.0 %
3.29	-	2	0.1 %
3.31	-	1	0.0 %
3.32	-	2	0.1 %
3.33	-	1	0.0 %
3.35	-	2	0.1 %
3.36	-	1	0.0 %
3.37	-	2	0.1 %
3.38	-	1	0.0 %
3.39	-	1	0.0 %
3.40	-	1	0.0 %
3.43	-	2	0.1 %
3.44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.45	-	1	0.0 %
3.47	-	1	0.0 %
3.50	-	1	0.0 %
3.52	-	1	0.0 %
3.56	-	1	0.0 %
3.59	-	1	0.0 %
3.61	-	2	0.1 %
3.62	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 9.640757647059
- Minimum: 0.810000000000
- Maximum: 43.340000000000
- Standard Deviation: 4.499906469011

Location: 1939-1953 (width: 15; decimal: 12)

Variable Type: numeric

DTTZINC5: DDE Zinc, mg

DDE Zinc, mg

Value	Label	Unweighted Frequency	%
1.76	-	1	0.0 %
2.15	-	1	0.0 %
2.30	-	1	0.0 %
2.50	-	1	0.0 %
2.69	-	1	0.0 %
2.79	-	1	0.0 %
2.88	-	1	0.0 %
2.92	-	1	0.0 %
3.03	-	2	0.1 %
3.13	-	1	0.0 %
3.15	-	1	0.0 %
3.18	-	1	0.0 %
3.19	-	1	0.0 %
3.20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.25	-	1	0.0 %
3.31	-	1	0.0 %
3.36	-	2	0.1 %
3.37	-	2	0.1 %
3.40	-	2	0.1 %
3.44	-	1	0.0 %
3.48	-	1	0.0 %
3.49	-	1	0.0 %
3.50	-	1	0.0 %
3.51	-	1	0.0 %
3.53	-	1	0.0 %
3.57	-	1	0.0 %
3.58	-	2	0.1 %
3.59	-	1	0.0 %
3.60	-	1	0.0 %
3.61	-	1	0.0 %
3.63	-	1	0.0 %
3.64	-	1	0.0 %
3.69	-	1	0.0 %
3.71	-	2	0.1 %
3.72	-	1	0.0 %
3.74	-	1	0.0 %
3.75	-	1	0.0 %
3.76	-	1	0.0 %
3.79	-	1	0.0 %
3.85	-	1	0.0 %
3.86	-	1	0.0 %
3.87	-	1	0.0 %
3.88	-	1	0.0 %
3.89	-	1	0.0 %
3.90	-	3	0.1 %
3.94	-	2	0.1 %
3.95	-	2	0.1 %
3.96	-	2	0.1 %
3.99	-	1	0.0 %
4.01	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 8.933162352941
- Minimum: 1.760000000000
- Maximum: 22.710000000000
- Standard Deviation: 3.376902571011

Location: 1954-1968 (width: 15; decimal: 12)

Variable Type: numeric

DTTANZ5: DDE Animal Zinc, mg

DDE Animal Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	2	0.1 %
0.15	-	1	0.0 %
0.18	-	1	0.0 %
0.19	-	1	0.0 %
0.23	-	1	0.0 %
0.31	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	1	0.0 %
0.49	-	1	0.0 %
0.58	-	3	0.1 %
0.77	-	1	0.0 %
0.81	-	2	0.1 %
0.82	-	1	0.0 %
0.87	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.91	-	1	0.0 %
0.92	-	1	0.0 %
0.97	-	1	0.0 %
1.03	-	1	0.0 %
1.06	-	1	0.0 %
1.08	-	1	0.0 %
1.10	-	1	0.0 %
1.12	-	1	0.0 %
1.15	-	1	0.0 %
1.21	-	2	0.1 %
1.22	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.24	-	1	0.0 %
1.25	-	2	0.1 %
1.27	-	3	0.1 %
1.28	-	2	0.1 %
1.29	-	1	0.0 %
1.30	-	2	0.1 %
1.31	-	1	0.0 %
1.32	-	1	0.0 %
1.34	-	1	0.0 %
1.35	-	1	0.0 %
1.37	-	1	0.0 %
1.39	-	1	0.0 %
1.40	-	2	0.1 %
1.41	-	2	0.1 %
1.43	-	1	0.0 %
1.45	-	2	0.1 %
1.46	-	1	0.0 %
1.47	-	2	0.1 %
1.48	-	1	0.0 %
1.50	-	1	0.0 %
1.52	-	1	0.0 %
1.53	-	1	0.0 %
1.54	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.038094117647
- Minimum: 0.000000000000
- Maximum: 19.130000000000
- Standard Deviation: 2.492001100053

Location: 1969-1983 (*width:* 15; *decimal:* 12)

Variable Type: numeric

DTTMG5: DDE Magnesium, mg

DDE Magnesium, mg

Value	Label	Unweighted Frequency	%
67.410000000000	-	1	0.0 %
79.500000000000	-	1	0.0 %
86.440000000000	-	1	0.0 %
86.850000000000	-	1	0.0 %
88.050000000000	-	1	0.0 %
90.290000000000	-	1	0.0 %
91.760000000000	-	1	0.0 %
91.810000000000	-	1	0.0 %
92.220000000000	-	1	0.0 %
95.050000000000	-	1	0.0 %
96.840000000000	-	1	0.0 %
98.500000000000	-	1	0.0 %
99.130000000000	-	1	0.0 %
99.560000000000	-	1	0.0 %
100.030000000000	-	1	0.0 %
103.390000000000	-	1	0.0 %
104.650000000000	-	1	0.0 %
105.800000000000	-	1	0.0 %
106.130000000000	-	1	0.0 %
106.540000000000	-	1	0.0 %
106.920000000000	-	1	0.0 %
107.790000000000	-	1	0.0 %
108.060000000000	-	1	0.0 %
108.540000000000	-	2	0.1 %
109.150000000000	-	1	0.0 %
109.220000000000	-	1	0.0 %
109.500000000000	-	1	0.0 %
109.670000000000	-	1	0.0 %
110.140000000000	-	1	0.0 %
110.290000000000	-	1	0.0 %
111.080000000000	-	1	0.0 %
111.270000000000	-	1	0.0 %
111.440000000000	-	1	0.0 %
111.500000000000	-	1	0.0 %
112.260000000000	-	1	0.0 %
112.370000000000	-	1	0.0 %
112.390000000000	-	1	0.0 %
112.750000000000	-	1	0.0 %
112.960000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
113.31000000000	-	1	0.0 %
114.66000000000	-	1	0.0 %
115.05000000000	-	1	0.0 %
115.21000000000	-	1	0.0 %
115.59000000000	-	1	0.0 %
115.97000000000	-	1	0.0 %
116.85000000000	-	1	0.0 %
117.08000000001	-	1	0.0 %
117.35000000000	-	1	0.0 %
117.98000000000	-	1	0.0 %
118.10000000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 275.22824941177
- Minimum: 67.41000000000
- Maximum: 912.11000000000
- Standard Deviation: 106.64554898675

Location: 1984-1998 (width: 15; decimal: 11)

Variable Type: numeric

DTTACAR5: DDE Alpha Carotene, mcg

DDE Alpha Carotene, mcg

Value	Label	Unweighted Frequency	%
1.0600000000	-	1	0.0 %
1.1900000000	-	1	0.0 %
1.4600000000	-	1	0.0 %
1.6000000000	-	1	0.0 %
2.1200000000	-	1	0.0 %
2.5900000000	-	1	0.0 %
2.8700000000	-	1	0.0 %
4.4000000000	-	1	0.0 %
5.0300000000	-	1	0.0 %
5.2600000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.46000000000	-	1	0.0 %
5.59000000000	-	1	0.0 %
5.80000000000	-	1	0.0 %
6.18000000000	-	1	0.0 %
7.13000000000	-	1	0.0 %
7.79000000000	-	1	0.0 %
7.94000000000	-	1	0.0 %
7.96000000000	-	1	0.0 %
7.98000000000	-	1	0.0 %
8.20000000000	-	1	0.0 %
8.66000000000	-	1	0.0 %
8.69000000000	-	1	0.0 %
8.81000000000	-	1	0.0 %
9.23000000000	-	1	0.0 %
9.91000000000	-	1	0.0 %
10.14000000000	-	1	0.0 %
10.27000000000	-	1	0.0 %
10.37000000000	-	1	0.0 %
10.54000000000	-	1	0.0 %
11.05000000000	-	1	0.0 %
11.11000000000	-	1	0.0 %
11.64000000000	-	1	0.0 %
11.71000000000	-	1	0.0 %
11.81000000000	-	1	0.0 %
12.86000000000	-	1	0.0 %
12.89000000000	-	1	0.0 %
13.02000000000	-	1	0.0 %
13.05000000000	-	1	0.0 %
13.13000000000	-	1	0.0 %
13.35000000000	-	1	0.0 %
13.53000000000	-	1	0.0 %
13.90000000000	-	1	0.0 %
14.09000000000	-	1	0.0 %
15.00000000000	-	1	0.0 %
15.32000000000	-	1	0.0 %
15.67000000000	-	1	0.0 %
15.75000000000	-	1	0.0 %
16.14000000000	-	2	0.1 %
16.65000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.1100000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 263.3249552941
- Minimum: 1.0600000000
- Maximum: 3861.8000000000
- Standard Deviation: 268.8940883962

Location: 1999-2013 (width: 15; decimal: 10)

Variable Type: numeric

DTTBCAR5: DDE Beta Carotene, mcg

DDE Beta Carotene, mcg

Value	Label	Unweighted Frequency	%
169.970000000	-	1	0.0 %
190.500000000	-	1	0.0 %
233.450000000	-	1	0.0 %
259.540000000	-	1	0.0 %
271.900000000	-	1	0.0 %
327.260000000	-	1	0.0 %
328.670000000	-	1	0.0 %
340.820000000	-	1	0.0 %
346.290000000	-	1	0.0 %
348.030000000	-	1	0.0 %
356.190000000	-	1	0.0 %
364.100000000	-	1	0.0 %
376.050000000	-	1	0.0 %
376.890000000	-	1	0.0 %
389.840000000	-	1	0.0 %
395.120000000	-	1	0.0 %
399.930000000	-	1	0.0 %
406.490000000	-	1	0.0 %
406.560000000	-	1	0.0 %
411.280000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
416.320000000	-	1	0.0 %
417.850000000	-	1	0.0 %
420.880000000	-	1	0.0 %
426.700000000	-	1	0.0 %
434.350000000	-	1	0.0 %
435.590000000	-	1	0.0 %
440.890000000	-	1	0.0 %
443.850000000	-	1	0.0 %
448.990000000	-	1	0.0 %
458.390000000	-	1	0.0 %
460.800000000	-	1	0.0 %
461.190000000	-	1	0.0 %
463.380000000	-	1	0.0 %
465.420000000	-	1	0.0 %
466.910000000	-	1	0.0 %
469.300000000	-	1	0.0 %
470.290000000	-	1	0.0 %
471.290000000	-	1	0.0 %
473.180000000	-	1	0.0 %
473.520000000	-	1	0.0 %
476.360000000	-	1	0.0 %
477.580000000	-	1	0.0 %
483.320000000	-	1	0.0 %
489.830000000	-	1	0.0 %
508.480000000	-	1	0.0 %
510.960000000	-	1	0.0 %
516.940000000	-	1	0.0 %
516.950000000	-	1	0.0 %
518.120000000	-	1	0.0 %
519.300000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3243.967303529

- Minimum: 169.970000000
- Maximum: 32574.920000000
- Standard Deviation: 3031.896074811

Location: 2014-2028 (width: 15; decimal: 9)

Variable Type: numeric

DTTRET5: DDE Retinol, mcg

DDE Retinol, mcg

Value	Label	Unweighted Frequency	%
0.00000000000	-	1	0.0 %
2.52000000000	-	1	0.0 %
12.08000000000	-	1	0.0 %
22.41000000000	-	1	0.0 %
25.33000000000	-	1	0.0 %
26.46000000000	-	1	0.0 %
27.76000000000	-	1	0.0 %
27.92000000000	-	1	0.0 %
28.35000000000	-	1	0.0 %
31.60000000000	-	1	0.0 %
39.08000000000	-	1	0.0 %
39.36000000000	-	1	0.0 %
41.65000000000	-	1	0.0 %
41.89000000000	-	1	0.0 %
42.30000000000	-	1	0.0 %
42.67000000000	-	1	0.0 %
43.84000000000	-	1	0.0 %
44.91000000000	-	1	0.0 %
47.12000000000	-	1	0.0 %
49.19000000000	-	1	0.0 %
49.68000000000	-	1	0.0 %
49.70000000000	-	1	0.0 %
51.62000000000	-	1	0.0 %
51.72000000000	-	1	0.0 %
53.22000000000	-	1	0.0 %
53.52000000000	-	1	0.0 %
53.90000000000	-	1	0.0 %
55.44000000000	-	1	0.0 %
56.80000000000	-	1	0.0 %
56.95000000000	-	1	0.0 %
60.22000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
61.6000000000	-	1	0.0 %
63.9900000000	-	1	0.0 %
64.1300000000	-	1	0.0 %
64.5600000000	-	1	0.0 %
66.0000000000	-	1	0.0 %
66.4300000001	-	1	0.0 %
66.8800000000	-	1	0.0 %
68.0100000000	-	1	0.0 %
68.1000000000	-	1	0.0 %
68.2800000000	-	1	0.0 %
68.4300000001	-	1	0.0 %
69.3200000000	-	1	0.0 %
71.0600000000	-	1	0.0 %
71.3200000000	-	1	0.0 %
71.9400000000	-	1	0.0 %
72.4400000000	-	1	0.0 %
72.5300000000	-	1	0.0 %
72.9700000000	-	1	0.0 %
73.0800000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 453.5688894118
- Minimum: 0.0000000000
- Maximum: 4676.4100000000
- Standard Deviation: 384.0267389492

Location: 2029-2043 (width: 15; decimal: 10)

Variable Type: numeric

DTTPROA5: DDE Pro-A Carotenes, mcg

DDE Pro-A Carotenes, mcg

Value	Label	Unweighted Frequency	%
236.430000000	-	1	0.0 %
237.120000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
263.200000000	-	1	0.0 %
272.550000000	-	1	0.0 %
277.040000000	-	1	0.0 %
355.880000000	-	1	0.0 %
370.890000000	-	1	0.0 %
372.230000000	-	1	0.0 %
374.940000000	-	1	0.0 %
386.110000000	-	1	0.0 %
389.610000000	-	1	0.0 %
393.930000000	-	1	0.0 %
394.130000000	-	1	0.0 %
395.300000000	-	1	0.0 %
402.230000000	-	1	0.0 %
407.550000000	-	1	0.0 %
409.530000000	-	1	0.0 %
420.200000000	-	1	0.0 %
429.880000000	-	1	0.0 %
432.960000000	-	1	0.0 %
436.020000000	-	1	0.0 %
436.350000000	-	1	0.0 %
454.170000000	-	1	0.0 %
460.710000000	-	1	0.0 %
467.760000000	-	1	0.0 %
480.470000000	-	1	0.0 %
482.580000000	-	1	0.0 %
483.920000000	-	1	0.0 %
490.800000000	-	1	0.0 %
493.190000000	-	1	0.0 %
505.390000000	-	1	0.0 %
513.980000000	-	1	0.0 %
516.130000000	-	1	0.0 %
519.010000000	-	1	0.0 %
519.760000000	-	1	0.0 %
528.320000000	-	1	0.0 %
531.350000000	-	1	0.0 %
531.500000000	-	1	0.0 %
533.040000000	-	1	0.0 %
554.440000000	-	1	0.0 %
555.960000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
556.820000000	-	1	0.0 %
559.160000000	-	1	0.0 %
568.280000000	-	1	0.0 %
570.350000000	-	1	0.0 %
570.900000000	-	1	0.0 %
571.040000000	-	1	0.0 %
574.010000000	-	1	0.0 %
588.520000000	-	1	0.0 %
593.160000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3235.500376471
- Minimum: 236.430000000
- Maximum: 24643.820000000
- Standard Deviation: 2602.839395983

Location: 2044-2058 (width: 15; decimal: 9)

Variable Type: numeric

FIBBEAN5: DDE Fiber from Beans

DDE Fiber from Beans

Value	Label	Unweighted Frequency	%
0.00	-	42	1.6 %
0.01	-	1	0.0 %
0.05	-	1	0.0 %
0.06	-	5	0.2 %
0.07	-	5	0.2 %
0.08	-	3	0.1 %
0.09	-	10	0.4 %
0.11	-	4	0.2 %
0.12	-	5	0.2 %
0.14	-	8	0.3 %
0.15	-	3	0.1 %
0.16	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.17	-	2	0.1 %
0.18	-	3	0.1 %
0.19	-	4	0.2 %
0.21	-	14	0.5 %
0.22	-	11	0.4 %
0.23	-	5	0.2 %
0.24	-	8	0.3 %
0.25	-	2	0.1 %
0.26	-	4	0.2 %
0.27	-	5	0.2 %
0.28	-	2	0.1 %
0.29	-	7	0.3 %
0.30	-	16	0.6 %
0.31	-	8	0.3 %
0.32	-	1	0.0 %
0.33	-	4	0.2 %
0.34	-	7	0.3 %
0.35	-	6	0.2 %
0.36	-	12	0.5 %
0.37	-	2	0.1 %
0.38	-	2	0.1 %
0.39	-	7	0.3 %
0.40	-	3	0.1 %
0.41	-	4	0.2 %
0.42	-	6	0.2 %
0.43	-	7	0.3 %
0.44	-	7	0.3 %
0.45	-	6	0.2 %
0.46	-	1	0.0 %
0.47	-	2	0.1 %
0.48	-	15	0.6 %
0.49	-	8	0.3 %
0.50	-	3	0.1 %
0.51	-	5	0.2 %
0.52	-	7	0.3 %
0.53	-	8	0.3 %
0.54	-	5	0.2 %
0.55	-	10	0.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.841242352941
- Minimum: 0.000000000000
- Maximum: 25.300000000000
- Standard Deviation: 3.352559519182

Location: 2059-2073 (width: 15; decimal: 12)

Variable Type: numeric

FIBVEGF5: DDE Fiber from Veg/Fruit

DDE Fiber from Veg/Fruit

Value	Label	Unweighted Frequency	%
0.52	-	1	0.0 %
0.56	-	1	0.0 %
0.61	-	1	0.0 %
0.65	-	1	0.0 %
0.73	-	1	0.0 %
0.76	-	1	0.0 %
0.79	-	1	0.0 %
0.81	-	1	0.0 %
0.83	-	1	0.0 %
0.85	-	1	0.0 %
0.87	-	2	0.1 %
0.99	-	1	0.0 %
1.00	-	1	0.0 %
1.03	-	1	0.0 %
1.06	-	1	0.0 %
1.09	-	1	0.0 %
1.12	-	1	0.0 %
1.13	-	1	0.0 %
1.19	-	1	0.0 %
1.26	-	1	0.0 %
1.31	-	1	0.0 %
1.32	-	1	0.0 %
1.34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.38	-	1	0.0 %
1.44	-	1	0.0 %
1.45	-	1	0.0 %
1.48	-	2	0.1 %
1.49	-	1	0.0 %
1.52	-	1	0.0 %
1.54	-	4	0.2 %
1.55	-	1	0.0 %
1.56	-	1	0.0 %
1.57	-	1	0.0 %
1.58	-	1	0.0 %
1.62	-	1	0.0 %
1.65	-	2	0.1 %
1.69	-	2	0.1 %
1.70	-	1	0.0 %
1.71	-	3	0.1 %
1.73	-	2	0.1 %
1.74	-	2	0.1 %
1.75	-	1	0.0 %
1.77	-	2	0.1 %
1.78	-	3	0.1 %
1.79	-	1	0.0 %
1.81	-	1	0.0 %
1.84	-	2	0.1 %
1.86	-	1	0.0 %
1.87	-	1	0.0 %
1.89	-	3	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6.440169411765
- Minimum: 0.520000000000
- Maximum: 31.310000000000
- Standard Deviation: 3.605631628991

Location: 2074-2088 (width: 15; decimal: 12)

Variable Type: numeric

FIBGRA15: DDE Fiber from Grains

DDE Fiber from Grains

Value	Label	Unweighted Frequency	%
0.00	-	3	0.1 %
0.05	-	1	0.0 %
0.06	-	1	0.0 %
0.11	-	1	0.0 %
0.14	-	1	0.0 %
0.15	-	1	0.0 %
0.20	-	1	0.0 %
0.26	-	1	0.0 %
0.27	-	1	0.0 %
0.28	-	1	0.0 %
0.31	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	1	0.0 %
0.37	-	1	0.0 %
0.39	-	1	0.0 %
0.41	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	3	0.1 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.52	-	1	0.0 %
0.59	-	2	0.1 %
0.60	-	1	0.0 %
0.61	-	1	0.0 %
0.62	-	2	0.1 %
0.66	-	1	0.0 %
0.69	-	2	0.1 %
0.72	-	3	0.1 %
0.73	-	1	0.0 %
0.74	-	2	0.1 %
0.75	-	3	0.1 %
0.77	-	1	0.0 %
0.78	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.79	-	1	0.0 %
0.80	-	1	0.0 %
0.82	-	2	0.1 %
0.83	-	1	0.0 %
0.84	-	2	0.1 %
0.85	-	3	0.1 %
0.87	-	2	0.1 %
0.92	-	1	0.0 %
0.93	-	2	0.1 %
0.97	-	1	0.0 %
0.98	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	2	0.1 %
1.01	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.799760000000
- Minimum: 0.000000000000
- Maximum: 13.730000000000
- Standard Deviation: 1.978552631789

Location: 2089-2103 (width: 15; decimal: 12)

Variable Type: numeric

DTTALCH5: DDE KCAL from Alcoholic Bev

DDE KCAL from Alcoholic Bev

Value	Label	Unweighted Frequency	%
0.0000000000	-	1068	40.8 %
4.0968800000	-	1	0.0 %
6.4479600000	-	1	0.0 %
6.4787040000	-	1	0.0 %
6.4987250000	-	1	0.0 %
6.5297880000	-	1	0.0 %
6.5481120000	-	1	0.0 %
6.5628000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.5730210000	-	1	0.0 %
6.5739000000	-	1	0.0 %
6.5785450000	-	1	0.0 %
6.5874720000	-	1	0.0 %
6.5893740000	-	1	0.0 %
6.5908790000	-	1	0.0 %
6.5939620000	-	1	0.0 %
6.5945250000	-	1	0.0 %
6.5980880000	-	1	0.0 %
6.6029850000	-	1	0.0 %
6.6174850000	-	1	0.0 %
6.6188710000	-	1	0.0 %
6.6197410000	-	1	0.0 %
6.6217500000	-	1	0.0 %
6.6248400000	-	1	0.0 %
6.6263680000	-	1	0.0 %
6.6321010000	-	1	0.0 %
6.6368720000	-	1	0.0 %
6.6403050000	-	1	0.0 %
6.6406830000	-	1	0.0 %
6.6637890000	-	1	0.0 %
6.7158850000	-	1	0.0 %
8.1073200000	-	1	0.0 %
8.1879640000	-	1	0.0 %
8.2203660000	-	1	0.0 %
8.2282200000	-	1	0.0 %
8.2489680000	-	1	0.0 %
8.2642000000	-	1	0.0 %
8.2709850000	-	1	0.0 %
8.2805640000	-	1	0.0 %
8.2905380000	-	1	0.0 %
8.2965300000	-	1	0.0 %
8.3403450000	-	1	0.0 %
8.3665500000	-	1	0.0 %
8.9834680000	-	1	0.0 %
9.7550310000	-	1	0.0 %
12.3592860000	-	1	0.0 %
13.1176320000	-	1	0.0 %
13.1196530000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.1274990000	-	1	0.0 %
13.1283180000	-	1	0.0 %
13.1287980000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 45.8793161562
- Minimum: 0.0000000000
- Maximum: 1179.4765860000
- Standard Deviation: 93.0568071166

Location: 2104-2118 (*width:* 15; *decimal:* 10)

Variable Type: numeric

DTTSWET5: DDE KCAL fm Sweets, kcal

DDE KCAL fm Sweets, kcal

Value	Label	Unweighted Frequency	%
0.0000000000	-	56	2.1 %
1.9920800000	-	1	0.0 %
2.2021740000	-	1	0.0 %
2.9977440000	-	1	0.0 %
3.0408210000	-	1	0.0 %
4.3399440000	-	1	0.0 %
4.3641620000	-	1	0.0 %
4.3748160000	-	1	0.0 %
5.5156500000	-	1	0.0 %
5.5558500000	-	1	0.0 %
5.6036790000	-	1	0.0 %
6.0976740000	-	1	0.0 %
7.2208200000	-	1	0.0 %
7.2953870000	-	1	0.0 %
7.3211560000	-	1	0.0 %
7.6154100000	-	1	0.0 %
7.8180570000	-	1	0.0 %
9.3767870000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.4453080000	-	1	0.0 %
9.7862620000	-	1	0.0 %
10.0158260000	-	1	0.0 %
10.1002890000	-	1	0.0 %
10.1641730000	-	1	0.0 %
10.1818670000	-	1	0.0 %
10.6469300000	-	1	0.0 %
10.6835400000	-	1	0.0 %
10.6902250000	-	1	0.0 %
10.6994610000	-	1	0.0 %
11.0209500000	-	1	0.0 %
11.6057640000	-	1	0.0 %
11.9463520000	-	1	0.0 %
12.2748320000	-	1	0.0 %
12.4710800000	-	1	0.0 %
12.8896320000	-	1	0.0 %
12.9219300000	-	1	0.0 %
12.9261520000	-	1	0.0 %
12.9299060000	-	1	0.0 %
13.1367600000	-	1	0.0 %
13.9904310000	-	1	0.0 %
15.0856050000	-	1	0.0 %
15.1742700000	-	1	0.0 %
15.2371320000	-	1	0.0 %
15.2380380000	-	1	0.0 %
15.2667320000	-	1	0.0 %
15.2772240000	-	1	0.0 %
15.3342150000	-	1	0.0 %
15.3508180000	-	1	0.0 %
15.3616000000	-	1	0.0 %
15.4004700000	-	1	0.0 %
15.4020480000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 286.3455831666
- Minimum: 0.0000000000
- Maximum: 2771.2454100000
- Standard Deviation: 299.9330415082

Location: 2119-2133 (*width:* 15; *decimal:* 10)

Variable Type: numeric

GMSOLID5: DDE Grams Solid Food

DDE Grams Solid Food

Value	Label	Unweighted Frequency	%
1666.13	-	1	0.0 %
1778.06	-	1	0.0 %
1787.32	-	1	0.0 %
1802.46	-	1	0.0 %
1823.42	-	1	0.0 %
1916.91	-	1	0.0 %
1983.13	-	1	0.0 %
2053.63	-	1	0.0 %
2066.10	-	1	0.0 %
2099.38	-	1	0.0 %
2107.33	-	1	0.0 %
2164.45	-	1	0.0 %
2180.09	-	1	0.0 %
2207.86	-	1	0.0 %
2216.02	-	1	0.0 %
2237.11	-	1	0.0 %
2260.70	-	1	0.0 %
2262.52	-	1	0.0 %
2263.20	-	1	0.0 %
2302.70	-	1	0.0 %
2331.38	-	1	0.0 %
2363.20	-	1	0.0 %
2386.23	-	1	0.0 %
2386.35	-	1	0.0 %
2408.80	-	1	0.0 %
2409.60	-	1	0.0 %
2421.82	-	1	0.0 %
2423.60	-	1	0.0 %
2424.43	-	1	0.0 %
2429.16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2437.72	-	1	0.0 %
2457.77	-	1	0.0 %
2475.83	-	1	0.0 %
2476.57	-	1	0.0 %
2511.13	-	1	0.0 %
2517.11	-	1	0.0 %
2524.07	-	1	0.0 %
2531.86	-	1	0.0 %
2536.85	-	1	0.0 %
2540.18	-	1	0.0 %
2541.56	-	1	0.0 %
2568.53	-	1	0.0 %
2612.97	-	1	0.0 %
2621.51	-	1	0.0 %
2622.13	-	1	0.0 %
2627.14	-	1	0.0 %
2629.20	-	1	0.0 %
2637.18	-	1	0.0 %
2644.60	-	1	0.0 %
2653.67	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5846.44
- Minimum: 1666.13
- Maximum: 16591.34
- Standard Deviation: 2205.78

Location: 2134-2141 (*width:* 8; *decimal:* 2)

Variable Type: numeric

DTTCAFF5: Caffeine, mg

Caffeine, mg

Value	Label	Unweighted Frequency	%
0.00	-	43	1.6 %

Value	Label	Unweighted Frequency	%
0.67	-	8	0.3 %
0.77	-	1	0.0 %
1.43	-	11	0.4 %
1.54	-	8	0.3 %
2.10	-	2	0.1 %
2.65	-	1	0.0 %
2.70	-	1	0.0 %
2.86	-	6	0.2 %
3.08	-	1	0.0 %
3.12	-	4	0.2 %
3.57	-	1	0.0 %
3.64	-	5	0.2 %
3.72	-	6	0.2 %
3.79	-	2	0.1 %
3.92	-	1	0.0 %
4.33	-	1	0.0 %
4.38	-	2	0.1 %
4.55	-	1	0.0 %
4.89	-	1	0.0 %
4.96	-	1	0.0 %
5.25	-	1	0.0 %
5.55	-	1	0.0 %
5.61	-	1	0.0 %
5.71	-	2	0.1 %
5.75	-	1	0.0 %
5.81	-	1	0.0 %
5.89	-	2	0.1 %
5.98	-	1	0.0 %
5.99	-	1	0.0 %
6.41	-	1	0.0 %
6.43	-	1	0.0 %
6.76	-	1	0.0 %
6.83	-	1	0.0 %
6.84	-	2	0.1 %
6.99	-	1	0.0 %
7.33	-	1	0.0 %
7.40	-	1	0.0 %
7.43	-	1	0.0 %
7.50	-	3	0.1 %

Value	Label	Unweighted Frequency	%
7.81	-	1	0.0 %
7.85	-	1	0.0 %
7.92	-	1	0.0 %
8.03	-	1	0.0 %
8.05	-	3	0.1 %
8.15	-	1	0.0 %
8.30	-	1	0.0 %
8.37	-	3	0.1 %
8.38	-	1	0.0 %
8.91	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 232.96
- Minimum: 0.00
- Maximum: 2083.17
- Standard Deviation: 225.12

Location: 2142-2148 (*width:* 7; *decimal:* 2)

Variable Type: numeric

DTTVITD5: Vitamin D, IU

Vitamin D, IU

Value	Label	Unweighted Frequency	%
1.9400000000	-	1	0.0 %
2.1400000000	-	2	0.1 %
2.6000000000	-	1	0.0 %
4.0600000000	-	1	0.0 %
6.0100000000	-	1	0.0 %
6.2900000000	-	1	0.0 %
6.6800000000	-	1	0.0 %
7.3000000000	-	1	0.0 %
7.5800000000	-	1	0.0 %
8.0200000000	-	1	0.0 %
8.5900000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.64000000000	-	1	0.0 %
8.66000000000	-	1	0.0 %
10.32000000000	-	1	0.0 %
10.52000000000	-	1	0.0 %
11.63000000000	-	1	0.0 %
12.21000000000	-	1	0.0 %
12.25000000000	-	1	0.0 %
13.34000000000	-	1	0.0 %
13.36000000000	-	1	0.0 %
13.48000000000	-	1	0.0 %
13.67000000000	-	1	0.0 %
13.86000000000	-	1	0.0 %
14.65000000000	-	1	0.0 %
15.16000000000	-	1	0.0 %
16.12000000000	-	1	0.0 %
16.13000000000	-	1	0.0 %
17.34000000000	-	1	0.0 %
17.63000000000	-	1	0.0 %
17.75000000000	-	1	0.0 %
17.97000000000	-	1	0.0 %
18.21000000000	-	1	0.0 %
18.41000000000	-	1	0.0 %
19.81000000000	-	1	0.0 %
19.96000000000	-	1	0.0 %
19.98000000000	-	1	0.0 %
20.22000000000	-	1	0.0 %
20.68000000000	-	1	0.0 %
20.71000000000	-	1	0.0 %
20.95000000000	-	1	0.0 %
21.21000000000	-	1	0.0 %
21.37000000000	-	1	0.0 %
21.51000000000	-	1	0.0 %
21.61000000000	-	2	0.1 %
21.85000000000	-	1	0.0 %
21.89000000000	-	1	0.0 %
21.95000000000	-	1	0.0 %
22.05000000000	-	2	0.1 %
22.06000000000	-	1	0.0 %
22.27000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 148.5998682353
- Minimum: 1.9400000000
- Maximum: 1375.2400000000
- Standard Deviation: 118.0934940973

Location: 2149-2163 (width: 15; decimal: 10)

Variable Type: numeric

DTTB125: Vitamin B12, mcg

Vitamin B12, mcg

Value	Label	Unweighted Frequency	%
0.01	-	1	0.0 %
0.08	-	1	0.0 %
0.16	-	1	0.0 %
0.23	-	1	0.0 %
0.27	-	1	0.0 %
0.31	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.43	-	2	0.1 %
0.45	-	2	0.1 %
0.49	-	3	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.53	-	1	0.0 %
0.54	-	4	0.2 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.57	-	2	0.1 %
0.59	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.60	-	2	0.1 %
0.61	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.66	-	3	0.1 %
0.67	-	1	0.0 %
0.68	-	2	0.1 %
0.69	-	2	0.1 %
0.70	-	5	0.2 %
0.71	-	4	0.2 %
0.72	-	1	0.0 %
0.73	-	4	0.2 %
0.74	-	1	0.0 %
0.75	-	1	0.0 %
0.77	-	1	0.0 %
0.78	-	3	0.1 %
0.79	-	5	0.2 %
0.80	-	2	0.1 %
0.81	-	2	0.1 %
0.83	-	4	0.2 %
0.84	-	3	0.1 %
0.85	-	1	0.0 %
0.86	-	2	0.1 %
0.87	-	2	0.1 %
0.88	-	4	0.2 %
0.89	-	4	0.2 %
0.90	-	3	0.1 %
0.91	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.877072941176
- Minimum: 0.010000000000
- Maximum: 14.700000000000
- Standard Deviation: 1.579170798661

Location: 2164-2178 (width: 15; decimal: 12)

Variable Type: numeric

DTTTRAN5: Trans fats, g

Trans fats, g

Value	Label	Unweighted Frequency	%
0.00	-	1	0.0 %
0.14	-	1	0.0 %
0.15	-	1	0.0 %
0.24	-	2	0.1 %
0.29	-	1	0.0 %
0.30	-	2	0.1 %
0.31	-	1	0.0 %
0.32	-	1	0.0 %
0.35	-	1	0.0 %
0.43	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	1	0.0 %
0.56	-	1	0.0 %
0.59	-	1	0.0 %
0.60	-	3	0.1 %
0.61	-	1	0.0 %
0.62	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.67	-	1	0.0 %
0.68	-	2	0.1 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.75	-	2	0.1 %
0.77	-	2	0.1 %
0.79	-	1	0.0 %
0.80	-	2	0.1 %
0.82	-	2	0.1 %
0.83	-	2	0.1 %
0.84	-	2	0.1 %
0.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.86	-	2	0.1 %
0.87	-	1	0.0 %
0.89	-	2	0.1 %
0.90	-	2	0.1 %
0.92	-	2	0.1 %
0.93	-	1	0.0 %
0.94	-	1	0.0 %
0.95	-	1	0.0 %
0.96	-	2	0.1 %
0.97	-	2	0.1 %
0.98	-	3	0.1 %
1.00	-	1	0.0 %
1.01	-	2	0.1 %
1.02	-	4	0.2 %
1.03	-	1	0.0 %
1.04	-	3	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.487124705882
- Minimum: 0.000000000000
- Maximum: 35.750000000000
- Standard Deviation: 3.956430576393

Location: 2179-2193 (*width:* 15; *decimal:* 12)

Variable Type: numeric

DTTOMEG5: Omega-3 fatty acids, g

Omega-3 fatty acids, g

Value	Label	Unweighted Frequency	%
0.08	-	1	0.0 %
0.14	-	1	0.0 %
0.18	-	1	0.0 %
0.26	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.34	-	2	0.1 %
0.36	-	3	0.1 %
0.37	-	6	0.2 %
0.38	-	7	0.3 %
0.39	-	2	0.1 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	7	0.3 %
0.43	-	4	0.2 %
0.44	-	2	0.1 %
0.45	-	4	0.2 %
0.46	-	8	0.3 %
0.47	-	4	0.2 %
0.48	-	4	0.2 %
0.49	-	1	0.0 %
0.50	-	4	0.2 %
0.51	-	9	0.3 %
0.52	-	7	0.3 %
0.53	-	7	0.3 %
0.54	-	13	0.5 %
0.55	-	7	0.3 %
0.56	-	12	0.5 %
0.57	-	5	0.2 %
0.58	-	9	0.3 %
0.59	-	7	0.3 %
0.60	-	9	0.3 %
0.61	-	7	0.3 %
0.62	-	7	0.3 %
0.63	-	12	0.5 %
0.64	-	14	0.5 %
0.65	-	12	0.5 %
0.66	-	7	0.3 %
0.67	-	8	0.3 %
0.68	-	17	0.6 %
0.69	-	9	0.3 %
0.70	-	10	0.4 %
0.71	-	14	0.5 %
0.72	-	15	0.6 %
0.73	-	17	0.6 %

Value	Label	Unweighted Frequency	%
0.74	-	13	0.5 %
0.75	-	16	0.6 %
0.76	-	19	0.7 %
0.77	-	12	0.5 %
0.78	-	13	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.3666870588235
- Minimum: 0.08000000000000
- Maximum: 5.02000000000000
- Standard Deviation: 0.6684048938449

Location: 2194-2208 (width: 15; decimal: 13)

Variable Type: numeric

DTTCOPP5: Copper, mg

Copper, mg

Value	Label	Unweighted Frequency	%
0.24	-	1	0.0 %
0.28	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	2	0.1 %
0.36	-	5	0.2 %
0.37	-	3	0.1 %
0.39	-	1	0.0 %
0.40	-	2	0.1 %
0.41	-	5	0.2 %
0.42	-	8	0.3 %
0.43	-	7	0.3 %
0.44	-	4	0.2 %
0.45	-	2	0.1 %
0.46	-	7	0.3 %
0.47	-	5	0.2 %
0.48	-	4	0.2 %
0.49	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.50	-	10	0.4 %
0.51	-	13	0.5 %
0.52	-	10	0.4 %
0.53	-	10	0.4 %
0.54	-	9	0.3 %
0.55	-	10	0.4 %
0.56	-	8	0.3 %
0.57	-	13	0.5 %
0.58	-	16	0.6 %
0.59	-	15	0.6 %
0.60	-	18	0.7 %
0.61	-	17	0.6 %
0.62	-	8	0.3 %
0.63	-	27	1.0 %
0.64	-	14	0.5 %
0.65	-	25	1.0 %
0.66	-	13	0.5 %
0.67	-	25	1.0 %
0.68	-	30	1.1 %
0.69	-	21	0.8 %
0.70	-	23	0.9 %
0.71	-	23	0.9 %
0.72	-	14	0.5 %
0.73	-	16	0.6 %
0.74	-	25	1.0 %
0.75	-	31	1.2 %
0.76	-	18	0.7 %
0.77	-	26	1.0 %
0.78	-	17	0.6 %
0.79	-	16	0.6 %
0.80	-	15	0.6 %
0.81	-	20	0.8 %
0.82	-	18	0.7 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.1109929411765
- Median: 1.030000000000000
- Mode: 0.980000000000000
- Minimum: 0.240000000000000
- Maximum: 3.41000000000000
- Standard Deviation: 0.4620395121402

Location: 2209-2223 (width: 15; decimal: 13)

Variable Type: numeric

DTTMANG5: Manganese, mg

Manganese, mg

Value	Label	Unweighted Frequency	%
0.45	-	1	0.0 %
0.63	-	1	0.0 %
0.68	-	1	0.0 %
0.70	-	1	0.0 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.73	-	1	0.0 %
0.74	-	1	0.0 %
0.75	-	2	0.1 %
0.77	-	1	0.0 %
0.78	-	1	0.0 %
0.79	-	1	0.0 %
0.80	-	2	0.1 %
0.84	-	2	0.1 %
0.85	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	2	0.1 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.93	-	1	0.0 %
0.94	-	1	0.0 %
0.95	-	2	0.1 %
0.97	-	1	0.0 %
0.98	-	1	0.0 %
1.01	-	2	0.1 %
1.02	-	1	0.0 %
1.03	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.04	-	2	0.1 %
1.05	-	3	0.1 %
1.06	-	2	0.1 %
1.07	-	2	0.1 %
1.08	-	2	0.1 %
1.09	-	2	0.1 %
1.10	-	5	0.2 %
1.11	-	3	0.1 %
1.12	-	5	0.2 %
1.13	-	1	0.0 %
1.14	-	2	0.1 %
1.15	-	3	0.1 %
1.16	-	4	0.2 %
1.17	-	3	0.1 %
1.18	-	4	0.2 %
1.19	-	5	0.2 %
1.20	-	2	0.1 %
1.21	-	2	0.1 %
1.22	-	4	0.2 %
1.23	-	2	0.1 %
1.24	-	3	0.1 %
1.25	-	5	0.2 %
1.27	-	4	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.219341176471
- Minimum: 0.450000000000
- Maximum: 16.320000000000
- Standard Deviation: 1.529860885944

Location: 2224-2238 (*width:* 15; *decimal:* 12)

Variable Type: numeric

DTTPANT5: Pantothenic acid, mg

Pantothenic acid, mg

Value	Label	Unweighted Frequency	%
1.07	-	1	0.0 %
1.14	-	1	0.0 %
1.27	-	1	0.0 %
1.28	-	1	0.0 %
1.29	-	1	0.0 %
1.30	-	1	0.0 %
1.32	-	1	0.0 %
1.33	-	1	0.0 %
1.34	-	2	0.1 %
1.35	-	1	0.0 %
1.37	-	1	0.0 %
1.41	-	1	0.0 %
1.42	-	1	0.0 %
1.43	-	1	0.0 %
1.44	-	2	0.1 %
1.47	-	1	0.0 %
1.49	-	1	0.0 %
1.50	-	3	0.1 %
1.51	-	1	0.0 %
1.52	-	1	0.0 %
1.53	-	1	0.0 %
1.54	-	1	0.0 %
1.55	-	2	0.1 %
1.56	-	1	0.0 %
1.58	-	1	0.0 %
1.59	-	1	0.0 %
1.60	-	3	0.1 %
1.62	-	2	0.1 %
1.63	-	3	0.1 %
1.65	-	2	0.1 %
1.66	-	3	0.1 %
1.67	-	2	0.1 %
1.69	-	1	0.0 %
1.70	-	1	0.0 %
1.71	-	1	0.0 %
1.72	-	2	0.1 %
1.73	-	2	0.1 %
1.74	-	3	0.1 %
1.75	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.76	-	1	0.0 %
1.77	-	2	0.1 %
1.79	-	3	0.1 %
1.80	-	1	0.0 %
1.81	-	3	0.1 %
1.82	-	1	0.0 %
1.83	-	3	0.1 %
1.84	-	5	0.2 %
1.85	-	1	0.0 %
1.86	-	3	0.1 %
1.87	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4.550376470588
- Minimum: 1.070000000000
- Maximum: 19.280000000000
- Standard Deviation: 2.394041892150

Location: 2239-2253 (*width:* 15; *decimal:* 12)

Variable Type: numeric

BATKCAL5: DDE KCAL before alcohol total

DDE KCAL before alcohol total

Value	Label	Unweighted Frequency	%
490.03	-	1	0.0 %
491.24	-	1	0.0 %
502.29	-	1	0.0 %
507.90	-	1	0.0 %
509.09	-	1	0.0 %
540.61	-	1	0.0 %
559.20	-	1	0.0 %
561.87	-	1	0.0 %
579.92	-	1	0.0 %
586.35	-	1	0.0 %
589.15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
602.79	-	1	0.0 %
609.23	-	1	0.0 %
610.87	-	1	0.0 %
613.88	-	1	0.0 %
614.11	-	1	0.0 %
619.57	-	1	0.0 %
624.72	-	1	0.0 %
628.25	-	1	0.0 %
631.83	-	1	0.0 %
636.83	-	1	0.0 %
645.76	-	1	0.0 %
648.35	-	1	0.0 %
659.36	-	1	0.0 %
667.61	-	1	0.0 %
668.21	-	1	0.0 %
669.00	-	1	0.0 %
673.94	-	1	0.0 %
680.35	-	1	0.0 %
683.89	-	1	0.0 %
691.76	-	1	0.0 %
694.20	-	1	0.0 %
727.03	-	1	0.0 %
731.69	-	1	0.0 %
733.23	-	1	0.0 %
742.05	-	1	0.0 %
742.89	-	1	0.0 %
743.61	-	1	0.0 %
745.54	-	1	0.0 %
752.51	-	1	0.0 %
757.82	-	1	0.0 %
761.87	-	1	0.0 %
763.41	-	1	0.0 %
764.25	-	1	0.0 %
773.08	-	1	0.0 %
773.44	-	1	0.0 %
773.71	-	1	0.0 %
774.97	-	1	0.0 %
776.54	-	1	0.0 %
777.23	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1702.26
- Minimum: 490.03
- Maximum: 4872.06
- Standard Deviation: 650.00

Location: 2254-2260 (*width:* 7; *decimal:* 2)

Variable Type: numeric

BATPROT5: DDE Protein before alcohol, gms

DDE Protein before alcohol, gms

Value	Label	Unweighted Frequency	%
12.11	-	1	0.0 %
19.32	-	1	0.0 %
19.70	-	1	0.0 %
20.63	-	1	0.0 %
21.51	-	1	0.0 %
21.71	-	1	0.0 %
22.46	-	1	0.0 %
22.51	-	1	0.0 %
23.16	-	1	0.0 %
23.71	-	1	0.0 %
24.17	-	1	0.0 %
24.31	-	1	0.0 %
24.58	-	1	0.0 %
24.72	-	1	0.0 %
25.22	-	1	0.0 %
25.45	-	1	0.0 %
25.51	-	1	0.0 %
25.98	-	1	0.0 %
26.04	-	1	0.0 %
26.37	-	1	0.0 %
26.49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27.15	-	1	0.0 %
27.44	-	1	0.0 %
28.84	-	1	0.0 %
29.51	-	1	0.0 %
29.70	-	1	0.0 %
29.75	-	1	0.0 %
30.19	-	1	0.0 %
30.55	-	3	0.1 %
30.78	-	1	0.0 %
30.80	-	1	0.0 %
30.84	-	1	0.0 %
30.99	-	1	0.0 %
31.05	-	1	0.0 %
31.33	-	1	0.0 %
31.34	-	1	0.0 %
31.40	-	1	0.0 %
31.45	-	1	0.0 %
31.67	-	1	0.0 %
31.69	-	1	0.0 %
31.73	-	2	0.1 %
31.78	-	1	0.0 %
31.87	-	1	0.0 %
31.99	-	1	0.0 %
32.01	-	1	0.0 %
32.18	-	1	0.0 %
32.19	-	1	0.0 %
32.40	-	1	0.0 %
32.50	-	1	0.0 %
32.52	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 70.80
- Minimum: 12.11
- Maximum: 219.36
- Standard Deviation: 26.28

Location: 2261-2266 (width: 6; decimal: 2)

Variable Type: numeric

BATTFAT5: DDE Total Fat before alcohol, gms

DDE Total Fat before alcohol, gms

Value	Label	Unweighted Frequency	%
4.66	-	1	0.0 %
10.82	-	1	0.0 %
12.02	-	1	0.0 %
13.29	-	1	0.0 %
13.37	-	1	0.0 %
13.38	-	1	0.0 %
13.90	-	1	0.0 %
14.49	-	1	0.0 %
14.71	-	1	0.0 %
14.80	-	1	0.0 %
14.89	-	1	0.0 %
15.23	-	1	0.0 %
15.41	-	1	0.0 %
15.78	-	1	0.0 %
16.82	-	1	0.0 %
17.23	-	1	0.0 %
17.26	-	1	0.0 %
17.52	-	1	0.0 %
17.66	-	1	0.0 %
17.67	-	1	0.0 %
17.72	-	2	0.1 %
17.78	-	1	0.0 %
17.90	-	1	0.0 %
19.18	-	1	0.0 %
19.20	-	1	0.0 %
19.32	-	2	0.1 %
19.42	-	1	0.0 %
19.73	-	1	0.0 %
19.75	-	1	0.0 %
20.32	-	1	0.0 %
20.71	-	1	0.0 %
21.07	-	1	0.0 %
21.46	-	1	0.0 %
21.58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
21.62	-	1	0.0 %
21.69	-	1	0.0 %
21.98	-	1	0.0 %
22.02	-	1	0.0 %
22.04	-	1	0.0 %
22.13	-	1	0.0 %
22.41	-	2	0.1 %
22.43	-	1	0.0 %
22.44	-	1	0.0 %
22.61	-	1	0.0 %
22.63	-	1	0.0 %
22.65	-	1	0.0 %
22.73	-	1	0.0 %
22.84	-	1	0.0 %
22.94	-	1	0.0 %
23.04	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 67.07
- Minimum: 4.66
- Maximum: 232.30
- Standard Deviation: 30.70

Location: 2267-2272 (*width:* 6; *decimal:* 2)

Variable Type: numeric

BATCARB5: DDE Carb before alcohol total, gms

DDE Carb before alcohol total, gms

Value	Label	Unweighted Frequency	%
21.59	-	1	0.0 %
25.51	-	1	0.0 %
26.53	-	1	0.0 %
32.38	-	1	0.0 %
36.42	-	1	0.0 %
45.16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48.20	-	1	0.0 %
49.07	-	1	0.0 %
50.71	-	1	0.0 %
51.76	-	1	0.0 %
51.81	-	1	0.0 %
51.96	-	1	0.0 %
52.21	-	1	0.0 %
55.18	-	1	0.0 %
55.60	-	1	0.0 %
56.70	-	1	0.0 %
57.70	-	1	0.0 %
57.74	-	1	0.0 %
59.16	-	1	0.0 %
60.66	-	1	0.0 %
63.09	-	1	0.0 %
63.32	-	1	0.0 %
63.81	-	1	0.0 %
63.97	-	1	0.0 %
64.34	-	1	0.0 %
64.47	-	1	0.0 %
66.42	-	1	0.0 %
66.73	-	1	0.0 %
67.01	-	1	0.0 %
67.48	-	1	0.0 %
67.56	-	1	0.0 %
67.97	-	1	0.0 %
68.02	-	1	0.0 %
69.55	-	1	0.0 %
69.98	-	1	0.0 %
70.96	-	1	0.0 %
71.19	-	1	0.0 %
71.44	-	1	0.0 %
71.70	-	1	0.0 %
72.32	-	1	0.0 %
72.44	-	1	0.0 %
73.14	-	1	0.0 %
73.27	-	1	0.0 %
73.98	-	1	0.0 %
74.25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
74.50	-	1	0.0 %
76.02	-	1	0.0 %
76.19	-	1	0.0 %
76.67	-	1	0.0 %
77.31	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 208.55
- Minimum: 21.59
- Maximum: 773.00
- Standard Deviation: 90.24

Location: 2273-2278 (*width:* 6; *decimal:* 2)

Variable Type: numeric

BATPHOS5: DDE Phosphorus before alcohol, mg

DDE Phosphorus before alcohol, mg

Value	Label	Unweighted Frequency	%
281.45	-	1	0.0 %
321.80	-	1	0.0 %
341.41	-	1	0.0 %
346.10	-	1	0.0 %
347.92	-	1	0.0 %
363.44	-	1	0.0 %
372.12	-	1	0.0 %
373.65	-	1	0.0 %
375.75	-	1	0.0 %
387.69	-	1	0.0 %
387.97	-	1	0.0 %
397.93	-	1	0.0 %
402.40	-	1	0.0 %
407.95	-	1	0.0 %
408.65	-	1	0.0 %
415.59	-	1	0.0 %
418.45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
419.88	-	1	0.0 %
421.39	-	1	0.0 %
423.00	-	1	0.0 %
424.35	-	1	0.0 %
428.27	-	1	0.0 %
432.83	-	1	0.0 %
433.95	-	1	0.0 %
440.66	-	1	0.0 %
443.49	-	1	0.0 %
444.37	-	1	0.0 %
445.48	-	1	0.0 %
450.01	-	1	0.0 %
451.78	-	1	0.0 %
452.05	-	1	0.0 %
452.30	-	1	0.0 %
456.13	-	1	0.0 %
456.73	-	1	0.0 %
459.08	-	1	0.0 %
460.34	-	1	0.0 %
460.97	-	1	0.0 %
465.87	-	1	0.0 %
466.49	-	1	0.0 %
470.04	-	1	0.0 %
471.04	-	1	0.0 %
472.01	-	1	0.0 %
472.06	-	1	0.0 %
472.96	-	1	0.0 %
478.72	-	1	0.0 %
480.84	-	1	0.0 %
483.59	-	1	0.0 %
484.49	-	1	0.0 %
487.58	-	1	0.0 %
488.14	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1128.62
- Minimum: 281.45
- Maximum: 4336.09
- Standard Deviation: 462.83

Location: 2279-2285 (width: 7; decimal: 2)

Variable Type: numeric

BATPOTS5: DDE Potassium before alcohol, mg

DDE Potassium before alcohol, mg

Value	Label	Unweighted Frequency	%
703.16	-	1	0.0 %
799.24	-	1	0.0 %
878.50	-	1	0.0 %
922.43	-	1	0.0 %
923.51	-	1	0.0 %
939.22	-	1	0.0 %
947.98	-	1	0.0 %
948.95	-	1	0.0 %
955.59	-	1	0.0 %
956.39	-	1	0.0 %
959.08	-	1	0.0 %
961.99	-	1	0.0 %
969.67	-	1	0.0 %
970.94	-	1	0.0 %
972.33	-	1	0.0 %
998.24	-	1	0.0 %
1006.24	-	1	0.0 %
1007.91	-	1	0.0 %
1011.78	-	1	0.0 %
1015.43	-	1	0.0 %
1047.05	-	1	0.0 %
1058.26	-	1	0.0 %
1059.70	-	1	0.0 %
1061.18	-	1	0.0 %
1065.59	-	1	0.0 %
1071.33	-	1	0.0 %
1074.77	-	1	0.0 %
1091.21	-	1	0.0 %
1097.73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1098.86	-	1	0.0 %
1107.85	-	1	0.0 %
1110.12	-	1	0.0 %
1116.75	-	1	0.0 %
1119.37	-	1	0.0 %
1127.09	-	1	0.0 %
1128.36	-	1	0.0 %
1129.81	-	1	0.0 %
1132.97	-	1	0.0 %
1139.60	-	1	0.0 %
1140.43	-	1	0.0 %
1147.55	-	1	0.0 %
1167.70	-	1	0.0 %
1167.98	-	1	0.0 %
1168.10	-	1	0.0 %
1169.95	-	1	0.0 %
1171.62	-	1	0.0 %
1172.70	-	1	0.0 %
1174.13	-	1	0.0 %
1178.84	-	1	0.0 %
1180.14	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2652.42
- Minimum: 703.16
- Maximum: 8478.79
- Standard Deviation: 1000.03

Location: 2286-2292 (*width:* 7; *decimal:* 2)

Variable Type: numeric

BATRIBO5: DDE Riboflavin before alcohol, mg

DDE Riboflavin before alcohol, mg

Value	Label	Unweighted Frequency	%
0.38	-	2	0.1 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	2	0.1 %
0.52	-	4	0.2 %
0.53	-	4	0.2 %
0.54	-	5	0.2 %
0.55	-	1	0.0 %
0.56	-	3	0.1 %
0.57	-	2	0.1 %
0.58	-	3	0.1 %
0.59	-	3	0.1 %
0.60	-	3	0.1 %
0.61	-	5	0.2 %
0.62	-	1	0.0 %
0.63	-	10	0.4 %
0.64	-	8	0.3 %
0.65	-	4	0.2 %
0.66	-	10	0.4 %
0.67	-	5	0.2 %
0.68	-	8	0.3 %
0.69	-	5	0.2 %
0.70	-	4	0.2 %
0.71	-	10	0.4 %
0.72	-	11	0.4 %
0.73	-	7	0.3 %
0.74	-	7	0.3 %
0.75	-	17	0.6 %
0.76	-	7	0.3 %
0.77	-	10	0.4 %
0.78	-	8	0.3 %
0.79	-	12	0.5 %

Value	Label	Unweighted Frequency	%
0.80	-	10	0.4 %
0.81	-	10	0.4 %
0.82	-	12	0.5 %
0.83	-	9	0.3 %
0.84	-	12	0.5 %
0.85	-	5	0.2 %
0.86	-	6	0.2 %
0.87	-	9	0.3 %
0.88	-	12	0.5 %
0.89	-	12	0.5 %
0.90	-	8	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.60
- Minimum: 0.38
- Maximum: 7.48
- Standard Deviation: 0.73

Location: 2293-2296 (width: 4; decimal: 2)

Variable Type: numeric

BATNIAC5: DDE Niacin before alcohol total, mg

DDE Niacin before alcohol total, mg

Value	Label	Unweighted Frequency	%
4.04	-	1	0.0 %
4.55	-	1	0.0 %
4.62	-	1	0.0 %
4.98	-	1	0.0 %
5.04	-	1	0.0 %
5.15	-	1	0.0 %
5.22	-	1	0.0 %
5.40	-	1	0.0 %
5.55	-	1	0.0 %
5.88	-	1	0.0 %
5.95	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.05	-	1	0.0 %
6.18	-	2	0.1 %
6.28	-	1	0.0 %
6.32	-	2	0.1 %
6.36	-	1	0.0 %
6.39	-	1	0.0 %
6.50	-	2	0.1 %
6.51	-	1	0.0 %
6.54	-	1	0.0 %
6.56	-	4	0.2 %
6.57	-	1	0.0 %
6.62	-	1	0.0 %
6.66	-	1	0.0 %
6.67	-	1	0.0 %
6.73	-	1	0.0 %
6.79	-	1	0.0 %
6.84	-	1	0.0 %
6.86	-	1	0.0 %
6.89	-	1	0.0 %
6.90	-	2	0.1 %
7.05	-	1	0.0 %
7.11	-	1	0.0 %
7.13	-	1	0.0 %
7.19	-	1	0.0 %
7.33	-	1	0.0 %
7.35	-	1	0.0 %
7.45	-	1	0.0 %
7.47	-	1	0.0 %
7.59	-	1	0.0 %
7.60	-	1	0.0 %
7.62	-	1	0.0 %
7.63	-	1	0.0 %
7.64	-	1	0.0 %
7.65	-	1	0.0 %
7.68	-	1	0.0 %
7.73	-	1	0.0 %
7.74	-	1	0.0 %
7.75	-	1	0.0 %
7.77	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 17.30
- Minimum: 4.04
- Maximum: 52.78
- Standard Deviation: 6.33

Location: 2297-2301 (width: 5; decimal: 2)

Variable Type: numeric

PCTALCH5: % KCAL fm Alcoholic Bevs

% KCAL fm Alcoholic Bevs

Value	Label	Unweighted Frequency	%
0.00	-	1068	40.8 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.23	-	1	0.0 %
0.24	-	2	0.1 %
0.25	-	1	0.0 %
0.27	-	1	0.0 %
0.31	-	2	0.1 %
0.33	-	2	0.1 %
0.34	-	1	0.0 %
0.35	-	3	0.1 %
0.36	-	1	0.0 %
0.39	-	2	0.1 %
0.40	-	1	0.0 %
0.42	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	1	0.0 %
0.45	-	3	0.1 %
0.46	-	2	0.1 %
0.47	-	2	0.1 %
0.48	-	5	0.2 %
0.49	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.50	-	2	0.1 %
0.52	-	3	0.1 %
0.53	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	2	0.1 %
0.56	-	2	0.1 %
0.57	-	3	0.1 %
0.58	-	3	0.1 %
0.59	-	7	0.3 %
0.60	-	2	0.1 %
0.61	-	3	0.1 %
0.62	-	3	0.1 %
0.63	-	3	0.1 %
0.64	-	3	0.1 %
0.65	-	4	0.2 %
0.66	-	5	0.2 %
0.67	-	3	0.1 %
0.68	-	2	0.1 %
0.69	-	4	0.2 %
0.70	-	2	0.1 %
0.71	-	3	0.1 %
0.72	-	4	0.2 %
0.73	-	3	0.1 %
0.74	-	9	0.3 %
0.75	-	4	0.2 %
0.76	-	3	0.1 %
0.77	-	4	0.2 %
0.78	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.67
- Minimum: 0.00
- Maximum: 54.54
- Standard Deviation: 5.12

Location: 2302-2306 (width: 5; decimal: 2)

Variable Type: numeric

PCTSWET5: % KCAL from Sweets

% KCAL from Sweets

Value	Label	Unweighted Frequency	%
0.00	-	56	2.1 %
0.12	-	1	0.0 %
0.16	-	1	0.0 %
0.22	-	1	0.0 %
0.24	-	1	0.0 %
0.27	-	2	0.1 %
0.31	-	1	0.0 %
0.32	-	1	0.0 %
0.34	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.47	-	2	0.1 %
0.50	-	1	0.0 %
0.60	-	1	0.0 %
0.61	-	1	0.0 %
0.66	-	1	0.0 %
0.67	-	1	0.0 %
0.69	-	1	0.0 %
0.74	-	1	0.0 %
0.80	-	2	0.1 %
0.85	-	1	0.0 %
0.86	-	2	0.1 %
0.89	-	3	0.1 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.92	-	1	0.0 %
0.96	-	1	0.0 %
0.97	-	1	0.0 %
0.98	-	1	0.0 %
1.01	-	1	0.0 %
1.02	-	2	0.1 %
1.03	-	1	0.0 %
1.05	-	1	0.0 %
1.06	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.12	-	1	0.0 %
1.14	-	3	0.1 %
1.15	-	1	0.0 %
1.17	-	2	0.1 %
1.18	-	4	0.2 %
1.22	-	1	0.0 %
1.24	-	1	0.0 %
1.28	-	1	0.0 %
1.34	-	1	0.0 %
1.37	-	1	0.0 %
1.39	-	4	0.2 %
1.46	-	1	0.0 %
1.47	-	1	0.0 %
1.48	-	1	0.0 %
1.50	-	1	0.0 %
1.51	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 14.91
- Minimum: 0.00
- Maximum: 76.35
- Standard Deviation: 11.68

Location: 2307-2311 (*width:* 5; *decimal:* 2)

Variable Type: numeric

PCTFAT5: % KCAL from Fat

% KCAL from Fat

Value	Label	Unweighted Frequency	%
6.68	-	1	0.0 %
9.49	-	1	0.0 %
10.02	-	1	0.0 %
11.19	-	1	0.0 %
11.88	-	1	0.0 %
12.15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.66	-	1	0.0 %
13.02	-	1	0.0 %
13.15	-	1	0.0 %
13.42	-	1	0.0 %
13.63	-	1	0.0 %
13.99	-	1	0.0 %
14.13	-	1	0.0 %
14.46	-	1	0.0 %
14.50	-	1	0.0 %
14.77	-	1	0.0 %
14.92	-	1	0.0 %
15.35	-	1	0.0 %
15.43	-	1	0.0 %
15.66	-	1	0.0 %
16.07	-	1	0.0 %
16.77	-	1	0.0 %
16.92	-	1	0.0 %
17.02	-	1	0.0 %
17.09	-	1	0.0 %
17.14	-	1	0.0 %
17.27	-	1	0.0 %
17.49	-	1	0.0 %
17.62	-	1	0.0 %
17.73	-	1	0.0 %
17.75	-	1	0.0 %
17.80	-	1	0.0 %
17.86	-	1	0.0 %
17.97	-	1	0.0 %
18.01	-	1	0.0 %
18.16	-	1	0.0 %
18.33	-	1	0.0 %
18.47	-	2	0.1 %
18.61	-	1	0.0 %
18.76	-	1	0.0 %
18.82	-	1	0.0 %
18.90	-	1	0.0 %
18.92	-	1	0.0 %
18.97	-	1	0.0 %
18.99	-	3	0.1 %

Value	Label	Unweighted Frequency	%
19.01	-	1	0.0 %
19.02	-	1	0.0 %
19.08	-	1	0.0 %
19.13	-	1	0.0 %
19.31	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 34.24
- Minimum: 6.68
- Maximum: 65.67
- Standard Deviation: 7.52

Location: 2312-2316 (*width:* 5; *decimal:* 2)

Variable Type: numeric

PCTPROT5: % KCAL from Protein

% KCAL from Protein

Value	Label	Unweighted Frequency	%
6.34	-	1	0.0 %
6.55	-	1	0.0 %
6.98	-	1	0.0 %
7.68	-	1	0.0 %
7.71	-	1	0.0 %
7.73	-	1	0.0 %
7.83	-	1	0.0 %
7.86	-	1	0.0 %
7.92	-	1	0.0 %
7.99	-	1	0.0 %
8.00	-	1	0.0 %
8.39	-	1	0.0 %
8.63	-	1	0.0 %
8.66	-	1	0.0 %
8.67	-	1	0.0 %
8.80	-	1	0.0 %
8.95	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.00	-	1	0.0 %
9.08	-	1	0.0 %
9.15	-	1	0.0 %
9.17	-	1	0.0 %
9.27	-	1	0.0 %
9.28	-	1	0.0 %
9.30	-	1	0.0 %
9.31	-	1	0.0 %
9.39	-	1	0.0 %
9.44	-	1	0.0 %
9.49	-	2	0.1 %
9.57	-	1	0.0 %
9.59	-	1	0.0 %
9.60	-	1	0.0 %
9.63	-	2	0.1 %
9.70	-	1	0.0 %
9.75	-	1	0.0 %
9.80	-	1	0.0 %
9.82	-	1	0.0 %
9.90	-	1	0.0 %
9.91	-	1	0.0 %
9.92	-	1	0.0 %
9.93	-	1	0.0 %
9.94	-	1	0.0 %
9.96	-	1	0.0 %
9.97	-	1	0.0 %
10.10	-	1	0.0 %
10.12	-	1	0.0 %
10.16	-	1	0.0 %
10.20	-	1	0.0 %
10.22	-	1	0.0 %
10.24	-	2	0.1 %
10.26	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 16.64
- Minimum: 6.34
- Maximum: 40.55
- Standard Deviation: 3.74

Location: 2317-2321 (width: 5; decimal: 2)

Variable Type: numeric

PCTCARB5: % KCAL from Carb

% KCAL from Carb

Value	Label	Unweighted Frequency	%
8.10	-	1	0.0 %
8.47	-	1	0.0 %
10.59	-	1	0.0 %
11.67	-	1	0.0 %
12.31	-	1	0.0 %
13.08	-	1	0.0 %
16.98	-	1	0.0 %
17.71	-	1	0.0 %
17.80	-	1	0.0 %
20.20	-	1	0.0 %
20.64	-	1	0.0 %
20.89	-	1	0.0 %
21.81	-	1	0.0 %
23.09	-	1	0.0 %
23.10	-	1	0.0 %
23.37	-	1	0.0 %
25.22	-	1	0.0 %
25.33	-	1	0.0 %
25.37	-	1	0.0 %
25.81	-	1	0.0 %
26.33	-	1	0.0 %
26.45	-	1	0.0 %
26.60	-	1	0.0 %
26.73	-	1	0.0 %
26.84	-	1	0.0 %
27.31	-	1	0.0 %
27.39	-	1	0.0 %
27.41	-	1	0.0 %
27.56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27.63	-	1	0.0 %
27.72	-	1	0.0 %
27.89	-	1	0.0 %
28.31	-	1	0.0 %
28.42	-	1	0.0 %
28.90	-	1	0.0 %
29.04	-	1	0.0 %
29.10	-	1	0.0 %
29.22	-	1	0.0 %
29.37	-	1	0.0 %
29.40	-	1	0.0 %
29.61	-	1	0.0 %
29.75	-	1	0.0 %
30.21	-	1	0.0 %
30.26	-	1	0.0 %
30.47	-	1	0.0 %
30.51	-	1	0.0 %
30.53	-	1	0.0 %
30.72	-	1	0.0 %
30.83	-	1	0.0 %
31.09	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 48.45
- Minimum: 8.10
- Maximum: 93.67
- Standard Deviation: 8.69

Location: 2322-2326 (width: 5; decimal: 2)

Variable Type: numeric

FRUTSRV5: N servings fruit or fruit juice

N servings fruit or fruit juice

Value	Label	Unweighted Frequency	%
0.0	-	27	1.0 %

Value	Label	Unweighted Frequency	%
0.1	-	35	1.3 %
0.2	-	92	3.5 %
0.3	-	102	3.9 %
0.4	-	77	2.9 %
0.5	-	93	3.6 %
0.6	-	132	5.0 %
0.7	-	87	3.3 %
0.8	-	108	4.1 %
0.9	-	94	3.6 %
1.0	-	133	5.1 %
1.1	-	96	3.7 %
1.2	-	124	4.7 %
1.3	-	106	4.1 %
1.4	-	84	3.2 %
1.5	-	111	4.2 %
1.6	-	76	2.9 %
1.7	-	52	2.0 %
1.8	-	61	2.3 %
1.9	-	51	1.9 %
2.0	-	52	2.0 %
2.1	-	48	1.8 %
2.2	-	30	1.1 %
2.3	-	40	1.5 %
2.4	-	25	1.0 %
2.5	-	36	1.4 %
2.6	-	25	1.0 %
2.7	-	17	0.6 %
2.8	-	16	0.6 %
2.9	-	6	0.2 %
3.0	-	17	0.6 %
3.1	-	10	0.4 %
3.2	-	11	0.4 %
3.3	-	8	0.3 %
3.4	-	6	0.2 %
3.5	-	4	0.2 %
3.6	-	5	0.2 %
3.7	-	1	0.0 %
3.8	-	7	0.3 %
3.9	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.0	-	1	0.0 %
4.1	-	2	0.1 %
4.3	-	1	0.0 %
4.4	-	3	0.1 %
4.6	-	1	0.0 %
4.9	-	2	0.1 %
5.0	-	1	0.0 %
5.4	-	1	0.0 %
5.7	-	2	0.1 %
5.8	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.26
- Median: 1.10
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.40
- Standard Deviation: 0.84

Location: 2327-2329 (width: 3; decimal: 1)

Variable Type: numeric

FVFRQ5: Sum daily freq Fruit + Veg

Sum daily freq Fruit + Veg

Value	Label	Unweighted Frequency	%
0.1	-	3	0.1 %
0.2	-	1	0.0 %
0.3	-	1	0.0 %
0.4	-	6	0.2 %
0.5	-	4	0.2 %
0.6	-	7	0.3 %
0.7	-	14	0.5 %
0.8	-	16	0.6 %
0.9	-	27	1.0 %
1.0	-	29	1.1 %

Value	Label	Unweighted Frequency	%
1.1	-	23	0.9 %
1.2	-	26	1.0 %
1.3	-	45	1.7 %
1.4	-	53	2.0 %
1.5	-	57	2.2 %
1.6	-	67	2.6 %
1.7	-	58	2.2 %
1.8	-	68	2.6 %
1.9	-	62	2.4 %
2.0	-	64	2.4 %
2.1	-	65	2.5 %
2.2	-	83	3.2 %
2.3	-	64	2.4 %
2.4	-	72	2.8 %
2.5	-	74	2.8 %
2.6	-	63	2.4 %
2.7	-	55	2.1 %
2.8	-	62	2.4 %
2.9	-	55	2.1 %
3.0	-	61	2.3 %
3.1	-	59	2.3 %
3.2	-	53	2.0 %
3.3	-	56	2.1 %
3.4	-	61	2.3 %
3.5	-	63	2.4 %
3.6	-	38	1.5 %
3.7	-	48	1.8 %
3.8	-	36	1.4 %
3.9	-	35	1.3 %
4.0	-	41	1.6 %
4.1	-	27	1.0 %
4.2	-	35	1.3 %
4.3	-	29	1.1 %
4.4	-	27	1.0 %
4.5	-	28	1.1 %
4.6	-	20	0.8 %
4.7	-	17	0.6 %
4.8	-	12	0.5 %
4.9	-	13	0.5 %

Value	Label	Unweighted Frequency	%
5.0	-	13	0.5 %
	Missing Data		
-	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.853882352941
- Median: 2.700000000000
- Mode: 2.200000000000
- Minimum: 0.100000000000
- Maximum: 12.500000000000
- Standard Deviation: 1.315627579436

Location: 2330-2344 (width: 15; decimal: 12)

Variable Type: numeric

VEGSRV5: N servings Veg

N servings Veg

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.1 %
0.046000000000	-	1	0.0 %
0.055714285714	-	1	0.0 %
0.108228571429	-	1	0.0 %
0.122857142857	-	1	0.0 %
0.124285714286	-	1	0.0 %
0.127428571429	-	1	0.0 %
0.137142857143	-	1	0.0 %
0.144285714286	-	2	0.1 %
0.161085714286	-	1	0.0 %
0.170742857143	-	1	0.0 %
0.177142857143	-	1	0.0 %
0.189657142857	-	1	0.0 %
0.191428571429	-	1	0.0 %
0.197142857143	-	1	0.0 %
0.201428571429	-	1	0.0 %
0.202514285714	-	1	0.0 %
0.210285714286	-	1	0.0 %
0.213942857143	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.219942857143	-	1	0.0 %
0.231428571429	-	1	0.0 %
0.257371428571	-	1	0.0 %
0.258114285714	-	1	0.0 %
0.261085714286	-	2	0.1 %
0.261657142857	-	1	0.0 %
0.262857142857	-	1	0.0 %
0.272857142857	-	1	0.0 %
0.280285714286	-	1	0.0 %
0.295028571429	-	1	0.0 %
0.298114285714	-	1	0.0 %
0.308457142857	-	1	0.0 %
0.311428571429	-	1	0.0 %
0.314285714286	-	1	0.0 %
0.316628571429	-	1	0.0 %
0.316800000000	-	1	0.0 %
0.318514285714	-	1	0.0 %
0.324285714286	-	2	0.1 %
0.326628571429	-	1	0.0 %
0.330914285714	-	1	0.0 %
0.332857142857	-	1	0.0 %
0.334514285714	-	1	0.0 %
0.341085714286	-	1	0.0 %
0.341428571429	-	1	0.0 %
0.344285714286	-	1	0.0 %
0.344685714286	-	1	0.0 %
0.350228571429	-	2	0.1 %
0.351428571429	-	1	0.0 %
0.353942857143	-	1	0.0 %
0.358228571429	-	1	0.0 %
0.358571428571	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.075646359664
- Minimum: 0.000000000000
- Maximum: 12.822514285714
- Standard Deviation: 1.461203282400

Location: 2345-2359 (width: 15; decimal: 12)

Variable Type: numeric

VEGFRQ5: Sum daily freq Veg

Sum daily freq Veg

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.1	-	5	0.2 %
0.2	-	8	0.3 %
0.3	-	13	0.5 %
0.4	-	31	1.2 %
0.5	-	55	2.1 %
0.6	-	61	2.3 %
0.7	-	79	3.0 %
0.8	-	94	3.6 %
0.9	-	104	4.0 %
1.0	-	117	4.5 %
1.1	-	128	4.9 %
1.2	-	111	4.2 %
1.3	-	105	4.0 %
1.4	-	128	4.9 %
1.5	-	124	4.7 %
1.6	-	99	3.8 %
1.7	-	97	3.7 %
1.8	-	95	3.6 %
1.9	-	96	3.7 %
2.0	-	61	2.3 %
2.1	-	66	2.5 %
2.2	-	61	2.3 %
2.3	-	50	1.9 %
2.4	-	48	1.8 %
2.5	-	47	1.8 %
2.6	-	39	1.5 %
2.7	-	28	1.1 %
2.8	-	28	1.1 %
2.9	-	24	0.9 %

Value	Label	Unweighted Frequency	%
3.0	-	14	0.5 %
3.1	-	16	0.6 %
3.2	-	12	0.5 %
3.3	-	11	0.4 %
3.4	-	14	0.5 %
3.5	-	10	0.4 %
3.6	-	6	0.2 %
3.7	-	5	0.2 %
3.8	-	3	0.1 %
3.9	-	1	0.0 %
4.0	-	4	0.2 %
4.1	-	1	0.0 %
4.2	-	4	0.2 %
4.3	-	3	0.1 %
4.4	-	1	0.0 %
4.6	-	3	0.1 %
4.9	-	2	0.1 %
5.0	-	1	0.0 %
5.1	-	1	0.0 %
5.4	-	4	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.5941176470588
- Median: 1.50000000000000
- Minimum: 0.00000000000000
- Maximum: 6.60000000000000
- Standard Deviation: 0.8137172818479

Location: 2360-2374 (*width:* 15; *decimal:* 13)

Variable Type: numeric

GRANSRV5: N servings Grains

N servings Grains

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.036470588235	-	1	0.0 %
0.160336134454	-	1	0.0 %
0.174453781513	-	1	0.0 %
0.177184873950	-	1	0.0 %
0.206218487395	-	1	0.0 %
0.215294117647	-	1	0.0 %
0.253361344538	-	1	0.0 %
0.259159663866	-	1	0.0 %
0.261176470588	-	1	0.0 %
0.265042016807	-	1	0.0 %
0.268655462185	-	1	0.0 %
0.290588235294	-	1	0.0 %
0.312941176471	-	1	0.0 %
0.332478991597	-	1	0.0 %
0.358739495798	-	1	0.0 %
0.371344537815	-	1	0.0 %
0.403529411765	-	1	0.0 %
0.417647058824	-	1	0.0 %
0.471764705882	-	1	0.0 %
0.488613445378	-	1	0.0 %
0.540336134454	-	1	0.0 %
0.547058823529	-	1	0.0 %
0.563529411765	-	1	0.0 %
0.598823529412	-	1	0.0 %
0.601176470588	-	1	0.0 %
0.636848739496	-	1	0.0 %
0.650924369748	-	1	0.0 %
0.665546218487	-	1	0.0 %
0.682521008403	-	1	0.0 %
0.700672268908	-	1	0.0 %
0.704705882353	-	1	0.0 %
0.707058823529	-	1	0.0 %
0.711092436975	-	1	0.0 %
0.735084033613	-	1	0.0 %
0.754117647059	-	1	0.0 %
0.809915966387	-	1	0.0 %
0.825588235294	-	1	0.0 %
0.883403361345	-	1	0.0 %
0.898823529412	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.901260504202	-	1	0.0 %
0.905924369748	-	1	0.0 %
0.906176470588	-	1	0.0 %
0.917647058824	-	1	0.0 %
0.920000000000	-	1	0.0 %
0.920924369748	-	1	0.0 %
0.925966386555	-	1	0.0 %
0.939705882353	-	1	0.0 %
0.941428571429	-	1	0.0 %
0.952478991597	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4.452087177459
- Minimum: 0.000000000000
- Maximum: 17.354033613445
- Standard Deviation: 2.203707650485

Location: 2375-2389 (width: 15; decimal: 12)

Variable Type: numeric

GRANFRQ5: Sum daily freq Grains

Sum daily freq Grains

Value	Label	Unweighted Frequency	%
0.0	-	4	0.2 %
0.1	-	4	0.2 %
0.2	-	6	0.2 %
0.3	-	1	0.0 %
0.4	-	12	0.5 %
0.5	-	11	0.4 %
0.6	-	17	0.6 %
0.7	-	28	1.1 %
0.8	-	23	0.9 %
0.9	-	35	1.3 %
1.0	-	25	1.0 %

Value	Label	Unweighted Frequency	%
1.1	-	40	1.5 %
1.2	-	59	2.3 %
1.3	-	62	2.4 %
1.4	-	82	3.1 %
1.5	-	70	2.7 %
1.6	-	93	3.6 %
1.7	-	100	3.8 %
1.8	-	100	3.8 %
1.9	-	86	3.3 %
2.0	-	106	4.1 %
2.1	-	111	4.2 %
2.2	-	98	3.7 %
2.3	-	100	3.8 %
2.4	-	98	3.7 %
2.5	-	92	3.5 %
2.6	-	56	2.1 %
2.7	-	80	3.1 %
2.8	-	67	2.6 %
2.9	-	51	1.9 %
3.0	-	53	2.0 %
3.1	-	46	1.8 %
3.2	-	39	1.5 %
3.3	-	41	1.6 %
3.4	-	34	1.3 %
3.5	-	30	1.1 %
3.6	-	35	1.3 %
3.7	-	26	1.0 %
3.8	-	13	0.5 %
3.9	-	15	0.6 %
4.0	-	15	0.6 %
4.1	-	6	0.2 %
4.2	-	11	0.4 %
4.3	-	7	0.3 %
4.4	-	4	0.2 %
4.5	-	5	0.2 %
4.6	-	5	0.2 %
4.7	-	6	0.2 %
4.8	-	4	0.2 %
4.9	-	3	0.1 %

Value	Label	Unweighted Frequency	%
-	Missing Data	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.2129882352941
- Median: 2.1000000000000
- Mode: 2.1000000000000
- Minimum: 0.0000000000000
- Maximum: 6.6000000000000
- Standard Deviation: 0.8943644243239

Location: 2390-2404 (width: 15; decimal: 13)

Variable Type: numeric

MEATSRV5: N servings Meat

N servings Meat

Value	Label	Unweighted Frequency	%
0.0647058823529	-	1	0.0 %
0.1975294117647	-	1	0.0 %
0.2669607843137	-	1	0.0 %
0.2886274509804	-	1	0.0 %
0.2890000000000	-	1	0.0 %
0.3252156862745	-	1	0.0 %
0.3367843137255	-	1	0.0 %
0.3463137254902	-	1	0.0 %
0.3741176470588	-	1	0.0 %
0.3911764705882	-	1	0.0 %
0.4086666666667	-	1	0.0 %
0.4155686274510	-	1	0.0 %
0.4208431372549	-	1	0.0 %
0.4215686274510	-	1	0.0 %
0.4279019607843	-	1	0.0 %
0.4324117647059	-	1	0.0 %
0.4332941176471	-	1	0.0 %
0.4444117647059	-	1	0.0 %
0.4595490196078	-	1	0.0 %
0.4702352941176	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.4987647058824	-	1	0.0 %
0.4993529411765	-	1	0.0 %
0.5055882352941	-	1	0.0 %
0.5179803921569	-	1	0.0 %
0.5203921568627	-	1	0.0 %
0.5208039215686	-	1	0.0 %
0.5208235294118	-	1	0.0 %
0.5230784313725	-	1	0.0 %
0.5278039215686	-	1	0.0 %
0.5325882352941	-	1	0.0 %
0.5434117647059	-	1	0.0 %
0.5467254901961	-	1	0.0 %
0.5485686274510	-	1	0.0 %
0.5534313725490	-	1	0.0 %
0.5626078431373	-	1	0.0 %
0.5645686274510	-	1	0.0 %
0.5649411764706	-	1	0.0 %
0.5697450980392	-	1	0.0 %
0.5710588235294	-	1	0.0 %
0.5752941176471	-	1	0.0 %
0.5925882352941	-	1	0.0 %
0.6044117647059	-	1	0.0 %
0.6098039215686	-	1	0.0 %
0.6116666666667	-	1	0.0 %
0.6123921568627	-	1	0.0 %
0.6139607843137	-	1	0.0 %
0.6140000000000	-	1	0.0 %
0.6153137254902	-	1	0.0 %
0.6154509803922	-	1	0.0 %
0.6193921568627	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.9761998615917

- Minimum: 0.0647058823529
- Maximum: 7.8244901960784
- Standard Deviation: 0.9988258776864

Location: 2405-2419 (width: 15; decimal: 13)

Variable Type: numeric

MEATFRQ5: Sum daily freq Meat

Sum daily freq Meat

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0 %
0.2	-	1	0.0 %
0.4	-	3	0.1 %
0.5	-	6	0.2 %
0.6	-	15	0.6 %
0.7	-	19	0.7 %
0.8	-	33	1.3 %
0.9	-	44	1.7 %
1.0	-	51	1.9 %
1.1	-	65	2.5 %
1.2	-	86	3.3 %
1.3	-	70	2.7 %
1.4	-	100	3.8 %
1.5	-	131	5.0 %
1.6	-	93	3.6 %
1.7	-	100	3.8 %
1.8	-	112	4.3 %
1.9	-	107	4.1 %
2.0	-	105	4.0 %
2.1	-	106	4.1 %
2.2	-	77	2.9 %
2.3	-	83	3.2 %
2.4	-	81	3.1 %
2.5	-	77	2.9 %
2.6	-	57	2.2 %
2.7	-	51	1.9 %
2.8	-	42	1.6 %
2.9	-	48	1.8 %
3.0	-	35	1.3 %
3.1	-	37	1.4 %
3.2	-	29	1.1 %

Value	Label	Unweighted Frequency	%
3.3	-	26	1.0 %
3.4	-	23	0.9 %
3.5	-	26	1.0 %
3.6	-	21	0.8 %
3.7	-	21	0.8 %
3.8	-	17	0.6 %
3.9	-	8	0.3 %
4.0	-	13	0.5 %
4.1	-	11	0.4 %
4.2	-	10	0.4 %
4.3	-	9	0.3 %
4.4	-	15	0.6 %
4.5	-	3	0.1 %
4.6	-	10	0.4 %
4.7	-	5	0.2 %
4.8	-	5	0.2 %
4.9	-	6	0.2 %
5.0	-	4	0.2 %
5.1	-	2	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.1475294117647
- Median: 2.0000000000000
- Mode: 1.5000000000000
- Minimum: 0.1000000000000
- Maximum: 6.7000000000000
- Standard Deviation: 0.9632316549012

Location: 2420-2434 (*width:* 15; *decimal:* 13)

Variable Type: numeric

DARYSRV5: N servings DAIRY

N servings DAIRY

Value	Label	Unweighted Frequency	%
0.0000000000000	-	25	1.0 %

Value	Label	Unweighted Frequency	%
0.008750000000	-	2	0.1 %
0.015833333333	-	2	0.1 %
0.017083333333	-	1	0.0 %
0.017916666667	-	9	0.3 %
0.032500000000	-	1	0.0 %
0.036250000000	-	1	0.0 %
0.038750000000	-	1	0.0 %
0.041666666667	-	5	0.2 %
0.047916666667	-	1	0.0 %
0.050000000000	-	1	0.0 %
0.053571428571	-	1	0.0 %
0.053750000000	-	1	0.0 %
0.054166666667	-	1	0.0 %
0.057500000000	-	1	0.0 %
0.061071428571	-	1	0.0 %
0.062321428571	-	1	0.0 %
0.062500000000	-	3	0.1 %
0.063154761905	-	1	0.0 %
0.065833333333	-	1	0.0 %
0.067083333333	-	1	0.0 %
0.071250000000	-	1	0.0 %
0.072083333333	-	1	0.0 %
0.075000000000	-	1	0.0 %
0.075416666667	-	1	0.0 %
0.077500000000	-	2	0.1 %
0.079166666667	-	1	0.0 %
0.080238095238	-	2	0.1 %
0.080416666667	-	2	0.1 %
0.081488095238	-	1	0.0 %
0.082500000000	-	1	0.0 %
0.085000000000	-	1	0.0 %
0.085416666667	-	2	0.1 %
0.086904761905	-	1	0.0 %
0.088750000000	-	1	0.0 %
0.090000000000	-	1	0.0 %
0.090833333333	-	2	0.1 %
0.093333333333	-	1	0.0 %
0.095238095238	-	2	0.1 %
0.096904761905	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.098571428571	-	1	0.0 %
0.098750000000	-	1	0.0 %
0.102321428571	-	2	0.1 %
0.102380952381	-	2	0.1 %
0.103988095238	-	1	0.0 %
0.1041666666667	-	1	0.0 %
0.1091666666667	-	1	0.0 %
0.110654761905	-	1	0.0 %
0.110833333333	-	1	0.0 %
0.113154761905	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.498270840336
- Minimum: 0.000000000000
- Maximum: 14.1954166666667
- Standard Deviation: 1.382953361324

Location: 2435-2449 (width: 15; decimal: 12)

Variable Type: numeric

DARYFRQ5: Sum daily freq Dairy

Sum daily freq Dairy

Value	Label	Unweighted Frequency	%
0.0	-	40	1.5 %
0.1	-	52	2.0 %
0.2	-	38	1.5 %
0.3	-	42	1.6 %
0.4	-	56	2.1 %
0.5	-	54	2.1 %
0.6	-	46	1.8 %
0.7	-	51	1.9 %
0.8	-	54	2.1 %
0.9	-	47	1.8 %
1.0	-	63	2.4 %

Value	Label	Unweighted Frequency	%
1.1	-	77	2.9 %
1.2	-	64	2.4 %
1.3	-	57	2.2 %
1.4	-	70	2.7 %
1.5	-	65	2.5 %
1.6	-	71	2.7 %
1.7	-	57	2.2 %
1.8	-	39	1.5 %
1.9	-	48	1.8 %
2.0	-	49	1.9 %
2.1	-	54	2.1 %
2.2	-	46	1.8 %
2.3	-	55	2.1 %
2.4	-	51	1.9 %
2.5	-	43	1.6 %
2.6	-	49	1.9 %
2.7	-	44	1.7 %
2.8	-	37	1.4 %
2.9	-	35	1.3 %
3.0	-	39	1.5 %
3.1	-	34	1.3 %
3.2	-	45	1.7 %
3.3	-	21	0.8 %
3.4	-	26	1.0 %
3.5	-	36	1.4 %
3.6	-	22	0.8 %
3.7	-	23	0.9 %
3.8	-	27	1.0 %
3.9	-	17	0.6 %
4.0	-	16	0.6 %
4.1	-	15	0.6 %
4.2	-	19	0.7 %
4.3	-	12	0.5 %
4.4	-	13	0.5 %
4.5	-	9	0.3 %
4.6	-	12	0.5 %
4.7	-	14	0.5 %
4.8	-	7	0.3 %
4.9	-	14	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-		492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.214823529412
- Median: 1.900000000000
- Mode: 1.100000000000
- Minimum: 0.000000000000
- Maximum: 10.800000000000
- Standard Deviation: 1.634748473028

Location: 2450-2464 (width: 15; decimal: 12)

Variable Type: numeric

FVSRV5: N servings Fruit + Veg

N servings Fruit + Veg

Value	Label	Unweighted Frequency	%
0.046000000000	-	1	0.0 %
0.055714285714	-	1	0.0 %
0.100000000000	-	1	0.0 %
0.208228571429	-	1	0.0 %
0.327428571429	-	1	0.0 %
0.341428571429	-	1	0.0 %
0.361085714286	-	1	0.0 %
0.385714285714	-	1	0.0 %
0.391428571429	-	1	0.0 %
0.402514285714	-	1	0.0 %
0.422857142857	-	1	0.0 %
0.430000000000	-	1	0.0 %
0.434514285714	-	1	0.0 %
0.461085714286	-	1	0.0 %
0.472857142857	-	1	0.0 %
0.501428571429	-	1	0.0 %
0.511428571429	-	1	0.0 %
0.522342857143	-	1	0.0 %
0.554285714286	-	1	0.0 %
0.562857142857	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.575714285714	-	1	0.0 %
0.590171428571	-	1	0.0 %
0.595028571429	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.614228571429	-	1	0.0 %
0.614285714286	-	1	0.0 %
0.624285714286	-	1	0.0 %
0.634285714286	-	1	0.0 %
0.661428571429	-	1	0.0 %
0.665600000000	-	1	0.0 %
0.667142857143	-	1	0.0 %
0.671428571429	-	1	0.0 %
0.681428571429	-	1	0.0 %
0.688571428571	-	1	0.0 %
0.700000000000	-	1	0.0 %
0.726628571429	-	1	0.0 %
0.737142857143	-	1	0.0 %
0.750228571429	-	1	0.0 %
0.753942857143	-	1	0.0 %
0.757371428571	-	1	0.0 %
0.759657142857	-	1	0.0 %
0.768400000000	-	1	0.0 %
0.770742857143	-	1	0.0 %
0.780285714286	-	1	0.0 %
0.787142857143	-	1	0.0 %
0.789657142857	-	1	0.0 %
0.793885714286	-	1	0.0 %
0.797485714286	-	1	0.0 %
0.802857142857	-	1	0.0 %
0.811257142857	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.335411065546

- Minimum: 0.046000000000
- Maximum: 17.209314285714
- Standard Deviation: 1.825143810273

Location: 2465-2479 (width: 15; decimal: 12)

Variable Type: numeric

FATSRV5: Servings of fats/sweets/snacks

Servings of fats/sweets/snacks

Value	Label	Unweighted Frequency	%
0.0	-	5	0.2 %
0.1	-	4	0.2 %
0.2	-	11	0.4 %
0.3	-	12	0.5 %
0.4	-	20	0.8 %
0.5	-	17	0.6 %
0.6	-	12	0.5 %
0.7	-	20	0.8 %
0.8	-	21	0.8 %
0.9	-	34	1.3 %
1.0	-	44	1.7 %
1.1	-	41	1.6 %
1.2	-	32	1.2 %
1.3	-	55	2.1 %
1.4	-	59	2.3 %
1.5	-	47	1.8 %
1.6	-	46	1.8 %
1.7	-	55	2.1 %
1.8	-	44	1.7 %
1.9	-	68	2.6 %
2.0	-	61	2.3 %
2.1	-	60	2.3 %
2.2	-	59	2.3 %
2.3	-	48	1.8 %
2.4	-	64	2.4 %
2.5	-	63	2.4 %
2.6	-	52	2.0 %
2.7	-	48	1.8 %
2.8	-	52	2.0 %
2.9	-	53	2.0 %
3.0	-	40	1.5 %

Value	Label	Unweighted Frequency	%
3.1	-	56	2.1 %
3.2	-	40	1.5 %
3.3	-	31	1.2 %
3.4	-	43	1.6 %
3.5	-	37	1.4 %
3.6	-	40	1.5 %
3.7	-	42	1.6 %
3.8	-	35	1.3 %
3.9	-	32	1.2 %
4.0	-	31	1.2 %
4.1	-	38	1.5 %
4.2	-	23	0.9 %
4.3	-	22	0.8 %
4.4	-	26	1.0 %
4.5	-	30	1.1 %
4.6	-	18	0.7 %
4.7	-	15	0.6 %
4.8	-	19	0.7 %
4.9	-	17	0.6 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.01
- Median: 2.70
- Mode: 1.90
- Minimum: 0.00
- Maximum: 13.40
- Standard Deviation: 1.79

Location: 2480-2483 (width: 4; decimal: 1)

Variable Type: numeric

ALCHSRV5: N servings of Alcoholic Beverages

N servings of Alcoholic Beverages

Value	Label	Unweighted Frequency	%
0.0	-	1068	40.8 %

Value	Label	Unweighted Frequency	%
0.1	-	440	16.8 %
0.2	-	76	2.9 %
0.3	-	31	1.2 %
0.4	-	91	3.5 %
0.5	-	120	4.6 %
0.6	-	14	0.5 %
0.7	-	5	0.2 %
0.8	-	80	3.1 %
0.9	-	33	1.3 %
1.0	-	30	1.1 %
1.1	-	36	1.4 %
1.2	-	13	0.5 %
1.3	-	4	0.2 %
1.4	-	9	0.3 %
1.5	-	8	0.3 %
1.6	-	3	0.1 %
1.8	-	6	0.2 %
1.9	-	1	0.0 %
2.0	-	24	0.9 %
2.1	-	12	0.5 %
2.2	-	5	0.2 %
2.3	-	1	0.0 %
2.4	-	5	0.2 %
2.5	-	2	0.1 %
2.6	-	1	0.0 %
3.0	-	2	0.1 %
3.4	-	1	0.0 %
4.1	-	1	0.0 %
5.0	-	2	0.1 %
5.8	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.80

- Standard Deviation: 0.50

Location: 2484-2486 (width: 3; decimal: 1)

Variable Type: numeric

FRUTWK5: Wkly variability Fruit

Wkly variability Fruit

Value	Label	Unweighted Frequency	%
0	-	211	8.1 %
1	-	438	16.7 %
2	-	531	20.3 %
3	-	492	18.8 %
4	-	276	10.5 %
5	-	99	3.8 %
6	-	47	1.8 %
7	-	19	0.7 %
8	-	6	0.2 %
9	-	5	0.2 %
10	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.40
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.56

Location: 2487-2488 (width: 2; decimal: 0)

Variable Type: numeric

FRUTMON5: Monthly variability Fruit

Monthly variability Fruit

Value	Label	Unweighted Frequency	%
0	-	23	0.9 %
1	-	52	2.0 %
2	-	165	6.3 %
3	-	258	9.9 %

Value	Label	Unweighted Frequency	%
4	-	356	13.6 %
5	-	330	12.6 %
6	-	290	11.1 %
7	-	268	10.2 %
8	-	191	7.3 %
9	-	111	4.2 %
10	-	59	2.3 %
11	-	17	0.6 %
12	-	5	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.28
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.31

Location: 2489-2490 (width: 2; decimal: 0)

Variable Type: numeric

FATWK5: Wkly variability Fat/Sweet

Wkly variability Fat/Sweet

Value	Label	Unweighted Frequency	%
0	-	21	0.8 %
1	-	80	3.1 %
2	-	188	7.2 %
3	-	233	8.9 %
4	-	351	13.4 %
5	-	345	13.2 %
6	-	334	12.8 %
7	-	215	8.2 %
8	-	145	5.5 %
9	-	117	4.5 %
10	-	61	2.3 %
11	-	24	0.9 %
12	-	7	0.3 %

Value	Label	Unweighted Frequency	%
13	-	3	0.1 %
14	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.18
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.39

Location: 2491-2492 (width: 2; decimal: 0)

Variable Type: numeric

FATMON5: Monthly variability Fat/Sweet

Monthly variability Fat/Sweet

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	15	0.6 %
2	-	37	1.4 %
3	-	65	2.5 %
4	-	100	3.8 %
5	-	146	5.6 %
6	-	198	7.6 %
7	-	228	8.7 %
8	-	250	9.6 %
9	-	285	10.9 %
10	-	293	11.2 %
11	-	184	7.0 %
12	-	146	5.6 %
13	-	100	3.8 %
14	-	54	2.1 %
15	-	16	0.6 %
16	-	3	0.1 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 8.38
- Median: 9.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.95

Location: 2493-2494 (width: 2; decimal: 0)

Variable Type: numeric

ALCHWK5: Wkly variability Alcohol

Wkly variability Alcohol

Value	Label	Unweighted Frequency	%
0	-	1465	56.0 %
1	-	444	17.0 %
2	-	185	7.1 %
3	-	31	1.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.71

Location: 2495-2495 (width: 1; decimal: 0)

Variable Type: numeric

ALCHMON5: Monthly variability Alcohol

Monthly variability Alcohol

Value	Label	Unweighted Frequency	%
0	-	1068	40.8 %
1	-	492	18.8 %
2	-	401	15.3 %
3	-	164	6.3 %
Missing Data			
.	-	492	18.8 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.99

Location: 2496-2496 (width: 1; decimal: 0)

Variable Type: numeric

VEGWK5: Wkly variability Veg

Wkly variability Veg

Value	Label	Unweighted Frequency	%
0	-	68	2.6 %
1	-	305	11.7 %
2	-	383	14.6 %
3	-	355	13.6 %
4	-	323	12.3 %
5	-	258	9.9 %
6	-	162	6.2 %
7	-	114	4.4 %
8	-	74	2.8 %
9	-	41	1.6 %
10	-	20	0.8 %
11	-	11	0.4 %
12	-	7	0.3 %
13	-	3	0.1 %
14	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 3.72
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 14.00

- Standard Deviation: 2.35

Location: 2497-2498 (width: 2; decimal: 0)

Variable Type: numeric

VEGMON5: Monthly variability Veg

Monthly variability Veg

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	4	0.2 %
2	-	17	0.6 %
3	-	36	1.4 %
4	-	77	2.9 %
5	-	106	4.1 %
6	-	137	5.2 %
7	-	205	7.8 %
8	-	222	8.5 %
9	-	256	9.8 %
10	-	232	8.9 %
11	-	239	9.1 %
12	-	203	7.8 %
13	-	151	5.8 %
14	-	100	3.8 %
15	-	61	2.3 %
16	-	40	1.5 %
17	-	14	0.5 %
18	-	13	0.5 %
19	-	7	0.3 %
20	-	2	0.1 %
21	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 9.55
- Median: 10.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 3.29

Location: 2499-2500 (width: 2; decimal: 0)

Variable Type: numeric

GRANWK5: Wkly variability Grains

Wkly variability Grains

Value	Label	Unweighted Frequency	%
0	-	18	0.7 %
1	-	77	2.9 %
2	-	184	7.0 %
3	-	263	10.0 %
4	-	374	14.3 %
5	-	368	14.1 %
6	-	263	10.0 %
7	-	226	8.6 %
8	-	144	5.5 %
9	-	108	4.1 %
10	-	48	1.8 %
11	-	30	1.1 %
12	-	15	0.6 %
13	-	4	0.2 %
14	-	1	0.0 %
15	-	2	0.1 %
Missing Data			
-	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.15
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.42

Location: 2501-2502 (width: 2; decimal: 0)

Variable Type: numeric

GRANMON5: Monthly variability Grains

Monthly variability Grains

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	4	0.2 %

Value	Label	Unweighted Frequency	%
2	-	16	0.6 %
3	-	20	0.8 %
4	-	44	1.7 %
5	-	60	2.3 %
6	-	91	3.5 %
7	-	138	5.3 %
8	-	150	5.7 %
9	-	195	7.5 %
10	-	274	10.5 %
11	-	293	11.2 %
12	-	298	11.4 %
13	-	243	9.3 %
14	-	188	7.2 %
15	-	96	3.7 %
16	-	9	0.3 %
17	-	4	0.2 %
18	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 10.37
- Median: 11.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 2.94

Location: 2503-2504 (width: 2; decimal: 0)

Variable Type: numeric

MEATWK5: Wkly variability Meat

Wkly variability Meat

Value	Label	Unweighted Frequency	%
0	-	12	0.5 %
1	-	62	2.4 %
2	-	138	5.3 %
3	-	203	7.8 %
4	-	258	9.9 %

Value	Label	Unweighted Frequency	%
5	-	290	11.1 %
6	-	265	10.1 %
7	-	233	8.9 %
8	-	188	7.2 %
9	-	157	6.0 %
10	-	106	4.1 %
11	-	81	3.1 %
12	-	63	2.4 %
13	-	28	1.1 %
14	-	18	0.7 %
15	-	11	0.4 %
16	-	5	0.2 %
17	-	3	0.1 %
18	-	2	0.1 %
20	-	1	0.0 %
23	-	1	0.0 %
Missing Data			
-	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6.24
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 3.12

Location: 2505-2506 (width: 2; decimal: 0)

Variable Type: numeric

MEATMON5: Monthly variability Meat

Monthly variability Meat

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	13	0.5 %
5	-	14	0.5 %
6	-	24	0.9 %

Value	Label	Unweighted Frequency	%
7	-	42	1.6 %
8	-	58	2.2 %
9	-	74	2.8 %
10	-	129	4.9 %
11	-	145	5.5 %
12	-	213	8.1 %
13	-	205	7.8 %
14	-	195	7.5 %
15	-	211	8.1 %
16	-	226	8.6 %
17	-	159	6.1 %
18	-	117	4.5 %
19	-	125	4.8 %
20	-	58	2.2 %
21	-	46	1.8 %
22	-	22	0.8 %
23	-	20	0.8 %
24	-	11	0.4 %
25	-	9	0.3 %
26	-	4	0.2 %
27	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 14.21
- Median: 14.00
- Mode: 16.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 3.92

Location: 2507-2508 (width: 2; decimal: 0)

Variable Type: numeric

DARYWK5: Wkly variability Dairy

Wkly variability Dairy

Value	Label	Unweighted Frequency	%
0	-	115	4.4 %

Value	Label	Unweighted Frequency	%
1	-	346	13.2 %
2	-	514	19.6 %
3	-	525	20.1 %
4	-	394	15.1 %
5	-	163	6.2 %
6	-	52	2.0 %
7	-	13	0.5 %
8	-	3	0.1 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.71
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.46

Location: 2509-2509 (width: 1; decimal: 0)

Variable Type: numeric

DARYMON5: Monthly variability Dairy

Monthly variability Dairy

Value	Label	Unweighted Frequency	%
0	-	26	1.0 %
1	-	78	3.0 %
2	-	157	6.0 %
3	-	279	10.7 %
4	-	430	16.4 %
5	-	481	18.4 %
6	-	411	15.7 %
7	-	199	7.6 %
8	-	51	1.9 %
9	-	13	0.5 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4.58
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.73

Location: 2510-2510 (width: 1; decimal: 0)

Variable Type: numeric

FVWK5: Wkly variability Fruit+Veg

Wkly variability Fruit+Veg

Value	Label	Unweighted Frequency	%
0	-	19	0.7 %
1	-	67	2.6 %
2	-	138	5.3 %
3	-	225	8.6 %
4	-	268	10.2 %
5	-	276	10.5 %
6	-	253	9.7 %
7	-	242	9.2 %
8	-	202	7.7 %
9	-	142	5.4 %
10	-	99	3.8 %
11	-	76	2.9 %
12	-	45	1.7 %
13	-	27	1.0 %
14	-	15	0.6 %
15	-	15	0.6 %
16	-	6	0.2 %
17	-	6	0.2 %
18	-	3	0.1 %
20	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 6.12
- Median: 6.00
- Mode: 5.00

- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.13

Location: 2511-2512 (width: 2; decimal: 0)

Variable Type: numeric

FVMON5: Monthly variability Fruit+Veg

Monthly variability Fruit+Veg

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	1	0.0 %
3	-	6	0.2 %
4	-	6	0.2 %
5	-	19	0.7 %
6	-	23	0.9 %
7	-	46	1.8 %
8	-	74	2.8 %
9	-	81	3.1 %
10	-	104	4.0 %
11	-	135	5.2 %
12	-	166	6.3 %
13	-	176	6.7 %
14	-	205	7.8 %
15	-	155	5.9 %
16	-	165	6.3 %
17	-	157	6.0 %
18	-	161	6.2 %
19	-	121	4.6 %
20	-	92	3.5 %
21	-	77	2.9 %
22	-	48	1.8 %
23	-	41	1.6 %
24	-	24	0.9 %
25	-	21	0.8 %
26	-	8	0.3 %
27	-	5	0.2 %
28	-	4	0.2 %
30	-	2	0.1 %
Missing Data		492	18.8 %
.	-		

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 14.82
- Median: 15.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 4.53

Location: 2513-2514 (width: 2; decimal: 0)

Variable Type: numeric

ALLIRON5: Diet+Suppl Iron, mg

Diet+Suppl Iron, mg

Value	Label	Unweighted Frequency	%
3.47000000000	-	1	0.0 %
3.78000000000	-	1	0.0 %
3.84000000000	-	1	0.0 %
4.15000000000	-	1	0.0 %
4.17000000000	-	1	0.0 %
4.27000000000	-	1	0.0 %
4.28000000000	-	1	0.0 %
4.44000000000	-	1	0.0 %
4.47000000000	-	1	0.0 %
4.51000000000	-	1	0.0 %
4.52000000000	-	1	0.0 %
4.55000000000	-	1	0.0 %
4.68000000000	-	1	0.0 %
4.69000000000	-	1	0.0 %
4.84000000000	-	1	0.0 %
4.90000000000	-	2	0.1 %
4.91000000000	-	1	0.0 %
4.99000000000	-	1	0.0 %
5.00000000000	-	1	0.0 %
5.04000000000	-	1	0.0 %
5.08000000000	-	1	0.0 %
5.15000000000	-	2	0.1 %
5.17000000000	-	1	0.0 %
5.25000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.260000000000	-	1	0.0 %
5.270000000000	-	1	0.0 %
5.300000000000	-	1	0.0 %
5.340000000000	-	1	0.0 %
5.370000000000	-	1	0.0 %
5.400000000000	-	1	0.0 %
5.460000000000	-	1	0.0 %
5.500000000000	-	1	0.0 %
5.560000000000	-	1	0.0 %
5.590000000000	-	1	0.0 %
5.620000000000	-	1	0.0 %
5.630000000000	-	1	0.0 %
5.650000000000	-	1	0.0 %
5.660000000000	-	1	0.0 %
5.670000000000	-	1	0.0 %
5.780000000000	-	1	0.0 %
5.830000000000	-	2	0.1 %
5.910000000000	-	1	0.0 %
5.920000000000	-	1	0.0 %
5.960000000000	-	1	0.0 %
5.980000000000	-	1	0.0 %
5.990000000000	-	1	0.0 %
6.000000000000	-	1	0.0 %
6.010000000000	-	1	0.0 %
6.030000000000	-	1	0.0 %
6.100000000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 22.64503529412
- Minimum: 3.47000000000
- Maximum: 101.16000000000
- Standard Deviation: 14.13549094637

Location: 2515-2529 (width: 15; decimal: 11)

Variable Type: numeric

ALLZINC5: Diet+Suppl Zinc, mg

Diet+Suppl Zinc, mg

Value	Label	Unweighted Frequency	%
2.15	-	1	0.0 %
2.30	-	1	0.0 %
2.50	-	1	0.0 %
2.69	-	1	0.0 %
2.79	-	1	0.0 %
3.03	-	1	0.0 %
3.13	-	1	0.0 %
3.18	-	1	0.0 %
3.19	-	1	0.0 %
3.25	-	1	0.0 %
3.31	-	1	0.0 %
3.36	-	2	0.1 %
3.37	-	1	0.0 %
3.40	-	1	0.0 %
3.48	-	1	0.0 %
3.53	-	1	0.0 %
3.58	-	1	0.0 %
3.59	-	1	0.0 %
3.64	-	1	0.0 %
3.69	-	1	0.0 %
3.71	-	2	0.1 %
3.72	-	1	0.0 %
3.74	-	1	0.0 %
3.76	-	1	0.0 %
3.88	-	1	0.0 %
3.90	-	1	0.0 %
3.94	-	1	0.0 %
3.95	-	1	0.0 %
3.96	-	1	0.0 %
4.03	-	2	0.1 %
4.04	-	1	0.0 %
4.05	-	1	0.0 %
4.09	-	1	0.0 %
4.13	-	1	0.0 %
4.14	-	1	0.0 %
4.19	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.20	-	1	0.0 %
4.23	-	1	0.0 %
4.26	-	2	0.1 %
4.27	-	3	0.1 %
4.29	-	1	0.0 %
4.32	-	3	0.1 %
4.35	-	1	0.0 %
4.36	-	1	0.0 %
4.37	-	1	0.0 %
4.41	-	1	0.0 %
4.46	-	2	0.1 %
4.47	-	1	0.0 %
4.52	-	1	0.0 %
4.54	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 17.931327058824
- Minimum: 2.150000000000
- Maximum: 82.170000000000
- Standard Deviation: 13.175764858027

Location: 2530-2544 (width: 15; decimal: 12)

Variable Type: numeric

ALLFOL5: Diet+Suppl Folic acid, mcg

Diet+Suppl Folic acid, mcg

Value	Label	Unweighted Frequency	%
99.8000000000	-	1	0.0 %
103.1500000000	-	1	0.0 %
105.8200000000	-	1	0.0 %
110.1200000000	-	1	0.0 %
111.5000000000	-	1	0.0 %
111.6200000000	-	1	0.0 %
118.1400000000	-	1	0.0 %
118.6900000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
118.7200000000	-	1	0.0 %
120.4400000000	-	1	0.0 %
122.2300000000	-	1	0.0 %
122.6800000000	-	1	0.0 %
123.7000000000	-	1	0.0 %
124.9300000000	-	1	0.0 %
125.1400000000	-	1	0.0 %
126.6600000000	-	1	0.0 %
127.1800000000	-	1	0.0 %
127.4500000000	-	1	0.0 %
128.7200000000	-	1	0.0 %
129.4300000000	-	1	0.0 %
129.6600000000	-	1	0.0 %
130.7100000000	-	1	0.0 %
134.5600000000	-	1	0.0 %
137.7100000000	-	1	0.0 %
138.4000000000	-	1	0.0 %
141.3000000000	-	1	0.0 %
141.3300000001	-	1	0.0 %
141.4200000000	-	1	0.0 %
141.8500000000	-	1	0.0 %
141.9700000000	-	1	0.0 %
143.0500000000	-	1	0.0 %
143.6400000000	-	1	0.0 %
143.7600000000	-	1	0.0 %
145.4600000000	-	1	0.0 %
145.7800000000	-	1	0.0 %
145.9100000000	-	1	0.0 %
147.2000000000	-	1	0.0 %
147.4200000000	-	1	0.0 %
147.5100000000	-	1	0.0 %
148.1800000000	-	2	0.1 %
148.4400000000	-	1	0.0 %
148.5800000001	-	1	0.0 %
149.2300000000	-	1	0.0 %
149.3700000000	-	1	0.0 %
152.1200000000	-	1	0.0 %
152.6800000000	-	1	0.0 %
153.1200000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
153.2200000000	-	1	0.0 %
153.7600000000	-	1	0.0 %
153.9300000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 517.1766352941
- Minimum: 99.8000000000
- Maximum: 1540.0000000000
- Standard Deviation: 233.1678421646

Location: 2545-2559 (width: 15; decimal: 10)

Variable Type: numeric

ALLVITC5: Diet+Suppl Vitamin C, mg

Diet+Suppl Vitamin C, mg

Value	Label	Unweighted Frequency	%
10.5600000000	-	1	0.0 %
10.8400000000	-	1	0.0 %
11.1000000000	-	1	0.0 %
11.8500000000	-	1	0.0 %
11.9500000000	-	1	0.0 %
14.4000000000	-	1	0.0 %
17.1300000000	-	1	0.0 %
17.3500000000	-	1	0.0 %
17.5200000000	-	1	0.0 %
17.5800000000	-	1	0.0 %
18.2300000000	-	1	0.0 %
18.5100000000	-	1	0.0 %
19.4400000000	-	1	0.0 %
20.7000000000	-	1	0.0 %
21.0000000000	-	1	0.0 %
21.0200000000	-	1	0.0 %
21.0600000000	-	1	0.0 %
21.2400000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
21.5400000000	-	1	0.0 %
21.7400000000	-	1	0.0 %
21.8600000000	-	1	0.0 %
22.3500000000	-	1	0.0 %
22.3700000000	-	1	0.0 %
22.7600000000	-	1	0.0 %
23.1500000000	-	1	0.0 %
23.1900000000	-	1	0.0 %
23.5300000000	-	1	0.0 %
23.7100000000	-	1	0.0 %
23.8500000000	-	1	0.0 %
24.3800000000	-	1	0.0 %
24.4400000000	-	1	0.0 %
25.1900000000	-	1	0.0 %
25.6500000000	-	1	0.0 %
25.6800000000	-	1	0.0 %
25.7800000000	-	1	0.0 %
26.1900000000	-	1	0.0 %
26.5000000000	-	1	0.0 %
27.0900000000	-	1	0.0 %
27.2500000000	-	1	0.0 %
27.3500000000	-	1	0.0 %
27.8700000000	-	1	0.0 %
27.9500000000	-	1	0.0 %
28.0900000000	-	1	0.0 %
28.2900000000	-	1	0.0 %
28.4200000000	-	1	0.0 %
28.8400000000	-	1	0.0 %
29.0700000000	-	1	0.0 %
29.0800000000	-	1	0.0 %
29.2000000000	-	1	0.0 %
29.2600000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 271.3882964706
- Minimum: 10.5600000000
- Maximum: 3196.9100000000
- Standard Deviation: 337.1988947707

Location: 2560-2574 (*width:* 15; *decimal:* 10)

Variable Type: numeric

ALLCALC5: Diet+Suppl Calcium, mg

Diet+Suppl Calcium, mg

Value	Label	Unweighted Frequency	%
113.5500000000	-	1	0.0 %
132.6500000000	-	1	0.0 %
139.0300000000	-	1	0.0 %
142.0600000000	-	1	0.0 %
165.7400000000	-	1	0.0 %
173.4800000000	-	1	0.0 %
174.4600000000	-	1	0.0 %
186.7200000000	-	1	0.0 %
188.0800000001	-	1	0.0 %
191.3200000000	-	1	0.0 %
193.5400000001	-	1	0.0 %
194.5300000000	-	1	0.0 %
196.7700000000	-	1	0.0 %
199.4800000000	-	1	0.0 %
199.7100000000	-	1	0.0 %
203.0000000000	-	1	0.0 %
207.4900000000	-	1	0.0 %
214.7200000000	-	1	0.0 %
215.3600000001	-	1	0.0 %
217.8100000000	-	1	0.0 %
218.7600000000	-	1	0.0 %
219.1200000000	-	1	0.0 %
220.8900000000	-	1	0.0 %
221.1500000000	-	1	0.0 %
222.0000000000	-	1	0.0 %
222.1800000000	-	1	0.0 %
222.4600000000	-	1	0.0 %
223.5200000000	-	1	0.0 %
227.2100000000	-	1	0.0 %
230.7800000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
232.1000000000	-	1	0.0 %
233.4200000000	-	1	0.0 %
233.8800000000	-	1	0.0 %
234.3900000000	-	1	0.0 %
235.5600000000	-	1	0.0 %
237.3000000000	-	1	0.0 %
238.1100000000	-	1	0.0 %
240.9300000000	-	1	0.0 %
242.8900000000	-	1	0.0 %
243.5500000000	-	1	0.0 %
246.4800000000	-	1	0.0 %
246.9800000000	-	1	0.0 %
250.9400000000	-	1	0.0 %
254.7000000000	-	1	0.0 %
255.7100000000	-	1	0.0 %
257.2800000000	-	1	0.0 %
258.9300000000	-	1	0.0 %
264.2200000001	-	1	0.0 %
264.4300000000	-	1	0.0 %
265.1200000000	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 851.7987247059
- Minimum: 113.5500000000
- Maximum: 4833.1100000000
- Standard Deviation: 457.4348852749

Location: 2575-2589 (width: 15; decimal: 10)

Variable Type: numeric

ALLARE5: Diet+Suppl Vitamin A, retinol equiv.

Diet+Suppl Vitamin A, retinol equiv.

Value	Label	Unweighted Frequency	%
705.9000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
833.040000000	-	1	0.0 %
1021.300000000	-	1	0.0 %
1087.670000001	-	1	0.0 %
1106.330000001	-	1	0.0 %
1141.330000000	-	1	0.0 %
1145.570000000	-	1	0.0 %
1232.420000000	-	1	0.0 %
1263.230000000	-	1	0.0 %
1281.550000000	-	1	0.0 %
1392.210000000	-	1	0.0 %
1419.250000000	-	1	0.0 %
1436.120000000	-	1	0.0 %
1467.140000000	-	1	0.0 %
1504.150000000	-	1	0.0 %
1512.980000000	-	1	0.0 %
1523.510000000	-	1	0.0 %
1537.900000000	-	1	0.0 %
1548.670000000	-	1	0.0 %
1563.670000000	-	1	0.0 %
1570.760000000	-	1	0.0 %
1595.820000000	-	1	0.0 %
1606.090000000	-	1	0.0 %
1631.860000000	-	1	0.0 %
1635.210000000	-	1	0.0 %
1652.500000000	-	1	0.0 %
1667.900000000	-	1	0.0 %
1681.160000000	-	1	0.0 %
1686.180000000	-	1	0.0 %
1689.140000000	-	1	0.0 %
1730.120000000	-	1	0.0 %
1731.130000000	-	1	0.0 %
1740.460000000	-	1	0.0 %
1742.250000000	-	1	0.0 %
1769.530000000	-	1	0.0 %
1778.220000000	-	1	0.0 %
1778.900000000	-	1	0.0 %
1788.410000000	-	1	0.0 %
1817.480000000	-	1	0.0 %
1822.560000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1855.780000000	-	1	0.0 %
1869.250000000	-	1	0.0 %
1883.710000000	-	1	0.0 %
1893.150000000	-	1	0.0 %
1923.880000000	-	1	0.0 %
1939.760000000	-	1	0.0 %
1971.060000001	-	1	0.0 %
2020.180000000	-	1	0.0 %
2033.890000000	-	1	0.0 %
2037.320000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 9164.291934118
- Minimum: 705.900000000
- Maximum: 47919.170000000
- Standard Deviation: 5331.518611536

Location: 2590-2604 (width: 15; decimal: 9)

Variable Type: numeric

ALLBCAR5: Diet+Suppl BetaCarotene, mcg

Diet+Suppl BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
169.970000000	-	1	0.0 %
190.500000000	-	1	0.0 %
233.450000000	-	1	0.0 %
271.900000000	-	1	0.0 %
327.260000000	-	1	0.0 %
328.670000000	-	1	0.0 %
346.290000000	-	1	0.0 %
364.100000000	-	1	0.0 %
389.840000000	-	1	0.0 %
406.560000000	-	1	0.0 %
416.320000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
417.850000000	-	1	0.0 %
434.350000000	-	1	0.0 %
435.590000000	-	1	0.0 %
440.890000000	-	1	0.0 %
448.990000000	-	1	0.0 %
458.390000000	-	1	0.0 %
460.800000000	-	1	0.0 %
461.190000000	-	1	0.0 %
463.380000000	-	1	0.0 %
465.420000000	-	1	0.0 %
466.910000000	-	1	0.0 %
469.300000000	-	1	0.0 %
470.290000000	-	1	0.0 %
471.290000000	-	1	0.0 %
476.360000000	-	1	0.0 %
477.580000000	-	1	0.0 %
483.320000000	-	1	0.0 %
489.830000000	-	1	0.0 %
508.480000000	-	1	0.0 %
516.940000000	-	1	0.0 %
516.950000000	-	1	0.0 %
532.840000000	-	1	0.0 %
533.910000000	-	1	0.0 %
541.180000000	-	1	0.0 %
543.360000000	-	1	0.0 %
547.640000000	-	1	0.0 %
563.910000000	-	1	0.0 %
564.940000000	-	1	0.0 %
565.750000000	-	1	0.0 %
568.100000000	-	1	0.0 %
568.700000000	-	1	0.0 %
570.990000000	-	1	0.0 %
579.430000000	-	1	0.0 %
586.520000000	-	1	0.0 %
595.590000000	-	1	0.0 %
602.540000000	-	1	0.0 %
602.940000000	-	1	0.0 %
617.620000000	-	1	0.0 %
624.510000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 4249.261374118
- Minimum: 169.970000000
- Maximum: 39224.900000000
- Standard Deviation: 4434.630974798

Location: 2605-2619 (width: 15; decimal: 9)

Variable Type: numeric

ALLB15: Diet+Suppl Vitamin B1, mg

Diet+Suppl Vitamin B1, mg

Value	Label	Unweighted Frequency	%
0.32	-	2	0.1 %
0.39	-	2	0.1 %
0.40	-	2	0.1 %
0.42	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	4	0.2 %
0.48	-	2	0.1 %
0.49	-	5	0.2 %
0.50	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	4	0.2 %
0.53	-	2	0.1 %
0.54	-	4	0.2 %
0.55	-	4	0.2 %
0.56	-	3	0.1 %
0.57	-	3	0.1 %
0.58	-	2	0.1 %
0.59	-	3	0.1 %
0.60	-	9	0.3 %
0.61	-	5	0.2 %
0.62	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.63	-	6	0.2 %
0.64	-	9	0.3 %
0.65	-	4	0.2 %
0.66	-	6	0.2 %
0.67	-	6	0.2 %
0.68	-	11	0.4 %
0.69	-	7	0.3 %
0.70	-	5	0.2 %
0.71	-	7	0.3 %
0.72	-	6	0.2 %
0.73	-	5	0.2 %
0.74	-	6	0.2 %
0.75	-	3	0.1 %
0.76	-	1	0.0 %
0.77	-	7	0.3 %
0.78	-	6	0.2 %
0.79	-	10	0.4 %
0.80	-	8	0.3 %
0.81	-	1	0.0 %
0.82	-	13	0.5 %
0.83	-	6	0.2 %
0.84	-	9	0.3 %
0.85	-	3	0.1 %
0.86	-	7	0.3 %
0.87	-	11	0.4 %
0.88	-	15	0.6 %
0.89	-	15	0.6 %
0.90	-	8	0.3 %
0.91	-	9	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 1.9412517647059
- Minimum: 0.32000000000000
- Maximum: 5.32000000000000
- Standard Deviation: 0.8737497040582

Location: 2620-2634 (width: 15; decimal: 13)

Variable Type: numeric

ALLB25: Diet[Ribo]+ Suppl[B1 (B1=B2)], mg

Diet[Ribo]+ Suppl[B1 (B1=B2)], mg

Value	Label	Unweighted Frequency	%
0.40	-	1	0.0 %
0.46	-	1	0.0 %
0.47	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.52	-	1	0.0 %
0.54	-	2	0.1 %
0.56	-	3	0.1 %
0.57	-	1	0.0 %
0.58	-	1	0.0 %
0.59	-	2	0.1 %
0.60	-	1	0.0 %
0.61	-	2	0.1 %
0.62	-	1	0.0 %
0.63	-	3	0.1 %
0.64	-	1	0.0 %
0.65	-	3	0.1 %
0.66	-	4	0.2 %
0.67	-	3	0.1 %
0.68	-	4	0.2 %
0.69	-	4	0.2 %
0.70	-	1	0.0 %
0.71	-	5	0.2 %
0.72	-	6	0.2 %
0.73	-	3	0.1 %
0.74	-	5	0.2 %
0.75	-	9	0.3 %
0.76	-	3	0.1 %
0.77	-	4	0.2 %
0.78	-	4	0.2 %
0.79	-	6	0.2 %
0.80	-	7	0.3 %
0.81	-	5	0.2 %
0.82	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.83	-	3	0.1 %
0.84	-	5	0.2 %
0.85	-	5	0.2 %
0.86	-	1	0.0 %
0.87	-	4	0.2 %
0.88	-	11	0.4 %
0.89	-	4	0.2 %
0.90	-	4	0.2 %
0.91	-	9	0.3 %
0.92	-	4	0.2 %
0.93	-	7	0.3 %
0.94	-	4	0.2 %
0.95	-	4	0.2 %
0.96	-	9	0.3 %
0.97	-	5	0.2 %
0.98	-	6	0.2 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.28320000000000
- Minimum: 0.40000000000000
- Maximum: 8.90000000000000
- Standard Deviation: 1.0436785858605

Location: 2635-2649 (*width:* 15; *decimal:* 13)

Variable Type: numeric

ALLB65: Diet+Suppl Vitamin B6, mg

Diet+Suppl Vitamin B6, mg

Value	Label	Unweighted Frequency	%
0.31	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	2	0.1 %
0.51	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.56	-	2	0.1 %
0.57	-	2	0.1 %
0.58	-	2	0.1 %
0.59	-	1	0.0 %
0.60	-	3	0.1 %
0.61	-	5	0.2 %
0.62	-	1	0.0 %
0.63	-	4	0.2 %
0.64	-	4	0.2 %
0.65	-	2	0.1 %
0.66	-	6	0.2 %
0.67	-	4	0.2 %
0.68	-	2	0.1 %
0.69	-	4	0.2 %
0.70	-	3	0.1 %
0.71	-	3	0.1 %
0.72	-	2	0.1 %
0.73	-	3	0.1 %
0.74	-	3	0.1 %
0.75	-	6	0.2 %
0.76	-	3	0.1 %
0.77	-	1	0.0 %
0.78	-	3	0.1 %
0.79	-	4	0.2 %
0.80	-	10	0.4 %
0.81	-	8	0.3 %
0.82	-	8	0.3 %
0.83	-	4	0.2 %
0.84	-	4	0.2 %
0.85	-	10	0.4 %
0.86	-	4	0.2 %
0.87	-	6	0.2 %
0.88	-	4	0.2 %
0.89	-	7	0.3 %
0.90	-	3	0.1 %
0.91	-	6	0.2 %
0.92	-	8	0.3 %
0.93	-	6	0.2 %
0.94	-	9	0.3 %

Value	Label	Unweighted Frequency	%
0.95	-	8	0.3 %
0.96	-	5	0.2 %
0.97	-	3	0.1 %
0.98	-	9	0.3 %
0.99	-	7	0.3 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 2.3604658823529
- Minimum: 0.3100000000000
- Maximum: 6.1300000000000
- Standard Deviation: 1.1024712095041

Location: 2650-2664 (width: 15; decimal: 13)

Variable Type: numeric

ALLVITE5: Diet+Suppl Vitamin E, a-TE

Diet+Suppl Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
1.7800000000	-	1	0.0 %
2.0600000000	-	1	0.0 %
2.1700000000	-	2	0.1 %
2.2700000000	-	1	0.0 %
2.3300000000	-	1	0.0 %
2.5600000000	-	1	0.0 %
2.6100000000	-	1	0.0 %
2.6200000000	-	2	0.1 %
2.7400000000	-	1	0.0 %
2.8600000000	-	1	0.0 %
2.8900000000	-	1	0.0 %
3.0500000000	-	1	0.0 %
3.0600000000	-	1	0.0 %
3.0700000000	-	2	0.1 %
3.1900000000	-	1	0.0 %
3.3200000000	-	2	0.1 %
3.3500000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.37000000000	-	2	0.1 %
3.39000000000	-	1	0.0 %
3.40000000000	-	1	0.0 %
3.44000000000	-	1	0.0 %
3.45000000000	-	1	0.0 %
3.47000000000	-	1	0.0 %
3.50000000000	-	1	0.0 %
3.56000000000	-	1	0.0 %
3.59000000000	-	1	0.0 %
3.61000000000	-	2	0.1 %
3.62000000000	-	1	0.0 %
3.66000000000	-	1	0.0 %
3.69000000000	-	2	0.1 %
3.72000000000	-	2	0.1 %
3.74000000000	-	1	0.0 %
3.75000000000	-	1	0.0 %
3.79000000000	-	1	0.0 %
3.83000000000	-	2	0.1 %
3.85000000000	-	1	0.0 %
3.87000000000	-	2	0.1 %
3.89000000000	-	3	0.1 %
3.91000000000	-	1	0.0 %
3.94000000000	-	2	0.1 %
3.99000000000	-	1	0.0 %
4.02000000000	-	1	0.0 %
4.04000000000	-	1	0.0 %
4.09000000000	-	1	0.0 %
4.12000000000	-	1	0.0 %
4.13000000000	-	2	0.1 %
4.16000000000	-	2	0.1 %
4.20000000000	-	1	0.0 %
4.21000000000	-	1	0.0 %
4.23000000000	-	2	0.1 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 84.1509223529
- Minimum: 1.7800000000
- Maximum: 1372.3400000000
- Standard Deviation: 144.4230508918

Location: 2665-2679 (width: 15; decimal: 10)

Variable Type: numeric

ALLB125: Diet+suppl Vitamin B12, mcg

Diet+suppl Vitamin B12, mcg

Value	Label	Unweighted Frequency	%
0.08	-	1	0.0 %
0.16	-	1	0.0 %
0.23	-	1	0.0 %
0.31	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.43	-	2	0.1 %
0.45	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.54	-	3	0.1 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.57	-	1	0.0 %
0.63	-	1	0.0 %
0.67	-	1	0.0 %
0.68	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	3	0.1 %
0.71	-	3	0.1 %
0.75	-	1	0.0 %
0.78	-	1	0.0 %
0.79	-	2	0.1 %
0.81	-	2	0.1 %
0.83	-	2	0.1 %
0.84	-	2	0.1 %
0.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.88	-	1	0.0 %
0.89	-	3	0.1 %
0.90	-	2	0.1 %
0.92	-	1	0.0 %
0.93	-	1	0.0 %
0.94	-	2	0.1 %
0.96	-	1	0.0 %
0.97	-	4	0.2 %
0.98	-	1	0.0 %
0.99	-	3	0.1 %
1.00	-	3	0.1 %
1.01	-	1	0.0 %
1.02	-	1	0.0 %
1.03	-	1	0.0 %
1.04	-	2	0.1 %
1.05	-	4	0.2 %
1.06	-	3	0.1 %
1.07	-	2	0.1 %
1.09	-	1	0.0 %
1.10	-	3	0.1 %
1.12	-	1	0.0 %
Missing Data			
.	-	492	18.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 5.508272941176
- Minimum: 0.080000000000
- Maximum: 20.700000000000
- Standard Deviation: 3.231541174483

Location: 2680-2694 (*width:* 15; *decimal:* 12)

Variable Type: numeric

ALLVITD5: Diet+Suppl Vitamin D, IU

Diet+Suppl Vitamin D, IU

Value	Label	Unweighted Frequency	%
1.9400000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.1400000000	-	1	0.0 %
2.6000000000	-	1	0.0 %
4.0600000000	-	1	0.0 %
6.6800000000	-	1	0.0 %
7.5800000000	-	1	0.0 %
8.5900000000	-	1	0.0 %
8.6400000000	-	1	0.0 %
8.6600000000	-	1	0.0 %
10.3200000000	-	1	0.0 %
10.5200000000	-	1	0.0 %
11.6300000000	-	1	0.0 %
12.2100000000	-	1	0.0 %
13.8600000000	-	1	0.0 %
16.1300000000	-	1	0.0 %
17.6300000000	-	1	0.0 %
17.7500000000	-	1	0.0 %
17.9700000000	-	1	0.0 %
18.4100000000	-	1	0.0 %
19.9600000000	-	1	0.0 %
20.2200000000	-	1	0.0 %
20.7100000000	-	1	0.0 %
20.9500000000	-	1	0.0 %
21.3700000000	-	1	0.0 %
21.6100000000	-	2	0.1 %
21.8500000000	-	1	0.0 %
21.9500000000	-	1	0.0 %
22.4600000000	-	1	0.0 %
22.7000000000	-	1	0.0 %
23.4300000000	-	1	0.0 %
24.1200000000	-	1	0.0 %
24.7600000000	-	1	0.0 %
24.8600000000	-	1	0.0 %
25.2600000000	-	1	0.0 %
25.5500000000	-	1	0.0 %
25.7600000000	-	1	0.0 %
26.7900000000	-	1	0.0 %
26.8600000000	-	1	0.0 %
26.8800000000	-	1	0.0 %
27.1800000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28.2900000000	-	1	0.0 %
28.4500000000	-	1	0.0 %
28.5300000000	-	2	0.1 %
28.6500000000	-	1	0.0 %
29.0500000000	-	1	0.0 %
29.3300000000	-	1	0.0 %
29.6200000000	-	1	0.0 %
29.6300000000	-	1	0.0 %
30.1900000000	-	1	0.0 %
30.2700000000	-	1	0.0 %
	Missing Data		
.	-	492	18.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 324.0164800000
- Minimum: 1.9400000000
- Maximum: 1775.2400000000
- Standard Deviation: 226.7177151787

Location: 2695-2709 (width: 15; decimal: 10)

Variable Type: numeric

EFP5: EFP Food page administered

EFP Food page administered

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	779	29.8 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2710-2711 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LANGEFP5: Lang of EFP

Lang of EFP

Value	Label	Unweighted Frequency	%
-		1838	70.2 %
C	Chinese	207	7.9 %
E	English	345	13.2 %
J	Japanese	227	8.7 %
S	Spanish	0	0.0 %
Total		2,617	100%

Based upon 2,617 valid cases out of 2,617 total cases.

Location: 2712-2712 (width: 1; decimal: 0)

Variable Type: character

EFPKCAL5: EFP DDE KCAL - total caloric intake

EFP DDE KCAL - total caloric intake

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.33	-	17	0.6 %
0.42	-	1	0.0 %
0.48	-	9	0.3 %
0.71	-	1	0.0 %
0.75	-	1	0.0 %
0.77	-	12	0.5 %
0.81	-	4	0.2 %
1.04	-	1	0.0 %
1.11	-	3	0.1 %
1.13	-	1	0.0 %
1.17	-	1	0.0 %
1.19	-	2	0.1 %
1.25	-	1	0.0 %
1.30	-	1	0.0 %
1.42	-	3	0.1 %
1.73	-	1	0.0 %
1.80	-	1	0.0 %
1.81	-	2	0.1 %
1.96	-	1	0.0 %
2.03	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.06	-	1	0.0 %
2.10	-	2	0.1 %
2.14	-	4	0.2 %
2.16	-	1	0.0 %
2.19	-	1	0.0 %
2.46	-	1	0.0 %
2.48	-	1	0.0 %
2.51	-	1	0.0 %
2.64	-	1	0.0 %
2.69	-	1	0.0 %
2.85	-	2	0.1 %
2.88	-	2	0.1 %
3.21	-	4	0.2 %
3.27	-	1	0.0 %
3.31	-	1	0.0 %
3.49	-	1	0.0 %
3.50	-	1	0.0 %
3.53	-	1	0.0 %
3.65	-	1	0.0 %
3.69	-	1	0.0 %
3.75	-	3	0.1 %
3.77	-	2	0.1 %
4.11	-	3	0.1 %
4.27	-	2	0.1 %
4.32	-	1	0.0 %
4.45	-	1	0.0 %
4.49	-	1	0.0 %
4.73	-	2	0.1 %
4.93	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 35.38
- Minimum: 0.00
- Maximum: 518.28
- Standard Deviation: 63.59

Location: 2713-2718 (width: 6; decimal: 2)

Variable Type: numeric

EFPPROT5: EFP DDE Protein, gms

EFP DDE Protein, gms

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.01	-	17	0.6 %
0.02	-	17	0.6 %
0.03	-	2	0.1 %
0.04	-	8	0.3 %
0.05	-	1	0.0 %
0.06	-	16	0.6 %
0.07	-	5	0.2 %
0.08	-	3	0.1 %
0.09	-	4	0.2 %
0.10	-	1	0.0 %
0.11	-	1	0.0 %
0.12	-	4	0.2 %
0.13	-	4	0.2 %
0.14	-	6	0.2 %
0.16	-	1	0.0 %
0.17	-	2	0.1 %
0.18	-	8	0.3 %
0.19	-	3	0.1 %
0.20	-	8	0.3 %
0.22	-	5	0.2 %
0.23	-	2	0.1 %
0.25	-	1	0.0 %
0.26	-	9	0.3 %
0.27	-	4	0.2 %
0.28	-	3	0.1 %
0.29	-	1	0.0 %
0.31	-	3	0.1 %
0.32	-	2	0.1 %
0.33	-	5	0.2 %
0.34	-	7	0.3 %
0.35	-	2	0.1 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.38	-	4	0.2 %
0.39	-	9	0.3 %
0.40	-	1	0.0 %
0.41	-	2	0.1 %
0.42	-	1	0.0 %
0.45	-	5	0.2 %
0.46	-	3	0.1 %
0.47	-	9	0.3 %
0.48	-	3	0.1 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	3	0.1 %
0.52	-	4	0.2 %
0.53	-	3	0.1 %
0.54	-	3	0.1 %
0.55	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.32
- Minimum: 0.00
- Maximum: 40.53
- Standard Deviation: 4.76

Location: 2719-2723 (*width:* 5; *decimal:* 2)

Variable Type: numeric

EFPFAT5: EFP DDE Fat, gms

EFP DDE Fat, gms

Value	Label	Unweighted Frequency	%
0.00	-	131	5.0 %
0.01	-	46	1.8 %
0.02	-	10	0.4 %
0.03	-	13	0.5 %
0.04	-	9	0.3 %
0.05	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.06	-	5	0.2 %
0.07	-	6	0.2 %
0.08	-	8	0.3 %
0.09	-	5	0.2 %
0.10	-	20	0.8 %
0.11	-	17	0.6 %
0.12	-	10	0.4 %
0.13	-	6	0.2 %
0.14	-	7	0.3 %
0.15	-	4	0.2 %
0.16	-	9	0.3 %
0.17	-	3	0.1 %
0.18	-	8	0.3 %
0.19	-	1	0.0 %
0.20	-	3	0.1 %
0.22	-	5	0.2 %
0.23	-	6	0.2 %
0.24	-	4	0.2 %
0.25	-	2	0.1 %
0.26	-	1	0.0 %
0.27	-	2	0.1 %
0.28	-	4	0.2 %
0.29	-	6	0.2 %
0.30	-	3	0.1 %
0.31	-	2	0.1 %
0.32	-	1	0.0 %
0.33	-	1	0.0 %
0.34	-	2	0.1 %
0.36	-	3	0.1 %
0.37	-	7	0.3 %
0.38	-	3	0.1 %
0.39	-	3	0.1 %
0.40	-	2	0.1 %
0.41	-	1	0.0 %
0.42	-	6	0.2 %
0.43	-	7	0.3 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.48	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.52	-	16	0.6 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 1.23
- Median: 0.42
- Mode: 0.00
- Minimum: 0.00
- Maximum: 23.83
- Standard Deviation: 2.77

Location: 2724-2728 (width: 5; decimal: 2)

Variable Type: numeric

EFPCARB5: EFP DDE Carb, gms

EFP DDE Carb, gms

Value	Label	Unweighted Frequency	%
0.00	-	98	3.7 %
0.07	-	9	0.3 %
0.08	-	1	0.0 %
0.09	-	18	0.7 %
0.13	-	1	0.0 %
0.16	-	7	0.3 %
0.17	-	1	0.0 %
0.19	-	2	0.1 %
0.20	-	14	0.5 %
0.21	-	2	0.1 %
0.22	-	2	0.1 %
0.23	-	1	0.0 %
0.27	-	3	0.1 %
0.28	-	5	0.2 %
0.29	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.31	-	4	0.2 %
0.36	-	1	0.0 %
0.37	-	5	0.2 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	4	0.2 %
0.43	-	1	0.0 %
0.44	-	2	0.1 %
0.45	-	2	0.1 %
0.46	-	3	0.1 %
0.47	-	4	0.2 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.53	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	5	0.2 %
0.59	-	2	0.1 %
0.61	-	3	0.1 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.66	-	3	0.1 %
0.68	-	3	0.1 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %
0.74	-	2	0.1 %
0.76	-	1	0.0 %
0.79	-	1	0.0 %
0.81	-	3	0.1 %
0.82	-	4	0.2 %
0.83	-	5	0.2 %
0.85	-	6	0.2 %
0.86	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 4.12
- Minimum: 0.00
- Maximum: 103.02
- Standard Deviation: 7.19

Location: 2729-2734 (width: 6; decimal: 2)

Variable Type: numeric

EFPCALC5: EFP DDE Calcium, mg

EFP DDE Calcium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.02	-	17	0.6 %
0.04	-	15	0.6 %
0.08	-	3	0.1 %
0.12	-	5	0.2 %
0.16	-	2	0.1 %
0.17	-	4	0.2 %
0.23	-	1	0.0 %
0.24	-	3	0.1 %
0.25	-	2	0.1 %
0.28	-	1	0.0 %
0.31	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	5	0.2 %
0.36	-	1	0.0 %
0.38	-	1	0.0 %
0.42	-	1	0.0 %
0.44	-	2	0.1 %
0.46	-	2	0.1 %
0.53	-	3	0.1 %
0.57	-	1	0.0 %
0.58	-	4	0.2 %
0.63	-	1	0.0 %
0.68	-	1	0.0 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.79	-	4	0.2 %
0.81	-	1	0.0 %
0.86	-	1	0.0 %
0.87	-	1	0.0 %
0.97	-	1	0.0 %
0.99	-	2	0.1 %
1.01	-	3	0.1 %
1.03	-	1	0.0 %
1.11	-	1	0.0 %
1.19	-	2	0.1 %
1.30	-	1	0.0 %
1.33	-	1	0.0 %
1.35	-	1	0.0 %
1.36	-	1	0.0 %
1.40	-	1	0.0 %
1.46	-	1	0.0 %
1.52	-	1	0.0 %
1.57	-	1	0.0 %
1.64	-	1	0.0 %
1.66	-	1	0.0 %
1.67	-	1	0.0 %
1.70	-	1	0.0 %
1.78	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 33.65
- Minimum: 0.00
- Maximum: 801.01
- Standard Deviation: 71.45

Location: 2735-2740 (width: 6; decimal: 2)

Variable Type: numeric

EFPPHOS5: EFP DDE Phos, mg

EFP DDE Phos, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.18	-	17	0.6 %
0.20	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	12	0.5 %
0.59	-	1	0.0 %
0.60	-	2	0.1 %
0.75	-	3	0.1 %
0.77	-	1	0.0 %
0.84	-	1	0.0 %
0.95	-	1	0.0 %
1.00	-	2	0.1 %
1.03	-	1	0.0 %
1.13	-	4	0.2 %
1.16	-	11	0.4 %
1.33	-	2	0.1 %
1.34	-	4	0.2 %
1.42	-	1	0.0 %
1.47	-	1	0.0 %
1.50	-	2	0.1 %
1.52	-	3	0.1 %
1.54	-	1	0.0 %
1.56	-	2	0.1 %
1.67	-	4	0.2 %
1.69	-	4	0.2 %
1.77	-	1	0.0 %
1.82	-	1	0.0 %
1.83	-	1	0.0 %
1.85	-	1	0.0 %
1.91	-	1	0.0 %
2.01	-	1	0.0 %
2.08	-	1	0.0 %
2.09	-	1	0.0 %
2.13	-	1	0.0 %
2.25	-	1	0.0 %
2.28	-	1	0.0 %
2.29	-	1	0.0 %
2.32	-	1	0.0 %
2.33	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.54	-	1	0.0 %
2.68	-	3	0.1 %
2.72	-	1	0.0 %
2.83	-	12	0.5 %
2.90	-	1	0.0 %
3.01	-	2	0.1 %
3.13	-	1	0.0 %
3.14	-	1	0.0 %
3.24	-	2	0.1 %
3.29	-	1	0.0 %
3.35	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 31.37
- Minimum: 0.00
- Maximum: 592.45
- Standard Deviation: 65.27

Location: 2741-2746 (width: 6; decimal: 2)

Variable Type: numeric

EFPFE5: EFP DDE Iron, mg

EFP DDE Iron, mg

Value	Label	Unweighted Frequency	%
0.00	-	115	4.4 %
0.01	-	23	0.9 %
0.02	-	9	0.3 %
0.03	-	16	0.6 %
0.04	-	21	0.8 %
0.05	-	13	0.5 %
0.06	-	2	0.1 %
0.07	-	9	0.3 %
0.08	-	16	0.6 %
0.09	-	13	0.5 %
0.10	-	12	0.5 %

Value	Label	Unweighted Frequency	%
0.11	-	16	0.6 %
0.12	-	3	0.1 %
0.13	-	6	0.2 %
0.14	-	15	0.6 %
0.15	-	7	0.3 %
0.16	-	10	0.4 %
0.17	-	16	0.6 %
0.18	-	7	0.3 %
0.19	-	6	0.2 %
0.20	-	9	0.3 %
0.21	-	8	0.3 %
0.22	-	9	0.3 %
0.23	-	10	0.4 %
0.24	-	3	0.1 %
0.25	-	9	0.3 %
0.26	-	6	0.2 %
0.27	-	9	0.3 %
0.28	-	6	0.2 %
0.29	-	5	0.2 %
0.30	-	12	0.5 %
0.31	-	10	0.4 %
0.32	-	5	0.2 %
0.33	-	6	0.2 %
0.34	-	11	0.4 %
0.35	-	6	0.2 %
0.36	-	8	0.3 %
0.37	-	9	0.3 %
0.38	-	5	0.2 %
0.39	-	3	0.1 %
0.40	-	7	0.3 %
0.41	-	6	0.2 %
0.42	-	8	0.3 %
0.43	-	3	0.1 %
0.44	-	3	0.1 %
0.45	-	3	0.1 %
0.46	-	5	0.2 %
0.47	-	6	0.2 %
0.48	-	8	0.3 %
0.49	-	4	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1838	70.2 %

	Total	2,617	100%
--	--------------	--------------	-------------

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.62
- Median: 0.27
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.51
- Standard Deviation: 1.23

Location: 2747-2751 (width: 5; decimal: 2)

Variable Type: numeric

EFPNA5: EFP DDE Sodium, mg

EFP DDE Sodium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.02	-	17	0.6 %
0.05	-	1	0.0 %
0.06	-	14	0.5 %
0.10	-	3	0.1 %
0.16	-	5	0.2 %
0.17	-	1	0.0 %
0.21	-	3	0.1 %
0.23	-	5	0.2 %
0.24	-	2	0.1 %
0.28	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	2	0.1 %
0.32	-	2	0.1 %
0.34	-	2	0.1 %
0.36	-	1	0.0 %
0.38	-	3	0.1 %
0.42	-	2	0.1 %
0.46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.47	-	5	0.2 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	2	0.1 %
0.53	-	1	0.0 %
0.58	-	1	0.0 %
0.71	-	4	0.2 %
0.76	-	1	0.0 %
0.80	-	1	0.0 %
1.00	-	1	0.0 %
1.03	-	1	0.0 %
1.17	-	1	0.0 %
1.27	-	5	0.2 %
1.29	-	3	0.1 %
1.32	-	3	0.1 %
1.36	-	9	0.3 %
1.37	-	1	0.0 %
1.38	-	4	0.2 %
1.42	-	2	0.1 %
1.58	-	1	0.0 %
1.65	-	1	0.0 %
1.68	-	1	0.0 %
1.73	-	1	0.0 %
1.79	-	1	0.0 %
1.89	-	1	0.0 %
1.90	-	1	0.0 %
1.97	-	1	0.0 %
2.17	-	1	0.0 %
2.26	-	1	0.0 %
2.32	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 53.39

- Minimum: 0.00
- Maximum: 1575.94
- Standard Deviation: 119.00

Location: 2752-2758 (width: 7; decimal: 2)

Variable Type: numeric

EFPPOTA5: EFP DDE Potassium, mg

EFP DDE Potassium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.71	-	18	0.7 %
1.52	-	1	0.0 %
1.63	-	12	0.5 %
1.68	-	2	0.1 %
2.39	-	2	0.1 %
2.43	-	4	0.2 %
2.92	-	1	0.0 %
3.03	-	3	0.1 %
3.12	-	1	0.0 %
3.14	-	1	0.0 %
3.32	-	1	0.0 %
3.65	-	1	0.0 %
3.67	-	1	0.0 %
4.06	-	1	0.0 %
4.09	-	1	0.0 %
4.12	-	4	0.2 %
4.30	-	2	0.1 %
4.38	-	1	0.0 %
4.55	-	4	0.2 %
4.71	-	1	0.0 %
5.62	-	4	0.2 %
5.81	-	1	0.0 %
6.06	-	2	0.1 %
6.11	-	2	0.1 %
6.32	-	1	0.0 %
6.38	-	1	0.0 %
6.82	-	4	0.2 %
7.02	-	1	0.0 %
7.03	-	1	0.0 %
7.34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.43	-	1	0.0 %
7.74	-	2	0.1 %
7.79	-	1	0.0 %
8.34	-	1	0.0 %
8.48	-	1	0.0 %
8.66	-	2	0.1 %
9.04	-	1	0.0 %
9.09	-	1	0.0 %
9.12	-	1	0.0 %
9.19	-	1	0.0 %
9.29	-	1	0.0 %
9.50	-	1	0.0 %
9.56	-	1	0.0 %
9.87	-	2	0.1 %
9.93	-	1	0.0 %
10.06	-	1	0.0 %
10.11	-	1	0.0 %
10.18	-	1	0.0 %
10.49	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 113.18
- Minimum: 0.00
- Maximum: 1903.04
- Standard Deviation: 218.81

Location: 2759-2765 (width: 7; decimal: 2)

Variable Type: numeric

EFPAIUI5: EFP DDE A_IU, international units

EFP DDE A_IU, international units

Value	Label	Unweighted Frequency	%
0.00	-	184	7.0 %
0.03	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.06	-	1	0.0 %
0.07	-	1	0.0 %
0.20	-	10	0.4 %
0.46	-	4	0.2 %
0.67	-	1	0.0 %
0.69	-	2	0.1 %
0.85	-	1	0.0 %
1.07	-	1	0.0 %
1.54	-	1	0.0 %
1.69	-	1	0.0 %
1.81	-	1	0.0 %
1.82	-	7	0.3 %
1.88	-	1	0.0 %
1.94	-	1	0.0 %
2.07	-	1	0.0 %
2.48	-	1	0.0 %
2.54	-	2	0.1 %
2.63	-	10	0.4 %
3.00	-	1	0.0 %
3.29	-	2	0.1 %
4.19	-	1	0.0 %
4.45	-	5	0.2 %
4.47	-	1	0.0 %
4.71	-	1	0.0 %
5.10	-	1	0.0 %
5.87	-	3	0.1 %
5.95	-	1	0.0 %
5.98	-	1	0.0 %
6.05	-	3	0.1 %
6.07	-	7	0.3 %
6.49	-	1	0.0 %
7.09	-	11	0.4 %
7.16	-	1	0.0 %
7.26	-	1	0.0 %
7.29	-	4	0.2 %
7.30	-	1	0.0 %
7.55	-	3	0.1 %
8.55	-	1	0.0 %
8.67	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.72	-	1	0.0 %
9.79	-	1	0.0 %
9.92	-	1	0.0 %
10.26	-	2	0.1 %
10.48	-	1	0.0 %
10.75	-	1	0.0 %
11.18	-	3	0.1 %
11.38	-	1	0.0 %
11.54	-	2	0.1 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 268.10
- Minimum: 0.00
- Maximum: 6779.22
- Standard Deviation: 672.84

Location: 2766-2772 (width: 7; decimal: 2)

Variable Type: numeric

EFPARE5: EFP Daily dietary estimate, A_RE

EFP Daily dietary estimate, A_RE

Value	Label	Unweighted Frequency	%
0.00	-	185	7.1 %
0.01	-	2	0.1 %
0.02	-	10	0.4 %
0.05	-	4	0.2 %
0.07	-	3	0.1 %
0.08	-	1	0.0 %
0.11	-	1	0.0 %
0.15	-	1	0.0 %
0.17	-	1	0.0 %
0.18	-	8	0.3 %
0.19	-	2	0.1 %
0.21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.25	-	3	0.1 %
0.26	-	10	0.4 %
0.30	-	1	0.0 %
0.33	-	2	0.1 %
0.42	-	1	0.0 %
0.44	-	5	0.2 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.58	-	3	0.1 %
0.60	-	4	0.2 %
0.61	-	7	0.3 %
0.65	-	1	0.0 %
0.73	-	2	0.1 %
0.85	-	1	0.0 %
0.87	-	1	0.0 %
0.98	-	1	0.0 %
1.03	-	2	0.1 %
1.07	-	1	0.0 %
1.12	-	3	0.1 %
1.14	-	1	0.0 %
1.15	-	1	0.0 %
1.32	-	1	0.0 %
1.33	-	1	0.0 %
1.40	-	3	0.1 %
1.52	-	19	0.7 %
1.54	-	3	0.1 %
1.56	-	1	0.0 %
1.59	-	1	0.0 %
1.70	-	1	0.0 %
1.77	-	1	0.0 %
1.78	-	2	0.1 %
1.88	-	1	0.0 %
2.12	-	13	0.5 %
2.13	-	1	0.0 %
2.14	-	5	0.2 %
2.17	-	3	0.1 %
2.31	-	1	0.0 %
2.38	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 27.66
- Minimum: 0.00
- Maximum: 677.92
- Standard Deviation: 67.57

Location: 2773-2778 (width: 6; decimal: 2)

Variable Type: numeric

EFPB15: EFP Daily dietary estimate B1, mg

EFP Daily dietary estimate B1, mg

Value	Label	Unweighted Frequency	%
0.00	-	225	8.6 %
0.01	-	146	5.6 %
0.02	-	100	3.8 %
0.03	-	58	2.2 %
0.04	-	70	2.7 %
0.05	-	29	1.1 %
0.06	-	25	1.0 %
0.07	-	12	0.5 %
0.08	-	23	0.9 %
0.09	-	17	0.6 %
0.10	-	12	0.5 %
0.11	-	7	0.3 %
0.12	-	3	0.1 %
0.13	-	4	0.2 %
0.14	-	4	0.2 %
0.15	-	2	0.1 %
0.16	-	3	0.1 %
0.17	-	1	0.0 %
0.18	-	2	0.1 %
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.22	-	1	0.0 %
0.23	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.24	-	2	0.1 %
0.25	-	2	0.1 %
0.26	-	1	0.0 %
0.27	-	1	0.0 %
0.28	-	2	0.1 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	1	0.0 %
0.33	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	2	0.1 %
0.47	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.56	-	1	0.0 %
0.72	-	1	0.0 %
0.74	-	1	0.0 %
0.76	-	1	0.0 %
0.86	-	1	0.0 %
0.87	-	1	0.0 %
1.00	-	1	0.0 %
1.08	-	1	0.0 %
1.35	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.05
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.35
- Standard Deviation: 0.12

Location: 2779-2782 (*width:* 4; *decimal:* 2)

Variable Type: numeric

EFPRIBO5: EFP DDE Riboflavin, mg

EFP DDE Riboflavin, mg

Value	Label	Unweighted Frequency	%
0.00	-	182	7.0 %
0.01	-	151	5.8 %
0.02	-	125	4.8 %
0.03	-	80	3.1 %
0.04	-	43	1.6 %
0.05	-	42	1.6 %
0.06	-	24	0.9 %
0.07	-	32	1.2 %
0.08	-	9	0.3 %
0.09	-	10	0.4 %
0.10	-	11	0.4 %
0.11	-	5	0.2 %
0.12	-	6	0.2 %
0.13	-	3	0.1 %
0.14	-	8	0.3 %
0.15	-	4	0.2 %
0.16	-	4	0.2 %
0.17	-	3	0.1 %
0.18	-	5	0.2 %
0.19	-	3	0.1 %
0.20	-	2	0.1 %
0.21	-	1	0.0 %
0.22	-	5	0.2 %
0.23	-	1	0.0 %
0.25	-	1	0.0 %
0.26	-	2	0.1 %
0.27	-	1	0.0 %
0.30	-	2	0.1 %
0.31	-	2	0.1 %
0.33	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	1	0.0 %
0.37	-	2	0.1 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.45	-	1	0.0 %
0.58	-	1	0.0 %
0.60	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.62	-	1	0.0 %
0.70	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.04
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.70
- Standard Deviation: 0.07

Location: 2783-2786 (width: 4; decimal: 2)

Variable Type: numeric

EFPNIAC5: EFP DDE Niacin, mg

EFP DDE Niacin, mg

Value	Label	Unweighted Frequency	%
0.00	-	102	3.9 %
0.01	-	20	0.8 %
0.02	-	35	1.3 %
0.03	-	11	0.4 %
0.04	-	17	0.6 %
0.05	-	5	0.2 %
0.06	-	13	0.5 %
0.07	-	9	0.3 %
0.08	-	10	0.4 %
0.09	-	18	0.7 %
0.10	-	8	0.3 %
0.11	-	9	0.3 %
0.12	-	15	0.6 %
0.13	-	9	0.3 %
0.14	-	19	0.7 %
0.15	-	9	0.3 %
0.16	-	16	0.6 %
0.17	-	16	0.6 %
0.18	-	12	0.5 %
0.19	-	14	0.5 %

Value	Label	Unweighted Frequency	%
0.20	-	11	0.4 %
0.21	-	13	0.5 %
0.22	-	6	0.2 %
0.23	-	14	0.5 %
0.24	-	7	0.3 %
0.25	-	10	0.4 %
0.26	-	10	0.4 %
0.27	-	15	0.6 %
0.28	-	2	0.1 %
0.29	-	7	0.3 %
0.30	-	13	0.5 %
0.31	-	9	0.3 %
0.32	-	9	0.3 %
0.33	-	13	0.5 %
0.34	-	4	0.2 %
0.35	-	6	0.2 %
0.36	-	6	0.2 %
0.37	-	9	0.3 %
0.38	-	10	0.4 %
0.39	-	12	0.5 %
0.40	-	6	0.2 %
0.41	-	7	0.3 %
0.42	-	4	0.2 %
0.43	-	6	0.2 %
0.44	-	2	0.1 %
0.45	-	3	0.1 %
0.46	-	2	0.1 %
0.47	-	4	0.2 %
0.48	-	4	0.2 %
0.49	-	4	0.2 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.40
- Median: 0.21

- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.91
- Standard Deviation: 0.65

Location: 2787-2790 (*width:* 4; *decimal:* 2)

Variable Type: numeric

EFPVITC5: EFP DDE Vitamin C, mg

EFP DDE Vitamin C, mg

Value	Label	Unweighted Frequency	%
0.00	-	158	6.0 %
0.01	-	19	0.7 %
0.02	-	15	0.6 %
0.03	-	7	0.3 %
0.04	-	2	0.1 %
0.05	-	3	0.1 %
0.06	-	11	0.4 %
0.08	-	9	0.3 %
0.09	-	2	0.1 %
0.12	-	2	0.1 %
0.13	-	6	0.2 %
0.14	-	8	0.3 %
0.15	-	2	0.1 %
0.16	-	1	0.0 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.19	-	6	0.2 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.22	-	1	0.0 %
0.27	-	1	0.0 %
0.32	-	1	0.0 %
0.33	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	4	0.2 %
0.38	-	11	0.4 %
0.39	-	1	0.0 %
0.44	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.50	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.68	-	1	0.0 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.73	-	1	0.0 %
0.76	-	2	0.1 %
0.82	-	1	0.0 %
0.86	-	3	0.1 %
0.87	-	2	0.1 %
0.88	-	3	0.1 %
0.89	-	1	0.0 %
0.91	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.04	-	17	0.6 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 5.05
- Minimum: 0.00
- Maximum: 88.68
- Standard Deviation: 10.27

Location: 2791-2795 (width: 5; decimal: 2)

Variable Type: numeric

EFPSFAT5: EFP DDE Saturated Fat, gms

EFP DDE Saturated Fat, gms

Value	Label	Unweighted Frequency	%
0.00	-	195	7.5 %
0.01	-	35	1.3 %

Value	Label	Unweighted Frequency	%
0.02	-	11	0.4 %
0.03	-	12	0.5 %
0.04	-	27	1.0 %
0.05	-	59	2.3 %
0.06	-	13	0.5 %
0.07	-	23	0.9 %
0.08	-	7	0.3 %
0.09	-	2	0.1 %
0.10	-	20	0.8 %
0.11	-	15	0.6 %
0.12	-	7	0.3 %
0.13	-	2	0.1 %
0.14	-	12	0.5 %
0.15	-	7	0.3 %
0.16	-	6	0.2 %
0.17	-	11	0.4 %
0.18	-	7	0.3 %
0.19	-	12	0.5 %
0.20	-	4	0.2 %
0.21	-	9	0.3 %
0.22	-	42	1.6 %
0.23	-	5	0.2 %
0.24	-	5	0.2 %
0.25	-	4	0.2 %
0.26	-	5	0.2 %
0.27	-	5	0.2 %
0.28	-	12	0.5 %
0.29	-	9	0.3 %
0.30	-	6	0.2 %
0.31	-	1	0.0 %
0.32	-	5	0.2 %
0.33	-	4	0.2 %
0.34	-	1	0.0 %
0.35	-	4	0.2 %
0.36	-	3	0.1 %
0.37	-	8	0.3 %
0.38	-	3	0.1 %
0.39	-	4	0.2 %
0.40	-	9	0.3 %

Value	Label	Unweighted Frequency	%
0.41	-	2	0.1 %
0.42	-	2	0.1 %
0.43	-	2	0.1 %
0.44	-	5	0.2 %
0.45	-	5	0.2 %
0.46	-	5	0.2 %
0.47	-	1	0.0 %
0.48	-	3	0.1 %
0.49	-	4	0.2 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.27
- Median: 0.10
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.16
- Standard Deviation: 0.55

Location: 2796-2799 (width: 4; decimal: 2)

Variable Type: numeric

EFPOLEC5: EFP DDE Oleic Acid, gms

EFP DDE Oleic Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	231	8.8 %
0.01	-	28	1.1 %
0.02	-	52	2.0 %
0.03	-	31	1.2 %
0.04	-	10	0.4 %
0.05	-	17	0.6 %
0.06	-	4	0.2 %
0.07	-	23	0.9 %
0.08	-	4	0.2 %
0.09	-	20	0.8 %
0.10	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.11	-	74	2.8 %
0.12	-	9	0.3 %
0.13	-	8	0.3 %
0.14	-	13	0.5 %
0.15	-	4	0.2 %
0.16	-	5	0.2 %
0.17	-	1	0.0 %
0.18	-	12	0.5 %
0.19	-	2	0.1 %
0.20	-	9	0.3 %
0.21	-	1	0.0 %
0.22	-	12	0.5 %
0.23	-	10	0.4 %
0.24	-	11	0.4 %
0.25	-	14	0.5 %
0.26	-	9	0.3 %
0.27	-	4	0.2 %
0.28	-	4	0.2 %
0.29	-	5	0.2 %
0.30	-	6	0.2 %
0.31	-	4	0.2 %
0.33	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	5	0.2 %
0.36	-	4	0.2 %
0.37	-	1	0.0 %
0.38	-	5	0.2 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	1	0.0 %
0.44	-	8	0.3 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	7	0.3 %
0.48	-	1	0.0 %
0.49	-	4	0.2 %
0.50	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1838	70.2 %

	Total	2,617	100%
--	--------------	--------------	-------------

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.25
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.64
- Standard Deviation: 0.66

Location: 2800-2803 (width: 4; decimal: 2)

Variable Type: numeric

EFPLIN5: EFP DDE Linoleic Acid, gms

EFP DDE Linoleic Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	195	7.5 %
0.01	-	28	1.1 %
0.02	-	14	0.5 %
0.03	-	39	1.5 %
0.04	-	33	1.3 %
0.05	-	12	0.5 %
0.06	-	11	0.4 %
0.07	-	11	0.4 %
0.08	-	12	0.5 %
0.09	-	4	0.2 %
0.10	-	12	0.5 %
0.11	-	16	0.6 %
0.12	-	10	0.4 %
0.13	-	2	0.1 %
0.14	-	3	0.1 %
0.15	-	4	0.2 %
0.16	-	14	0.5 %
0.17	-	7	0.3 %
0.18	-	5	0.2 %
0.19	-	20	0.8 %

Value	Label	Unweighted Frequency	%
0.20	-	18	0.7 %
0.21	-	14	0.5 %
0.22	-	6	0.2 %
0.23	-	7	0.3 %
0.24	-	4	0.2 %
0.25	-	5	0.2 %
0.26	-	5	0.2 %
0.27	-	25	1.0 %
0.28	-	6	0.2 %
0.29	-	3	0.1 %
0.30	-	6	0.2 %
0.31	-	5	0.2 %
0.32	-	2	0.1 %
0.33	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	3	0.1 %
0.36	-	2	0.1 %
0.37	-	4	0.2 %
0.38	-	8	0.3 %
0.39	-	3	0.1 %
0.40	-	3	0.1 %
0.41	-	3	0.1 %
0.42	-	1	0.0 %
0.43	-	5	0.2 %
0.44	-	6	0.2 %
0.45	-	7	0.3 %
0.46	-	1	0.0 %
0.47	-	2	0.1 %
0.48	-	6	0.2 %
0.49	-	7	0.3 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.47
- Median: 0.12

- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.41
- Standard Deviation: 1.16

Location: 2804-2808 (*width:* 5; *decimal:* 2)

Variable Type: numeric

EFPCHOL5: EFP DDE Cholesterol, mg

EFP DDE Cholesterol, mg

Value	Label	Unweighted Frequency	%
0.00	-	594	22.7 %
0.15	-	18	0.7 %
0.33	-	3	0.1 %
0.35	-	5	0.2 %
0.53	-	1	0.0 %
0.65	-	3	0.1 %
1.31	-	1	0.0 %
2.38	-	23	0.9 %
3.85	-	1	0.0 %
3.92	-	1	0.0 %
4.50	-	46	1.8 %
4.65	-	11	0.4 %
4.85	-	6	0.2 %
5.15	-	2	0.1 %
5.49	-	2	0.1 %
5.80	-	1	0.0 %
6.72	-	1	0.0 %
6.88	-	1	0.0 %
7.11	-	1	0.0 %
8.47	-	1	0.0 %
10.38	-	9	0.3 %
10.46	-	1	0.0 %
10.53	-	1	0.0 %
10.73	-	1	0.0 %
10.94	-	1	0.0 %
11.03	-	1	0.0 %
12.76	-	1	0.0 %
15.45	-	10	0.4 %
15.61	-	1	0.0 %
17.70	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.83	-	1	0.0 %
18.07	-	1	0.0 %
19.27	-	6	0.2 %
19.95	-	1	0.0 %
20.10	-	2	0.1 %
20.28	-	1	0.0 %
21.91	-	1	0.0 %
22.50	-	1	0.0 %
25.09	-	1	0.0 %
25.83	-	3	0.1 %
28.21	-	1	0.0 %
33.48	-	1	0.0 %
38.54	-	3	0.1 %
38.70	-	1	0.0 %
44.21	-	1	0.0 %
58.45	-	1	0.0 %
93.74	-	1	0.0 %
98.89	-	1	0.0 %
179.66	-	1	0.0 %
264.91	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 264.91
- Standard Deviation: 13.57

Location: 2809-2814 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFPDFIB5: EFP DDE Dietary Fiber, gms

EFP DDE Dietary Fiber, gms

Value	Label	Unweighted Frequency	%
0.00	-	100	3.8 %
0.01	-	28	1.1 %
0.02	-	15	0.6 %
0.03	-	20	0.8 %
0.04	-	8	0.3 %
0.05	-	13	0.5 %
0.06	-	19	0.7 %
0.07	-	21	0.8 %
0.08	-	22	0.8 %
0.09	-	10	0.4 %
0.10	-	15	0.6 %
0.11	-	15	0.6 %
0.12	-	5	0.2 %
0.13	-	11	0.4 %
0.14	-	13	0.5 %
0.15	-	20	0.8 %
0.16	-	9	0.3 %
0.17	-	8	0.3 %
0.18	-	7	0.3 %
0.19	-	4	0.2 %
0.20	-	7	0.3 %
0.21	-	2	0.1 %
0.22	-	5	0.2 %
0.23	-	12	0.5 %
0.24	-	11	0.4 %
0.25	-	5	0.2 %
0.26	-	7	0.3 %
0.27	-	12	0.5 %
0.28	-	9	0.3 %
0.29	-	3	0.1 %
0.30	-	5	0.2 %
0.31	-	2	0.1 %
0.32	-	5	0.2 %
0.33	-	4	0.2 %
0.34	-	4	0.2 %
0.35	-	13	0.5 %
0.36	-	4	0.2 %
0.37	-	11	0.4 %
0.38	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.39	-	3	0.1 %
0.40	-	6	0.2 %
0.41	-	5	0.2 %
0.42	-	11	0.4 %
0.43	-	6	0.2 %
0.44	-	2	0.1 %
0.45	-	3	0.1 %
0.46	-	6	0.2 %
0.47	-	4	0.2 %
0.48	-	7	0.3 %
0.49	-	11	0.4 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.62
- Median: 0.24
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.85
- Standard Deviation: 1.27

Location: 2815-2819 (width: 5; decimal: 2)

Variable Type: numeric

EFPFOL5: EFP DDE Folate, mcg

EFP DDE Folate, mcg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.13	-	17	0.6 %
0.18	-	1	0.0 %
0.19	-	1	0.0 %
0.27	-	1	0.0 %
0.29	-	12	0.5 %
0.33	-	6	0.2 %
0.37	-	1	0.0 %
0.43	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.46	-	3	0.1 %
0.54	-	3	0.1 %
0.56	-	1	0.0 %
0.59	-	1	0.0 %
0.63	-	2	0.1 %
0.66	-	1	0.0 %
0.67	-	5	0.2 %
0.70	-	1	0.0 %
0.72	-	2	0.1 %
0.77	-	4	0.2 %
0.80	-	2	0.1 %
0.81	-	13	0.5 %
0.86	-	1	0.0 %
0.87	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.94	-	4	0.2 %
0.97	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.04	-	1	0.0 %
1.07	-	2	0.1 %
1.08	-	2	0.1 %
1.10	-	1	0.0 %
1.12	-	1	0.0 %
1.15	-	9	0.3 %
1.17	-	1	0.0 %
1.22	-	6	0.2 %
1.27	-	2	0.1 %
1.28	-	1	0.0 %
1.34	-	1	0.0 %
1.36	-	1	0.0 %
1.43	-	2	0.1 %
1.44	-	1	0.0 %
1.47	-	1	0.0 %
1.48	-	9	0.3 %
1.51	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.54	-	2	0.1 %
1.58	-	3	0.1 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 16.05
- Minimum: 0.00
- Maximum: 339.92
- Standard Deviation: 35.41

Location: 2820-2825 (width: 6; decimal: 2)

Variable Type: numeric

EFPVITE5: EFP DDE Vitamin E, a-TE

EFP DDE Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
0.00	-	170	6.5 %
0.01	-	43	1.6 %
0.02	-	26	1.0 %
0.03	-	41	1.6 %
0.04	-	16	0.6 %
0.05	-	34	1.3 %
0.06	-	37	1.4 %
0.07	-	19	0.7 %
0.08	-	24	0.9 %
0.09	-	8	0.3 %
0.10	-	9	0.3 %
0.11	-	16	0.6 %
0.12	-	22	0.8 %
0.13	-	18	0.7 %
0.14	-	29	1.1 %
0.15	-	13	0.5 %
0.16	-	13	0.5 %
0.17	-	13	0.5 %
0.18	-	7	0.3 %
0.19	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.20	-	6	0.2 %
0.21	-	5	0.2 %
0.22	-	5	0.2 %
0.23	-	6	0.2 %
0.24	-	10	0.4 %
0.25	-	2	0.1 %
0.26	-	5	0.2 %
0.27	-	7	0.3 %
0.28	-	4	0.2 %
0.29	-	8	0.3 %
0.30	-	5	0.2 %
0.31	-	1	0.0 %
0.32	-	7	0.3 %
0.33	-	2	0.1 %
0.34	-	1	0.0 %
0.35	-	4	0.2 %
0.36	-	4	0.2 %
0.37	-	4	0.2 %
0.38	-	3	0.1 %
0.39	-	1	0.0 %
0.40	-	1	0.0 %
0.41	-	7	0.3 %
0.42	-	4	0.2 %
0.43	-	5	0.2 %
0.44	-	9	0.3 %
0.45	-	8	0.3 %
0.46	-	5	0.2 %
0.47	-	3	0.1 %
0.48	-	1	0.0 %
0.49	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.22
- Median: 0.08

- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.69
- Standard Deviation: 0.42

Location: 2826-2829 (*width:* 4; *decimal:* 2)

Variable Type: numeric

EFPZINC5: EFP DDE Zinc, mg

EFP DDE Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	103	3.9 %
0.01	-	89	3.4 %
0.02	-	54	2.1 %
0.03	-	40	1.5 %
0.04	-	23	0.9 %
0.05	-	42	1.6 %
0.06	-	20	0.8 %
0.07	-	22	0.8 %
0.08	-	29	1.1 %
0.09	-	24	0.9 %
0.10	-	24	0.9 %
0.11	-	21	0.8 %
0.12	-	10	0.4 %
0.13	-	8	0.3 %
0.14	-	15	0.6 %
0.15	-	13	0.5 %
0.16	-	9	0.3 %
0.17	-	14	0.5 %
0.18	-	17	0.6 %
0.19	-	15	0.6 %
0.20	-	7	0.3 %
0.21	-	3	0.1 %
0.22	-	4	0.2 %
0.23	-	4	0.2 %
0.24	-	14	0.5 %
0.25	-	6	0.2 %
0.26	-	6	0.2 %
0.27	-	9	0.3 %
0.28	-	5	0.2 %
0.29	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.30	-	4	0.2 %
0.31	-	1	0.0 %
0.32	-	4	0.2 %
0.33	-	2	0.1 %
0.34	-	2	0.1 %
0.35	-	2	0.1 %
0.36	-	4	0.2 %
0.37	-	4	0.2 %
0.38	-	3	0.1 %
0.39	-	3	0.1 %
0.40	-	5	0.2 %
0.41	-	3	0.1 %
0.42	-	4	0.2 %
0.43	-	2	0.1 %
0.44	-	6	0.2 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.50	-	8	0.3 %
0.51	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.20
- Median: 0.07
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.03
- Standard Deviation: 0.41

Location: 2830-2833 (width: 4; decimal: 2)

Variable Type: numeric

EFPANZ5: EFP DDE Animal Zinc, mg

EFP DDE Animal Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	625	23.9 %
0.01	-	1	0.0 %
0.03	-	1	0.0 %
0.04	-	67	2.6 %
0.05	-	23	0.9 %
0.09	-	14	0.5 %
0.10	-	12	0.5 %
0.11	-	1	0.0 %
0.12	-	2	0.1 %
0.13	-	5	0.2 %
0.14	-	1	0.0 %
0.15	-	2	0.1 %
0.18	-	7	0.3 %
0.19	-	4	0.2 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.24	-	1	0.0 %
0.29	-	1	0.0 %
0.36	-	4	0.2 %
0.44	-	1	0.0 %
0.54	-	2	0.1 %
0.58	-	1	0.0 %
1.04	-	1	0.0 %
1.80	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.80
- Standard Deviation: 0.09

Location: 2834-2837 (width: 4; decimal: 2)

Variable Type: numeric

EFPB65: EFP Daily dietary estimate B6, mg

EFP Daily dietary estimate B6, mg

Value	Label	Unweighted Frequency	%
0.00	-	237	9.1 %
0.01	-	215	8.2 %
0.02	-	111	4.2 %
0.03	-	68	2.6 %
0.04	-	41	1.6 %
0.05	-	18	0.7 %
0.06	-	18	0.7 %
0.07	-	25	1.0 %
0.08	-	5	0.2 %
0.09	-	6	0.2 %
0.10	-	2	0.1 %
0.11	-	2	0.1 %
0.12	-	7	0.3 %
0.13	-	4	0.2 %
0.14	-	2	0.1 %
0.15	-	1	0.0 %
0.16	-	4	0.2 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.20	-	2	0.1 %
0.21	-	1	0.0 %
0.22	-	1	0.0 %
0.23	-	1	0.0 %
0.26	-	3	0.1 %
0.30	-	1	0.0 %
0.36	-	1	0.0 %
0.47	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.02
- Median: 0.01
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.47
- Standard Deviation: 0.04

Location: 2838-2841 (*width:* 4; *decimal:* 2)

Variable Type: numeric

EFPMG5: EFP DDE Magnesium, mg

EFP DDE Magnesium, mg

Value	Label	Unweighted Frequency	%
0.00	-	96	3.7 %
0.08	-	17	0.6 %
0.15	-	1	0.0 %
0.18	-	1	0.0 %
0.20	-	12	0.5 %
0.22	-	1	0.0 %
0.25	-	1	0.0 %
0.31	-	1	0.0 %
0.34	-	1	0.0 %
0.36	-	3	0.1 %
0.42	-	2	0.1 %
0.44	-	9	0.3 %
0.50	-	7	0.3 %
0.52	-	4	0.2 %
0.53	-	1	0.0 %
0.54	-	4	0.2 %
0.55	-	1	0.0 %
0.58	-	4	0.2 %
0.60	-	1	0.0 %
0.64	-	1	0.0 %
0.69	-	4	0.2 %
0.70	-	1	0.0 %
0.71	-	2	0.1 %
0.73	-	2	0.1 %
0.75	-	1	0.0 %
0.78	-	1	0.0 %
0.82	-	4	0.2 %
0.86	-	1	0.0 %
0.88	-	3	0.1 %
0.90	-	1	0.0 %
0.94	-	10	0.4 %
0.95	-	3	0.1 %
0.98	-	1	0.0 %
1.00	-	4	0.2 %
1.02	-	5	0.2 %
1.04	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.05	-	1	0.0 %
1.06	-	1	0.0 %
1.07	-	1	0.0 %
1.08	-	1	0.0 %
1.09	-	2	0.1 %
1.10	-	1	0.0 %
1.13	-	2	0.1 %
1.15	-	5	0.2 %
1.16	-	1	0.0 %
1.18	-	1	0.0 %
1.20	-	3	0.1 %
1.23	-	2	0.1 %
1.26	-	1	0.0 %
1.28	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 9.84
- Minimum: 0.00
- Maximum: 199.59
- Standard Deviation: 21.53

Location: 2842-2847 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFPACAR5: EFP DDE AlphaCarotene, mcg

EFP DDE AlphaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	676	25.8 %
0.04	-	65	2.5 %
0.09	-	31	1.2 %
0.17	-	4	0.2 %
0.26	-	1	0.0 %
0.34	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.34
- Standard Deviation: 0.03

Location: 2848-2851 (*width:* 4; *decimal:* 2)

Variable Type: numeric

EFPBCAR5: EFP DDE BetaCarotene, mcg

EFP DDE BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	207	7.9 %
0.12	-	16	0.6 %
0.27	-	7	0.3 %
0.36	-	3	0.1 %
0.51	-	2	0.1 %
0.64	-	1	0.0 %
0.83	-	1	0.0 %
0.88	-	2	0.1 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.09	-	10	0.4 %
1.15	-	1	0.0 %
1.24	-	1	0.0 %
1.45	-	1	0.0 %
1.52	-	2	0.1 %
1.58	-	12	0.5 %
1.70	-	1	0.0 %
1.90	-	1	0.0 %
1.94	-	3	0.1 %
1.96	-	1	0.0 %
2.02	-	1	0.0 %
2.03	-	1	0.0 %
2.12	-	1	0.0 %
2.45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.52	-	2	0.1 %
2.67	-	8	0.3 %
2.79	-	1	0.0 %
3.50	-	2	0.1 %
3.60	-	3	0.1 %
3.63	-	4	0.2 %
3.64	-	7	0.3 %
4.21	-	1	0.0 %
4.36	-	1	0.0 %
4.51	-	1	0.0 %
5.09	-	1	0.0 %
5.20	-	2	0.1 %
5.56	-	1	0.0 %
5.59	-	1	0.0 %
6.16	-	3	0.1 %
6.71	-	4	0.2 %
6.83	-	2	0.1 %
7.59	-	1	0.0 %
7.70	-	1	0.0 %
8.30	-	2	0.1 %
8.37	-	3	0.1 %
8.59	-	1	0.0 %
9.11	-	26	1.0 %
9.20	-	1	0.0 %
9.23	-	6	0.2 %
9.39	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 157.44
- Minimum: 0.00
- Maximum: 4067.49
- Standard Deviation: 402.94

Location: 2852-2858 (width: 7; decimal: 2)

Variable Type: numeric

EFPCRYP5: EFP DDE Cryptoxanthin, mcg

EFP DDE Cryptoxanthin, mcg

Value	Label	Unweighted Frequency	%
0.00	-	425	16.2 %
0.10	-	10	0.4 %
0.23	-	4	0.2 %
0.43	-	1	0.0 %
1.14	-	99	3.8 %
1.19	-	1	0.0 %
1.24	-	11	0.4 %
1.35	-	1	0.0 %
1.37	-	2	0.1 %
1.57	-	1	0.0 %
1.70	-	2	0.1 %
1.80	-	1	0.0 %
2.00	-	1	0.0 %
2.44	-	2	0.1 %
2.54	-	1	0.0 %
2.63	-	75	2.9 %
2.73	-	21	0.8 %
2.86	-	10	0.4 %
3.19	-	4	0.2 %
3.29	-	1	0.0 %
3.49	-	1	0.0 %
4.89	-	19	0.7 %
4.99	-	5	0.2 %
7.27	-	1	0.0 %
7.51	-	1	0.0 %
7.64	-	1	0.0 %
9.77	-	23	0.9 %
9.87	-	8	0.3 %
10.00	-	6	0.2 %
10.20	-	1	0.0 %
10.33	-	1	0.0 %
10.42	-	1	0.0 %
11.05	-	1	0.0 %
12.54	-	1	0.0 %
14.53	-	1	0.0 %
14.66	-	2	0.1 %

Value	Label	Unweighted Frequency	%
14.76	-	2	0.1 %
14.82	-	2	0.1 %
14.89	-	1	0.0 %
19.54	-	4	0.2 %
19.76	-	1	0.0 %
24.53	-	1	0.0 %
25.31	-	1	0.0 %
29.31	-	3	0.1 %
29.41	-	1	0.0 %
29.55	-	2	0.1 %
29.64	-	7	0.3 %
29.74	-	1	0.0 %
34.20	-	1	0.0 %
44.45	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 75.33
- Standard Deviation: 7.14

Location: 2859-2863 (width: 5; decimal: 2)

Variable Type: numeric

EFPLUT5: EFP DDE Lutein, mcg

EFP DDE Lutein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	498	19.0 %
0.10	-	75	2.9 %
0.22	-	1	0.0 %
0.23	-	21	0.8 %
0.43	-	3	0.1 %
0.56	-	29	1.1 %

Value	Label	Unweighted Frequency	%
0.66	-	20	0.8 %
0.78	-	1	0.0 %
0.79	-	4	0.2 %
0.85	-	3	0.1 %
0.94	-	3	0.1 %
1.29	-	12	0.5 %
1.30	-	2	0.1 %
1.39	-	7	0.3 %
1.41	-	1	0.0 %
1.52	-	3	0.1 %
1.71	-	1	0.0 %
2.02	-	1	0.0 %
2.18	-	1	0.0 %
2.40	-	3	0.1 %
2.50	-	1	0.0 %
2.56	-	1	0.0 %
3.64	-	1	0.0 %
4.80	-	1	0.0 %
5.03	-	1	0.0 %
50.22	-	24	0.9 %
50.32	-	5	0.2 %
50.45	-	1	0.0 %
50.78	-	2	0.1 %
51.01	-	1	0.0 %
51.17	-	1	0.0 %
51.73	-	1	0.0 %
57.96	-	1	0.0 %
59.48	-	1	0.0 %
107.64	-	4	0.2 %
107.87	-	1	0.0 %
108.20	-	1	0.0 %
108.30	-	1	0.0 %
108.43	-	1	0.0 %
109.03	-	1	0.0 %
115.72	-	1	0.0 %
115.92	-	13	0.5 %
116.02	-	6	0.2 %
116.15	-	1	0.0 %
116.48	-	1	0.0 %

Value	Label	Unweighted Frequency	%
116.58	-	1	0.0 %
116.86	-	3	0.1 %
117.21	-	2	0.1 %
117.25	-	1	0.0 %
215.28	-	3	0.1 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 11.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 556.61
- Standard Deviation: 41.45

Location: 2864-2869 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFPLYC5: EFP DDE Lycopene, mcg

EFP DDE Lycopene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	440	16.8 %
2.00	-	1	0.0 %
58.02	-	115	4.4 %
58.96	-	3	0.1 %
124.35	-	3	0.1 %
133.92	-	107	4.1 %
134.85	-	5	0.2 %
248.71	-	24	0.9 %
252.70	-	1	0.0 %
377.15	-	2	0.1 %
497.42	-	39	1.5 %
498.35	-	1	0.0 %
499.57	-	1	0.0 %
505.40	-	1	0.0 %
638.26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
746.13	-	5	0.2 %
754.31	-	2	0.1 %
994.83	-	5	0.2 %
1002.82	-	1	0.0 %
1276.52	-	1	0.0 %
1492.25	-	6	0.2 %
1508.62	-	8	0.3 %
1740.96	-	1	0.0 %
2262.92	-	1	0.0 %
2553.04	-	3	0.1 %
3829.57	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 132.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3829.57
- Standard Deviation: 361.08

Location: 2870-2876 (width: 7; decimal: 2)

Variable Type: numeric

EFPRET5: EFP DDE Retinol, mcg

EFP DDE Retinol, mcg

Value	Label	Unweighted Frequency	%
0.00	-	625	23.9 %
0.93	-	1	0.0 %
1.78	-	23	0.9 %
2.12	-	67	2.6 %
2.15	-	1	0.0 %
3.91	-	1	0.0 %
4.12	-	2	0.1 %
4.55	-	1	0.0 %
4.90	-	12	0.5 %
5.04	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.68	-	1	0.0 %
6.82	-	12	0.5 %
7.88	-	1	0.0 %
8.60	-	1	0.0 %
8.94	-	5	0.2 %
9.09	-	6	0.2 %
11.36	-	1	0.0 %
11.71	-	3	0.1 %
13.50	-	1	0.0 %
13.89	-	1	0.0 %
14.77	-	1	0.0 %
15.11	-	1	0.0 %
15.62	-	1	0.0 %
18.19	-	4	0.2 %
19.67	-	1	0.0 %
27.58	-	1	0.0 %
41.35	-	1	0.0 %
43.47	-	1	0.0 %
79.26	-	1	0.0 %
119.07	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 119.07
- Standard Deviation: 6.13

Location: 2877-2882 (width: 6; decimal: 2)

Variable Type: numeric

EFPPROA5: EFP DDE Pro-A Carotenes, mcg

EFP DDE Pro-A Carotenes, mcg

Value	Label	Unweighted Frequency	%
0.00	-	207	7.9 %
0.12	-	16	0.6 %

Value	Label	Unweighted Frequency	%
0.27	-	7	0.3 %
0.40	-	3	0.1 %
0.51	-	2	0.1 %
0.64	-	1	0.0 %
0.88	-	2	0.1 %
0.92	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.09	-	10	0.4 %
1.15	-	1	0.0 %
1.24	-	1	0.0 %
1.49	-	1	0.0 %
1.52	-	2	0.1 %
1.58	-	12	0.5 %
1.70	-	1	0.0 %
1.90	-	1	0.0 %
1.96	-	1	0.0 %
1.98	-	3	0.1 %
2.02	-	1	0.0 %
2.03	-	1	0.0 %
2.12	-	1	0.0 %
2.45	-	1	0.0 %
2.52	-	2	0.1 %
2.67	-	8	0.3 %
2.79	-	1	0.0 %
3.59	-	2	0.1 %
3.60	-	3	0.1 %
3.63	-	4	0.2 %
3.64	-	7	0.3 %
4.36	-	1	0.0 %
4.38	-	1	0.0 %
4.51	-	1	0.0 %
5.13	-	1	0.0 %
5.20	-	2	0.1 %
5.59	-	1	0.0 %
5.60	-	1	0.0 %
6.16	-	3	0.1 %
6.71	-	4	0.2 %
6.83	-	2	0.1 %

Value	Label	Unweighted Frequency	%
7.59	-	1	0.0 %
7.70	-	1	0.0 %
8.30	-	2	0.1 %
8.37	-	3	0.1 %
8.59	-	1	0.0 %
9.11	-	26	1.0 %
9.23	-	6	0.2 %
9.30	-	1	0.0 %
9.39	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 157.44
- Minimum: 0.00
- Maximum: 4067.53
- Standard Deviation: 402.95

Location: 2883-2889 (width: 7; decimal: 2)

Variable Type: numeric

EFPGENI5: EFP DDE Genistein, mcg

EFP DDE Genistein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	455	17.4 %
29.33	-	2	0.1 %
98.31	-	3	0.1 %
210.82	-	1	0.0 %
253.83	-	1	0.0 %
364.81	-	10	0.4 %
585.85	-	1	0.0 %
766.56	-	53	2.0 %
812.42	-	6	0.2 %
842.00	-	2	0.1 %
1177.23	-	1	0.0 %
1427.85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1642.86	-	2	0.1 %
1741.14	-	2	0.1 %
1767.95	-	12	0.5 %
1769.23	-	25	1.0 %
2563.83	-	1	0.0 %
2658.46	-	44	1.7 %
2756.77	-	1	0.0 %
2885.37	-	1	0.0 %
3023.28	-	3	0.1 %
3285.71	-	4	0.2 %
3422.36	-	1	0.0 %
3425.02	-	2	0.1 %
3470.88	-	1	0.0 %
3500.46	-	2	0.1 %
3523.33	-	1	0.0 %
3754.29	-	1	0.0 %
3789.00	-	2	0.1 %
3835.69	-	1	0.0 %
3896.85	-	1	0.0 %
3917.14	-	1	0.0 %
3943.95	-	1	0.0 %
4080.46	-	4	0.2 %
4308.76	-	1	0.0 %
4426.41	-	5	0.2 %
4445.28	-	1	0.0 %
4699.11	-	1	0.0 %
4791.22	-	1	0.0 %
4922.46	-	1	0.0 %
4982.62	-	1	0.0 %
5238.83	-	1	0.0 %
5596.62	-	8	0.3 %
5760.00	-	20	0.8 %
5987.42	-	1	0.0 %
6526.56	-	2	0.1 %
6571.43	-	2	0.1 %
7103.74	-	1	0.0 %
7160.33	-	1	0.0 %
7364.56	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 3445.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95720.16
- Standard Deviation: 10438.79

Location: 2890-2897 (width: 8; decimal: 2)

Variable Type: numeric

EFPDAID5: EFP DDE Daidzein, mcg

EFP DDE Daidzein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	455	17.4 %
26.40	-	2	0.1 %
91.41	-	3	0.1 %
162.04	-	1	0.0 %
196.02	-	1	0.0 %
219.24	-	10	0.4 %
374.00	-	1	0.0 %
459.93	-	53	2.0 %
506.00	-	2	0.1 %
791.89	-	6	0.2 %
880.00	-	1	0.0 %
985.71	-	2	0.1 %
1011.12	-	1	0.0 %
1061.54	-	25	1.0 %
1062.45	-	12	0.5 %
1548.78	-	1	0.0 %
1697.14	-	2	0.1 %
1971.43	-	4	0.2 %
2277.00	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2360.34	-	1	0.0 %
2379.96	-	44	1.7 %
2451.59	-	1	0.0 %
2452.15	-	4	0.2 %
2471.37	-	1	0.0 %
2590.94	-	1	0.0 %
2599.19	-	3	0.1 %
2670.83	-	1	0.0 %
2671.39	-	1	0.0 %
2833.43	-	1	0.0 %
2839.89	-	2	0.1 %
2885.96	-	2	0.1 %
2931.30	-	1	0.0 %
2958.15	-	1	0.0 %
2989.57	-	1	0.0 %
3048.00	-	1	0.0 %
3052.18	-	1	0.0 %
3086.29	-	1	0.0 %
3171.84	-	1	0.0 %
3391.08	-	1	0.0 %
3442.40	-	5	0.2 %
3661.64	-	1	0.0 %
3922.17	-	1	0.0 %
3942.86	-	2	0.1 %
4003.25	-	8	0.3 %
4234.29	-	1	0.0 %
4554.00	-	2	0.1 %
4942.97	-	1	0.0 %
5051.35	-	1	0.0 %
5060.00	-	1	0.0 %
5065.70	-	2	0.1 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2755.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 84531.32
- Standard Deviation: 8519.82

Location: 2898-2905 (width: 8; decimal: 2)

Variable Type: numeric

EFPCOU5: EFP DDE Coumestrol, mcg

EFP DDE Coumestrol, mcg

Value	Label	Unweighted Frequency	%
0	-	779	29.8 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 2906-2906 (width: 1; decimal: 0)

Variable Type: numeric

EFPCAFF5: EFP DDE Caffeine, mg

EFP DDE Caffeine, mg

Value	Label	Unweighted Frequency	%
0	-	779	29.8 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 2907-2907 (width: 1; decimal: 0)

Variable Type: numeric

EFPVITD5: EFP DDE Vitamin D, IU

EFP DDE Vitamin D, IU

Value	Label	Unweighted Frequency	%
0.00	-	667	25.5 %
1.77	-	1	0.0 %
4.09	-	1	0.0 %
4.27	-	1	0.0 %
8.55	-	75	2.9 %
18.32	-	2	0.1 %
19.73	-	18	0.7 %
20.97	-	1	0.0 %
23.29	-	1	0.0 %
36.64	-	6	0.2 %
73.29	-	4	0.2 %
111.13	-	1	0.0 %
146.57	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 2.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 146.57
- Standard Deviation: 9.69

Location: 2908-2913 (width: 6; decimal: 2)

Variable Type: numeric

EFPB125: EFP Daily dietary estimate B12, mcg

EFP Daily dietary estimate B12, mcg

Value	Label	Unweighted Frequency	%
0.00	-	548	20.9 %
0.01	-	65	2.5 %
0.02	-	5	0.2 %
0.03	-	35	1.3 %

Value	Label	Unweighted Frequency	%
0.04	-	1	0.0 %
0.05	-	11	0.4 %
0.09	-	1	0.0 %
0.10	-	3	0.1 %
0.11	-	1	0.0 %
0.15	-	1	0.0 %
0.17	-	1	0.0 %
0.28	-	57	2.2 %
0.29	-	9	0.3 %
0.31	-	7	0.3 %
0.38	-	1	0.0 %
0.58	-	1	0.0 %
0.61	-	2	0.1 %
0.65	-	11	0.4 %
0.66	-	6	0.2 %
0.68	-	1	0.0 %
1.21	-	5	0.2 %
1.26	-	1	0.0 %
2.43	-	4	0.2 %
3.71	-	1	0.0 %
4.85	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.85
- Standard Deviation: 0.32

Location: 2914-2917 (width: 4; decimal: 2)

Variable Type: numeric

EFPTRAN5: EFP DDE Trans Fatty Acid, gms

EFP DDE Trans Fatty Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	744	28.4 %

Value	Label	Unweighted Frequency	%
0.01	-	1	0.0 %
0.02	-	28	1.1 %
0.03	-	2	0.1 %
0.04	-	2	0.1 %
0.05	-	1	0.0 %
0.13	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.13
- Standard Deviation: 0.01

Location: 2918-2921 (width: 4; decimal: 2)

Variable Type: numeric

EFPISOF5: EFP DDE Isoflavones, mg

EFP DDE Isoflavones, mg

Value	Label	Unweighted Frequency	%
0.00	-	455	17.4 %
0.15	-	53	2.0 %
0.18	-	3	0.1 %
0.29	-	2	0.1 %
0.33	-	2	0.1 %
0.35	-	25	1.0 %
0.39	-	1	0.0 %
0.42	-	10	0.4 %
0.66	-	4	0.2 %
0.76	-	1	0.0 %
0.97	-	2	0.1 %
0.99	-	1	0.0 %
1.31	-	2	0.1 %
1.73	-	6	0.2 %
1.77	-	1	0.0 %
2.15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.73	-	1	0.0 %
2.83	-	12	0.5 %
3.27	-	1	0.0 %
3.70	-	2	0.1 %
4.61	-	44	1.7 %
4.77	-	2	0.1 %
4.79	-	1	0.0 %
4.95	-	1	0.0 %
5.03	-	4	0.2 %
5.53	-	1	0.0 %
5.58	-	2	0.1 %
6.07	-	2	0.1 %
6.34	-	2	0.1 %
6.54	-	4	0.2 %
6.76	-	1	0.0 %
6.96	-	1	0.0 %
7.28	-	8	0.3 %
7.45	-	5	0.2 %
7.51	-	1	0.0 %
7.59	-	1	0.0 %
7.73	-	1	0.0 %
7.87	-	1	0.0 %
9.07	-	1	0.0 %
9.18	-	1	0.0 %
9.39	-	1	0.0 %
9.81	-	1	0.0 %
9.99	-	20	0.8 %
10.11	-	2	0.1 %
10.15	-	2	0.1 %
10.26	-	1	0.0 %
10.41	-	1	0.0 %
11.57	-	1	0.0 %
11.89	-	1	0.0 %
12.04	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 5.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 163.88
- Standard Deviation: 16.86

Location: 2922-2927 (width: 6; decimal: 2)

Variable Type: numeric

EFPQUER5: EFP DDE Quercetin, mg

EFP DDE Quercetin, mg

Value	Label	Unweighted Frequency	%
0.00	-	439	16.8 %
0.01	-	118	4.5 %
0.03	-	116	4.4 %
0.04	-	1	0.0 %
0.05	-	25	1.0 %
0.08	-	2	0.1 %
0.10	-	42	1.6 %
0.13	-	1	0.0 %
0.15	-	5	0.2 %
0.16	-	2	0.1 %
0.21	-	6	0.2 %
0.26	-	1	0.0 %
0.31	-	14	0.5 %
0.36	-	1	0.0 %
0.47	-	1	0.0 %
0.53	-	3	0.1 %
0.79	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 0.79
- Standard Deviation: 0.07

Location: 2928-2931 (*width:* 4; *decimal:* 2)

Variable Type: numeric

EFPOMEG5: EFP DDE OMega-3 FA, gms

EFP DDE OMega-3 FA, gms

Value	Label	Unweighted Frequency	%
0.00	-	280	10.7 %
0.01	-	80	3.1 %
0.02	-	57	2.2 %
0.03	-	57	2.2 %
0.04	-	24	0.9 %
0.05	-	36	1.4 %
0.06	-	21	0.8 %
0.07	-	26	1.0 %
0.08	-	18	0.7 %
0.09	-	11	0.4 %
0.10	-	13	0.5 %
0.11	-	7	0.3 %
0.12	-	10	0.4 %
0.13	-	5	0.2 %
0.14	-	12	0.5 %
0.15	-	6	0.2 %
0.16	-	4	0.2 %
0.17	-	4	0.2 %
0.18	-	7	0.3 %
0.19	-	6	0.2 %
0.20	-	3	0.1 %
0.21	-	5	0.2 %
0.22	-	6	0.2 %
0.23	-	4	0.2 %
0.24	-	4	0.2 %
0.25	-	10	0.4 %
0.26	-	1	0.0 %
0.27	-	2	0.1 %
0.28	-	4	0.2 %
0.29	-	2	0.1 %
0.32	-	1	0.0 %
0.33	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.34	-	4	0.2 %
0.35	-	2	0.1 %
0.36	-	5	0.2 %
0.37	-	2	0.1 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.40	-	1	0.0 %
0.42	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.52	-	1	0.0 %
0.53	-	1	0.0 %
0.54	-	2	0.1 %
0.67	-	2	0.1 %
0.69	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.09
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.77
- Standard Deviation: 0.22

Location: 2932-2935 (width: 4; decimal: 2)

Variable Type: numeric

EFPCOPP5: EFP DDE Copper, mg

EFP DDE Copper, mg

Value	Label	Unweighted Frequency	%
0.00	-	145	5.5 %
0.01	-	151	5.8 %

Value	Label	Unweighted Frequency	%
0.02	-	83	3.2 %
0.03	-	60	2.3 %
0.04	-	42	1.6 %
0.05	-	37	1.4 %
0.06	-	36	1.4 %
0.07	-	25	1.0 %
0.08	-	26	1.0 %
0.09	-	15	0.6 %
0.10	-	15	0.6 %
0.11	-	9	0.3 %
0.12	-	15	0.6 %
0.13	-	12	0.5 %
0.14	-	10	0.4 %
0.15	-	5	0.2 %
0.16	-	7	0.3 %
0.17	-	14	0.5 %
0.18	-	4	0.2 %
0.19	-	12	0.5 %
0.20	-	3	0.1 %
0.21	-	5	0.2 %
0.22	-	3	0.1 %
0.23	-	2	0.1 %
0.24	-	2	0.1 %
0.25	-	5	0.2 %
0.26	-	2	0.1 %
0.28	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	2	0.1 %
0.33	-	2	0.1 %
0.34	-	3	0.1 %
0.36	-	2	0.1 %
0.39	-	1	0.0 %
0.42	-	1	0.0 %
0.43	-	1	0.0 %
0.44	-	3	0.1 %
0.46	-	2	0.1 %
0.50	-	3	0.1 %
0.57	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.63	-	1	0.0 %
0.70	-	1	0.0 %
0.75	-	1	0.0 %
0.79	-	1	0.0 %
0.88	-	1	0.0 %
0.91	-	1	0.0 %
0.98	-	1	0.0 %
1.00	-	1	0.0 %
1.14	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.07
- Median: 0.03
- Mode: 0.01
- Minimum: 0.00
- Maximum: 1.51
- Standard Deviation: 0.13

Location: 2936-2939 (width: 4; decimal: 2)

Variable Type: numeric

EFPMANG5: EFP DDE Manganese, mg

EFP DDE Manganese, mg

Value	Label	Unweighted Frequency	%
0.00	-	179	6.8 %
0.01	-	28	1.1 %
0.02	-	86	3.3 %
0.03	-	9	0.3 %
0.04	-	66	2.5 %
0.05	-	28	1.1 %
0.06	-	26	1.0 %
0.07	-	23	0.9 %
0.08	-	24	0.9 %
0.09	-	13	0.5 %
0.10	-	18	0.7 %

Value	Label	Unweighted Frequency	%
0.11	-	9	0.3 %
0.12	-	12	0.5 %
0.13	-	16	0.6 %
0.14	-	19	0.7 %
0.15	-	9	0.3 %
0.16	-	12	0.5 %
0.17	-	6	0.2 %
0.18	-	12	0.5 %
0.19	-	8	0.3 %
0.20	-	7	0.3 %
0.21	-	3	0.1 %
0.22	-	10	0.4 %
0.23	-	8	0.3 %
0.24	-	3	0.1 %
0.25	-	6	0.2 %
0.26	-	3	0.1 %
0.27	-	3	0.1 %
0.28	-	4	0.2 %
0.29	-	8	0.3 %
0.30	-	4	0.2 %
0.31	-	2	0.1 %
0.33	-	3	0.1 %
0.34	-	3	0.1 %
0.36	-	2	0.1 %
0.37	-	8	0.3 %
0.38	-	4	0.2 %
0.39	-	4	0.2 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	2	0.1 %
0.43	-	7	0.3 %
0.44	-	7	0.3 %
0.45	-	2	0.1 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.48	-	3	0.1 %
0.49	-	4	0.2 %
0.51	-	5	0.2 %
0.52	-	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.17
- Median: 0.05
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.86
- Standard Deviation: 0.36

Location: 2940-2943 (width: 4; decimal: 2)

Variable Type: numeric

EFPPANT5: EFP DDE Pantothenic Acid, mg

EFP DDE Pantothenic Acid, mg

Value	Label	Unweighted Frequency	%
0.00	-	190	7.3 %
0.01	-	62	2.4 %
0.02	-	41	1.6 %
0.03	-	42	1.6 %
0.04	-	51	1.9 %
0.05	-	34	1.3 %
0.06	-	38	1.5 %
0.07	-	23	0.9 %
0.08	-	26	1.0 %
0.09	-	29	1.1 %
0.10	-	21	0.8 %
0.11	-	10	0.4 %
0.12	-	22	0.8 %
0.13	-	17	0.6 %
0.14	-	11	0.4 %
0.15	-	21	0.8 %
0.16	-	9	0.3 %
0.17	-	9	0.3 %
0.18	-	3	0.1 %
0.19	-	12	0.5 %

Value	Label	Unweighted Frequency	%
0.20	-	4	0.2 %
0.21	-	5	0.2 %
0.22	-	7	0.3 %
0.23	-	1	0.0 %
0.24	-	5	0.2 %
0.25	-	3	0.1 %
0.26	-	5	0.2 %
0.27	-	3	0.1 %
0.28	-	3	0.1 %
0.29	-	4	0.2 %
0.30	-	5	0.2 %
0.31	-	5	0.2 %
0.32	-	2	0.1 %
0.33	-	3	0.1 %
0.34	-	1	0.0 %
0.35	-	5	0.2 %
0.36	-	2	0.1 %
0.37	-	2	0.1 %
0.38	-	1	0.0 %
0.40	-	4	0.2 %
0.41	-	2	0.1 %
0.43	-	1	0.0 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.46	-	3	0.1 %
0.47	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	2	0.1 %
0.51	-	2	0.1 %
0.52	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.10
- Median: 0.05

- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.10
- Standard Deviation: 0.18

Location: 2944-2947 (*width:* 4; *decimal:* 2)

Variable Type: numeric

EFPDFE5: EFP DDE Folate DFE, mcg_DFE

EFP DDE Folate DFE, mcg_DFE

Value	Label	Unweighted Frequency	%
0.00	-	118	4.5 %
0.06	-	1	0.0 %
0.15	-	22	0.8 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.21	-	1	0.0 %
0.23	-	1	0.0 %
0.32	-	1	0.0 %
0.35	-	16	0.6 %
0.38	-	2	0.1 %
0.45	-	1	0.0 %
0.52	-	40	1.5 %
0.53	-	2	0.1 %
0.54	-	1	0.0 %
0.57	-	1	0.0 %
0.58	-	3	0.1 %
0.65	-	4	0.2 %
0.67	-	7	0.3 %
0.69	-	1	0.0 %
0.72	-	2	0.1 %
0.73	-	2	0.1 %
0.75	-	1	0.0 %
0.77	-	1	0.0 %
0.83	-	1	0.0 %
0.87	-	3	0.1 %
0.88	-	3	0.1 %
0.92	-	2	0.1 %
0.97	-	5	0.2 %
1.03	-	1	0.0 %
1.06	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.11	-	1	0.0 %
1.13	-	1	0.0 %
1.15	-	2	0.1 %
1.17	-	1	0.0 %
1.20	-	25	1.0 %
1.21	-	1	0.0 %
1.25	-	1	0.0 %
1.26	-	8	0.3 %
1.27	-	1	0.0 %
1.28	-	1	0.0 %
1.29	-	3	0.1 %
1.32	-	1	0.0 %
1.35	-	2	0.1 %
1.37	-	2	0.1 %
1.39	-	1	0.0 %
1.46	-	6	0.2 %
1.53	-	1	0.0 %
1.54	-	1	0.0 %
1.58	-	1	0.0 %
1.59	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 15.09
- Minimum: 0.00
- Maximum: 347.30
- Standard Deviation: 34.21

Location: 2948-2953 (*width:* 6; *decimal:* 2)

Variable Type: numeric

EFPBEAN5: EFP DDE Fiber from Beans

EFP DDE Fiber from Beans

Value	Label	Unweighted Frequency	%
0.00	-	443	16.9 %
0.01	-	14	0.5 %

Value	Label	Unweighted Frequency	%
0.02	-	29	1.1 %
0.03	-	2	0.1 %
0.04	-	11	0.4 %
0.05	-	1	0.0 %
0.09	-	45	1.7 %
0.10	-	7	0.3 %
0.12	-	2	0.1 %
0.13	-	2	0.1 %
0.19	-	2	0.1 %
0.20	-	17	0.6 %
0.21	-	6	0.2 %
0.22	-	8	0.3 %
0.24	-	2	0.1 %
0.25	-	11	0.4 %
0.28	-	1	0.0 %
0.35	-	51	1.9 %
0.36	-	5	0.2 %
0.37	-	7	0.3 %
0.38	-	1	0.0 %
0.39	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	1	0.0 %
0.49	-	1	0.0 %
0.52	-	1	0.0 %
0.54	-	4	0.2 %
0.56	-	3	0.1 %
0.57	-	2	0.1 %
0.60	-	2	0.1 %
0.62	-	1	0.0 %
0.63	-	1	0.0 %
0.69	-	1	0.0 %
0.74	-	1	0.0 %
0.75	-	1	0.0 %
0.76	-	1	0.0 %
0.77	-	22	0.8 %
0.78	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.79	-	1	0.0 %
0.80	-	2	0.1 %
0.81	-	1	0.0 %
0.84	-	1	0.0 %
0.85	-	1	0.0 %
0.87	-	1	0.0 %
0.89	-	1	0.0 %
1.02	-	5	0.2 %
1.05	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.45
- Standard Deviation: 1.09

Location: 2954-2958 (width: 5; decimal: 2)

Variable Type: numeric

EFPFIBV5: EFP DDE Fiber from Veg/Fruit

EFP DDE Fiber from Veg/Fruit

Value	Label	Unweighted Frequency	%
0.00	-	158	6.0 %
0.01	-	45	1.7 %
0.02	-	1	0.0 %
0.03	-	40	1.5 %
0.04	-	13	0.5 %
0.05	-	34	1.3 %
0.06	-	65	2.5 %
0.07	-	25	1.0 %
0.08	-	16	0.6 %
0.09	-	11	0.4 %
0.10	-	22	0.8 %

Value	Label	Unweighted Frequency	%
0.11	-	15	0.6 %
0.12	-	6	0.2 %
0.13	-	46	1.8 %
0.14	-	14	0.5 %
0.15	-	12	0.5 %
0.16	-	8	0.3 %
0.17	-	14	0.5 %
0.18	-	8	0.3 %
0.19	-	6	0.2 %
0.20	-	4	0.2 %
0.21	-	10	0.4 %
0.22	-	10	0.4 %
0.23	-	16	0.6 %
0.24	-	16	0.6 %
0.25	-	2	0.1 %
0.26	-	2	0.1 %
0.27	-	3	0.1 %
0.28	-	5	0.2 %
0.29	-	6	0.2 %
0.30	-	2	0.1 %
0.32	-	4	0.2 %
0.33	-	4	0.2 %
0.34	-	1	0.0 %
0.35	-	6	0.2 %
0.36	-	6	0.2 %
0.37	-	1	0.0 %
0.38	-	3	0.1 %
0.39	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	3	0.1 %
0.43	-	4	0.2 %
0.45	-	2	0.1 %
0.47	-	2	0.1 %
0.48	-	21	0.8 %
0.49	-	2	0.1 %
0.50	-	3	0.1 %
0.52	-	3	0.1 %
0.53	-	2	0.1 %
0.56	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.22
- Median: 0.08
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.70
- Standard Deviation: 0.40

Location: 2959-2962 (width: 4; decimal: 2)

Variable Type: numeric

EFPGRAI5: EFP DDE Fiber from Grains

EFP DDE Fiber from Grains

Value	Label	Unweighted Frequency	%
0.00	-	381	14.6 %
0.01	-	91	3.5 %
0.02	-	84	3.2 %
0.04	-	19	0.7 %
0.05	-	19	0.7 %
0.06	-	1	0.0 %
0.07	-	2	0.1 %
0.09	-	6	0.2 %
0.10	-	34	1.3 %
0.11	-	40	1.5 %
0.12	-	11	0.4 %
0.13	-	4	0.2 %
0.14	-	2	0.1 %
0.15	-	2	0.1 %
0.16	-	1	0.0 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.22	-	2	0.1 %
0.23	-	19	0.7 %
0.24	-	9	0.3 %

Value	Label	Unweighted Frequency	%
0.26	-	16	0.6 %
0.27	-	1	0.0 %
0.28	-	8	0.3 %
0.31	-	1	0.0 %
0.35	-	1	0.0 %
0.39	-	1	0.0 %
0.43	-	6	0.2 %
0.45	-	1	0.0 %
0.46	-	5	0.2 %
0.64	-	2	0.1 %
0.87	-	2	0.1 %
0.89	-	1	0.0 %
0.92	-	1	0.0 %
1.22	-	1	0.0 %
1.28	-	1	0.0 %
1.32	-	1	0.0 %
2.63	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.06
- Median: 0.01
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.63
- Standard Deviation: 0.16

Location: 2963-2966 (width: 4; decimal: 2)

Variable Type: numeric

EFPFRTS5: EFP N servings fruit or fruit juice

EFP N servings fruit or fruit juice

Value	Label	Unweighted Frequency	%
0	-	779	29.8 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 2967-2967 (width: 1; decimal: 0)

Variable Type: numeric

EFPFATS5: EFP Servings of fats/sweets/snacks

EFP Servings of fats/sweets/snacks

Value	Label	Unweighted Frequency	%
0.0	-	777	29.7 %
0.1	-	2	0.1 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.10
- Standard Deviation: 0.01

Location: 2968-2970 (width: 3; decimal: 1)

Variable Type: numeric

EFPVEGS5: EFP N servings Veg

EFP N servings Veg

Value	Label	Unweighted Frequency	%
0.0000000000000000	-	150	5.7 %
0.0085714285714	-	51	1.9 %
0.01000000000000	-	1	0.0 %
0.0171428571429	-	2	0.1 %
0.0185714285714	-	7	0.3 %
0.02000000000000	-	36	1.4 %
0.0271428571429	-	1	0.0 %
0.0285714285714	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.0328571428571	-	1	0.0 %
0.0342857142857	-	1	0.0 %
0.0357142857143	-	1	0.0 %
0.0371428571429	-	16	0.6 %
0.0385714285714	-	1	0.0 %
0.040000000000000	-	2	0.1 %
0.0442857142857	-	10	0.4 %
0.0471428571429	-	5	0.2 %
0.0514285714286	-	1	0.0 %
0.0542857142857	-	4	0.2 %
0.0557142857143	-	21	0.8 %
0.0571428571429	-	43	1.6 %
0.0585714285714	-	1	0.0 %
0.060000000000000	-	1	0.0 %
0.0657142857143	-	21	0.8 %
0.0728571428571	-	1	0.0 %
0.0742857142857	-	5	0.2 %
0.0757142857143	-	1	0.0 %
0.0771428571429	-	14	0.5 %
0.0814285714286	-	1	0.0 %
0.0828571428571	-	8	0.3 %
0.0871428571429	-	2	0.1 %
0.0885714285714	-	2	0.1 %
0.090000000000000	-	1	0.0 %
0.0928571428571	-	3	0.1 %
0.0942857142857	-	2	0.1 %
0.0957142857143	-	1	0.0 %
0.0971428571429	-	5	0.2 %
0.1014285714286	-	4	0.2 %
0.1042857142857	-	6	0.2 %
0.1057142857143	-	1	0.0 %
0.1085714285714	-	3	0.1 %
0.110000000000000	-	2	0.1 %
0.1114285714286	-	4	0.2 %
0.1128571428571	-	6	0.2 %
0.1142857142857	-	1	0.0 %
0.1157142857143	-	1	0.0 %
0.1185714285714	-	5	0.2 %
0.1228571428571	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.1242857142857	-	1	0.0 %
0.1285714285714	-	1	0.0 %
0.1314285714286	-	41	1.6 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.2098092792958
- Median: 0.0771428571429
- Mode: 0.000000000000000
- Minimum: 0.0000000000000
- Maximum: 3.8185714285714
- Standard Deviation: 0.3991065191508

Location: 2971-2985 (width: 15; decimal: 13)

Variable Type: numeric

EFPVEGF5: EFP Sum daily freq Veg

EFP Sum daily freq Veg

Value	Label	Unweighted Frequency	%
0.0	-	253	9.7 %
0.1	-	257	9.8 %
0.2	-	91	3.5 %
0.3	-	65	2.5 %
0.4	-	51	1.9 %
0.5	-	19	0.7 %
0.6	-	9	0.3 %
0.7	-	8	0.3 %
0.8	-	10	0.4 %
0.9	-	4	0.2 %
1.0	-	2	0.1 %
1.1	-	4	0.2 %
1.2	-	2	0.1 %
1.4	-	1	0.0 %
1.5	-	1	0.0 %
1.8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.2	-	1	0.0 %
	Missing Data		
-	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.17
- Median: 0.10
- Mode: 0.10
- Minimum: 0.00
- Maximum: 2.20
- Standard Deviation: 0.23

Location: 2986-2988 (width: 3; decimal: 1)

Variable Type: numeric

EFPGRNS5: EFP N servings Grains

EFP N servings Grains

Value	Label	Unweighted Frequency	%
0.00000000000000	-	403	15.4 %
0.0258823529412	-	92	3.5 %
0.0505882352941	-	58	2.2 %
0.0552941176471	-	1	0.0 %
0.0588235294118	-	25	1.0 %
0.0785714285714	-	1	0.0 %
0.0847058823529	-	19	0.7 %
0.1094117647059	-	2	0.1 %
0.1105882352941	-	1	0.0 %
0.1141176470588	-	1	0.0 %
0.1176470588235	-	15	0.6 %
0.1352941176471	-	1	0.0 %
0.1494117647059	-	34	1.3 %
0.1682352941176	-	2	0.1 %
0.1741176470588	-	24	0.9 %
0.20000000000000	-	11	0.4 %
0.2082352941176	-	6	0.2 %
0.2188235294118	-	6	0.2 %
0.2329411764706	-	2	0.1 %
0.2435294117647	-	1	0.0 %
0.2670588235294	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.2835294117647	-	1	0.0 %
0.3188235294118	-	1	0.0 %
0.3435294117647	-	12	0.5 %
0.3447058823529	-	2	0.1 %
0.3694117647059	-	9	0.3 %
0.3752941176471	-	1	0.0 %
0.3952941176471	-	8	0.3 %
0.4023529411765	-	7	0.3 %
0.4282352941176	-	2	0.1 %
0.4529411764706	-	1	0.0 %
0.4611764705882	-	5	0.2 %
0.4623529411765	-	1	0.0 %
0.5376470588235	-	1	0.0 %
0.6388235294118	-	6	0.2 %
0.6552941176471	-	3	0.1 %
0.6647058823529	-	1	0.0 %
0.6894117647059	-	2	0.1 %
0.6976470588235	-	3	0.1 %
1.2776470588235	-	2	0.1 %
1.3282352941176	-	1	0.0 %
1.3952941176471	-	1	0.0 %
1.9364705882353	-	1	0.0 %
3.8905882352941	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.0862943226071
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.8905882352941
- Standard Deviation: 0.2208173036942

Location: 2989-3003 (width: 15; decimal: 13)

Variable Type: numeric

EFPGRNF5: EFP Sum daily freq Grains

EFP Sum daily freq Grains

Value	Label	Unweighted Frequency	%
0.0	-	530	20.3 %
0.1	-	188	7.2 %
0.2	-	45	1.7 %
0.3	-	11	0.4 %
0.4	-	4	0.2 %
0.6	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.60
- Standard Deviation: 0.07

Location: 3004-3006 (width: 3; decimal: 1)

Variable Type: numeric

EFPMTSV5: EFP N servings Meat

EFP N servings Meat

Value	Label	Unweighted Frequency	%
0.00000000000000	-	253	9.7 %
0.00733333333333	-	82	3.1 %
0.0082352941176	-	1	0.0 %
0.0105882352941	-	8	0.3 %
0.01066666666667	-	7	0.3 %
0.0129411764706	-	1	0.0 %
0.01433333333333	-	43	1.6 %
0.0155686274510	-	1	0.0 %
0.01566666666667	-	1	0.0 %
0.01666666666667	-	25	1.0 %
0.01766666666667	-	8	0.3 %
0.0235294117647	-	1	0.0 %
0.02400000000000	-	11	0.4 %
0.02433333333333	-	1	0.0 %
0.02500000000000	-	7	0.3 %
0.0261568627451	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.0273333333333	-	2	0.1 %
0.0310000000000	-	2	0.1 %
0.0316666666667	-	6	0.2 %
0.0329411764706	-	5	0.2 %
0.0333333333333	-	12	0.5 %
0.0341176470588	-	4	0.2 %
0.0343333333333	-	3	0.1 %
0.0376470588235	-	14	0.5 %
0.0383333333333	-	1	0.0 %
0.0386666666667	-	3	0.1 %
0.0402745098039	-	2	0.1 %
0.0420000000000	-	1	0.0 %
0.0440000000000	-	2	0.1 %
0.0449803921569	-	4	0.2 %
0.0466666666667	-	1	0.0 %
0.0470588235294	-	1	0.0 %
0.0472745098039	-	4	0.2 %
0.0476666666667	-	2	0.1 %
0.0483137254902	-	1	0.0 %
0.0483333333333	-	2	0.1 %
0.0494117647059	-	8	0.3 %
0.0496078431373	-	2	0.1 %
0.0519803921569	-	3	0.1 %
0.0541176470588	-	1	0.0 %
0.0543137254902	-	1	0.0 %
0.0569411764706	-	2	0.1 %
0.0576666666667	-	2	0.1 %
0.0579411764706	-	1	0.0 %
0.0620000000000	-	5	0.2 %
0.0652745098039	-	1	0.0 %
0.0662745098039	-	1	0.0 %
0.0670588235294	-	2	0.1 %
0.0682352941176	-	1	0.0 %
0.0690000000000	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.1193997583629
- Median: 0.0143333333333
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.5202745098039
- Standard Deviation: 0.3348466962433

Location: 3007-3021 (width: 15; decimal: 13)

Variable Type: numeric

EFPMTFQ5: EFP Sum daily freq Meat

EFP Sum daily freq Meat

Value	Label	Unweighted Frequency	%
0.0	-	392	15.0 %
0.1	-	233	8.9 %
0.2	-	70	2.7 %
0.3	-	29	1.1 %
0.4	-	20	0.8 %
0.5	-	8	0.3 %
0.6	-	6	0.2 %
0.7	-	3	0.1 %
0.8	-	11	0.4 %
0.9	-	3	0.1 %
1.0	-	2	0.1 %
2.1	-	1	0.0 %
2.3	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.1047496790757
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 2.3000000000000
- Standard Deviation: 0.1937069918678

Location: 3022-3036 (width: 15; decimal: 13)

Variable Type: numeric

EFPDARS5: EFP N servings Dairy

EFP N servings Dairy

Value	Label	Unweighted Frequency	%
0.00000000000000	-	745	28.5 %
0.018333333333	-	1	0.0 %
0.04250000000000	-	1	0.0 %
0.0729166666667	-	24	0.9 %
0.118333333333	-	1	0.0 %
0.14250000000000	-	1	0.0 %
0.158333333333	-	2	0.1 %
0.443333333333	-	2	0.1 %
0.849583333333	-	1	0.0 %
0.88666666666667	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.0064329268293
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 0.88666666666667
- Standard Deviation: 0.0517435830729

Location: 3037-3051 (width: 15; decimal: 13)

Variable Type: numeric

EFPDARF5: EFP Sum daily freq Dairy

EFP Sum daily freq Dairy

Value	Label	Unweighted Frequency	%
0.0	-	746	28.5 %
0.1	-	28	1.1 %
0.2	-	1	0.0 %
0.4	-	3	0.1 %
0.8	-	1	0.0 %
	Missing Data		
.	-	1838	70.2 %
	Total	2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.80
- Standard Deviation: 0.04

Location: 3052-3054 (width: 3; decimal: 1)

Variable Type: numeric

EFPFVSV5: EFP N servings Fruit + Veg

EFP N servings Fruit + Veg

Value	Label	Unweighted Frequency	%
0.000000000000000	-	150	5.7 %
0.0085714285714	-	51	1.9 %
0.0100000000000	-	1	0.0 %
0.0171428571429	-	2	0.1 %
0.0185714285714	-	7	0.3 %
0.0200000000000	-	36	1.4 %
0.0271428571429	-	1	0.0 %
0.0285714285714	-	3	0.1 %
0.0328571428571	-	1	0.0 %
0.0342857142857	-	1	0.0 %
0.0357142857143	-	1	0.0 %
0.0371428571429	-	16	0.6 %
0.0385714285714	-	1	0.0 %
0.0400000000000	-	2	0.1 %
0.0442857142857	-	10	0.4 %
0.0471428571429	-	5	0.2 %
0.0514285714286	-	1	0.0 %
0.0542857142857	-	4	0.2 %
0.0557142857143	-	21	0.8 %
0.0571428571429	-	43	1.6 %
0.0585714285714	-	1	0.0 %
0.0600000000000	-	1	0.0 %
0.0657142857143	-	21	0.8 %
0.0728571428571	-	1	0.0 %
0.0742857142857	-	5	0.2 %
0.0757142857143	-	1	0.0 %
0.0771428571429	-	14	0.5 %

Value	Label	Unweighted Frequency	%
0.0814285714286	-	1	0.0 %
0.0828571428571	-	8	0.3 %
0.0871428571429	-	2	0.1 %
0.0885714285714	-	2	0.1 %
0.090000000000000	-	1	0.0 %
0.0928571428571	-	3	0.1 %
0.0942857142857	-	2	0.1 %
0.0957142857143	-	1	0.0 %
0.0971428571429	-	5	0.2 %
0.1014285714286	-	4	0.2 %
0.1042857142857	-	6	0.2 %
0.1057142857143	-	1	0.0 %
0.1085714285714	-	3	0.1 %
0.1100000000000	-	2	0.1 %
0.1114285714286	-	4	0.2 %
0.1128571428571	-	6	0.2 %
0.1142857142857	-	1	0.0 %
0.1157142857143	-	1	0.0 %
0.1185714285714	-	5	0.2 %
0.1228571428571	-	1	0.0 %
0.1242857142857	-	1	0.0 %
0.1285714285714	-	1	0.0 %
0.1314285714286	-	41	1.6 %
Missing Data			
.	-	1838	70.2 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.2098092792958
- Median: 0.0771428571429
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.8185714285714
- Standard Deviation: 0.3991065191508

Location: 3055-3069 (width: 15; decimal: 13)

Variable Type: numeric

EFPFVFQ5: EFP Sum daily freq Fruit + Veg

EFP Sum daily freq Fruit + Veg

Value	Label	Unweighted Frequency	%
0.0	-	253	9.7 %
0.1	-	257	9.8 %
0.2	-	91	3.5 %
0.3	-	65	2.5 %
0.4	-	51	1.9 %
0.5	-	19	0.7 %
0.6	-	9	0.3 %
0.7	-	8	0.3 %
0.8	-	10	0.4 %
0.9	-	4	0.2 %
1.0	-	2	0.1 %
1.1	-	4	0.2 %
1.2	-	2	0.1 %
1.4	-	1	0.0 %
1.5	-	1	0.0 %
1.8	-	1	0.0 %
2.2	-	1	0.0 %
Missing Data			
.	-	1838	70.2 %
Total		2,617	100%

Based upon 779 valid cases out of 2,617 total cases.

- Mean: 0.17
- Median: 0.10
- Mode: 0.10
- Minimum: 0.00
- Maximum: 2.20
- Standard Deviation: 0.23

Location: 3070-3072 (width: 3; decimal: 1)

Variable Type: numeric

ADD1XWK5: Additional foods eaten 1x wk

Additional foods eaten 1x wk

Value	Label	Unweighted Frequency	%
1	No	0	0.0 %
2	Yes	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		2617	100.0 %
Total		2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 3073-3074 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

NUMADDS5: Number of Additional Foods

Number of Additional Foods

Value	Label	Unweighted Frequency	%
	Missing Data		
-		2617	100.0 %
Total		2,617	100%

Based upon 0 valid cases out of 2,617 total cases.

Location: 3075-3075 (width: 1; decimal: 0)

Variable Type: numeric

NSKIP5: # foods missing or double-marked

Value	Label	Unweighted Frequency	%
0	-	1833	70.0 %
1	-	210	8.0 %
2	-	52	2.0 %
3	-	16	0.6 %
4	-	7	0.3 %
5	-	3	0.1 %
6	-	1	0.0 %
10	-	3	0.1 %
	Missing Data		
.		492	18.8 %
Total		2,617	100%

Based upon 2,125 valid cases out of 2,617 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.68

Location: 3076-3077 (width: 2; decimal: 0)

Variable Type: numeric

EXCLUDE5: Too many/few foods/calories or >10 skipped

Too many/few foods/calories or >10 skipped

Value	Label	Unweighted Frequency	%
1	-	112	4.3 %
.	Missing Data	2505	95.7 %
	Total	2,617	100%

Based upon 112 valid cases out of 2,617 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 3078-3078 (width: 1; decimal: 0)

Variable Type: numeric

HRMDAY5: Hormone measures Day

Hormone measures Day

Value	Label	Unweighted Frequency	%
1719	-	1	0.0 %
1726	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	2	0.1 %
1759	-	2	0.1 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1770	-	3	0.1 %
1771	-	1	0.0 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1779	-	3	0.1 %
1780	-	1	0.0 %
1781	-	8	0.3 %
1782	-	15	0.6 %
1783	-	14	0.5 %
1784	-	15	0.6 %
1785	-	18	0.7 %
1786	-	8	0.3 %
1787	-	9	0.3 %
1788	-	6	0.2 %
1789	-	5	0.2 %
1790	-	17	0.6 %
1791	-	15	0.6 %
1792	-	19	0.7 %
1793	-	14	0.5 %
1794	-	11	0.4 %
1795	-	11	0.4 %
1796	-	12	0.5 %
1797	-	13	0.5 %
1798	-	18	0.7 %
1799	-	26	1.0 %
1800	-	7	0.3 %
1801	-	11	0.4 %
1802	-	13	0.5 %
1803	-	10	0.4 %
1804	-	8	0.3 %
1805	-	14	0.5 %
Missing Data			
.	-	470	18.0 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,147 valid cases out of 2,617 total cases.

- Mean: 1869.94
- Minimum: 1719.00
- Maximum: 2185.00
- Standard Deviation: 70.91

Location: 3079-3082 (width: 4; decimal: 0)

Variable Type: numeric

CYCDAY5: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	101	3.9 %
3	-	195	7.5 %
4	-	179	6.8 %
5	-	179	6.8 %
Missing Data			
.	-	1963	75.0 %
Total		2,617	100%

Based upon 654 valid cases out of 2,617 total cases.

- Mean: 3.67
- Median: 4.00
- Mode: 3.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.04

Location: 3083-3083 (width: 1; decimal: 0)

Variable Type: numeric

DHAS5: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
3.3	-	1	0.0 %
3.8	-	2	0.1 %
4.8	-	1	0.0 %
6.7	-	1	0.0 %
7.4	-	1	0.0 %
8.2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.4	-	1	0.0 %
8.9	-	2	0.1 %
10.2	-	1	0.0 %
10.9	-	1	0.0 %
11.9	-	1	0.0 %
12.0	-	1	0.0 %
12.7	-	1	0.0 %
13.4	-	1	0.0 %
13.5	-	1	0.0 %
13.9	-	1	0.0 %
14.2	-	1	0.0 %
14.5	-	1	0.0 %
15.3	-	1	0.0 %
15.8	-	1	0.0 %
16.2	-	1	0.0 %
16.3	-	1	0.0 %
16.6	-	1	0.0 %
16.9	-	1	0.0 %
17.8	-	1	0.0 %
18.3	-	1	0.0 %
18.4	-	2	0.1 %
18.7	-	1	0.0 %
18.8	-	1	0.0 %
19.5	-	1	0.0 %
19.7	-	1	0.0 %
20.2	-	1	0.0 %
20.3	-	2	0.1 %
20.7	-	1	0.0 %
21.0	-	1	0.0 %
21.2	-	2	0.1 %
22.3	-	1	0.0 %
22.5	-	1	0.0 %
22.6	-	1	0.0 %
22.9	-	1	0.0 %
23.2	-	1	0.0 %
23.3	-	1	0.0 %
23.4	-	1	0.0 %
23.5	-	1	0.0 %
23.6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23.7	-	1	0.0 %
23.8	-	2	0.1 %
23.9	-	1	0.0 %
24.1	-	1	0.0 %
24.2	-	1	0.0 %
Missing Data			
.	-	470	18.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,147 valid cases out of 2,617 total cases.

- Mean: 128.31
- Minimum: 3.30
- Maximum: 629.80
- Standard Deviation: 78.46

Location: 3084-3088 (width: 5; decimal: 1)

Variable Type: numeric

FSH5: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
1.3	-	1	0.0 %
1.5	-	1	0.0 %
2.2	-	1	0.0 %
2.3	-	1	0.0 %
2.4	-	1	0.0 %
2.5	-	1	0.0 %
2.6	-	2	0.1 %
2.7	-	1	0.0 %
2.9	-	1	0.0 %
3.0	-	1	0.0 %
3.1	-	1	0.0 %
3.2	-	2	0.1 %
3.3	-	2	0.1 %
3.4	-	1	0.0 %
3.5	-	1	0.0 %
3.6	-	1	0.0 %
3.8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.9	-	1	0.0 %
4.0	-	3	0.1 %
4.1	-	3	0.1 %
4.2	-	4	0.2 %
4.3	-	4	0.2 %
4.4	-	5	0.2 %
4.6	-	2	0.1 %
4.7	-	3	0.1 %
4.8	-	1	0.0 %
4.9	-	2	0.1 %
5.0	-	6	0.2 %
5.1	-	3	0.1 %
5.2	-	2	0.1 %
5.3	-	5	0.2 %
5.4	-	2	0.1 %
5.5	-	1	0.0 %
5.7	-	4	0.2 %
5.8	-	2	0.1 %
5.9	-	4	0.2 %
6.0	-	2	0.1 %
6.1	-	4	0.2 %
6.2	-	5	0.2 %
6.3	-	2	0.1 %
6.5	-	4	0.2 %
6.6	-	2	0.1 %
6.7	-	6	0.2 %
6.8	-	4	0.2 %
7.1	-	2	0.1 %
7.2	-	5	0.2 %
7.3	-	3	0.1 %
7.4	-	7	0.3 %
7.5	-	2	0.1 %
7.6	-	5	0.2 %
Missing Data			
.	-	472	18.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,145 valid cases out of 2,617 total cases.

- Mean: 54.22
- Minimum: 1.30
- Maximum: 367.40
- Standard Deviation: 44.38

Location: 3089-3093 (width: 5; decimal: 1)

Variable Type: numeric

SHBG5: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
2.5	-	1	0.0 %
3.3	-	1	0.0 %
3.7	-	1	0.0 %
4.4	-	1	0.0 %
5.1	-	1	0.0 %
5.4	-	2	0.1 %
5.5	-	2	0.1 %
5.6	-	1	0.0 %
6.9	-	1	0.0 %
7.0	-	4	0.2 %
7.1	-	1	0.0 %
7.3	-	1	0.0 %
7.6	-	1	0.0 %
7.9	-	2	0.1 %
8.0	-	1	0.0 %
8.2	-	1	0.0 %
8.7	-	1	0.0 %
9.0	-	3	0.1 %
9.3	-	1	0.0 %
9.4	-	1	0.0 %
9.6	-	2	0.1 %
9.7	-	1	0.0 %
9.8	-	2	0.1 %
10.0	-	2	0.1 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.6	-	1	0.0 %
10.7	-	3	0.1 %
10.8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.9	-	1	0.0 %
11.0	-	3	0.1 %
11.1	-	2	0.1 %
11.2	-	1	0.0 %
11.4	-	1	0.0 %
11.5	-	2	0.1 %
11.7	-	1	0.0 %
11.9	-	3	0.1 %
12.0	-	1	0.0 %
12.2	-	2	0.1 %
12.5	-	2	0.1 %
12.6	-	2	0.1 %
12.8	-	2	0.1 %
12.9	-	1	0.0 %
13.0	-	4	0.2 %
13.1	-	1	0.0 %
13.2	-	3	0.1 %
13.3	-	2	0.1 %
13.4	-	1	0.0 %
13.5	-	1	0.0 %
13.6	-	3	0.1 %
Missing Data			
.	-	482	18.4 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,135 valid cases out of 2,617 total cases.

- Mean: 50.78
- Minimum: 2.50
- Maximum: 315.40
- Standard Deviation: 32.66

Location: 3094-3098 (*width:* 5; *decimal:* 1)

Variable Type: numeric

T5: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.8	-	1	0.0 %
4.0	-	1	0.0 %
4.2	-	2	0.1 %
4.8	-	1	0.0 %
4.9	-	1	0.0 %
5.0	-	1	0.0 %
5.4	-	1	0.0 %
6.1	-	1	0.0 %
6.3	-	2	0.1 %
6.4	-	2	0.1 %
7.1	-	2	0.1 %
7.2	-	1	0.0 %
7.4	-	1	0.0 %
7.6	-	2	0.1 %
8.0	-	1	0.0 %
8.1	-	1	0.0 %
8.4	-	3	0.1 %
8.5	-	1	0.0 %
8.7	-	4	0.2 %
9.1	-	2	0.1 %
9.4	-	1	0.0 %
9.5	-	1	0.0 %
9.6	-	1	0.0 %
9.8	-	1	0.0 %
10.1	-	2	0.1 %
10.2	-	2	0.1 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.5	-	1	0.0 %
10.6	-	3	0.1 %
10.8	-	1	0.0 %
10.9	-	2	0.1 %
11.0	-	2	0.1 %
11.1	-	2	0.1 %
11.2	-	1	0.0 %
11.4	-	1	0.0 %
11.5	-	2	0.1 %
11.6	-	1	0.0 %
11.7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.8	-	1	0.0 %
11.9	-	3	0.1 %
12.0	-	2	0.1 %
12.1	-	3	0.1 %
12.2	-	5	0.2 %
12.3	-	1	0.0 %
12.4	-	1	0.0 %
12.5	-	2	0.1 %
12.6	-	3	0.1 %
12.7	-	2	0.1 %
Missing Data			
.	-	473	18.1 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,144 valid cases out of 2,617 total cases.

- Mean: 37.22
- Minimum: 2.90
- Maximum: 202.30
- Standard Deviation: 17.46

Location: 3099-3103 (width: 5; decimal: 1)

Variable Type: numeric

E2AVE5: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
3.5000000000	-	1	0.0 %
3.8000000000	-	1	0.0 %
4.0000000000	-	1	0.0 %
4.1500000000	-	1	0.0 %
4.2500000000	-	1	0.0 %
4.5000000000	-	1	0.0 %
4.6500000000	-	1	0.0 %
4.8000000000	-	2	0.1 %
4.8500000000	-	1	0.0 %
4.9000000000	-	2	0.1 %
5.0000000000	-	1	0.0 %
5.1000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.1500000000	-	2	0.1 %
5.2000000000	-	4	0.2 %
5.2500000000	-	3	0.1 %
5.3500000000	-	2	0.1 %
5.4000000000	-	2	0.1 %
5.4500000000	-	1	0.0 %
5.5500000000	-	2	0.1 %
5.6000000000	-	1	0.0 %
5.6500000000	-	1	0.0 %
5.7000000000	-	1	0.0 %
5.8000000000	-	2	0.1 %
5.8500000000	-	1	0.0 %
5.9000000000	-	1	0.0 %
5.9500000000	-	2	0.1 %
6.0500000000	-	1	0.0 %
6.2000000000	-	2	0.1 %
6.2500000000	-	3	0.1 %
6.3000000000	-	5	0.2 %
6.3500000000	-	2	0.1 %
6.4000000000	-	4	0.2 %
6.5000000000	-	2	0.1 %
6.5500000000	-	2	0.1 %
6.6000000000	-	1	0.0 %
6.6500000000	-	3	0.1 %
6.7000000000	-	2	0.1 %
6.7500000000	-	4	0.2 %
6.8500000000	-	1	0.0 %
6.9000000000	-	3	0.1 %
6.9500000000	-	1	0.0 %
7.0000000000	-	1	0.0 %
7.0500000000	-	5	0.2 %
7.1500000000	-	4	0.2 %
7.2000000000	-	2	0.1 %
7.3000000000	-	2	0.1 %
7.3500000000	-	3	0.1 %
7.4000000000	-	2	0.1 %
7.5000000000	-	1	0.0 %
7.5500000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	520	19.9 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,097 valid cases out of 2,617 total cases.

- Mean: 59.4985932284
- Minimum: 3.50000000000
- Maximum: 4071.00000000000
- Standard Deviation: 119.5450223772

Location: 3104-3118 (width: 15; decimal: 10)

Variable Type: numeric

FLGCV5: Both E2>20 pg/mL & CV>15%

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	No	2145	82.0 %
1	Yes	2	0.1 %
	Missing Data		
-	-	470	18.0 %
	Total	2,617	100%

Based upon 2,147 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3119-3120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGDIF5: 1 or both E2<=20 pg/mL & dif>10

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	No	2147	82.0 %
1	Yes	0	0.0 %
	Missing Data		
-	-	470	18.0 %

Value	Label	Unweighted Frequency	%
Total		2,617	100%

Based upon 2,147 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 3121-3122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CVRDAY5: Cardiovascular measures Day

Cardiovascular measures Day

Value	Label	Unweighted Frequency	%
1719	-	1	0.0 %
1726	-	1	0.0 %
1741	-	2	0.1 %
1744	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	2	0.1 %
1759	-	2	0.1 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %
1770	-	3	0.1 %
1771	-	1	0.0 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1779	-	3	0.1 %
1780	-	1	0.0 %
1781	-	9	0.3 %

Value	Label	Unweighted Frequency	%
1782	-	15	0.6 %
1783	-	14	0.5 %
1784	-	16	0.6 %
1785	-	18	0.7 %
1786	-	9	0.3 %
1787	-	9	0.3 %
1788	-	6	0.2 %
1789	-	6	0.2 %
1790	-	16	0.6 %
1791	-	16	0.6 %
1792	-	19	0.7 %
1793	-	15	0.6 %
1794	-	11	0.4 %
1795	-	11	0.4 %
1796	-	13	0.5 %
1797	-	13	0.5 %
1798	-	18	0.7 %
1799	-	27	1.0 %
1800	-	7	0.3 %
1801	-	12	0.5 %
1802	-	12	0.5 %
1803	-	9	0.3 %
1804	-	10	0.4 %
1805	-	14	0.5 %
Missing Data			
.	-	444	17.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,173 valid cases out of 2,617 total cases.

- Mean: 1869.77
- Minimum: 1719.00
- Maximum: 2185.00
- Standard Deviation: 71.04

Location: 3123-3126 (*width:* 4; *decimal:* 0)

Variable Type: numeric

FLAGSER5: Lipids measured on serum not plasma

Lipids measured on serum not plasma

Value	Label	Unweighted Frequency	%
0	No	2149	82.1 %
1	Yes	35	1.3 %
	Missing Data		
.	-	433	16.5 %
	Total	2,617	100%

Based upon 2,184 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3127-3128 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

CHOLRES5: Total cholesterol (mg/dl)

Total cholesterol (mg/dl)

Value	Label	Unweighted Frequency	%
84	-	1	0.0 %
96	-	1	0.0 %
101	-	1	0.0 %
103	-	1	0.0 %
104	-	1	0.0 %
107	-	1	0.0 %
108	-	1	0.0 %
110	-	1	0.0 %
111	-	2	0.1 %
115	-	1	0.0 %
120	-	1	0.0 %
121	-	1	0.0 %
122	-	3	0.1 %
123	-	3	0.1 %
124	-	5	0.2 %
126	-	1	0.0 %
127	-	4	0.2 %
128	-	2	0.1 %
129	-	3	0.1 %
131	-	3	0.1 %
132	-	4	0.2 %

Value	Label	Unweighted Frequency	%
133	-	5	0.2 %
134	-	3	0.1 %
135	-	3	0.1 %
136	-	3	0.1 %
137	-	5	0.2 %
138	-	4	0.2 %
139	-	5	0.2 %
140	-	7	0.3 %
141	-	4	0.2 %
142	-	5	0.2 %
143	-	3	0.1 %
144	-	5	0.2 %
145	-	8	0.3 %
146	-	7	0.3 %
147	-	11	0.4 %
148	-	4	0.2 %
149	-	9	0.3 %
150	-	9	0.3 %
151	-	7	0.3 %
152	-	13	0.5 %
153	-	12	0.5 %
154	-	7	0.3 %
155	-	10	0.4 %
156	-	15	0.6 %
157	-	10	0.4 %
158	-	11	0.4 %
159	-	11	0.4 %
160	-	18	0.7 %
161	-	13	0.5 %
Missing Data			
.	-	444	17.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,173 valid cases out of 2,617 total cases.

- Mean: 201.50
- Median: 198.00
- Mode: 202.00
- Minimum: 84.00

- Maximum: 364.00
- Standard Deviation: 37.24

Location: 3129-3131 (*width:* 3; *decimal:* 0)

Variable Type: numeric

TRIGRES5: Triglycerides (mg/dl)

Triglycerides (mg/dl)

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
36	-	2	0.1 %
37	-	3	0.1 %
38	-	4	0.2 %
39	-	2	0.1 %
41	-	1	0.0 %
42	-	5	0.2 %
43	-	4	0.2 %
44	-	11	0.4 %
45	-	5	0.2 %
46	-	6	0.2 %
47	-	6	0.2 %
48	-	9	0.3 %
49	-	8	0.3 %
50	-	13	0.5 %
51	-	9	0.3 %
52	-	11	0.4 %
53	-	13	0.5 %
54	-	9	0.3 %
55	-	9	0.3 %
56	-	18	0.7 %
57	-	11	0.4 %
58	-	19	0.7 %
59	-	17	0.6 %
60	-	20	0.8 %
61	-	19	0.7 %
62	-	17	0.6 %
63	-	17	0.6 %
64	-	12	0.5 %
65	-	22	0.8 %
66	-	11	0.4 %
67	-	24	0.9 %

Value	Label	Unweighted Frequency	%
68	-	22	0.8 %
69	-	28	1.1 %
70	-	20	0.8 %
71	-	24	0.9 %
72	-	19	0.7 %
73	-	23	0.9 %
74	-	20	0.8 %
75	-	16	0.6 %
76	-	14	0.5 %
77	-	17	0.6 %
78	-	12	0.5 %
79	-	24	0.9 %
80	-	23	0.9 %
81	-	24	0.9 %
82	-	23	0.9 %
83	-	15	0.6 %
84	-	20	0.8 %
85	-	20	0.8 %
Missing Data			
.	-	524	20.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,093 valid cases out of 2,617 total cases.

- Mean: 126.76
- Minimum: 35.00
- Maximum: 1480.00
- Standard Deviation: 93.04

Location: 3132-3135 (width: 4; decimal: 0)

Variable Type: numeric

LDLRESU5: Estimated LDL (mg/dl)

Estimated LDL (mg/dl)

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
28	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38	-	1	0.0 %
39	-	2	0.1 %
40	-	1	0.0 %
43	-	3	0.1 %
44	-	2	0.1 %
45	-	3	0.1 %
46	-	2	0.1 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	2	0.1 %
51	-	4	0.2 %
53	-	1	0.0 %
54	-	4	0.2 %
55	-	1	0.0 %
56	-	4	0.2 %
57	-	2	0.1 %
58	-	5	0.2 %
59	-	6	0.2 %
60	-	8	0.3 %
61	-	3	0.1 %
62	-	6	0.2 %
63	-	2	0.1 %
64	-	2	0.1 %
65	-	3	0.1 %
66	-	10	0.4 %
67	-	8	0.3 %
68	-	7	0.3 %
69	-	9	0.3 %
70	-	9	0.3 %
71	-	12	0.5 %
72	-	9	0.3 %
73	-	8	0.3 %
74	-	22	0.8 %
75	-	12	0.5 %
76	-	11	0.4 %
77	-	6	0.2 %
78	-	14	0.5 %
79	-	15	0.6 %
80	-	20	0.8 %

Value	Label	Unweighted Frequency	%
81	-	13	0.5 %
82	-	19	0.7 %
83	-	25	1.0 %
84	-	13	0.5 %
85	-	27	1.0 %
86	-	19	0.7 %
87	-	20	0.8 %
Missing Data			
.	-	555	21.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,062 valid cases out of 2,617 total cases.

- Mean: 116.72
- Median: 114.00
- Minimum: 17.00
- Maximum: 264.00
- Standard Deviation: 33.22

Location: 3136-3138 (width: 3; decimal: 0)

Variable Type: numeric

HDLRESU5: HDL (mg/dl)

HDL (mg/dl)

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
24	-	1	0.0 %
26	-	5	0.2 %
27	-	4	0.2 %
28	-	3	0.1 %
29	-	2	0.1 %
30	-	10	0.4 %
31	-	3	0.1 %
32	-	9	0.3 %
33	-	10	0.4 %
34	-	23	0.9 %
35	-	10	0.4 %
36	-	18	0.7 %
37	-	19	0.7 %

Value	Label	Unweighted Frequency	%
38	-	24	0.9 %
39	-	18	0.7 %
40	-	46	1.8 %
41	-	27	1.0 %
42	-	52	2.0 %
43	-	27	1.0 %
44	-	30	1.1 %
45	-	42	1.6 %
46	-	48	1.8 %
47	-	51	1.9 %
48	-	44	1.7 %
49	-	60	2.3 %
50	-	51	1.9 %
51	-	60	2.3 %
52	-	49	1.9 %
53	-	54	2.1 %
54	-	61	2.3 %
55	-	68	2.6 %
56	-	52	2.0 %
57	-	70	2.7 %
58	-	54	2.1 %
59	-	57	2.2 %
60	-	65	2.5 %
61	-	51	1.9 %
62	-	62	2.4 %
63	-	48	1.8 %
64	-	45	1.7 %
65	-	44	1.7 %
66	-	49	1.9 %
67	-	41	1.6 %
68	-	38	1.5 %
69	-	30	1.1 %
70	-	27	1.0 %
71	-	38	1.5 %
72	-	20	0.8 %
73	-	33	1.3 %
Missing Data			
.	-	444	17.0 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,173 valid cases out of 2,617 total cases.

- Mean: 59.84
- Median: 58.00
- Mode: 57.00
- Minimum: 20.00
- Maximum: 138.00
- Standard Deviation: 15.68

Location: 3139-3141 (width: 3; decimal: 0)

Variable Type: numeric

GLUCRES5: Glucose (mg/dl)

Glucose (mg/dl)

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
63	-	4	0.2 %
64	-	1	0.0 %
66	-	2	0.1 %
67	-	2	0.1 %
68	-	2	0.1 %
69	-	3	0.1 %
70	-	6	0.2 %
71	-	9	0.3 %
72	-	7	0.3 %
73	-	17	0.6 %
74	-	13	0.5 %
75	-	19	0.7 %
76	-	28	1.1 %
77	-	35	1.3 %
78	-	41	1.6 %
79	-	47	1.8 %
80	-	57	2.2 %
81	-	68	2.6 %
82	-	74	2.8 %

Value	Label	Unweighted Frequency	%
83	-	88	3.4 %
84	-	83	3.2 %
85	-	108	4.1 %
86	-	97	3.7 %
87	-	80	3.1 %
88	-	95	3.6 %
89	-	81	3.1 %
90	-	80	3.1 %
91	-	80	3.1 %
92	-	69	2.6 %
93	-	90	3.4 %
94	-	60	2.3 %
95	-	51	1.9 %
96	-	55	2.1 %
97	-	35	1.3 %
98	-	45	1.7 %
99	-	27	1.0 %
100	-	31	1.2 %
101	-	24	0.9 %
102	-	29	1.1 %
103	-	17	0.6 %
104	-	14	0.5 %
105	-	17	0.6 %
106	-	19	0.7 %
107	-	19	0.7 %
Missing Data			
.	-	519	19.8 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,098 valid cases out of 2,617 total cases.

- Mean: 96.33
- Median: 89.00
- Mode: 85.00
- Minimum: 32.00
- Maximum: 398.00
- Standard Deviation: 31.43

Location: 3142-3144 (*width:* 3; *decimal:* 0)

Variable Type: numeric

INSURES5: Insulin (uIU/ml)

Insulin (uIU/ml)

Value	Label	Unweighted Frequency	%
3.4	-	1	0.0 %
4.0	-	1	0.0 %
4.2	-	2	0.1 %
4.3	-	2	0.1 %
4.4	-	2	0.1 %
4.5	-	7	0.3 %
4.6	-	21	0.8 %
4.7	-	16	0.6 %
4.8	-	1	0.0 %
4.9	-	21	0.8 %
5.0	-	22	0.8 %
5.1	-	27	1.0 %
5.2	-	21	0.8 %
5.3	-	17	0.6 %
5.4	-	16	0.6 %
5.5	-	22	0.8 %
5.6	-	23	0.9 %
5.7	-	23	0.9 %
5.8	-	19	0.7 %
5.9	-	30	1.1 %
6.0	-	29	1.1 %
6.1	-	23	0.9 %
6.2	-	14	0.5 %
6.4	-	21	0.8 %
6.5	-	30	1.1 %
6.6	-	27	1.0 %
6.7	-	26	1.0 %
6.8	-	21	0.8 %
6.9	-	34	1.3 %
7.0	-	29	1.1 %
7.1	-	27	1.0 %
7.2	-	31	1.2 %
7.3	-	22	0.8 %
7.4	-	17	0.6 %
7.5	-	17	0.6 %
7.6	-	16	0.6 %

Value	Label	Unweighted Frequency	%
7.7	-	23	0.9 %
7.9	-	18	0.7 %
8.0	-	16	0.6 %
8.1	-	23	0.9 %
8.2	-	12	0.5 %
8.3	-	22	0.8 %
8.4	-	17	0.6 %
8.5	-	20	0.8 %
8.6	-	15	0.6 %
8.7	-	23	0.9 %
8.8	-	15	0.6 %
8.9	-	17	0.6 %
9.0	-	19	0.7 %
9.1	-	15	0.6 %
Missing Data			
.	-	646	24.7 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,971 valid cases out of 2,617 total cases.

- Mean: 12.77
- Minimum: 3.40
- Maximum: 211.00
- Standard Deviation: 11.92

Location: 3145-3149 (width: 5; decimal: 1)

Variable Type: numeric

FACRESU5: Factor VII (%)

Factor VII (%)

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
33	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
43	-	2	0.1 %
46	-	1	0.0 %
48	-	2	0.1 %

Value	Label	Unweighted Frequency	%
50	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.1 %
56	-	4	0.2 %
57	-	2	0.1 %
59	-	2	0.1 %
61	-	3	0.1 %
62	-	1	0.0 %
63	-	4	0.2 %
65	-	6	0.2 %
66	-	2	0.1 %
68	-	4	0.2 %
69	-	3	0.1 %
70	-	2	0.1 %
71	-	2	0.1 %
72	-	6	0.2 %
73	-	5	0.2 %
74	-	6	0.2 %
75	-	5	0.2 %
76	-	4	0.2 %
77	-	6	0.2 %
78	-	4	0.2 %
79	-	10	0.4 %
80	-	6	0.2 %
81	-	11	0.4 %
82	-	11	0.4 %
83	-	7	0.3 %
84	-	11	0.4 %
85	-	19	0.7 %
86	-	16	0.6 %
87	-	18	0.7 %
88	-	14	0.5 %
89	-	14	0.5 %
90	-	18	0.7 %
91	-	12	0.5 %
92	-	18	0.7 %
93	-	23	0.9 %
94	-	11	0.4 %
95	-	17	0.6 %

Value	Label	Unweighted Frequency	%
96	-	36	1.4 %
97	-	16	0.6 %
98	-	33	1.3 %
	Missing Data		
.	-	619	23.7 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,998 valid cases out of 2,617 total cases.

- Mean: 122.02
- Median: 118.00
- Mode: 126.00
- Minimum: 17.00
- Maximum: 444.00
- Standard Deviation: 33.04

Location: 3150-3152 (width: 3; decimal: 0)

Variable Type: numeric

FIBRESU5: Fibrinogen (mg/dl)

Fibrinogen (mg/dl)

Value	Label	Unweighted Frequency	%
64	-	1	0.0 %
72	-	1	0.0 %
82	-	1	0.0 %
97	-	1	0.0 %
101	-	1	0.0 %
102	-	1	0.0 %
126	-	1	0.0 %
128	-	1	0.0 %
130	-	2	0.1 %
132	-	1	0.0 %
137	-	1	0.0 %
141	-	1	0.0 %
146	-	1	0.0 %
150	-	1	0.0 %
154	-	1	0.0 %
159	-	7	0.3 %
161	-	3	0.1 %

Value	Label	Unweighted Frequency	%
163	-	3	0.1 %
164	-	3	0.1 %
166	-	2	0.1 %
168	-	3	0.1 %
169	-	3	0.1 %
171	-	5	0.2 %
173	-	3	0.1 %
175	-	4	0.2 %
177	-	4	0.2 %
179	-	3	0.1 %
181	-	5	0.2 %
183	-	6	0.2 %
185	-	9	0.3 %
188	-	7	0.3 %
190	-	7	0.3 %
193	-	6	0.2 %
195	-	11	0.4 %
196	-	1	0.0 %
198	-	12	0.5 %
200	-	12	0.5 %
203	-	19	0.7 %
206	-	19	0.7 %
209	-	23	0.9 %
212	-	35	1.3 %
215	-	30	1.1 %
219	-	47	1.8 %
222	-	37	1.4 %
226	-	42	1.6 %
230	-	48	1.8 %
234	-	43	1.6 %
238	-	71	2.7 %
242	-	68	2.6 %
247	-	72	2.8 %
Missing Data			
.	-	593	22.7 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,024 valid cases out of 2,617 total cases.

- Mean: 277.30
- Median: 273.00
- Mode: 292.00
- Minimum: 64.00
- Maximum: 668.00
- Standard Deviation: 60.51

Location: 3153-3155 (width: 3; decimal: 0)

Variable Type: numeric

PAIRESU5: PAI-5 (ng/ml)

PAI-5 (ng/ml)

Value	Label	Unweighted Frequency	%
0.3	-	1	0.0 %
0.6	-	3	0.1 %
0.9	-	2	0.1 %
1.0	-	2	0.1 %
1.1	-	3	0.1 %
1.2	-	2	0.1 %
1.3	-	3	0.1 %
1.5	-	2	0.1 %
1.6	-	2	0.1 %
1.7	-	6	0.2 %
1.8	-	4	0.2 %
1.9	-	4	0.2 %
2.0	-	1	0.0 %
2.1	-	6	0.2 %
2.2	-	3	0.1 %
2.3	-	4	0.2 %
2.4	-	5	0.2 %
2.5	-	4	0.2 %
2.6	-	4	0.2 %
2.7	-	6	0.2 %
2.8	-	8	0.3 %
2.9	-	8	0.3 %
3.0	-	3	0.1 %
3.1	-	7	0.3 %
3.2	-	7	0.3 %
3.3	-	7	0.3 %
3.4	-	8	0.3 %

Value	Label	Unweighted Frequency	%
3.5	-	7	0.3 %
3.6	-	7	0.3 %
3.7	-	3	0.1 %
3.8	-	6	0.2 %
3.9	-	10	0.4 %
4.0	-	5	0.2 %
4.1	-	9	0.3 %
4.2	-	5	0.2 %
4.3	-	7	0.3 %
4.4	-	5	0.2 %
4.5	-	11	0.4 %
4.6	-	10	0.4 %
4.7	-	9	0.3 %
4.8	-	6	0.2 %
4.9	-	10	0.4 %
5.0	-	4	0.2 %
5.1	-	6	0.2 %
5.2	-	10	0.4 %
5.3	-	11	0.4 %
5.4	-	10	0.4 %
5.5	-	6	0.2 %
5.6	-	8	0.3 %
5.7	-	11	0.4 %
Missing Data			
.	-	584	22.3 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,033 valid cases out of 2,617 total cases.

- Mean: 23.95
- Minimum: 0.30
- Maximum: 530.00
- Standard Deviation: 32.33

Location: 3156-3160 (width: 5; decimal: 1)

Variable Type: numeric

TPARESU5: tPA (ng/ml)

tPA (ng/ml)

Value	Label	Unweighted Frequency	%
1.3	-	1	0.0 %
1.4	-	1	0.0 %
1.8	-	3	0.1 %
1.9	-	3	0.1 %
2.0	-	5	0.2 %
2.1	-	4	0.2 %
2.2	-	3	0.1 %
2.3	-	5	0.2 %
2.4	-	8	0.3 %
2.5	-	7	0.3 %
2.6	-	7	0.3 %
2.7	-	8	0.3 %
2.8	-	14	0.5 %
2.9	-	13	0.5 %
3.0	-	10	0.4 %
3.1	-	8	0.3 %
3.2	-	16	0.6 %
3.3	-	13	0.5 %
3.4	-	13	0.5 %
3.5	-	18	0.7 %
3.6	-	24	0.9 %
3.7	-	12	0.5 %
3.8	-	16	0.6 %
3.9	-	18	0.7 %
4.0	-	16	0.6 %
4.1	-	12	0.5 %
4.2	-	12	0.5 %
4.3	-	28	1.1 %
4.4	-	21	0.8 %
4.5	-	31	1.2 %
4.6	-	28	1.1 %
4.7	-	24	0.9 %
4.8	-	22	0.8 %
4.9	-	30	1.1 %
5.0	-	25	1.0 %
5.1	-	30	1.1 %
5.2	-	28	1.1 %
5.3	-	17	0.6 %
5.4	-	33	1.3 %

Value	Label	Unweighted Frequency	%
5.5	-	27	1.0 %
5.6	-	26	1.0 %
5.7	-	28	1.1 %
5.8	-	31	1.2 %
5.9	-	25	1.0 %
6.0	-	25	1.0 %
6.1	-	23	0.9 %
6.2	-	30	1.1 %
6.3	-	28	1.1 %
6.4	-	25	1.0 %
6.5	-	29	1.1 %
Missing Data			
.	-	593	22.7 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,024 valid cases out of 2,617 total cases.

- Mean: 7.48
- Median: 7.00
- Minimum: 1.30
- Maximum: 56.40
- Standard Deviation: 3.97

Location: 3161-3164 (*width:* 4; *decimal:* 1)

Variable Type: numeric

LPARESU5: Lipoprotein Lp(a) (mg/dl)

Lipoprotein Lp(a) (mg/dl)

Value	Label	Unweighted Frequency	%
1	-	65	2.5 %
2	-	128	4.9 %
3	-	100	3.8 %
4	-	71	2.7 %
5	-	79	3.0 %
6	-	91	3.5 %
7	-	83	3.2 %
8	-	70	2.7 %
9	-	67	2.6 %
10	-	45	1.7 %

Value	Label	Unweighted Frequency	%
11	-	42	1.6 %
12	-	44	1.7 %
13	-	35	1.3 %
14	-	35	1.3 %
15	-	35	1.3 %
16	-	49	1.9 %
17	-	43	1.6 %
18	-	21	0.8 %
19	-	32	1.2 %
20	-	24	0.9 %
21	-	20	0.8 %
22	-	11	0.4 %
23	-	16	0.6 %
24	-	25	1.0 %
25	-	18	0.7 %
26	-	26	1.0 %
27	-	15	0.6 %
28	-	17	0.6 %
29	-	28	1.1 %
30	-	20	0.8 %
31	-	20	0.8 %
32	-	17	0.6 %
33	-	17	0.6 %
34	-	13	0.5 %
35	-	23	0.9 %
36	-	14	0.5 %
37	-	10	0.4 %
38	-	11	0.4 %
39	-	14	0.5 %
40	-	10	0.4 %
41	-	13	0.5 %
42	-	14	0.5 %
43	-	10	0.4 %
44	-	10	0.4 %
45	-	12	0.5 %
46	-	7	0.3 %
47	-	8	0.3 %
48	-	7	0.3 %
49	-	14	0.5 %

Value	Label	Unweighted Frequency	%
50	-	8	0.3 %
	Missing Data		
-	-	531	20.3 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,086 valid cases out of 2,617 total cases.

- Mean: 32.08
- Median: 17.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 262.00
- Standard Deviation: 36.99

Location: 3165-3167 (width: 3; decimal: 0)

Variable Type: numeric

LPA1RES5: Lipoprotein A-1 (mg/dl)

LPA1 result (mg/dl)

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	4	0.2 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	6	0.2 %
27	-	7	0.3 %
28	-	10	0.4 %
29	-	14	0.5 %
30	-	27	1.0 %
31	-	17	0.6 %
32	-	27	1.0 %
33	-	31	1.2 %
34	-	33	1.3 %
35	-	34	1.3 %
36	-	42	1.6 %
37	-	55	2.1 %
38	-	56	2.1 %

Value	Label	Unweighted Frequency	%
39	-	57	2.2 %
40	-	43	1.6 %
41	-	59	2.3 %
42	-	50	1.9 %
43	-	62	2.4 %
44	-	38	1.5 %
45	-	53	2.0 %
46	-	71	2.7 %
47	-	54	2.1 %
48	-	44	1.7 %
49	-	60	2.3 %
50	-	55	2.1 %
51	-	50	1.9 %
52	-	71	2.7 %
53	-	48	1.8 %
54	-	42	1.6 %
55	-	49	1.9 %
56	-	43	1.6 %
57	-	45	1.7 %
58	-	55	2.1 %
59	-	54	2.1 %
60	-	44	1.7 %
61	-	36	1.4 %
62	-	41	1.6 %
63	-	44	1.7 %
64	-	50	1.9 %
65	-	42	1.6 %
66	-	33	1.3 %
67	-	27	1.0 %
68	-	30	1.1 %
69	-	24	0.9 %
Missing Data			
.	-	449	17.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,168 valid cases out of 2,617 total cases.

- Mean: 53.58

- Median: 52.00
- Minimum: 20.00
- Maximum: 120.00
- Standard Deviation: 15.39

Location: 3168-3170 (width: 3; decimal: 0)

Variable Type: numeric

APOARES5: Apolipoprotein A-5 (mg/dl)

Apolipoprotein A-5 (mg/dl)

Value	Label	Unweighted Frequency	%
86	-	1	0.0 %
89	-	2	0.1 %
96	-	3	0.1 %
97	-	2	0.1 %
99	-	2	0.1 %
100	-	1	0.0 %
101	-	2	0.1 %
102	-	1	0.0 %
103	-	2	0.1 %
104	-	2	0.1 %
105	-	1	0.0 %
106	-	3	0.1 %
107	-	2	0.1 %
108	-	2	0.1 %
109	-	4	0.2 %
110	-	2	0.1 %
111	-	4	0.2 %
112	-	5	0.2 %
113	-	4	0.2 %
114	-	5	0.2 %
115	-	11	0.4 %
116	-	4	0.2 %
117	-	8	0.3 %
118	-	3	0.1 %
119	-	8	0.3 %
120	-	16	0.6 %
121	-	4	0.2 %
122	-	3	0.1 %
123	-	6	0.2 %
124	-	11	0.4 %

Value	Label	Unweighted Frequency	%
125	-	10	0.4 %
126	-	11	0.4 %
127	-	14	0.5 %
128	-	13	0.5 %
129	-	10	0.4 %
130	-	21	0.8 %
131	-	21	0.8 %
132	-	17	0.6 %
133	-	15	0.6 %
134	-	19	0.7 %
135	-	21	0.8 %
136	-	19	0.7 %
137	-	18	0.7 %
138	-	18	0.7 %
139	-	18	0.7 %
140	-	18	0.7 %
141	-	19	0.7 %
142	-	22	0.8 %
143	-	19	0.7 %
144	-	27	1.0 %
Missing Data			
.	-	454	17.3 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,163 valid cases out of 2,617 total cases.

- Mean: 167.25
- Median: 165.00
- Mode: 166.00
- Minimum: 86.00
- Maximum: 288.00
- Standard Deviation: 29.40

Location: 3171-3173 (*width:* 3; *decimal:* 0)

Variable Type: numeric

APOBRES5: Apolipoprotein B (mg/dl)

Apolipoprotein B (mg/dl)

Value	Label	Unweighted Frequency	%
38	-	2	0.1 %
42	-	2	0.1 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	4	0.2 %
51	-	2	0.1 %
53	-	2	0.1 %
54	-	2	0.1 %
55	-	2	0.1 %
56	-	4	0.2 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	3	0.1 %
60	-	6	0.2 %
61	-	3	0.1 %
62	-	7	0.3 %
63	-	5	0.2 %
64	-	8	0.3 %
65	-	4	0.2 %
66	-	5	0.2 %
67	-	7	0.3 %
68	-	10	0.4 %
69	-	4	0.2 %
70	-	10	0.4 %
71	-	14	0.5 %
72	-	16	0.6 %
73	-	16	0.6 %
74	-	15	0.6 %
75	-	13	0.5 %
76	-	19	0.7 %
77	-	22	0.8 %
78	-	14	0.5 %
79	-	14	0.5 %
80	-	22	0.8 %
81	-	23	0.9 %
82	-	21	0.8 %

Value	Label	Unweighted Frequency	%
83	-	20	0.8 %
84	-	24	0.9 %
85	-	25	1.0 %
86	-	24	0.9 %
87	-	25	1.0 %
88	-	20	0.8 %
89	-	27	1.0 %
90	-	40	1.5 %
91	-	31	1.2 %
92	-	33	1.3 %
93	-	42	1.6 %
Missing Data			
.	-	455	17.4 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,162 valid cases out of 2,617 total cases.

- Mean: 111.63
- Median: 109.00
- Mode: 93.00
- Minimum: 38.00
- Maximum: 241.00
- Standard Deviation: 28.61

Location: 3174-3176 (width: 3; decimal: 0)

Variable Type: numeric

CRPRESU5: C-reactive protein (mg/l)

C-reactive protein (mg/l)

Value	Label	Unweighted Frequency	%
0.044	-	2	0.1 %
0.053	-	1	0.0 %
0.059	-	2	0.1 %
0.066	-	1	0.0 %
0.070	-	1	0.0 %
0.071	-	4	0.2 %
0.073	-	2	0.1 %
0.074	-	1	0.0 %
0.075	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.084	-	1	0.0 %
0.086	-	2	0.1 %
0.087	-	1	0.0 %
0.088	-	1	0.0 %
0.090	-	1	0.0 %
0.091	-	1	0.0 %
0.092	-	1	0.0 %
0.094	-	2	0.1 %
0.096	-	3	0.1 %
0.097	-	1	0.0 %
0.100	-	1	0.0 %
0.101	-	1	0.0 %
0.103	-	1	0.0 %
0.108	-	1	0.0 %
0.110	-	2	0.1 %
0.113	-	1	0.0 %
0.116	-	2	0.1 %
0.117	-	2	0.1 %
0.123	-	1	0.0 %
0.125	-	1	0.0 %
0.127	-	1	0.0 %
0.128	-	1	0.0 %
0.129	-	1	0.0 %
0.130	-	1	0.0 %
0.133	-	2	0.1 %
0.134	-	2	0.1 %
0.135	-	1	0.0 %
0.136	-	2	0.1 %
0.137	-	1	0.0 %
0.139	-	1	0.0 %
0.140	-	1	0.0 %
0.143	-	2	0.1 %
0.144	-	3	0.1 %
0.146	-	1	0.0 %
0.147	-	2	0.1 %
0.148	-	2	0.1 %
0.149	-	1	0.0 %
0.150	-	3	0.1 %
0.151	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.153	-	1	0.0 %
0.154	-	1	0.0 %
	Missing Data		
.	-	462	17.7 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,155 valid cases out of 2,617 total cases.

- Mean: 4.243
- Minimum: 0.044
- Maximum: 111.000
- Standard Deviation: 6.583

Location: 3177-3183 (width: 7; decimal: 3)

Variable Type: numeric

FLGCVR5: Collected after V5 cutoff (02/15/2003)

Collected after V5 cutoff (02/15/2003)

Value	Label	Unweighted Frequency	%
0	No	2183	83.4 %
1	Yes	1	0.0 %
	Missing Data		
.	-	433	16.5 %
	Total	2,617	100%

Based upon 2,184 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3184-3185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPSCDAY5: Spine Scan Day

Spine Scan Day

Value	Label	Unweighted Frequency	%
1733	-	1	0.0 %
1741	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	1	0.0 %
1762	-	1	0.0 %
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %
1769	-	1	0.0 %
1770	-	4	0.2 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	1	0.0 %
1778	-	3	0.1 %
1780	-	2	0.1 %
1781	-	7	0.3 %
1782	-	12	0.5 %
1783	-	17	0.6 %
1784	-	13	0.5 %
1785	-	13	0.5 %
1786	-	5	0.2 %
1787	-	8	0.3 %
1788	-	7	0.3 %
1789	-	3	0.1 %
1790	-	11	0.4 %
1791	-	10	0.4 %
1792	-	26	1.0 %
1793	-	12	0.5 %
1794	-	13	0.5 %
1795	-	9	0.3 %
1796	-	9	0.3 %
1797	-	12	0.5 %
1798	-	8	0.3 %
1799	-	26	1.0 %

Value	Label	Unweighted Frequency	%
1800	-	7	0.3 %
1801	-	13	0.5 %
1802	-	12	0.5 %
1803	-	8	0.3 %
1804	-	7	0.3 %
1805	-	11	0.4 %
1806	-	21	0.8 %
1807	-	4	0.2 %
1808	-	11	0.4 %
Missing Data			
-		868	33.2 %
Total		2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,749 valid cases out of 2,617 total cases.

- Mean: 1856.43
- Minimum: 1733.00
- Maximum: 2099.00
- Standard Deviation: 56.57

Location: 3186-3189 (width: 4; decimal: 0)

Variable Type: numeric

SPSCTIM5: Spine Scan Time

Spine Scan Time

Value	Label	Unweighted Frequency	%
0:06:38	-	1	0.0 %
0:06:44	-	1	0.0 %
0:06:49	-	1	0.0 %
0:06:52	-	1	0.0 %
0:06:53	-	1	0.0 %
0:07:00	-	1	0.0 %
0:07:05	-	1	0.0 %
0:07:09	-	1	0.0 %
0:07:12	-	2	0.1 %
0:07:14	-	1	0.0 %
0:07:15	-	2	0.1 %
0:07:16	-	1	0.0 %
0:07:17	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0:07:20	-	1	0.0 %
0:07:21	-	1	0.0 %
0:07:24	-	4	0.2 %
0:07:27	-	1	0.0 %
0:07:28	-	1	0.0 %
0:07:30	-	1	0.0 %
0:07:31	-	1	0.0 %
0:07:33	-	2	0.1 %
0:07:34	-	2	0.1 %
0:07:35	-	1	0.0 %
0:07:39	-	3	0.1 %
0:07:40	-	1	0.0 %
0:07:41	-	1	0.0 %
0:07:42	-	2	0.1 %
0:07:43	-	6	0.2 %
0:07:47	-	2	0.1 %
0:07:48	-	2	0.1 %
0:07:49	-	2	0.1 %
0:07:50	-	2	0.1 %
0:07:51	-	4	0.2 %
0:07:52	-	1	0.0 %
0:07:53	-	2	0.1 %
0:07:54	-	3	0.1 %
0:07:55	-	2	0.1 %
0:07:59	-	3	0.1 %
0:08:00	-	2	0.1 %
0:08:02	-	4	0.2 %
0:08:03	-	1	0.0 %
0:08:04	-	1	0.0 %
0:08:05	-	1	0.0 %
0:08:06	-	1	0.0 %
0:08:07	-	5	0.2 %
0:08:08	-	2	0.1 %
0:08:09	-	1	0.0 %
0:08:10	-	1	0.0 %
0:08:11	-	1	0.0 %
0:08:12	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	914	34.9 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,703 valid cases out of 2,617 total cases.

Location: 3190-3201 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

SPSCMOD5: Spine Scan Mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	651	24.9 %
11	4500 machine	1052	40.2 %
	Missing Data		
.	-	914	34.9 %
	Total	2,617	100%

Based upon 1,703 valid cases out of 2,617 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 3202-3203 (width: 2; decimal: 0)

Variable Type: numeric

HPSCDAY5: Hip Scan Day

Hip Scan Day

Value	Label	Unweighted Frequency	%
1733	-	1	0.0 %
1741	-	1	0.0 %
1746	-	1	0.0 %
1748	-	1	0.0 %
1750	-	1	0.0 %
1752	-	1	0.0 %
1757	-	1	0.0 %
1759	-	1	0.0 %
1761	-	1	0.0 %
1762	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1763	-	2	0.1 %
1764	-	3	0.1 %
1767	-	2	0.1 %
1768	-	2	0.1 %
1769	-	1	0.0 %
1770	-	4	0.2 %
1772	-	2	0.1 %
1775	-	2	0.1 %
1776	-	3	0.1 %
1777	-	2	0.1 %
1778	-	3	0.1 %
1780	-	2	0.1 %
1781	-	7	0.3 %
1782	-	12	0.5 %
1783	-	17	0.6 %
1784	-	13	0.5 %
1785	-	13	0.5 %
1786	-	5	0.2 %
1787	-	8	0.3 %
1788	-	7	0.3 %
1789	-	3	0.1 %
1790	-	11	0.4 %
1791	-	9	0.3 %
1792	-	26	1.0 %
1793	-	12	0.5 %
1794	-	14	0.5 %
1795	-	9	0.3 %
1796	-	10	0.4 %
1797	-	12	0.5 %
1798	-	8	0.3 %
1799	-	26	1.0 %
1800	-	7	0.3 %
1801	-	13	0.5 %
1802	-	12	0.5 %
1803	-	8	0.3 %
1804	-	7	0.3 %
1805	-	11	0.4 %
1806	-	21	0.8 %
1807	-	4	0.2 %

Value	Label	Unweighted Frequency	%
1808	-	11	0.4 %
	Missing Data		
-		866	33.1 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,751 valid cases out of 2,617 total cases.

- Mean: 1856.27
- Minimum: 1733.00
- Maximum: 2099.00
- Standard Deviation: 56.50

Location: 3204-3207 (*width:* 4; *decimal:* 0)

Variable Type: numeric

HPSCTIM5: Hip Scan Time

Hip Scan Time

Value	Label	Unweighted Frequency	%
0:06:34	-	1	0.0 %
0:06:47	-	2	0.1 %
0:06:49	-	1	0.0 %
0:06:51	-	1	0.0 %
0:06:57	-	1	0.0 %
0:07:03	-	1	0.0 %
0:07:05	-	1	0.0 %
0:07:09	-	1	0.0 %
0:07:11	-	1	0.0 %
0:07:12	-	4	0.2 %
0:07:14	-	1	0.0 %
0:07:22	-	2	0.1 %
0:07:23	-	2	0.1 %
0:07:24	-	4	0.2 %
0:07:28	-	2	0.1 %
0:07:29	-	1	0.0 %
0:07:34	-	1	0.0 %
0:07:36	-	3	0.1 %
0:07:38	-	3	0.1 %
0:07:39	-	2	0.1 %
0:07:40	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0:07:42	-	4	0.2 %
0:07:45	-	3	0.1 %
0:07:46	-	1	0.0 %
0:07:47	-	1	0.0 %
0:07:48	-	1	0.0 %
0:07:49	-	3	0.1 %
0:07:50	-	1	0.0 %
0:07:51	-	2	0.1 %
0:07:53	-	1	0.0 %
0:07:54	-	1	0.0 %
0:07:55	-	4	0.2 %
0:07:56	-	1	0.0 %
0:07:57	-	3	0.1 %
0:07:58	-	4	0.2 %
0:07:59	-	2	0.1 %
0:08:00	-	2	0.1 %
0:08:01	-	1	0.0 %
0:08:02	-	4	0.2 %
0:08:04	-	3	0.1 %
0:08:05	-	3	0.1 %
0:08:07	-	1	0.0 %
0:08:10	-	3	0.1 %
0:08:11	-	2	0.1 %
0:08:12	-	6	0.2 %
0:08:13	-	1	0.0 %
0:08:14	-	3	0.1 %
0:08:15	-	1	0.0 %
0:08:16	-	2	0.1 %
0:08:17	-	3	0.1 %
	Missing Data		
.	-	912	34.8 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,705 valid cases out of 2,617 total cases.

Location: 3208-3219 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HPSCMOD5: Hip Scan Mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	2000 machine	653	25.0 %
11	4500 machine	1052	40.2 %
	Missing Data		
.	-	912	34.8 %
	Total	2,617	100%

Based upon 1,705 valid cases out of 2,617 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 3220-3221 (width: 2; decimal: 0)

Variable Type: numeric

SPBMDT5: Total Spine BMD w/cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.604500	-	1	0.0 %
0.679700	-	1	0.0 %
0.680900	-	1	0.0 %
0.681600	-	1	0.0 %
0.694300	-	1	0.0 %
0.701924	-	1	0.0 %
0.704900	-	1	0.0 %
0.715400	-	1	0.0 %
0.718100	-	1	0.0 %
0.720870	-	1	0.0 %
0.723000	-	1	0.0 %
0.725200	-	1	0.0 %
0.726900	-	1	0.0 %
0.729400	-	1	0.0 %
0.730600	-	1	0.0 %
0.734300	-	1	0.0 %
0.734800	-	1	0.0 %
0.735471	-	1	0.0 %
0.737100	-	1	0.0 %
0.741000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.741500	-	1	0.0 %
0.742919	-	1	0.0 %
0.745800	-	1	0.0 %
0.746800	-	1	0.0 %
0.747700	-	1	0.0 %
0.752230	-	1	0.0 %
0.753398	-	1	0.0 %
0.753700	-	1	0.0 %
0.755400	-	1	0.0 %
0.755500	-	1	0.0 %
0.758547	-	1	0.0 %
0.758800	-	1	0.0 %
0.759572	-	1	0.0 %
0.759648	-	1	0.0 %
0.762300	-	1	0.0 %
0.762400	-	1	0.0 %
0.763900	-	1	0.0 %
0.764400	-	1	0.0 %
0.764800	-	1	0.0 %
0.765200	-	1	0.0 %
0.765850	-	1	0.0 %
0.765876	-	1	0.0 %
0.766500	-	1	0.0 %
0.769900	-	1	0.0 %
0.771000	-	1	0.0 %
0.773100	-	1	0.0 %
0.773900	-	1	0.0 %
0.779800	-	1	0.0 %
0.780700	-	1	0.0 %
0.781300	-	1	0.0 %
Missing Data			
.	-	877	33.5 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,740 valid cases out of 2,617 total cases.

- Mean: 1.048915

- Minimum: 0.604500
- Maximum: 1.609960
- Standard Deviation: 0.152658

Location: 3222-3229 (width: 8; decimal: 6)

Variable Type: numeric

HPBMDT5: Total Hip BMD w/cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.584100	-	1	0.0 %
0.610700	-	1	0.0 %
0.614600	-	1	0.0 %
0.621400	-	1	0.0 %
0.622200	-	1	0.0 %
0.623200	-	1	0.0 %
0.634000	-	1	0.0 %
0.641200	-	1	0.0 %
0.641233	-	1	0.0 %
0.642200	-	1	0.0 %
0.644100	-	1	0.0 %
0.645200	-	1	0.0 %
0.645400	-	1	0.0 %
0.646300	-	1	0.0 %
0.648200	-	1	0.0 %
0.651300	-	1	0.0 %
0.652200	-	1	0.0 %
0.652500	-	1	0.0 %
0.655700	-	1	0.0 %
0.658100	-	1	0.0 %
0.661700	-	1	0.0 %
0.663742	-	1	0.0 %
0.663900	-	1	0.0 %
0.666300	-	1	0.0 %
0.667316	-	1	0.0 %
0.670400	-	1	0.0 %
0.671200	-	1	0.0 %
0.672900	-	1	0.0 %
0.673300	-	1	0.0 %
0.676100	-	1	0.0 %
0.679000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.681800	-	1	0.0 %
0.682600	-	1	0.0 %
0.684100	-	1	0.0 %
0.687500	-	1	0.0 %
0.691800	-	1	0.0 %
0.692100	-	1	0.0 %
0.693200	-	1	0.0 %
0.693400	-	1	0.0 %
0.693800	-	1	0.0 %
0.694800	-	1	0.0 %
0.695200	-	1	0.0 %
0.697500	-	1	0.0 %
0.697900	-	1	0.0 %
0.698000	-	1	0.0 %
0.698400	-	1	0.0 %
0.699100	-	1	0.0 %
0.699600	-	1	0.0 %
0.700600	-	1	0.0 %
0.701100	-	1	0.0 %
Missing Data			
.	-	872	33.3 %
	Total	2,617	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,745 valid cases out of 2,617 total cases.

- Mean: 0.946339
- Minimum: 0.584100
- Maximum: 1.603600
- Standard Deviation: 0.145758

Location: 3230-3237 (width: 8; decimal: 6)

Variable Type: numeric

BMDFLG5: PI recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	No	1757	67.1 %
1	Yes	0	0.0 %

Value	Label	Unweighted Frequency	%
.	Missing Data	860	32.9 %
	Total	2,617	100%

Based upon 1,757 valid cases out of 2,617 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 3238-3239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .