

ICPSR 32721

**Study of Women's Health Across
the Nation (SWAN), 2005-2007: Visit
09 Dataset**

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 2005-2007: Visit 09 Dataset

Kim Sutton-Tyrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran R. (Mary Francis Roy) Sowers
University of Michigan

Joel Finkelstein
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry-New Jersey Medical Center

Karen Matthews
University of Pittsburgh

Maria Mori Brooks
University of Pittsburgh

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/32721/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #32721

Study of Women's Health Across the Nation (SWAN), 2005-2007: Visit 09 Dataset

1. **Variable Link:** Using the variable **SWANID**, this dataset can be linked with the SWAN Cross-Sectional Screener Data (ICPSR 04368), Baseline Data (ICPSR 28762), Visit 1 Data (ICPSR 29221), Visit 2 Data (ICPSR 29401), Visit 3 Data (ICPSR 29701), Visit 4 Data (ICPSR 30142), Visit 5 Data (ICPSR 30501), Visit 6 Data (ICPSR 31181), Visit 7 Data (ICPSR 31901), Visit 8 Data (ICPSR 32122), and Visit 10 Data (ICPSR 32961).
2. **Stata Limitations:** Due to Stata limitations, the following variables do not contain value labels for non-integer values within the Stata files:

ACUPSPE9	BCOHSPE9	BCRES_S9	BONES19
BONES29	BONES39	BOTASPE9	DIETSPE9
DQUASPE9	EXERSPE9	FLAXSPE9	GINKSPE9
GINSSPE9	GLUSSPE9	HTEASPE9	HTSELF9
LANGEFP9	LANGFFQ9	LEAKORS9	MYAMSPE9
OTALT2S9	OTALT3S9	OTHALTS9	OTHFOS19
OTHFOS29	PRAYSPE9	RELAT109	RELAT119
RELAT129	RELAT19	RELAT29	RELAT39
RELAT49	RELAT59	RELAT69	RELAT79
RELAT89	RELAT99	SELFSPE9	SEX109
SEX119	SEX129	SEX19	SEX29
SEX39	SEX49	SEX59	SEX69
SEX79	SEX89	SEX99	SITESPE9
SOYSPE9	SPECIAL9	SPECIFY9	SPOREX19
SPOREX29	WHYOT2A9	WHYOT3A9	WHYOTHA9
WORTSPE9	WTSELF9	WVITSPE9	YOGASPE9

3. **Variable Differences:**

- a. The variable **EATMEAT9** that is referenced in the P.I. Codebook is not included in the data set released by ICPSR; no further information was provided.
- b. Some variables that are referenced in the P.I. Codebook differ in how they appear in the data set released by ICPSR; no further information was provided. A comparison of these variable names can be referenced in the table below:

Variable Name in P.I. Codebook	Variable Name in Data Set
BCREAS_S9	BCRES_S9
RELATE1	RLATE19
RELATI19	RELAT19
RELATE2	RLATE29
RELATI29	RELAT29
RELATE3	RLATE39
RELATI39	RELAT39
RELATE4	RLATE49
RELATI49	RELAT49
RELATE5	RLATE59
RELATI59	RELAT59
RELATE6	RLATE69

Variable Name in P.I. Codebook	Variable Name in Data Set
RELATI69	RELAT69
RELATE7	RLATE79
RELATI79	RELAT79
RELATE8	RLATE89
RELATI89	RELAT89
RELATE9	RLATE99
RELATI99	RELAT99
RELATE10	RLATE109
RELATI109	RELAT109
RELATE11	RLATE119
RELATI119	RELAT119
RELATE12	RLATE129
RELATI129	RELAT129
FEARFUL9	FEARFULA9
WOSRELR9	WORSREL9

4. **Additional Information:** For additional information on the Study of Women's Health Across the Nation, please visit the [SWAN](#) website.

ICPSR 32721

Study of Women's Health Across the Nation (SWAN), 2005-2007: Visit 09 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: SWANID: Respondent ID

SWANID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10126	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10694	-	1	0.0 %
10757	-	1	0.0 %
10910	-	1	0.0 %
10968	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11047	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11126	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11286	-	1	0.0 %
11298	-	1	0.0 %
11338	-	1	0.0 %
11347	-	1	0.0 %
11463	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
11642	-	1	0.0 %
11740	-	1	0.0 %
11772	-	1	0.0 %
11781	-	1	0.0 %
11788	-	1	0.0 %
11796	-	1	0.0 %
11866	-	1	0.0 %
11885	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

- Mean: 54557.27
- Minimum: 10046.00
- Maximum: 99962.00
- Standard Deviation: 25767.35

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

VISIT: Study Visit

Study Visit

Value	Label	Unweighted Frequency	%
09	-	2469	100.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 6-7 (width: 2; decimal: 0)

Variable Type: character

FORMINT9: Abbreviated, mailed or regular interview

Which version of the interview was administered:

Value	Label	Unweighted Frequency	%
-		9	0.4 %
AFUI	-	240	9.7 %
AINT	-	135	5.5 %
FMP	-	12	0.5 %
FUI	-	2037	82.5 %
MAIL	-	36	1.5 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 8-11 (width: 4; decimal: 0)

Variable Type: character

INTDAY9: Interview Day

Date form completed

Value	Label	Unweighted Frequency	%
3135	-	1	0.0 %
3151	-	1	0.0 %
3153	-	1	0.0 %
3167	-	1	0.0 %
3171	-	1	0.0 %
3178	-	1	0.0 %
3196	-	1	0.0 %
3201	-	1	0.0 %
3202	-	2	0.1 %
3205	-	2	0.1 %
3206	-	1	0.0 %
3208	-	3	0.1 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3211	-	1	0.0 %
3213	-	2	0.1 %
3214	-	1	0.0 %
3215	-	5	0.2 %
3217	-	2	0.1 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3221	-	1	0.0 %
3222	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	4	0.2 %
3226	-	2	0.1 %
3227	-	5	0.2 %
3228	-	9	0.4 %
3229	-	4	0.2 %
3230	-	3	0.1 %
3231	-	3	0.1 %
3232	-	5	0.2 %
3233	-	5	0.2 %
3234	-	11	0.4 %
3235	-	11	0.4 %
3236	-	3	0.1 %
3237	-	10	0.4 %
3238	-	6	0.2 %
3239	-	8	0.3 %
3240	-	27	1.1 %
3241	-	22	0.9 %
3242	-	10	0.4 %
3243	-	11	0.4 %
3244	-	11	0.4 %
3245	-	13	0.5 %
3246	-	17	0.7 %
3247	-	15	0.6 %
3248	-	27	1.1 %
3249	-	15	0.6 %
Missing Data			
.	-	9	0.4 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,460 valid cases out of 2,469 total cases.

- Mean: 3388.25
- Minimum: 3135.00
- Maximum: 4656.00
- Standard Deviation: 244.35

Location: 12-15 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

AGE9: Age At Current Visit (Integer)

Visit 9 Age

Value	Label	Unweighted Frequency	%
50	-	3	0.1 %
51	-	223	9.0 %
52	-	267	10.8 %
53	-	291	11.8 %
54	-	299	12.1 %
55	-	305	12.4 %
56	-	315	12.8 %
57	-	242	9.8 %
58	-	210	8.5 %
59	-	144	5.8 %
60	-	86	3.5 %
61	-	56	2.3 %
62	-	15	0.6 %
63	-	6	0.2 %
64	-	5	0.2 %
Missing Data			
.	-	2	0.1 %
Total		2,469	100%

Based upon 2,467 valid cases out of 2,469 total cases.

- Mean: 55.15
- Median: 55.00
- Mode: 56.00
- Minimum: 50.00
- Maximum: 64.00
- Standard Deviation: 2.75

Location: 16-17 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGINT9: Language of Interview

Interview language

Value	Label	Unweighted Frequency	%
1	1: English	2160	87.5 %
2	2: Spanish	112	4.5 %

Value	Label	Unweighted Frequency	%
3	3: Cantonese	85	3.4 %
4	4: Japanese	103	4.2 %
	Missing Data		
.	-	9	0.4 %
	Total	2,469	100%

Based upon 2,460 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNAN9: Annual Follow-Up: Currently Pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	1: No	2411	97.7 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	57	2.3 %
	Total	2,469	100%

Based upon 2,412 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO19: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	1: No	2363	95.7 %
2	2: Yes	85	3.4 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW19: Anticoagulant #1 taken 2 times/week for the last month

If YES to ANTICO19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	11	0.4 %
2	2: Yes	74	3.0 %
	Missing Data		
-1	-1: N/A	2363	95.7 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 85 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO29: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	1: No	77	3.1 %
2	2: Yes	8	0.3 %
	Missing Data		
-1	-1: N/A	2363	95.7 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 85 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW29: Anticoagulant #2 taken 2 times/week for the last month

If YES to ANTICO29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	8	0.3 %
	Missing Data		
-1	-1: N/A	2440	98.8 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 8 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART19: Heart medication #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	1: No	2342	94.9 %
2	2: Yes	106	4.3 %
	Missing Data		
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW19: Heart medication #1 taken 2 times/week for the last month

If YES to HEART19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %

Value	Label	Unweighted Frequency	%
2	2: Yes	97	3.9 %
	Missing Data		
-1	-1: N/A	2342	94.9 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 106 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART29: Heart medication #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	1: No	83	3.4 %
2	2: Yes	23	0.9 %
	Missing Data		
-1	-1: N/A	2342	94.9 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 106 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW29: Heart medication #2 taken 2 times/week for the last month

If YES to HEART29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	18	0.7 %
	Missing Data		
-1	-1: N/A	2425	98.2 %
.	-	21	0.9 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 23 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST19: Cholesterol medication #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	1975	80.0 %
2	2: Yes	473	19.2 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW19: Cholesterol medication #1 taken 2 times/week for the last month

If YES to CHOLST19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	61	2.5 %
2	2: Yes	411	16.6 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1975	80.0 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 472 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST29: Cholesterol medication #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	432	17.5 %
2	2: Yes	41	1.7 %
Missing Data			
-1	-1: N/A	1975	80.0 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 473 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW29: Cholesterol medication #2 taken 2 times/week for the last month

If YES to CHOLST29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	16	0.6 %
2	2: Yes	25	1.0 %
Missing Data			
-1	-1: N/A	2407	97.5 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP19: Blood pressure medication #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	1: No	1675	67.8 %
2	2: Yes	773	31.3 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BPTW19: Blood pressure medication #1 taken 2 times/week for the last month

If YES to BP19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	41	1.7 %
2	2: Yes	731	29.6 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1675	67.8 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 772 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BP29: Blood pressure medication #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	1: No	464	18.8 %
2	2: Yes	309	12.5 %
Missing Data			
-1	-1: N/A	1675	67.8 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 773 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW29: Blood pressure medication #2 taken 2 times/week for the last month

If YES to BP29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8 %
2	2: Yes	290	11.7 %
Missing Data			
-1	-1: N/A	2139	86.6 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 309 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET19: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	1: No	2238	90.6 %
2	2: Yes	210	8.5 %
Missing Data			
.	-	21	0.9 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW19: Diuretic #1 taken 2 times/week for the last month

If YES to DIURET19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	20	0.8 %
2	2: Yes	190	7.7 %
	Missing Data		
-1	-1: N/A	2238	90.6 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 210 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET29: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	1: No	201	8.1 %
2	2: Yes	9	0.4 %
	Missing Data		
-1	-1: N/A	2238	90.6 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 210 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW29: Diuretic #2 taken 2 times/week for the last month

If YES to DIURET29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1 %
2	2: Yes	6	0.2 %
Missing Data			
-1	-1: N/A	2439	98.8 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 9 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI19: Thyroid medication #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	1: No	2161	87.5 %
2	2: Yes	287	11.6 %
Missing Data			
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW19: Thyroid medication #1 taken 2 times/week for the last month

If YES to THYROI19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	278	11.3 %
Missing Data			
-1	-1: N/A	2161	87.5 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 287 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI29: Thyroid medication #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	1: No	284	11.5 %
2	2: Yes	3	0.1 %
Missing Data			
-1	-1: N/A	2161	87.5 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 287 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW29: Thyroid medication #2 taken 2 times/week for the last month

If YES to THYROI29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2445	99.0 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN19: Insulin medication #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	2222	90.0 %
2	2: Yes	226	9.2 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW19: Insulin medication #1 taken 2 times/week for the last month

If YES to INSULN19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4 %
2	2: Yes	215	8.7 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2222	90.0 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 225 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN29: Insulin medication #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	117	4.7 %
2	2: Yes	109	4.4 %
	Missing Data		
-1	-1: N/A	2222	90.0 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 226 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW29: Insulin medication #2 taken 2 times/week for the last month

If YES to INSULN29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2 %
2	2: Yes	105	4.3 %
	Missing Data		
-1	-1: N/A	2339	94.7 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 109 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS19: Nervous condition medication #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	1: No	1975	80.0 %
2	2: Yes	473	19.2 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW19: Nervous condition medication #1 taken 2 times/week for the last month

If YES to NERVS19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	102	4.1 %
2	2: Yes	371	15.0 %
	Missing Data		
-1	-1: N/A	1975	80.0 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 473 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS29: Nervous condition medication #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	1: No	318	12.9 %
2	2: Yes	155	6.3 %
Missing Data			
-1	-1: N/A	1975	80.0 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 473 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW29: Nervous condition medication #2 taken 2 times/week for the last month

If YES to NERVS29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	38	1.5 %
2	2: Yes	117	4.7 %
Missing Data			
-1	-1: N/A	2293	92.9 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 155 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI19: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	1: No	2324	94.1 %
2	2: Yes	124	5.0 %
Missing Data			
.	-	21	0.9 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW19: Steroid #1 taken 2 times/week for the last month

If YES to STEROI19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	88	3.6 %
2	2: Yes	36	1.5 %
	Missing Data		
-1	-1: N/A	2324	94.1 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 124 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI29: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	1: No	120	4.9 %
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	2324	94.1 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 124 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW29: Steroid #2 taken 2 times/week for the last month

If YES to STEROI29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	2	0.1 %
Missing Data			
-1	-1: N/A	2444	99.0 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 4 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT19: Arthritis medication #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	2127	86.1 %
2	2: Yes	186	7.5 %
Missing Data			
.	-	156	6.3 %
Total		2,469	100%

Based upon 2,313 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW19: Arthritis medication #1 taken 2 times/week for the last month

If YES to ARTHRT19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	55	2.2 %
2	2: Yes	131	5.3 %
Missing Data			
-1	-1: N/A	2127	86.1 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 186 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT29: Arthritis medication #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	146	5.9 %
2	2: Yes	40	1.6 %
Missing Data			
-1	-1: N/A	2127	86.1 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 186 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW29: Arthritis medication #2 taken 2 times/week for the last month

If YES to ARTHRT29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	19	0.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2273	92.1 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 40 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL19: Fertility medication #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	1: No	2411	97.7 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	57	2.3 %
	Total	2,469	100%

Based upon 2,412 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW19: Fertility medication #1 taken 2 times/week for the last month

If YES to FERTIL19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2411	97.7 %
.	-	57	2.3 %
	Total	2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FERTIL29: Fertility medication #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2411	97.7 %
.	-	57	2.3 %
	Total	2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW29: Fertility medication #2 taken 2 times/week for the last month

If YES to FERTIL29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2412	97.7 %
.	-	57	2.3 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

BCP19: Birth Control Pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	1: No	2444	99.0 %
2	2: Yes	16	0.6 %
	Missing Data		
.	-	9	0.4 %
	Total	2,469	100%

Based upon 2,460 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BCPTWI19: Birth Control Pill #1 taken 2 times/week for the last month

If YES to BCP19: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	11	0.4 %
	Missing Data		
-1	-1: N/A	2432	98.5 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 16 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BCP29: Birth Control Pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	1: No	16	0.6 %

Value	Label	Unweighted Frequency	%
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2432	98.5 %
.	.	21	0.9 %
	Total	2,469	100%

Based upon 16 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI29: Birth control pills #2 taken 2 times/week for the last month

If YES to BCP29: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2448	99.1 %
.	.	21	0.9 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS9: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	1: Prevent Pregnancy	4	0.2 %
2	2: Help Control Pre-Menstrual Symptoms	0	0.0 %
3	3: Help Control Menopausal Symptoms	3	0.1 %
4	4: Control Other Symptoms	0	0.0 %
5	5: Regulate Periods	2	0.1 %
6	6: Prevent Osteoporosis	0	0.0 %
7	7: Reduce Bleeding	4	0.2 %

Value	Label	Unweighted Frequency	%
8	8: Other	2	0.1 %
	Missing Data		
-1	-1: N/A	2298	93.1 %
.	.	156	6.3 %
	Total	2,469	100%

Based upon 15 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S9: Primary reason for taking birth control pills - other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
	-	156	6.3 %
-1	-1: N/A	2311	93.6 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
HOT FLASHES, NIGHT SWEATS	-	1	0.0 %
TO CONTROL MOOD SWINGS	-	1	0.0 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 120-144 (width: 25; decimal: 0)

Variable Type: character

ESTROG19: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	1: No	2372	96.1 %
2	2: Yes	88	3.6 %
	Missing Data		
.	.	9	0.4 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,460 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW19: Estrogen pills #1 taken 2 times/week for the last month

If YES to ESTROG19: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	28	1.1 %
2	2: Yes	60	2.4 %
	Missing Data		
-1	-1: N/A	2360	95.6 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 88 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG29: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	1: No	86	3.5 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2360	95.6 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 88 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW29: Estrogen pills #2 taken 2 times/week for the last month

If YES to ESTROG29: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2	0.1 %
Missing Data			
-1	-1: N/A	2446	99.1 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA19: Estrogen #1 prescription daily or off & on

If YES to ESTRTW19: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	73	3.0 %
2	2: Off and On	13	0.5 %
Missing Data			
-8	-8: Do not know	2	0.1 %
-1	-1: N/A	2360	95.6 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 86 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA29: Estrogen #2 prescription daily or off & on

If YES to ESTRTW29: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	1	0.0 %
2	2: Off and On	1	0.0 %
	Missing Data		
-1	-1: N/A	2410	97.6 %
.	-	57	2.3 %
Total		2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ19: Estrogen injection/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	1: No	2435	98.6 %
2	2: Yes	25	1.0 %
	Missing Data		
.	-	9	0.4 %
Total		2,469	100%

Based upon 2,460 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW19: Estrogen injection/patch #1 taken 2 times/week for the last month

If YES to ESTRNJ19: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2 %

Value	Label	Unweighted Frequency	%
2	2: Yes	21	0.9 %
	Missing Data		
-1	-1: N/A	2423	98.1 %
.	.	21	0.9 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ29: Estrogen injection/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2423	98.1 %
.	.	21	0.9 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW29: Estrogen injection/patch #2 taken 2 times/week for the last month

If YES to ESTRNJ29: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2448	99.1 %
.	.	21	0.9 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN19: Combination estrogen/progestin #1

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	1: No	2391	96.8 %
2	2: Yes	69	2.8 %
	Missing Data		
.	-	9	0.4 %
	Total	2,469	100%

Based upon 2,460 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW19: Combination estrogen/progestin #1 taken 2 times/week for the last month

If YES to COMBIN19: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.3 %
2	2: Yes	61	2.5 %
	Missing Data		
-1	-1: N/A	2379	96.4 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 69 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN29: Combination estrogen/progestin #2

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	1: No	68	2.8 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2379	96.4 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 69 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW29: Combination estrogen/progestin #2 taken 2 times/week for the last month

If YES to COMBIN29: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2447	99.1 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES19: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	1: No	2384	96.6 %
2	2: Yes	75	3.0 %
Missing Data			
-9	-9: Missing	1	0.0 %
.	-	9	0.4 %
Total		2,469	100%

Based upon 2,459 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW19: Progestin pills #1 taken 2 times/week for the last month

If YES to PROGES19: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.0 %
2	2: Yes	51	2.1 %
Missing Data			
-1	-1: N/A	2373	96.1 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 75 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES29: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	1: No	75	3.0 %
2	2: Yes	0	0.0 %
Missing Data			
-1	-1: N/A	2373	96.1 %

Value	Label	Unweighted Frequency	%
.	-	21	0.9 %
Total		2,469	100%

Based upon 75 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW29: Progestin pills #2 taken 2 times/week for the last month

If YES to PROGES29: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
Missing Data			
-1	-1: N/A	2448	99.1 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA19: Progestin #1 prescription daily or off & on

If YES to PROGTW19: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	42	1.7 %
2	2: Off and On	32	1.3 %
Missing Data			
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2373	96.1 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 74 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA29: Progestin #2 prescription daily or off & on

If YES to PROGTW29: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	0	0.0 %
2	2: Off and On	0	0.0 %
Missing Data			
-1	-1: N/A	2412	97.7 %
.	-	57	2.3 %
Total		2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_19: Other prescription hormone medication #1

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	2245	90.9 %
2	2: Yes	67	2.7 %
Missing Data			
-9	-9: Missing	1	0.0 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO19: Other prescription hormone #1 taken during the past month

If YES to OHRM_19: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	15	0.6 %
2	2: Yes	52	2.1 %
	Missing Data		
-1	-1: N/A	2246	91.0 %
.	.	156	6.3 %
Total		2,469	100%

Based upon 67 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_29: Other prescription hormone medication #2

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	61	2.5 %
2	2: Yes	6	0.2 %
	Missing Data		
-1	-1: N/A	2246	91.0 %
.	.	156	6.3 %
Total		2,469	100%

Based upon 67 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO29: Other prescription hormone #2 taken during the past month

If YES to OHRM_29: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %

Value	Label	Unweighted Frequency	%
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	2307	93.4 %
.	.	156	6.3 %
	Total	2,469	100%

Based upon 6 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_39: Other prescription hormone medication #3

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2307	93.4 %
.	.	156	6.3 %
	Total	2,469	100%

Based upon 6 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO39: Other prescription hormone #3 taken during the past month

If YES to OHRM_39: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2312	93.6 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_49: Other prescription hormone medication #4

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	0	0.0 %
Missing Data			
-1	-1: N/A	2312	93.6 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO49: Other prescription hormone #4 taken during the past month

If YES to OHRM_49: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
Missing Data			
-1	-1: N/A	2313	93.7 %
.	-	156	6.3 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEIV19: Osteoporosis IV (into the vein) medication

Since your last study visit, have you taken: IV (into the vein) medication to treat osteoporosis (brittle or thinning bones) such as IV bisphosphonates?

Value	Label	Unweighted Frequency	%
1	1: No	2445	99.0 %
2	2: Yes	2	0.1 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,447 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTIVL19: Osteoporosis IV (into the vein) medication taken in the last year

If yes, have you taken it in the last year?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2275	92.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

OSTEON19: Osteoporosis non-IV medication #1

Since your last study visit, have you taken: Non IV medications to prevent or treat osteoporosis (brittle or thinning bones) such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel, Forteo (PTH)?

Value	Label	Unweighted Frequency	%
1	1: No	2276	92.2 %
2	2: Yes	172	7.0 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

OSTNTW19: Osteoporosis non-IV medication #1 taken 2 times/week for the last month

If YES to OSTEON19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	137	5.5 %
2	2: Yes	35	1.4 %
	Missing Data		
-1	-1: N/A	2276	92.2 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 172 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

OSTN1W19: Osteoporosis non-IV medication #1 taken once/week for the last month

If YES to OSTEON19: Have you been taking it once a week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.3 %
2	2: Yes	104	4.2 %
Missing Data			
-1	-1: N/A	2178	88.2 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 135 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEON29: Osteoporosis non-IV medication #2

Since your last study visit, have you taken: Non IV medications to prevent or treat osteoporosis (brittle or thinning bones) such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel, Forteo (PTH)?

Value	Label	Unweighted Frequency	%
1	1: No	165	6.7 %
2	2: Yes	7	0.3 %
Missing Data			
-1	-1: N/A	2276	92.2 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 172 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTNTW29: Osteoporosis non-IV medication #2 taken 2 times/week for the last month

If YES to OSTEON29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	2	0.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2441	98.9 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 7 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTN1W29: Osteoporosis non-IV medication #2 taken once/week for the last month

If YES to OSTEON29: Have you been taking it once a week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2308	93.5 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 5 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED19: Other prescription medication #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	1238	50.1 %
2	2: Yes	1210	49.0 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW19: Other prescription medication #1 taken 2 times/week for the last month

If YES to OTHMED19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	445	18.0 %
2	2: Yes	764	30.9 %
Missing Data			
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1238	50.1 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 1,209 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHMED29: Other prescription medication #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	513	20.8 %
2	2: Yes	697	28.2 %
Missing Data			
-1	-1: N/A	1238	50.1 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 1,210 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW29: Other prescription medication #2 taken 2 times/week for the last month

If YES to OTHMED29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	258	10.4 %
2	2: Yes	437	17.7 %
Missing Data			
-9	-9: Missing	1	0.0 %
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	1751	70.9 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 695 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED39: Other prescription medication #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	306	12.4 %
2	2: Yes	391	15.8 %
Missing Data			
-1	-1: N/A	1751	70.9 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 697 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW39: Other prescription medication #3 taken 2 times/week for the last month

If YES to OTHMED39: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	161	6.5 %
2	2: Yes	230	9.3 %
	Missing Data		
-1	-1: N/A	2057	83.3 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 391 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 227-228 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHMED49: Other prescription medication #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	148	6.0 %
2	2: Yes	243	9.8 %
	Missing Data		
-1	-1: N/A	2057	83.3 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 391 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-230 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHRTW49: Other prescription medication #4 taken 2 times/week for the last month

If YES to OTHMED49: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	106	4.3 %
2	2: Yes	137	5.5 %
	Missing Data		
-1	-1: N/A	2205	89.3 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 243 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED59: Other prescription medication #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	100	4.1 %
2	2: Yes	143	5.8 %
	Missing Data		
-1	-1: N/A	2205	89.3 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 243 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW59: Other prescription medication #5 taken 2 times/week for the last month

If YES to OTHMED59: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	57	2.3 %
2	2: Yes	86	3.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2305	93.4 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 143 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED69: Other prescription medication #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	53	2.1 %
2	2: Yes	90	3.6 %
	Missing Data		
-1	-1: N/A	2305	93.4 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 143 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW69: Other prescription medication #6 taken 2 times/week for the last month

If YES to OTHMED69: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	41	1.7 %
2	2: Yes	49	2.0 %
	Missing Data		
-1	-1: N/A	2358	95.5 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 90 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHMED79: Other prescription medication #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	41	1.7 %
2	2: Yes	49	2.0 %
	Missing Data		
-1	-1: N/A	2358	95.5 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 90 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW79: Other prescription medication #7 taken 2 times/week for the last month

If YES to OTHMED79: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	20	0.8 %
2	2: Yes	29	1.2 %
	Missing Data		
-1	-1: N/A	2399	97.2 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 49 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED89: Other prescription medication #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	14	0.6 %
2	2: Yes	35	1.4 %
	Missing Data		
-1	-1: N/A	2399	97.2 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 49 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW89: Other prescription medication #8 taken 2 times/week for the last month

If YES to OTHMED89: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	18	0.7 %
2	2: Yes	17	0.7 %
	Missing Data		
-1	-1: N/A	2413	97.7 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED99: Other prescription medication #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	23	0.9 %
	Missing Data		
-1	-1: N/A	2413	97.7 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW99: Other prescription medication #9 taken 2 times/week for the last month

If YES to OTHMED99: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4 %
2	2: Yes	13	0.5 %
	Missing Data		
-1	-1: N/A	2425	98.2 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 23 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME109: Other prescription medication #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %

Value	Label	Unweighted Frequency	%
2	2: Yes	18	0.7 %
	Missing Data		
-1	-1: N/A	2425	98.2 %
.	.	21	0.9 %
	Total	2,469	100%

Based upon 23 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW109: Other prescription medication #10 taken 2 times/week for the last month

If YES to OTHME109: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	9	0.4 %
	Missing Data		
-1	-1: N/A	2430	98.4 %
.	.	21	0.9 %
	Total	2,469	100%

Based upon 18 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME119: Other prescription medication #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	13	0.5 %
	Missing Data		
-1	-1: N/A	2430	98.4 %

Value	Label	Unweighted Frequency	%
.	-	21	0.9 %
Total		2,469	100%

Based upon 18 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW119: Other prescription medication #11 taken 2 times/week for the last month

If YES to OTHME119: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.3 %
2	2: Yes	5	0.2 %
Missing Data			
-1	-1: N/A	2435	98.6 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 13 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME129: Other prescription medication #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	8	0.3 %
Missing Data			
-1	-1: N/A	2435	98.6 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 13 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW129: Other prescription medication #12 taken 2 times/week for the last month

If YES to OTHME129: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	3	0.1 %
Missing Data			
-1	-1: N/A	2440	98.8 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 8 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME139: Other prescription medication #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	7	0.3 %
Missing Data			
-1	-1: N/A	2440	98.8 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 8 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW139: Other prescription medication #13 taken 2 times/week for the last month

If YES to OTHME139: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2441	98.9 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 7 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME149: Other prescription medication #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	7	0.3 %
	Missing Data		
-1	-1: N/A	2441	98.9 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 7 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW149: Other prescription medication #14 taken 2 times/week for the last month

If YES to OTHME149: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	2	0.1 %
Missing Data			
-1	-1: N/A	2441	98.9 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 7 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME159: Other prescription medication #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	5	0.2 %
Missing Data			
-1	-1: N/A	2441	98.9 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 7 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW159: Other prescription medication #15 taken 2 times/week for the last month

If YES to OTHME159: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2443	98.9 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 5 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTLSTV9: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	58	2.3 %
2	2: Yes	175	7.1 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2043	82.7 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 233 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR9: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	59	2.4 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOP09: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	1: No	52	2.1 %
2	2: Yes	7	0.3 %
	Missing Data		
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM9: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	38	1.5 %
	Missing Data		
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK9: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	56	2.3 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HCPADVI9: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	38	1.5 %
	Missing Data		
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADVI9: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	1: No	53	2.1 %
2	2: Yes	6	0.2 %
Missing Data			
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM9: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	1: No	56	2.3 %
2	2: Yes	3	0.1 %
Missing Data			
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI9: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	51	2.1 %
2	2: Yes	8	0.3 %
	Missing Data		
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH9: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	1: No	35	1.4 %
2	2: Yes	24	1.0 %
	Missing Data		
-1	-1: N/A	2254	91.3 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO9: Don't know/remember why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	1: No	59	2.4 %
2	2: Yes	0	0.0 %
Missing Data			
-1	-1: N/A	2218	89.8 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 59 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMDAY9: Last Took Hormones Day

Since your last study visit, you were taking hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
1749	-	1	0.0 %
2601	-	1	0.0 %
2684	-	1	0.0 %
2925	-	1	0.0 %
3000	-	1	0.0 %
3038	-	2	0.1 %
3040	-	1	0.0 %
3064	-	1	0.0 %
3068	-	1	0.0 %
3079	-	1	0.0 %
3099	-	1	0.0 %
3102	-	1	0.0 %
3103	-	1	0.0 %
3107	-	1	0.0 %
3114	-	1	0.0 %
3122	-	1	0.0 %
3125	-	1	0.0 %
3127	-	1	0.0 %
3138	-	1	0.0 %
3154	-	1	0.0 %
3169	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3180	-	1	0.0 %
3185	-	1	0.0 %
3195	-	1	0.0 %
3218	-	2	0.1 %
3221	-	1	0.0 %
3231	-	1	0.0 %
3232	-	1	0.0 %
3238	-	1	0.0 %
3246	-	1	0.0 %
3254	-	1	0.0 %
3257	-	1	0.0 %
3277	-	1	0.0 %
3289	-	1	0.0 %
3291	-	1	0.0 %
3294	-	1	0.0 %
3297	-	1	0.0 %
3340	-	1	0.0 %
3739	-	1	0.0 %
3769	-	1	0.0 %
Missing Data			
.	-	2426	98.3 %
Total		2,469	100%

Based upon 43 valid cases out of 2,469 total cases.

- Mean: 3134.56
- Median: 3169.00
- Minimum: 1749.00
- Maximum: 3769.00
- Standard Deviation: 290.67

Location: 299-302 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

PRBBLEE9: Problems with bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	1: No	44	1.8 %
2	2: Yes	4	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER9: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	1: No	47	1.9 %
2	2: Yes	1	0.0 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL9: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8 %
2	2: Yes	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF9: Worried about possible side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	1: No	37	1.5 %
2	2: Yes	11	0.4 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER9: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	1: No	39	1.6 %
2	2: Yes	9	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO9: Health care provider advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	1: No	37	1.5 %
2	2: Yes	11	0.4 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI9: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	1: No	47	1.9 %
2	2: Yes	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE9: Do not like taking any medications

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	1: No	47	1.9 %
2	2: Yes	1	0.0 %
Missing Data			
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB9: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	1: No	46	1.9 %
2	2: Yes	2	0.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW9: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
1	1: No	48	1.9 %
2	2: Yes	0	0.0 %
Missing Data			
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2228	90.2 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH9: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	1: No	23	0.9 %
2	2: Yes	25	1.0 %
Missing Data			
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %

Value	Label	Unweighted Frequency	%
.	-	156	6.3 %
Total		2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO9: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	1: No	48	1.9 %
2	2: Yes	0	0.0 %
Missing Data			
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2228	90.2 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NEWSRPT9: Stopped hormones news/media reports

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? News/Media reports about women who took hormones as part of a research study (e.g. results of WHI)

Value	Label	Unweighted Frequency	%
1	1: No	42	1.7 %
2	2: Yes	6	0.2 %
Missing Data			
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA9: Take any vitamins/minerals once a week

Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

Value	Label	Unweighted Frequency	%
1	1: No	679	27.5 %
2	2: Yes	1598	64.7 %
	Missing Data		
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2,277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA9: How often take multi-vitamin

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Regular Once-A-Day, Centrum, or Thera type

Value	Label	Unweighted Frequency	%
1	1: Do not take any	407	16.5 %
2	2: 1-3 days/week	161	6.5 %
3	3: 4-6 days/week	176	7.1 %
4	4: Every day	854	34.6 %
	Missing Data		
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTIOXI9: How often take antioxidant

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Antioxidant combination type

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1507	61.0 %
2	2: 1-3 days/week	21	0.9 %
3	3: 4-6 days/week	15	0.6 %
4	4: Every day	55	2.2 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITCOMB9: Other vitamin combinations

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types?

Value	Label	Unweighted Frequency	%
1	1: No	1051	42.6 %
2	2: Yes	547	22.2 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH19: How often take other multi-vitamins #1

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	70	2.8 %
3	3: 4-6 days/week	69	2.8 %
4	4: Every day	408	16.5 %
Missing Data			
-1	-1: N/A	1730	70.1 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 547 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH29: How often take other multi-vitamins #2

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	20	0.8 %
3	3: 4-6 days/week	21	0.9 %
4	4: Every day	112	4.5 %
Missing Data			
-1	-1: N/A	2124	86.0 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 153 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH39: How often take other multi-vitamins #3

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	5	0.2 %
3	3: 4-6 days/week	7	0.3 %
4	4: Every day	35	1.4 %
Missing Data			
-1	-1: N/A	2230	90.3 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 47 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH49: How often take other multi-vitamins #4

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	2	0.1 %
3	3: 4-6 days/week	3	0.1 %
4	4: Every day	11	0.4 %
Missing Data			
-1	-1: N/A	2261	91.6 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 16 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA9: How often take vitamin A

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin A, not beta carotene

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1577	63.9 %
2	2: 1-3 days/week	4	0.2 %
3	3: 4-6 days/week	3	0.1 %
4	4: Every day	14	0.6 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR9: How often take beta-carotene

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Beta-carotene

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1563	63.3 %
2	2: 1-3 days/week	5	0.2 %
3	3: 4-6 days/week	7	0.3 %
4	4: Every day	23	0.9 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC9: How often take vitamin C

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin C

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1207	48.9 %
2	2: 1-3 days/week	78	3.2 %
3	3: 4-6 days/week	51	2.1 %
4	4: Every day	262	10.6 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMND9: How often take vitamin D

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin D

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1380	55.9 %
2	2: 1-3 days/week	33	1.3 %
3	3: 4-6 days/week	31	1.3 %
4	4: Every day	154	6.2 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNE9: How often take vitamin E

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin E

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1255	50.8 %
2	2: 1-3 days/week	78	3.2 %
3	3: 4-6 days/week	51	2.1 %
4	4: Every day	214	8.7 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM9: How often take calcium/Tums

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Calcium or Tums

Value	Label	Unweighted Frequency	%
1	1: Do not take any	953	38.6 %
2	2: 1-3 days/week	118	4.8 %
3	3: 4-6 days/week	81	3.3 %
4	4: Every day	446	18.1 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRON9: How often take iron

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Iron

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1510	61.2 %
2	2: 1-3 days/week	17	0.7 %
3	3: 4-6 days/week	9	0.4 %
4	4: Every day	62	2.5 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ZINC9: How often take zinc

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Zinc

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1560	63.2 %
2	2: 1-3 days/week	8	0.3 %
3	3: 4-6 days/week	5	0.2 %
4	4: Every day	25	1.0 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELENIU9: How often take selenium

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Selenium

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1556	63.0 %
2	2: 1-3 days/week	9	0.4 %
3	3: 4-6 days/week	8	0.3 %
4	4: Every day	25	1.0 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLATE9: How often taking folate

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Folate

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1534	62.1 %
2	2: 1-3 days/week	13	0.5 %
3	3: 4-6 days/week	6	0.2 %
4	4: Every day	45	1.8 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMSING9: Any other single vitamins

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals?

Value	Label	Unweighted Frequency	%
1	1: No	1078	43.7 %
2	2: Yes	520	21.1 %
Missing Data			
-1	-1: N/A	679	27.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,598 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT19: How often take other vitamins #1

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	70	2.8 %
3	3: 4-6 days/week	67	2.7 %
4	4: Every day	383	15.5 %
Missing Data			
-1	-1: N/A	1757	71.2 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 2.00

- Maximum: 4.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT29: How often take other vitamins #2

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	26	1.1 %
3	3: 4-6 days/week	29	1.2 %
4	4: Every day	165	6.7 %
Missing Data			
-1	-1: N/A	2057	83.3 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 220 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT39: How often take other vitamins #3

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	17	0.7 %
3	3: 4-6 days/week	7	0.3 %
4	4: Every day	67	2.7 %
Missing Data			
-1	-1: N/A	2186	88.5 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 91 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT49: How often take other vitamins #4

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	11	0.4 %
3	3: 4-6 days/week	3	0.1 %
4	4: Every day	38	1.5 %
Missing Data			
-1	-1: N/A	2225	90.1 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 52 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT59: How often take other vitamins #5

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	4	0.2 %
3	3: 4-6 days/week	4	0.2 %
4	4: Every day	27	1.1 %
Missing Data			
-1	-1: N/A	2242	90.8 %
.	-	192	7.8 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT69: How often take other vitamins #6

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	4	0.2 %
3	3: 4-6 days/week	3	0.1 %
4	4: Every day	19	0.8 %
Missing Data			
-1	-1: N/A	2251	91.2 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 26 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT79: How often take other vitamins #7

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	4	0.2 %
3	3: 4-6 days/week	0	0.0 %
4	4: Every day	11	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2262	91.6 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 15 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT89: How often take other vitamins #8

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	2	0.1 %
3	3: 4-6 days/week	0	0.0 %
4	4: Every day	9	0.4 %
	Missing Data		
-1	-1: N/A	2266	91.8 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 11 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT99: How often take other vitamins #9

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %

Value	Label	Unweighted Frequency	%
2	2: 1-3 days/week	1	0.0 %
3	3: 4-6 days/week	0	0.0 %
4	4: Every day	7	0.3 %
Missing Data			
-1	-1: N/A	2269	91.9 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 8 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMO109: How often take other vitamins #10

If YES to REGVITA9: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING9, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	0	0.0 %
3	3: 4-6 days/week	1	0.0 %
4	4: Every day	4	0.2 %
Missing Data			
-1	-1: N/A	2272	92.0 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 5 valid cases out of 2,469 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN19: Over-the-counter (OTC) Pain medication #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	1472	59.6 %
2	2: Yes	805	32.6 %
	Missing Data		
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2,277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINW19: Over-the-counter (OTC) Pain medication #1 taken 2 times/week for the last month

If YES to PAIN19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	402	16.3 %
2	2: Yes	403	16.3 %
	Missing Data		
-1	-1: N/A	1472	59.6 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 805 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN29: Over-the-counter (OTC) Pain medication #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	605	24.5 %
2	2: Yes	200	8.1 %
	Missing Data		
-1	-1: N/A	1472	59.6 %
.	-	192	7.8 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 805 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW29: Over-the-counter (OTC) Pain medication #2 taken 2 times/week for the last month

If YES to PAIN29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	123	5.0 %
2	2: Yes	77	3.1 %
	Missing Data		
-1	-1: N/A	2077	84.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 200 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP19: Over-the-counter (OTC) Sleep medication #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	1: No	2137	86.6 %
2	2: Yes	140	5.7 %
	Missing Data		
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2,277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW19: Over-the-counter (OTC) Sleep medication #1 taken 2 times/week for the last month

If YES to SLEEP19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	53	2.1 %
2	2: Yes	87	3.5 %
Missing Data			
-1	-1: N/A	2137	86.6 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 140 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP29: Over-the-counter (OTC) Sleep medication #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	1: No	123	5.0 %
2	2: Yes	17	0.7 %
Missing Data			
-1	-1: N/A	2137	86.6 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 140 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW29: Over-the-counter (OTC) Sleep medication #2 taken 2 times/week for the last month

If YES to SLEEP19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	5	0.2 %
	Missing Data		
-1	-1: N/A	2260	91.5 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 17 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTC19: Other over-the-counter (OTC) medication #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1488	60.3 %
2	2: Yes	789	32.0 %
	Missing Data		
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2,277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTCTW19: Other over-the-counter (OTC) medication #1 taken 2 times/week for the last month

If YES to OTC19: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	222	9.0 %
2	2: Yes	567	23.0 %
	Missing Data		
-1	-1: N/A	1488	60.3 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 789 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC29: Other over-the-counter (OTC) medication #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	512	20.7 %
2	2: Yes	277	11.2 %
	Missing Data		
-1	-1: N/A	1488	60.3 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 789 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW29: Other over-the-counter (OTC) medication #2 taken 2 times/week for the last month

If YES to OTC29: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	100	4.1 %
2	2: Yes	177	7.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2000	81.0 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC39: Other over-the-counter (OTC) medication #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	145	5.9 %
2	2: Yes	132	5.3 %
	Missing Data		
-1	-1: N/A	2000	81.0 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW39: Other over-the-counter (OTC) medication #3 taken 2 times/week for the last month

If YES to OTC39: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	45	1.8 %
2	2: Yes	87	3.5 %
	Missing Data		
-1	-1: N/A	2145	86.9 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 132 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTC49: Other over-the-counter (OTC) medication #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	66	2.7 %
2	2: Yes	66	2.7 %
	Missing Data		
-1	-1: N/A	2145	86.9 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 132 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTCTW49: Other over-the-counter (OTC) medication #4 taken 2 times/week for the last month

If YES to OTC49: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.0 %
2	2: Yes	42	1.7 %
	Missing Data		
-1	-1: N/A	2211	89.6 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 66 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC59: Other over-the-counter (OTC) medication #5

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	35	1.4 %
2	2: Yes	31	1.3 %
	Missing Data		
-1	-1: N/A	2211	89.6 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 66 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW59: Other over-the-counter (OTC) medication #5 taken 2 times/week for the last month

If YES to OTC59: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	22	0.9 %
	Missing Data		
-1	-1: N/A	2246	91.0 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 31 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC69: Other over-the-counter (OTC) medication #6

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4 %
2	2: Yes	21	0.9 %
	Missing Data		
-1	-1: N/A	2246	91.0 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 31 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

OTCTW69: Other over-the-counter (OTC) medication #6 taken 2 times/week for the last month

If YES to OTC69: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	12	0.5 %
	Missing Data		
-1	-1: N/A	2256	91.4 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 21 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

OTC79: Other over-the-counter (OTC) medication #7

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.2 %

Value	Label	Unweighted Frequency	%
2	2: Yes	15	0.6 %
	Missing Data		
-1	-1: N/A	2256	91.4 %
.	.	192	7.8 %
	Total	2,469	100%

Based upon 21 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW79: Other over-the-counter (OTC) medication #7 taken 2 times/week for the last month

If YES to OTC79: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.2 %
2	2: Yes	9	0.4 %
	Missing Data		
-1	-1: N/A	2262	91.6 %
.	.	192	7.8 %
	Total	2,469	100%

Based upon 15 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC89: Other over-the-counter (OTC) medication #8

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.2 %
2	2: Yes	9	0.4 %
	Missing Data		
-1	-1: N/A	2262	91.6 %

Value	Label	Unweighted Frequency	%
.	-	192	7.8 %
Total		2,469	100%

Based upon 15 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW89: Other over-the-counter (OTC) medication #8 taken 2 times/week for the last month

If YES to OTC89: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	8	0.3 %
Missing Data			
-1	-1: N/A	2268	91.9 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 9 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC99: Other over-the-counter (OTC) medication #9

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2 %
2	2: Yes	5	0.2 %
Missing Data			
-1	-1: N/A	2268	91.9 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 9 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW99: Other over-the-counter (OTC) medication #9 taken 2 times/week for the last month

If YES to OTC99: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	5	0.2 %
	Missing Data		
-1	-1: N/A	2272	92.0 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 5 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC109: Other over-the-counter (OTC) medication #10

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2272	92.0 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 5 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW109: Other over-the-counter (OTC) medication #10 taken 2 times/week for the last month

If YES to OTC109: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2274	92.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC119: Other over-the-counter (OTC) medication #11

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2274	92.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW119: Other over-the-counter (OTC) medication #11 taken 2 times/week for the last month

If YES to OTC119: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2274	92.1 %
.	.	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC129: Other over-the-counter (OTC) medication #12

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2274	92.1 %
.	.	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW129: Other over-the-counter (OTC) medication #12 taken 2 times/week for the last month

If YES to OTC129: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %

Value	Label	Unweighted Frequency	%
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2274	92.1 %
.	.	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC139: Other over-the-counter (OTC) medication #13

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2274	92.1 %
.	.	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW139: Other over-the-counter (OTC) medication #13 taken 2 times/week for the last month

If YES to OTC139: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2274	92.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC149: Other over-the-counter (OTC) medication #14

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2274	92.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW149: Other over-the-counter (OTC) medication #14 taken 2 times/week for the last month

If YES to OTC149: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2275	92.1 %
.	-	192	7.8 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC159: Other over-the-counter (OTC) medication #15

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2275	92.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW159: Other over-the-counter (OTC) medication #15 taken 2 times/week for the last month

If YES to OTC159: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2275	92.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYYNSNO9: Soy protein/phytoestrogen powders/pills

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	1: No	2081	84.3 %
2	2: Yes	227	9.2 %
	Missing Data		
-8	-8: Do not know	5	0.2 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,308 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPROT9: How often take soy protein

If YES to SOYYNSNO9: How many times per week?

Value	Label	Unweighted Frequency	%
1	1: Don't take any	22	0.9 %
2	2: 1-3 days/week	69	2.8 %
3	3: 4-6 days/week	26	1.1 %
4	4: Every day	108	4.4 %
	Missing Data		
-8	-8: Do not know	2	0.1 %
-1	-1: N/A	2086	84.5 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 225 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CEREACA9: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	1: None or <1/week	1598	64.7 %
2	2: 1/week	180	7.3 %
3	3: 2/week	139	5.6 %
4	4: 3-4/week	143	5.8 %
5	5: 5-6/week	59	2.4 %
6	6: >=7/week	49	2.0 %
Missing Data			
-8	-8: Do not know	145	5.9 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 2,168 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BREADCA9: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	1: None or <1/week	1603	64.9 %
2	2: 1/week	117	4.7 %
3	3: 2/week	123	5.0 %
4	4: 3-4/week	139	5.6 %
5	5: 5-6/week	77	3.1 %
6	6: >=7/week	95	3.8 %
Missing Data			
-8	-8: Do not know	159	6.4 %
.	-	156	6.3 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,154 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORANGCA9: How many glasses high calcium juice

Some brands of fortified juice have extra calcium added. How many glasses of fruit juice or fruit drink containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	1: None or <1/week	1437	58.2 %
2	2: 1/week	211	8.5 %
3	3: 2/week	161	6.5 %
4	4: 3-4/week	209	8.5 %
5	5: 5-6/week	111	4.5 %
6	6: >=7/week	162	6.6 %
Missing Data			
-8	-8: Do not know	22	0.9 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,291 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CAMDAY9: Complimentary and Alternative Medicines Day

Complimentary and Alternative Medicines Day

Value	Label	Unweighted Frequency	%
3151	-	1	0.0 %
3153	-	1	0.0 %
3167	-	1	0.0 %
3171	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3178	-	1	0.0 %
3196	-	1	0.0 %
3202	-	2	0.1 %
3205	-	1	0.0 %
3206	-	1	0.0 %
3208	-	3	0.1 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3213	-	2	0.1 %
3214	-	1	0.0 %
3215	-	5	0.2 %
3217	-	1	0.0 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3221	-	1	0.0 %
3222	-	1	0.0 %
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	4	0.2 %
3226	-	2	0.1 %
3227	-	4	0.2 %
3228	-	9	0.4 %
3229	-	4	0.2 %
3230	-	3	0.1 %
3231	-	3	0.1 %
3232	-	5	0.2 %
3233	-	5	0.2 %
3234	-	10	0.4 %
3235	-	10	0.4 %
3236	-	3	0.1 %
3237	-	10	0.4 %
3238	-	5	0.2 %
3239	-	8	0.3 %
3240	-	27	1.1 %
3241	-	22	0.9 %
3242	-	10	0.4 %
3243	-	9	0.4 %
3244	-	11	0.4 %
3245	-	12	0.5 %

Value	Label	Unweighted Frequency	%
3246	-	15	0.6 %
3247	-	12	0.5 %
3248	-	26	1.1 %
3249	-	13	0.5 %
3250	-	15	0.6 %
3251	-	12	0.5 %
3252	-	12	0.5 %
Missing Data			
.	-	389	15.8 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,080 valid cases out of 2,469 total cases.

- Mean: 3313.82
- Minimum: 3151.00
- Maximum: 3845.00
- Standard Deviation: 77.99

Location: 473-476 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

ACUPUNC9: Acupuncture

During the past 12 months, have you used any of the following for your health? Acupuncture

Value	Label	Unweighted Frequency	%
1	1: No	1998	80.9 %
2	2: Yes	82	3.3 %
Missing Data			
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPHAR9: Acupuncture - Heart

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	81	3.3 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOST9: Acupuncture - Osteoporosis

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	78	3.2 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEN9: Acupuncture - Menopausal symptoms

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	74	3.0 %
2	2: Yes	8	0.3 %
	Missing Data		
.	-	2387	96.7 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPLOO9: Acupuncture - Young Looking

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.2 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEM9: Acupuncture - Improve Memory

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.2 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPPER9: Acupuncture - Regulate Periods

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	82	3.3 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPGEN9: Acupuncture - General Health

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	48	1.9 %
2	2: Yes	34	1.4 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPWGH9: Acupuncture - Weight

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	78	3.2 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPADV9: Acupuncture - Provider advice

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	73	3.0 %
2	2: Yes	9	0.4 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOTH9: Acupuncture - Other reason

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	73	3.0 %
	Missing Data		
.	-	2387	96.7 %
	Total	2,469	100%

Based upon 82 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 497-498 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ACUPSPE9: Acupuncture - Other specify

If YES to ACUPUNC9: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture? Specify

Value	Label	Unweighted Frequency	%
-		2396	97.0 %
'TO RELIEF PAIN IN SHOULDERS.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ALLERGIES	-	1	0.0 %
ARM (FOR INJURY)	-	1	0.0 %
BACK PAIN	-	6	0.2 %
BECAUSE OF SHINGLES	-	1	0.0 %
BLADDER CONTROL	-	1	0.0 %
BOOST IMMUNE SYSTEM, IMPROVE CIRCULATION	-	1	0.0 %
BOOSTING AUTO-IMMUNE SYSTEM & PAIN RELIEF	-	1	0.0 %
COLD FEET	-	1	0.0 %
CYSTS ON THE FACE	-	1	0.0 %
DEPRESSION	-	1	0.0 %
DUE TO CHEMO EFFECTS	-	1	0.0 %
FATIGUE	-	1	0.0 %
FOR ANKLE PAIN	-	1	0.0 %
FOR ARTHRITIS PAIN IN BOTH THUMBS	-	1	0.0 %
FOR BACK PAIN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR PAIN	-	2	0.1 %
FOR PAIN RELIEF	-	1	0.0 %
FOR STRESS	-	1	0.0 %
HAND INJURY	-	1	0.0 %
HEAVY BLEEDING	-	1	0.0 %
HELP QUIT SMOKING	-	1	0.0 %
HELPS W/RELAXATION	-	1	0.0 %
INFLAMMATION & PAIN	-	1	0.0 %
INJURIES	-	1	0.0 %
JOINT PAIN	-	2	0.1 %
KNEE	-	1	0.0 %
KNEE PAIN	-	1	0.0 %
KNEE PAIN OR BACK PAIN	-	1	0.0 %
LOW CHI	-	1	0.0 %
MAKES ME FEEL GOOD	-	1	0.0 %
MORE ENERGY	-	1	0.0 %
MUSCLE, PAIN	-	1	0.0 %
MY BACK	-	1	0.0 %
NUMBNESS IN LEGS	-	1	0.0 %
OSTEOARTHRITIS	-	1	0.0 %
PAIN	-	5	0.2 %
PAIN IN HEELS	-	1	0.0 %
PAIN IN KNEE	-	1	0.0 %
PAINFUL JOINTS	-	1	0.0 %
PROBLEM WITH HEEL	-	1	0.0 %
REDUCING LOWER BACK PAIN	-	1	0.0 %
RINGING EAR	-	1	0.0 %
SHOULDER & JOINT PAIN	-	1	0.0 %
SHOULDER, NECK	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 499-558 (width: 60; decimal: 0)

Variable Type: character

BCOHOSH9: Black cohosh

During the past 12 months, have you used any of the following for your health? Black cohosh

Value	Label	Unweighted Frequency	%
1	1: No	1963	79.5 %
2	2: Yes	117	4.7 %
	Missing Data		
.	-	389	15.8 %
	Total	2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHHAR9: Black cohosh - Heart

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	115	4.7 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOST9: Black cohosh - Osteoporosis

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	111	4.5 %
2	2: Yes	6	0.2 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEN9: Black cohosh - Menopausal symptoms

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	105	4.3 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHLOO9: Black cohosh - Young Looking

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	115	4.7 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEM9: Black cohosh - Improve Memory

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	112	4.5 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHPER9: Black cohosh - Regulate Periods

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	114	4.6 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOGEN9: Black cohosh - General Health

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	85	3.4 %
2	2: Yes	32	1.3 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHWH9: Black cohosh - Weight

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	114	4.6 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHADV9: Black cohosh - Provider advice

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	99	4.0 %
2	2: Yes	18	0.7 %
	Missing Data		
.	-	2352	95.3 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOTH9: Black cohosh - Other reason

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh?

Value	Label	Unweighted Frequency	%
1	1: No	108	4.4 %
2	2: Yes	9	0.4 %
	Missing Data		
.	-	2352	95.3 %
	Total	2,469	100%

Based upon 117 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHSPE9: Black cohosh - Other specify

If YES to BCOHOSH9: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh?
Specify

Value	Label	Unweighted Frequency	%
	-	2460	99.6 %
'BECAUSE I WAS SO HOT.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACTUALLY PHYSICAL THEAPIST	-	1	0.0 %

Value	Label	Unweighted Frequency	%
RECOMMENDED THIS			
BROUGHT ON FLASHES EVEN WORS SO STOPPED TAK	-	1	0.0 %
HOT FLASHES	-	3	0.1 %
PART OF ESTROVEN	-	1	0.0 %
RECOMMENDED BY FRIEND	-	1	0.0 %
TO RELIEVE HOT FLASHES BASICALLY	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 581-623 (width: 43; decimal: 0)

Variable Type: character

DQUAI9: Dong Quai

During the past 12 months, have you used any of the following for your health? Dong Quai

Value	Label	Unweighted Frequency	%
1	1: No	2039	82.6 %
2	2: Yes	41	1.7 %
Missing Data			
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAHAR9: Dong Quai - Heart

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6 %

Value	Label	Unweighted Frequency	%
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOST9: Dong Quai - Osteoporosis

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	37	1.5 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEN9: Dong Quai - Menopausal symptoms

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	15	0.6 %
2	2: Yes	26	1.1 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUALOO9: Dong Quai - Young Looking

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	39	1.6 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEM9: Dong Quai - Improve Memory

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	41	1.7 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAPER9: Dong Quai - Regulate Periods

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	41	1.7 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAGEN9: Dong Quai - General Health

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7 %
2	2: Yes	24	1.0 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAWGH9: Dong Quai - Weight

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2428	98.3 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAADV9: Dong Quai - Provider advice

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	39	1.6 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOTH9: Dong Quai - Other reason

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai?

Value	Label	Unweighted Frequency	%
1	1: No	35	1.4 %
2	2: Yes	6	0.2 %
	Missing Data		
.	-	2428	98.3 %
	Total	2,469	100%

Based upon 41 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUASPE9: Dong Quai - Other specify

If YES to DQUAI9: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai? Specify

Value	Label	Unweighted Frequency	%
-		2463	99.8 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BROUGHT ON FLASHES EVEN WORSE SO	-	1	0.0 %
CHINESE TRADITION, GOOD FOR WOMEN	-	1	0.0 %
CIRCULATION	-	1	0.0 %
HEAVY BLEEDING	-	1	0.0 %
IMPROVE CHI	-	1	0.0 %
SOUP	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 646-678 (width: 33; decimal: 0)

Variable Type: character

DIETNUT9: Nutritious diet

During the past 12 months, have you used any of the following for your health? Eating a nutritious diet

Value	Label	Unweighted Frequency	%
1	1: No	554	22.4 %
2	2: Yes	1526	61.8 %
Missing Data			
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETHAR9: Nutritious diet - Heart

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	702	28.4 %
2	2: Yes	824	33.4 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOST9: Nutritious diet - Osteoporosis

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	928	37.6 %
2	2: Yes	598	24.2 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEN9: Nutritious diet - Menopausal symptoms

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	1300	52.7 %

Value	Label	Unweighted Frequency	%
2	2: Yes	226	9.2 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETLOO9: Nutritious diet - Young Looking

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	1023	41.4 %
2	2: Yes	503	20.4 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEM9: Nutritious diet - Improve Memory

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	1170	47.4 %
2	2: Yes	356	14.4 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETPER9: Nutritious diet - Regulate Periods

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	1502	60.8 %
2	2: Yes	24	1.0 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 691-692 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETGEN9: Nutritious diet - General Health

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	65	2.6 %
2	2: Yes	1461	59.2 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 693-694 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETWGH9: Nutritious diet - Weight

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	420	17.0 %
2	2: Yes	1106	44.8 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 695-696 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIETADV9: Nutritious diet - Provider advice

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	1091	44.2 %
2	2: Yes	435	17.6 %
	Missing Data		
.	-	943	38.2 %
	Total	2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 697-698 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIETOTH9: Nutritious diet - Other reason

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet?

Value	Label	Unweighted Frequency	%
1	1: No	1264	51.2 %
2	2: Yes	262	10.6 %
	Missing Data		
.	-	943	38.2 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,526 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 699-700 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETSPE9: Nutritious diet - Other specify

If YES to DIETNUT9: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet? Specify

Value	Label	Unweighted Frequency	%
-		2207	89.4 %
' GOOD EXAMPLE'	-	1	0.0 %
'BECAUSE I KNOW IT IS GOOD FOR ME'	-	1	0.0 %
'FOR GOUT PROBLEMS, I'M EXPERIENCING'	-	1	0.0 %
'GOOD EXAMPLE FOR THE CHILDREN.'	-	1	0.0 %
'HEALTH MAINTAINCE DECREASE CHOLESTERAL/ DIGESTIVE SYSTEM	-	1	0.0 %
'I KNOW I SHOULD.'	-	1	0.0 %
'JUST TO FEEL GOOD, THAT'S ALL.'	-	1	0.0 %
'RESPONDENT LOST WEIGHT FOLLOWING DIABETIC HUSBAND'S DIET	-	1	0.0 %
'STAY SANE'	-	1	0.0 %
'TASTES GOOD'	-	1	0.0 %
'TO CONTROL DIABETES.'	-	1	0.0 %
'TO FEEL GOOD.'	-	1	0.0 %

Value	Label	Unweighted Frequency	%
'TO KEEP BLOOD PRESSURE IN CONTROL.'	-	1	0.0 %
'TO LIVE LONGER'	-	1	0.0 %
'TO PREVENT CANCER-EATING GREENS AND GRAINS'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACT AS A ROLE MODEL	-	1	0.0 %
ALL GARBAGE COOKS FROM SCRATCH	-	1	0.0 %
ALLERGIES	-	1	0.0 %
ALWAYS HAS DONE THIS	-	1	0.0 %
ANEMIA	-	1	0.0 %
ANTI CANCER	-	1	0.0 %
BECAUSE GOOD FOR ME	-	1	0.0 %
BECAUSE IT TASTES BETTER	-	1	0.0 %
BECAUSE IT TASTES GOOD; OUT OF HABIT	-	1	0.0 %
BECAUSE IT'S BETTER FOR YOU.	-	1	0.0 %
BECAUSE IT'S GOOD FOR ME	-	1	0.0 %
BECAUSE MY BIAS	-	1	0.0 %
BECAUSE NOT HUNGRY	-	1	0.0 %
BECAUSE OF OTHER HEALTH PROBLEMS	-	1	0.0 %
BETTER THAN EATING NON-NUTRITES DIET	-	1	0.0 %
BLOOD SUGAR	-	1	0.0 %
BORDERLINE DIABETIC, DR. WANTS TO SEE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CHANGE IN EATING HABIT			
CANCER PREVENTION	-	2	0.1 %
CELIAC DISEASE	-	1	0.0 %
CHLOSTEROL DIABETES	-	1	0.0 %
CHOLESTEROL	-	1	0.0 %
CHOLESTEROL DIABETES	-	1	0.0 %
CHOLESTROL	-	2	0.1 %
COMES ALONG W/ DIABETES	-	1	0.0 %
COMMON SENSE	-	2	0.1 %
CONCERNED ABOUT FIBER DUE TO FAMILY HISTORY OF COLON CANCER	-	1	0.0 %
CULTURAL BELIEF	-	1	0.0 %
DECREASE CHOLESTROL	-	1	0.0 %
DENTURES	-	1	0.0 %
DEVELOPED FROM MOTHER	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 701-760 (width: 60; decimal: 0)

Variable Type: character

EXERCIS9: Exercise

During the past 12 months, have you used any of the following for your health? Exercise

Value	Label	Unweighted Frequency	%
1	1: No	577	23.4 %
2	2: Yes	1503	60.9 %
Missing Data			
-	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERHAR9: Exercise - Heart

If YES to EXERCIS9: Please tell me whether or not you use exercise: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	714	28.9 %
2	2: Yes	789	32.0 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROST9: Exercise - Osteoporosis

If YES to EXERCIS9: Please tell me whether or not you use exercise: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	849	34.4 %
2	2: Yes	654	26.5 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEN9: Exercise - Menopausal symptoms

If YES to EXERCIS9: Please tell me whether or not you use exercise: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	1270	51.4 %
2	2: Yes	233	9.4 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERLOO9: Exercise - Young Looking

If YES to EXERCIS9: Please tell me whether or not you use exercise: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	884	35.8 %
2	2: Yes	619	25.1 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEM9: Exercise - Improve Memory

If YES to EXERCIS9: Please tell me whether or not you use exercise: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	1138	46.1 %
2	2: Yes	365	14.8 %
	Missing Data		
.	-	966	39.1 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERPER9: Exercise - Regulate Periods

If YES to EXERCIS9: Please tell me whether or not you use exercise: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	1471	59.6 %
2	2: Yes	32	1.3 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 773-774 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERGEN9: Exercise - General Health

If YES to EXERCIS9: Please tell me whether or not you use exercise: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	110	4.5 %
2	2: Yes	1393	56.4 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERWGH9: Exercise - Weight

If YES to EXERCIS9: Please tell me whether or not you use exercise: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	352	14.3 %
2	2: Yes	1151	46.6 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 777-778 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERADV9: Exercise - Provider advice

If YES to EXERCIS9: Please tell me whether or not you use exercise: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	1002	40.6 %
2	2: Yes	501	20.3 %
	Missing Data		
.	-	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 779-780 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROTH9: Exercise - Other reason

If YES to EXERCIS9: Please tell me whether or not you use exercise: Is there any other reason you use exercise?

Value	Label	Unweighted Frequency	%
1	1: No	1175	47.6 %
2	2: Yes	328	13.3 %
	Missing Data		
.	.	966	39.1 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 781-782 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERSPE9: Exercise - Other specify

If YES to EXERCIS9: Please tell me whether or not you use exercise: Is there any other reason you use exercise? Specify

Value	Label	Unweighted Frequency	%
-		2141	86.7 %
'GET MY BLOOD FLOWING FEELS BETTER'	-	1	0.0 %
'LEG WEIGHTS TO IMPROVE MY KNEES-LESSEN PAIN/INCREASE STAMIN	-	1	0.0 %
'PRACTICE WHAT I PREACH'	-	1	0.0 %
'TO LIVE LONGER'	-	1	0.0 %
'TO RELIEVE STRESS.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
A BIG PART OF JOB	-	1	0.0 %
ACCOMPANY HUSBAND & DOGS	-	1	0.0 %
ACCOMPANYING MY HUSBAND FOR A WALK	-	1	0.0 %
AFTER KNEE (2) RELACEMENTS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ALTERNATIVE TO TRANSPORTATION	-	1	0.0 %
ARTHRITIS	-	2	0.1 %
ARTHRITIS, AND LIKE IT	-	1	0.0 %
ASTHMA CONTOL	-	1	0.0 %
BACK INJURY	-	1	0.0 %
BACK PAIN	-	1	0.0 %
BALANCE	-	1	0.0 %
BE IN GOOD COMPANY	-	1	0.0 %
BEST EXERCISE IN WORLD	-	1	0.0 %
BETTER BOWEL MOVEMENT	-	1	0.0 %
BETTER MENTAL HEALTH	-	1	0.0 %
BLOOD PRESSURE	-	1	0.0 %
BLOOD PRESSURE & FLEXIBILITY	-	1	0.0 %
BOOSTS MY SELF ESTEEM	-	1	0.0 %
BORDERLINE DIABETES	-	1	0.0 %
BORED AND NOISY	-	1	0.0 %
CANCER PREVENTION	-	2	0.1 %
CARDIOVASCULAR	-	1	0.0 %
CARE AND MAINTENANCE OF 3 DOGS, 4 PARROTS, 1 CANARY	-	1	0.0 %
CHASING KIDS	-	1	0.0 %
CHLOSTEROL DIABETES	-	1	0.0 %
CHOLESTEROL	-	1	0.0 %
COMPANIONSHIP	-	2	0.1 %
COMPETIVENESS	-	1	0.0 %
DE-STRESS	-	1	0.0 %
DECREASE STRESS	-	1	0.0 %
DIABETES	-	1	0.0 %
DIABETIC	-	2	0.1 %

Value	Label	Unweighted Frequency	%
DOG NEEDS EXERCISE	-	1	0.0 %
DOG WALK	-	1	0.0 %
EMOTIONAL	-	1	0.0 %
ENDURANCE BUILDUP	-	1	0.0 %
ENERGY	-	1	0.0 %
ENJOY IT	-	5	0.2 %
ENJOYABLE	-	1	0.0 %
ENJOYMENT	-	3	0.1 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 783-842 (width: 60; decimal: 0)

Variable Type: character

FLAXSEE9: Flaxseed

During the past 12 months, have you used any of the following for your health? Flaxseed or flaxseed oil supplements

Value	Label	Unweighted Frequency	%
1	1: No	1766	71.5 %
2	2: Yes	314	12.7 %
Missing Data			
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 843-844 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXHAR9: Flaxseed - Heart

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	179	7.2 %

Value	Label	Unweighted Frequency	%
2	2: Yes	135	5.5 %
	Missing Data		
.	-	2155	87.3 %
	Total	2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 845-846 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOST9: Flaxseed - Osteoporosis

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	279	11.3 %
2	2: Yes	35	1.4 %
	Missing Data		
.	-	2155	87.3 %
	Total	2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 847-848 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEN9: Flaxseed - Menopausal symptoms

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	274	11.1 %
2	2: Yes	40	1.6 %
	Missing Data		
.	-	2155	87.3 %
	Total	2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 849-850 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXLOO9: Flaxseed - Young Looking

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	258	10.4 %
2	2: Yes	56	2.3 %
	Missing Data		
.	-	2155	87.3 %
	Total	2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 851-852 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEM9: Flaxseed - Improve Memory

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	270	10.9 %
2	2: Yes	44	1.8 %
	Missing Data		
.	-	2155	87.3 %
	Total	2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 853-854 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXPER9: Flaxseed - Regulate Periods

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	307	12.4 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	2155	87.3 %
	Total	2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 855-856 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXGEN9: Flaxseed - General Health

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	67	2.7 %
2	2: Yes	247	10.0 %
	Missing Data		
.	-	2155	87.3 %
	Total	2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 857-858 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXWGH9: Flaxseed - Weight

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	253	10.2 %
2	2: Yes	61	2.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2155	87.3 %
Total		2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 859-860 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXADV9: Flaxseed - Provider advice

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	279	11.3 %
2	2: Yes	35	1.4 %
Missing Data			
.	-	2155	87.3 %
Total		2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 861-862 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOTH9: Flaxseed - Other reason

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements?

Value	Label	Unweighted Frequency	%
1	1: No	214	8.7 %
2	2: Yes	100	4.1 %
Missing Data			
.	-	2155	87.3 %
Total		2,469	100%

Based upon 314 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 863-864 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXSPE9: Flaxseed - Other specify

If YES to FLAXSEE9: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements? Specify

Value	Label	Unweighted Frequency	%
-		2369	95.9 %
'FOR ARTHRITIS'	-	1	0.0 %
'FOR JOINT HEALTH.'	-	1	0.0 %
'GOOD FOR ME ACCORDING TO MY HUSBAND'	-	1	0.0 %
'GOOD FOR PREVENTION OF BREAST CANCER'	-	1	0.0 %
'ITS IN THE BREAD THAT I EAT.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ADVISE OF SOMEONE ELSE	-	1	0.0 %
ANTIOXIDANTS MAY HELP REDUCE RISK OF CANCER	-	1	0.0 %
ANTIOXIDENT	-	1	0.0 %
ARTERIES, HOT FLASHES	-	1	0.0 %
ARTHRITIS	-	1	0.0 %
BECAUSE MY MOM SAID IT IS GOOD FOR ME	-	1	0.0 %
BECAUSE SOMEONE ELSE DID IT; DON'T KNOW WHY	-	1	0.0 %
BONES/JOINT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BOWEL REGULARITY	-	1	0.0 %
BRAIN FUNCTION	-	1	0.0 %
CANCER PREVENTATIVE	-	1	0.0 %
CHOLESTEROL	-	4	0.2 %
COLON HEALTH	-	1	0.0 %
CONSTIPATION	-	1	0.0 %
CUT DOWN CHOLESTEROL	-	1	0.0 %
DON'T REMEMBER WHY	-	1	0.0 %
DRY EYES	-	1	0.0 %
EASY TO PUT IT IN THE FOOD	-	1	0.0 %
EYE	-	1	0.0 %
EYES	-	1	0.0 %
FOR CONSTIPATION	-	1	0.0 %
FOR EVACUATION	-	1	0.0 %
FOR IMPROVEMENT IN MOODS AND MY COLOR	-	1	0.0 %
FOR JOINTS	-	1	0.0 %
FOR MY JOINTS	-	1	0.0 %
FOR MY SKIN B/C OF DIABETES	-	1	0.0 %
FOR NEUROPATHY RECOMMENDED BY NUTRITIONIST	-	1	0.0 %
FOR OMEGA-3S	-	1	0.0 %
FOR REGULARITY, MORE FIBER	-	1	0.0 %
FRIEND RECOMMENDED IT	-	1	0.0 %
FRIEND RECOVERY FROM CANCER RECOMMENDED IT FOR JOINTS	-	1	0.0 %
FRIEND'S ADVICE	-	2	0.1 %
GOOD FOR SKIN	-	1	0.0 %
GOOD FOR YOU	-	2	0.1 %

Value	Label	Unweighted Frequency	%
GOOD ROUGHAGE	-	1	0.0 %
GOOD SKIN	-	1	0.0 %
GOOD TASTE FOR SALAD DRESSING; ANTIOXIDANT	-	1	0.0 %
HAIR FALLING OUT	-	1	0.0 %
HELP WITH GOOD CHOLESTEROL	-	1	0.0 %
HELPS OTHER HERBS WORK BETTER	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 865-917 (width: 53; decimal: 0)

Variable Type: character

GINKGO9: Ginkgo Biloba

During the past 12 months, have you used any of the following for your health? Ginkgo Biloba

Value	Label	Unweighted Frequency	%
1	1: No	1969	79.7 %
2	2: Yes	111	4.5 %
Missing Data			
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 918-919 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKHAR9: Ginkgo Biloba - Heart

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	108	4.4 %

Value	Label	Unweighted Frequency	%
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 920-921 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOST9: Ginkgo Biloba - Osteoporosis

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	110	4.5 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 922-923 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEN9: Ginkgo Biloba - Menopausal symptoms

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	105	4.3 %
2	2: Yes	6	0.2 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 924-925 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKLOO9: Ginkgo Biloba - Young Looking

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	108	4.4 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 926-927 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEM9: Ginkgo Biloba - Improve Memory

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	16	0.6 %
2	2: Yes	95	3.8 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 928-929 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKPER9: Ginkgo Biloba - Regulate Periods

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	111	4.5 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 930-931 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKGEN9: Ginkgo Biloba - General Health

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	76	3.1 %
2	2: Yes	35	1.4 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 932-933 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKWGH9: Ginkgo Biloba - Weight

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	110	4.5 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2358	95.5 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 934-935 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKADV9: Ginkgo Biloba - Provider advice

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	106	4.3 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOTH9: Ginkgo Biloba - Other reason

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba?

Value	Label	Unweighted Frequency	%
1	1: No	101	4.1 %
2	2: Yes	10	0.4 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKSPE9: Ginkgo Biloba - Other specify

If YES to GINKGO9: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba? Specify

Value	Label	Unweighted Frequency	%
-	-	2459	99.6 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BRAIN FUNCTION	-	1	0.0 %
ENERGY	-	1	0.0 %
FOR INCREASED ENERGY	-	1	0.0 %
GOING TO SCHOOL NEED TO TAKE A TEST	-	1	0.0 %
HUSBANDS SUGGESTION	-	1	0.0 %
IMPROVE CIRCULATION, EYESIGHT, HEARING	-	1	0.0 %
KEEP MENTAL SHARPNESS	-	1	0.0 %
NEIGHBOR GAVE TO TRY OUT	-	1	0.0 %
PARENTS PUT IN SOUP	-	1	0.0 %
TO PREVENT ALZHEIMER	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 940-977 (width: 38; decimal: 0)

Variable Type: character

GINSENG9: Ginseng

During the past 12 months, have you used any of the following for your health? Ginseng

Value	Label	Unweighted Frequency	%
1	1: No	1997	80.9 %

Value	Label	Unweighted Frequency	%
2	2: Yes	83	3.4 %
	Missing Data		
.	-	389	15.8 %
	Total	2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 978-979 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSHAR9: Ginseng - Heart

If YES to GINSENG9: Please tell me whether or not you use ginseng: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.2 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 980-981 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOST9: Ginseng - Osteoporosis

If YES to GINSENG9: Please tell me whether or not you use ginseng: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.2 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 982-983 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEN9: Ginseng - Menopausal symptoms

If YES to GINSENG9: Please tell me whether or not you use ginseng: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	78	3.2 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 984-985 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSLOO9: Ginseng - Young Looking

If YES to GINSENG9: Please tell me whether or not you use ginseng: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	78	3.2 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEM9: Ginseng - Improve Memory

If YES to GINSENG9: Please tell me whether or not you use ginseng: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	71	2.9 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSER9: Ginseng - Regulate Periods

If YES to GINSENG9: Please tell me whether or not you use ginseng: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	83	3.4 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSGEN9: Ginseng - General Health

If YES to GINSENG9: Please tell me whether or not you use ginseng: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	29	1.2 %
2	2: Yes	54	2.2 %
	Missing Data		
.	-	2386	96.6 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 992-993 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSWH9: Ginseng - Weight

If YES to GINSENG9: Please tell me whether or not you use ginseng: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	79	3.2 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 994-995 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSADV9: Ginseng - Provider advice

If YES to GINSENG9: Please tell me whether or not you use ginseng: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.2 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 996-997 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSO9: Ginseng - Other reason

If YES to GINSENG9: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng?

Value	Label	Unweighted Frequency	%
1	1: No	44	1.8 %
2	2: Yes	39	1.6 %
	Missing Data		
.	-	2386	96.6 %
	Total	2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 998-999 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSSPE9: Ginseng - Other specify

If YES to GINSENG9: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng? Specify

Value	Label	Unweighted Frequency	%
	-	2430	98.4 %
'TO IMPROVE MY ENERGY.'	-	1	0.0 %
'TO INCREASE ENERGY.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BALANCE CHI	-	1	0.0 %
BECAUSE IT WAS AVAILABLE	-	1	0.0 %
BLOOD THINNER	-	1	0.0 %
BOOSTING AUTO-IMMUNE SYSTEM	-	1	0.0 %
COLD	-	1	0.0 %
ENERGY	-	8	0.3 %
ENERGY LEVEL	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR ARTHRITIS	-	1	0.0 %
FOR ENERGY	-	2	0.1 %
FOR INCREASED ENERGY	-	1	0.0 %
FOR ME	-	1	0.0 %
GET ENERGY UP	-	1	0.0 %
GIVE ENERGY	-	1	0.0 %
GIVEN AS A GIFT	-	2	0.1 %
HEART BURN INDIGESTION	-	1	0.0 %
HUSBANDS SUGGESTION	-	1	0.0 %
I JUST LIKE IT.	-	1	0.0 %
IN SOUP	-	1	0.0 %
INCLUDED IN MULTIVITAMIN	-	1	0.0 %
INCREASED ENERGY	-	1	0.0 %
LIKE THE FLAVOR	-	1	0.0 %
LOWER CHOLESTEROL	-	1	0.0 %
MAKES ME HAVE ENERGY	-	1	0.0 %
MORE ENERGY	-	1	0.0 %
REFRESHING, SOOTHING	-	1	0.0 %
SOUP	-	1	0.0 %
TO EASE FATIGUE	-	1	0.0 %
TO GIVE ME ENERGY AND WAKE ME UP	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1000-1031 (*width:* 32; *decimal:* 0)

Variable Type: character

GLUSAMI9: Glucosamine

During the past 12 months, have you used any of the following for your health? Glucosamine with or without Chondroitin

Value	Label	Unweighted Frequency	%
1	1: No	1678	68.0 %

Value	Label	Unweighted Frequency	%
2	2: Yes	402	16.3 %
	Missing Data		
.	-	389	15.8 %
	Total	2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1032-1033 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSHAR9: Glucosamine - Heart

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	394	16.0 %
2	2: Yes	8	0.3 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1034-1035 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOST9: Glucosamine - Osteoporosis

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	287	11.6 %
2	2: Yes	115	4.7 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1036-1037 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEN9: Glucosamine - Menopausal symptoms

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	395	16.0 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1038-1039 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSLOO9: Glucosamine - Young Looking

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	384	15.6 %
2	2: Yes	18	0.7 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1040-1041 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEM9: Glucosamine - Improve Memory

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	397	16.1 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1042-1043 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSPER9: Glucosamine - Regulate Periods

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	402	16.3 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1044-1045 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSGEN9: Glucosamine - General Health

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	255	10.3 %
2	2: Yes	147	6.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2067	83.7 %

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1046-1047 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSWGH9: Glucosamine - Weight

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	397	16.1 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1048-1049 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSADV9: Glucosamine - Provider advice

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	333	13.5 %
2	2: Yes	69	2.8 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1050-1051 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

GLUSOTH9: Glucosamine - Other reason

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin?

Value	Label	Unweighted Frequency	%
1	1: No	104	4.2 %
2	2: Yes	298	12.1 %
	Missing Data		
.	-	2067	83.7 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1052-1053 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

GLUSSPE9: Glucosamine - Other specify

If YES to GLUSAMI9: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin? Specify

Value	Label	Unweighted Frequency	%
-	-	2171	87.9 %
'FOR ARTHRITIS PAIN.'	-	1	0.0 %
'FOR ARTHRITIS'	-	1	0.0 %
'FOR JOINT HEALTH'	-	1	0.0 %
'FOR JOINT HEALTH.'	-	1	0.0 %
'FOR KNEE & JOINT HEALTH'	-	1	0.0 %
'FOR KNEE PAIN ARTHRITIS'	-	1	0.0 %
'PAINFUL JOINTS.'	-	1	0.0 %

Value	Label	Unweighted Frequency	%
'TO RELIEVE JOINT PAIN-HELP TO MAINTAIN HEALTHY J	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACHEs AND PAINS	-	1	0.0 %
ARTHRIITIS KNEES AND JOINTS	-	1	0.0 %
ARTHritic JOINTS	-	2	0.1 %
ARTHritic KNEES	-	1	0.0 %
ARTHritic SYMPTOMS	-	1	0.0 %
ARTHritis	-	27	1.1 %
ARTHritis IN KNEE	-	1	0.0 %
ARTHritis JOINT PAIN	-	1	0.0 %
ARTHritis PAIN	-	1	0.0 %
ARTHritis, JOINTS PAIN	-	1	0.0 %
ARTHritis; GENERAL JOINT HEALTH	-	1	0.0 %
BACK	-	1	0.0 %
BETTER JOINTS	-	1	0.0 %
BODY ACHEs	-	1	0.0 %
BONES, JOINTS	-	1	0.0 %
CHONDROCALCIN O SIS	-	1	0.0 %
COUSIN RECOMMENDED	-	1	0.0 %
CREAKY JOINTS	-	1	0.0 %
CREAKY KNEES	-	1	0.0 %
DON'T KNOW WHY	-	1	0.0 %
EYES	-	1	0.0 %
FIBROMYALGIA	-	1	0.0 %
FLEXIBILITY	-	1	0.0 %
FOR ARTHRITIS	-	7	0.3 %
FOR ARTHRITIS IN BACK	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR ARTHRITIS IN KNEE	-	1	0.0 %
FOR ARTHRITIS PAIN	-	2	0.1 %
FOR BONES	-	1	0.0 %
FOR FLEXABILITY	-	1	0.0 %
FOR JOINT COMFORT	-	1	0.0 %
FOR JOINT FLEXIBILITY	-	1	0.0 %
FOR JOINT HEALTH	-	4	0.2 %
FOR JOINT PAIN	-	2	0.1 %
FOR JOINT PAIN & ARTHRITIS	-	1	0.0 %
FOR JOINTS	-	7	0.3 %
FOR JOINTS HEALTH AND KNEE PAIN	-	1	0.0 %
FOR KNEE	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1054-1102 (width: 49; decimal: 0)

Variable Type: character

MYAMPRO9: Mexican yam

During the past 12 months, have you used any of the following for your health? Mexican yam or progesterone cream

Value	Label	Unweighted Frequency	%
1	1: No	2042	82.7 %
2	2: Yes	38	1.5 %
Missing Data			
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1103-1104 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMHAR9: Mexican yam - Heart

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	35	1.4 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1105-1106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOST9: Mexican yam - Osteoporosis

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	32	1.3 %
2	2: Yes	6	0.2 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1107-1108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEN9: Mexican yam - Menopausal symptoms

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4 %
2	2: Yes	28	1.1 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1109-1110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMLOO9: Mexican yam - Young Looking

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	33	1.3 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1111-1112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEM9: Mexican yam - Improve Memory

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	36	1.5 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1113-1114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMPER9: Mexican yam - Regulate Periods

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	35	1.4 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1115-1116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMGEN9: Mexican yam - General Health

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.0 %
2	2: Yes	13	0.5 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1117-1118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMWGH9: Mexican yam - Weight

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	36	1.5 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1119-1120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMADV9: Mexican yam - Provider advice

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	33	1.3 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1121-1122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOTH9: Mexican yam - Other reason

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream?

Value	Label	Unweighted Frequency	%
1	1: No	33	1.3 %
2	2: Yes	5	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2431	98.5 %
	Total	2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1123-1124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMSP9: Mexican yam - Other specify

If YES to MYAMPRO9: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream? Specify

Value	Label	Unweighted Frequency	%
	-	2464	99.8 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ALL THE TIME WITH OUT CEASING. BECAUSE I SHOULD	-	1	0.0 %
HELPS WITH LIBIDO, SEXUAL FUNCTION	-	1	0.0 %
HOT FLASHES	-	1	0.0 %
IT WORKS	-	1	0.0 %
TO TALK TO GOD	-	1	0.0 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1125-1171 (width: 47; decimal: 0)

Variable Type: character

PRAYER9: Prayer

During the past 12 months, have you used any of the following for your health? Prayer

Value	Label	Unweighted Frequency	%
1	1: No	972	39.4 %
2	2: Yes	1108	44.9 %
	Missing Data		
.	-	389	15.8 %
	Total	2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYHAR9: Prayer - Heart

If YES to PRAYER9: Please tell me whether or not you use prayer: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	953	38.6 %
2	2: Yes	155	6.3 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1174-1175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOST9: Prayer - Osteoporosis

If YES to PRAYER9: Please tell me whether or not you use prayer: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	995	40.3 %
2	2: Yes	113	4.6 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1176-1177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEN9: Prayer - Menopausal symptoms

If YES to PRAYER9: Please tell me whether or not you use prayer: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	1014	41.1 %
2	2: Yes	94	3.8 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1178-1179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYLOO9: Prayer - Young Looking

If YES to PRAYER9: Please tell me whether or not you use prayer: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	999	40.5 %
2	2: Yes	109	4.4 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1180-1181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEM9: Prayer - Improve Memory

If YES to PRAYER9: Please tell me whether or not you use prayer: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	947	38.4 %
2	2: Yes	161	6.5 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYPER9: Prayer - Regulate Periods

If YES to PRAYER9: Please tell me whether or not you use prayer: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	1065	43.1 %
2	2: Yes	43	1.7 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1184-1185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYGEN9: Prayer - General Health

If YES to PRAYER9: Please tell me whether or not you use prayer: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	445	18.0 %
2	2: Yes	663	26.9 %
	Missing Data		
.	-	1361	55.1 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1186-1187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYWGH9: Prayer - Weight

If YES to PRAYER9: Please tell me whether or not you use prayer: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	954	38.6 %
2	2: Yes	154	6.2 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYADV9: Prayer - Provider advice

If YES to PRAYER9: Please tell me whether or not you use prayer: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	1046	42.4 %
2	2: Yes	62	2.5 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1190-1191 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOTH9: Prayer - Other reason

If YES to PRAYER9: Please tell me whether or not you use prayer: Is there any other reason you use prayer?

Value	Label	Unweighted Frequency	%
1	1: No	365	14.8 %
2	2: Yes	743	30.1 %
	Missing Data		
.	-	1361	55.1 %
	Total	2,469	100%

Based upon 1,108 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYSPE9: Prayer - Other specify

If YES to PRAYER9: Please tell me whether or not you use prayer: Is there any other reason you use prayer? Specify

Value	Label	Unweighted Frequency	%
-	-	1729	70.0 %
'ASKED GOD FOR AUDANCE & STRENGTH'	-	1	0.0 %
'BECAUSE I BELIEVE IN GOD&IT MAKES ME SANER-SPIRITUAL LIFE.'	-	1	0.0 %
'BECAUSE I BELIEVE IN PRAYER.'	-	1	0.0 %
'BECAUSE I BELIEVE THAT EVERYTHING DEPENDS ON IT DAILY .'	-	1	0.0 %
'BECAUSE I NEED IT TO STAY MENTALLY HEALTHLY SPIRITUALLY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
'BECAUSE I THINK IT WILL HELP ME -TI'S GOOD TO PRAY.'	-	1	0.0 %
'BECAUSE IT IS GOOD FOR YOU.'	-	1	0.0 %
'BECAUSE IT SUSTAINS ME & GIVES ME HOPE.'	-	1	0.0 %
'BECAUSE OF MY BELIEFS.'	-	1	0.0 %
'BELIEVE IN HIGHER POWER'	-	1	0.0 %
'EVERYDAY ALLL DAY SOME DAYS.'	-	1	0.0 %
'EVERYDAY BECAUSE IT'S MY COMMUNICATION LINE/GOD&STREN GTH'	-	1	0.0 %
'EVERYDAY I PRAY- SPIRITUAL HEALTH THANKFULNESS/F ORGIVENESS.'	-	1	0.0 %
'EVERYDAY SEVERAL TIMES A DAY'	-	1	0.0 %
'FEEL THAT I COMMUNE WITH A HIGHER POWER.'	-	1	0.0 %
'FOR CLOSENESS WITH GOD & I BELIEVE	-	1	0.0 %
'FOR EVERYTHING'	-	1	0.0 %
'FOR GENERAL HEALTH & WELFARE'	-	1	0.0 %
'FOR GUIDANCE.'	-	1	0.0 %
'FOR INNER SPIRITUAL STRENGHT'	-	1	0.0 %
'FOR MY GENERAL PURPOSES FRO MY FAMILY ESP. MY GRADSON'	-	1	0.0 %
'FOR MY SPIRITUAL WELL BEING.'	-	1	0.0 %

Value	Label	Unweighted Frequency	%
'FOR MY WHOLE ENTIRE BEING.'	-	1	0.0 %
'FOR OVER ALL HEALTH, BOTH MENTAL & PHYSICAL'	-	1	0.0 %
'FOR PEACE AND FOR OVERALL TRANQUILITY.'	-	1	0.0 %
'FOR PEACE OF MIND'	-	1	0.0 %
'FOR PEACE WHEN I'M STRESSED ASKING FOR BURDENS, HEALTH, SAFE'	-	1	0.0 %
'FOR SANITY'	-	1	0.0 %
'FOR SELF'	-	1	0.0 %
'FOR SPIRITUAL UPLIFTING'	-	1	0.0 %
'GIVE ME COMFORT, PEACE, PROVIDES A SANTURARY FOR MY TIME.'	-	1	0.0 %
'HAS TO DO WITH SPIRITUALITY'	-	1	0.0 %
'HELPS ME.'	-	1	0.0 %
'I DON'T KNOW I JUST DO.'	-	1	0.0 %
'I DON'T KNOW...FOR THINGS TO GO EASIER.'	-	1	0.0 %
'I FEEL BETTER IT DOES HELP'	-	1	0.0 %
'I JUST FEEL BETTER.'	-	1	0.0 %
'I'VE ALWAYS DONE IT. BROUGHT UP THAT WAY, I BELIEVE IN IT.'	-	1	0.0 %
'IMPORTANT TO EVERYTHING & BING A HUMAN BEING'	-	1	0.0 %

Value	Label	Unweighted Frequency	%
'JUST FOR GENERAL HEALTH OTHERWISE I'D BE CRAZY.'	-	1	0.0 %
'KEEP MYSELF IN SANITY AND ASK FOR ASSISTANCE'	-	1	0.0 %
'LOTS OF THAT LET GO LET GOD!'	-	1	0.0 %
'MAINLY FOR MENTAL HEALTH'	-	1	0.0 %
'PEACE OF MIND COMFORT'	-	1	0.0 %
'PEACE OF MIND.'	-	1	0.0 %
'PERSONAL BELIEFS'	-	1	0.0 %
'PRAY FOR GRACE.'	-	1	0.0 %
'SELF WORTH THANKFULNESS'	-	1	0.0 %
'SPIRITUAL WELL BEING'	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1194-1253 (width: 60; decimal: 0)

Variable Type: character

SELFHEL9: Self-help group

During the past 12 months, have you used any of the following for your health? Self-help group

Value	Label	Unweighted Frequency	%
1	1: No	1935	78.4 %
2	2: Yes	145	5.9 %
	Missing Data		
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1254-1255 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

SELFHAR9: Self-help group - Heart

If YES to SELFHEL9: Please tell me whether or not you use self-help group: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	129	5.2 %
2	2: Yes	16	0.6 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1256-1257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SELFOST9: Self-help group - Osteoporosis

If YES to SELFHEL9: Please tell me whether or not you use self-help group: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	139	5.6 %
2	2: Yes	6	0.2 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1258-1259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SELFMEN9: Self-help group - Menopausal symptoms

If YES to SELFHEL9: Please tell me whether or not you use self-help group: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	138	5.6 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1260-1261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFLOO9: Self-help group - Young Looking

If YES to SELFHEL9: Please tell me whether or not you use self-help group: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	132	5.3 %
2	2: Yes	13	0.5 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1262-1263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEM9: Self-help group - Improve Memory

If YES to SELFHEL9: Please tell me whether or not you use self-help group: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	134	5.4 %
2	2: Yes	11	0.4 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1264-1265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFPER9: Self-help group - Regulate Periods

If YES to SELFHEL9: Please tell me whether or not you use self-help group: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	142	5.8 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1266-1267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFGEN9: Self-help group - General Health

If YES to SELFHEL9: Please tell me whether or not you use self-help group: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	66	2.7 %
2	2: Yes	79	3.2 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1268-1269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFWGH9: Self-help group - Weight

If YES to SELFHEL9: Please tell me whether or not you use self-help group: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	97	3.9 %
2	2: Yes	48	1.9 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1270-1271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFADV9: Self-help group - Provider advice

If YES to SELFHEL9: Please tell me whether or not you use self-help group: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	119	4.8 %
2	2: Yes	26	1.1 %
	Missing Data		
.	-	2324	94.1 %
	Total	2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1272-1273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOTH9: Self-help group - Other reason

If YES to SELFHEL9: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group?

Value	Label	Unweighted Frequency	%
1	1: No	60	2.4 %
2	2: Yes	85	3.4 %
	Missing Data		
.	-	2324	94.1 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1274-1275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFSP9: Self-help group - Other specify

If YES to SELFHEL9: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group? Specify

Value	Label	Unweighted Frequency	%
-		2384	96.6 %
'GRIEF SUPPORT.'	-	1	0.0 %
'SUPPORT GROUP FOE PSYCHOLOGICAL HEALTH.'	-	1	0.0 %
'TO SUPPORT MY SON.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
AA TO STOP DRINKING	-	1	0.0 %
ALCOHOLICS ANONYMOUS; TO STAY SOBER	-	1	0.0 %
ANGER MANAGEMENT	-	1	0.0 %
APPRECIATION	-	1	0.0 %
BECAUSE I THINK RELATIONSHIPS HELP GROUND YOU	-	1	0.0 %
BRIEVEMENT	-	1	0.0 %
CANCER SUPPORT	-	1	0.0 %
CHANGE SELF REACTIONS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CLOSE FRIEND / USE TO PERFORM TOGETHER	-	1	0.0 %
COMMUNICATION	-	1	0.0 %
DIABETES	-	1	0.0 %
DIABETIC	-	1	0.0 %
EMOTIONAL HEALTH	-	1	0.0 %
EMOTIONAL SUPPORT	-	2	0.1 %
ENCOURAGEMENT ; VENT	-	1	0.0 %
FIBROMYALGIA SELF-STUDY; FOR MY JOINTS	-	1	0.0 %
FINANCIAL REASONS -PRAY FOR FAMILY, DEALING WITH LIFE.	-	1	0.0 %
FITNESS PROGRAM	-	1	0.0 %
FOR EVERYTHING YOU WANT TO TALK ABOUT	-	1	0.0 %
FOR HELP, COMMUNITY SUPPORT	-	1	0.0 %
FOR ME	-	1	0.0 %
FOR MENTAL HEALTH	-	2	0.1 %
FOR MENTAL HEALTH TO PRAY & GIVE THANKS.	-	1	0.0 %
FOR MENTAL HEALTH; SUPPORT GROUP	-	1	0.0 %
FOR MS	-	1	0.0 %
FOR OTHER SICK PEOPLE	-	1	0.0 %
FOR POST-GASTIC BYPASS SURGERY	-	1	0.0 %
FOR SUPPORT	-	1	0.0 %
GAIN KNOWLEDGE OVER EATERS ANANOMOUS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
HELP OTHERS AND TO BE HELPED	-	1	0.0 %
HELPING TO STAY CLEAN	-	1	0.0 %
HELPS MAINTAIN EMOTIONAL STATE	-	1	0.0 %
HELPS TO TALK TO OTHERS & GET INFORMATION	-	1	0.0 %
I BELIEVE IT IS GOOD FOR YOU	-	1	0.0 %
INTEREST IN IMPROVING QUALITY OF LIFE	-	1	0.0 %
LIKE IT	-	1	0.0 %
MAINTAIN RELATIONSHIP WITH GOD	-	1	0.0 %
MAKES ME FEEL BETTER	-	1	0.0 %
MENTAL HEALTH	-	2	0.1 %
MENTAL WELL BEING	-	1	0.0 %
MENTAL/EMOTIONAL HEALTH	-	1	0.0 %
MIND STABILITY SELF IMPROVEMENT	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1276-1329 (width: 54; decimal: 0)

Variable Type: character

SOYSUPP9: Soy supplement

During the past 12 months, have you used any of the following for your health? Soy supplement

Value	Label	Unweighted Frequency	%
1	1: No	1883	76.3 %
2	2: Yes	196	7.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	390	15.8 %
	Total	2,469	100%

Based upon 2,079 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1330-1331 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYHAR9: Soy supplement - Heart

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	167	6.8 %
2	2: Yes	29	1.2 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1332-1333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOST9: Soy supplement - Osteoporosis

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	162	6.6 %
2	2: Yes	34	1.4 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1334-1335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEN9: Soy supplement - Menopausal symptoms

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	84	3.4 %
2	2: Yes	112	4.5 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1336-1337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYLOO9: Soy supplement - Young Looking

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	174	7.0 %
2	2: Yes	22	0.9 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1338-1339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEM9: Soy supplement - Improve Memory

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	184	7.5 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1340-1341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPER9: Soy supplement - Reg. Periods

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	192	7.8 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1342-1343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYGEN9: Soy supplement - General Health

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	88	3.6 %
2	2: Yes	108	4.4 %
	Missing Data		
.	-	2273	92.1 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1344-1345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYWH9: Soy supplement - Weight

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	177	7.2 %
2	2: Yes	19	0.8 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1346-1347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYADV9: Soy supplement - Provider advice

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	178	7.2 %
2	2: Yes	18	0.7 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1348-1349 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOTH9: Soy supplement - Other reason

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement?

Value	Label	Unweighted Frequency	%
1	1: No	160	6.5 %
2	2: Yes	36	1.5 %
	Missing Data		
.	-	2273	92.1 %
	Total	2,469	100%

Based upon 196 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1350-1351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYSPE9: Soy supplement - Other specify

If YES to SOYSUPP9: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement? Specify

Value	Label	Unweighted Frequency	%
	-	2433	98.5 %
'ADDS TOFU TO HER HEALTH SHAKES'	-	1	0.0 %
'ALLERGIC TO MILK'	-	1	0.0 %
'INCREASED TOFU INTAKE.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ADDED BENEFIT TO MY HEALTH	-	1	0.0 %
BE GOOD FOR YOU	-	1	0.0 %
BONES	-	1	0.0 %
CONVENIENT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DOESN'T DRINK MILK	-	1	0.0 %
DOESN'T LIKE DAIRY	-	1	0.0 %
DON'T EAT MEAT	-	1	0.0 %
DRINKS SOY MILK	-	1	0.0 %
EATING SOY PRODUCTS SUCH AS MILK	-	1	0.0 %
ENERGY	-	1	0.0 %
FOR SLEEPING	-	1	0.0 %
GOOD NUTRIENT	-	1	0.0 %
HIGH BLOOD PRESSURE	-	1	0.0 %
HUSBAND SUGGESTION	-	1	0.0 %
INCREASE PROTEIN INTAKE	-	1	0.0 %
INSULIN RESISTANCE	-	1	0.0 %
JUST TO TAKE IT	-	1	0.0 %
LACTOSE INTOLERANCE	-	2	0.1 %
LACTOSE INTOLERENCE	-	1	0.0 %
LACTOSE INTOLERENT & FEEL BETTER	-	1	0.0 %
LACTOSER INTOLERANCE	-	1	0.0 %
LIKE SOY; LACTOSE INTOLERANT	-	1	0.0 %
LOWERING CHOLESTEROL	-	1	0.0 %
NEUROPATHY	-	1	0.0 %
PROTEIN SUPPLEMENT	-	1	0.0 %
RECOMMENDED BY FRIEND	-	1	0.0 %
RELIVE POST MENOPAUSAL	-	1	0.0 %
SOY BEANS	-	1	0.0 %
SOY MILK FROM TIME TO TIME	-	1	0.0 %

Value	Label	Unweighted Frequency	%
TASTE GOOD	-	1	0.0 %
TO FEEL BETTER	-	1	0.0 %
VEGETARIAN	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1352-1383 (width: 32; decimal: 0)

Variable Type: character

WORTSTJ9: St. John's wort

During the past 12 months, have you used any of the following for your health? St. John's wort

Value	Label	Unweighted Frequency	%
1	1: No	2055	83.2 %
2	2: Yes	25	1.0 %
	Missing Data		
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1384-1385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTHAR9: St. John's wort - Heart

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.0 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2444	99.0 %
Total		2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1386-1387 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOST9: St. John's wort - Osteoporosis

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.0 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1388-1389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEN9: St. John's wort - Menopausal symptoms

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	16	0.6 %
2	2: Yes	9	0.4 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1390-1391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTLOO9: St. John's wort - Young Looking

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.0 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1392-1393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEM9: St. John's wort - Improve Memory

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.0 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1394-1395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTPER9: St. John's wort - Regulate Periods

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.0 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1396-1397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTGEN9: St. John's wort - General Health

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	13	0.5 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1398-1399 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTWGH9: St. John's wort - Weight

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.0 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1400-1401 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTADV9: St. John's wort - Provider advice

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	22	0.9 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1402-1403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOTH9: St. John's wort - Other reason

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	13	0.5 %
	Missing Data		
.	-	2444	99.0 %
	Total	2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1404-1405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTSPE9: St. John's wort - Other specify

If YES to WORTSTJ9: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort?
Specify

Value	Label	Unweighted Frequency	%
-	-	2456	99.5 %
'IF I DON'T EAT BALANCED DIET IT WILL HELP.'	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CALMS MY NERVES	-	1	0.0 %
DEPRESSION	-	1	0.0 %
DEPRESSION MOOD	-	1	0.0 %
FOR DEPRESSION	-	1	0.0 %
FOR MOOD LIFT	-	1	0.0 %
HEALING HERB	-	1	0.0 %
HUSBANDS SUGGESTION	-	1	0.0 %
IMPROVING MOOD	-	1	0.0 %
MILD DEPRESSION	-	1	0.0 %
MOOD ELEVATOR	-	1	0.0 %
RELAXATION	-	1	0.0 %
TO SEE IF IT HELPED MY DEPRESSION	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1406-1449 (width: 44; decimal: 0)

Variable Type: character

WVITAMI9: Women's vitamins

During the past 12 months, have you used any of the following for your health? Vitamin or supplement combination especially designed for women's health

Value	Label	Unweighted Frequency	%
1	1: No	1591	64.4 %
2	2: Yes	489	19.8 %
	Missing Data		
.	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1450-1451 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

WVITHAR9: Women's vitamins - Heart

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	360	14.6 %
2	2: Yes	129	5.2 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1452-1453 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WVITOST9: Women's vitamins - Osteoporosis

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	309	12.5 %
2	2: Yes	180	7.3 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1454-1455 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WVITMEN9: Women's vitamins - Menopausal symptoms

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	391	15.8 %
2	2: Yes	98	4.0 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1456-1457 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITLOO9: Women's vitamins - Young Looking

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	396	16.0 %
2	2: Yes	93	3.8 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1458-1459 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEM9: Women's vitamins - Improve Memory

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	395	16.0 %
2	2: Yes	94	3.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1460-1461 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITPER9: Women's vitamins - Regulate Periods

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	477	19.3 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1462-1463 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITGEN9: Women's vitamins - General Health

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	44	1.8 %
2	2: Yes	445	18.0 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1464-1465 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITWGH9: Women's vitamins - Weight

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	401	16.2 %
2	2: Yes	88	3.6 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1466-1467 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITADV9: Women's vitamins - Provider advice

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	392	15.9 %
2	2: Yes	97	3.9 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1468-1469 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOTH9: Women's vitamins - Other reason

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health?

Value	Label	Unweighted Frequency	%
1	1: No	439	17.8 %
2	2: Yes	50	2.0 %
	Missing Data		
.	-	1980	80.2 %
	Total	2,469	100%

Based upon 489 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1470-1471 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WVITSPE9: Women's vitamins - Other specify

If YES to WVITAMI9: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health? Specify

Value	Label	Unweighted Frequency	%
-	-	2419	98.0 %
'BECAUSE I DON'T DRINK MILK.'	-	1	0.0 %
'KEEP ME HEALTH'	-	1	0.0 %
'PRACTICE WHAT I PREACH'	-	1	0.0 %
'TO MAKE UP FOR WHAT I DIDN'T GET IN MY DIET.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ANEMIA	-	2	0.1 %
BECAUSE I'M A WOMAN	-	1	0.0 %
DUE TO DIABETES TAKES THEM	-	1	0.0 %
EASIER TO DO AND INEXPENSIVE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ENERGY	-	3	0.1 %
FOR ADDED CALCIUM	-	1	0.0 %
FOR ENERGY	-	1	0.0 %
FOR EXTRA ENERGY	-	1	0.0 %
FOR IRON	-	1	0.0 %
FOR MORE ENERGY	-	1	0.0 %
GEARED TOWARDS WOMEN	-	1	0.0 %
GENERAL HEALTH	-	1	0.0 %
GOOD FOR HAIR AND NAILS	-	1	0.0 %
HAIR & NAILS IMPROVEMENT	-	1	0.0 %
HELP HEALTH TO STAY HEALTHTY	-	1	0.0 %
I BELIEVE DIET DOES NOT CONTAIN ENOUGH VITAMINS	-	1	0.0 %
I'M VAIN	-	1	0.0 %
IMPROVE ENERGY	-	1	0.0 %
IT'S A GOOD THING TO DO	-	1	0.0 %
IT'S BETTER FOR YOU	-	1	0.0 %
KEEP BOWEL MVMNTS NORMAL; TO FEEL GOOD & HAVE ENERGY	-	1	0.0 %
KEEP EMOTION ON EVEN KEEL	-	1	0.0 %
LOWER CHOLESTEROL	-	1	0.0 %
MADE SENSE	-	1	0.0 %
MAGNESIUM HELPFUL FOR FEELING OF WELL BEING-MENTALLY'	-	1	0.0 %
PREVENTING CANCER	-	1	0.0 %
STAY ALIVE	-	1	0.0 %
STRONG BONES	-	1	0.0 %

Value	Label	Unweighted Frequency	%
SUPPLEMENTING DIET	-	1	0.0 %
THEY HELP	-	1	0.0 %
TO FEEL BETTER	-	2	0.1 %
TO GET ALL OF THE NUTRITION YOU NEED	-	1	0.0 %
TO GET MORE ENERGY	-	1	0.0 %
TO GET NUTRIENTS I LACK IN MY GENERAL DIET	-	1	0.0 %
TO GET WHAT YOU CAN'T GET FROM FOODS.	-	1	0.0 %
TO HELP ALL OF THE ABOVE	-	1	0.0 %
TO HELP WITH BLOOD PRESSURE CONTROL	-	1	0.0 %
TO HELP WITH BONES	-	1	0.0 %
TO LOWER CHOLESTEROL	-	1	0.0 %
TO MAKE UP FOR FOODS	-	1	0.0 %
TO STAY HEALTHY	-	1	0.0 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1472-1524 (width: 53; decimal: 0)

Variable Type: character

YOGA9: Yoga

During the past 12 months, have you used any of the following for your health? Yoga

Value	Label	Unweighted Frequency	%
1	1: No	1809	73.3 %
2	2: Yes	271	11.0 %
	Missing Data		
.	-	389	15.8 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1525-1526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAHAR9: Yoga - Heart

If YES to YOGA9: Please tell me whether or not you use yoga: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	217	8.8 %
2	2: Yes	54	2.2 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1527-1528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOST9: Yoga - Osteoporosis

If YES to YOGA9: Please tell me whether or not you use yoga: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	202	8.2 %
2	2: Yes	69	2.8 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1529-1530 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEN9: Yoga - Menopausal symptoms

If YES to YOGA9: Please tell me whether or not you use yoga: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	231	9.4 %
2	2: Yes	40	1.6 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1531-1532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGALOO9: Yoga - Young Looking

If YES to YOGA9: Please tell me whether or not you use yoga: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	187	7.6 %
2	2: Yes	84	3.4 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1533-1534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEM9: Yoga - Improve Memory

If YES to YOGA9: Please tell me whether or not you use yoga: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	215	8.7 %
2	2: Yes	56	2.3 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1535-1536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAPER9: Yoga - Regulate Periods

If YES to YOGA9: Please tell me whether or not you use yoga: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	266	10.8 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1537-1538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAGEN9: Yoga - General Health

If YES to YOGA9: Please tell me whether or not you use yoga: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	33	1.3 %
2	2: Yes	238	9.6 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1539-1540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAWGH9: Yoga - Weight

If YES to YOGA9: Please tell me whether or not you use yoga: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	171	6.9 %
2	2: Yes	100	4.1 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1541-1542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAADV9: Yoga - Provider advice

If YES to YOGA9: Please tell me whether or not you use yoga: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	245	9.9 %
2	2: Yes	26	1.1 %
	Missing Data		
.	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1543-1544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOTH9: Yoga - Other reason

If YES to YOGA9: Please tell me whether or not you use yoga: Is there any other reason you use yoga?

Value	Label	Unweighted Frequency	%
1	1: No	143	5.8 %
2	2: Yes	128	5.2 %
	Missing Data		
-	-	2198	89.0 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1545-1546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGASPE9: Yoga - Other specify

If YES to YOGA9: Please tell me whether or not you use yoga: Is there any other reason you use yoga? Specify

Value	Label	Unweighted Frequency	%
-	-	2341	94.8 %
'FOR FLEXIBILITY & BALANCE.'	-	1	0.0 %
'FOR GENERAL RELAXING'	-	1	0.0 %
'I LOVE IT.'	-	1	0.0 %
'JOINED SISTER IN LAW DOING IT.'	-	1	0.0 %
'MAKES ME FEEL BETTER.'	-	1	0.0 %
'SCHOOL GAVE CLASS I TOOK IT.'	-	1	0.0 %
'SPIRITUAL REASONS.'	-	1	0.0 %
'STRESS RELEASE'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ANXIETY	-	1	0.0 %
ARTHRITIS	-	1	0.0 %
ASTHMA	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BALANCE, STRENGTHEN LIMBS, SLEEP, CONCENTRATION	-	1	0.0 %
CALMING EFFECT	-	1	0.0 %
CALMING, MENTAL HEALTH, FLEXIBILITY	-	1	0.0 %
DEPRESSION	-	1	0.0 %
DIABETES	-	1	0.0 %
ENJOY IT	-	2	0.1 %
ENJOYMENT	-	2	0.1 %
ENJOYMENT, RELAXATION	-	1	0.0 %
FEEL BETTER	-	1	0.0 %
FEEL GOOD	-	1	0.0 %
FEELING GOOD, PEACE OF MIND	-	1	0.0 %
FEELS GOOD	-	2	0.1 %
FLEXIBILE	-	1	0.0 %
FLEXIBILITY	-	11	0.4 %
FLEXIBILITY & POSTURE	-	1	0.0 %
FLEXIBILITY AND JOINT PAIN	-	1	0.0 %
FLEXIBILITY, STRENGTH OF MY JOINTS, PEACE OF MIND	-	1	0.0 %
FOR EMOTIONAL WELL-BEING	-	1	0.0 %
FOR FLEXIBILITY	-	2	0.1 %
FOR NERVES	-	1	0.0 %
FOR PAIN	-	1	0.0 %
FOR PEACE OF MIND	-	1	0.0 %
FOR RELAXATION	-	1	0.0 %
FOR SERENITY	-	1	0.0 %
FUN	-	2	0.1 %
FUN, RELAXING	-	1	0.0 %
HABIT, RELAXATION	-	1	0.0 %
HAVING FUN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
HEALTH & RELAXATION	-	1	0.0 %
HELPS WITH STIFFNESS	-	1	0.0 %
HUSBAND IS DOING IT	-	1	0.0 %
I LIKE IT	-	2	0.1 %
INCREASE FLEXIBILITY	-	1	0.0 %
INCREASE FLEXIBILITY; REDUCE STIFFNESS; BALANCE	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1547-1598 (width: 52; decimal: 0)

Variable Type: character

BOTANIC9: Botanica

During the past 12 months, have you used any of the following for your health? Botanica/Curandero

Value	Label	Unweighted Frequency	%
1	1: No	2078	84.2 %
2	2: Yes	2	0.1 %
Missing Data			
-	-	389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1599-1600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAHAR9: Botanica - Heart

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1601-1602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAOST9: Botanica - Osteoporosis

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1603-1604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEN9: Botanica - Menopausal symptoms

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1605-1606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTALOO9: Botanica - Young Looking

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1607-1608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEM9: Botanica - Improve Memory

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1609-1610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAPER9: Botanica - Regulate Periods

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1611-1612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAGEN9: Botanica - General Health

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1613-1614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAWGH9: Botanica - Weight

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2467	99.9 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1615-1616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAADV9: Botanica - Provider advice

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1617-1618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAOTH9: Botanica - Other reason

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2467	99.9 %
	Total	2,469	100%

Based upon 2 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1619-1620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

BOTASPE9: Botanica - Other specify

If YES to BOTANIC9: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero? Specify

Value	Label	Unweighted Frequency	%
-		2469	100.0 %
-	-9: Missing	0	0.0 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1621-1621 (width: 1; decimal: 0)

Variable Type: character

HERBALT9: Herbal Tea

During the past 12 months, have you used any of the following for your health? Herbal Tea

Value	Label	Unweighted Frequency	%
1	1: No	1386	56.1 %
2	2: Yes	694	28.1 %
	Missing Data		
.	-	389	15.8 %
	Total	2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1622-1623 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HTEAHAR9: Herbal Tea - Heart

If YES to HERBALT9: Please tell me whether or not you use herbal tea: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	615	24.9 %
2	2: Yes	79	3.2 %
	Missing Data		
.	-	1775	71.9 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1624-1625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOST9: Herbal Tea - Osteoporosis

If YES to HERBALT9: Please tell me whether or not you use herbal tea: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	661	26.8 %
2	2: Yes	33	1.3 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1626-1627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEN9: Herbal Tea - Menopausal symptoms

If YES to HERBALT9: Please tell me whether or not you use herbal tea: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	641	26.0 %
2	2: Yes	53	2.1 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1628-1629 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEALOO9: Herbal Tea - Young Looking

If YES to HERBALT9: Please tell me whether or not you use herbal tea: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	640	25.9 %
2	2: Yes	54	2.2 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1630-1631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEM9: Herbal Tea - Improve Memory

If YES to HERBALT9: Please tell me whether or not you use herbal tea: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	636	25.8 %
2	2: Yes	58	2.3 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1632-1633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAPER9: Herbal Tea - Regulate Periods

If YES to HERBALT9: Please tell me whether or not you use herbal tea: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	687	27.8 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1634-1635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAGEN9: Herbal Tea - General Health

If YES to HERBALT9: Please tell me whether or not you use herbal tea: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	259	10.5 %
2	2: Yes	435	17.6 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1636-1637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAWGH9: Herbal Tea - Weight

If YES to HERBALT9: Please tell me whether or not you use herbal tea: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	600	24.3 %
2	2: Yes	94	3.8 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1638-1639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAADV9: Herbal Tea - Provider advice

If YES to HERBALT9: Please tell me whether or not you use herbal tea: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	666	27.0 %
2	2: Yes	28	1.1 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1640-1641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOTH9: Herbal Tea - Other reason

If YES to HERBALT9: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea?

Value	Label	Unweighted Frequency	%
1	1: No	334	13.5 %
2	2: Yes	360	14.6 %
	Missing Data		
.	-	1775	71.9 %
	Total	2,469	100%

Based upon 694 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1642-1643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEASPE9: Herbal Tea - Other specify

If YES to HERBALT9: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea? Specify

Value	Label	Unweighted Frequency	%
-		2109	85.4 %
'BECAUSE I LIKE IT.'	-	1	0.0 %
'BECAUSE I LIKE TASTE OF TEA-IT RELAXES ME.'	-	1	0.0 %
'BECAUSE THEY TASTE GOOD & I'M NOT TO HAVE CAFFEINE.'	-	1	0.0 %
'BETTER THAN A DIET COKE'	-	1	0.0 %
'ENJOY IT.'	-	1	0.0 %
'FOR ANTIOXIDANT PROPERTIES'	-	1	0.0 %
'FOR ANTIOXIDANT- GREEN TEA AND TASTES GOOD'	-	1	0.0 %
'GENERALLY FOR TASTE.'	-	1	0.0 %
'GREEN TEA *CHAMOMILLE'	-	1	0.0 %
'GREEN TEA FRIM TIME TO TIME.'	-	1	0.0 %
'GREEN TEA TO KEEP ME REGULATED'	-	1	0.0 %
'HELPS ME TO SLEEP BETTER	-	1	0.0 %
'I JUST LIKE THE TASTE OF IT, A LITTLE DIFFERENT, SOOTHES ME	-	1	0.0 %
'I JUSTLIKE IT.'	-	1	0.0 %
'IT'S A HABIT'	-	1	0.0 %
'IT'S GOOD & HEALTHY & I LIKE THE WAY IT TASTES.'	-	1	0.0 %
'JUST BECAUSE ITTASTEGOOD.'	-	1	0.0 %
'JUST ENJOY THEM'	-	1	0.0 %

Value	Label	Unweighted Frequency	%
'REDUCTION OF CAFFEINE.'	-	1	0.0 %
'TO REDUCE CAFFEINE & LIKE THEM.'	-	1	0.0 %
'TO REDUCE CAFFEINE CONSUMPTION'	-	1	0.0 %
'TO RELAX'	-	1	0.0 %
'WHEN I AM SICK I TAKE IT'	-	1	0.0 %
'WHEN I WAS FASTING.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ABDOMINAL PAIN	-	1	0.0 %
AFTERNOON BREAK	-	1	0.0 %
ANTI-OXIDANTS, I LIKE THEM	-	1	0.0 %
ANTIBODIES	-	1	0.0 %
ANTIOXIDANT	-	2	0.1 %
ANTIOXIDANTS	-	1	0.0 %
AVOID CAFFEIN	-	1	0.0 %
AVOID CAFFEEINE	-	1	0.0 %
AVOID CAFFINE	-	1	0.0 %
AVOID COFFEE AND CAFFEINE	-	1	0.0 %
BECAUSE DOESN'T HAVE CAFFEINE	-	1	0.0 %
BECAUSE HAS NO CAFFEINE	-	1	0.0 %
BECAUSE I LIKE IT	-	5	0.2 %
BECAUSE I LIKE IT.	-	1	0.0 %
BECAUSE ITS GOOD	-	1	0.0 %
BECAUSE THEY'RE GOOD FOR YOU	-	1	0.0 %
BEVERAGE	-	4	0.2 %
BUILD STRONG IMMUNE SYSTEM	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CALMING	-	1	0.0 %
CALMING FEELINGS	-	1	0.0 %
CALMS ME	-	2	0.1 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1644-1703 (width: 60; decimal: 0)

Variable Type: character

OTHALT9: Other health practice

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	1: No	1650	66.8 %
2	2: Yes	430	17.4 %
.	Missing Data		
-		389	15.8 %
Total		2,469	100%

Based upon 2,080 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1704-1705 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHALTS9: Other - Specify

If YES to OTHALT9: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
-		2039	82.6 %
'AIRBORNE' PILLS	-	1	0.0 %
'NAPROPATH'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %

Value	Label	Unweighted Frequency	%
-9	-9: Missing	0	0.0 %
30CC MORINDA CITRIFOLIA	-	1	0.0 %
ACCU PRESSURE	-	1	0.0 %
ACIDOPPIWS	-	1	0.0 %
ACUPRESSURE	-	1	0.0 %
ACUPPRESSURE/SHIATSU	-	1	0.0 %
AGARIKUSU MUSHROOM POWDER	-	1	0.0 %
ALKALINE IONIC WATER	-	1	0.0 %
ALKAMINT	-	1	0.0 %
ALOE & SEAWEED EXTRACT	-	1	0.0 %
ALOE JUICE	-	2	0.1 %
ALOE VERA & HERBS	-	1	0.0 %
ALOE VERA GEL, BARLEY, BEE POLLEN & PROPOLIS	-	1	0.0 %
ALOE VERA JUICE	-	1	0.0 %
ALPHA-LIPOIC ACID, COENZYME Q-10 & L-CARNITINE	-	1	0.0 %
AMBROTOSE IMMUNE SUPPORT FORMULA	-	1	0.0 %
ASTON'S PATTERNING	-	1	0.0 %
ASTRA ESSENCE	-	1	0.0 %
AT LEAST 30 ITEMS IN MEALS A DAY	-	1	0.0 %
AUYERVEDA	-	1	0.0 %
AVOID CAFFEINE	-	1	0.0 %
AVOIDING TOXIC PEOPLE	-	1	0.0 %
B10 FEED BACK	-	1	0.0 %
BALLERINA/DIETE R'S TEA	-	1	0.0 %
BARLEY TEA	-	1	0.0 %
BEE POLLEN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
BENE FIBER	-	1	0.0 %
BICYCLING & WALKING	-	1	0.0 %
BILBERRY	-	1	0.0 %
BIRD NEST	-	1	0.0 %
BLACK SOYBEAN TEA	-	1	0.0 %
BODY ROLLING	-	1	0.0 %
BODY SCULPTING	-	1	0.0 %
BREATHING AND STRENGTH	-	1	0.0 %
BREWER'S YEAST	-	1	0.0 %
BUCKWHEAT TEA	-	1	0.0 %
BUYING AT HEALTH FOOD STORE	-	1	0.0 %
CA	-	1	0.0 %
CA & VIT D	-	7	0.3 %
CA W/ VIT D,MG,ZN,CU & MN	-	1	0.0 %
CA, MG & ZN	-	2	0.1 %
CALCIUM	-	2	0.1 %
CAT & DOG	-	1	0.0 %
CHAGA TEA	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1706-1765 (width: 60; decimal: 0)

Variable Type: character

OTHHAR9: Other - Heart

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	381	15.4 %
2	2: Yes	49	2.0 %
Missing Data			
-		2039	82.6 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1766-1767 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHOST9: Other - Osteoporosis

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	368	14.9 %
2	2: Yes	62	2.5 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1768-1769 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEN9: Other - Menopausal symptoms

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	399	16.2 %
2	2: Yes	31	1.3 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1770-1771 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

OTHLOO9: Other - Young Looking

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	382	15.5 %
2	2: Yes	48	1.9 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1772-1773 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHMEM9: Other - Improve Memory

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	396	16.0 %
2	2: Yes	34	1.4 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1774-1775 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHPER9: Other - Regulate Periods

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	427	17.3 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1776-1777 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHGEN9: Other - General Health

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	143	5.8 %
2	2: Yes	287	11.6 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1778-1779 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHWGH9: Other - Weight

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	380	15.4 %
2	2: Yes	50	2.0 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1780-1781 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHADV9: Other - Provider advice

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	400	16.2 %
2	2: Yes	30	1.2 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1782-1783 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTR9: Other - Other reason

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	1: No	173	7.0 %
2	2: Yes	257	10.4 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1784-1785 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOTHA9: Other - Other specify

If YES to OTHALT9: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
-		2212	89.6 %
'ADVISED RESPONDENT ABOUT-DIET ESP. THINGS SHE'S ALLEIGIC TO	-	1	0.0 %
'ALSO ADJUSTMENTS DONE AT SAME TIME.'	-	1	0.0 %
'BECAUSE IT FEEL GOOD & IT IS RELAXING	-	1	0.0 %
'FOR LOWER BACK PAIN- PREVENTATIVE DUE TO JOB'	-	1	0.0 %
'FOR RELAXATION 'DESTRESS'	-	1	0.0 %
'FOR RELAXING'	-	1	0.0 %
'HELPED ME TO STAY LOOKING YOUNG'	-	1	0.0 %
'JOINT HEALTH'	-	1	0.0 %
'JOINT PAIN.'	-	1	0.0 %
'PAIN RELIEF'	-	1	0.0 %
'RELAXATION DONE BY YOUNGEST DAUGHTER.'	-	1	0.0 %
'RELAXATION'	-	2	0.1 %
'TO HELP ME GET MORE THINGS DONE'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ABDOMINAL PAIN	-	1	0.0 %
ADRENAL SUPPORT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ADVISED BY HEALTH FOOD REP.	-	1	0.0 %
ALLERGY SYMPTOMS REDUCTION	-	1	0.0 %
ANTIINFLAMMATO RY	-	1	0.0 %
ANTIOXIDANT HAIR TREATMENT	-	1	0.0 %
ANTIOXIDANT; TASTE	-	1	0.0 %
ANTISTRESS, SORE MUSCLE	-	1	0.0 %
ARTHRIC FEET	-	1	0.0 %
ARTHRITIS	-	4	0.2 %
ARTHRITIS BACK PAIN	-	1	0.0 %
AVOID BLOOD FATS (JAPANESE CONCEPT)	-	1	0.0 %
BACK	-	1	0.0 %
BACK ACHE	-	1	0.0 %
BACK PAIN	-	4	0.2 %
BACK PAIN RELIEF	-	1	0.0 %
BACK PROBLEMS	-	1	0.0 %
BACK/NECK PAIN	-	1	0.0 %
BALANCE AND STABILITY	-	1	0.0 %
BECAUSE IT MAKES ME FEEL HEALTHIER	-	1	0.0 %
BETTER BOWEL MOVEMENT	-	1	0.0 %
BETTER BREATHING & SLEEP	-	1	0.0 %
BETTER METABOLISM	-	1	0.0 %
BETTER SWEATING	-	1	0.0 %
BETTER THAN PILLS	-	1	0.0 %
BETTER TRANSMISSION BETWEEN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
NEURONAL CELLS; ANTIOXIDANT			
BONE ALIGNMENT, - MUSCLE DISCOMFORT, ARTHRITUS		1	0.0 %
BONE MANIPULATION	-	1	0.0 %
BOOSTING IMMUNE SYSTEM	-	2	0.1 %
BOWEL HEALTH	-	1	0.0 %
BRAIN	-	1	0.0 %
CAFFIENE BOOST	-	1	0.0 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1786-1845 (width: 60; decimal: 0)

Variable Type: character

OTHALT29: Other health practice 2

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	1: No	319	12.9 %
2	2: Yes	111	4.5 %
	Missing Data		
.	-	2039	82.6 %
	Total	2,469	100%

Based upon 430 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1846-1847 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTALT2S9: Other 2 - Specify

If YES to OTHALT29: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
-	-	2358	95.5 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
5-HTP	-	1	0.0 %
ACCUPRESSURE	-	1	0.0 %
ADRENAL	-	1	0.0 %
ALPHA LIPOIC ACID	-	1	0.0 %
ARNICA	-	1	0.0 %
ARTICHOKE EXTRACT	-	1	0.0 %
ASPIRIN	-	1	0.0 %
BARLEY LEAF JUICE	-	1	0.0 %
BARLEY POWDER	-	1	0.0 %
BICYCLE	-	1	0.0 %
BILBERRY	-	1	0.0 %
BIOFEED BACK THERAPY	-	1	0.0 %
BODY MASSAGE	-	1	0.0 %
CA & VIT D	-	2	0.1 %
CA W/ VIT D & K	-	1	0.0 %
CA, MG & ZN	-	2	0.1 %
CA, VIT D, MG & ZN	-	1	0.0 %
CACTUS PLANT EXTRACT	-	1	0.0 %
CALCIUM	-	2	0.1 %
CHIROPRACTOR	-	2	0.1 %
CO Q10	-	1	0.0 %
CO Q10 & MULTIVITAMINS	-	1	0.0 %
COLLAGEN	-	1	0.0 %
COQ10 W/ LECITHIN	-	1	0.0 %
CORAL MINERALS/CA	-	1	0.0 %
CRANBERRY EXTRACT	-	1	0.0 %
CRANIAL SACRAL	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CRANIOSACRAL THERAPY	-	1	0.0 %
DECAF COFFEE (INSTEAD OF CAFFEINE)	-	1	0.0 %
DEEP BREATHING	-	1	0.0 %
DIGESTIVE ENZYME SUPPLEMENT	-	1	0.0 %
DMAE	-	1	0.0 %
DRINKING A LOT OF MILK	-	1	0.0 %
EAT LOTS OF VEGETABLES	-	1	0.0 %
FACIALS	-	1	0.0 %
FASTING	-	1	0.0 %
FERMENTED SOYBEAN	-	1	0.0 %
FISH OIL	-	1	0.0 %
GARLIC	-	1	0.0 %
GARLIC EXTRACT & FISH OIL	-	1	0.0 %
GARLIC EXTRACT & OMEGA-3 FATTY ACIDS	-	1	0.0 %
GARLIC EXTRACT LIQUID	-	1	0.0 %
GET OUT INTO NATURE	-	1	0.0 %
GOLF	-	1	0.0 %
GRAPESEED EXTRACT	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1848-1899 (width: 52; decimal: 0)

Variable Type: character

OT2HAR9: Other 2 - Heart

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	99	4.0 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1900-1901 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2OST9: Other 2 - Osteoporosis

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	92	3.7 %
2	2: Yes	19	0.8 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1902-1903 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2MEN9: Other 2 - Menopausal symptoms

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	102	4.1 %
2	2: Yes	9	0.4 %
	Missing Data		
.	-	2358	95.5 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1904-1905 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2LOO9: Other 2 - Young Looking

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	103	4.2 %
2	2: Yes	8	0.3 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1906-1907 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2MEM9: Other 2 - Improve Memory

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	103	4.2 %
2	2: Yes	8	0.3 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1908-1909 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2PER9: Other 2 - Regulate Periods

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	111	4.5 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1910-1911 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2GEN9: Other 2 - General Health

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	54	2.2 %
2	2: Yes	57	2.3 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1912-1913 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2WGH9: Other 2 - Weight

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	105	4.3 %
2	2: Yes	6	0.2 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1914-1915 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ADV9: Other 2 - Provider advice

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	103	4.2 %
2	2: Yes	8	0.3 %
	Missing Data		
.	-	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1916-1917 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ALT9: Other 2 - Other reason

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	1: No	43	1.7 %
2	2: Yes	68	2.8 %
	Missing Data		
.	-	2358	95.5 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1918-1919 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOT2A9: Other 2 - Other specify

If YES to OTHALT29: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
-		2401	97.2 %
'JOINT HEALTH'	-	1	0.0 %
'LOWER BACK PAIN-RELAXATION'	-	1	0.0 %
'RELAXATION CUTS STRESS'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACHES AND PAINS	-	1	0.0 %
ANTIOXIDANT	-	1	0.0 %
BACK	-	1	0.0 %
BACK PAIN	-	2	0.1 %
BETTER BALANCE, IMPROVE STRENGTH	-	1	0.0 %
BETTER BOWEL MOVEMENT	-	1	0.0 %
CALM	-	1	0.0 %
CARDIO RELATIVE OXIDATIVE STRESS	-	1	0.0 %
CELL PROTECTION	-	1	0.0 %
CHOLESTEROL	-	1	0.0 %
CONNECTIVE TISSUE	-	1	0.0 %
DEPRESSION	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DIABETIS PREVENTION	-	1	0.0 %
DON'T LIKE TO EAT MEAT.	-	1	0.0 %
EMOTIONAL HEALTH	-	1	0.0 %
EMOTIONAL STABILITY	-	1	0.0 %
ENERGY	-	1	0.0 %
ENERGY BOOSTER	-	1	0.0 %
FEEL MORE ALIVE AND PRESENT	-	1	0.0 %
FOR ANXIETY	-	1	0.0 %
FOR CIRCULATION & RELAXATION	-	1	0.0 %
FOR MENTAL HEALTH	-	1	0.0 %
FOR PROBLEMS	-	1	0.0 %
FOR THYROID	-	1	0.0 %
FOR UPPER BACK	-	1	0.0 %
GALLBLADDER HEALTH	-	1	0.0 %
HEALTHY SKIN	-	1	0.0 %
HELPS EMOTIONS	-	1	0.0 %
HOBBY, MENTAL RELAXATION	-	1	0.0 %
JOINTS	-	1	0.0 %
LACTOSE INTOLERANCE	-	1	0.0 %
LOWER BODY TONING	-	1	0.0 %
LOWERING BLOOD PRESSURE	-	1	0.0 %
LOWERING CHOLESTEROL	-	2	0.1 %
MENTAL HEALTH	-	1	0.0 %
MENTAL STATE	-	1	0.0 %
MIGRAINE	-	1	0.0 %
MUSCLE ACHES AND PAINS	-	1	0.0 %
NECK MUSCLE, SHOULDER PAIN	-	1	0.0 %
NECK/BACK PAIN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
PAIN	-	1	0.0 %
PEACE OF MIND, CALMING	-	1	0.0 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1920-1966 (width: 47; decimal: 0)

Variable Type: character

OTHALT39: Other health practice 3

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	1: No	76	3.1 %
2	2: Yes	35	1.4 %
	Missing Data		
.	.	2358	95.5 %
	Total	2,469	100%

Based upon 111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1967-1968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

OTALT3S9: Other 3 - Specify

If YES to OTHALT39: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
	-	2434	98.6 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ALPHA LIPOIC ACID	-	1	0.0 %
AMBROTOSE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AROMA THERAPY	-	1	0.0 %
BEE POLLEN	-	1	0.0 %
CA & MG	-	1	0.0 %
CA, MG, VIT D & K, ZN, CU & MA	-	1	0.0 %
CALMANESS	-	1	0.0 %
CARDIO EXERCISE	-	1	0.0 %
CINNAMON	-	1	0.0 %
CLEANSE- GENERAL	-	1	0.0 %
CO Q10	-	1	0.0 %
COLON CLEANSER	-	1	0.0 %
CROSSWORD PUZZLES	-	1	0.0 %
EUCOMMIA	-	1	0.0 %
GARLIC EXTRACT	-	1	0.0 %
HOT MILK & LETTUCE	-	1	0.0 %
JIN SHIN JYUTSU	-	1	0.0 %
L-CARNOSINE	-	1	0.0 %
MASSAGE	-	1	0.0 %
MEDITATION	-	1	0.0 %
MULTIVITAMINS & MINERALS	-	1	0.0 %
NONI JUICE	-	1	0.0 %
POWDERED YOUNG BARLEY GRASS	-	1	0.0 %
REFLEXIOLOGY	-	1	0.0 %
SOY MILK	-	1	0.0 %
SOY POWDER	-	1	0.0 %
TAI CHI	-	1	0.0 %
TAI CHI CHUAN	-	1	0.0 %
TURMERIC, SOY POWDER	-	1	0.0 %
VIT B12	-	1	0.0 %
VIT C	-	1	0.0 %
VIT C, COENZYME Q10 & GARLIC EXTRACT	-	1	0.0 %
VIT K-1	-	1	0.0 %
WALKING	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 1969-2004 (width: 36; decimal: 0)

Variable Type: character

OT3HAR9: Other 3 - Heart

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.3 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2434	98.6 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2005-2006 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3OST9: Other 3 - Osteoporosis

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	28	1.1 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	2434	98.6 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2007-2008 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEN9: Other 3 - Menopausal symptoms

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.3 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2434	98.6 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2009-2010 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3LOO9: Other 3 - Young Looking

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.3 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2434	98.6 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2011-2012 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEM9: Other 3 - Improve Memory

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	29	1.2 %
2	2: Yes	6	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2434	98.6 %

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2013-2014 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3PER9: Other 3 - Regulate Periods

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	33	1.3 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2434	98.6 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2015-2016 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3GEN9: Other 3 - General Health

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7 %
2	2: Yes	18	0.7 %
	Missing Data		
.	-	2434	98.6 %
	Total	2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2017-2018 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3WGH9: Other 3 - Weight

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.3 %
2	2: Yes	4	0.2 %
Missing Data			
.	-	2434	98.6 %
Total		2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2019-2020 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ADV9: Other 3 - Provider advice

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	34	1.4 %
2	2: Yes	1	0.0 %
Missing Data			
.	-	2434	98.6 %
Total		2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2021-2022 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ALT9: Other 3 - Other reason

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
.	.	2469	100.0 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2023-2024 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

WHYOT3A9: Other 3 - Other specify

If YES to OTHALT39: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
-		2469	100.0 %
-	-9: Missing	0	0.0 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2025-2025 (width: 1; decimal: 0)

Variable Type: character

ANEMIA9: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	1: No	2158	87.4 %
2	2: Yes	154	6.2 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	.	156	6.3 %
	Total	2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2026-2027 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE9: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	1: No	2197	89.0 %
2	2: Yes	251	10.2 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2028-2029 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP9: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	1: No	1634	66.2 %
2	2: Yes	811	32.8 %
	Missing Data		
-8	-8: Do not know	3	0.1 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,445 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2030-2031 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE9: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	1: No	1626	65.9 %
2	2: Yes	684	27.7 %
	Missing Data		
-8	-8: Do not know	3	0.1 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,310 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2032-2033 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN9: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	1: No	2173	88.0 %
2	2: Yes	140	5.7 %
	Missing Data		
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,313 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2034-2035 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE9: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	1: No	2295	93.0 %
2	2: Yes	16	0.6 %
-8	Missing Data		
-8	-8: Do not know	2	0.1 %
.	.	156	6.3 %
Total		2,469	100%

Based upon 2,311 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2036-2037 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR9: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	1: No	1874	75.9 %
2	2: Yes	570	23.1 %
-8	Missing Data		
-8	-8: Do not know	4	0.2 %
.	.	21	0.9 %
Total		2,469	100%

Based upon 2,444 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2038-2039 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID9: Over/underactive Thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	1: No	2160	87.5 %
2	2: Yes	286	11.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	-8: Do not know	2	0.1 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,446 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2040-2041 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT9: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	1: No	2431	98.5 %
2	2: Yes	16	0.6 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,447 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2042-2043 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

ANGINA9: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	1: No	2417	97.9 %
2	2: Yes	31	1.3 %
	Missing Data		
.	-	21	0.9 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2044-2045 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR9: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	1: No	2263	91.7 %
2	2: Yes	182	7.4 %
	Missing Data		
-8	-8: Do not know	3	0.1 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,445 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2046-2047 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SKCNCER9: Skin cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Skin cancer?

Value	Label	Unweighted Frequency	%
1	1: No	2272	92.0 %
2	2: Yes	40	1.6 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2048-2049 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

MECNCER9: Melanoma since last visit

If YES to SKCNCER9: What type of cancer were you told you had? Melanoma?

Value	Label	Unweighted Frequency	%
1	1: No	30	1.2 %
2	2: Yes	9	0.4 %
Missing Data			
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2273	92.1 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 39 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2050-2051 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

NMECNCR9: Non-melanoma skin since last visit

If YES to SKCNCER9: What type of cancer were you told you had? Non melanoma skin cancer?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4 %
2	2: Yes	29	1.2 %
Missing Data			
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2273	92.1 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 39 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2052-2053 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

CANCERS9: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, or other skin cancer?

Value	Label	Unweighted Frequency	%
1	1: No	2404	97.4 %
2	2: Yes	43	1.7 %
Missing Data			
-8	-8: Do not know	1	0.0 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,447 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2054-2055 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PSITECA9: Primary site of cancer

If YES to CANCERS9: What is/was the primary site of the cancer?

Value	Label	Unweighted Frequency	%
1	1: One Breast	17	0.7 %
2	2: Both Breasts	1	0.0 %
3	3: Ovary	2	0.1 %
4	4: Uterus	6	0.2 %
5	5: Cervix	2	0.1 %
6	6: Leukemia	2	0.1 %
7	7: Lung	2	0.1 %
8	8: Colon	1	0.0 %
9	9: Rectum	0	0.0 %
10	10: Throat	0	0.0 %
11	11: Other cancer	9	0.4 %
Missing Data			
-1	-1: N/A	2406	97.4 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 42 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 2056-2057 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SITESPE9: Other site of cancer-specify

If YES to CANCERS9: What is/was the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
-	-	21	0.9 %
-1	-1: N/A	2439	98.8 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ADENOID CYSTIC CARCINOMA OF VOICE BOX	-	1	0.0 %
BRAIN CANCER	-	1	0.0 %
HODGKINS LYMPHOMA	-	1	0.0 %
LYMPH NODE	-	1	0.0 %
LYMPHOMA	-	1	0.0 %
STOMACH	-	2	0.1 %
THYROID	-	2	0.1 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2058-2094 (width: 37; decimal: 0)

Variable Type: character

TAMOXIF9: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4 %
2	2: Yes	7	0.3 %
Missing Data			
-1	-1: N/A	2296	93.0 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 17 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2095-2096 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH9: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	1: No	18	0.7 %
2	2: Yes	22	0.9 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2272	92.0 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 40 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2097-2098 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO9: Number events where bone(s) broken since last visit

How many times have you broken or fractured one or more bones since your last study visit? # of events where bone(s) were broken or fractured

Value	Label	Unweighted Frequency	%
0	-	2375	96.2 %
1	-	65	2.6 %
2	-	7	0.3 %
3	-	1	0.0 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Mean: 0.03

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.20

Location: 2099-2100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES19: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-		2410	97.6 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	5	0.2 %
-9	-9: Missing	0	0.0 %
2ND TOE ON LEFT FOOT	-	1	0.0 %
BIG TOE ON RT FOOT	-	1	0.0 %
BOTH FEET	-	1	0.0 %
LEFT ANKLE	-	3	0.1 %
LEFT BABY TOE LT FOOT	-	1	0.0 %
LEFT BIG TOE	-	1	0.0 %
LEFT BONE IN FOOT	-	1	0.0 %
LEFT ELBOW	-	1	0.0 %
LEFT ELBOW,BUCCAL PLATE & BONE ABOVE THE TOP FRONT TEETH	-	1	0.0 %
LEFT FOOT	-	1	0.0 %
LEFT KNEE	-	1	0.0 %
LEFT LT HAND 2ND & 3RD DIGIT LONG FINGER & INDEX FINGER	-	1	0.0 %
LEFT RADIUS, LEFT THUMB	-	1	0.0 %
LEFT RIBS	-	2	0.1 %
LEFT TOE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
LEFT TOE 4TH	-	1	0.0 %
LEFT TOES	-	1	0.0 %
LEFT UPPERMOST	-	1	0.0 %
PART OF THE TIBIA, CONNECTED TO KNEE JOINT			
LEFT WRIST	-	4	0.2 %
NOSE	-	1	0.0 %
RIGHT ANKLE	-	2	0.1 %
RIGHT ANKLE & 3 FOOT BONES	-	1	0.0 %
RIGHT COLLARBONE	-	1	0.0 %
RIGHT FIFTH FINGER	-	1	0.0 %
RIGHT FINGER	-	2	0.1 %
RIGHT KNEE	-	1	0.0 %
RIGHT KNEE CAP	-	1	0.0 %
PATELLA			
RIGHT PINKY TOE	-	1	0.0 %
RIGHT RIBS	-	1	0.0 %
RIGHT SHOULDER	-	1	0.0 %
RIGHT THUMB, 2 BROKEN BONES	-	1	0.0 %
RIGHT TOE	-	2	0.1 %
RIGHT WRIST	-	7	0.3 %
RT 4TH DIGIT RT FOOT	-	1	0.0 %
RT 5TH DIGIT TOE	-	1	0.0 %
SACRUM	-	1	0.0 %
SPINE	-	2	0.1 %
STRESS FX IN BOTH FEET	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2101-2157 (width: 57; decimal: 0)

Variable Type: character

HAPPEN19: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	22	0.9 %
2	2: Yes	32	1.3 %
-8	Missing Data		
-8	-8: Do not know	5	0.2 %
.	-	2410	97.6 %
Total		2,469	100%

Based upon 54 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2158-2159 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES29: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
-	-	2410	97.6 %
-1	-1: N/A	54	2.2 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
LEFT COLLARBONE	-	1	0.0 %
LEFT TOE	-	2	0.1 %
RIGHT RADIUS	-	1	0.0 %
RT HAND BABY FINGER	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2160-2178 (width: 19; decimal: 0)

Variable Type: character

HAPPEN29: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	3	0.1 %
Missing Data			
-1	-1: N/A	54	2.2 %
.	.	2410	97.6 %
Total		2,469	100%

Based upon 5 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2179-2180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES39: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
.	.	2410	97.6 %
-1	-1: N/A	58	2.3 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
2ND DIGIT RT FOOT	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2181-2197 (width: 17; decimal: 0)

Variable Type: character

HAPPEN39: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-1	-1: N/A	58	2.3 %
.	-	2410	97.6 %
	Total	2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 2198-2199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC9: Dilation and Curettage (D & C) since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	1: No	2264	91.7 %
2	2: Yes	49	2.0 %
	Missing Data		
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,313 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2200-2201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND9: Dilation and Curettage (D & C) number of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	One time	48	1.9 %
2	Two times	1	0.0 %
	Missing Data		
-1	-1: N/A	2264	91.7 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 49 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2202-2203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE9: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	1: No	2433	98.5 %
2	2: Yes	26	1.1 %
	Missing Data		
-1	-1: N/A	1	0.0 %
.	-	9	0.4 %
	Total	2,469	100%

Based upon 2,459 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2204-2205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY9: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
942	-	1	0.0 %
1223	-	1	0.0 %
1240	-	1	0.0 %
2296	-	1	0.0 %
2886	-	1	0.0 %
2898	-	1	0.0 %
2905	-	1	0.0 %
2920	-	1	0.0 %
2944	-	1	0.0 %
2955	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2968	-	1	0.0 %
2988	-	1	0.0 %
3016	-	1	0.0 %
3023	-	1	0.0 %
3098	-	1	0.0 %
3103	-	1	0.0 %
3157	-	1	0.0 %
3228	-	1	0.0 %
3276	-	1	0.0 %
3373	-	1	0.0 %
3577	-	1	0.0 %
3626	-	1	0.0 %
3728	-	1	0.0 %
4013	-	1	0.0 %
4051	-	1	0.0 %
Missing Data			
.	-	2444	99.0 %
Total		2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Mean: 2937.36
- Median: 3016.00
- Minimum: 942.00
- Maximum: 4051.00
- Standard Deviation: 780.81

Location: 2206-2209 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

OOPHORE9: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	1: No	2418	97.9 %
2	2: Yes	30	1.2 %
Missing Data			
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2210-2211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR9: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	1: One Ovary Removed	9	0.4 %
2	2: Both Ovaries Removed	21	0.9 %
	Missing Data		
-1	-1: N/A	2418	97.9 %
.	-	21	0.9 %
	Total	2,469	100%

Based upon 30 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2212-2213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN9: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	1: No	2303	93.3 %
2	2: Yes	9	0.4 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2214-2215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO9: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	1: No	2237	90.6 %
2	2: Yes	75	3.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2216-2217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM9: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	1: No	2304	93.3 %
2	2: Yes	9	0.4 %
	Missing Data		
.	-	156	6.3 %
	Total	2,469	100%

Based upon 2,313 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2218-2219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDO9: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	1: No	2300	93.2 %
2	2: Yes	12	0.5 %
-8	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2220-2221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN9: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	1: No	2206	89.3 %
2	2: Yes	106	4.3 %
-8	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2222-2223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS9: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	1: No	2280	92.3 %
2	2: Yes	33	1.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	156	6.3 %
Total		2,469	100%

Based upon 2,313 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2224-2225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED9: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	1: No	2205	89.3 %
2	2: Yes	107	4.3 %
Missing Data			
-8	-8: Do not know	1	0.0 %
.	-	156	6.3 %
Total		2,469	100%

Based upon 2,312 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2226-2227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR9: Fibroids since last visit

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	1: No	2230	90.3 %
2	2: Yes	214	8.7 %
Missing Data			
-8	-8: Do not know	4	0.2 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,444 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2228-2229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER9: Health care provider for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	1: No	308	12.5 %
2	2: Yes	1969	79.7 %
	Missing Data		
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2,277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2230-2231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

PROFDEG9: Professional degree of health care provider

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	1: Medical Doctor (MD)	1773	71.8 %
2	2: Dr. of Osteopathy (DO)	36	1.5 %
3	3: Chiropractor (DC)	1	0.0 %
4	4: Registered Nurse (RN)	2	0.1 %
5	5: Nurse Practitioner (NP)	129	5.2 %
6	6: Physician Assistant (PA)	9	0.4 %
7	7: Other: Specify	2	0.1 %
	Missing Data		
-8	-8: Do not know	15	0.6 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	308	12.5 %

Value	Label	Unweighted Frequency	%
-	-	192	7.8 %
Total		2,469	100%

Based upon 1,952 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 2232-2233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

SPECIFY9: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
-	-	192	7.8 %
-1	-1: N/A	2275	92.1 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
LICENSED ACUPUNCTURIST	-	1	0.0 %
RESIDENT STUDENT	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2234-2255 (width: 22; decimal: 0)

Variable Type: character

PROVSPC9: Provider's specialty

Which of the following best describes this provider's specialty?

Value	Label	Unweighted Frequency	%
1	1: Family Practitioner	511	20.7 %
2	2: Internist	309	12.5 %
3	3: Gynecologist	928	37.6 %
4	4: Naturopath	7	0.3 %
5	5: Other	15	0.6 %
6	6: No specialty	3	0.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-8	-8: Do not know	39	1.6 %
-1	-1: N/A	465	18.8 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1,773 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2256-2257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL9: Health care provider specialty - other specify

Which of the following best describes this provider's specialty? - Specify

Value	Label	Unweighted Frequency	%
-	-	192	7.8 %
-1	-1: N/A	2262	91.6 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACUPUNCTURE	-	1	0.0 %
DIGESTIVE TRACT	-	1	0.0 %
ELDERLY MEDICINE	-	1	0.0 %
ENDOCRINOLOGIST	-	1	0.0 %
GERIATRICS	-	1	0.0 %
HEMATOLOGIST	-	1	0.0 %
INFECTIOUS DISEASES	-	1	0.0 %
OB/GYN SURGERY	-	1	0.0 %
ONCOLOGIST	-	1	0.0 %
PHYSIATRIST	-	1	0.0 %
RHEUMATOLOGY	-	1	0.0 %
SURGON	-	1	0.0 %
WOMEN'S HEALTH	-	3	0.1 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2258-2276 (width: 19; decimal: 0)

Variable Type: character

PROVTIM9: Time spent by health care provider on average

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	1: 0-5 minutes	43	1.7 %
2	2: 6-10 minutes	210	8.5 %
3	3: 11-15 minutes	410	16.6 %
4	4: 16-20 minutes	485	19.6 %
5	5: 21-30 minutes	529	21.4 %
6	6: > 30 minutes	274	11.1 %
Missing Data			
-8	-8: Do not know	16	0.6 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	308	12.5 %
.	.	192	7.8 %
Total		2,469	100%

Based upon 1,951 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2277-2278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG9: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	1846	74.8 %
2	2: Yes	614	24.9 %
Missing Data			
.	.	9	0.4 %
Total		2,469	100%

Based upon 2,460 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2279-2280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON9: Menstrual bleeding in last 3 months

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	1: No	216	8.7 %
2	2: Yes	397	16.1 %
	Missing Data		
-1	-1: N/A	1799	72.9 %
.	-	57	2.3 %
Total		2,469	100%

Based upon 613 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2281-2282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DESCPER9: Describe your menstrual periods

During times when you were not using birth control pills or other hormone medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	1: Become Farther Apart	214	8.7 %
2	2: Become Closer Together	42	1.7 %
3	3: Occurred At More Variable Intervals	187	7.6 %
4	4: Stayed The Same	109	4.4 %
5	5: Become More Regular	10	0.4 %
	Missing Data		
-8	-8: Do not know	6	0.2 %
-1	-1: N/A	1844	74.7 %
.	-	57	2.3 %
Total		2,469	100%

Based upon 562 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2283-2284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

LENGCYL9: Length of menstrual cycle

During times when you were not using birth control pills or other hormone medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	1: < 24 days	41	1.7 %
2	2: 24-35 days	200	8.1 %
3	3: > 35 days	62	2.5 %
4	4: Too variable to say	240	9.7 %
	Missing Data		
-8	-8: Do not know	3	0.1 %
-1	-1: N/A	1731	70.1 %
.	-	192	7.8 %
	Total	2,469	100%

Based upon 543 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2285-2286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT9: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	1: No	2276	92.2 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2,277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2287-2288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME9: Outcome of pregnancy

If YES to PRGNANT9: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	1: Live Birth	0	0.0 %
2	2: Still Birth	0	0.0 %
3	3: Miscarriage	1	0.0 %
4	4: Abortion	0	0.0 %
5	5: Tubal (Ectopic) Pregnancy	0	0.0 %
6	6: Still Pregnant	0	0.0 %
Missing Data			
-1	-1: N/A	2276	92.2 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 2289-2290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE9: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
Missing Data			
-1	-1: N/A	2277	92.2 %
.	-	192	7.8 %
Total		2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2291-2292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF9: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	Worst possible quality	5	0.2 %
1	-	8	0.3 %
2	-	11	0.4 %
3	-	33	1.3 %
4	-	51	2.1 %
5	-	169	6.8 %
6	-	196	7.9 %
7	-	470	19.0 %
8	-	856	34.7 %
9	-	430	17.4 %
10	Best possible quality	218	8.8 %
Missing Data			
-9	-9: Missing	1	0.0 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,447 valid cases out of 2,469 total cases.

- Mean: 7.58
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.62

Location: 2293-2294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OLD_VAL9: Older a woman is, more valued

Now I am going to read you some statements about some general attitudes and feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree with: The older a woman is, the more valued she is.

Value	Label	Unweighted Frequency	%
1	1: Agree	1179	47.8 %
2	2: Neutral	655	26.5 %
3	3: Disagree	465	18.8 %
Missing Data			
.	-	170	6.9 %
Total		2,469	100%

Based upon 2,299 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2295-2296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ATTRACT9: Less attractive after menopause

Now I am going to read you some statements about some general attitudes and feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree with: A woman is less attractive after menopause.

Value	Label	Unweighted Frequency	%
1	1: Agree	319	12.9 %
2	2: Neutral	397	16.1 %
3	3: Disagree	1575	63.8 %
	Missing Data		
.	-	178	7.2 %
	Total	2,469	100%

Based upon 2,291 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2297-2298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FREE9: No menstrual periods, free & independent

Now I am going to read you some statements about some general attitudes and feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree with: Women who no longer have menstrual periods feel free and independent.

Value	Label	Unweighted Frequency	%
1	1: Agree	1610	65.2 %
2	2: Neutral	486	19.7 %
3	3: Disagree	181	7.3 %
	Missing Data		
.	-	192	7.8 %
	Total	2,469	100%

Based upon 2,277 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2299-2300 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NO_MED9: Menopause doesn't need medical attention

Now I am going to read you some statements about some general attitudes and feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree with: Menopause is a mid-life change that generally does not need medical attention.

Value	Label	Unweighted Frequency	%
1	1: Agree	901	36.5 %
2	2: Neutral	434	17.6 %
3	3: Disagree	936	37.9 %
	Missing Data		
.	-	198	8.0 %
	Total	2,469	100%

Based upon 2,271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2301-2302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

H_NOTIC9: Little free time, hardly notice menopause

Now I am going to read you some statements about some general attitudes and feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree with: Women with little free time hardly notice the menopause.

Value	Label	Unweighted Frequency	%
1	1: Agree	707	28.6 %
2	2: Neutral	405	16.4 %
3	3: Disagree	1136	46.0 %
	Missing Data		
.	-	221	9.0 %
	Total	2,469	100%

Based upon 2,248 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2303-2304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

POSITIV9: Overall menopause positive experience

Now I am going to read you some statements about some personal feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree?: Overall, going through the menopause or change of life, will be or was, a positive experience for me.

Value	Label	Unweighted Frequency	%
1	1: Agree	912	36.9 %
2	2: Neutral	772	31.3 %
3	3: Disagree	580	23.5 %
	Missing Data		
.	-	205	8.3 %
	Total	2,469	100%

Based upon 2,264 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2305-2306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSE9: As I age, I feel worse about self

Now I am going to read you some statements about some personal feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree?: As I age, I feel worse about myself.

Value	Label	Unweighted Frequency	%
1	1: Agree	271	11.0 %
2	2: Neutral	271	11.0 %
3	3: Disagree	1766	71.5 %
	Missing Data		
.	-	161	6.5 %
	Total	2,469	100%

Based upon 2,308 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2307-2308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENODEP9: During menopause, depressed

Now I am going to read you some statements about some personal feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree?: During the menopause or the change of life I became, or expect to become, irritable or depressed.

Value	Label	Unweighted Frequency	%
1	1: Agree	721	29.2 %
2	2: Neutral	272	11.0 %
3	3: Disagree	1293	52.4 %
	Missing Data		
.	-	183	7.4 %
	Total	2,469	100%

Based upon 2,286 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2309-2310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGRET9: Regret when periods stopped for last time

Now I am going to read you some statements about some personal feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree?: I will feel, or felt, regret when my periods stopped for the last time.

Value	Label	Unweighted Frequency	%
1	1: Agree	211	8.5 %
2	2: Neutral	123	5.0 %
3	3: Disagree	1968	79.7 %
	Missing Data		
.	-	167	6.8 %
	Total	2,469	100%

Based upon 2,302 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2311-2312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPECT9: Don't know what to expect with menopause

Now I am going to read you some statements about some personal feelings that women your age may have. Please tell me whether you personally agree, you feel neutral or you disagree with them. Do you personally agree, feel neutral (have no opinion) or disagree?: I don't, or didn't know, what to expect with the menopause.

Value	Label	Unweighted Frequency	%
1	1: Agree	944	38.2 %
2	2: Neutral	264	10.7 %
3	3: Disagree	1079	43.7 %
	Missing Data		
.	-	182	7.4 %
	Total	2,469	100%

Based upon 2,287 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2313-2314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL9: Unable to control important things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	1: Never	1055	42.7 %
2	2: Almost Never	720	29.2 %
3	3: Sometimes	523	21.2 %
4	4: Fairly Often	98	4.0 %
5	5: Very Often	52	2.1 %
	Missing Data		
.	-	21	0.9 %
	Total	2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2315-2316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY9: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	1: Never	25	1.0 %
2	2: Almost Never	68	2.8 %

Value	Label	Unweighted Frequency	%
3	3: Sometimes	394	16.0 %
4	4: Fairly Often	910	36.9 %
5	5: Very Often	1050	42.5 %
Missing Data			
-7	-7: Refused	1	0.0 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,447 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2317-2318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY9: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	1: Never	31	1.3 %
2	2: Almost Never	104	4.2 %
3	3: Sometimes	623	25.2 %
4	4: Fairly Often	1045	42.3 %
5	5: Very Often	644	26.1 %
Missing Data			
-7	-7: Refused	1	0.0 %
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,447 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2319-2320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING9: Difficulties piling up

In the past two weeks you have: Felt difficulties piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	1: Never	1164	47.1 %
2	2: Almost Never	770	31.2 %
3	3: Sometimes	398	16.1 %
4	4: Fairly Often	85	3.4 %
5	5: Very Often	31	1.3 %
Missing Data			
.	-	21	0.9 %
Total		2,469	100%

Based upon 2,448 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2321-2322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER9: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1398	56.6 %
2	2: Some/A Little Of The Time (1-2 Days)	431	17.5 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	166	6.7 %
4	4: Most/All Of The Time (5-7 Days)	41	1.7 %
Missing Data			
-7	-7: Refused	1	0.0 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 2,036 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2323-2324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT9: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1717	69.5 %
2	2: Some/A Little Of The Time (1-2 Days)	207	8.4 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	84	3.4 %
4	4: Most/All Of The Time (5-7 Days)	29	1.2 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2325-2326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

BLUES9: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1615	65.4 %
2	2: Some/A Little Of The Time (1-2 Days)	281	11.4 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	94	3.8 %
4	4: Most/All Of The Time (5-7 Days)	47	1.9 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2327-2328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

GOOD9: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	43	1.7 %
2	2: Some/A Little Of The Time (1-2 Days)	113	4.6 %

Value	Label	Unweighted Frequency	%
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	239	9.7 %
4	4: Most/All Of The Time (5-7 Days)	1639	66.4 %
Missing Data			
-7	-7: Refused	3	0.1 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 2,034 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2329-2330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN9: Mind on what doing past week

During the past week: I had trouble keeping my mind in what I was doing

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	976	39.5 %
2	2: Some/A Little Of The Time (1-2 Days)	628	25.4 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	353	14.3 %
4	4: Most/All Of The Time (5-7 Days)	80	3.2 %
Missing Data			
.	-	432	17.5 %
Total		2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2331-2332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS9: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1414	57.3 %
2	2: Some/A Little Of The Time (1-2 Days)	429	17.4 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	132	5.3 %

Value	Label	Unweighted Frequency	%
4	4: Most/All Of The Time (5-7 Days)	62	2.5 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2333-2334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT9: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1253	50.7 %
2	2: Some/A Little Of The Time (1-2 Days)	502	20.3 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	188	7.6 %
4	4: Most/All Of The Time (5-7 Days)	94	3.8 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2335-2336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL9: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	58	2.3 %
2	2: Some/A Little Of The Time (1-2 Days)	201	8.1 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	417	16.9 %
4	4: Most/All Of The Time (5-7 Days)	1361	55.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	432	17.5 %
Total		2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2337-2338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE9: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1812	73.4 %
2	2: Some/A Little Of The Time (1-2 Days)	166	6.7 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	45	1.8 %
4	4: Most/All Of The Time (5-7 Days)	14	0.6 %
	Missing Data		
.	-	432	17.5 %
Total		2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2339-2340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL9: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1651	66.9 %
2	2: Some/A Little Of The Time (1-2 Days)	284	11.5 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	74	3.0 %
4	4: Most/All Of The Time (5-7 Days)	28	1.1 %
	Missing Data		
.	-	432	17.5 %
Total		2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2341-2342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES9: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	852	34.5 %
2	2: Some/A Little Of The Time (1-2 Days)	596	24.1 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	329	13.3 %
4	4: Most/All Of The Time (5-7 Days)	260	10.5 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2343-2344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY9: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	59	2.4 %
2	2: Some/A Little Of The Time (1-2 Days)	239	9.7 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	535	21.7 %
4	4: Most/All Of The Time (5-7 Days)	1204	48.8 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2345-2346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES9: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1490	60.3 %
2	2: Some/A Little Of The Time (1-2 Days)	356	14.4 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	147	6.0 %
4	4: Most/All Of The Time (5-7 Days)	44	1.8 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2347-2348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY9: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1512	61.2 %
2	2: Some/A Little Of The Time (1-2 Days)	372	15.1 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	110	4.5 %
4	4: Most/All Of The Time (5-7 Days)	43	1.7 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2349-2350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL9: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1784	72.3 %
2	2: Some/A Little Of The Time (1-2 Days)	201	8.1 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	36	1.5 %
4	4: Most/All Of The Time (5-7 Days)	16	0.6 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2351-2352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

ENJOY9: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	49	2.0 %
2	2: Some/A Little Of The Time (1-2 Days)	163	6.6 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	390	15.8 %
4	4: Most/All Of The Time (5-7 Days)	1435	58.1 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2353-2354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

CRYING9: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1710	69.3 %
2	2: Some/A Little Of The Time (1-2 Days)	212	8.6 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	72	2.9 %
4	4: Most/All Of The Time (5-7 Days)	42	1.7 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,036 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2355-2356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SAD9: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1365	55.3 %
2	2: Some/A Little Of The Time (1-2 Days)	493	20.0 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	133	5.4 %
4	4: Most/All Of The Time (5-7 Days)	46	1.9 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2357-2358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DISLIKE9: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1825	73.9 %

Value	Label	Unweighted Frequency	%
2	2: Some/A Little Of The Time (1-2 Days)	170	6.9 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	31	1.3 %
4	4: Most/All Of The Time (5-7 Days)	11	0.4 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2359-2360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN9: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1333	54.0 %
2	2: Some/A Little Of The Time (1-2 Days)	479	19.4 %
3	3: Occasionally/Moderate Amount Of The Time (3-4 Days)	162	6.6 %
4	4: Most/All Of The Time (5-7 Days)	63	2.6 %
	Missing Data		
.	-	432	17.5 %
	Total	2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2361-2362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB9: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	1: No	1135	46.0 %
2	2: Yes	560	22.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	341	13.8 %
.	.	432	17.5 %
	Total	2,469	100%

Based upon 1,695 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2363-2364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB9: Work for pay past 2 weeks

During the past 2 weeks, did you work at any time at a job or business, (Including work for pay performed at home? Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	1: No	99	4.0 %
2	2: Yes	461	18.7 %
	Missing Data		
-1	-1: N/A	1477	59.8 %
.	.	432	17.5 %
	Total	2,469	100%

Based upon 560 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2365-2366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGHR9: Change in usual hours of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	1: No	1194	48.4 %
2	2: Yes	402	16.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	441	17.9 %
.	-	432	17.5 %
	Total	2,469	100%

Based upon 1,596 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2367-2368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT19: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	293	11.9 %
2	2: Yes	109	4.4 %
	Missing Data		
-1	-1: N/A	1635	66.2 %
.	-	432	17.5 %
	Total	2,469	100%

Based upon 402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2369-2370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM19: Work start time

Work start time

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1 %
10:00:00	-	9	0.4 %
10:30:00	-	4	0.2 %
11:00:00	-	5	0.2 %
11:30:00	-	2	0.1 %
12:00:00	-	2	0.1 %
13:00:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14:00:00	-	2	0.1 %
15:00:00	-	3	0.1 %
15:30:00	-	1	0.0 %
16:00:00	-	3	0.1 %
16:30:00	-	2	0.1 %
17:30:00	-	1	0.0 %
18:00:00	-	2	0.1 %
1:00:00	-	2	0.1 %
22:00:00	-	1	0.0 %
23:00:00	-	5	0.2 %
4:00:00	-	1	0.0 %
4:30:00	-	1	0.0 %
4:45:00	-	1	0.0 %
5:00:00	-	1	0.0 %
5:30:00	-	1	0.0 %
6:00:00	-	11	0.4 %
6:30:00	-	8	0.3 %
6:45:00	-	1	0.0 %
7:00:00	-	33	1.3 %
7:10:00	-	1	0.0 %
7:15:00	-	4	0.2 %
7:30:00	-	28	1.1 %
7:45:00	-	2	0.1 %
8:00:00	-	64	2.6 %
8:10:00	-	1	0.0 %
8:15:00	-	4	0.2 %
8:20:00	-	1	0.0 %
8:30:00	-	41	1.7 %
8:45:00	-	2	0.1 %
9:00:00	-	35	1.4 %
9:30:00	-	5	0.2 %
	Missing Data		
.	-	2176	88.1 %
	Total	2,469	100%

Based upon 293 valid cases out of 2,469 total cases.

Location: 2371-2382 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM19: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1 %
11:00:00	-	1	0.0 %
11:30:00	-	1	0.0 %
12:00:00	-	2	0.1 %
12:15:00	-	1	0.0 %
12:30:00	-	3	0.1 %
13:00:00	-	5	0.2 %
13:20:00	-	1	0.0 %
13:30:00	-	2	0.1 %
13:45:00	-	1	0.0 %
14:00:00	-	10	0.4 %
14:30:00	-	6	0.2 %
14:45:00	-	1	0.0 %
15:00:00	-	18	0.7 %
15:15:00	-	3	0.1 %
15:19:59	-	1	0.0 %
15:30:00	-	17	0.7 %
15:40:00	-	1	0.0 %
15:45:00	-	1	0.0 %
16:00:00	-	21	0.9 %
16:15:00	-	1	0.0 %
16:30:00	-	31	1.3 %
16:45:00	-	1	0.0 %
17:00:00	-	51	2.1 %
17:15:00	-	2	0.1 %
17:30:00	-	16	0.6 %
18:00:00	-	28	1.1 %
18:30:00	-	4	0.2 %
19:00:00	-	13	0.5 %
19:30:00	-	10	0.4 %
20:00:00	-	7	0.3 %
20:30:00	-	2	0.1 %
21:00:00	-	4	0.2 %
21:30:00	-	1	0.0 %
22:00:00	-	2	0.1 %
23:00:00	-	6	0.2 %

Value	Label	Unweighted Frequency	%
23:45:00	-	1	0.0 %
3:30:00	-	1	0.0 %
4:30:00	-	1	0.0 %
5:00:00	-	1	0.0 %
6:00:00	-	1	0.0 %
7:00:00	-	2	0.1 %
7:30:00	-	2	0.1 %
8:00:00	-	2	0.1 %
8:30:00	-	1	0.0 %
9:00:00	-	2	0.1 %
9:15:00	-	1	0.0 %
9:30:00	-	1	0.0 %
Missing Data			
.	-	2176	88.1 %
Total		2,469	100%

Based upon 293 valid cases out of 2,469 total cases.

Location: 2383-2394 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT29: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	40	1.6 %
2	2: Yes	31	1.3 %
Missing Data			
-1	-1: N/A	1966	79.6 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 71 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2395-2396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

STRTIM29: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
10:00:00	-	1	0.0 %
10:30:00	-	1	0.0 %
12:00:00	-	3	0.1 %
14:00:00	-	1	0.0 %
14:30:00	-	1	0.0 %
15:00:00	-	3	0.1 %
15:30:00	-	2	0.1 %
16:00:00	-	3	0.1 %
16:30:00	-	1	0.0 %
17:00:00	-	1	0.0 %
18:00:00	-	2	0.1 %
19:00:00	-	2	0.1 %
6:00:00	-	1	0.0 %
6:45:00	-	1	0.0 %
7:00:00	-	1	0.0 %
8:00:00	-	6	0.2 %
8:30:00	-	2	0.1 %
8:45:00	-	1	0.0 %
9:00:00	-	5	0.2 %
9:30:00	-	2	0.1 %
Missing Data			
.	-	2429	98.4 %
	Total	2,469	100%

Based upon 40 valid cases out of 2,469 total cases.

Location: 2397-2408 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM29: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
12:30:00	-	1	0.0 %
13:30:00	-	1	0.0 %
14:00:00	-	3	0.1 %
14:30:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15:00:00	-	5	0.2 %
15:15:00	-	1	0.0 %
16:00:00	-	4	0.2 %
17:00:00	-	7	0.3 %
17:15:00	-	1	0.0 %
17:30:00	-	1	0.0 %
18:00:00	-	1	0.0 %
19:00:00	-	1	0.0 %
19:30:00	-	2	0.1 %
20:00:00	-	1	0.0 %
21:00:00	-	1	0.0 %
21:30:00	-	1	0.0 %
22:00:00	-	1	0.0 %
23:00:00	-	2	0.1 %
23:30:00	-	1	0.0 %
2:00:00	-	1	0.0 %
7:00:00	-	1	0.0 %
7:30:00	-	1	0.0 %
8:00:00	-	1	0.0 %
Missing Data			
.	-	2429	98.4 %
Total		2,469	100%

Based upon 40 valid cases out of 2,469 total cases.

Location: 2409-2420 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

ROTAT39: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1 %
2	2: Yes	11	0.4 %
Missing Data			
-1	-1: N/A	2023	81.9 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 14 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2421-2422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM39: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
13:00:00	-	1	0.0 %
16:00:00	-	1	0.0 %
8:30:00	-	1	0.0 %
	Missing Data		
.	-	2466	99.9 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

Location: 2423-2434 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

STPTIM39: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
10:30:00	-	1	0.0 %
15:00:00	-	1	0.0 %
23:30:00	-	1	0.0 %
	Missing Data		
.	-	2466	99.9 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

Location: 2435-2446 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HOURSPA9: How many hours/week work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	1: <= 10 hours	111	4.5 %
2	2: 11-19 hours	67	2.7 %
3	3: 20-34 hours	273	11.1 %
4	4: 35-40 hours	731	29.6 %
5	5: 41-60 hours	367	14.9 %
6	6: >60 hours	46	1.9 %
Missing Data			
-9	-9: Missing	1	0.0 %
-1	-1: N/A	441	17.9 %
.	.	432	17.5 %
Total		2,469	100%

Based upon 1,595 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2447-2448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE9: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	1: No	1240	50.2 %
2	2: Yes	797	32.3 %
Missing Data			
.	.	432	17.5 %
Total		2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2449-2450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR19: Volunteer (1) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.09	-	2	0.1 %
0.10	-	1	0.0 %
0.15	-	1	0.0 %
0.19	-	1	0.0 %
0.21	-	1	0.0 %
0.25	-	13	0.5 %
0.27	-	1	0.0 %
0.30	-	2	0.1 %
0.39	-	1	0.0 %
0.40	-	1	0.0 %
0.50	-	37	1.5 %
0.57	-	1	0.0 %
0.58	-	1	0.0 %
0.75	-	4	0.2 %
0.96	-	1	0.0 %
1.00	-	179	7.2 %
1.12	-	1	0.0 %
1.20	-	1	0.0 %
1.25	-	4	0.2 %
1.44	-	1	0.0 %
1.50	-	17	0.7 %
2.00	-	176	7.1 %
2.50	-	18	0.7 %
3.00	-	76	3.1 %
3.50	-	10	0.4 %
4.00	-	67	2.7 %
4.25	-	1	0.0 %
4.50	-	2	0.1 %
5.00	-	52	2.1 %
5.50	-	1	0.0 %
6.00	-	16	0.6 %
6.50	-	1	0.0 %
7.00	-	7	0.3 %
8.00	-	12	0.5 %
9.00	-	2	0.1 %
10.00	-	32	1.3 %
11.00	-	1	0.0 %
12.00	-	7	0.3 %
12.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.00	-	1	0.0 %
14.00	-	3	0.1 %
15.00	-	7	0.3 %
16.00	-	1	0.0 %
18.00	-	3	0.1 %
20.00	-	8	0.3 %
22.00	-	1	0.0 %
24.00	-	1	0.0 %
25.00	-	6	0.2 %
30.00	-	2	0.1 %
36.00	-	1	0.0 %
Missing Data			
-9.00	-9: Missing	2	0.1 %
-8.00	-8: Do not know	1	0.0 %
-1.00	-1: N/A	1240	50.2 %
.	-	432	17.5 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 794 valid cases out of 2,469 total cases.

- Mean: 3.91
- Median: 2.00
- Mode: 1.00
- Minimum: 0.09
- Maximum: 40.00
- Standard Deviation: 5.55

Location: 2451-2455 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR29: Volunteer (2) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.09	-	1	0.0 %
0.13	-	1	0.0 %
0.19	-	1	0.0 %
0.20	-	2	0.1 %
0.25	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.46	-	1	0.0 %
0.50	-	25	1.0 %
0.75	-	2	0.1 %
0.96	-	1	0.0 %
1.00	-	82	3.3 %
1.15	-	1	0.0 %
1.50	-	6	0.2 %
1.61	-	1	0.0 %
1.70	-	1	0.0 %
2.00	-	47	1.9 %
2.50	-	2	0.1 %
3.00	-	33	1.3 %
3.50	-	1	0.0 %
4.00	-	16	0.6 %
5.00	-	11	0.4 %
6.00	-	6	0.2 %
7.00	-	1	0.0 %
8.00	-	3	0.1 %
10.00	-	6	0.2 %
15.00	-	1	0.0 %
17.00	-	1	0.0 %
18.00	-	1	0.0 %
20.00	-	3	0.1 %
35.00	-	1	0.0 %
Missing Data			
-9.00	-9: Missing	1	0.0 %
-1.00	-1: N/A	1771	71.7 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 265 valid cases out of 2,469 total cases.

- Mean: 2.66
- Median: 2.00
- Mode: 1.00
- Minimum: 0.09
- Maximum: 35.00
- Standard Deviation: 3.69

Location: 2456-2460 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR39: Volunteer (3) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.10	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	4	0.2 %
0.50	-	5	0.2 %
0.62	-	1	0.0 %
1.00	-	29	1.2 %
1.50	-	1	0.0 %
2.00	-	11	0.4 %
2.50	-	2	0.1 %
3.00	-	6	0.2 %
3.50	-	1	0.0 %
4.00	-	4	0.2 %
4.50	-	2	0.1 %
5.00	-	4	0.2 %
6.00	-	2	0.1 %
Missing Data			
-1.00	-1: N/A	1963	79.5 %
.	.	432	17.5 %
Total		2,469	100%

Based upon 74 valid cases out of 2,469 total cases.

- Mean: 1.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.10
- Maximum: 6.00
- Standard Deviation: 1.51

Location: 2461-2465 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL9: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
1	1: Single/Never Married	287	11.6 %
2	2: Currently Married/Living as Married	1553	62.9 %

Value	Label	Unweighted Frequency	%
3	3: Separated	91	3.7 %
4	4: Widowed	122	4.9 %
5	5: Divorced	393	15.9 %
Missing Data			
-8	-8: Do not know	2	0.1 %
.	.	21	0.9 %
Total		2,469	100%

Based upon 2,446 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2466-2467 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHGHLD9: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	1: No	1517	61.4 %
2	2: Yes	520	21.1 %
Missing Data			
.	.	432	17.5 %
Total		2,469	100%

Based upon 2,037 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2468-2469 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL9: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	1: No	71	2.9 %
2	2: Yes	449	18.2 %
Missing Data			
-1	-1: N/A	1517	61.4 %

Value	Label	Unweighted Frequency	%
-	-	432	17.5 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2470-2471 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE19: Relationship to yourself (1)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	260	10.5 %
2	2: Partner (not married)	11	0.4 %
3	3: Parent	19	0.8 %
4	4: Parent-in-law	1	0.0 %
5	5: Child (biological/adopted/step)	103	4.2 %
6	6: Grandchild	9	0.4 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	11	0.4 %
9	9: Niece/nephew	7	0.3 %
10	10: Friend	7	0.3 %
11	11: Tenant/boarder	2	0.1 %
12	12: Other relation	19	0.8 %
Missing Data			
-1	-1: N/A	1588	64.3 %
-	-	432	17.5 %
Total		2,469	100%

Based upon 449 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2472-2473 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT19: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	432	17.5 %
-1	-1: N/A	1588	64.3 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BEST FRIEND	-	1	0.0 %
BOYFRIEND	-	3	0.1 %
BROTHER IN LAW	-	1	0.0 %
BROTHER-IN-LAW	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	103	4.2 %
COUSIN	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FRIEND	-	7	0.3 %
GODSON	-	1	0.0 %
GRANDCHILD	-	9	0.4 %
GREAT GRANDCHILD	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
NIECE/NEPHEW	-	7	0.3 %
PARENT	-	19	0.8 %
PARENT-IN-LAW	-	1	0.0 %
PARTNER	-	1	0.0 %
PARTNER (NOT MARRIED)	-	11	0.4 %
RELIGIOUS SISTER	-	1	0.0 %
ROOMMATE	-	3	0.1 %
SIBLING	-	11	0.4 %
SIGNIFICANT OTHER	-	2	0.1 %
SISTER IN LAW	-	1	0.0 %
SPOUSE	-	260	10.5 %
TENANT/BOARDER	-	2	0.1 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2474-2513 (width: 40; decimal: 0)

Variable Type: character

SEX19: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	1588	64.3 %
F	-	87	3.5 %
M	-	362	14.7 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2514-2515 (width: 2; decimal: 0)

Variable Type: character

AGE19: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
4	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
13	-	2	0.1 %
14	-	1	0.0 %
15	-	4	0.2 %
16	-	5	0.2 %
17	-	4	0.2 %
18	-	7	0.3 %
19	-	4	0.2 %
20	-	8	0.3 %
21	-	4	0.2 %
22	-	3	0.1 %
23	-	7	0.3 %
24	-	9	0.4 %
25	-	10	0.4 %
26	-	6	0.2 %
27	-	6	0.2 %

Value	Label	Unweighted Frequency	%
28	-	8	0.3 %
29	-	3	0.1 %
30	-	8	0.3 %
32	-	3	0.1 %
34	-	1	0.0 %
35	-	4	0.2 %
36	-	2	0.1 %
37	-	2	0.1 %
38	-	4	0.2 %
39	-	2	0.1 %
40	-	4	0.2 %
41	-	1	0.0 %
44	-	4	0.2 %
45	-	2	0.1 %
47	-	5	0.2 %
48	-	5	0.2 %
49	-	5	0.2 %
50	-	8	0.3 %
51	-	8	0.3 %
52	-	17	0.7 %
53	-	21	0.9 %
54	-	22	0.9 %
55	-	23	0.9 %
56	-	33	1.3 %
57	-	22	0.9 %
58	-	23	0.9 %
59	-	22	0.9 %
60	-	18	0.7 %
Missing Data			
-1	-1: N/A	1588	64.3 %
.	-	432	17.5 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 449 valid cases out of 2,469 total cases.

- Mean: 48.47
- Median: 54.00
- Mode: 56.00
- Minimum: 2.00

- Maximum: 92.00
- Standard Deviation: 17.45

Location: 2516-2517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE29: Relationship to yourself (2)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	25	1.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	10	0.4 %
4	4: Parent-in-law	2	0.1 %
5	5: Child (biological/adopted/step)	189	7.7 %
6	6: Grandchild	23	0.9 %
7	7: Son/Daughter-in-law	4	0.2 %
8	8: Sibling	7	0.3 %
9	9: Niece/nephew	9	0.4 %
10	10: Friend	3	0.1 %
11	11: Tenant/boarder	1	0.0 %
12	12: Other relation	15	0.6 %
Missing Data			
-1	-1: N/A	1749	70.8 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 288 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2518-2519 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT29: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	432	17.5 %
-1	-1: N/A	1749	70.8 %
-7	-7: Refused	0	0.0 %

Value	Label	Unweighted Frequency	%
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BROTHER -IN- LAW	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	189	7.7 %
DAUGHTER'S BOYFRIEND	-	3	0.1 %
FOSTER SON	-	1	0.0 %
FRIEND	-	3	0.1 %
GODSON	-	1	0.0 %
GRANDCHILD	-	23	0.9 %
GREAT GRANDCHILD	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
NIECE/NEPHEW	-	9	0.4 %
PARENT	-	10	0.4 %
PARENT-IN-LAW	-	2	0.1 %
PERSON DOING WORK ON HOUSE	-	1	0.0 %
RELIGIOUS SISTER	-	1	0.0 %
ROOMMATE	-	2	0.1 %
SIBLING	-	7	0.3 %
SISTER-IN-LAW	-	1	0.0 %
SON'S GIRLFRIEND	-	1	0.0 %
SON-IN- LAW/DAUGHTER- IN-LAW	-	4	0.2 %
SONS FRIEND	-	1	0.0 %
SPOUSE	-	25	1.0 %
TENANT/BOARDER	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2520-2559 (width: 40; decimal: 0)

Variable Type: character

SEX29: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	1749	70.8 %
F	-	123	5.0 %
M	-	165	6.7 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2560-2561 (width: 2; decimal: 0)

Variable Type: character

AGE29: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	2	0.1 %
5	-	1	0.0 %
6	-	3	0.1 %
7	-	3	0.1 %
8	-	1	0.0 %
9	-	2	0.1 %
10	-	3	0.1 %
12	-	2	0.1 %
13	-	5	0.2 %
14	-	6	0.2 %
15	-	11	0.4 %
16	-	9	0.4 %
17	-	11	0.4 %
18	-	9	0.4 %
19	-	12	0.5 %
20	-	13	0.5 %
21	-	15	0.6 %
22	-	15	0.6 %
23	-	20	0.8 %
24	-	16	0.6 %
25	-	9	0.4 %
26	-	10	0.4 %
27	-	8	0.3 %
28	-	8	0.3 %

Value	Label	Unweighted Frequency	%
29	-	3	0.1 %
30	-	7	0.3 %
31	-	5	0.2 %
32	-	6	0.2 %
33	-	2	0.1 %
34	-	4	0.2 %
35	-	2	0.1 %
36	-	1	0.0 %
37	-	2	0.1 %
38	-	4	0.2 %
39	-	2	0.1 %
40	-	2	0.1 %
41	-	1	0.0 %
42	-	2	0.1 %
45	-	2	0.1 %
46	-	1	0.0 %
50	-	2	0.1 %
51	-	5	0.2 %
52	-	2	0.1 %
53	-	4	0.2 %
54	-	1	0.0 %
55	-	4	0.2 %
57	-	4	0.2 %
58	-	1	0.0 %
59	-	2	0.1 %
Missing Data			
-1	-1: N/A	1749	70.8 %
.	-	432	17.5 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288 valid cases out of 2,469 total cases.

- Mean: 28.99
- Median: 23.00
- Mode: 23.00
- Minimum: 1.00
- Maximum: 92.00
- Standard Deviation: 17.55

Location: 2562-2563 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE39: Relationship to yourself (3)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	7	0.3 %
2	2: Partner (not married)	1	0.0 %
3	3: Parent	5	0.2 %
4	4: Parent-in-law	3	0.1 %
5	5: Child (biological/adopted/step)	78	3.2 %
6	6: Grandchild	29	1.2 %
7	7: Son/Daughter-in-law	2	0.1 %
8	8: Sibling	2	0.1 %
9	9: Niece/nephew	5	0.2 %
10	10: Friend	1	0.0 %
11	11: Tenant/boarder	3	0.1 %
12	12: Other relation	11	0.4 %
Missing Data			
-1	-1: N/A	1890	76.5 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 147 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2564-2565 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT39: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	432	17.5 %
-1	-1: N/A	1890	76.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
AUNT	-	1	0.0 %
BROTHER-IN-LAW	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER	-	78	3.2 %
COUSIN	-	1	0.0 %
FAMILY FRIEND	-	1	0.0 %
FOSTER DAUGHTER	-	1	0.0 %
FRIEND	-	1	0.0 %
GODSON FRIEND	-	1	0.0 %
GRAND DAUGHTER'S HUSBAND	-	1	0.0 %
GRANDCHILD	-	29	1.2 %
GREAT NIECE	-	1	0.0 %
HOUSEMATE	-	1	0.0 %
NIECE/NEPHEW	-	5	0.2 %
PARENT	-	5	0.2 %
PARENT-IN-LAW	-	3	0.1 %
PARTNER (NOT MARRIED)	-	1	0.0 %
SIBLING	-	2	0.1 %
SON'S GIRLFRIEND	-	1	0.0 %
SON-IN- LAW/DAUGHTER- IN-LAW	-	2	0.1 %
SPOUSE	-	7	0.3 %
STEP SON'S FRIEND	-	1	0.0 %
TENANT/BOARDER	-	3	0.1 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2566-2605 (width: 40; decimal: 0)

Variable Type: character

SEX39: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
12: Other relation		432	17.5 %
-1	-1: N/A	1890	76.5 %

Value	Label	Unweighted Frequency	%
F	-	59	2.4 %
M	-	88	3.6 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2606-2607 (width: 2; decimal: 0)

Variable Type: character

AGE39: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
2	-	2	0.1 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	2	0.1 %
7	-	3	0.1 %
8	-	3	0.1 %
9	-	4	0.2 %
11	-	2	0.1 %
12	-	5	0.2 %
13	-	4	0.2 %
14	-	4	0.2 %
15	-	3	0.1 %
16	-	8	0.3 %
17	-	11	0.4 %
18	-	7	0.3 %
19	-	8	0.3 %
20	-	10	0.4 %
21	-	4	0.2 %
22	-	6	0.2 %
23	-	5	0.2 %
24	-	7	0.3 %
25	-	3	0.1 %
26	-	3	0.1 %
27	-	2	0.1 %
29	-	1	0.0 %
30	-	4	0.2 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
32	-	2	0.1 %
35	-	2	0.1 %
36	-	2	0.1 %
47	-	2	0.1 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	2	0.1 %
62	-	1	0.0 %
65	-	1	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
82	-	1	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
92	-	1	0.0 %
93	-	1	0.0 %
Missing Data			
-1	-1: N/A	1890	76.5 %
.	-	432	17.5 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 147 valid cases out of 2,469 total cases.

- Mean: 24.63
- Median: 19.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 93.00
- Standard Deviation: 19.33

Location: 2608-2609 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE49: Relationship to yourself (4)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	1	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	1	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	33	1.3 %
6	6: Grandchild	20	0.8 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	1	0.0 %
9	9: Niece/nephew	3	0.1 %
10	10: Friend	1	0.0 %
11	11: Tenant/boarder	2	0.1 %
12	12: Other relation	4	0.2 %
Missing Data			
-1	-1: N/A	1971	79.8 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 66 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2610-2611 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT49: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	432	17.5 %
-1	-1: N/A	1971	79.8 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	33	1.3 %

Value	Label	Unweighted Frequency	%
FIANCE'	-	1	0.0 %
FRIEND	-	1	0.0 %
GODSON FRIEND	-	1	0.0 %
GRANDCHILD	-	20	0.8 %
HOUSEMATE	-	1	0.0 %
NIECE/NEPHEW	-	3	0.1 %
PARENT	-	1	0.0 %
SIBLING	-	1	0.0 %
SISTER-IN-LAW	-	1	0.0 %
SPOUSE	-	1	0.0 %
TENANT/BOARDER	-	2	0.1 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2612-2651 (width: 40; decimal: 0)

Variable Type: character

SEX49: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	1971	79.8 %
F	-	37	1.5 %
M	-	29	1.2 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2652-2653 (width: 2; decimal: 0)

Variable Type: character

AGE49: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	1	0.0 %
5	-	2	0.1 %

Value	Label	Unweighted Frequency	%
6	-	7	0.3 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	2	0.1 %
13	-	2	0.1 %
14	-	2	0.1 %
15	-	1	0.0 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	2	0.1 %
19	-	3	0.1 %
20	-	6	0.2 %
21	-	3	0.1 %
22	-	3	0.1 %
25	-	4	0.2 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
84	-	1	0.0 %
Missing Data			
-1	-1: N/A	1971	79.8 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 66 valid cases out of 2,469 total cases.

- Mean: 19.55
- Median: 18.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 84.00
- Standard Deviation: 16.18

Location: 2654-2655 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE59: Relationship to yourself (5)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	2	0.1 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	6	0.2 %
6	6: Grandchild	7	0.3 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	1	0.0 %
9	9: Niece/nephew	3	0.1 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	1	0.0 %
12	12: Other relation	4	0.2 %
Missing Data			
-1	-1: N/A	2013	81.5 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 24 valid cases out of 2,469 total cases.

- Minimum: 3.00
- Maximum: 12.00

Location: 2656-2657 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT59: Relationship to yourself (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	432	17.5 %
-1	-1: N/A	2013	81.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
BOYFRIEND	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	6	0.2 %
GRANDDAUGHTERS	-	1	0.0 %
BOYFRIEND	-		
GRANDCHILD	-	7	0.3 %
HOUSEMATE	-	1	0.0 %
MOM'S CARETAKER	-	1	0.0 %
NIECE/NEPHEW	-	3	0.1 %
PARENT	-	2	0.1 %
SIBLING	-	1	0.0 %
TENANT/BOARDER	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2658-2697 (width: 40; decimal: 0)

Variable Type: character

SEX59: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	2013	81.5 %
F	-	8	0.3 %
M	-	16	0.6 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2698-2699 (width: 2; decimal: 0)

Variable Type: character

AGE59: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
2	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
13	-	2	0.1 %
15	-	1	0.0 %
16	-	2	0.1 %
17	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
63	-	1	0.0 %
81	-	1	0.0 %
83	-	1	0.0 %
Missing Data			
-1	-1: N/A	2013	81.5 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 24 valid cases out of 2,469 total cases.

- Mean: 24.04
- Median: 16.50
- Minimum: 1.00
- Maximum: 83.00
- Standard Deviation: 23.49

Location: 2700-2701 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE69: Relationship to yourself (6)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	1	0.0 %
2	2: Partner (not married)	0	0.0 %

Value	Label	Unweighted Frequency	%
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	3	0.1 %
6	6: Grandchild	5	0.2 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	2	0.1 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	1	0.0 %
12	12: Other relation	2	0.1 %
Missing Data			
-1	-1: N/A	2023	81.9 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 14 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2702-2703 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT69: Relationship to yourself (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	432	17.5 %
-1	-1: N/A	2023	81.9 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER	-	3	0.1 %
GRANDCHILD	-	5	0.2 %
HOUSEMATE	-	1	0.0 %
NIECE/NEPHEW	-	2	0.1 %
SISTER-IN-LAW	-	1	0.0 %
SPOUSE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
TENANT/BOARDER	-	1	0.0 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2704-2743 (width: 40; decimal: 0)

Variable Type: character

SEX69: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	2023	81.9 %
F	-	5	0.2 %
M	-	9	0.4 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2744-2745 (width: 2; decimal: 0)

Variable Type: character

AGE69: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	2	0.1 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
13	-	1	0.0 %
17	-	1	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
34	-	1	0.0 %
41	-	1	0.0 %
46	-	1	0.0 %
63	-	1	0.0 %
	Missing Data		
-1	-1: N/A	2023	81.9 %

Value	Label	Unweighted Frequency	%
.	-	432	17.5 %
Total		2,469	100%

Based upon 14 valid cases out of 2,469 total cases.

- Mean: 21.29
- Median: 15.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 63.00
- Standard Deviation: 19.14

Location: 2746-2747 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE79: Relationship to yourself (7)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	2	0.1 %
6	6: Grandchild	3	0.1 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	3	0.1 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	1	0.0 %
12	12: Other relation	1	0.0 %
Missing Data			
-1	-1: N/A	2027	82.1 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 10 valid cases out of 2,469 total cases.

- Minimum: 5.00
- Maximum: 12.00

Location: 2748-2749 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT79: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	432	17.5 %
-1	-1: N/A	2027	82.1 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	2	0.1 %
GRANDCHILD	-	3	0.1 %
GRANDMOTHER - RECENTLY DIED	-	1	0.0 %
NIECE/NEPHEW	-	3	0.1 %
TENANT/BOARDER	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2750-2789 (width: 40; decimal: 0)

Variable Type: character

SEX79: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
12	12: Other relation	432	17.5 %
-1	-1: N/A	2027	82.1 %
F	-	5	0.2 %
M	-	5	0.2 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2790-2791 (width: 2; decimal: 0)

Variable Type: character

AGE79: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
12	-	1	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
23	-	1	0.0 %
26	-	1	0.0 %
96	-	1	0.0 %
Missing Data			
-1	-1: N/A	2027	82.1 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 10 valid cases out of 2,469 total cases.

- Mean: 20.60
- Median: 14.00
- Minimum: 1.00
- Maximum: 96.00
- Standard Deviation: 27.95

Location: 2792-2793 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RLATE89: Relationship to yourself (8)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	1	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	1	0.0 %
6	6: Grandchild	1	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %

Value	Label	Unweighted Frequency	%
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	2034	82.4 %
.	.	432	17.5 %
	Total	2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2794-2795 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT89: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	217	8.8 %
-1	-1: N/A	2249	91.1 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER	-	1	0.0 %
GRANDCHILD	-	1	0.0 %
SPOUSE	-	1	0.0 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2796-2835 (width: 40; decimal: 0)

Variable Type: character

SEX89: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	2034	82.4 %

Value	Label	Unweighted Frequency	%
M	-	3	0.1 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2836-2837 (width: 2; decimal: 0)

Variable Type: character

AGE89: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
11	-	1	0.0 %
16	-	1	0.0 %
55	-	1	0.0 %
Missing Data			
-1	-1: N/A	2034	82.4 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 3 valid cases out of 2,469 total cases.

- Mean: 27.33
- Median: 16.00
- Minimum: 11.00
- Maximum: 55.00
- Standard Deviation: 24.09

Location: 2838-2839 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

RLATE99: Relationship to yourself (9)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	1	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %

Value	Label	Unweighted Frequency	%
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
Missing Data			
-1	-1: N/A	2036	82.5 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 2840-2841 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT99: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	432	17.5 %
-1	-1: N/A	2036	82.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
PARTNER (NOT MARRIED)	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2842-2862 (width: 21; decimal: 0)

Variable Type: character

SEX99: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	2036	82.5 %

Value	Label	Unweighted Frequency	%
F	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2863-2864 (width: 2; decimal: 0)

Variable Type: character

AGE99: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
68	-	1	0.0 %
Missing Data			
-1	-1: N/A	2036	82.5 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 1 valid cases out of 2,469 total cases.

- Mean: 68.00
- Median: 68.00
- Mode: 68.00
- Minimum: 68.00
- Maximum: 68.00
- Standard Deviation: 0.00

Location: 2865-2866 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE109: Relationship to yourself (10)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %

Value	Label	Unweighted Frequency	%
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
Missing Data			
-1	-1: N/A	2037	82.5 %
.	.	432	17.5 %
Total		2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2867-2868 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT109: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-		432	17.5 %
-1	-1: N/A	2037	82.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2869-2870 (width: 2; decimal: 0)

Variable Type: character

SEX109: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
12	12: Other relation	432	17.5 %
-1	-1: N/A	2037	82.5 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2871-2872 (width: 2; decimal: 0)

Variable Type: character

AGE109: Age (10)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2037	82.5 %
.	-	432	17.5 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2873-2874 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE119: Relationship to yourself (11)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	2037	82.5 %
.	-	432	17.5 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2875-2876 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT119: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-		432	17.5 %
-1	-1: N/A	2037	82.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2877-2878 (width: 2; decimal: 0)

Variable Type: character

SEX119: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
12	12: Other relation	432	17.5 %
-1	-1: N/A	2037	82.5 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2879-2880 (width: 2; decimal: 0)

Variable Type: character

AGE119: Age (11)

Please tell me their age

Value	Label	Unweighted Frequency	%
Missing Data			
-1	-1: N/A	2037	82.5 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2881-2882 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE129: Relationship to yourself (12)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biological/adopted/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
Missing Data			
-1	-1: N/A	2037	82.5 %
.	-	432	17.5 %
Total		2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2883-2884 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT129: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
-	-	432	17.5 %
-1	-1: N/A	2037	82.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2885-2886 (width: 2; decimal: 0)

Variable Type: character

SEX129: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	12: Other relation	432	17.5 %
-1	-1: N/A	2037	82.5 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2887-2888 (width: 2; decimal: 0)

Variable Type: character

AGE129: Age (12)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2037	82.5 %
.	-	432	17.5 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 2889-2890 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAILLOC9: FMP: Location where form filled in

FMP: Location where form filled in

Value	Label	Unweighted Frequency	%
1	1: Clinic/office	25	1.0 %
2	2: Respondent's home with proxy	11	0.4 %
3	3: Clinic/offic with proxy	0	0.0 %
4	4: Telephone	12	0.5 %
5	5: Telephone by proxy	0	0.0 %
	Missing Data		
.	-	2421	98.1 %
	Total	2,469	100%

Based upon 48 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 2891-2892 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTEST9: MAIL: Start using estrogen/progestin since last visit

Did you start using any prescription medications containing estrogen or progestin since the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	35	1.4 %
2	2: Yes	0	0.0 %
Missing Data			
-8	-8: Do not know	1	0.0 %
.	.	2433	98.5 %
Total		2,469	100%

Based upon 35 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2893-2894 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPESTR9: MAIL: Stopped using estrogen/progestin since last visit

Have you stopped taking any prescription medications containing estrogen or progestin since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	36	1.5 %
2	2: Yes	0	0.0 %
Missing Data			
.	.	2433	98.5 %
Total		2,469	100%

Based upon 36 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2895-2896 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SINGVTM9: MAIL: Single vitamin, mostly calcium during past year

During the past year have you used any single vitamin (not part of a multi-vitamin) that is mostly calcium or taken Tums pills?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.3 %

Value	Label	Unweighted Frequency	%
2	2: Yes	28	1.1 %
	Missing Data		
.	-	2433	98.5 %
	Total	2,469	100%

Based upon 36 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2897-2898 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SINGVTN9: MAIL: Single vitamin, times/week

During the past year have you used any single vitamin (not part of a multi-vitamin) that is mostly calcium or taken Tums pills? If yes, how many time per week?

Value	Label	Unweighted Frequency	%
1	1: Do not take any	4	0.2 %
2	2: 1-3 days/week	4	0.2 %
3	3: 4-6 days/week	6	0.2 %
4	4: Every day	14	0.6 %
	Missing Data		
-1	-1: N/A	8	0.3 %
.	-	2433	98.5 %
	Total	2,469	100%

Based upon 28 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2899-2900 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHOVR9: FMP: Both ovaries removed since last visit

Since your last study visit, did you have both ovaries removed (a bilateral oophorectomy)?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		2457	99.5 %
Total		2,469	100%

Based upon 12 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2901-2902 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMSAA9: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Which form/questionnaire completed:

Value	Label	Unweighted Frequency	%
-		60	2.4 %
AFU	-	240	9.7 %
AIN	-	110	4.5 %
MAL	-	36	1.5 %
PAT	-	7	0.3 %
SAA	-	2016	81.7 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 2903-2905 (width: 3; decimal: 0)

Variable Type: character

SAADAY9: Self-Administered Questionnaire Part A: Date Form Completed

Date form completed

Value	Label	Unweighted Frequency	%
3135	-	1	0.0 %
3140	-	1	0.0 %
3144	-	1	0.0 %
3150	-	1	0.0 %
3159	-	1	0.0 %
3169	-	1	0.0 %
3195	-	1	0.0 %
3199	-	1	0.0 %
3201	-	2	0.1 %
3202	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3205	-	2	0.1 %
3206	-	2	0.1 %
3207	-	1	0.0 %
3208	-	1	0.0 %
3209	-	3	0.1 %
3210	-	2	0.1 %
3211	-	1	0.0 %
3212	-	1	0.0 %
3213	-	4	0.2 %
3214	-	4	0.2 %
3215	-	5	0.2 %
3216	-	1	0.0 %
3217	-	2	0.1 %
3219	-	1	0.0 %
3220	-	4	0.2 %
3221	-	1	0.0 %
3222	-	4	0.2 %
3223	-	1	0.0 %
3224	-	2	0.1 %
3225	-	4	0.2 %
3226	-	1	0.0 %
3227	-	7	0.3 %
3228	-	5	0.2 %
3229	-	2	0.1 %
3230	-	5	0.2 %
3231	-	7	0.3 %
3232	-	6	0.2 %
3233	-	9	0.4 %
3234	-	11	0.4 %
3235	-	6	0.2 %
3236	-	10	0.4 %
3237	-	15	0.6 %
3238	-	9	0.4 %
3239	-	12	0.5 %
3240	-	18	0.7 %
3241	-	14	0.6 %
3242	-	10	0.4 %
3243	-	10	0.4 %
3244	-	13	0.5 %

Value	Label	Unweighted Frequency	%
3245	-	16	0.6 %
	Missing Data		
.	-	96	3.9 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,373 valid cases out of 2,469 total cases.

- Mean: 3385.76
- Minimum: 3135.00
- Maximum: 4656.00
- Standard Deviation: 242.38

Location: 2906-2909 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGSAA9: Language of Self-A

Interview language

Value	Label	Unweighted Frequency	%
1	1: English	2115	85.7 %
2	2: Spanish	107	4.3 %
3	3: Cantonese	84	3.4 %
4	4: Japanese	103	4.2 %
	Missing Data		
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,409 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2910-2911 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OVERHLT9: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	1: Excellent	325	13.2 %

Value	Label	Unweighted Frequency	%
2	2: Very good	833	33.7 %
3	3: Good	839	34.0 %
4	4: Fair	342	13.9 %
5	5: Poor	58	2.3 %
Missing Data			
-8	-8: Do not know	3	0.1 %
-7	-7: Refused	9	0.4 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,397 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2912-2913 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOSPSTA9: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	1837	74.4 %
1	-	125	5.1 %
2	-	25	1.0 %
3	-	11	0.4 %
4	-	6	0.2 %
5	-	2	0.1 %
7	-	2	0.1 %
8	-	1	0.0 %
10	-	3	0.1 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,012 valid cases out of 2,469 total cases.

- Mean: 0.15
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.66

Location: 2914-2915 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK9: Number times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	206	8.3 %
1	-	256	10.4 %
2	-	368	14.9 %
3	-	257	10.4 %
4	-	234	9.5 %
5	-	143	5.8 %
6	-	130	5.3 %
7	-	37	1.5 %
8	-	69	2.8 %
9	-	11	0.4 %
10	-	101	4.1 %
11	-	6	0.2 %
12	-	54	2.2 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	21	0.9 %
16	-	5	0.2 %
17	-	4	0.2 %
18	-	5	0.2 %
19	-	1	0.0 %
20	-	34	1.4 %
21	-	2	0.1 %
24	-	8	0.3 %
25	-	7	0.3 %
26	-	2	0.1 %
27	-	1	0.0 %
30	-	12	0.5 %
35	-	4	0.2 %
40	-	5	0.2 %

Value	Label	Unweighted Frequency	%
44	-	1	0.0 %
48	-	1	0.0 %
50	-	7	0.3 %
52	-	2	0.1 %
53	-	1	0.0 %
57	-	1	0.0 %
60	>=60 times	9	0.4 %
Missing Data			
-9	-9: Missing	393	15.9 %
-8	-8: Do not know	1	0.0 %
-7	-7: Refused	5	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,010 valid cases out of 2,469 total cases.

- Mean: 5.24
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.45

Location: 2916-2917 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES9: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1639	66.4 %
1	-	102	4.1 %
2	-	47	1.9 %
3	-	37	1.5 %
4	-	21	0.9 %
5	-	21	0.9 %
6	-	21	0.9 %
7	-	2	0.1 %
8	-	12	0.5 %
9	-	3	0.1 %
10	-	16	0.6 %

Value	Label	Unweighted Frequency	%
12	-	22	0.9 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	7	0.3 %
16	-	2	0.1 %
18	-	1	0.0 %
20	-	19	0.8 %
24	-	2	0.1 %
25	-	7	0.3 %
30	-	7	0.3 %
32	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	2	0.1 %
43	-	1	0.0 %
45	-	1	0.0 %
46	-	3	0.1 %
48	-	1	0.0 %
50	-	2	0.1 %
51	-	1	0.0 %
52	-	4	0.2 %
60	>=60 times	3	0.1 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,013 valid cases out of 2,469 total cases.

- Mean: 1.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.16

Location: 2918-2919 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA9: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	1: No	633	25.6 %
2	2: Yes	1383	56.0 %
	Missing Data		
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2920-2921 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA9: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	1: No	484	19.6 %
2	2: Yes	1532	62.0 %
	Missing Data		
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2922-2923 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA9: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	1: No	606	24.5 %
2	2: Yes	1410	57.1 %
	Missing Data		
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2924-2925 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER9: Health services did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	1: No	1695	68.7 %
2	2: Yes	284	11.5 %
	Missing Data		
-9	-9: Missing	427	17.3 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,979 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2926-2927 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN9: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	1: No	174	7.0 %
2	2: Yes	97	3.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	393	15.9 %
-7	-7: Refused	13	0.5 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2928-2929 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR9: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Cannot afford

Value	Label	Unweighted Frequency	%
1	1: No	165	6.7 %
2	2: Yes	106	4.3 %
	Missing Data		
-9	-9: Missing	393	15.9 %
-7	-7: Refused	13	0.5 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2930-2931 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRANS9: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	1: No	246	10.0 %
2	2: Yes	24	1.0 %
	Missing Data		
-9	-9: Missing	393	15.9 %
-7	-7: Refused	14	0.6 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 270 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2932-2933 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NOPROVI9: No health care provider

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - No health care provider

Value	Label	Unweighted Frequency	%
1	1: No	217	8.8 %
2	2: Yes	54	2.2 %
	Missing Data		
-9	-9: Missing	393	15.9 %
-7	-7: Refused	13	0.5 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2934-2935 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

TOOBUSY9: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	1: No	175	7.1 %
2	2: Yes	100	4.1 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 275 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2936-2937 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

NOTRUST9: Don't trust doctors

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	1: No	248	10.0 %
2	2: Yes	22	0.9 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	14	0.6 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 270 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2938-2939 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

BETTROF9: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	1: No	256	10.4 %
2	2: Yes	15	0.6 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	13	0.5 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 271 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2940-2941 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH9: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other, Specify

Value	Label	Unweighted Frequency	%
1	1: No	177	7.2 %
2	2: Yes	96	3.9 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	11	0.4 %
-1	-1: N/A	1732	70.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 273 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2942-2943 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE9: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	1: No	2094	84.8 %
2	2: Yes	314	12.7 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,408 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2944-2945 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA9: Average cigarettes/day since last visit

If YES to SMOKERE9: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	28	1.1 %
1	-	11	0.4 %
2	-	11	0.4 %
3	-	12	0.5 %
4	-	14	0.6 %
5	-	22	0.9 %
6	-	13	0.5 %
7	-	10	0.4 %
8	-	13	0.5 %
9	-	2	0.1 %
10	-	59	2.4 %
11	-	2	0.1 %
12	-	8	0.3 %
13	-	1	0.0 %
15	-	22	0.9 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	63	2.6 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	4	0.2 %

Value	Label	Unweighted Frequency	%
30	-	9	0.4 %
40	-	2	0.1 %
Missing Data			
-7	-7: Refused	4	0.2 %
-1	-1: N/A	2095	84.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 310 valid cases out of 2,469 total cases.

- Mean: 10.78
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 8.00

Location: 2946-2947 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HHMEMSM9: Household members who smoke

How many members of your household smoke tobacco in the house (at least 1 cigarette, cigar or pipe bowl per day)?

Value	Label	Unweighted Frequency	%
0	-	1676	67.9 %
1	-	266	10.8 %
2	-	47	1.9 %
3	-	18	0.7 %
4	-	1	0.0 %
5	-	1	0.0 %
8	-	1	0.0 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	6	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,010 valid cases out of 2,469 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 8.00
- Standard Deviation: 0.56

Location: 2948-2949 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPD9: Days exposed to smoke in home past week

During the past 7 days, on how many days were you exposed to tobacco smoke inside your home?

Value	Label	Unweighted Frequency	%
0	-	1733	70.2 %
1	-	16	0.6 %
2	-	29	1.2 %
3	-	23	0.9 %
4	-	7	0.3 %
5	-	14	0.6 %
6	-	5	0.2 %
7	-	170	6.9 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	19	0.8 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,997 valid cases out of 2,469 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.03

Location: 2950-2951 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPH9: Hours exposed to smoke in home past week

Over the past 7 days, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	125	5.1 %
1	-	64	2.6 %
2	-	43	1.7 %

Value	Label	Unweighted Frequency	%
3	-	27	1.1 %
4	-	27	1.1 %
5	-	16	0.6 %
6	-	16	0.6 %
7	-	6	0.2 %
8	-	15	0.6 %
9	-	3	0.1 %
10	-	4	0.2 %
11	-	1	0.0 %
12	-	15	0.6 %
13	-	1	0.0 %
15	-	1	0.0 %
16	-	3	0.1 %
18	-	2	0.1 %
24	-	4	0.2 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	1634	66.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 373 valid cases out of 2,469 total cases.

- Mean: 3.06
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.24

Location: 2952-2953 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPD9: Past 7 days, days exposed to smoke - work

During the past 7 days, on how many days were you exposed to tobacco smoke while at work?

Value	Label	Unweighted Frequency	%
0	-	1908	77.3 %
1	-	16	0.6 %
2	-	13	0.5 %

Value	Label	Unweighted Frequency	%
3	-	13	0.5 %
4	-	9	0.4 %
5	-	39	1.6 %
6	-	2	0.1 %
7	-	7	0.3 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	8	0.3 %
-1	-1: N/A	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,007 valid cases out of 2,469 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.91

Location: 2954-2955 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPH9: Hours/day at work exposed to smoke

Over the past 7 days, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	98	4.0 %
1	-	57	2.3 %
2	-	10	0.4 %
3	-	5	0.2 %
4	-	4	0.2 %
5	-	2	0.1 %
6	-	4	0.2 %
7	-	2	0.1 %
8	-	5	0.2 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	-9: Missing	393	15.9 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1824	73.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 190 valid cases out of 2,469 total cases.

- Mean: 1.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.12

Location: 2956-2957 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPE9: Number people smoking when exposed to smoke-work

During the past 7 days, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

Value	Label	Unweighted Frequency	%
0	-	96	3.9 %
1	-	32	1.3 %
2	-	14	0.6 %
3	-	16	0.6 %
4	-	8	0.3 %
5	-	6	0.2 %
6	-	1	0.0 %
7	-	2	0.1 %
8	-	2	0.1 %
12	-	1	0.0 %
20	-	2	0.1 %
30	-	1	0.0 %
50	-	1	0.0 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	1831	74.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 182 valid cases out of 2,469 total cases.

- Mean: 1.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 4.98

Location: 2958-2959 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTEXPH9: Total hours exposed to smoke-other places

During the past 7 days, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

Value	Label	Unweighted Frequency	%
0	-	1482	60.0 %
1	-	242	9.8 %
2	-	115	4.7 %
3	-	47	1.9 %
4	-	37	1.5 %
5	-	20	0.8 %
6	-	15	0.6 %
7	-	6	0.2 %
8	-	11	0.4 %
9	-	2	0.1 %
10	-	11	0.4 %
12	-	6	0.2 %
15	-	3	0.1 %
16	-	1	0.0 %
20	-	3	0.1 %
21	-	1	0.0 %
24	-	2	0.1 %
30	-	1	0.0 %
36	-	1	0.0 %
48	-	2	0.1 %
54	-	1	0.0 %
72	-	1	0.0 %
96	-	1	0.0 %
Missing Data			
-9	-9: Missing	394	16.0 %
-8	-8: Do not know	1	0.0 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,011 valid cases out of 2,469 total cases.

- Mean: 0.92
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 3.99

Location: 2960-2961 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DRNKBEE9: Drink alcoholic beverage since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	1: No	715	29.0 %
2	2: Yes	1539	62.3 %
	Missing Data		
-9	-9: Missing	155	6.3 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,254 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2962-2963 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASBEE9: Average glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or < 1/mo	1059	42.9 %
2	2: 1-3/month	265	10.7 %
3	3: 1/week	71	2.9 %
4	4: 2-4/week	74	3.0 %

Value	Label	Unweighted Frequency	%
5	5: 5-6/week	25	1.0 %
6	6: 1/day	22	0.9 %
7	7: 2-3/day	16	0.6 %
8	8: 4/day	3	0.1 %
9	9: >= 5/day	2	0.1 %
Missing Data			
-9	-9: Missing	153	6.2 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	717	29.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,537 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2964-2965 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASWIN9: Average glasses of wine

How many glasses of wine or wine coolers (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or < 1/mo	638	25.8 %
2	2: 1-3/month	375	15.2 %
3	3: 1/week	126	5.1 %
4	4: 2-4/week	212	8.6 %
5	5: 5-6/week	68	2.8 %
6	6: 1/day	60	2.4 %
7	7: 2-3/day	55	2.2 %
8	8: 4/day	3	0.1 %
9	9: >= 5/day	0	0.0 %
Missing Data			
-9	-9: Missing	153	6.2 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	717	29.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,537 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2966-2967 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

GLASLIQ9: Average glasses of liquor

How many glasses of liquor or mixed drinks (a medium serving is one shot), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or < 1/mo	1033	41.8 %
2	2: 1-3/month	332	13.4 %
3	3: 1/week	60	2.4 %
4	4: 2-4/week	75	3.0 %
5	5: 5-6/week	16	0.6 %
6	6: 1/day	9	0.4 %
7	7: 2-3/day	9	0.4 %
8	8: 4/day	2	0.1 %
9	9: >= 5/day	0	0.0 %
Missing Data			
-9	-9: Missing	153	6.2 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	717	29.0 %
-	-	60	2.4 %
Total		2,469	100%

Based upon 1,536 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2968-2969 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS9: Hot flashes past 2 weeks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1199	48.6 %
2	2: 1-5 Days	694	28.1 %
3	3: 6-8 Days	118	4.8 %

Value	Label	Unweighted Frequency	%
4	4: 9-13 Days	82	3.3 %
5	5: Every Day	311	12.6 %
	Missing Data		
-9	-9: Missing	5	0.2 %
.	.	60	2.4 %
	Total	2,469	100%

Based upon 2,404 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2970-2971 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMHOTF9: Hot flashes/flushes times/day

On the days that you have hot flashes or flushes, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
1.0	-	320	13.0 %
2.0	-	303	12.3 %
2.5	-	1	0.0 %
3.0	-	178	7.2 %
4.0	-	87	3.5 %
5.0	-	64	2.6 %
6.0	-	34	1.4 %
7.0	-	10	0.4 %
8.0	-	13	0.5 %
9.0	-	1	0.0 %
10.0	-	25	1.0 %
12.0	-	5	0.2 %
13.0	-	1	0.0 %
15.0	-	5	0.2 %
18.0	-	1	0.0 %
20.0	-	5	0.2 %
30.0	-	2	0.1 %
200.0	-	1	0.0 %
	Missing Data		
-9.0	-9: Missing	357	14.5 %

Value	Label	Unweighted Frequency	%
-8.0	-8: Do not know	1	0.0 %
-7.0	-7: Refused	6	0.2 %
-1.0	-1: N/A	988	40.0 %
.	.	60	2.4 %
Total		2,469	100%

Based upon 1,057 valid cases out of 2,469 total cases.

- Mean: 3.12
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 6.68

Location: 2972-2976 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTHOTF9: Bothered by hot flashes

How much are you usually bothered by hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	1: Not At All	102	4.1 %
2	2: Very Little	497	20.1 %
3	3: Moderately	364	14.7 %
4	4: A lot	95	3.8 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	6	0.2 %
-1	-1: N/A	988	40.0 %
.	.	60	2.4 %
Total		2,469	100%

Based upon 1,058 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2977-2978 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE9: Cold sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	2040	82.6 %
2	2: 1-5 Days	166	6.7 %
3	3: 6-8 Days	18	0.7 %
4	4: 9-13 Days	11	0.4 %
5	5: Every Day	55	2.2 %
Missing Data			
-9	-9: Missing	119	4.8 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,290 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2979-2980 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMCLDS9: Cold sweats times/day

On the days that you have cold sweats, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
1.0	-	92	3.7 %
2.0	-	59	2.4 %
2.5	-	2	0.1 %
3.0	-	19	0.8 %
4.0	-	10	0.4 %
5.0	-	8	0.3 %
6.0	-	6	0.2 %
10.0	-	1	0.0 %
18.0	-	1	0.0 %
20.0	-	1	0.0 %
Missing Data			
-9.0	-9: Missing	357	14.5 %
-8.0	-8: Do not know	1	0.0 %
-7.0	-7: Refused	2	0.1 %
-1.0	-1: N/A	1850	74.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 199 valid cases out of 2,469 total cases.

- Mean: 2.19
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.20

Location: 2981-2984 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTCLDS9: Bothered by cold sweats

How much are you usually bothered by cold sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	12	0.5 %
2	2: Very Little	91	3.7 %
3	3: Moderately	78	3.2 %
4	4: A lot	21	0.9 %
Missing Data			
-9	-9: Missing	357	14.5 %
-1	-1: N/A	1850	74.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 202 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2985-2986 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE9: Night sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1478	59.9 %
2	2: 1-5 Days	596	24.1 %
3	3: 6-8 Days	89	3.6 %
4	4: 9-13 Days	69	2.8 %
5	5: Every Day	172	7.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	-9: Missing	5	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,404 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2987-2988 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMNITS9: Night sweats times/night

On the days that you have night sweats, how many times each night do you usually have them?

Value	Label	Unweighted Frequency	%
1.0	-	431	17.5 %
1.5	-	3	0.1 %
2.0	-	210	8.5 %
2.5	-	1	0.0 %
3.0	-	86	3.5 %
4.0	-	22	0.9 %
5.0	-	11	0.4 %
6.0	-	6	0.2 %
7.0	-	4	0.2 %
10.0	-	2	0.1 %
12.0	-	1	0.0 %
200.0	-	1	0.0 %
Missing Data			
-9.0	-9: Missing	357	14.5 %
-8.0	-8: Do not know	2	0.1 %
-7.0	-7: Refused	6	0.2 %
-1.0	-1: N/A	1266	51.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 778 valid cases out of 2,469 total cases.

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 200.00
- Standard Deviation: 7.20

Location: 2989-2993 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTNITS9: Bothered by night sweats

How much are you usually bothered by night sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	54	2.2 %
2	2: Very Little	342	13.9 %
3	3: Moderately	298	12.1 %
4	4: A lot	86	3.5 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	6	0.2 %
-1	-1: N/A	1266	51.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 780 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2994-2995 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF9: Stiffness/soreness past 2 weeks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	1: Not At All	631	25.6 %
2	2: 1-5 Days	854	34.6 %
3	3: 6-8 Days	202	8.2 %
4	4: 9-13 Days	117	4.7 %
5	5: Every Day	598	24.2 %
Missing Data			
-9	-9: Missing	6	0.2 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 2,402 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2996-2997 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTSTIF9: Bothered by stiffness

How much are you usually bothered by stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	1: Not At All	41	1.7 %
2	2: Very Little	570	23.1 %
3	3: Moderately	673	27.3 %
4	4: A lot	219	8.9 %
	Missing Data		
-9	-9: Missing	357	14.5 %
-7	-7: Refused	5	0.2 %
-1	-1: N/A	544	22.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,503 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2998-2999 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB9: Irritability past 2 weeks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1053	42.6 %
2	2: 1-5 Days	1124	45.5 %
3	3: 6-8 Days	115	4.7 %
4	4: 9-13 Days	46	1.9 %
5	5: Every Day	65	2.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	6	0.2 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,403 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3000-3001 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTIRRT9: Bothered by irritability

How much are you usually bothered by irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	70	2.8 %
2	2: Very Little	649	26.3 %
3	3: Moderately	384	15.6 %
4	4: A lot	68	2.8 %
	Missing Data		
-9	-9: Missing	357	14.5 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	878	35.6 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,171 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3002-3003 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS9: Tense/nervous past 2 weeks

Thinking back over the past two weeks, how often have you felt: Tense or nervous?

Value	Label	Unweighted Frequency	%
1	1: Not At All	971	39.3 %
2	2: 1-5 Days	1027	41.6 %

Value	Label	Unweighted Frequency	%
3	3: 6-8 Days	146	5.9 %
4	4: 9-13 Days	61	2.5 %
5	5: Every Day	81	3.3 %
Missing Data			
-9	-9: Missing	123	5.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,286 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3004-3005 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTNERV9: Bothered by tenseness

How much are you usually bothered by feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	1: Not At All	53	2.1 %
2	2: Very Little	600	24.3 %
3	3: Moderately	443	17.9 %
4	4: A lot	88	3.6 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	865	35.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,184 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3006-3007 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACHES9: Back aches/pains past 2 weeks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	1: Not At All	817	33.1 %
2	2: 1-5 Days	900	36.5 %
3	3: 6-8 Days	159	6.4 %
4	4: 9-13 Days	80	3.2 %
5	5: Every Day	333	13.5 %
Missing Data			
-9	-9: Missing	117	4.7 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,289 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3008-3009 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR9: Vaginal dryness past 2 weeks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1629	66.0 %
2	2: 1-5 Days	407	16.5 %
3	3: 6-8 Days	84	3.4 %
4	4: 9-13 Days	46	1.9 %
5	5: Every Day	238	9.6 %
Missing Data			
-7	-7: Refused	5	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,404 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3010-3011 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU9: Feeling blue past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1209	49.0 %
2	2: 1-5 Days	930	37.7 %
3	3: 6-8 Days	135	5.5 %
4	4: 9-13 Days	73	3.0 %
5	5: Every Day	61	2.5 %
Missing Data			
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,408 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3012-3013 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY9: Dizzy spells past 2 weeks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1834	74.3 %
2	2: 1-5 Days	393	15.9 %
3	3: 6-8 Days	32	1.3 %
4	4: 9-13 Days	14	0.6 %
5	5: Every Day	17	0.7 %
Missing Data			
-9	-9: Missing	118	4.8 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,290 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3014-3015 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET9: Forgetfulness past 2 weeks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	761	30.8 %
2	2: 1-5 Days	1023	41.4 %
3	3: 6-8 Days	232	9.4 %
4	4: 9-13 Days	88	3.6 %
5	5: Every Day	187	7.6 %
Missing Data			
-9	-9: Missing	117	4.7 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,291 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3016-3017 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG9: Freq mood changes past 2 weeks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1549	62.7 %
2	2: 1-5 Days	689	27.9 %
3	3: 6-8 Days	89	3.6 %
4	4: 9-13 Days	44	1.8 %
5	5: Every Day	34	1.4 %
Missing Data			
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,405 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3018-3019 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC9: Heart pounding/racing past 2 weeks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1685	68.2 %
2	2: 1-5 Days	490	19.8 %
3	3: 6-8 Days	63	2.6 %
4	4: 9-13 Days	27	1.1 %
5	5: Every Day	23	0.9 %
Missing Data			
-9	-9: Missing	119	4.8 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,288 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3020-3021 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA9: Feeling fearful past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1965	79.6 %
2	2: 1-5 Days	260	10.5 %
3	3: 6-8 Days	32	1.3 %
4	4: 9-13 Days	18	0.7 %
5	5: Every Day	15	0.6 %
Missing Data			
-9	-9: Missing	117	4.7 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,290 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3022-3023 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE9: Headaches past 2 weeks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1148	46.5 %
2	2: 1-5 Days	943	38.2 %
3	3: 6-8 Days	117	4.7 %
4	4: 9-13 Days	51	2.1 %
5	5: Every Day	30	1.2 %
Missing Data			
-9	-9: Missing	118	4.8 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,289 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3024-3025 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTPAI9: Breast pain/tenderness past 2 weeks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1922	77.8 %
2	2: 1-5 Days	294	11.9 %
3	3: 6-8 Days	41	1.7 %
4	4: 9-13 Days	23	0.9 %
5	5: Every Day	11	0.4 %
Missing Data			
-9	-9: Missing	117	4.7 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 2,291 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3026-3027 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGIRRT9: Vaginal irritation/itching past 2 weeks

Thinking back over the past two weeks, how often have you had: Vaginal irritation/itching?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1688	68.4 %
2	2: 1-5 Days	293	11.9 %
3	3: 6-8 Days	36	1.5 %
4	4: 9-13 Days	22	0.9 %
5	5: Every Day	11	0.4 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3028-3029 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGDISH9: Vaginal discharge past 2 weeks

Thinking back over the past two weeks, how often have you had: Vaginal discharge?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1783	72.2 %
2	2: 1-5 Days	198	8.0 %
3	3: 6-8 Days	26	1.1 %
4	4: 9-13 Days	17	0.7 %
5	5: Every Day	26	1.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	357	14.5 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3030-3031 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGSORE9: Vaginal soreness/pain past 2 weeks

Thinking back over the past two weeks, how often have you had: Vaginal soreness/pain?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1929	78.1 %
2	2: 1-5 Days	105	4.3 %
3	3: 6-8 Days	7	0.3 %
4	4: 9-13 Days	3	0.1 %
5	5: Every Day	6	0.2 %
	Missing Data		
-9	-9: Missing	357	14.5 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3032-3033 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE9: Trouble falling asleep past 2 weeks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	1: No, Not In The Past 2 Weeks	1033	41.8 %

Value	Label	Unweighted Frequency	%
2	2: Yes, < Once A Week	366	14.8 %
3	3: Yes, 1-2 Times/Week	340	13.8 %
4	4: Yes, 3-4 Times/Week	157	6.4 %
5	5: Yes, 5 or More Times/Week	154	6.2 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3034-3035 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WAKEUP9: Wake up several times/night past 2 weeks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	1: No, Not In The Past 2 Weeks	469	19.0 %
2	2: Yes, < Once A Week	355	14.4 %
3	3: Yes, 1-2 Times/Week	418	16.9 %
4	4: Yes, 3-4 Times/Week	310	12.6 %
5	5: Yes, 5 or More Times/Week	497	20.1 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,049 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3036-3037 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WAKEARL9: Wake up early past 2 weeks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	1: No, Not In The Past 2 Weeks	936	37.9 %
2	2: Yes, < Once A Week	404	16.4 %
3	3: Yes, 1-2 Times/Week	373	15.1 %
4	4: Yes, 3-4 Times/Week	178	7.2 %
5	5: Yes, 5 or More Times/Week	159	6.4 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3038-3039 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL9: Sleep quality overall past month

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	1: Very good	440	17.8 %
2	2: Fairly good	1103	44.7 %
3	3: Fairly bad	379	15.4 %
4	4: Very bad	94	3.8 %
Missing Data			
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3040-3041 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKEVER9: Involuntary leakage ever

Have you ever leaked urine, even a very small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	1: No	566	22.9 %
2	2: Yes	1444	58.5 %
Missing Data			
-9	-9: Missing	399	16.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,010 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3042-3043 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDISC9: Ever discuss leakage with health care professional

Have you ever discussed your urine leakage with a doctor, nurse or other health care professional?

Value	Label	Unweighted Frequency	%
1	1: No	948	38.4 %
2	2: Yes	484	19.6 %
Missing Data			
-9	-9: Missing	405	16.4 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	571	23.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,432 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3044-3045 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOTBAD9: Not discuss: Problem not bad enough

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My problem is not bad enough to discuss it with a doctor, nurse or health care professional

Value	Label	Unweighted Frequency	%
1	1: No	130	5.3 %
2	2: Yes	823	33.3 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 953 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3046-3047 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOEFTX9: Not discuss: Think no effective treatment

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I don't think there are any effective treatments for my leaking problem

Value	Label	Unweighted Frequency	%
1	1: No	731	29.6 %
2	2: Yes	215	8.7 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 946 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3048-3049 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMOLD9: Not discuss: Normal part of getting old

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is a normal part of getting older

Value	Label	Unweighted Frequency	%
1	1: No	411	16.6 %
2	2: Yes	536	21.7 %
Missing Data			
-9	-9: Missing	394	16.0 %
-7	-7: Refused	8	0.3 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 947 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3050-3051 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMCHD9: Not discuss: Normal after having children

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is normal after having children

Value	Label	Unweighted Frequency	%
1	1: No	657	26.6 %
2	2: Yes	282	11.4 %
Missing Data			
-9	-9: Missing	394	16.0 %
-7	-7: Refused	16	0.6 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 939 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3052-3053 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LWYSURG9: Not discuss: Worried will need surgery

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am worried that I will be told I need surgery

Value	Label	Unweighted Frequency	%
1	1: No	902	36.5 %
2	2: Yes	46	1.9 %
Missing Data			
-9	-9: Missing	394	16.0 %
-7	-7: Refused	7	0.3 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 948 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3054-3055 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEMBARR9: Not discuss: Too embarrassed to bring up

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am too embarrassed about my leaking problem to bring it up at a visit with my doctor/nurse/other health care professional

Value	Label	Unweighted Frequency	%
1	1: No	860	34.8 %
2	2: Yes	88	3.6 %
Missing Data			
-9	-9: Missing	394	16.0 %
-7	-7: Refused	7	0.3 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 948 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3056-3057 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LDRNASK9: Not discuss: Health care provider never asked

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My doctor/nurse/health care professional has never asked me about my leaking problem

Value	Label	Unweighted Frequency	%
1	1: No	427	17.3 %
2	2: Yes	521	21.1 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-7	-7: Refused	7	0.3 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 948 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3058-3059 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LTXMYSF9: Not discuss: Can treat myself

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I can or have treated my leaking problem by myself

Value	Label	Unweighted Frequency	%
1	1: No	639	25.9 %
2	2: Yes	305	12.4 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-7	-7: Refused	11	0.4 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 944 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3060-3061 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKOR9: Not discuss: Other reason

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional?

Value	Label	Unweighted Frequency	%
1	1: No	775	31.4 %
2	2: Yes	169	6.8 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-7	-7: Refused	11	0.4 %
-1	-1: N/A	1060	42.9 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 944 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3062-3063 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKORS9: Not discuss: Other specify

If NO to LEKDISC9: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional? - Please list (Specify)

Value	Label	Unweighted Frequency	%
	-	49	2.0 %
-1	-1: N/A	2055	83.2 %
-7	-7: Refused	5	0.2 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	196	7.9 %
1 OCCURRENCE WHILE SNEEZING, WAS NOT CONCERNED	-	1	0.0 %
AFTER I USE THE BATHROOM I STAND UP LEAK A LITTLE	-	1	0.0 %
ALWAYS LOW ON THE LIST OF PROBLEMS WHEN SEEING DOCTOR.	-	1	0.0 %
ASSUMED REASON -	-	1	0.0 %

Value	Label	Unweighted Frequency	%
UNCONTROLLED BLOOD SUGARS			
BECAUSE I WAITED TO LONG (HELD MY URINE)	-	1	0.0 %
BECAUSE IT ONLY HAPPENED ONCE OR TWICE	-	1	0.0 %
BELIEVES THAT LEAKING URINE IS A NORMAL PART OF GETTING OLDE	-	1	0.0 %
CANNOT AFFORD	-	1	0.0 %
CONSIDER THIS PROB-HAVE AS A MUSCLE CONTROL ISSUE	-	1	0.0 %
COUGHING WAS THE PROBLEM PF HOLDING TOO LONG	-	1	0.0 %
COULDN'T MAKE IT TO BATHROOM IN TIME	-	1	0.0 %
DIDN'T THINK ABOUT IT.	-	1	0.0 %
DIDN'T THINK OF IT AT THE TIME	-	1	0.0 %
DIDN'T THINK OF IT AT THE TIME. ? TOLD UTERUS TILTED MAY BET	-	1	0.0 %
DO NOT BELEAVE ANY OTHER TREATMENT EXCEPT SURGERY	-	1	0.0 %
DO NOT HAVE SUFFICIENT EXPERIENCE AT THIS POINT.	-	1	0.0 %
DOES NOT BOTHER ME	-	1	0.0 %
DOES NOT HAPPEN OFTEN	-	1	0.0 %
DOES NOT HAPPEN OFTEN ENOUGH TO BE CONSIDERED A PROBLEM.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DOES NOT HAPPEN THAT OFTEN, USUALLY- ONLY WITH A BAD COUGH	-	1	0.0 %
DOES NOT TRUST DR'S OPINION/ADVICE	-	1	0.0 %
DOESN'T HAPPEN TO OFTEN.	-	1	0.0 %
DOESN'T HAPPEN TOO OFTEN	-	1	0.0 %
DOESNT HAPPEN ON REGULAR BASIS - WHEN I HAVE COLD OR SNEEZE	-	1	0.0 %
DON'T REMBER BY THE TIME OF MY APPOINTMENT	-	1	0.0 %
DON'T TAKE MEDS	-	1	0.0 %
DON'T THINK IT IS THAT BAD YET	-	1	0.0 %
DON'T THINK IT'S IMPORTANT ENOUGH	-	1	0.0 %
DOSEN'T HAPPEN THAT MUCH FOR ME TO BE CONCERN	-	1	0.0 %
DR. DOESN'T TAKE TIME TO TALK TO YOU, BUT QUICK TO GIVE RX	-	1	0.0 %
DUE TO OBESITY. IF I LOST WEIGHT, I WOULD NOT HAVE LEAKING.	-	1	0.0 %
DUE TO WHEN I'M COUGHING	-	1	0.0 %
FEELS MEDICATIONS IS THE PROBLEM	-	1	0.0 %
FORGET TO	-	1	0.0 %
FORGET TO MENTION AS PART OF EXAM	-	1	0.0 %
FORGET TO MENTION IT	-	2	0.1 %

Value	Label	Unweighted Frequency	%
FORGET TO MENTION IT WHILE AT DOCTOR	-	1	0.0 %
FORGET TO MENTION IT.	-	1	0.0 %
FORGOT AT TIME OF APPOINTMENT	-	1	0.0 %
FORGOT TO ASK DR. BEFORE, I AM GOING TO ASK DR. THIS TIME.	-	1	0.0 %
FORGOT TO ASK TO DR	-	1	0.0 %
FORGOT TO MENTION	-	1	0.0 %
FORGOT TO SPEAK TO THE DR. ABOUT THE PROBLEM	-	1	0.0 %
FOROGOT	-	1	0.0 %
HAPPEN ONLY WHEN I COUGH	-	1	0.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 3064-3123 (width: 60; decimal: 0)

Variable Type: character

RXTRMLK9: Health care professional recommended leakage treatment

Did a doctor, nurse or other health care professional recommend or prescribe any treatment for your urine leakage?

Value	Label	Unweighted Frequency	%
1	1: No	182	7.4 %
2	2: Yes	305	12.4 %
Missing Data			
-9	-9: Missing	401	16.2 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	1518	61.5 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 487 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3124-3125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

LRXMED9: Leakage treatment recommended: Medication

If YES to RXTRMLK9: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Medication

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	204	8.3 %
1	1: Recommended, but have not tried treatment	27	1.1 %
2	2: Recommended, but not satisfied with treatment	21	0.9 %
3	3: Recommended, somewhat satisfied with treatment	26	1.1 %
4	4: Recommended, very satisfied with treatment	18	0.7 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	1711	69.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 296 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3126-3127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

LRXKEGL9: Leakage treatment recommended: Kegel or pelvic exercises

If YES to RXTRMLK9: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Kegels or pelvic muscle exercises

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	64	2.6 %
1	1: Recommended, but have not tried treatment	37	1.5 %
2	2: Recommended, but not satisfied with treatment	72	2.9 %
3	3: Recommended, somewhat satisfied with treatment	96	3.9 %
4	4: Recommended, very satisfied with treatment	31	1.3 %
Missing Data			
-9	-9: Missing	393	15.9 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	5	0.2 %
-1	-1: N/A	1711	69.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 300 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3128-3129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXBIOF9: Leakage treatment recommended: Biofeedback or electrical stimulation

If YES to RXTRMLK9: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Biofeedback or electrical stimulation

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	275	11.1 %
1	1: Recommended, but have not tried treatment	11	0.4 %
2	2: Recommended, but not satisfied with treatment	4	0.2 %
3	3: Recommended, somewhat satisfied with treatment	4	0.2 %
4	4: Recommended, very satisfied with treatment	1	0.0 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	1711	69.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 295 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3130-3131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXUMOR9: Leakage treatment recommended: Urinate more often

If YES to RXTRMLK9: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Urinate more often or urinate on a schedule

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	226	9.2 %
1	1: Recommended, but have not tried treatment	5	0.2 %
2	2: Recommended, but not satisfied with treatment	13	0.5 %
3	3: Recommended, somewhat satisfied with treatment	46	1.9 %
4	4: Recommended, very satisfied with treatment	7	0.3 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	8	0.3 %
-1	-1: N/A	1711	69.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 297 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3132-3133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXLIMT9: Leakage treatment recommended: Limit fluid intake

If YES to RXTRMLK9: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Limit fluid intake

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	246	10.0 %
1	1: Recommended, but have not tried treatment	6	0.2 %
2	2: Recommended, but not satisfied with treatment	18	0.7 %
3	3: Recommended, somewhat satisfied with treatment	22	0.9 %
4	4: Recommended, very satisfied with treatment	3	0.1 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	1711	69.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 295 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3134-3135 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXSURG9: Leakage treatment recommended: Surgery

If YES to RXTRMLK9: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Surgery

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	233	9.4 %
1	1: Recommended, but have not tried treatment	31	1.3 %
2	2: Recommended, but not satisfied with treatment	4	0.2 %
3	3: Recommended, somewhat satisfied with treatment	4	0.2 %
4	4: Recommended, very satisfied with treatment	22	0.9 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	11	0.4 %
-1	-1: N/A	1711	69.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 294 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3136-3137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXOTH9: Leakage treatment recommended: Other treatments

If YES to RXTRMLK9: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Any other treatments

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	270	10.9 %
1	1: Recommended, but have not tried treatment	9	0.4 %
2	2: Recommended, but not satisfied with treatment	2	0.1 %
3	3: Recommended, somewhat satisfied with treatment	2	0.1 %
4	4: Recommended, very satisfied with treatment	2	0.1 %
Missing Data			
-9	-9: Missing	395	16.0 %
-7	-7: Refused	18	0.7 %
-1	-1: N/A	1711	69.3 %
.	-	60	2.4 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 285 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3138-3139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKINO9: Involuntary leakage since last study visit

Since your last study visit, have you leaked, even a very small amount, of urine involuntarily or beyond your control?

Value	Label	Unweighted Frequency	%
1	1: No	157	6.4 %
2	2: Yes	1310	53.1 %
	Missing Data		
-9	-9: Missing	134	5.4 %
-1	-1: N/A	568	23.0 %
.	-	300	12.2 %
	Total	2,469	100%

Based upon 1,467 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3140-3141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDAY9: Days leaked urine in last month

In the last month, about how many days have you lost any urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	1: Never	131	5.3 %
2	2: Less Than 1 Day/Week	710	28.8 %
3	3: Several Days/Week	282	11.4 %
4	4: Almost Daily/Daily	149	6.0 %
	Missing Data		
-9	-9: Missing	411	16.6 %
-1	-1: N/A	726	29.4 %
.	-	60	2.4 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 1,272 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3142-3143 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKCOUG9: Leak urine due to cough, laugh, etc. in last month

In the last month, have you lost any urine, even a small amount, beyond your control when you are coughing, laughing, sneezing, jogging, picking up an object from the floor or similar type of activity?

Value	Label	Unweighted Frequency	%
1	1: No	268	10.9 %
2	2: Yes	876	35.5 %
	Missing Data		
-9	-9: Missing	399	16.2 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	865	35.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,144 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3144-3145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGLWK9: Times/week leak due to cough, laugh, etc.

If YES to LEKCOUG9: About how many time per week have you lost any urine under these circumstances?

Value	Label	Unweighted Frequency	%
1	1: LT Once/Week	492	19.9 %
2	2: One-Several Times/Week	288	11.7 %
3	3: Almost Daily/Daily	96	3.9 %
	Missing Data		
-9	-9: Missing	393	15.9 %
-7	-7: Refused	5	0.2 %

Value	Label	Unweighted Frequency	%
-1	-1: N/A	1135	46.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 876 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3146-3147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKURGE9: Leak urine due to urge to void & too slow in last month

In the last month, have you lost any urine, even a small amount, beyond your control when you have the urge to urinate and can't get to the toilet fast enough?

Value	Label	Unweighted Frequency	%
1	1: No	382	15.5 %
2	2: Yes	763	30.9 %
	Missing Data		
-9	-9: Missing	397	16.1 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	865	35.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,145 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3148-3149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGELWK9: Times/week leak due to urge to void

If YES to LEKURGE9: About how many times per week have you lost any urine under this circumstance?

Value	Label	Unweighted Frequency	%
1	1: LT Once/Week	392	15.9 %
2	2: One-Several Times/Week	293	11.9 %
3	3: Almost Daily/Daily	86	3.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	-9: Missing	393	15.9 %
-1	-1: N/A	1245	50.4 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 771 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3150-3151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKAMNT9: Amount leaked

How much urine do you lose when you leak?

Value	Label	Unweighted Frequency	%
1	1: A Drop Or Two	662	26.8 %
2	2: Enough to Change Underwear/Wear Liner	430	17.4 %
3	3: Enough to Wet Outer Clothing	37	1.5 %
4	4: Enough to Wet Floor	8	0.3 %
	Missing Data		
-9	-9: Missing	395	16.0 %
-7	-7: Refused	12	0.5 %
-1	-1: N/A	865	35.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,137 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3152-3153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKBOTH9: Bothered by leakage

On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you?

Value	Label	Unweighted Frequency	%
0	-	71	2.9 %

Value	Label	Unweighted Frequency	%
1	-	148	6.0 %
2	-	140	5.7 %
3	-	160	6.5 %
4	-	111	4.5 %
5	-	213	8.6 %
6	-	68	2.8 %
7	-	56	2.3 %
8	-	48	1.9 %
9	-	40	1.6 %
10	-	83	3.4 %
Missing Data			
-9	-9: Missing	394	16.0 %
-7	-7: Refused	11	0.4 %
-1	-1: N/A	866	35.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,138 valid cases out of 2,469 total cases.

- Mean: 4.21
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.80

Location: 3154-3155 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STARTNE9: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1657	67.1 %
2	2: Yes, Not At All Upsetting	220	8.9 %
3	3: Yes, Somewhat Upsetting	137	5.5 %
4	4: Yes, Very Upsetting	24	1.0 %
5	5: Yes, Very Upsetting & Still Upsetting	13	0.5 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,051 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3156-3157 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WORKTRB9: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1582	64.1 %
2	2: Yes, Not At All Upsetting	66	2.7 %
3	3: Yes, Somewhat Upsetting	332	13.4 %
4	4: Yes, Very Upsetting	126	5.1 %
5	5: Yes, Very Upsetting & Still Upsetting	59	2.4 %
Missing Data			
-9	-9 : Missing	241	9.8 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,165 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3158-3159 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

QUITJOB9: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1884	76.3 %
2	2: Yes, Not At All Upsetting	46	1.9 %

Value	Label	Unweighted Frequency	%
3	3: Yes, Somewhat Upsetting	60	2.4 %
4	4: Yes, Very Upsetting	31	1.3 %
5	5: Yes, Very Upsetting & Still Upsetting	27	1.1 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,048 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3160-3161 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOAD9: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1511	61.2 %
2	2: Yes, Not At All Upsetting	193	7.8 %
3	3: Yes, Somewhat Upsetting	265	10.7 %
4	4: Yes, Very Upsetting	54	2.2 %
5	5: Yes, Very Upsetting & Still Upsetting	27	1.1 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3162-3163 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM9: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1936	78.4 %
2	2: Yes, Not At All Upsetting	27	1.1 %
3	3: Yes, Somewhat Upsetting	47	1.9 %
4	4: Yes, Very Upsetting	22	0.9 %
5	5: Yes, Very Upsetting & Still Upsetting	16	0.6 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,048 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3164-3165 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR9: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1640	66.4 %
2	2: Yes, Not At All Upsetting	72	2.9 %
3	3: Yes, Somewhat Upsetting	263	10.7 %
4	4: Yes, Very Upsetting	96	3.9 %
5	5: Yes, Very Upsetting & Still Upsetting	94	3.8 %
Missing Data			
-9	-9 : Missing	240	9.7 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,165 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3166-3167 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL9: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1849	74.9 %
2	2: Yes, Not At All Upsetting	32	1.3 %
3	3: Yes, Somewhat Upsetting	87	3.5 %
4	4: Yes, Very Upsetting	42	1.7 %
5	5: Yes, Very Upsetting & Still Upsetting	36	1.5 %
Missing Data			
-9	-9 : Missing	358	14.5 %
-7	-7: Refused	5	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,046 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3168-3169 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN9: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1956	79.2 %
2	2: Yes, Not At All Upsetting	20	0.8 %
3	3: Yes, Somewhat Upsetting	28	1.1 %
4	4: Yes, Very Upsetting	14	0.6 %
5	5: Yes, Very Upsetting & Still Upsetting	26	1.1 %
Missing Data			
-9	-9 : Missing	359	14.5 %
-7	-7: Refused	6	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,044 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3170-3171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO9: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1599	64.8 %
2	2: Yes, Not At All Upsetting	46	1.9 %
3	3: Yes, Somewhat Upsetting	230	9.3 %
4	4: Yes, Very Upsetting	167	6.8 %
5	5: Yes, Very Upsetting & Still Upsetting	122	4.9 %
Missing Data			
-9	-9 : Missing	240	9.7 %
-7	-7: Refused	5	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,164 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3172-3173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO9: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1668	67.6 %
2	2: Yes, Not At All Upsetting	185	7.5 %
3	3: Yes, Somewhat Upsetting	141	5.7 %
4	4: Yes, Very Upsetting	29	1.2 %
5	5: Yes, Very Upsetting & Still Upsetting	25	1.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,048 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3174-3175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR9: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1701	68.9 %
2	2: Yes, Not At All Upsetting	142	5.8 %
3	3: Yes, Somewhat Upsetting	134	5.4 %
4	4: Yes, Very Upsetting	41	1.7 %
5	5: Yes, Very Upsetting & Still Upsetting	31	1.3 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,049 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3176-3177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR9: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1807	73.2 %
2	2: Yes, Not At All Upsetting	30	1.2 %
3	3: Yes, Somewhat Upsetting	111	4.5 %
4	4: Yes, Very Upsetting	57	2.3 %
5	5: Yes, Very Upsetting & Still Upsetting	43	1.7 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,048 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3178-3179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE9: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1915	77.6 %
2	2: Yes, Not At All Upsetting	20	0.8 %
3	3: Yes, Somewhat Upsetting	90	3.6 %
4	4: Yes, Very Upsetting	68	2.8 %
5	5: Yes, Very Upsetting & Still Upsetting	73	3.0 %
Missing Data			
-9	-9 : Missing	240	9.7 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,166 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3180-3181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE9: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/partner, child or parent died? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1647	66.7 %
2	2: Yes, Not At All Upsetting	70	2.8 %
3	3: Yes, Somewhat Upsetting	256	10.4 %
4	4: Yes, Very Upsetting	119	4.8 %
5	5: Yes, Very Upsetting & Still Upsetting	69	2.8 %
Missing Data			
-9	-9 : Missing	240	9.7 %
-7	-7: Refused	8	0.3 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,161 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3182-3183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO9: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1968	79.7 %
2	2: Yes, Not At All Upsetting	3	0.1 %
3	3: Yes, Somewhat Upsetting	40	1.6 %
4	4: Yes, Very Upsetting	23	0.9 %
5	5: Yes, Very Upsetting & Still Upsetting	15	0.6 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,049 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3184-3185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMILVIO9: Violent event to other family member upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1935	78.4 %
2	2: Yes, Not At All Upsetting	6	0.2 %
3	3: Yes, Somewhat Upsetting	42	1.7 %
4	4: Yes, Very Upsetting	37	1.5 %
5	5: Yes, Very Upsetting & Still Upsetting	29	1.2 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,049 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3186-3187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL9: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1534	62.1 %
2	2: Yes, Not At All Upsetting	38	1.5 %
3	3: Yes, Somewhat Upsetting	229	9.3 %
4	4: Yes, Very Upsetting	134	5.4 %
5	5: Yes, Very Upsetting & Still Upsetting	113	4.6 %
Missing Data			
-9	-9 : Missing	357	14.5 %
-7	-7: Refused	4	0.2 %

Value	Label	Unweighted Frequency	%
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,048 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3188-3189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN9: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above? If you have, indicate how upsetting it was.

Value	Label	Unweighted Frequency	%
1	1: No	1875	75.9 %
2	2: Yes, Not At All Upsetting	24	1.0 %
3	3: Yes, Somewhat Upsetting	106	4.3 %
4	4: Yes, Very Upsetting	65	2.6 %
5	5: Yes, Very Upsetting & Still Upsetting	78	3.2 %
Missing Data			
-9	-9 : Missing	244	9.9 %
-7	-7: Refused	17	0.7 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,148 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3190-3191 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CARING9: Time spent past year caring for child

During the past year (in the last 12 months), how much time did you spend on average: Caring for a child or children 5 years of age or less, a disabled child or an elderly person? Only count time actually spent doing physical activities like feeding, dressing, moving, playing, or bathing. (If child turned 6 less than 6 months ago, consider him/her age 5 for the whole year.)

Value	Label	Unweighted Frequency	%
1	1: None Or Less Than 1 Hour/Week	1524	61.7 %

Value	Label	Unweighted Frequency	%
2	2: At Least 1 hour But < 20 Hours/Week	311	12.6 %
3	3: 20 Hours Or More/Week	171	6.9 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-7	-7: Refused	9	0.4 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,006 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3192-3193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEALS9: Time spent past year preparing meals

During the past year (in the last 12 months), how much time did you spend preparing meals or cleaning up from meals?

Value	Label	Unweighted Frequency	%
1	1: 1 Hour Or Less Per Day	752	30.5 %
2	2: Between 1 And 2 Hours/Day	924	37.4 %
3	3: More Than 2 Hours/Day	336	13.6 %
	Missing Data		
-9	-9: Missing	393	15.9 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,012 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3194-3195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROUTNCH9: Time spent past year light chores

During the past year (in the last 12 months), how often did you do routine chores requiring light physical effort, such as dusting, laundry, changing linens, grocery shopping or other shopping?

Value	Label	Unweighted Frequency	%
1	1: Once/Week Or Less	355	14.4 %
2	2: More Than Once/Week But < Daily	990	40.1 %
3	3: Daily Or More	667	27.0 %
Missing Data			
-9	-9: Missing	394	16.0 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,012 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3196-3197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MODERAT9: Time spent past year moderate chores

During the past year (in the last 12 months), how often did you do chores requiring moderate physical effort, such as vacuuming, washing floors, or gardening/yard work such as mowing the lawn or raking leaves?

Value	Label	Unweighted Frequency	%
1	1: Once A Month Or Less	473	19.2 %
2	2: 2-3 Times/Month	634	25.7 %
3	3: 4 Or More Times/Month	907	36.7 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,014 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3198-3199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

VIGOROU9: Time spent past year vigorous chores

During the past year (in the last 12 months), how often did you do chores at home requiring vigorous physical effort, such as chopping wood, tilling soil, shoveling snow, shampooing carpets, washing walls or windows, plumbing, tiling, or outdoor painting?

Value	Label	Unweighted Frequency	%
1	1: Once A Month Or Less	1702	68.9 %
2	2: 2-3 Times/Month	205	8.3 %
3	3: 4 Or More Times/Month	105	4.3 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	4	0.2 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,012 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3200-3201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSACT9: Recreational activity compared to other women same age

In comparison with other women of your own age, do you think recreational physical activity is...

Value	Label	Unweighted Frequency	%
1	1: Much Less	256	10.4 %
2	2: Somewhat Less	527	21.3 %
3	3: The Same	606	24.5 %
4	4: Somewhat More	504	20.4 %
5	5: Much More	120	4.9 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,013 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3202-3203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WATCHTV9: Time spent past year watching TV

During the past year, when you were not working or doing chores around the house: Did you watch television...

Value	Label	Unweighted Frequency	%
1	1: Never Or Less Than 1 Hour/Week	108	4.4 %
2	2: At Least 1 Hour/Week But < 1 Hour/Day	349	14.1 %
3	3: 1-2 Hours/Day	763	30.9 %
4	4: 2-4 Hours/Day	536	21.7 %
5	5: More Than 4 Hours/Day	260	10.5 %
Missing Data			
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3204-3205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKBIK9: Time spent walk/bike

During the past year, when you were not working or doing chores around the house: Did you walk or bike to and from work, school or errands...

Value	Label	Unweighted Frequency	%
1	1: Never/ < 5 Minutes Per Day	1195	48.4 %
2	2: 5-15 Minutes/Day	362	14.7 %
3	3: 16-30 Minutes/Day	259	10.5 %
4	4: 31-45 Minutes/Day	120	4.9 %
5	5: More Than 45 Minutes/Day	78	3.2 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,014 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3206-3207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SWEATPA9: Time spent sweat from exertion

During the past year, when you were not working or doing chores around the house: Did you sweat from exertion...

Value	Label	Unweighted Frequency	%
1	1: Never/Less Than Once A Month	676	27.4 %
2	2: Once A Month	229	9.3 %
3	3: 2-3 Times A Month	280	11.3 %
4	4: Once/Week	216	8.7 %
5	5: More Than Once/Week	612	24.8 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	3	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,013 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3208-3209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPORTS9: Time spent sport/exercise

During the past year, when you were not working or doing chores around the house: Did you play sports or exercise...

Value	Label	Unweighted Frequency	%
1	1: Never	456	18.5 %
2	2: LT Once/Month	231	9.4 %
3	3: Once/Month	78	3.2 %
4	4: 2-3 Times/Month	192	7.8 %
5	5: Once/Week	194	7.9 %
6	6: More Than Once/Week	816	33.0 %
Missing Data			
-9	-9: Missing	442	17.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,967 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3210-3211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPOREX19: Sport done most frequently during the past year

Which sport or exercise did you do most frequently during the past year?

Value	Label	Unweighted Frequency	%
-		60	2.4 %
'CURVES' WOMEN'S EXERCISE	-	1	0.0 %
'WALKING' DVD	-	1	0.0 %
-1	-1: N/A	460	18.6 %
-7	-7: Refused	14	0.6 %
-8	-8: Do not know	1	0.0 %
-9	-9: Missing	394	16.0 %
.WALKING	-	1	0.0 %
1 HR AT GYM 5 DAYS PER WEEK	-	1	0.0 %
1 HR. STEP AEROBICS + FLOOR EXERCISE CLASS	-	1	0.0 %
AEROBICS	-	1	0.0 %
AERBOICS	-	1	0.0 %
AERBOICS/STREN GTH TRANING	-	1	0.0 %
AEROBIC	-	4	0.2 %
AEROBIC / DANCE W/WEIGHTS	-	1	0.0 %
AEROBIC @ CURVES	-	1	0.0 %
AEROBIC CLASSES / DANCE	-	1	0.0 %
AEROBIC DANCE	-	1	0.0 %
AEROBIC DANCE CLASS	-	1	0.0 %
AEROBIC DANCING	-	2	0.1 %
AEROBIC EXERCISE	-	4	0.2 %
AEROBIC EXERCISE W/ TAPE	-	1	0.0 %
AEROBIC FITNESS BIKE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AEROBIC GYM EXERCISE	-	1	0.0 %
AEROBIC OR TONING EXERCISE	-	1	0.0 %
AEROBIC WALK	-	1	0.0 %
AEROBIC/WEIGHT TRAINING WORKOUT VIDEO	-	1	0.0 %
AEROBICS	-	26	1.1 %
AEROBICS & WEIGHTS	-	1	0.0 %
AEROBICS + STRENGTH TRAINING AT CURVES	-	1	0.0 %
AEROBICS AND WEIGH TRAINING	-	1	0.0 %
AEROBICS CLASS	-	1	0.0 %
AEROBICS, STRENGTH TRAINING	-	1	0.0 %
AEROBICS, YOGA	-	1	0.0 %
AEROBICS- WEIGHT- STRETCH	-	1	0.0 %
AEROBICS/ TONING	-	1	0.0 %
AEROBICS/DANCE CLASSES	-	1	0.0 %
AEROBICS/TREAD MILL	-	1	0.0 %
AEROBICS/WALKING	-	1	0.0 %
AFRICA DANCE, YOGA	-	1	0.0 %
AIKIDO-MARTIAL ART	-	1	0.0 %
AQUA AEROBICS	-	1	0.0 %
AQUA EXERCISE	-	1	0.0 %
AQUAROBIC	-	1	0.0 %
AQUA AEROBOICS	-	1	0.0 %
ARCUT TRAINING	-	1	0.0 %
AROBIC/WEIGHT LIFTING EXERCISE CLASS	-	1	0.0 %
AROBICS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ASHTANGA YOGA	-	1	0.0 %
BALL PLAYING	-	1	0.0 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 3212-3271 (width: 60; decimal: 0)

Variable Type: character

RATEIN19: Increase heart rate sport 1

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	1: No	114	4.6 %
2	2: Yes, A Small Increase	543	22.0 %
3	3: Yes, A Moderate Increase	681	27.6 %
4	4: Yes, A Large Increase	219	8.9 %
	Missing Data		
-9	-9: Missing	393	15.9 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	456	18.5 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,557 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3272-3273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC19: Sport 1 number months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less Than 1 Month	92	3.7 %
2	2: 1-3 Months	230	9.3 %
3	3: 4-6 Months	265	10.7 %
4	4: 7-9 Months	183	7.4 %

Value	Label	Unweighted Frequency	%
5	5: More Than 9 Months	787	31.9 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	456	18.5 %
.	.	60	2.4 %
Total		2,469	100%

Based upon 1,557 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3274-3275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

HRSACT19: Sport 1 hours/week

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less Than 1 Hour	296	12.0 %
2	2: At Least 1 But < 2 Hours	408	16.5 %
3	3: At Least 2 But < 3 Hours	324	13.1 %
4	4: At Least 3 But < 4 Hours	249	10.1 %
5	5: More Than 4 Hours	280	11.3 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	456	18.5 %
.	.	60	2.4 %
Total		2,469	100%

Based upon 1,557 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3276-3277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9, -8, -7, -1, .)

OTHSPOR9: Other sports done past year

Did you do any other exercise or play any other sport in this past year?

Value	Label	Unweighted Frequency	%
1	1: No	809	32.8 %
2	2: Yes	745	30.2 %
	Missing Data		
-9	-9: Missing	402	16.3 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	450	18.2 %
.	.	60	2.4 %
	Total	2,469	100%

Based upon 1,554 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3278-3279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPOREX29: Sport second most frequently during the past year

What was the second most frequent sport or exercise you did during the past year?

Value	Label	Unweighted Frequency	%
	-	60	2.4 %
-1	-1: N/A	1268	51.4 %
-7	-7: Refused	2	0.1 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	393	15.9 %
AB CRUNCHES LIFT WEIGHTS	-	1	0.0 %
AB ROLLER/AB LOUNGE	-	1	0.0 %
AB SLIDE	-	1	0.0 %
AEROBIC	-	2	0.1 %
AEROBIC ACTIVITY	-	1	0.0 %
AEROBIC DANCING	-	1	0.0 %
AEROBIC EXERCISE	-	1	0.0 %
AEROBIC SWIMMING	-	1	0.0 %
AEROBICS	-	7	0.3 %
AQUA AEROBICS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ARM STRENGTH	-	1	0.0 %
AROBIC	-	1	0.0 %
AROBICS	-	1	0.0 %
BACK AND LEG EXERCISES	-	1	0.0 %
BACKPACKING	-	1	0.0 %
BADMINTON	-	2	0.1 %
BADMINTON, SWIMMING, RIDE BICYCLE	-	1	0.0 %
BALL- BADMITION W/ GRAND KIDS	-	1	0.0 %
BALLROOM DANCE	-	1	0.0 %
BALLROOM DANCE	- CLASS	1	0.0 %
BALLROOM DANCING	-	1	0.0 %
BATMONETONE	-	1	0.0 %
BENDING TO TOUCH TOES	-	1	0.0 %
BICYCLE	-	1	0.0 %
BICYCLE RIDING	-	1	0.0 %
BICYCLING	-	12	0.5 %
BIKE	-	6	0.2 %
BIKE RIDE	-	3	0.1 %
BIKE RIDING	-	13	0.5 %
BIKE RIDING AT GYM	-	1	0.0 %
BIKING	-	15	0.6 %
BIKRAM YOGA	-	1	0.0 %
BOWLING	-	13	0.5 %
BOXERCISE	-	1	0.0 %
BRISK WALK	-	1	0.0 %
BRISK WALKING	-	2	0.1 %
BUILDING (CONSTRUCTION)	-	1	0.0 %
CHI KUNG	-	1	0.0 %
CIRCUIT (NAUTLUS) TRAINING	-	1	0.0 %
CIRICUT EXERCISE	-	1	0.0 %
CLIMB STAIRS 1 FLIGHT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CORE	-	1	0.0 %
STRENGTHENING			
EXERCISE CLASS			
CROQUET	-	1	0.0 %
CROSS COUNTRY	-	1	0.0 %
SKI			
CROSS COUNTRY	-	2	0.1 %
SKIING			
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 3280-3339 (width: 60; decimal: 0)

Variable Type: character

RATEIN29: Increase heart rate sport 2

When you did this activity, did your heart rate and breathing increase?

Value	Label	Unweighted Frequency	%
1	1: No	70	2.8 %
2	2: Yes, A Small Increase	265	10.7 %
3	3: Yes, A Moderate Increase	319	12.9 %
4	4: Yes, A Large Increase	92	3.7 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	1266	51.3 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 746 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3340-3341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MTHSAC29: Sport 2 number months

How many months in this past year did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less Than 1 Month	59	2.4 %
2	2: 1-3 Months	164	6.6 %
3	3: 4-6 Months	151	6.1 %
4	4: 7-9 Months	88	3.6 %
5	5: More Than 9 Months	290	11.7 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1262	51.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 752 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3342-3343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRSACT29: Sport 2 hours/week

During these months, on average, how many hours a week did you do this activity?

Value	Label	Unweighted Frequency	%
1	1: Less Than 1 Hour	161	6.5 %
2	2: At Least 1 But < 2 Hours	248	10.0 %
3	3: At Least 2 But < 3 Hours	179	7.2 %
4	4: At Least 3 But < 4 Hours	70	2.8 %
5	5: More Than 4 Hours	95	3.8 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	1262	51.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 753 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3344-3345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSWOR9: Work physical compared to other women same age

In comparison with other women your age, do you think your work during this past year is physically...

Value	Label	Unweighted Frequency	%
1	1: Much Lighter	124	5.0 %
2	2: Lighter	257	10.4 %
3	3: The Same	783	31.7 %
4	4: Heavier	303	12.3 %
5	5: Much Heavier	82	3.3 %
Missing Data			
-9	-9: Missing	396	16.0 %
-8	-8: Do not know	42	1.7 %
-1	-1: N/A	422	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,549 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3346-3347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTIR9: Physically tired after work

After work, are you physically tired...

Value	Label	Unweighted Frequency	%
1	1: Never	120	4.9 %
2	2: Seldom	346	14.0 %
3	3: Sometimes	721	29.2 %
4	4: Often	292	11.8 %
5	5: Always	111	4.5 %
Missing Data			
-9	-9: Missing	398	16.1 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,590 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3348-3349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTA9: How often sit in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sit

Value	Label	Unweighted Frequency	%
1	1: Never	125	5.1 %
2	2: Less Than Half Of The Time	418	16.9 %
3	3: About Half Of The Time	281	11.4 %
4	4: More Than Half Of The Time	525	21.3 %
5	5: Always	234	9.5 %
Missing Data			
-9	-9: Missing	394	16.0 %
-8	-8: Do not know	4	0.2 %
-7	-7: Refused	7	0.3 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,583 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3350-3351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTB9: How often stand in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stand

Value	Label	Unweighted Frequency	%
1	1: Never	131	5.3 %
2	2: Less Than Half Of The Time	833	33.7 %
3	3: About Half Of The Time	216	8.7 %
4	4: More Than Half Of The Time	238	9.6 %
5	5: Always	155	6.3 %
Missing Data			
-9	-9: Missing	393	15.9 %

Value	Label	Unweighted Frequency	%
-8	-8: Do not know	10	0.4 %
-7	-7: Refused	12	0.5 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,573 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3352-3353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTC9: How often walk in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Walk

Value	Label	Unweighted Frequency	%
1	1: Never	108	4.4 %
2	2: Less Than Half Of The Time	910	36.9 %
3	3: About Half Of The Time	260	10.5 %
4	4: More Than Half Of The Time	172	7.0 %
5	5: Always	128	5.2 %
Missing Data			
-9	-9: Missing	393	15.9 %
-8	-8: Do not know	7	0.3 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,578 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3354-3355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTD9: How often lift over 15 lbs in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Lift heavy loads greater than 15 pounds (more than the weight of 2 gallons of milk)

Value	Label	Unweighted Frequency	%
1	1: Never	894	36.2 %
2	2: Less Than Half Of The Time	507	20.5 %
3	3: About Half Of The Time	70	2.8 %
4	4: More Than Half Of The Time	52	2.1 %
5	5: Always	52	2.1 %
Missing Data			
-9	-9: Missing	395	16.0 %
-8	-8: Do not know	8	0.3 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,575 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3356-3357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

WRKACTE9: How often stoop/bend in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Stoop and bend

Value	Label	Unweighted Frequency	%
1	1: Never	397	16.1 %
2	2: Less Than Half Of The Time	812	32.9 %
3	3: About Half Of The Time	171	6.9 %
4	4: More Than Half Of The Time	93	3.8 %
5	5: Always	103	4.2 %
Missing Data			
-9	-9: Missing	393	15.9 %
-8	-8: Do not know	9	0.4 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,576 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 3358-3359 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTF9: How often push heavy equipment in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Push or move heavy objects

Value	Label	Unweighted Frequency	%
1	1: Never	952	38.6 %
2	2: Less Than Half Of The Time	477	19.3 %
3	3: About Half Of The Time	61	2.5 %
4	4: More Than Half Of The Time	46	1.9 %
5	5: Always	47	1.9 %
Missing Data			
-9	-9: Missing	393	15.9 %
-8	-8: Do not know	3	0.1 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,583 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3360-3361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKACTG9: How often sweat from exertion in current job

In your current job(s), on a typical day/shift, how often do you do each of the following: Sweat from exertion

Value	Label	Unweighted Frequency	%
1	1: Never	1136	46.0 %
2	2: Less Than Half Of The Time	340	13.8 %
3	3: About Half Of The Time	43	1.7 %
4	4: More Than Half Of The Time	31	1.3 %
5	5: Always	30	1.2 %
Missing Data			
-9	-9: Missing	393	15.9 %
-8	-8: Do not know	7	0.3 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	8	0.3 %
-1	-1: N/A	421	17.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 1,580 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3362-3363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AWAREBO9: Aware things happening with body

The next question deals with how you respond to your physical senses. Please indicate the degree to which each statement is TRUE OF YOU in general: I am often aware of various things happening within my body.

Value	Label	Unweighted Frequency	%
1	1: Not At All True	86	3.5 %
2	2: A Little Bit True	319	12.9 %
3	3: Moderately True	523	21.2 %
4	4: Quite a Bit True	683	27.7 %
5	5: Extremely True	403	16.3 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,014 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3364-3365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOISES9: Sudden noises bother me

The next question deals with how you respond to your physical senses. Please indicate the degree to which each statement is TRUE OF YOU in general: Sudden loud noises really bother me.

Value	Label	Unweighted Frequency	%
1	1: Not At All True	370	15.0 %
2	2: A Little Bit True	711	28.8 %
3	3: Moderately True	453	18.3 %
4	4: Quite a Bit True	333	13.5 %
5	5: Extremely True	149	6.0 %
Missing Data			
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3366-3367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HOTCOLD9: Hate being too hot/cold

The next question deals with how you respond to your physical senses. Please indicate the degree to which each statement is TRUE OF YOU in general: I hate to be too hot or too cold.

Value	Label	Unweighted Frequency	%
1	1: Not At All True	83	3.4 %
2	2: A Little Bit True	460	18.6 %
3	3: Moderately True	561	22.7 %
4	4: Quite a Bit True	557	22.6 %
5	5: Extremely True	353	14.3 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,014 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3368-3369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HUNGER9: Quick to sense hunger

The next question deals with how you respond to your physical senses. Please indicate the degree to which each statement is TRUE OF YOU in general: I am quick to sense the hunger contractions in my stomach.

Value	Label	Unweighted Frequency	%
1	1: Not At All True	213	8.6 %
2	2: A Little Bit True	580	23.5 %
3	3: Moderately True	582	23.6 %
4	4: Quite a Bit True	457	18.5 %
5	5: Extremely True	184	7.5 %
Missing Data			
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3370-3371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STNDPAI9: Can't stand pain

The next question deals with how you respond to your physical senses. Please indicate the degree to which each statement is TRUE OF YOU in general: I can't stand pain.

Value	Label	Unweighted Frequency	%
1	1: Not At All True	389	15.8 %
2	2: A Little Bit True	773	31.3 %
3	3: Moderately True	504	20.4 %
4	4: Quite a Bit True	194	7.9 %
5	5: Extremely True	156	6.3 %
Missing Data			
-9	-9: Missing	393	15.9 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,016 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3372-3373 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GRAYHAI9: Dreaded gray hair

Please indicate the extent you personally agree or disagree with the following statements about yourself: I have never dreaded the day I would look in the mirror and see gray hairs.

Value	Label	Unweighted Frequency	%
1	1: Strongly Agree	418	16.9 %
2	2: Agree	529	21.4 %
3	3: Neither Agree or Disagree	535	21.7 %
4	4: Disagree	460	18.6 %
5	5: Strongly Disagree	108	4.4 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	2	0.1 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3374-3375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMAGNOL9: Not bothered imagine being old

Please indicate the extent you personally agree or disagree with the following statements about yourself: It doesn't bother me at all to imagine myself being old.

Value	Label	Unweighted Frequency	%
1	1: Strongly Agree	211	8.5 %
2	2: Agree	542	22.0 %
3	3: Neither Agree or Disagree	481	19.5 %
4	4: Disagree	714	28.9 %
5	5: Strongly Disagree	103	4.2 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,051 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3376-3377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOOKSAG9: Not bothered looks change with age

Please indicate the extent you personally agree or disagree with the following statements about yourself: When I look in the mirror, it doesn't bother me to see how my looks have changed with age.

Value	Label	Unweighted Frequency	%
1	1: Strongly Agree	159	6.4 %
2	2: Agree	537	21.7 %
3	3: Neither Agree or Disagree	457	18.5 %
4	4: Disagree	793	32.1 %
5	5: Strongly Disagree	105	4.3 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,051 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3378-3379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOODOLD9: Expect to feel good about life when old

Please indicate the extent you personally agree or disagree with the following statements about yourself: I expect to feel good about life when I am old.

Value	Label	Unweighted Frequency	%
1	1: Strongly Agree	487	19.7 %
2	2: Agree	1132	45.8 %
3	3: Neither Agree or Disagree	316	12.8 %
4	4: Disagree	86	3.5 %
5	5: Strongly Disagree	29	1.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	-9: Missing	358	14.5 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3380-3381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEAROLD9: Hard to find contentment when old

Please indicate the extent you personally agree or disagree with the following statements about yourself: I fear it will be very hard for me to find contentment in old age.

Value	Label	Unweighted Frequency	%
1	1: Strongly Agree	47	1.9 %
2	2: Agree	142	5.8 %
3	3: Neither Agree or Disagree	400	16.2 %
4	4: Disagree	1015	41.1 %
5	5: Strongly Disagree	447	18.1 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,051 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3382-3383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PLNTYOC9: Plenty to occupy time when old

Please indicate the extent you personally agree or disagree with the following statements about yourself: I will have plenty to occupy my time when I am old.

Value	Label	Unweighted Frequency	%
1	1: Strongly Agree	565	22.9 %
2	2: Agree	964	39.0 %
3	3: Neither Agree or Disagree	387	15.7 %
4	4: Disagree	101	4.1 %
5	5: Strongly Disagree	33	1.3 %
Missing Data			
-9	-9: Missing	358	14.5 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,050 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3384-3385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AGEWORS9: Feel worse about self as age

Please indicate the extent you personally agree or disagree with the following statements about yourself: As I age I feel worse about myself.

Value	Label	Unweighted Frequency	%
1	1: Strongly Agree	43	1.7 %
2	2: Agree	182	7.4 %
3	3: Neither Agree or Disagree	412	16.7 %
4	4: Disagree	897	36.3 %
5	5: Strongly Disagree	517	20.9 %
Missing Data			
-9	-9: Missing	357	14.5 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,051 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3386-3387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME9: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	1: Less Than \$19,999	159	6.4 %
2	2: \$20,000 to \$49,999	506	20.5 %
3	3: \$50,000 to \$99,999	416	16.8 %
4	4: \$100,000 or More	825	33.4 %
	Missing Data		
-9	-9: Missing	394	16.0 %
-8	-8: Do not know	34	1.4 %
-7	-7: Refused	75	3.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 1,906 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3388-3389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOW_HAR9: How hard to pay for basics

How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is...

Value	Label	Unweighted Frequency	%
1	1: Very Hard	133	5.4 %
2	2: Somewhat Hard	556	22.5 %
3	3: Not hard at all	1570	63.6 %
	Missing Data		
-9	-9: Missing	117	4.7 %
-8	-8: Do not know	32	1.3 %
-7	-7: Refused	1	0.0 %
.	-	60	2.4 %
	Total	2,469	100%

Based upon 2,259 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3390-3391 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTRPAN9: Interested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Interested

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	40	1.6 %
2	2: A Little	145	5.9 %
3	3: Moderately	549	22.2 %
4	4: Quite A Bit	858	34.8 %
5	5: Extremely	320	13.0 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	5	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,912 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3392-3393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISIPAN9: Disinterested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Disinterested

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	0	0.0 %
2	2: A Little	0	0.0 %
3	3: Moderately	0	0.0 %
4	4: Quite A Bit	0	0.0 %
5	5: Extremely	0	0.0 %
Missing Data			
.	-	2469	100.0 %
Total		2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 3394-3395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXCIPAN9: Excited this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Excited

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	200	8.1 %
2	2: A Little	420	17.0 %
3	3: Moderately	818	33.1 %
4	4: Quite A Bit	360	14.6 %
5	5: Extremely	114	4.6 %
Missing Data			
-9	-9: Missing	390	15.8 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,912 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3396-3397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UPSEPAN9: Upset this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Upset

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	616	24.9 %
2	2: A Little	745	30.2 %
3	3: Moderately	314	12.7 %
4	4: Quite A Bit	185	7.5 %
5	5: Extremely	54	2.2 %
Missing Data			
-9	-9: Missing	390	15.8 %
-7	-7: Refused	2	0.1 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,914 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3398-3399 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

STROPAN9: Strong this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Strong

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	139	5.6 %
2	2: A Little	279	11.3 %
3	3: Moderately	709	28.7 %
4	4: Quite A Bit	630	25.5 %
5	5: Extremely	156	6.3 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,913 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3400-3401 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

GUILPAN9: Guilty this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Guilty

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1325	53.7 %
2	2: A Little	429	17.4 %
3	3: Moderately	102	4.1 %
4	4: Quite A Bit	51	2.1 %
5	5: Extremely	5	0.2 %
Missing Data			
-9	-9: Missing	390	15.8 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,912 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3402-3403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SCARPAN9: Scared this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Scared

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1280	51.8 %
2	2: A Little	427	17.3 %
3	3: Moderately	135	5.5 %
4	4: Quite A Bit	47	1.9 %
5	5: Extremely	25	1.0 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	3	0.1 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,914 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3404-3405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSTPAN9: Hostile this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Hostile

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1459	59.1 %
2	2: A Little	320	13.0 %
3	3: Moderately	97	3.9 %
4	4: Quite A Bit	27	1.1 %
5	5: Extremely	10	0.4 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,913 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3406-3407 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENTHPAN9: Enthusiastic this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Enthusiastic

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	151	6.1 %
2	2: A Little	352	14.3 %
3	3: Moderately	699	28.3 %
4	4: Quite A Bit	546	22.1 %
5	5: Extremely	165	6.7 %
Missing Data			
-9	-9: Missing	390	15.8 %
-7	-7: Refused	3	0.1 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,913 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3408-3409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROUPAN9: Proud this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Proud

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	173	7.0 %
2	2: A Little	295	11.9 %
3	3: Moderately	627	25.4 %
4	4: Quite A Bit	566	22.9 %
5	5: Extremely	250	10.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	391	15.8 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %
	Total	2,469	100%

Based upon 1,911 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3410-3411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRIPAN9: Irritable this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Irritable

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	721	29.2 %
2	2: A Little	817	33.1 %
3	3: Moderately	228	9.2 %
4	4: Quite A Bit	117	4.7 %
5	5: Extremely	30	1.2 %
	Missing Data		
-9	-9: Missing	390	15.8 %
-7	-7: Refused	3	0.1 %
.	-	163	6.6 %
	Total	2,469	100%

Based upon 1,913 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3412-3413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALERPAN9: Alert this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Alert

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	78	3.2 %

Value	Label	Unweighted Frequency	%
2	2: A Little	211	8.5 %
3	3: Moderately	652	26.4 %
4	4: Quite A Bit	716	29.0 %
5	5: Extremely	254	10.3 %
Missing Data			
-9	-9: Missing	390	15.8 %
-7	-7: Refused	5	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,911 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3414-3415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ASHAPAN9: Ashamed this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Ashamed

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1584	64.2 %
2	2: A Little	232	9.4 %
3	3: Moderately	67	2.7 %
4	4: Quite A Bit	23	0.9 %
5	5: Extremely	5	0.2 %
Missing Data			
-9	-9: Missing	393	15.9 %
-7	-7: Refused	2	0.1 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,911 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3416-3417 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

INSPPAN9: Inspired this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Inspired

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	236	9.6 %
2	2: A Little	421	17.1 %
3	3: Moderately	624	25.3 %
4	4: Quite A Bit	470	19.0 %
5	5: Extremely	160	6.5 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	6	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,911 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3418-3419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVPAN9: Nervous this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Nervous

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	934	37.8 %
2	2: A Little	653	26.4 %
3	3: Moderately	193	7.8 %
4	4: Quite A Bit	102	4.1 %
5	5: Extremely	32	1.3 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	3	0.1 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,914 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3420-3421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DETEPAN9: Determined this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Determined

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	85	3.4 %
2	2: A Little	258	10.4 %
3	3: Moderately	591	23.9 %
4	4: Quite A Bit	629	25.5 %
5	5: Extremely	350	14.2 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,913 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3422-3423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ATTEPAN9: Attentive this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Attentive

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	54	2.2 %
2	2: A Little	228	9.2 %
3	3: Moderately	683	27.7 %
4	4: Quite A Bit	728	29.5 %
5	5: Extremely	218	8.8 %
Missing Data			
-9	-9: Missing	391	15.8 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,911 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3424-3425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JITTPAN9: Jittery this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Jittery

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1237	50.1 %
2	2: A Little	457	18.5 %
3	3: Moderately	141	5.7 %
4	4: Quite A Bit	56	2.3 %
5	5: Extremely	19	0.8 %
Missing Data			
-9	-9: Missing	392	15.9 %
-7	-7: Refused	4	0.2 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,910 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3426-3427 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACTIPAN9: Active this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Active

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	103	4.2 %
2	2: A Little	285	11.5 %
3	3: Moderately	621	25.2 %
4	4: Quite A Bit	628	25.4 %
5	5: Extremely	272	11.0 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	8	0.3 %
.	-	163	6.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,909 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3428-3429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAPAN9: Afraid this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Afraid

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1358	55.0 %
2	2: A Little	384	15.6 %
3	3: Moderately	99	4.0 %
4	4: Quite A Bit	50	2.0 %
5	5: Extremely	24	1.0 %
Missing Data			
-9	-9: Missing	389	15.8 %
-7	-7: Refused	2	0.1 %
.	-	163	6.6 %
Total		2,469	100%

Based upon 1,915 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3430-3431 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKMAIL9: MAIL: Involuntary leakage since last visit

Since your last study visit, have you leaked urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	1: No	99	4.0 %
2	2: Yes	141	5.7 %
Missing Data			
.	-	2229	90.3 %
Total		2,469	100%

Based upon 240 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3432-3433 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LSTURIN9: MAIL: Days leak in last month due to cough, laugh, sneeze

In the last month, about how many days have you lost any urine, even a small amount, beyond your control when you are coughing, laughing, sneezing, jogging, picking up an object from the floor or similar type of activity?

Value	Label	Unweighted Frequency	%
1	1: Never	1	0.0 %
2	2: About once in last month	10	0.4 %
3	3: At least 1/week to several/weeks	7	0.3 %
4	4: Almost daily/daily	3	0.1 %
Missing Data			
-9	-9: Missing	2170	87.9 %
-1	-1: N/A	15	0.6 %
.	.	263	10.7 %
Total		2,469	100%

Based upon 21 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3434-3435 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LSTURI29: MAIL: Days leak in last month due to void urge & slow to toilet

In the last month, about how many days have you lost any urine, even a small amount, beyond your control when you have the urge to urinate and can't get to the toilet fast enough?

Value	Label	Unweighted Frequency	%
1	1: Never	10	0.4 %
2	2: About once in last month	5	0.2 %
3	3: At least 1/week to several/weeks	6	0.2 %
4	4: Almost daily/daily	0	0.0 %
Missing Data			
-9	-9: Missing	2170	87.9 %
-1	-1: N/A	15	0.6 %

Value	Label	Unweighted Frequency	%
.	-	263	10.7 %
Total		2,469	100%

Based upon 21 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3436-3437 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

FLGSAV9: Self-Administered Questionnaire Part A: Completed after V9 cutoff (01/31/2007)

Completed after V9 cutoff (01/31/2007)

Value	Label	Unweighted Frequency	%
0	0: No	2174	88.1 %
1	1: Yes	199	8.1 %
	Missing Data		
-1	-1: Before V9	36	1.5 %
.	-	60	2.4 %
Total		2,469	100%

Based upon 2,373 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3438-3439 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

FORMPHY9: Abbreviated or Full Physical Measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
-	-	194	7.9 %
AIN	-	131	5.3 %
MAI	-	23	0.9 %
PAT	-	6	0.2 %
PHY	-	2115	85.7 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 3440-3442 (width: 3; decimal: 0)

Variable Type: character

PHYDAY9: Physical measures Day

Date form completed

Value	Label	Unweighted Frequency	%
3135	-	1	0.0 %
3151	-	1	0.0 %
3153	-	1	0.0 %
3167	-	1	0.0 %
3171	-	1	0.0 %
3178	-	1	0.0 %
3196	-	1	0.0 %
3201	-	1	0.0 %
3202	-	2	0.1 %
3205	-	2	0.1 %
3206	-	1	0.0 %
3208	-	2	0.1 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3211	-	1	0.0 %
3213	-	2	0.1 %
3214	-	1	0.0 %
3215	-	5	0.2 %
3217	-	2	0.1 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3221	-	1	0.0 %
3222	-	1	0.0 %
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	4	0.2 %
3226	-	2	0.1 %
3227	-	4	0.2 %
3228	-	9	0.4 %
3229	-	4	0.2 %
3230	-	2	0.1 %
3231	-	2	0.1 %
3232	-	4	0.2 %
3233	-	5	0.2 %

Value	Label	Unweighted Frequency	%
3234	-	11	0.4 %
3235	-	9	0.4 %
3236	-	2	0.1 %
3237	-	9	0.4 %
3238	-	6	0.2 %
3239	-	8	0.3 %
3240	-	26	1.1 %
3241	-	21	0.9 %
3242	-	10	0.4 %
3243	-	10	0.4 %
3244	-	10	0.4 %
3245	-	13	0.5 %
3246	-	16	0.6 %
3247	-	9	0.4 %
3248	-	27	1.1 %
3249	-	14	0.6 %
Missing Data			
.	-	194	7.9 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,275 valid cases out of 2,469 total cases.

- Mean: 3381.29
- Minimum: 3135.00
- Maximum: 4690.00
- Standard Deviation: 236.86

Location: 3443-3446 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

PULSE9: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
22	-	5	0.2 %
23	-	4	0.2 %
24	-	10	0.4 %
25	-	24	1.0 %

Value	Label	Unweighted Frequency	%
26	-	39	1.6 %
27	-	57	2.3 %
28	-	95	3.8 %
29	-	112	4.5 %
30	-	189	7.7 %
31	-	152	6.2 %
32	-	191	7.7 %
33	-	198	8.0 %
34	-	189	7.7 %
35	-	178	7.2 %
36	-	173	7.0 %
37	-	106	4.3 %
38	-	98	4.0 %
39	-	60	2.4 %
40	-	81	3.3 %
41	-	25	1.0 %
42	-	41	1.7 %
43	-	18	0.7 %
44	-	10	0.4 %
45	-	13	0.5 %
46	-	10	0.4 %
47	-	3	0.1 %
48	-	4	0.2 %
49	-	2	0.1 %
50	-	1	0.0 %
51	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
64	-	2	0.1 %
80	-	1	0.0 %
Missing Data			
.	-	374	15.1 %
Total		2,469	100%

Based upon 2,095 valid cases out of 2,469 total cases.

- Mean: 33.67
- Median: 33.00
- Mode: 33.00
- Minimum: 21.00
- Maximum: 80.00

- Standard Deviation: 4.67

Location: 3447-3448 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

SYSBP19: Systolic Blood Pressure #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
70	-	1	0.0 %
78	-	1	0.0 %
80	-	5	0.2 %
84	-	2	0.1 %
86	-	3	0.1 %
88	-	11	0.4 %
89	-	1	0.0 %
90	-	44	1.8 %
92	-	26	1.1 %
94	-	30	1.2 %
96	-	35	1.4 %
98	-	48	1.9 %
100	-	89	3.6 %
102	-	62	2.5 %
104	-	63	2.6 %
105	-	2	0.1 %
106	-	70	2.8 %
108	-	113	4.6 %
110	-	177	7.2 %
112	-	102	4.1 %
113	-	1	0.0 %
114	-	67	2.7 %
115	-	9	0.4 %
116	-	75	3.0 %
117	-	2	0.1 %
118	-	131	5.3 %
119	-	1	0.0 %
120	-	169	6.8 %
122	-	76	3.1 %
124	-	56	2.3 %
125	-	3	0.1 %
126	-	69	2.8 %

Value	Label	Unweighted Frequency	%
128	-	95	3.8 %
129	-	1	0.0 %
130	-	108	4.4 %
132	-	44	1.8 %
134	-	24	1.0 %
135	-	2	0.1 %
136	-	24	1.0 %
138	-	49	2.0 %
139	-	1	0.0 %
140	-	46	1.9 %
142	-	29	1.2 %
144	-	4	0.2 %
145	-	1	0.0 %
146	-	13	0.5 %
148	-	20	0.8 %
150	-	19	0.8 %
152	-	6	0.2 %
154	-	4	0.2 %
Missing Data			
.	-	375	15.2 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,094 valid cases out of 2,469 total cases.

- Mean: 117.97
- Median: 118.00
- Mode: 110.00
- Minimum: 70.00
- Maximum: 230.00
- Standard Deviation: 16.52

Location: 3449-3451 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DIABP19: Diastolic Blood Pressure #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
48	-	2	0.1 %

Value	Label	Unweighted Frequency	%
50	-	9	0.4 %
52	-	5	0.2 %
54	-	6	0.2 %
56	-	12	0.5 %
58	-	41	1.7 %
60	-	95	3.8 %
62	-	81	3.3 %
63	-	1	0.0 %
64	-	92	3.7 %
66	-	64	2.6 %
68	-	182	7.4 %
70	-	286	11.6 %
72	-	135	5.5 %
73	-	2	0.1 %
74	-	116	4.7 %
75	-	1	0.0 %
76	-	148	6.0 %
78	-	199	8.1 %
79	-	1	0.0 %
80	-	197	8.0 %
82	-	91	3.7 %
84	-	88	3.6 %
86	-	53	2.1 %
88	-	68	2.8 %
90	-	57	2.3 %
92	-	14	0.6 %
94	-	6	0.2 %
95	-	1	0.0 %
96	-	3	0.1 %
98	-	14	0.6 %
100	-	15	0.6 %
102	-	1	0.0 %
104	-	1	0.0 %
108	-	2	0.1 %
110	-	1	0.0 %
115	-	1	0.0 %
120	-	3	0.1 %
Missing Data			
.	-	375	15.2 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 2,094 valid cases out of 2,469 total cases.

- Mean: 74.14
- Median: 74.00
- Mode: 70.00
- Minimum: 48.00
- Maximum: 120.00
- Standard Deviation: 9.34

Location: 3452-3454 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SYSBP29: Systolic Blood Pressure #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
70	-	1	0.0 %
74	-	1	0.0 %
78	-	1	0.0 %
80	-	4	0.2 %
82	-	1	0.0 %
84	-	1	0.0 %
86	-	2	0.1 %
88	-	9	0.4 %
90	-	45	1.8 %
92	-	23	0.9 %
94	-	28	1.1 %
96	-	54	2.2 %
98	-	55	2.2 %
100	-	84	3.4 %
102	-	65	2.6 %
104	-	65	2.6 %
105	-	1	0.0 %
106	-	99	4.0 %
108	-	111	4.5 %
110	-	152	6.2 %
112	-	104	4.2 %
113	-	1	0.0 %
114	-	60	2.4 %

Value	Label	Unweighted Frequency	%
115	-	8	0.3 %
116	-	92	3.7 %
117	-	1	0.0 %
118	-	114	4.6 %
120	-	174	7.0 %
122	-	85	3.4 %
124	-	75	3.0 %
125	-	5	0.2 %
126	-	63	2.6 %
128	-	95	3.8 %
130	-	74	3.0 %
132	-	51	2.1 %
134	-	29	1.2 %
135	-	2	0.1 %
136	-	27	1.1 %
138	-	52	2.1 %
140	-	37	1.5 %
142	-	17	0.7 %
144	-	8	0.3 %
145	-	2	0.1 %
146	-	13	0.5 %
148	-	14	0.6 %
150	-	17	0.7 %
152	-	7	0.3 %
154	-	2	0.1 %
155	-	1	0.0 %
156	-	8	0.3 %
Missing Data			
.	-	377	15.3 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,092 valid cases out of 2,469 total cases.

- Mean: 117.43
- Median: 116.00
- Mode: 120.00
- Minimum: 70.00
- Maximum: 225.00
- Standard Deviation: 16.32

Location: 3455-3457 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DIABP29: Diastolic Blood Pressure #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
48	-	2	0.1 %
50	-	7	0.3 %
52	-	7	0.3 %
54	-	5	0.2 %
56	-	14	0.6 %
58	-	35	1.4 %
60	-	97	3.9 %
62	-	76	3.1 %
64	-	86	3.5 %
65	-	2	0.1 %
66	-	104	4.2 %
68	-	181	7.3 %
70	-	245	9.9 %
72	-	139	5.6 %
74	-	160	6.5 %
75	-	2	0.1 %
76	-	149	6.0 %
77	-	1	0.0 %
78	-	184	7.5 %
79	-	1	0.0 %
80	-	207	8.4 %
82	-	82	3.3 %
84	-	71	2.9 %
86	-	59	2.4 %
88	-	64	2.6 %
90	-	49	2.0 %
92	-	11	0.4 %
94	-	11	0.4 %
96	-	7	0.3 %
98	-	13	0.5 %
100	-	11	0.4 %
102	-	4	0.2 %
104	-	1	0.0 %

Value	Label	Unweighted Frequency	%
106	-	1	0.0 %
108	-	1	0.0 %
120	-	2	0.1 %
125	-	1	0.0 %
	Missing Data		
.	-	377	15.3 %
	Total	2,469	100%

Based upon 2,092 valid cases out of 2,469 total cases.

- Mean: 73.98
- Median: 74.00
- Mode: 70.00
- Minimum: 48.00
- Maximum: 125.00
- Standard Deviation: 9.20

Location: 3458-3460 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HEIGHT9: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
137.16	-	3	0.1 %
142.24	-	9	0.4 %
143.10	-	1	0.0 %
144.40	-	2	0.1 %
144.60	-	1	0.0 %
144.78	-	5	0.2 %
145.00	-	1	0.0 %
145.10	-	1	0.0 %
145.30	-	1	0.0 %
145.50	-	2	0.1 %
146.00	-	1	0.0 %
146.40	-	1	0.0 %
146.80	-	1	0.0 %
147.00	-	1	0.0 %
147.20	-	1	0.0 %
147.32	-	1	0.0 %
147.40	-	3	0.1 %

Value	Label	Unweighted Frequency	%
147.50	-	1	0.0 %
147.60	-	3	0.1 %
147.80	-	2	0.1 %
148.00	-	1	0.0 %
148.20	-	1	0.0 %
148.30	-	1	0.0 %
148.40	-	1	0.0 %
148.50	-	3	0.1 %
148.60	-	2	0.1 %
148.80	-	4	0.2 %
149.00	-	4	0.2 %
149.10	-	1	0.0 %
149.20	-	4	0.2 %
149.40	-	3	0.1 %
149.50	-	2	0.1 %
149.60	-	2	0.1 %
149.80	-	2	0.1 %
149.86	-	4	0.2 %
149.90	-	1	0.0 %
150.00	-	4	0.2 %
150.20	-	1	0.0 %
150.30	-	3	0.1 %
150.50	-	7	0.3 %
150.60	-	2	0.1 %
150.70	-	2	0.1 %
150.80	-	2	0.1 %
151.00	-	4	0.2 %
151.20	-	5	0.2 %
151.30	-	3	0.1 %
151.40	-	4	0.2 %
151.45	-	1	0.0 %
151.50	-	6	0.2 %
151.60	-	2	0.1 %
Missing Data			
.	-	358	14.5 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,111 valid cases out of 2,469 total cases.

- Mean: 161.68
- Minimum: 137.16
- Maximum: 185.30
- Standard Deviation: 6.69

Location: 3461-3466 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

HTMETHO9: Height Measurement Method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	1: Stadiometer	1744	70.6 %
2	2: Portable	346	14.0 %
3	3: Self-Reported	21	0.9 %
	Missing Data		
.	-	358	14.5 %
	Total	2,469	100%

Based upon 2,111 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3467-3468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

HTSELF9: Height Self-Reported Reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	1: Partic in wheelchair/disabled	4	0.2 %
2	2: Equipment Failure	0	0.0 %
3	3: Refused to be measured	3	0.1 %
4	4: Other	14	0.6 %
	Missing Data		
-1	-1: N/A	2094	84.8 %
.	-	354	14.3 %
	Total	2,469	100%

Based upon 21 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3469-3470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTSELF9: Height Self-Reported, Other Specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
-		354	14.3 %
-1	-1: N/A	2101	85.1 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
HOME VISIT	-	3	0.1 %
HOME VISIT DID NOT HAVE PROPER EQUIPMENT	-	1	0.0 %
PATIENT HAD TREMOR THEREFORE DIFFICULTY	-	1	0.0 %
PHONE INTERVIEW	-	7	0.3 %
REFUSED TO STAND; SAID BACK WAS HURTING	-	1	0.0 %
STADIOMETER UNAVAILABLE	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 3471-3510 (width: 40; decimal: 0)

Variable Type: character

WEIGHT9: Weight (in kg)

Weight (in kg)

Value	Label	Unweighted Frequency	%
36.70000000001	-	1	0.0 %
37.27272727273	-	1	0.0 %
38.00000000000	-	1	0.0 %
39.80000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40.000000000000	-	1	0.0 %
41.200000000001	-	2	0.1 %
41.400000000000	-	1	0.0 %
41.900000000000	-	1	0.0 %
42.200000000001	-	1	0.0 %
42.800000000000	-	1	0.0 %
42.900000000000	-	1	0.0 %
43.100000000000	-	1	0.0 %
43.600000000000	-	1	0.0 %
43.800000000000	-	2	0.1 %
44.100000000000	-	1	0.0 %
44.300000000000	-	1	0.0 %
44.400000000000	-	1	0.0 %
44.500000000000	-	1	0.0 %
44.700000000000	-	1	0.0 %
44.800000000000	-	2	0.1 %
44.900000000000	-	2	0.1 %
45.000000000000	-	1	0.0 %
45.400000000000	-	4	0.2 %
45.500000000000	-	2	0.1 %
45.600000000000	-	1	0.0 %
46.000000000000	-	1	0.0 %
46.100000000000	-	1	0.0 %
46.200000000000	-	3	0.1 %
46.300000000000	-	2	0.1 %
46.400000000000	-	2	0.1 %
46.500000000000	-	1	0.0 %
46.600000000000	-	2	0.1 %
46.700000000000	-	1	0.0 %
46.800000000000	-	3	0.1 %
47.000000000000	-	1	0.0 %
47.100000000000	-	1	0.0 %
47.200000000000	-	1	0.0 %
47.300000000000	-	1	0.0 %
47.400000000000	-	3	0.1 %
47.500000000000	-	1	0.0 %
47.600000000000	-	1	0.0 %
47.72727272728	-	2	0.1 %
47.800000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47.900000000000	-	1	0.0 %
48.000000000000	-	1	0.0 %
48.200000000000	-	2	0.1 %
48.300000000000	-	2	0.1 %
48.400000000000	-	2	0.1 %
48.600000000000	-	1	0.0 %
48.700000000000	-	1	0.0 %
	Missing Data		
.	-	198	8.0 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,271 valid cases out of 2,469 total cases.

- Mean: 76.92983467435
- Minimum: 36.70000000001
- Maximum: 186.50000000000
- Standard Deviation: 20.66935085208

Location: 3511-3525 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: .

SCALE9: Weight Scale Type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	1: Balance Beam	1044	42.3 %
2	2: Clinic Digital	320	13.0 %
3	3: Portable	723	29.3 %
4	4: Self-Reported	183	7.4 %
	Missing Data		
.	-	199	8.1 %
	Total	2,469	100%

Based upon 2,270 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3526-3527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WTSELF9: Weight Self-Reported Reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	1: Partic in wheelchair/disabled	5	0.2 %
2	2: Equipment Failure	0	0.0 %
3	3: Refused to be weighed	3	0.1 %
4	4: Weight more than scale	3	0.1 %
5	5: Other	172	7.0 %
Missing Data			
-1	-1: N/A	2092	84.7 %
.	.	194	7.9 %
Total		2,469	100%

Based upon 183 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3528-3529 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WTSELS9: Weight Self-Reported, Other Specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
.	.	194	7.9 %
-1	-1: N/A	2103	85.2 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
AIN	-	131	5.3 %
HOME VISIT	-	1	0.0 %
HOME VISIT DID NOT HAVE PROPER EQUIPMENT	-	1	0.0 %
MAI	-	23	0.9 %
MEASUREMENT NOT RECORDED AT OFFICE VISIT	-	1	0.0 %
PAT	-	6	0.2 %

Value	Label	Unweighted Frequency	%
PHONE INTERVIEW	-	7	0.3 %
REFUSED TO GET ON SCALE	-	1	0.0 %
REPORTED WEIGHT (115)	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 3530-3569 (width: 40; decimal: 0)

Variable Type: character

WAIST9: Waist Circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
58.7	-	1	0.0 %
59.0	-	1	0.0 %
59.7	-	1	0.0 %
61.1	-	1	0.0 %
61.2	-	1	0.0 %
61.5	-	1	0.0 %
61.9	-	1	0.0 %
62.1	-	1	0.0 %
62.2	-	1	0.0 %
62.3	-	1	0.0 %
62.7	-	2	0.1 %
62.8	-	1	0.0 %
62.9	-	1	0.0 %
63.0	-	2	0.1 %
63.2	-	1	0.0 %
63.4	-	2	0.1 %
63.5	-	3	0.1 %
63.7	-	4	0.2 %
63.8	-	2	0.1 %
64.0	-	4	0.2 %
64.1	-	1	0.0 %
64.3	-	1	0.0 %
64.4	-	2	0.1 %
64.5	-	3	0.1 %
64.8	-	1	0.0 %

Value	Label	Unweighted Frequency	%
65.0	-	7	0.3 %
65.1	-	1	0.0 %
65.2	-	2	0.1 %
65.3	-	2	0.1 %
65.7	-	1	0.0 %
66.0	-	3	0.1 %
66.1	-	1	0.0 %
66.2	-	1	0.0 %
66.3	-	1	0.0 %
66.4	-	3	0.1 %
66.5	-	3	0.1 %
66.6	-	3	0.1 %
66.7	-	1	0.0 %
66.8	-	1	0.0 %
66.9	-	1	0.0 %
67.0	-	5	0.2 %
67.1	-	1	0.0 %
67.2	-	3	0.1 %
67.4	-	1	0.0 %
67.5	-	5	0.2 %
67.6	-	2	0.1 %
67.7	-	2	0.1 %
67.8	-	4	0.2 %
68.0	-	9	0.4 %
68.1	-	4	0.2 %
Missing Data			
.	-	380	15.4 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,089 valid cases out of 2,469 total cases.

- Mean: 90.66
- Minimum: 58.70
- Maximum: 171.50
- Standard Deviation: 16.79

Location: 3570-3574 (*width:* 5; *decimal:* 1)

Variable Type: numeric

(Range of) Missing Values: .

WASTMEA9: Waist measurement taken in

Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	1: Undergarments	1456	59.0 %
2	2: Light Clothing	633	25.6 %
	Missing Data		
.	-	380	15.4 %
	Total	2,469	100%

Based upon 2,089 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3575-3576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP9: Hip Circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
76.1	-	1	0.0 %
78.0	-	1	0.0 %
79.4	-	1	0.0 %
79.8	-	1	0.0 %
79.9	-	1	0.0 %
81.0	-	1	0.0 %
81.3	-	1	0.0 %
82.0	-	1	0.0 %
82.4	-	1	0.0 %
82.8	-	1	0.0 %
83.0	-	1	0.0 %
83.1	-	1	0.0 %
83.3	-	1	0.0 %
83.7	-	1	0.0 %
83.8	-	1	0.0 %
84.0	-	1	0.0 %
84.3	-	1	0.0 %
84.5	-	3	0.1 %
84.6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
84.8	-	1	0.0 %
84.9	-	1	0.0 %
85.0	-	1	0.0 %
85.2	-	1	0.0 %
85.5	-	1	0.0 %
85.7	-	3	0.1 %
85.8	-	3	0.1 %
86.0	-	1	0.0 %
86.1	-	1	0.0 %
86.2	-	4	0.2 %
86.3	-	2	0.1 %
86.4	-	1	0.0 %
86.5	-	1	0.0 %
86.6	-	2	0.1 %
86.7	-	3	0.1 %
86.9	-	2	0.1 %
87.0	-	1	0.0 %
87.1	-	3	0.1 %
87.2	-	3	0.1 %
87.3	-	1	0.0 %
87.5	-	3	0.1 %
87.6	-	1	0.0 %
87.7	-	2	0.1 %
87.8	-	2	0.1 %
87.9	-	2	0.1 %
88.0	-	5	0.2 %
88.1	-	2	0.1 %
88.2	-	1	0.0 %
88.4	-	2	0.1 %
88.5	-	4	0.2 %
88.6	-	1	0.0 %
Missing Data			
.	-	381	15.4 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,088 valid cases out of 2,469 total cases.

- Mean: 108.82

- Minimum: 76.10
- Maximum: 185.00
- Standard Deviation: 15.60

Location: 3577-3581 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

HIPMEAS9: Hip Measurement taken in

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	1: Undergarments	1100	44.6 %
2	2: Light Clothing	988	40.0 %
	Missing Data		
.	-	381	15.4 %
	Total	2,469	100%

Based upon 2,088 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3582-3583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BMI9: Body Mass Index

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
15.354903276661	-	1	0.0 %
15.386962376904	-	1	0.0 %
16.092622639810	-	1	0.0 %
16.656751933373	-	1	0.0 %
17.098086410084	-	1	0.0 %
17.128968789784	-	1	0.0 %
17.208617350996	-	1	0.0 %
17.239152892562	-	1	0.0 %
17.271876697895	-	1	0.0 %
17.398697972220	-	1	0.0 %
17.506922066186	-	1	0.0 %
17.656840513983	-	1	0.0 %
17.706974096059	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.806921214223	-	1	0.0 %
17.906763778628	-	1	0.0 %
17.971602558971	-	1	0.0 %
17.998027613412	-	1	0.0 %
18.056753069388	-	1	0.0 %
18.134938511823	-	1	0.0 %
18.179210441393	-	1	0.0 %
18.189644705908	-	1	0.0 %
18.205827519882	-	1	0.0 %
18.277943952054	-	1	0.0 %
18.360617210508	-	1	0.0 %
18.366102728243	-	1	0.0 %
18.386530643166	-	1	0.0 %
18.462260806836	-	1	0.0 %
18.471741407562	-	1	0.0 %
18.508003363785	-	1	0.0 %
18.635145472535	-	1	0.0 %
18.666880307643	-	1	0.0 %
18.669392177494	-	1	0.0 %
18.671728779803	-	1	0.0 %
18.706344069528	-	1	0.0 %
18.765246762995	-	1	0.0 %
18.767690333110	-	1	0.0 %
18.787855406813	-	1	0.0 %
18.796030593246	-	1	0.0 %
18.801260490827	-	1	0.0 %
18.827111039897	-	1	0.0 %
18.906250000000	-	1	0.0 %
18.914192336967	-	1	0.0 %
18.971542329227	-	1	0.0 %
18.981637274017	-	1	0.0 %
19.029779334508	-	1	0.0 %
19.045786136466	-	1	0.0 %
19.090514689070	-	1	0.0 %
19.155555555556	-	1	0.0 %
19.168763762189	-	1	0.0 %
19.213697571052	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	390	15.8 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,079 valid cases out of 2,469 total cases.

- Mean: 29.296104549576
- Minimum: 15.354903276661
- Maximum: 65.231888843566
- Standard Deviation: 7.336109575690

Location: 3584-3598 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

COGDAY9: Cognitive Function Day

Date form completed:

Value	Label	Unweighted Frequency	%
3178	-	1	0.0 %
3205	-	1	0.0 %
3208	-	1	0.0 %
3209	-	1	0.0 %
3213	-	1	0.0 %
3215	-	3	0.1 %
3218	-	1	0.0 %
3220	-	1	0.0 %
3222	-	1	0.0 %
3223	-	1	0.0 %
3225	-	2	0.1 %
3226	-	1	0.0 %
3228	-	3	0.1 %
3229	-	2	0.1 %
3230	-	1	0.0 %
3231	-	1	0.0 %
3232	-	2	0.1 %
3233	-	1	0.0 %
3234	-	3	0.1 %
3235	-	4	0.2 %
3236	-	2	0.1 %
3237	-	4	0.2 %

Value	Label	Unweighted Frequency	%
3238	-	2	0.1 %
3239	-	3	0.1 %
3240	-	11	0.4 %
3241	-	7	0.3 %
3242	-	2	0.1 %
3243	-	3	0.1 %
3244	-	5	0.2 %
3245	-	4	0.2 %
3246	-	4	0.2 %
3247	-	4	0.2 %
3248	-	7	0.3 %
3249	-	4	0.2 %
3250	-	3	0.1 %
3251	-	2	0.1 %
3252	-	4	0.2 %
3253	-	3	0.1 %
3254	-	3	0.1 %
3255	-	4	0.2 %
3256	-	3	0.1 %
3257	-	5	0.2 %
3258	-	3	0.1 %
3259	-	5	0.2 %
3260	-	4	0.2 %
3261	-	6	0.2 %
3262	-	4	0.2 %
3263	-	4	0.2 %
3264	-	4	0.2 %
3265	-	3	0.1 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 552 valid cases out of 2,469 total cases.

- Mean: 3310.84
- Median: 3290.50
- Mode: 3269.00
- Minimum: 3178.00
- Maximum: 3746.00

- Standard Deviation: 75.92

Location: 3599-3602 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGCOG9: Language of Cognitive Function

Interview language:

Value	Label	Unweighted Frequency	%
1	1: English	493	20.0 %
2	2: Spanish	0	0.0 %
3	3: Cantonese	27	1.1 %
4	4: Japanese	32	1.3 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3603-3604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

IMEDTHR9: East Boston Memory Test I (EBMT) Immediate Recall: Three

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	0: Absent	10	0.4 %
1	1: Present	542	22.0 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3605-3606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , ..

IMEDCH19: East Boston Memory Test I (EBMT) Immediate Recall: Children (1)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	3	0.1 %
1	1: Present	549	22.2 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3607-3608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDHOU9: East Boston Memory Test I (EBMT) Immediate Recall: House

Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	0: Absent	64	2.6 %
1	1: Present	488	19.8 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3609-3610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDFIR9: East Boston Memory Test I (EBMT) Immediate Recall: On Fire

Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	0: Absent	28	1.1 %
1	1: Present	524	21.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3611-3612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFMN9: East Boston Memory Test I (EBMT) Immediate Recall: Fireman

Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	0: Absent	15	0.6 %
1	1: Present	537	21.7 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3613-3614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCLM9: East Boston Memory Test I (EBMT) Immediate Recall: Climb In

Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	0: Absent	139	5.6 %
1	1: Present	413	16.7 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3615-3616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH29: East Boston Memory Test I (EBMT) Immediate Recall: Children (2)

Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	52	2.1 %
1	1: Present	500	20.3 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3617-3618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDRES9: East Boston Memory Test I (EBMT) Immediate Recall: Rescued

Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	0: Absent	45	1.8 %
1	1: Present	507	20.5 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3619-3620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDMIN9: East Boston Memory Test I (EBMT) Immediate Recall: Minor

Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	0: Absent	125	5.1 %
1	1: Present	427	17.3 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3621-3622 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDINJ9: East Boston Memory Test I (EBMT) Immediate Recall: Injuries

Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	0: Absent	110	4.5 %
1	1: Present	442	17.9 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3623-3624 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

IMEDEVR9: East Boston Memory Test I (EBMT) Immediate Recall: Everyone

Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	0: Absent	241	9.8 %
1	1: Present	311	12.6 %
	Missing Data		
.	-	1917	77.6 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3625-3626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDWEL9: East Boston Memory Test I (EBMT) Immediate Recall: Well

Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	0: Absent	183	7.4 %
1	1: Present	369	14.9 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3627-3628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE19: East Boston Memory Test I (EBMT) Immediate Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	2	0.1 %
4	-	2	0.1 %
5	-	2	0.1 %
6	-	11	0.4 %
7	-	23	0.9 %
8	-	64	2.6 %
9	-	58	2.3 %
10	-	134	5.4 %
11	-	78	3.2 %

Value	Label	Unweighted Frequency	%
12	-	177	7.2 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Mean: 10.16
- Median: 10.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 1.78

Location: 3629-3630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FACEADM9: Faces Immediate Administration Status

FACES I Administration Status

Value	Label	Unweighted Frequency	%
1	1: Test administered	521	21.1 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	7	0.3 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	24	1.0 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3631-3632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACEI19: Faces Immediate Item 1

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	126	5.1 %
1	1: Correct	395	16.0 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3633-3634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI29: Faces Immediate Item 2

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	94	3.8 %
1	1: Correct	427	17.3 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3635-3636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI39: Faces Immediate Item 3

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	98	4.0 %
1	1: Correct	422	17.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1949	78.9 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3637-3638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI49: Faces Immediate Item 4

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	118	4.8 %
1	1: Correct	403	16.3 %
	Missing Data		
.	-	1948	78.9 %
Total		2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3639-3640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI59: Faces Immediate Item 5

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	38	1.5 %
1	1: Correct	483	19.6 %
	Missing Data		
.	-	1948	78.9 %
Total		2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3641-3642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI69: Faces Immediate Item 6

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	278	11.3 %
1	1: Correct	243	9.8 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3643-3644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI79: Faces Immediate Item 7

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	90	3.6 %
1	1: Correct	431	17.5 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3645-3646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI89: Faces Immediate Item 8

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	97	3.9 %
1	1: Correct	424	17.2 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3647-3648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI99: Faces Immediate Item 9

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	166	6.7 %
1	1: Correct	355	14.4 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3649-3650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI109: Faces Immediate Item 10

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	11	0.4 %
1	1: Correct	510	20.7 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3651-3652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI119: Faces Immediate Item 11

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	61	2.5 %
1	1: Correct	460	18.6 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3653-3654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI129: Faces Immediate Item 12

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	114	4.6 %
1	1: Correct	407	16.5 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3655-3656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI139: Faces Immediate Item 13

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	164	6.6 %
1	1: Correct	357	14.5 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3657-3658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI149: Faces Immediate Item 14

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	166	6.7 %
1	1: Correct	355	14.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1948	78.9 %
Total		2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3659-3660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI159: Faces Immediate Item 15

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	163	6.6 %
1	1: Correct	358	14.5 %
	Missing Data		
.	-	1948	78.9 %
Total		2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3661-3662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI169: Faces Immediate Item 16

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	79	3.2 %
1	1: Correct	442	17.9 %
	Missing Data		
.	-	1948	78.9 %
Total		2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3663-3664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI179: Faces Immediate Item 17

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	26	1.1 %
1	1: Correct	495	20.0 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3665-3666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI189: Faces Immediate Item 18

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like.

Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	93	3.8 %
1	1: Correct	428	17.3 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3667-3668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI199: Faces Immediate Item 19

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	89	3.6 %
1	1: Correct	432	17.5 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3669-3670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI209: Faces Immediate Item 20

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	139	5.6 %
1	1: Correct	382	15.5 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3671-3672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI219: Faces Immediate Item 21

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	71	2.9 %
1	1: Correct	450	18.2 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3673-3674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI229: Faces Immediate Item 22

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	55	2.2 %
1	1: Correct	466	18.9 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3675-3676 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI239: Faces Immediate Item 23

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	103	4.2 %
1	1: Correct	418	16.9 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3677-3678 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI249: Faces Immediate Item 24

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	100	4.1 %
1	1: Correct	421	17.1 %
	Missing Data		
.	-	1948	78.9 %
	Total	2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3679-3680 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI259: Faces Immediate Item 25

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	120	4.9 %
1	1: Correct	401	16.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1948	78.9 %
Total		2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3681-3682 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI269: Faces Immediate Item 26

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	21	0.9 %
1	1: Correct	499	20.2 %
	Missing Data		
.	-	1949	78.9 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3683-3684 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI279: Faces Immediate Item 27

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	37	1.5 %
1	1: Correct	483	19.6 %
	Missing Data		
.	-	1949	78.9 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3685-3686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI289: Faces Immediate Item 28

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	168	6.8 %
1	1: Correct	352	14.3 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3687-3688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI299: Faces Immediate Item 29

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	107	4.3 %
1	1: Correct	413	16.7 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3689-3690 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI309: Faces Immediate Item 30

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	54	2.2 %
1	1: Correct	466	18.9 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3691-3692 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI319: Faces Immediate Item 31

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	73	3.0 %
1	1: Correct	446	18.1 %
	Missing Data		
.	-	1950	79.0 %
	Total	2,469	100%

Based upon 519 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3693-3694 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI329: Faces Immediate Item 32

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	118	4.8 %
1	1: Correct	402	16.3 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3695-3696 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI339: Faces Immediate Item 33

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	137	5.5 %
1	1: Correct	382	15.5 %
	Missing Data		
.	-	1950	79.0 %
	Total	2,469	100%

Based upon 519 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3697-3698 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI349: Faces Immediate Item 34

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	69	2.8 %
1	1: Correct	451	18.3 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3699-3700 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI359: Faces Immediate Item 35

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	61	2.5 %
1	1: Correct	459	18.6 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3701-3702 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI369: Faces Immediate Item 36

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	106	4.3 %
1	1: Correct	414	16.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1949	78.9 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3703-3704 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI379: Faces Immediate Item 37

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	108	4.4 %
1	1: Correct	412	16.7 %
	Missing Data		
.	-	1949	78.9 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3705-3706 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI389: Faces Immediate Item 38

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	56	2.3 %
1	1: Correct	464	18.8 %
	Missing Data		
.	-	1949	78.9 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3707-3708 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI399: Faces Immediate Item 39

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	27	1.1 %
1	1: Correct	493	20.0 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3709-3710 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

FACEI409: Faces Immediate Item 40

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	163	6.6 %
1	1: Correct	357	14.5 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3711-3712 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI419: Faces Immediate Item 41

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	60	2.4 %
1	1: Correct	460	18.6 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3713-3714 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI429: Faces Immediate Item 42

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	76	3.1 %
1	1: Correct	443	17.9 %
	Missing Data		
.	-	1950	79.0 %
	Total	2,469	100%

Based upon 519 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3715-3716 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI439: Faces Immediate Item 43

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	12	0.5 %
1	1: Correct	508	20.6 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3717-3718 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI449: Faces Immediate Item 44

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	57	2.3 %
1	1: Correct	463	18.8 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3719-3720 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI459: Faces Immediate Item 45

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	74	3.0 %
1	1: Correct	446	18.1 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3721-3722 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI469: Faces Immediate Item 46

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	60	2.4 %
1	1: Correct	460	18.6 %
	Missing Data		
.	-	1949	78.9 %
	Total	2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3723-3724 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI479: Faces Immediate Item 47

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	131	5.3 %
1	1: Correct	388	15.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1950	79.0 %
Total		2,469	100%

Based upon 519 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3725-3726 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI489: Faces Immediate Item 48

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	140	5.7 %
1	1: Correct	380	15.4 %
	Missing Data		
.	-	1949	78.9 %
Total		2,469	100%

Based upon 520 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3727-3728 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEIMD9: Faces Total Score: Immediate

Faces Total Score: Immediate

Value	Label	Unweighted Frequency	%
25	-	2	0.1 %
26	-	3	0.1 %
27	-	6	0.2 %
28	-	3	0.1 %
29	-	5	0.2 %
30	-	8	0.3 %
31	-	5	0.2 %

Value	Label	Unweighted Frequency	%
32	-	13	0.5 %
33	-	18	0.7 %
34	-	21	0.9 %
35	-	27	1.1 %
36	-	26	1.1 %
37	-	32	1.3 %
38	-	38	1.5 %
39	-	40	1.6 %
40	-	40	1.6 %
41	-	45	1.8 %
42	-	43	1.7 %
43	-	43	1.7 %
44	-	37	1.5 %
45	-	30	1.2 %
46	-	26	1.1 %
47	-	4	0.2 %
48	-	3	0.1 %
Missing Data			
.	-	1951	79.0 %
Total		2,469	100%

Based upon 518 valid cases out of 2,469 total cases.

- Mean: 39.21
- Median: 40.00
- Mode: 41.00
- Minimum: 25.00
- Maximum: 48.00
- Standard Deviation: 4.67

Location: 3729-3730 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SDMTSTA9: Symbol Digit Modalities Test (SDMT): Administration Status

SDMT: Administration Status

Value	Label	Unweighted Frequency	%
1	1: Test administered	544	22.0 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	4	0.2 %
8	8: Not administered because of behavioral reason	0	0.0 %

Value	Label	Unweighted Frequency	%
9	9: Not administered because of other reason	3	0.1 %
10	10: Administered but not according to protocol	1	0.0 %
	Missing Data		
.	.	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 3731-3732 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SDMTADM9: Symbol Digit Modalities Test (SDMT): Number of Test Administrations

SDMT: # of Test Administrations

Value	Label	Unweighted Frequency	%
1	-	542	22.0 %
2	-	2	0.1 %
	Missing Data		
.	.	1925	78.0 %
	Total	2,469	100%

Based upon 544 valid cases out of 2,469 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.06

Location: 3733-3733 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SDMTPRA9: Symbol Digit Modalities Test (SDMT): Number of Practice Items Correct

SDMT: # of Practice Items Correct

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
5	-	2	0.1 %
6	-	16	0.6 %

Value	Label	Unweighted Frequency	%
7	-	525	21.3 %
	Missing Data		
.	-	1925	78.0 %
	Total	2,469	100%

Based upon 544 valid cases out of 2,469 total cases.

- Mean: 6.96
- Median: 7.00
- Mode: 7.00
- Minimum: 4.00
- Maximum: 7.00
- Standard Deviation: 0.24

Location: 3734-3734 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SDMTATM9: Symbol Digit Modalities Test (SDMT): Number of Test Items Attempted

SDMT: # of Test Items Attempted

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
30	-	2	0.1 %
31	-	1	0.0 %
32	-	2	0.1 %
33	-	1	0.0 %
35	-	3	0.1 %
36	-	4	0.2 %
37	-	3	0.1 %
38	-	3	0.1 %
39	-	3	0.1 %
40	-	6	0.2 %
41	-	2	0.1 %
42	-	5	0.2 %
43	-	3	0.1 %
44	-	8	0.3 %
45	-	3	0.1 %

Value	Label	Unweighted Frequency	%
46	-	10	0.4 %
47	-	13	0.5 %
48	-	9	0.4 %
49	-	8	0.3 %
50	-	17	0.7 %
51	-	19	0.8 %
52	-	21	0.9 %
53	-	24	1.0 %
54	-	22	0.9 %
55	-	15	0.6 %
56	-	27	1.1 %
57	-	29	1.2 %
58	-	20	0.8 %
59	-	23	0.9 %
60	-	23	0.9 %
61	-	29	1.2 %
62	-	15	0.6 %
63	-	24	1.0 %
64	-	10	0.4 %
65	-	34	1.4 %
66	-	21	0.9 %
67	-	10	0.4 %
68	-	9	0.4 %
69	-	9	0.4 %
70	-	6	0.2 %
71	-	9	0.4 %
72	-	7	0.3 %
73	-	4	0.2 %
74	-	1	0.0 %
75	-	3	0.1 %
Missing Data			
.	-	1925	78.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 544 valid cases out of 2,469 total cases.

- Mean: 57.43
- Median: 58.00

- Mode: 65.00
- Minimum: 15.00
- Maximum: 91.00
- Standard Deviation: 10.27

Location: 3735-3736 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SDMTCOR9: Symbol Digit Modalities Test (SDMT): Number of Test Items Correct

SDMT: # of Test Items Correct

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
19	-	2	0.1 %
20	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	3	0.1 %
32	-	3	0.1 %
33	-	3	0.1 %
34	-	2	0.1 %
35	-	2	0.1 %
36	-	3	0.1 %
37	-	1	0.0 %
38	-	3	0.1 %
39	-	7	0.3 %
40	-	5	0.2 %
41	-	6	0.2 %
42	-	5	0.2 %
43	-	6	0.2 %
44	-	6	0.2 %
45	-	10	0.4 %
46	-	10	0.4 %
47	-	6	0.2 %

Value	Label	Unweighted Frequency	%
48	-	9	0.4 %
49	-	13	0.5 %
50	-	15	0.6 %
51	-	19	0.8 %
52	-	30	1.2 %
53	-	14	0.6 %
54	-	22	0.9 %
55	-	18	0.7 %
56	-	26	1.1 %
57	-	24	1.0 %
58	-	23	0.9 %
59	-	22	0.9 %
60	-	25	1.0 %
61	-	19	0.8 %
62	-	21	0.9 %
63	-	19	0.8 %
64	-	14	0.6 %
65	-	33	1.3 %
66	-	12	0.5 %
67	-	9	0.4 %
68	-	8	0.3 %
Missing Data			
.	-	1925	78.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 544 valid cases out of 2,469 total cases.

- Mean: 56.16
- Median: 57.00
- Mode: 65.00
- Minimum: 4.00
- Maximum: 90.00
- Standard Deviation: 11.40

Location: 3737-3738 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

DIGIT1A9: Digits Backward: Item 1A

I am going to say some numbers. When I stop, I want you to say them backwards. Ready? 5 - 1

Value	Label	Unweighted Frequency	%
0	0: Error	0	0.0 %
1	1: Correct	547	22.2 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	4	0.2 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3739-3740 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT1B9: Digits Backward: Item 1B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8

Value	Label	Unweighted Frequency	%
0	0: Error	1	0.0 %
1	1: Correct	546	22.1 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	4	0.2 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3741-3742 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2A9: Digits Backward: Item 2A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 9 - 3

Value	Label	Unweighted Frequency	%
0	0: Error	30	1.2 %
1	1: Correct	517	20.9 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	4	0.2 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3743-3744 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2B9: Digits Backward: Item 2B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 5 - 2 - 6

Value	Label	Unweighted Frequency	%
0	0: Error	86	3.5 %
1	1: Correct	461	18.7 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	4	0.2 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3745-3746 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT3A9: Digits Backward: Item 3A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8 - 1 - 4

Value	Label	Unweighted Frequency	%
0	0: Error	107	4.3 %
1	1: Correct	431	17.5 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	5	0.2 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1925	78.0 %
Total		2,469	100%

Based upon 544 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3747-3748 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DIGIT3B9: Digits Backward: Item 3B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 1 - 7 - 9 - 5

Value	Label	Unweighted Frequency	%
0	0: Error	143	5.8 %
1	1: Correct	395	16.0 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	5	0.2 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1925	78.0 %
Total		2,469	100%

Based upon 544 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3749-3750 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4A9: Digits Backward: Item 4A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 6 - 2 - 9 - 7 - 2

Value	Label	Unweighted Frequency	%
0	0: Error	301	12.2 %
1	1: Correct	183	7.4 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	8	0.3 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1976	80.0 %
Total		2,469	100%

Based upon 493 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3751-3752 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4B9: Digits Backward: Item 4B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 8 - 5 - 2 - 7

Value	Label	Unweighted Frequency	%
0	0: Error	257	10.4 %
1	1: Correct	226	9.2 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	9	0.4 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1976	80.0 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 493 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3753-3754 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5A9: Digits Backward: Item 5A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 7 - 1 - 5 - 2 - 8 - 6

Value	Label	Unweighted Frequency	%
0	0: Error	182	7.4 %
1	1: Correct	102	4.1 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	10	0.4 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	2174	88.1 %
Total		2,469	100%

Based upon 295 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3755-3756 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5B9: Digits Backward: Item 5B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 3 - 1 - 9 - 6 - 4

Value	Label	Unweighted Frequency	%
0	0: Error	188	7.6 %
1	1: Correct	94	3.8 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	11	0.4 %
8	8: Not administered because of behavioral reason	0	0.0 %

Value	Label	Unweighted Frequency	%
9	9: Not administered because of other reason	2	0.1 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	2174	88.1 %
	Total	2,469	100%

Based upon 295 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3757-3758 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6A9: Digits Backward: Item 6A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 7 - 3 - 9 - 1 - 2 - 8

Value	Label	Unweighted Frequency	%
0	0: Error	83	3.4 %
1	1: Correct	57	2.3 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	11	0.4 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	2	0.1 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	2316	93.8 %
	Total	2,469	100%

Based upon 153 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3759-3760 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6B9: Digits Backward: Item 6B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 1 - 2 - 9 - 3 - 6 - 3

Value	Label	Unweighted Frequency	%
0	0: Error	84	3.4 %

Value	Label	Unweighted Frequency	%
1	1: Correct	56	2.3 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	11	0.4 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	2	0.1 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	2316	93.8 %
Total		2,469	100%

Based upon 153 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3761-3762 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGTOT9: Digits Backward Total Score

DIGITS BACKWARD TOTAL SCORE

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	7	0.3 %
3	-	20	0.8 %
4	-	49	2.0 %
5	-	97	3.9 %
6	-	131	5.3 %
7	-	76	3.1 %
8	-	53	2.1 %
9	-	28	1.1 %
10	-	39	1.6 %
11	-	23	0.9 %
12	-	15	0.6 %
Missing Data			
.	-	1930	78.2 %
Total		2,469	100%

Based upon 539 valid cases out of 2,469 total cases.

- Mean: 6.63

- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.23

Location: 3763-3764 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DLAYTHR9: East Boston Memory Test II (EBMT) Delayed Recall: Three

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	0: Absent	21	0.9 %
1	1: Present	531	21.5 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3765-3766 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH19: East Boston Memory Test II (EBMT) Delayed Recall: Children (1)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	2	0.1 %
1	1: Present	550	22.3 %
Missing Data			
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3767-3768 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYHOU9: East Boston Memory Test II (EBMT) Delayed Recall: House

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	0: Absent	68	2.8 %
1	1: Present	484	19.6 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3769-3770 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFIR9: East Boston Memory Test II (EBMT) Delayed Recall: On Fire

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	0: Absent	29	1.2 %
1	1: Present	523	21.2 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3771-3772 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFMN9: East Boston Memory Test II (EBMT) Delayed Recall: Fireman

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	0: Absent	20	0.8 %
1	1: Present	532	21.5 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3773-3774 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DLAYCLM9: East Boston Memory Test II (EBMT) Delayed Recall: Climb In

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	0: Absent	146	5.9 %
1	1: Present	406	16.4 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3775-3776 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

DLAYCH29: East Boston Memory Test II (EBMT) Delayed Recall: Children (2)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	43	1.7 %
1	1: Present	509	20.6 %
	Missing Data		
.	-	1917	77.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3777-3778 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYRES9: East Boston Memory Test II (EBMT) Delayed Recall: Rescued

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	0: Absent	40	1.6 %
1	1: Present	512	20.7 %
	Missing Data		
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3779-3780 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYMIN9: East Boston Memory Test II (EBMT) Delayed Recall: Minor

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	0: Absent	127	5.1 %
1	1: Present	425	17.2 %
	Missing Data		
.	-	1917	77.6 %
Total		2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3781-3782 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYINJ9: East Boston Memory Test II (EBMT) Delayed Recall: Injuries

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	0: Absent	115	4.7 %
1	1: Present	437	17.7 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3783-3784 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYER9: East Boston Memory Test II (EBMT) Delayed Recall: Everyone

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	0: Absent	275	11.1 %
1	1: Present	277	11.2 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3785-3786 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYWEL9: East Boston Memory Test II (EBMT) Delayed Recall: Well

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	0: Absent	234	9.5 %
1	1: Present	318	12.9 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3787-3788 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE29: East Boston Memory Test II (EBMT) Delayed Recall: Total Ideas

Total ideas present

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
3	-	1	0.0 %
4	-	3	0.1 %
5	-	8	0.3 %
6	-	8	0.3 %
7	-	35	1.4 %
8	-	58	2.3 %
9	-	65	2.6 %
10	-	142	5.8 %
11	-	85	3.4 %
12	-	146	5.9 %
	Missing Data		
.	-	1917	77.6 %
	Total	2,469	100%

Based upon 552 valid cases out of 2,469 total cases.

- Mean: 9.97
- Median: 10.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00

- Standard Deviation: 1.84

Location: 3789-3790 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FACE2AD9: Faces II Delayed Administration Status

FACES II Administration Status

Value	Label	Unweighted Frequency	%
1	1: Test administered	517	20.9 %
6	6: Not administered because of physical impairment	0	0.0 %
7	7: Not administered because of verbal refusal	1	0.0 %
8	8: Not administered because of behavioral reason	0	0.0 %
9	9: Not administered because of other reason	3	0.1 %
10	10: Administered but not according to protocol	0	0.0 %
Missing Data			
.	-	1948	78.9 %
Total		2,469	100%

Based upon 521 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 9.00

Location: 3791-3792 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED19: Faces II Delayed Item 1

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	191	7.7 %
1	1: Correct	326	13.2 %
Missing Data			
.	-	1952	79.1 %
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3793-3794 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED29: Faces II Delayed Item 2

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	67	2.7 %
1	1: Correct	449	18.2 %
	Missing Data		
.	-	1953	79.1 %
	Total	2,469	100%

Based upon 516 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3795-3796 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED39: Faces II Delayed Item 3

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	130	5.3 %
1	1: Correct	387	15.7 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3797-3798 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED49: Faces II Delayed Item 4

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	223	9.0 %
1	1: Correct	294	11.9 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3799-3800 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED59: Faces II Delayed Item 5

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	31	1.3 %
1	1: Correct	486	19.7 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3801-3802 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED69: Faces II Delayed Item 6

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	91	3.7 %
1	1: Correct	426	17.3 %
	Missing Data		
.	-	1952	79.1 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3803-3804 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED79: Faces II Delayed Item 7

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	75	3.0 %
1	1: Correct	442	17.9 %
	Missing Data		
.	-	1952	79.1 %
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3805-3806 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED89: Faces II Delayed Item 8

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	86	3.5 %
1	1: Correct	431	17.5 %
	Missing Data		
.	-	1952	79.1 %
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3807-3808 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED99: Faces II Delayed Item 9

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	19	0.8 %
1	1: Correct	498	20.2 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3809-3810 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED109: Faces II Delayed Item 10

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	20	0.8 %
1	1: Correct	497	20.1 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3811-3812 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED119: Faces II Delayed Item 11

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	68	2.8 %
1	1: Correct	449	18.2 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3813-3814 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED129: Faces II Delayed Item 12

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	58	2.3 %
1	1: Correct	459	18.6 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3815-3816 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED139: Faces II Delayed Item 13

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	79	3.2 %
1	1: Correct	438	17.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3817-3818 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED149: Faces II Delayed Item 14

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	22	0.9 %
1	1: Correct	495	20.0 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3819-3820 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED159: Faces II Delayed Item 15

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	55	2.2 %
1	1: Correct	462	18.7 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3821-3822 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED169: Faces II Delayed Item 16

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	37	1.5 %
1	1: Correct	480	19.4 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3823-3824 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED179: Faces II Delayed Item 17

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	163	6.6 %
1	1: Correct	354	14.3 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3825-3826 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED189: Faces II Delayed Item 18

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	60	2.4 %
1	1: Correct	457	18.5 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3827-3828 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED199: Faces II Delayed Item 19

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	70	2.8 %
1	1: Correct	447	18.1 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3829-3830 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED209: Faces II Delayed Item 20

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	71	2.9 %
1	1: Correct	446	18.1 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3831-3832 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED219: Faces II Delayed Item 21

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	72	2.9 %
1	1: Correct	445	18.0 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3833-3834 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED229: Faces II Delayed Item 22

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	48	1.9 %
1	1: Correct	469	19.0 %
	Missing Data		
.	-	1952	79.1 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3835-3836 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED239: Faces II Delayed Item 23

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	63	2.6 %
1	1: Correct	454	18.4 %
	Missing Data		
.	-	1952	79.1 %
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3837-3838 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED249: Faces II Delayed Item 24

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	29	1.2 %
1	1: Correct	488	19.8 %
	Missing Data		
.	-	1952	79.1 %
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3839-3840 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED259: Faces II Delayed Item 25

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	112	4.5 %
1	1: Correct	405	16.4 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3841-3842 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED269: Faces II Delayed Item 26

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	15	0.6 %
1	1: Correct	502	20.3 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3843-3844 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED279: Faces II Delayed Item 27

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	127	5.1 %
1	1: Correct	390	15.8 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3845-3846 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED289: Faces II Delayed Item 28

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	92	3.7 %
1	1: Correct	425	17.2 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3847-3848 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED299: Faces II Delayed Item 29

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	95	3.8 %
1	1: Correct	422	17.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3849-3850 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED309: Faces II Delayed Item 30

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	36	1.5 %
1	1: Correct	481	19.5 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3851-3852 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED319: Faces II Delayed Item 31

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	100	4.1 %
1	1: Correct	417	16.9 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3853-3854 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED329: Faces II Delayed Item 32

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	31	1.3 %
1	1: Correct	486	19.7 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3855-3856 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED339: Faces II Delayed Item 33

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	87	3.5 %
1	1: Correct	430	17.4 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3857-3858 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED349: Faces II Delayed Item 34

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	54	2.2 %
1	1: Correct	463	18.8 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3859-3860 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACED359: Faces II Delayed Item 35

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	58	2.3 %
1	1: Correct	459	18.6 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3861-3862 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FACED369: Faces II Delayed Item 36

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	225	9.1 %
1	1: Correct	292	11.8 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3863-3864 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED379: Faces II Delayed Item 37

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	38	1.5 %
1	1: Correct	479	19.4 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3865-3866 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED389: Faces II Delayed Item 38

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	124	5.0 %
1	1: Correct	393	15.9 %
	Missing Data		
.	-	1952	79.1 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3867-3868 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED399: Faces II Delayed Item 39

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	136	5.5 %
1	1: Correct	381	15.4 %
	Missing Data		
.	-	1952	79.1 %
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3869-3870 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED409: Faces II Delayed Item 40

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	88	3.6 %
1	1: Correct	429	17.4 %
	Missing Data		
.	-	1952	79.1 %
Total		2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3871-3872 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED419: Faces II Delayed Item 41

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	25	1.0 %
1	1: Correct	492	19.9 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3873-3874 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED429: Faces II Delayed Item 42

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	209	8.5 %
1	1: Correct	308	12.5 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3875-3876 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED439: Faces II Delayed Item 43

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	74	3.0 %
1	1: Correct	443	17.9 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3877-3878 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED449: Faces II Delayed Item 44

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	36	1.5 %
1	1: Correct	481	19.5 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3879-3880 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED459: Faces II Delayed Item 45

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	199	8.1 %
1	1: Correct	318	12.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1952	79.1 %

	Total	2,469	100%
--	--------------	--------------	-------------

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3881-3882 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED469: Faces II Delayed Item 46

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	46	1.9 %
1	1: Correct	471	19.1 %
	Missing Data		
.	-	1952	79.1 %

	Total	2,469	100%
--	--------------	--------------	-------------

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3883-3884 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED479: Faces II Delayed Item 47

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	54	2.2 %
1	1: Correct	463	18.8 %
	Missing Data		
.	-	1952	79.1 %

	Total	2,469	100%
--	--------------	--------------	-------------

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3885-3886 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED489: Faces II Delayed Item 48

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	75	3.0 %
1	1: Correct	442	17.9 %
	Missing Data		
.	-	1952	79.1 %
	Total	2,469	100%

Based upon 517 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3887-3888 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEDLY9: Faces II Total Score: Delayed

Faces Total Score: Delayed

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
19	-	1	0.0 %
24	-	1	0.0 %
25	-	3	0.1 %
26	-	2	0.1 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	3	0.1 %
31	-	6	0.2 %
32	-	7	0.3 %
33	-	13	0.5 %

Value	Label	Unweighted Frequency	%
34	-	13	0.5 %
35	-	15	0.6 %
36	-	21	0.9 %
37	-	23	0.9 %
38	-	34	1.4 %
39	-	37	1.5 %
40	-	33	1.3 %
41	-	48	1.9 %
42	-	61	2.5 %
43	-	55	2.2 %
44	-	48	1.9 %
45	-	39	1.6 %
46	-	30	1.2 %
47	-	15	0.6 %
48	-	2	0.1 %
Missing Data			
.	-	1953	79.1 %
Total		2,469	100%

Based upon 516 valid cases out of 2,469 total cases.

- Mean: 40.35
- Median: 41.00
- Mode: 42.00
- Minimum: 7.00
- Maximum: 48.00
- Standard Deviation: 4.70

Location: 3889-3890 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FFQDAY9: Food Frequency Questionnaire Day

Food Frequency Questionnaire Day

Value	Label	Unweighted Frequency	%
2941	-	1	0.0 %
2999	-	1	0.0 %
3007	-	1	0.0 %
3037	-	1	0.0 %
3151	-	1	0.0 %
3153	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3167	-	1	0.0 %
3171	-	1	0.0 %
3178	-	1	0.0 %
3196	-	1	0.0 %
3202	-	2	0.1 %
3203	-	1	0.0 %
3205	-	1	0.0 %
3206	-	1	0.0 %
3208	-	2	0.1 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3213	-	1	0.0 %
3214	-	1	0.0 %
3215	-	5	0.2 %
3217	-	1	0.0 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3221	-	1	0.0 %
3222	-	1	0.0 %
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	3	0.1 %
3226	-	2	0.1 %
3227	-	3	0.1 %
3228	-	9	0.4 %
3229	-	3	0.1 %
3230	-	2	0.1 %
3231	-	2	0.1 %
3232	-	4	0.2 %
3233	-	5	0.2 %
3234	-	8	0.3 %
3235	-	9	0.4 %
3236	-	2	0.1 %
3237	-	9	0.4 %
3238	-	5	0.2 %
3239	-	8	0.3 %
3240	-	27	1.1 %
3241	-	20	0.8 %
3242	-	9	0.4 %

Value	Label	Unweighted Frequency	%
3243	-	8	0.3 %
3244	-	9	0.4 %
3245	-	10	0.4 %
3246	-	15	0.6 %
3247	-	10	0.4 %
Missing Data			
.	-	642	26.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,827 valid cases out of 2,469 total cases.

- Mean: 3310.89
- Minimum: 2941.00
- Maximum: 3845.00
- Standard Deviation: 78.86

Location: 3891-3894 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGFFQ9: Food Frequency Questionnaire (FFQ) Language

FFQ Language

Value	Label	Unweighted Frequency	%
-		731	29.6 %
1	UNDOCUMENTED CODE	1348	54.6 %
3	UNDOCUMENTED CODE	178	7.2 %
4	UNDOCUMENTED CODE	212	8.6 %
C	C: Chinese	0	0.0 %
E	E: English	0	0.0 %
J	J: Japanese	0	0.0 %
S	S: Spanish	0	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 3895-3895 (width: 1; decimal: 0)

Variable Type: character

LANGSPK9: Food Frequency Questionnaire (FFQ) Language used at home

What language do you usually speak at home or with friends?

Value	Label	Unweighted Frequency	%
1	1: English	1508	61.1 %
2	2: Other	136	5.5 %
3	3: Both	46	1.9 %
	Missing Data		
.	-	779	31.6 %
	Total	2,469	100%

Based upon 1,690 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3896-3896 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

WLOSSDT9: How many times on diet

About how many times have you gone on a diet to lose weight?

Value	Label	Unweighted Frequency	%
1	1: Never	523	21.2 %
2	2: 1-2 times	239	9.7 %
3	3: 3-5 times	319	12.9 %
4	4: 6-8 times	106	4.3 %
5	5: 9-11 times	116	4.7 %
6	6: 12 or more	424	17.2 %
	Missing Data		
.	-	742	30.1 %
	Total	2,469	100%

Based upon 1,727 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3897-3897 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GLOBVEG9: Global vegetable servings, excluding salad/potato

About how many servings of vegetables do you eat, per day or week, not counting salad or potatoes? (Global vegetable servings, excl salad/potato)

Value	Label	Unweighted Frequency	%
1	1: < 1/week	35	1.4 %
2	2: 1-2/week	138	5.6 %
3	3: 3-4/week	304	12.3 %
4	4: 5-6/week	229	9.3 %
5	5: 1/day	366	14.8 %
6	6: 1 1/2 /day	128	5.2 %
7	7: 2/day	373	15.1 %
8	8: 3/day	113	4.6 %
9	9: 4+ /day	51	2.1 %
Missing Data			
.	-	732	29.6 %
Total		2,469	100%

Based upon 1,737 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3898-3898 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GLOBFRT9: Global fruit servings, excluding juices

About how many servings of fruit do you eat, not counting juices? (Global fruit servings, excl juices)

Value	Label	Unweighted Frequency	%
1	1: < 1/week	123	5.0 %
2	2: 1-2/week	224	9.1 %
3	3: 3-4/week	282	11.4 %
4	4: 5-6/week	160	6.5 %
5	5: 1/day	354	14.3 %
6	6: 1 1/2 /day	88	3.6 %
7	7: 2/day	341	13.8 %
8	8: 3/day	130	5.3 %
9	9: 4+ /day	35	1.4 %
Missing Data			
.	-	732	29.6 %
Total		2,469	100%

Based upon 1,737 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 9.00

Location: 3899-3899 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GLOBCER9: Global cereal servings

About how many servings of cold cereal do you eat? (Global cereal servings)

Value	Label	Unweighted Frequency	%
1	1: < 1/week	787	31.9 %
2	2: 1-2/week	386	15.6 %
3	3: 3-4/week	218	8.8 %
4	4: 5-6/week	103	4.2 %
5	5: 1/day	216	8.7 %
6	6: 1 1/2 /day	14	0.6 %
7	7: 2/day	10	0.4 %
8	8: 3/day	0	0.0 %
9	9: 4+ /day	0	0.0 %
Missing Data			
.	-	735	29.8 %
Total		2,469	100%

Based upon 1,734 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 3900-3900 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GLOBMLK9: Global milk servings by glass

About how many glasses of milk (or chocolate milk) do you drink? (Global milk servings by glass)

Value	Label	Unweighted Frequency	%
1	1: < 1/week	954	38.6 %
2	2: 1-2/week	199	8.1 %
3	3: 3-4/week	135	5.5 %
4	4: 5-6/week	65	2.6 %
5	5: 1/day	222	9.0 %
6	6: 1 1/2 /day	32	1.3 %
7	7: 2/day	95	3.8 %
8	8: 3/day	22	0.9 %

Value	Label	Unweighted Frequency	%
9	9: 4+ /day	7	0.3 %
	Missing Data		
-	-	738	29.9 %
	Total	2,469	100%

Based upon 1,731 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3901-3901 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

OJCALC9: How often drink OJ with Calcium

When you drink orange juice, how often do you drink a calcium-fortified brand? (How often drink OJ w/Calcium)

Value	Label	Unweighted Frequency	%
1	1: Usually	561	22.7 %
2	2: Sometimes	282	11.4 %
3	3: Rarely	821	33.3 %
	Missing Data		
-	-	805	32.6 %
	Total	2,469	100%

Based upon 1,664 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3902-3902 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LFATCHS9: How often eat lowfat cheese

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food? Cheese

Value	Label	Unweighted Frequency	%
1	1: Always low-fat	182	7.4 %
2	2: Sometimes low-fat	516	20.9 %
3	3: Rarely low-fat	973	39.4 %
	Missing Data		
-	-	798	32.3 %
	Total	2,469	100%

Based upon 1,671 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3903-3903 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LFATICE9: How often eat lowfat ice cream/yogurt

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food? Ice cream or yogurt

Value	Label	Unweighted Frequency	%
1	1: Always low-fat	425	17.2 %
2	2: Sometimes low-fat	571	23.1 %
3	3: Rarely low-fat	670	27.1 %
	Missing Data		
.	-	803	32.5 %
	Total	2,469	100%

Based upon 1,666 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3904-3904 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LFATSAL9: How often eat lowfat salad dressing

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food? Salad dressing

Value	Label	Unweighted Frequency	%
1	1: Always low-fat	403	16.3 %
2	2: Sometimes low-fat	559	22.6 %
3	3: Rarely low-fat	730	29.6 %
	Missing Data		
.	-	777	31.5 %
	Total	2,469	100%

Based upon 1,692 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3905-3905 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LFATCAK9: How often eat lowfat cake/cookies

When you eat the following foods, how often do you eat a low-fat or non-fat version of that food? Cake or cookies

Value	Label	Unweighted Frequency	%
1	1: Always low-fat	45	1.8 %
2	2: Sometimes low-fat	334	13.5 %
3	3: Rarely low-fat	1264	51.2 %
	Missing Data		
.	-	826	33.5 %
	Total	2,469	100%

Based upon 1,643 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3906-3906 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EATSALT9: How often add table salt

How often do you add salt to your food at the table? (How often add table salt)

Value	Label	Unweighted Frequency	%
1	1: Seldom	1186	48.0 %
2	2: Sometimes	315	12.8 %
3	3: Often	230	9.3 %
	Missing Data		
.	-	738	29.9 %
	Total	2,469	100%

Based upon 1,731 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3907-3907 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EATSKIN9: How often eat chicken skin

How often do you eat the skin on chicken?

Value	Label	Unweighted Frequency	%
1	1: Seldom	983	39.8 %
2	2: Sometimes	370	15.0 %
3	3: Often	333	13.5 %
	Missing Data		
.	-	783	31.7 %
	Total	2,469	100%

Based upon 1,686 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3908-3908 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EATFATM9: How often eat meat fat

How often do you eat the fat on meat?

Value	Label	Unweighted Frequency	%
1	1: Seldom	1253	50.7 %
2	2: Sometimes	303	12.3 %
3	3: Often	84	3.4 %
	Missing Data		
.	-	829	33.6 %
	Total	2,469	100%

Based upon 1,640 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3909-3909 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

WELLDNE9: How do you like your meat cooked

How do you like your meat cooked?

Value	Label	Unweighted Frequency	%
1	1: Rare	208	8.4 %
2	2: Medium	800	32.4 %
3	3: Well done	645	26.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	816	33.0 %
Total		2,469	100%

Based upon 1,653 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3910-3910 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

TAKEVIT9: Take vitamins/minerals regularly

During the past year have you taken any vitamins or minerals regularly (at least once a week)?

Value	Label	Unweighted Frequency	%
1	1: No, not reguglarly	552	22.4 %
2	2: Yes, fairly regularly	1148	46.5 %
	Missing Data		
-	-	769	31.1 %
Total		2,469	100%

Based upon 1,700 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3911-3911 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSONEA9: How many years taken multiple vitamin

How many yrs taken multiple vitamin

Value	Label	Unweighted Frequency	%
1	1: < year	78	3.2 %
2	2: 1 year	43	1.7 %
3	3: 2 years	92	3.7 %
4	4: 3-4 years	129	5.2 %
5	5: 5-9 years	192	7.8 %
6	6: 10+ years	403	16.3 %
	Missing Data		
-	-	1532	62.0 %
Total		2,469	100%

Based upon 937 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3912-3912 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSAO9: How many years taken antioxidant

How many yrs taken antioxidant

Value	Label	Unweighted Frequency	%
1	1: < year	11	0.4 %
2	2: 1 year	12	0.5 %
3	3: 2 years	4	0.2 %
4	4: 3-4 years	15	0.6 %
5	5: 5-9 years	17	0.7 %
6	6: 10+ years	24	1.0 %
Missing Data			
.	-	2386	96.6 %
Total		2,469	100%

Based upon 83 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3913-3913 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSVITA9: How many years taken vitamin A

How many yrs taken vitamin A

Value	Label	Unweighted Frequency	%
1	1: < year	2	0.1 %
2	2: 1 year	2	0.1 %
3	3: 2 years	1	0.0 %
4	4: 3-4 years	2	0.1 %
5	5: 5-9 years	5	0.2 %
6	6: 10+ years	10	0.4 %
Missing Data			
.	-	2447	99.1 %
Total		2,469	100%

Based upon 22 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3914-3914 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSBETA9: How many years taken beta-carotene

How many yrs taken beta-carotene

Value	Label	Unweighted Frequency	%
1	1: < year	0	0.0 %
2	2: 1 year	0	0.0 %
3	3: 2 years	3	0.1 %
4	4: 3-4 years	5	0.2 %
5	5: 5-9 years	5	0.2 %
6	6: 10+ years	9	0.4 %
Missing Data			
.	-	2447	99.1 %
Total		2,469	100%

Based upon 22 valid cases out of 2,469 total cases.

- Minimum: 3.00
- Maximum: 6.00

Location: 3915-3915 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSVITC9: How many years taken vitamin C

How many yrs taken vitamin C

Value	Label	Unweighted Frequency	%
1	1: < year	19	0.8 %
2	2: 1 year	22	0.9 %
3	3: 2 years	24	1.0 %
4	4: 3-4 years	32	1.3 %
5	5: 5-9 years	67	2.7 %
6	6: 10+ years	155	6.3 %
Missing Data			
.	-	2150	87.1 %
Total		2,469	100%

Based upon 319 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3916-3916 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSVITE9: How many years taken vitamin E

How many yrs taken vitamin E

Value	Label	Unweighted Frequency	%
1	1: < year	16	0.6 %
2	2: 1 year	15	0.6 %
3	3: 2 years	35	1.4 %
4	4: 3-4 years	33	1.3 %
5	5: 5-9 years	76	3.1 %
6	6: 10+ years	93	3.8 %
Missing Data			
.	-	2201	89.1 %
Total		2,469	100%

Based upon 268 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3917-3917 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSCA9: How many years taken calcium/Tums

How many yrs taken calcium/Tums

Value	Label	Unweighted Frequency	%
1	1: < year	53	2.1 %
2	2: 1 year	50	2.0 %
3	3: 2 years	94	3.8 %
4	4: 3-4 years	146	5.9 %
5	5: 5-9 years	197	8.0 %
6	6: 10+ years	177	7.2 %
Missing Data			
.	-	1752	71.0 %
Total		2,469	100%

Based upon 717 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3918-3918 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSIRON9: How many years taken iron

How many yrs taken iron

Value	Label	Unweighted Frequency	%
1	1: < year	14	0.6 %
2	2: 1 year	7	0.3 %
3	3: 2 years	8	0.3 %
4	4: 3-4 years	4	0.2 %
5	5: 5-9 years	14	0.6 %
6	6: 10+ years	18	0.7 %
Missing Data			
.	-	2404	97.4 %
Total		2,469	100%

Based upon 65 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3919-3919 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSZINC9: How many years taken zinc

How many yrs taken zinc

Value	Label	Unweighted Frequency	%
1	1: < year	6	0.2 %
2	2: 1 year	3	0.1 %
3	3: 2 years	7	0.3 %
4	4: 3-4 years	8	0.3 %
5	5: 5-9 years	22	0.9 %
6	6: 10+ years	26	1.1 %
Missing Data			
.	-	2397	97.1 %
Total		2,469	100%

Based upon 72 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3920-3920 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

YRSSELE9: How many years taken selenium

How many yrs taken selenium

Value	Label	Unweighted Frequency	%
1	1: < year	7	0.3 %
2	2: 1 year	6	0.2 %
3	3: 2 years	4	0.2 %
4	4: 3-4 years	4	0.2 %
5	5: 5-9 years	8	0.3 %
6	6: 10+ years	9	0.4 %
Missing Data			
.	-	2431	98.5 %
Total		2,469	100%

Based upon 38 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3921-3921 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SUPVITA9: Supplement Vitamin A, retinol equivalents (RE)

Supplement Vitamin A, retinol equivalents (RE)

Value	Label	Unweighted Frequency	%
0.0	-	782	31.7 %
1429.0	-	109	4.4 %
3572.5	-	168	6.8 %
5000.0	-	658	26.7 %
7145.0	-	2	0.1 %
7858.0	-	2	0.1 %
10000.0	-	7	0.3 %
10717.5	-	2	0.1 %
15000.0	-	8	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2466.85
- Median: 1429.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15000.00
- Standard Deviation: 2538.79

Location: 3922-3928 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPVITC9: Supplement Vitamin_C, mg

Supplement Vitamin_C, mg

Value	Label	Unweighted Frequency	%
0.0	-	717	29.0 %
17.1	-	89	3.6 %
28.6	-	2	0.1 %
42.9	-	129	5.2 %
60.0	-	479	19.4 %
71.5	-	2	0.1 %
88.6	-	3	0.1 %
100.0	-	1	0.0 %
114.3	-	4	0.2 %
131.5	-	3	0.1 %
142.9	-	5	0.2 %
160.0	-	11	0.4 %
185.8	-	4	0.2 %
202.9	-	15	0.6 %
221.5	-	2	0.1 %
250.0	-	8	0.3 %
257.2	-	1	0.0 %
274.4	-	1	0.0 %
285.8	-	3	0.1 %
302.9	-	5	0.2 %
310.0	-	28	1.1 %

Value	Label	Unweighted Frequency	%
328.7	-	3	0.1 %
345.8	-	2	0.1 %
357.2	-	9	0.4 %
400.1	-	13	0.5 %
417.2	-	5	0.2 %
500.0	-	26	1.1 %
542.9	-	2	0.1 %
560.0	-	65	2.6 %
578.7	-	1	0.0 %
588.7	-	1	0.0 %
714.5	-	4	0.2 %
731.6	-	1	0.0 %
757.4	-	8	0.3 %
767.1	-	1	0.0 %
810.0	-	1	0.0 %
1000.0	-	8	0.3 %
1042.9	-	1	0.0 %
1060.0	-	51	2.1 %
1471.9	-	1	0.0 %
1500.0	-	2	0.1 %
1560.0	-	5	0.2 %
2000.0	-	2	0.1 %
2042.9	-	1	0.0 %
2060.0	-	6	0.2 %
3000.0	-	2	0.1 %
3060.0	-	5	0.2 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 142.48
- Median: 42.90
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3060.00
- Standard Deviation: 340.20

Location: 3929-3934 (*width:* 6; *decimal:* 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPVITD9: Supplement Vitamin D, international units (IU)

Supplement Vitamin D, international units (IU)

Value	Label	Unweighted Frequency	%
0.0	-	791	32.0 %
114.3	-	109	4.4 %
285.8	-	170	6.9 %
400.0	-	668	27.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 188.86
- Median: 114.30
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 186.16

Location: 3935-3939 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPVITE9: Supplement Vitamin_E, a-TE

Supplement Vitamin_E, a-TE

Value	Label	Unweighted Frequency	%
0.0	-	725	29.4 %
5.7	-	96	3.9 %
14.4	-	133	5.4 %
19.1	-	2	0.1 %
20.1	-	512	20.7 %
24.9	-	1	0.0 %
33.5	-	2	0.1 %
38.3	-	1	0.0 %
39.2	-	8	0.3 %
44.0	-	1	0.0 %
47.9	-	4	0.2 %
52.7	-	1	0.0 %
53.6	-	1	0.0 %
58.4	-	2	0.1 %

Value	Label	Unweighted Frequency	%
62.2	-	2	0.1 %
67.0	-	6	0.2 %
68.0	-	2	0.1 %
76.6	-	7	0.3 %
77.5	-	1	0.0 %
82.3	-	7	0.3 %
87.1	-	13	0.5 %
91.0	-	4	0.2 %
95.7	-	1	0.0 %
96.7	-	13	0.5 %
110.1	-	2	0.1 %
120.6	-	1	0.0 %
129.3	-	1	0.0 %
134.0	-	1	0.0 %
148.4	-	1	0.0 %
153.2	-	1	0.0 %
154.1	-	11	0.4 %
191.5	-	7	0.3 %
197.2	-	2	0.1 %
205.8	-	19	0.8 %
211.6	-	7	0.3 %
268.0	-	28	1.1 %
282.4	-	1	0.0 %
288.1	-	75	3.0 %
307.3	-	1	0.0 %
383.0	-	1	0.0 %
397.3	-	3	0.1 %
422.1	-	2	0.1 %
493.1	-	1	0.0 %
536.0	-	3	0.1 %
556.1	-	8	0.3 %
670.0	-	4	0.2 %
690.1	-	12	0.5 %
1360.1	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 45.52
- Median: 14.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1360.10
- Standard Deviation: 110.57

Location: 3940-3945 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPCA9: Supplement Calcium, mg

Supplement Calcium, mg

Value	Label	Unweighted Frequency	%
0.0	-	791	32.0 %
37.2	-	109	4.4 %
92.9	-	170	6.9 %
130.0	-	668	27.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 61.39
- Median: 37.20
- Mode: 0.00
- Minimum: 0.00
- Maximum: 130.00
- Standard Deviation: 60.50

Location: 3946-3950 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPBCAR9: Supplement BetaCarotene, mcg

Supplement BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.0	-	788	31.9 %
343.0	-	108	4.4 %
857.4	-	165	6.7 %
1200.0	-	657	26.6 %
7488.0	-	1	0.0 %
8002.4	-	2	0.1 %

Value	Label	Unweighted Frequency	%
8345.0	-	2	0.1 %
18719.9	-	3	0.1 %
19062.5	-	1	0.0 %
25000.0	-	3	0.1 %
26200.0	-	8	0.3 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 786.49
- Median: 343.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 26200.00
- Standard Deviation: 2290.08

Location: 3951-3957 (width: 7; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPB19: Supplement B1, mg

Supplement B1, mg

Value	Label	Unweighted Frequency	%
0.0	-	791	32.0 %
0.4	-	109	4.4 %
1.1	-	170	6.9 %
1.5	-	668	27.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 0.71
- Median: 0.40
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.50
- Standard Deviation: 0.70

Location: 3958-3960 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPB69: Supplement B6, mg

Supplement B6, mg

Value	Label	Unweighted Frequency	%
0.0	-	791	32.0 %
0.6	-	109	4.4 %
1.4	-	170	6.9 %
2.0	-	668	27.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 0.94
- Median: 0.60
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.93

Location: 3961-3963 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPB129: Supplement B12, mcg

Supplement B12, mcg

Value	Label	Unweighted Frequency	%
0.0	-	791	32.0 %
1.7	-	109	4.4 %
4.3	-	170	6.9 %
6.0	-	668	27.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.83
- Median: 1.70
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 2.79

Location: 3964-3966 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPFOL9: Supplement Folate, mcg

Supplement Folate, mcg

Value	Label	Unweighted Frequency	%
0.0	-	791	32.0 %
114.3	-	109	4.4 %
285.8	-	170	6.9 %
400.0	-	668	27.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 188.86
- Median: 114.30
- Mode: 0.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 186.16

Location: 3967-3971 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPCU9: Supplement Copper, mg

Supplement Copper, mg

Value	Label	Unweighted Frequency	%
0.0	-	791	32.0 %
0.6	-	109	4.4 %
1.4	-	170	6.9 %
2.0	-	668	27.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 0.94
- Median: 0.60
- Mode: 0.00

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.93

Location: 3972-3974 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPSELE9: Supplement Selenium, mcg

Supplement Selenium, mcg

Value	Label	Unweighted Frequency	%
0.0	-	1129	45.7 %
14.3	-	8	0.3 %
35.7	-	5	0.2 %
50.0	-	25	1.0 %
Missing Data			
.	-	1302	52.7 %
Total		2,469	100%

Based upon 1,167 valid cases out of 2,469 total cases.

- Mean: 1.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 7.66

Location: 3975-3978 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SUPFE9: Supplement Iron, mg

Supplement Iron, mg

Value	Label	Unweighted Frequency	%
0.0	-	768	31.1 %
5.1	-	103	4.2 %
12.9	-	166	6.7 %
14.3	-	6	0.2 %
18.0	-	635	25.7 %
19.4	-	5	0.2 %
27.2	-	2	0.1 %
32.3	-	6	0.2 %
35.7	-	3	0.1 %

Value	Label	Unweighted Frequency	%
48.6	-	2	0.1 %
50.0	-	14	0.6 %
53.7	-	2	0.1 %
55.1	-	1	0.0 %
68.0	-	25	1.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 9.950805523590
- Median: 5.100000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 68.000000000000
- Standard Deviation: 11.821640915674

Location: 3979-3993 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

SUPZINC9: Supplement Zinc, mg

Supplement Zinc, mg

Value	Label	Unweighted Frequency	%
0.0	-	771	31.2 %
4.3	-	103	4.2 %
10.7	-	160	6.5 %
14.3	-	3	0.1 %
15.0	-	632	25.6 %
18.6	-	6	0.2 %
25.0	-	2	0.1 %
29.3	-	1	0.0 %
35.7	-	3	0.1 %
46.4	-	7	0.3 %
50.0	-	14	0.6 %
50.7	-	1	0.0 %
60.7	-	1	0.0 %
65.0	-	34	1.4 %
Missing Data			
.	-	731	29.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 8.815880322209
- Median: 4.300000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 65.000000000000
- Standard Deviation: 11.654764264180

Location: 3994-4008 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTKCAL9: Daily Dietary Estimate (DDE) Kilocalories (KCAL) - total caloric intake

DDE KCAL - total caloric intake

Value	Label	Unweighted Frequency	%
511.9700000000	-	1	0.0 %
593.5800000000	-	1	0.0 %
609.1400000000	-	1	0.0 %
650.4800000000	-	1	0.0 %
651.4900000000	-	1	0.0 %
663.4900000000	-	1	0.0 %
665.5400000000	-	1	0.0 %
666.1100000000	-	1	0.0 %
672.7600000000	-	1	0.0 %
675.0000000000	-	1	0.0 %
681.2600000000	-	1	0.0 %
682.1500000000	-	1	0.0 %
682.3000000000	-	1	0.0 %
684.5900000000	-	1	0.0 %
690.4300000001	-	1	0.0 %
693.5000000000	-	1	0.0 %
694.8700000000	-	1	0.0 %
703.2500000000	-	1	0.0 %
709.6900000000	-	1	0.0 %
720.7700000000	-	1	0.0 %
721.1600000000	-	1	0.0 %
726.0300000000	-	1	0.0 %
729.9700000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
730.2300000000	-	1	0.0 %
730.5900000000	-	1	0.0 %
733.2700000000	-	1	0.0 %
734.5600000000	-	1	0.0 %
735.1000000000	-	1	0.0 %
740.8800000000	-	1	0.0 %
741.1400000000	-	1	0.0 %
745.7400000000	-	1	0.0 %
746.7700000000	-	1	0.0 %
749.0800000000	-	1	0.0 %
751.1300000000	-	1	0.0 %
753.5400000000	-	1	0.0 %
754.2600000000	-	1	0.0 %
754.3600000000	-	1	0.0 %
756.5900000000	-	1	0.0 %
757.1200000000	-	1	0.0 %
757.7500000000	-	1	0.0 %
759.4100000000	-	1	0.0 %
760.4300000000	-	1	0.0 %
762.7000000000	-	1	0.0 %
764.7000000000	-	1	0.0 %
765.7000000000	-	1	0.0 %
768.1900000001	-	1	0.0 %
772.2800000000	-	1	0.0 %
774.2700000000	-	1	0.0 %
774.7900000000	-	1	0.0 %
774.8900000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1669.0065189874
- Minimum: 511.9700000000
- Maximum: 4682.3700000000
- Standard Deviation: 620.7419322955

Location: 4009-4023 (width: 15; decimal: 10)

Variable Type: numeric
(Range of) Missing Values: .

DTTPROT9: Daily Dietary Estimate (DDE) Protein, gms

DDE Protein, gms

Value	Label	Unweighted Frequency	%
18.06000000000	-	1	0.0 %
19.26000000001	-	1	0.0 %
21.54000000000	-	2	0.1 %
21.73000000000	-	1	0.0 %
22.50000000000	-	1	0.0 %
22.74000000000	-	1	0.0 %
23.43000000000	-	1	0.0 %
23.95000000000	-	1	0.0 %
25.15000000000	-	1	0.0 %
25.33000000000	-	1	0.0 %
25.61000000000	-	1	0.0 %
25.85000000000	-	1	0.0 %
25.93000000000	-	1	0.0 %
26.62000000000	-	1	0.0 %
26.98000000000	-	1	0.0 %
27.08000000000	-	1	0.0 %
27.15000000000	-	1	0.0 %
27.38000000000	-	1	0.0 %
27.61000000000	-	1	0.0 %
27.64000000000	-	1	0.0 %
27.68000000000	-	1	0.0 %
28.31000000000	-	1	0.0 %
28.40000000000	-	1	0.0 %
28.72000000000	-	1	0.0 %
28.87000000000	-	1	0.0 %
29.04000000000	-	1	0.0 %
29.05000000000	-	1	0.0 %
29.15000000000	-	1	0.0 %
29.31000000000	-	1	0.0 %
29.34000000000	-	1	0.0 %
29.37000000000	-	1	0.0 %
29.53000000000	-	1	0.0 %
29.61000000000	-	1	0.0 %
29.83000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30.020000000000	-	1	0.0 %
30.070000000000	-	1	0.0 %
30.140000000000	-	1	0.0 %
30.190000000000	-	1	0.0 %
30.300000000000	-	1	0.0 %
30.400000000000	-	1	0.0 %
30.440000000000	-	1	0.0 %
30.450000000000	-	1	0.0 %
30.550000000000	-	1	0.0 %
30.900000000000	-	1	0.0 %
31.030000000000	-	1	0.0 %
31.210000000000	-	1	0.0 %
31.360000000000	-	1	0.0 %
31.610000000000	-	1	0.0 %
31.870000000000	-	1	0.0 %
32.000000000000	-	2	0.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 69.96630609897
- Minimum: 18.06000000000
- Maximum: 205.91000000000
- Standard Deviation: 26.07112635926

Location: 4024-4038 (*width:* 15; *decimal:* 11)

Variable Type: numeric

(Range of) Missing Values: .

DTTCARB9: Daily Dietary Estimate (DDE) Carbohydrates, gms

DDE Carbohydrates, gms

Value	Label	Unweighted Frequency	%
34.730000000000	-	1	0.0 %
35.040000000000	-	1	0.0 %
36.140000000000	-	1	0.0 %
36.800000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38.570000000000	-	1	0.0 %
40.790000000000	-	1	0.0 %
51.230000000000	-	1	0.0 %
51.510000000000	-	1	0.0 %
54.750000000000	-	1	0.0 %
55.600000000000	-	1	0.0 %
55.670000000000	-	1	0.0 %
55.950000000000	-	1	0.0 %
58.550000000000	-	1	0.0 %
59.810000000000	-	1	0.0 %
59.870000000000	-	1	0.0 %
59.950000000000	-	1	0.0 %
60.450000000000	-	1	0.0 %
60.540000000000	-	1	0.0 %
61.200000000000	-	1	0.0 %
61.420000000000	-	1	0.0 %
63.090000000000	-	1	0.0 %
64.640000000000	-	1	0.0 %
64.720000000000	-	1	0.0 %
65.440000000000	-	1	0.0 %
66.420000000000	-	1	0.0 %
66.710000000000	-	1	0.0 %
67.130000000000	-	1	0.0 %
67.610000000000	-	1	0.0 %
69.800000000000	-	1	0.0 %
70.780000000000	-	1	0.0 %
71.120000000000	-	1	0.0 %
73.070000000000	-	1	0.0 %
73.570000000000	-	1	0.0 %
73.630000000000	-	1	0.0 %
73.750000000000	-	1	0.0 %
73.780000000000	-	1	0.0 %
74.290000000001	-	1	0.0 %
75.150000000001	-	1	0.0 %
75.470000000000	-	1	0.0 %
75.550000000000	-	1	0.0 %
76.240000000000	-	1	0.0 %
76.950000000000	-	1	0.0 %
76.960000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
77.150000000001	-	1	0.0 %
77.310000000000	-	1	0.0 %
77.730000000000	-	1	0.0 %
78.420000000000	-	1	0.0 %
78.530000000000	-	1	0.0 %
78.620000000000	-	2	0.1 %
78.840000000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 195.11485040276
- Minimum: 34.73000000000
- Maximum: 814.91000000000
- Standard Deviation: 87.21241753476

Location: 4039-4053 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: .

DTTFAT9: Daily Dietary Estimate (DDE) Fat, gms

DDE Fat, gms

Value	Label	Unweighted Frequency	%
13.17000000000	-	1	0.0 %
13.62000000000	-	1	0.0 %
14.19000000000	-	1	0.0 %
15.77000000000	-	1	0.0 %
16.34000000000	-	1	0.0 %
16.68000000000	-	1	0.0 %
17.20000000001	-	1	0.0 %
17.82000000000	-	1	0.0 %
18.77000000000	-	1	0.0 %
18.81000000000	-	1	0.0 %
18.98000000000	-	1	0.0 %
19.31000000001	-	1	0.0 %
20.51000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.600000000000	-	1	0.0 %
20.670000000001	-	1	0.0 %
21.090000000000	-	1	0.0 %
21.210000000000	-	1	0.0 %
21.260000000001	-	1	0.0 %
21.300000000000	-	1	0.0 %
21.310000000000	-	1	0.0 %
21.540000000000	-	1	0.0 %
21.800000000000	-	1	0.0 %
21.900000000001	-	1	0.0 %
22.490000000000	-	1	0.0 %
22.740000000000	-	1	0.0 %
23.040000000001	-	1	0.0 %
23.200000000000	-	1	0.0 %
23.230000000000	-	1	0.0 %
23.470000000000	-	1	0.0 %
23.520000000000	-	1	0.0 %
23.840000000000	-	1	0.0 %
23.980000000000	-	1	0.0 %
24.380000000000	-	1	0.0 %
24.530000000000	-	1	0.0 %
24.710000000000	-	1	0.0 %
24.760000000000	-	1	0.0 %
24.830000000000	-	1	0.0 %
24.980000000000	-	1	0.0 %
25.220000000000	-	1	0.0 %
25.440000000000	-	1	0.0 %
25.460000000000	-	1	0.0 %
25.500000000000	-	1	0.0 %
25.550000000000	-	1	0.0 %
25.700000000000	-	1	0.0 %
25.920000000000	-	1	0.0 %
26.010000000000	-	1	0.0 %
26.050000000000	-	1	0.0 %
26.320000000000	-	1	0.0 %
26.930000000000	-	1	0.0 %
26.950000000000	-	2	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 66.17807825086
- Minimum: 13.17000000000
- Maximum: 210.68000000000
- Standard Deviation: 29.02177669440

Location: 4054-4068 (*width:* 15; *decimal:* 11)

Variable Type: numeric

(Range of) Missing Values: .

DTTCALC9: Daily Dietary Estimate (DDE) Calcium, mg

DDE Calcium, mg

Value	Label	Unweighted Frequency	%
116.3200000000	-	1	0.0 %
137.4700000000	-	1	0.0 %
137.9400000000	-	1	0.0 %
162.8400000000	-	1	0.0 %
164.8100000000	-	1	0.0 %
167.0100000001	-	1	0.0 %
167.8900000000	-	1	0.0 %
170.3900000000	-	1	0.0 %
173.3800000000	-	1	0.0 %
178.3000000000	-	1	0.0 %
180.8200000000	-	1	0.0 %
182.0300000000	-	1	0.0 %
184.2800000000	-	1	0.0 %
186.4000000000	-	1	0.0 %
186.4200000000	-	1	0.0 %
187.8400000000	-	1	0.0 %
188.7400000000	-	1	0.0 %
189.5000000000	-	1	0.0 %
191.9700000000	-	1	0.0 %
192.9800000000	-	1	0.0 %
194.5700000000	-	1	0.0 %
196.3700000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
198.0300000000	-	1	0.0 %
198.0800000001	-	1	0.0 %
200.0300000000	-	1	0.0 %
200.6700000000	-	1	0.0 %
202.2400000000	-	1	0.0 %
204.5800000001	-	1	0.0 %
206.4800000000	-	1	0.0 %
207.1800000000	-	1	0.0 %
208.2300000000	-	1	0.0 %
214.2800000000	-	1	0.0 %
214.4800000000	-	1	0.0 %
216.7800000000	-	1	0.0 %
227.1600000000	-	1	0.0 %
229.8900000000	-	1	0.0 %
230.8300000000	-	1	0.0 %
233.2900000000	-	1	0.0 %
234.2700000000	-	1	0.0 %
235.1900000000	-	1	0.0 %
237.7600000000	-	1	0.0 %
237.7800000000	-	1	0.0 %
237.9100000000	-	1	0.0 %
238.3500000000	-	1	0.0 %
239.8600000000	-	1	0.0 %
241.8800000000	-	1	0.0 %
242.3200000000	-	1	0.0 %
243.4100000000	-	1	0.0 %
244.0500000000	-	1	0.0 %
244.7100000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 780.7044706559
- Minimum: 116.3200000000
- Maximum: 4121.3200000000
- Standard Deviation: 434.6531101902

Location: 4069-4083 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTPHOS9: Daily Dietary Estimate (DDE) Phosphorus, mg

DDE Phos, mg

Value	Label	Unweighted Frequency	%
307.4000000000	-	1	0.0 %
350.7400000000	-	1	0.0 %
358.8500000000	-	1	0.0 %
362.9600000000	-	1	0.0 %
376.3400000000	-	1	0.0 %
381.5700000000	-	1	0.0 %
381.8600000000	-	1	0.0 %
384.3600000000	-	1	0.0 %
392.2000000000	-	1	0.0 %
400.0300000000	-	1	0.0 %
406.0000000000	-	1	0.0 %
407.3100000000	-	1	0.0 %
407.5100000000	-	1	0.0 %
408.2100000000	-	1	0.0 %
416.6100000000	-	1	0.0 %
417.3000000000	-	1	0.0 %
417.5400000000	-	1	0.0 %
427.9300000000	-	1	0.0 %
428.7900000000	-	1	0.0 %
430.3000000000	-	1	0.0 %
432.4800000000	-	1	0.0 %
434.9900000000	-	1	0.0 %
436.7000000001	-	1	0.0 %
437.6100000000	-	1	0.0 %
439.8900000000	-	1	0.0 %
442.6400000000	-	1	0.0 %
445.4600000000	-	1	0.0 %
448.3400000000	-	1	0.0 %
448.7000000000	-	1	0.0 %
448.7400000000	-	1	0.0 %
448.7700000000	-	1	0.0 %
449.8400000000	-	1	0.0 %
451.5200000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
456.3300000000	-	1	0.0 %
456.4900000000	-	1	0.0 %
457.4600000000	-	1	0.0 %
458.5700000000	-	1	0.0 %
462.5000000000	-	1	0.0 %
463.4700000000	-	1	0.0 %
464.4500000000	-	1	0.0 %
464.5100000000	-	1	0.0 %
469.9600000000	-	1	0.0 %
472.6900000000	-	1	0.0 %
475.1000000000	-	1	0.0 %
478.4200000000	-	1	0.0 %
482.1100000000	-	1	0.0 %
482.3700000000	-	1	0.0 %
483.9200000000	-	1	0.0 %
484.0300000000	-	1	0.0 %
484.6400000000	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1122.3006386651
- Minimum: 307.4000000000
- Maximum: 3798.6000000000
- Standard Deviation: 448.9348666666

Location: 4084-4098 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTFE9: Daily Dietary Estimate (DDE) Iron, mg

DDE Iron, mg

Value	Label	Unweighted Frequency	%
2.95	-	1	0.0 %
3.60	-	1	0.0 %
3.72	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.73	-	1	0.0 %
3.78	-	1	0.0 %
3.99	-	1	0.0 %
4.06	-	1	0.0 %
4.09	-	1	0.0 %
4.12	-	1	0.0 %
4.21	-	1	0.0 %
4.22	-	1	0.0 %
4.26	-	1	0.0 %
4.34	-	1	0.0 %
4.38	-	1	0.0 %
4.39	-	1	0.0 %
4.41	-	1	0.0 %
4.45	-	1	0.0 %
4.52	-	1	0.0 %
4.55	-	2	0.1 %
4.59	-	1	0.0 %
4.62	-	1	0.0 %
4.66	-	2	0.1 %
4.69	-	1	0.0 %
4.70	-	1	0.0 %
4.71	-	1	0.0 %
4.73	-	1	0.0 %
4.79	-	1	0.0 %
4.82	-	1	0.0 %
4.84	-	1	0.0 %
4.87	-	1	0.0 %
4.91	-	1	0.0 %
4.94	-	1	0.0 %
4.95	-	1	0.0 %
5.01	-	1	0.0 %
5.02	-	1	0.0 %
5.03	-	1	0.0 %
5.07	-	1	0.0 %
5.10	-	1	0.0 %
5.12	-	1	0.0 %
5.13	-	1	0.0 %
5.16	-	1	0.0 %
5.17	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.18	-	1	0.0 %
5.19	-	1	0.0 %
5.24	-	1	0.0 %
5.26	-	1	0.0 %
5.32	-	1	0.0 %
5.36	-	2	0.1 %
5.38	-	1	0.0 %
5.40	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 11.825247410817
- Minimum: 2.950000000000
- Maximum: 37.900000000000
- Standard Deviation: 4.496272872393

Location: 4099-4113 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTNA9: Daily Dietary Estimate (DDE) Sodium, mg

DDE Sodium, mg

Value	Label	Unweighted Frequency	%
404.5900000000	-	1	0.0 %
591.0200000000	-	1	0.0 %
592.3000000000	-	1	0.0 %
594.7600000000	-	1	0.0 %
609.2900000000	-	1	0.0 %
654.4100000000	-	1	0.0 %
670.6700000000	-	1	0.0 %
681.2900000000	-	1	0.0 %
684.5800000000	-	1	0.0 %
684.8000000001	-	1	0.0 %
689.1000000000	-	1	0.0 %
712.9700000000	-	1	0.0 %
714.6100000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
730.2800000000	-	1	0.0 %
735.2900000000	-	1	0.0 %
737.9800000000	-	1	0.0 %
746.7700000000	-	1	0.0 %
753.3200000001	-	1	0.0 %
757.4400000001	-	1	0.0 %
758.7400000000	-	1	0.0 %
761.0100000000	-	1	0.0 %
765.5600000000	-	1	0.0 %
771.8300000000	-	1	0.0 %
774.8300000000	-	1	0.0 %
785.7400000000	-	1	0.0 %
786.5300000001	-	1	0.0 %
795.9300000000	-	1	0.0 %
798.8200000001	-	1	0.0 %
800.4100000000	-	1	0.0 %
810.3800000000	-	1	0.0 %
814.7400000000	-	1	0.0 %
831.0000000000	-	1	0.0 %
834.3400000000	-	1	0.0 %
835.8300000000	-	1	0.0 %
853.3000000000	-	1	0.0 %
854.7000000000	-	1	0.0 %
857.2000000000	-	1	0.0 %
858.7400000000	-	1	0.0 %
859.7300000000	-	1	0.0 %
875.3800000000	-	1	0.0 %
876.9900000000	-	1	0.0 %
878.1700000000	-	1	0.0 %
882.8400000000	-	1	0.0 %
883.0700000000	-	1	0.0 %
887.1200000000	-	1	0.0 %
888.0100000000	-	1	0.0 %
888.5700000000	-	1	0.0 %
899.0200000000	-	1	0.0 %
905.3100000000	-	1	0.0 %
910.7500000000	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2111.6021346375
- Minimum: 404.5900000000
- Maximum: 7727.2800000000
- Standard Deviation: 855.3850726325

Location: 4114-4128 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTPOTA9: Daily Dietary Estimate (DDE) Potassium, mg

DDE Potassium, mg

Value	Label	Unweighted Frequency	%
713.9500000000	-	1	0.0 %
741.7900000000	-	1	0.0 %
749.6100000000	-	1	0.0 %
774.9700000000	-	1	0.0 %
777.8100000001	-	1	0.0 %
781.9900000000	-	1	0.0 %
814.5700000001	-	1	0.0 %
836.6700000001	-	1	0.0 %
845.4300000000	-	1	0.0 %
906.7800000000	-	1	0.0 %
912.4700000000	-	1	0.0 %
922.4700000000	-	1	0.0 %
953.2700000000	-	1	0.0 %
964.6200000000	-	1	0.0 %
971.5100000000	-	1	0.0 %
984.6700000000	-	1	0.0 %
984.6900000000	-	1	0.0 %
986.8700000000	-	1	0.0 %
1000.2600000000	-	1	0.0 %
1010.4400000000	-	1	0.0 %
1015.0000000000	-	1	0.0 %
1018.9600000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1029.2500000000	-	1	0.0 %
1046.3700000000	-	1	0.0 %
1046.6400000000	-	1	0.0 %
1049.2900000000	-	1	0.0 %
1050.4500000000	-	1	0.0 %
1052.1100000000	-	1	0.0 %
1054.7000000000	-	1	0.0 %
1054.7400000000	-	1	0.0 %
1070.9200000000	-	1	0.0 %
1076.0300000000	-	1	0.0 %
1087.2400000000	-	1	0.0 %
1094.1900000000	-	1	0.0 %
1112.1400000001	-	1	0.0 %
1116.0600000000	-	1	0.0 %
1126.2000000000	-	1	0.0 %
1130.8500000000	-	1	0.0 %
1133.1300000001	-	1	0.0 %
1139.0400000000	-	1	0.0 %
1143.4800000000	-	1	0.0 %
1144.4300000000	-	1	0.0 %
1144.4400000000	-	1	0.0 %
1144.5900000000	-	1	0.0 %
1147.4300000000	-	1	0.0 %
1148.5400000000	-	1	0.0 %
1149.6700000000	-	1	0.0 %
1151.8100000000	-	1	0.0 %
1155.4000000000	-	1	0.0 %
1157.1200000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2627.9928078251
- Minimum: 713.9500000000
- Maximum: 7503.0600000000
- Standard Deviation: 974.5428803010

Location: 4129-4143 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTAIU9: Daily Dietary Estimate (DDE) A_IU, international units

DDE A_IU, international units

Value	Label	Unweighted Frequency	%
901.440000000	-	1	0.0 %
926.620000000	-	1	0.0 %
958.810000000	-	1	0.0 %
1002.960000000	-	1	0.0 %
1072.740000000	-	1	0.0 %
1099.860000000	-	1	0.0 %
1201.270000001	-	1	0.0 %
1203.730000000	-	1	0.0 %
1214.690000000	-	1	0.0 %
1217.520000000	-	1	0.0 %
1300.710000000	-	1	0.0 %
1311.400000000	-	1	0.0 %
1346.210000000	-	1	0.0 %
1387.170000000	-	1	0.0 %
1462.220000000	-	1	0.0 %
1483.380000000	-	1	0.0 %
1490.240000000	-	1	0.0 %
1528.850000000	-	1	0.0 %
1565.410000000	-	1	0.0 %
1605.830000000	-	1	0.0 %
1618.700000000	-	1	0.0 %
1668.680000000	-	1	0.0 %
1668.950000000	-	1	0.0 %
1671.340000000	-	1	0.0 %
1681.190000000	-	1	0.0 %
1708.750000000	-	1	0.0 %
1713.280000000	-	1	0.0 %
1724.920000000	-	1	0.0 %
1758.090000000	-	1	0.0 %
1763.610000000	-	1	0.0 %
1769.960000000	-	1	0.0 %
1772.040000000	-	1	0.0 %
1789.440000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1807.690000000	-	1	0.0 %
1814.710000000	-	1	0.0 %
1823.780000000	-	1	0.0 %
1831.450000000	-	1	0.0 %
1850.400000000	-	1	0.0 %
1850.470000000	-	1	0.0 %
1865.730000000	-	1	0.0 %
1902.600000001	-	1	0.0 %
1918.540000000	-	1	0.0 %
1935.780000000	-	1	0.0 %
1950.570000000	-	1	0.0 %
1951.570000000	-	1	0.0 %
1954.430000000	-	1	0.0 %
1974.350000000	-	1	0.0 %
1976.520000000	-	1	0.0 %
1980.070000000	-	1	0.0 %
1988.750000000	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 6900.385425777
- Minimum: 901.440000000
- Maximum: 39566.530000000
- Standard Deviation: 4795.927655683

Location: 4144-4158 (*width:* 15; *decimal:* 9)

Variable Type: numeric

(Range of) Missing Values: .

DTTARE9: Daily Dietary Estimate (DDE) retinol equivalents

DDE retinol equivalents

Value	Label	Unweighted Frequency	%
113.030000000	-	1	0.0 %
154.900000000	-	1	0.0 %
165.790000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
177.1200000000	-	1	0.0 %
182.1000000000	-	1	0.0 %
192.5000000000	-	1	0.0 %
195.9800000000	-	1	0.0 %
199.6600000001	-	1	0.0 %
204.7100000000	-	1	0.0 %
204.9300000000	-	1	0.0 %
223.6500000000	-	1	0.0 %
226.0300000000	-	1	0.0 %
227.5400000000	-	1	0.0 %
230.9400000000	-	1	0.0 %
232.6400000000	-	1	0.0 %
235.6100000000	-	1	0.0 %
236.5100000000	-	1	0.0 %
238.6200000000	-	1	0.0 %
239.5000000000	-	1	0.0 %
240.3500000000	-	1	0.0 %
242.3900000000	-	1	0.0 %
244.6600000000	-	1	0.0 %
250.2600000000	-	1	0.0 %
252.4500000000	-	1	0.0 %
257.3300000000	-	1	0.0 %
260.4200000000	-	1	0.0 %
261.0200000000	-	1	0.0 %
264.3700000000	-	1	0.0 %
267.8300000000	-	1	0.0 %
267.9400000000	-	1	0.0 %
270.0300000000	-	1	0.0 %
271.9600000000	-	1	0.0 %
273.1500000000	-	1	0.0 %
274.6200000000	-	1	0.0 %
274.9400000000	-	1	0.0 %
275.0100000000	-	1	0.0 %
275.8900000000	-	1	0.0 %
279.3400000001	-	1	0.0 %
282.5900000000	-	1	0.0 %
283.5200000000	-	1	0.0 %
283.8500000000	-	1	0.0 %
287.6100000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
292.3400000000	-	1	0.0 %
292.4300000000	-	1	0.0 %
293.2900000000	-	1	0.0 %
293.8700000000	-	1	0.0 %
295.1000000000	-	1	0.0 %
297.9400000000	-	1	0.0 %
299.1700000000	-	1	0.0 %
302.1000000000	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
		Total	2,469
			100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 992.7850978136
- Minimum: 113.0300000000
- Maximum: 6610.8800000000
- Standard Deviation: 612.6954075717

Location: 4159-4173 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTB19: Daily Dietary Estimate (DDE) B1, mg

DDE B1, mg

Value	Label	Unweighted Frequency	%
0.23	-	1	0.0 %
0.32	-	1	0.0 %
0.33	-	1	0.0 %
0.34	-	3	0.1 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.39	-	3	0.1 %
0.40	-	1	0.0 %
0.41	-	2	0.1 %
0.42	-	6	0.2 %
0.43	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.44	-	1	0.0 %
0.45	-	4	0.2 %
0.46	-	3	0.1 %
0.47	-	1	0.0 %
0.48	-	4	0.2 %
0.49	-	4	0.2 %
0.50	-	2	0.1 %
0.51	-	4	0.2 %
0.52	-	6	0.2 %
0.53	-	6	0.2 %
0.54	-	11	0.4 %
0.55	-	3	0.1 %
0.56	-	7	0.3 %
0.57	-	7	0.3 %
0.58	-	6	0.2 %
0.59	-	5	0.2 %
0.60	-	13	0.5 %
0.61	-	6	0.2 %
0.62	-	8	0.3 %
0.63	-	8	0.3 %
0.64	-	9	0.4 %
0.65	-	8	0.3 %
0.66	-	9	0.4 %
0.67	-	10	0.4 %
0.68	-	14	0.6 %
0.69	-	16	0.6 %
0.70	-	15	0.6 %
0.71	-	8	0.3 %
0.72	-	7	0.3 %
0.73	-	18	0.7 %
0.74	-	11	0.4 %
0.75	-	11	0.4 %
0.76	-	13	0.5 %
0.77	-	23	0.9 %
0.78	-	10	0.4 %
0.79	-	20	0.8 %
0.80	-	18	0.7 %
0.81	-	12	0.5 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.2107249712313
- Median: 1.130000000000000
- Mode: 1.0000000000000
- Minimum: 0.2300000000000
- Maximum: 5.0500000000000
- Standard Deviation: 0.4845488773965

Location: 4174-4188 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

DTTB69: Daily Dietary Estimate (DDE) B6, mg

DDE B6, mg

Value	Label	Unweighted Frequency	%
0.33	-	1	0.0 %
0.37	-	1	0.0 %
0.42	-	2	0.1 %
0.43	-	2	0.1 %
0.44	-	2	0.1 %
0.45	-	1	0.0 %
0.46	-	1	0.0 %
0.49	-	1	0.0 %
0.50	-	2	0.1 %
0.51	-	3	0.1 %
0.52	-	1	0.0 %
0.53	-	3	0.1 %
0.54	-	3	0.1 %
0.55	-	2	0.1 %
0.56	-	5	0.2 %
0.57	-	1	0.0 %
0.58	-	5	0.2 %
0.59	-	2	0.1 %
0.60	-	3	0.1 %
0.61	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.62	-	4	0.2 %
0.63	-	4	0.2 %
0.64	-	6	0.2 %
0.65	-	4	0.2 %
0.66	-	5	0.2 %
0.67	-	5	0.2 %
0.68	-	8	0.3 %
0.69	-	5	0.2 %
0.70	-	5	0.2 %
0.71	-	6	0.2 %
0.72	-	5	0.2 %
0.73	-	11	0.4 %
0.74	-	8	0.3 %
0.75	-	9	0.4 %
0.76	-	7	0.3 %
0.77	-	7	0.3 %
0.78	-	5	0.2 %
0.79	-	6	0.2 %
0.80	-	3	0.1 %
0.81	-	17	0.7 %
0.82	-	5	0.2 %
0.83	-	18	0.7 %
0.84	-	10	0.4 %
0.85	-	9	0.4 %
0.86	-	11	0.4 %
0.87	-	10	0.4 %
0.88	-	9	0.4 %
0.89	-	10	0.4 %
0.90	-	9	0.4 %
0.91	-	13	0.5 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.4616455696203
- Minimum: 0.33000000000000

- Maximum: 4.68000000000000
- Standard Deviation: 0.5731171488989

Location: 4189-4203 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

DTTRIBO9: Daily Dietary Estimate (DDE) Riboflavin, mg

DDE Riboflavin, mg

Value	Label	Unweighted Frequency	%
0.32	-	2	0.1 %
0.39	-	1	0.0 %
0.43	-	1	0.0 %
0.46	-	1	0.0 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	4	0.2 %
0.53	-	5	0.2 %
0.54	-	1	0.0 %
0.55	-	2	0.1 %
0.56	-	1	0.0 %
0.57	-	3	0.1 %
0.58	-	3	0.1 %
0.59	-	2	0.1 %
0.60	-	3	0.1 %
0.61	-	3	0.1 %
0.62	-	1	0.0 %
0.63	-	6	0.2 %
0.64	-	6	0.2 %
0.65	-	7	0.3 %
0.66	-	4	0.2 %
0.67	-	5	0.2 %
0.68	-	7	0.3 %
0.69	-	6	0.2 %
0.70	-	7	0.3 %
0.71	-	11	0.4 %
0.72	-	7	0.3 %
0.73	-	4	0.2 %
0.74	-	6	0.2 %
0.75	-	9	0.4 %
0.76	-	10	0.4 %

Value	Label	Unweighted Frequency	%
0.77	-	5	0.2 %
0.78	-	6	0.2 %
0.79	-	9	0.4 %
0.80	-	5	0.2 %
0.81	-	13	0.5 %
0.82	-	7	0.3 %
0.83	-	6	0.2 %
0.84	-	7	0.3 %
0.85	-	13	0.5 %
0.86	-	5	0.2 %
0.87	-	9	0.4 %
0.88	-	10	0.4 %
0.89	-	7	0.3 %
0.90	-	8	0.3 %
0.91	-	8	0.3 %
0.92	-	11	0.4 %
0.93	-	10	0.4 %
0.94	-	10	0.4 %
0.95	-	8	0.3 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.6151668584580
- Minimum: 0.320000000000000
- Maximum: 6.28000000000000
- Standard Deviation: 0.7106464017738

Location: 4204-4218 (*width:* 15; *decimal:* 13)

Variable Type: numeric

(Range of Missing Values: .

DTTNIAC9: Daily Dietary Estimate (DDE) Niacin, mg

DDE Niacin, mg

Value	Label	Unweighted Frequency	%
3.87	-	1	0.0 %
4.20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.23	-	1	0.0 %
4.93	-	1	0.0 %
5.17	-	1	0.0 %
5.49	-	1	0.0 %
5.61	-	1	0.0 %
5.78	-	1	0.0 %
5.87	-	1	0.0 %
6.01	-	1	0.0 %
6.02	-	1	0.0 %
6.07	-	1	0.0 %
6.10	-	1	0.0 %
6.12	-	1	0.0 %
6.20	-	1	0.0 %
6.30	-	1	0.0 %
6.32	-	1	0.0 %
6.33	-	1	0.0 %
6.36	-	1	0.0 %
6.46	-	1	0.0 %
6.51	-	1	0.0 %
6.52	-	1	0.0 %
6.58	-	1	0.0 %
6.65	-	1	0.0 %
6.69	-	1	0.0 %
6.71	-	1	0.0 %
6.74	-	1	0.0 %
6.79	-	1	0.0 %
6.80	-	1	0.0 %
6.86	-	1	0.0 %
6.88	-	2	0.1 %
6.90	-	1	0.0 %
6.92	-	1	0.0 %
6.93	-	1	0.0 %
6.95	-	1	0.0 %
7.04	-	2	0.1 %
7.06	-	1	0.0 %
7.13	-	1	0.0 %
7.22	-	1	0.0 %
7.27	-	2	0.1 %
7.28	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.33	-	1	0.0 %
7.35	-	1	0.0 %
7.36	-	1	0.0 %
7.37	-	1	0.0 %
7.52	-	1	0.0 %
7.54	-	1	0.0 %
7.55	-	1	0.0 %
7.56	-	1	0.0 %
7.57	-	1	0.0 %
Missing Data			
-		731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 17.210978135788
- Minimum: 3.870000000000
- Maximum: 52.850000000000
- Standard Deviation: 6.548383555862

Location: 4219-4233 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTVITC9: Daily Dietary Estimate (DDE) Vitamin C, mg

DDE Vitamin C, mg

Value	Label	Unweighted Frequency	%
5.480000000000	-	1	0.0 %
6.480000000000	-	1	0.0 %
9.270000000000	-	1	0.0 %
11.280000000000	-	1	0.0 %
11.780000000000	-	1	0.0 %
12.450000000000	-	1	0.0 %
14.830000000000	-	1	0.0 %
15.790000000000	-	1	0.0 %
15.930000000000	-	1	0.0 %
17.170000000001	-	1	0.0 %
17.370000000000	-	1	0.0 %
17.940000000001	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.000000000000	-	1	0.0 %
18.020000000000	-	1	0.0 %
18.040000000000	-	1	0.0 %
18.120000000000	-	1	0.0 %
18.610000000000	-	1	0.0 %
18.870000000000	-	1	0.0 %
19.020000000000	-	1	0.0 %
19.100000000001	-	1	0.0 %
19.700000000000	-	1	0.0 %
19.820000000000	-	1	0.0 %
20.220000000000	-	1	0.0 %
20.310000000000	-	1	0.0 %
20.570000000000	-	1	0.0 %
21.190000000001	-	1	0.0 %
21.600000000000	-	1	0.0 %
21.940000000001	-	1	0.0 %
22.030000000000	-	1	0.0 %
22.500000000000	-	1	0.0 %
22.710000000000	-	1	0.0 %
23.130000000000	-	1	0.0 %
23.270000000000	-	1	0.0 %
23.290000000000	-	1	0.0 %
23.350000000000	-	1	0.0 %
23.450000000000	-	1	0.0 %
23.480000000000	-	1	0.0 %
23.510000000000	-	1	0.0 %
23.570000000000	-	1	0.0 %
23.580000000000	-	1	0.0 %
23.640000000000	-	1	0.0 %
24.350000000000	-	1	0.0 %
24.600000000000	-	1	0.0 %
25.100000000000	-	1	0.0 %
25.130000000000	-	1	0.0 %
25.370000000000	-	1	0.0 %
25.580000000000	-	1	0.0 %
25.620000000000	-	1	0.0 %
25.710000000000	-	1	0.0 %
26.140000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 112.53137514384
- Minimum: 5.480000000000
- Maximum: 524.170000000000
- Standard Deviation: 68.69329354887

Location: 4234-4248 (*width:* 15; *decimal:* 11)

Variable Type: numeric

(Range of) Missing Values: .

DTTSFAT9: Daily Dietary Estimate (DDE) Saturated Fat, gms

DDE Saturated Fat, gms

Value	Label	Unweighted Frequency	%
3.36	-	1	0.0 %
3.66	-	1	0.0 %
3.72	-	1	0.0 %
4.13	-	1	0.0 %
4.35	-	1	0.0 %
4.44	-	1	0.0 %
4.88	-	1	0.0 %
5.06	-	1	0.0 %
5.12	-	1	0.0 %
5.18	-	1	0.0 %
5.34	-	1	0.0 %
5.35	-	1	0.0 %
5.41	-	1	0.0 %
5.48	-	1	0.0 %
5.56	-	1	0.0 %
5.60	-	1	0.0 %
5.76	-	1	0.0 %
5.86	-	1	0.0 %
5.88	-	2	0.1 %
5.89	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.12	-	1	0.0 %
6.19	-	1	0.0 %
6.30	-	1	0.0 %
6.33	-	1	0.0 %
6.43	-	1	0.0 %
6.45	-	1	0.0 %
6.48	-	1	0.0 %
6.49	-	1	0.0 %
6.59	-	1	0.0 %
6.61	-	1	0.0 %
6.69	-	1	0.0 %
6.78	-	2	0.1 %
6.80	-	1	0.0 %
6.81	-	1	0.0 %
6.91	-	1	0.0 %
6.95	-	2	0.1 %
7.06	-	1	0.0 %
7.10	-	1	0.0 %
7.11	-	1	0.0 %
7.13	-	1	0.0 %
7.20	-	1	0.0 %
7.26	-	1	0.0 %
7.33	-	1	0.0 %
7.44	-	1	0.0 %
7.45	-	1	0.0 %
7.46	-	1	0.0 %
7.49	-	1	0.0 %
7.50	-	1	0.0 %
7.55	-	1	0.0 %
7.56	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 20.478187571922
- Minimum: 3.3600000000000

- Maximum: 77.170000000000
- Standard Deviation: 10.168290195430

Location: 4249-4263 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTOLEC9: Daily Dietary Estimate (DDE) Oleic Acid, gms

DDE Oleic Acid, gms

Value	Label	Unweighted Frequency	%
3.66	-	1	0.0 %
4.42	-	1	0.0 %
4.83	-	1	0.0 %
5.42	-	1	0.0 %
5.63	-	1	0.0 %
5.74	-	2	0.1 %
6.22	-	1	0.0 %
6.61	-	1	0.0 %
6.64	-	1	0.0 %
6.70	-	1	0.0 %
7.14	-	1	0.0 %
7.40	-	1	0.0 %
7.44	-	1	0.0 %
7.51	-	1	0.0 %
7.54	-	1	0.0 %
7.56	-	1	0.0 %
7.62	-	1	0.0 %
7.64	-	1	0.0 %
7.70	-	1	0.0 %
7.80	-	1	0.0 %
7.88	-	1	0.0 %
7.91	-	1	0.0 %
8.05	-	1	0.0 %
8.16	-	1	0.0 %
8.17	-	1	0.0 %
8.23	-	1	0.0 %
8.27	-	1	0.0 %
8.28	-	1	0.0 %
8.32	-	1	0.0 %
8.42	-	1	0.0 %
8.43	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.46	-	1	0.0 %
8.51	-	1	0.0 %
8.74	-	1	0.0 %
8.82	-	1	0.0 %
8.83	-	1	0.0 %
8.92	-	1	0.0 %
9.19	-	1	0.0 %
9.25	-	1	0.0 %
9.27	-	1	0.0 %
9.29	-	1	0.0 %
9.33	-	1	0.0 %
9.40	-	2	0.1 %
9.45	-	2	0.1 %
9.48	-	1	0.0 %
9.53	-	1	0.0 %
9.55	-	1	0.0 %
9.59	-	1	0.0 %
9.64	-	1	0.0 %
9.68	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 25.831329113924
- Minimum: 3.66000000000000
- Maximum: 83.990000000000
- Standard Deviation: 11.842208484983

Location: 4264-4278 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of Missing Values: .

DTTLIN9: Daily Dietary Estimate (DDE) Linoleic Acid, gms

DDE Linoleic Acid, gms

Value	Label	Unweighted Frequency	%
1.51	-	1	0.0 %
1.84	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.93	-	1	0.0 %
2.44	-	1	0.0 %
2.65	-	1	0.0 %
2.79	-	1	0.0 %
2.99	-	1	0.0 %
3.02	-	2	0.1 %
3.03	-	2	0.1 %
3.16	-	2	0.1 %
3.18	-	1	0.0 %
3.22	-	1	0.0 %
3.34	-	1	0.0 %
3.38	-	2	0.1 %
3.43	-	1	0.0 %
3.46	-	1	0.0 %
3.51	-	1	0.0 %
3.53	-	1	0.0 %
3.54	-	1	0.0 %
3.57	-	1	0.0 %
3.61	-	1	0.0 %
3.63	-	3	0.1 %
3.70	-	4	0.2 %
3.71	-	1	0.0 %
3.72	-	1	0.0 %
3.74	-	2	0.1 %
3.78	-	1	0.0 %
3.83	-	1	0.0 %
3.89	-	1	0.0 %
3.90	-	1	0.0 %
3.91	-	1	0.0 %
3.92	-	2	0.1 %
3.93	-	2	0.1 %
3.98	-	1	0.0 %
3.99	-	2	0.1 %
4.04	-	1	0.0 %
4.05	-	2	0.1 %
4.06	-	1	0.0 %
4.10	-	1	0.0 %
4.11	-	2	0.1 %
4.15	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.19	-	1	0.0 %
4.21	-	1	0.0 %
4.24	-	1	0.0 %
4.26	-	1	0.0 %
4.27	-	1	0.0 %
4.31	-	2	0.1 %
4.32	-	1	0.0 %
4.34	-	2	0.1 %
4.35	-	1	0.0 %
Missing Data			
-		731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 12.984556962025
- Minimum: 1.510000000000
- Maximum: 48.070000000000
- Standard Deviation: 6.732456299389

Location: 4279-4293 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTCHOL9: Daily Dietary Estimate (DDE) Cholesterol, mg

DDE Cholesterol, mg

Value	Label	Unweighted Frequency	%
7.8000000000	-	1	0.0 %
18.9400000000	-	1	0.0 %
25.3100000000	-	1	0.0 %
32.9400000000	-	1	0.0 %
36.6800000000	-	1	0.0 %
37.4100000000	-	1	0.0 %
41.2000000000	-	1	0.0 %
43.2200000000	-	1	0.0 %
43.8100000000	-	1	0.0 %
45.5500000000	-	1	0.0 %
46.7300000000	-	1	0.0 %
47.2800000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47.3500000000	-	1	0.0 %
52.4400000000	-	1	0.0 %
56.6500000000	-	1	0.0 %
56.6900000000	-	1	0.0 %
59.1900000000	-	1	0.0 %
60.4800000000	-	1	0.0 %
60.6000000000	-	1	0.0 %
61.1600000000	-	1	0.0 %
61.4800000000	-	1	0.0 %
61.4900000000	-	1	0.0 %
62.8700000000	-	1	0.0 %
64.3000000000	-	1	0.0 %
64.3800000000	-	1	0.0 %
65.7500000000	-	1	0.0 %
66.8500000000	-	1	0.0 %
67.0000000000	-	1	0.0 %
67.5700000000	-	1	0.0 %
67.7700000000	-	1	0.0 %
68.2800000000	-	1	0.0 %
68.7000000000	-	1	0.0 %
68.8400000000	-	2	0.1 %
68.8900000000	-	1	0.0 %
68.9900000000	-	1	0.0 %
69.7600000000	-	1	0.0 %
70.8400000000	-	1	0.0 %
71.2200000000	-	1	0.0 %
71.8100000000	-	1	0.0 %
72.6300000000	-	1	0.0 %
73.2700000000	-	1	0.0 %
74.0800000000	-	1	0.0 %
74.0900000000	-	1	0.0 %
74.2100000000	-	1	0.0 %
74.2900000001	-	1	0.0 %
74.3800000000	-	1	0.0 %
75.2300000000	-	1	0.0 %
75.4300000001	-	1	0.0 %
76.4200000000	-	1	0.0 %
77.4000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 234.0959838895
- Minimum: 7.8000000000
- Maximum: 1273.1000000000
- Standard Deviation: 128.6736930124

Location: 4294-4308 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTDFIB9: Daily Dietary Estimate (DDE) Dietary Fiber, gms

DDE Dietary Fiber, gms

Value	Label	Unweighted Frequency	%
1.76	-	1	0.0 %
2.44	-	1	0.0 %
2.52	-	1	0.0 %
2.56	-	1	0.0 %
2.74	-	2	0.1 %
2.75	-	1	0.0 %
2.82	-	1	0.0 %
3.00	-	1	0.0 %
3.12	-	1	0.0 %
3.17	-	1	0.0 %
3.28	-	1	0.0 %
3.40	-	1	0.0 %
3.50	-	1	0.0 %
3.57	-	1	0.0 %
3.66	-	1	0.0 %
3.77	-	1	0.0 %
3.80	-	1	0.0 %
3.83	-	1	0.0 %
3.84	-	2	0.1 %
3.90	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.97	-	3	0.1 %
3.98	-	1	0.0 %
4.04	-	3	0.1 %
4.07	-	1	0.0 %
4.13	-	1	0.0 %
4.18	-	2	0.1 %
4.22	-	1	0.0 %
4.23	-	1	0.0 %
4.30	-	1	0.0 %
4.31	-	2	0.1 %
4.32	-	1	0.0 %
4.34	-	1	0.0 %
4.35	-	1	0.0 %
4.40	-	1	0.0 %
4.41	-	1	0.0 %
4.42	-	2	0.1 %
4.50	-	2	0.1 %
4.55	-	1	0.0 %
4.56	-	1	0.0 %
4.65	-	1	0.0 %
4.67	-	1	0.0 %
4.70	-	1	0.0 %
4.76	-	1	0.0 %
4.79	-	1	0.0 %
4.80	-	2	0.1 %
4.81	-	1	0.0 %
4.82	-	1	0.0 %
4.83	-	1	0.0 %
4.84	-	1	0.0 %
4.85	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 12.753619102417
- Minimum: 1.760000000000

- Maximum: 52.670000000000
- Standard Deviation: 6.079506101345

Location: 4309-4323 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTFOL9: Daily Dietary Estimate (DDE) Folate, mcg

DDE Folate, mcg

Value	Label	Unweighted Frequency	%
74.7700000000	-	1	0.0 %
87.1400000000	-	1	0.0 %
91.0700000000	-	1	0.0 %
93.4700000000	-	1	0.0 %
93.6600000000	-	1	0.0 %
94.7200000000	-	1	0.0 %
97.0100000000	-	1	0.0 %
97.7300000000	-	1	0.0 %
98.1200000000	-	1	0.0 %
99.0100000000	-	1	0.0 %
99.4100000001	-	1	0.0 %
99.5400000001	-	1	0.0 %
100.9800000000	-	1	0.0 %
103.9900000000	-	1	0.0 %
105.0500000000	-	1	0.0 %
106.8200000000	-	1	0.0 %
108.5800000000	-	1	0.0 %
108.8700000000	-	1	0.0 %
109.1900000000	-	1	0.0 %
111.6800000000	-	1	0.0 %
112.4600000000	-	1	0.0 %
112.6500000000	-	1	0.0 %
115.5400000000	-	1	0.0 %
116.5300000000	-	1	0.0 %
116.8300000000	-	1	0.0 %
116.8500000000	-	1	0.0 %
116.8900000000	-	1	0.0 %
117.6900000000	-	1	0.0 %
119.0500000000	-	1	0.0 %
119.2400000000	-	2	0.1 %
119.3700000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
119.7100000000	-	1	0.0 %
119.7900000000	-	1	0.0 %
121.0900000000	-	1	0.0 %
121.6200000000	-	1	0.0 %
121.6700000000	-	1	0.0 %
122.0800000000	-	1	0.0 %
123.3600000000	-	1	0.0 %
124.2800000000	-	1	0.0 %
125.6700000000	-	1	0.0 %
125.7700000000	-	1	0.0 %
126.2700000000	-	1	0.0 %
126.3400000000	-	1	0.0 %
127.0900000000	-	1	0.0 %
127.8700000000	-	1	0.0 %
128.0200000000	-	1	0.0 %
130.0700000000	-	1	0.0 %
130.9700000000	-	1	0.0 %
131.1600000000	-	1	0.0 %
131.6400000000	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 323.6784752589
- Minimum: 74.7700000000
- Maximum: 1026.5100000000
- Standard Deviation: 131.4657904596

Location: 4324-4338 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTDFE9: Daily Dietary Estimate (DDE) Folate DFE, mcg_DFE

DDE Folate DFE, mcg_DFE

Value	Label	Unweighted Frequency	%
97.2900000001	-	1	0.0 %

Value	Label	Unweighted Frequency	%
102.5600000000	-	1	0.0 %
103.7700000001	-	1	0.0 %
106.4400000000	-	1	0.0 %
108.3400000000	-	1	0.0 %
110.6600000000	-	1	0.0 %
113.2800000000	-	1	0.0 %
113.3600000000	-	1	0.0 %
114.6300000000	-	1	0.0 %
116.0100000000	-	1	0.0 %
119.7200000000	-	1	0.0 %
120.3400000000	-	1	0.0 %
120.6100000000	-	1	0.0 %
122.6200000000	-	1	0.0 %
123.4800000000	-	1	0.0 %
124.7500000000	-	1	0.0 %
124.8500000000	-	1	0.0 %
126.4300000000	-	1	0.0 %
127.2000000000	-	1	0.0 %
129.1400000000	-	1	0.0 %
130.0300000000	-	1	0.0 %
131.4100000000	-	1	0.0 %
131.7700000000	-	1	0.0 %
132.6300000000	-	1	0.0 %
137.5800000001	-	1	0.0 %
137.6400000000	-	1	0.0 %
138.3200000000	-	1	0.0 %
139.2600000000	-	1	0.0 %
139.8400000000	-	1	0.0 %
140.4900000000	-	1	0.0 %
140.5500000000	-	1	0.0 %
145.3800000000	-	1	0.0 %
146.4600000000	-	1	0.0 %
147.3900000000	-	1	0.0 %
148.0000000000	-	1	0.0 %
149.8000000000	-	1	0.0 %
150.1500000000	-	1	0.0 %
150.6300000000	-	1	0.0 %
152.3400000000	-	1	0.0 %
152.6300000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
154.1200000000	-	1	0.0 %
156.5200000000	-	1	0.0 %
158.1800000000	-	1	0.0 %
158.2100000000	-	1	0.0 %
160.1500000000	-	1	0.0 %
160.5800000001	-	2	0.1 %
161.8300000000	-	1	0.0 %
161.9100000000	-	1	0.0 %
165.4900000000	-	1	0.0 %
167.7200000001	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 446.4643383199
- Minimum: 97.2900000001
- Maximum: 1800.0500000000
- Standard Deviation: 204.9966321819

Location: 4339-4353 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTVITE9: Daily Dietary Estimate (DDE) Vitamin E, a-TE

DDE Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
1.15	-	1	0.0 %
2.17	-	1	0.0 %
2.51	-	1	0.0 %
2.75	-	1	0.0 %
2.85	-	2	0.1 %
2.89	-	1	0.0 %
2.93	-	1	0.0 %
2.96	-	1	0.0 %
3.00	-	2	0.1 %
3.01	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.05	-	1	0.0 %
3.06	-	1	0.0 %
3.09	-	2	0.1 %
3.15	-	1	0.0 %
3.18	-	1	0.0 %
3.29	-	2	0.1 %
3.31	-	1	0.0 %
3.35	-	1	0.0 %
3.37	-	1	0.0 %
3.38	-	1	0.0 %
3.39	-	1	0.0 %
3.46	-	1	0.0 %
3.51	-	2	0.1 %
3.53	-	1	0.0 %
3.54	-	1	0.0 %
3.55	-	1	0.0 %
3.57	-	1	0.0 %
3.58	-	1	0.0 %
3.59	-	1	0.0 %
3.63	-	1	0.0 %
3.67	-	1	0.0 %
3.69	-	1	0.0 %
3.72	-	1	0.0 %
3.74	-	1	0.0 %
3.77	-	1	0.0 %
3.78	-	1	0.0 %
3.80	-	2	0.1 %
3.81	-	1	0.0 %
3.83	-	1	0.0 %
3.84	-	1	0.0 %
3.86	-	1	0.0 %
3.93	-	2	0.1 %
3.94	-	1	0.0 %
3.97	-	1	0.0 %
3.98	-	2	0.1 %
4.00	-	1	0.0 %
4.05	-	1	0.0 %
4.06	-	3	0.1 %
4.07	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.08	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 10.150477560414
- Minimum: 1.150000000000
- Maximum: 46.230000000000
- Standard Deviation: 4.880549785443

Location: 4354-4368 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTZINC9: Daily Dietary Estimate (DDE) Zinc, mg

DDE Zinc, mg

Value	Label	Unweighted Frequency	%
2.52	-	1	0.0 %
2.54	-	1	0.0 %
2.74	-	1	0.0 %
2.84	-	1	0.0 %
3.00	-	1	0.0 %
3.05	-	1	0.0 %
3.06	-	1	0.0 %
3.09	-	1	0.0 %
3.10	-	1	0.0 %
3.15	-	1	0.0 %
3.24	-	1	0.0 %
3.25	-	2	0.1 %
3.26	-	1	0.0 %
3.32	-	1	0.0 %
3.38	-	1	0.0 %
3.42	-	1	0.0 %
3.43	-	1	0.0 %
3.44	-	1	0.0 %
3.46	-	1	0.0 %
3.53	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.54	-	1	0.0 %
3.56	-	2	0.1 %
3.58	-	1	0.0 %
3.61	-	1	0.0 %
3.62	-	1	0.0 %
3.64	-	1	0.0 %
3.66	-	1	0.0 %
3.68	-	2	0.1 %
3.69	-	1	0.0 %
3.70	-	1	0.0 %
3.73	-	1	0.0 %
3.74	-	1	0.0 %
3.76	-	2	0.1 %
3.78	-	1	0.0 %
3.83	-	1	0.0 %
3.84	-	1	0.0 %
3.85	-	2	0.1 %
3.86	-	1	0.0 %
3.87	-	1	0.0 %
3.91	-	1	0.0 %
3.92	-	1	0.0 %
3.93	-	1	0.0 %
3.96	-	1	0.0 %
3.97	-	3	0.1 %
3.98	-	4	0.2 %
4.01	-	1	0.0 %
4.03	-	2	0.1 %
4.04	-	1	0.0 %
4.06	-	2	0.1 %
4.08	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 8.803262370541
- Minimum: 2.520000000000

- Maximum: 30.400000000000
- Standard Deviation: 3.361944378944

Location: 4369-4383 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTANZ9: Daily Dietary Estimate (DDE) Animal Zinc, mg

DDE Animal Zinc, mg

Value	Label	Unweighted Frequency	%
0.05	-	1	0.0 %
0.31	-	1	0.0 %
0.44	-	1	0.0 %
0.48	-	1	0.0 %
0.49	-	1	0.0 %
0.52	-	1	0.0 %
0.56	-	1	0.0 %
0.59	-	1	0.0 %
0.60	-	1	0.0 %
0.62	-	1	0.0 %
0.65	-	2	0.1 %
0.83	-	1	0.0 %
0.90	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.05	-	1	0.0 %
1.07	-	1	0.0 %
1.10	-	1	0.0 %
1.12	-	1	0.0 %
1.13	-	1	0.0 %
1.18	-	1	0.0 %
1.19	-	1	0.0 %
1.22	-	1	0.0 %
1.23	-	1	0.0 %
1.28	-	1	0.0 %
1.31	-	1	0.0 %
1.33	-	2	0.1 %
1.34	-	2	0.1 %
1.35	-	2	0.1 %
1.36	-	1	0.0 %
1.37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.38	-	1	0.0 %
1.39	-	3	0.1 %
1.40	-	2	0.1 %
1.41	-	1	0.0 %
1.43	-	1	0.0 %
1.44	-	3	0.1 %
1.46	-	1	0.0 %
1.48	-	1	0.0 %
1.49	-	2	0.1 %
1.51	-	1	0.0 %
1.54	-	2	0.1 %
1.55	-	2	0.1 %
1.56	-	1	0.0 %
1.57	-	1	0.0 %
1.58	-	1	0.0 %
1.60	-	1	0.0 %
1.61	-	1	0.0 %
1.62	-	2	0.1 %
1.63	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 4.926628308400
- Minimum: 0.050000000000
- Maximum: 20.970000000000
- Standard Deviation: 2.486802475592

Location: 4384-4398 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of Missing Values: .

DTTMG9: Daily Dietary Estimate (DDE) Magnesium, mg

DDE Magnesium, mg

Value	Label	Unweighted Frequency	%
63.130000000000	-	1	0.0 %
76.960000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
80.980000000000	-	1	0.0 %
88.070000000000	-	1	0.0 %
88.190000000000	-	1	0.0 %
88.390000000000	-	1	0.0 %
88.660000000000	-	1	0.0 %
88.690000000000	-	1	0.0 %
91.560000000000	-	1	0.0 %
93.060000000000	-	1	0.0 %
93.310000000000	-	1	0.0 %
94.260000000000	-	1	0.0 %
94.380000000000	-	1	0.0 %
94.500000000000	-	1	0.0 %
94.770000000000	-	1	0.0 %
96.850000000000	-	1	0.0 %
97.390000000000	-	1	0.0 %
97.890000000000	-	1	0.0 %
100.120000000000	-	1	0.0 %
100.720000000000	-	1	0.0 %
101.140000000000	-	1	0.0 %
101.300000000000	-	1	0.0 %
101.340000000000	-	1	0.0 %
101.830000000000	-	1	0.0 %
102.580000000000	-	1	0.0 %
103.000000000000	-	1	0.0 %
103.330000000000	-	1	0.0 %
103.390000000000	-	1	0.0 %
103.800000000000	-	1	0.0 %
103.850000000000	-	1	0.0 %
104.000000000000	-	1	0.0 %
104.140000000000	-	1	0.0 %
104.440000000000	-	1	0.0 %
104.540000000000	-	1	0.0 %
104.830000000000	-	1	0.0 %
106.670000000000	-	1	0.0 %
107.620000000000	-	1	0.0 %
107.750000000000	-	1	0.0 %
107.910000000000	-	1	0.0 %
108.130000000000	-	1	0.0 %
108.170000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
108.370000000000	-	1	0.0 %
108.730000000000	-	1	0.0 %
108.760000000000	-	1	0.0 %
110.080000000000	-	1	0.0 %
110.300000000000	-	1	0.0 %
111.220000000001	-	1	0.0 %
111.560000000000	-	1	0.0 %
113.530000000000	-	1	0.0 %
113.980000000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 272.41217491370
- Minimum: 63.13000000000
- Maximum: 829.54000000000
- Standard Deviation: 103.71266540517

Location: 4399-4413 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: .

DTTACAR9: Daily Dietary Estimate (DDE) Alpha Carotene, mcg

DDE Alpha Carotene, mcg

Value	Label	Unweighted Frequency	%
0.00000000000	-	1	0.0 %
0.53000000000	-	1	0.0 %
0.83000000000	-	1	0.0 %
0.85000000000	-	1	0.0 %
1.60000000000	-	1	0.0 %
1.61000000000	-	1	0.0 %
2.15000000000	-	1	0.0 %
2.30000000000	-	1	0.0 %
2.55000000000	-	1	0.0 %
2.64000000000	-	1	0.0 %
3.23000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.29000000000	-	1	0.0 %
3.93000000000	-	1	0.0 %
4.37000000000	-	1	0.0 %
5.06000000000	-	1	0.0 %
5.09000000000	-	1	0.0 %
5.24000000000	-	1	0.0 %
5.53000000000	-	1	0.0 %
5.61000000000	-	1	0.0 %
7.95000000000	-	1	0.0 %
8.77000000000	-	1	0.0 %
8.82000000000	-	2	0.1 %
9.21000000000	-	1	0.0 %
9.38000000000	-	1	0.0 %
9.77000000000	-	1	0.0 %
10.25000000000	-	1	0.0 %
10.91000000000	-	1	0.0 %
11.90000000000	-	1	0.0 %
12.09000000000	-	1	0.0 %
12.59000000000	-	1	0.0 %
12.68000000000	-	1	0.0 %
12.80000000000	-	1	0.0 %
13.19000000000	-	1	0.0 %
13.60000000000	-	1	0.0 %
13.67000000000	-	1	0.0 %
13.87000000000	-	1	0.0 %
14.09000000000	-	1	0.0 %
14.41000000000	-	1	0.0 %
15.63000000000	-	1	0.0 %
15.85000000000	-	1	0.0 %
15.97000000000	-	1	0.0 %
16.41000000000	-	1	0.0 %
16.52000000000	-	1	0.0 %
16.70000000000	-	1	0.0 %
17.14000000000	-	1	0.0 %
17.27000000000	-	1	0.0 %
17.38000000000	-	1	0.0 %
17.80000000000	-	1	0.0 %
18.17000000000	-	1	0.0 %
18.21000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 234.8492059839
- Minimum: 0.0000000000
- Maximum: 2111.1500000000
- Standard Deviation: 238.4705999139

Location: 4414-4428 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTBCAR9: Daily Dietary Estimate (DDE) Beta Carotene, mcg

DDE Beta Carotene, mcg

Value	Label	Unweighted Frequency	%
144.950000000	-	1	0.0 %
161.970000000	-	1	0.0 %
179.550000000	-	1	0.0 %
226.610000000	-	1	0.0 %
228.570000000	-	1	0.0 %
287.620000000	-	1	0.0 %
333.530000000	-	1	0.0 %
339.590000000	-	1	0.0 %
349.500000000	-	1	0.0 %
361.280000000	-	1	0.0 %
377.250000000	-	1	0.0 %
393.150000000	-	1	0.0 %
403.170000000	-	1	0.0 %
406.680000000	-	1	0.0 %
407.180000000	-	1	0.0 %
415.800000000	-	1	0.0 %
432.830000000	-	1	0.0 %
437.740000000	-	1	0.0 %
459.260000000	-	1	0.0 %
462.520000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
466.950000000	-	1	0.0 %
474.440000000	-	1	0.0 %
474.830000000	-	1	0.0 %
483.690000000	-	1	0.0 %
490.930000000	-	1	0.0 %
499.530000000	-	1	0.0 %
501.820000000	-	1	0.0 %
502.680000000	-	1	0.0 %
503.200000000	-	1	0.0 %
504.350000000	-	1	0.0 %
507.710000000	-	1	0.0 %
525.440000000	-	1	0.0 %
526.100000000	-	1	0.0 %
528.180000000	-	1	0.0 %
537.870000000	-	1	0.0 %
553.410000000	-	1	0.0 %
555.290000000	-	1	0.0 %
556.280000000	-	1	0.0 %
557.440000000	-	1	0.0 %
565.430000000	-	1	0.0 %
577.340000000	-	1	0.0 %
582.060000000	-	1	0.0 %
590.810000000	-	1	0.0 %
601.060000000	-	1	0.0 %
605.900000000	-	1	0.0 %
607.800000000	-	1	0.0 %
610.810000000	-	1	0.0 %
619.460000000	-	1	0.0 %
635.240000000	-	1	0.0 %
641.930000000	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3320.690713464

- Minimum: 144.950000000
- Maximum: 33320.140000000
- Standard Deviation: 3107.135425421

Location: 4429-4443 (*width:* 15; *decimal:* 9)

Variable Type: numeric

(Range of) Missing Values: .

DTTRET9: Daily Dietary Estimate (DDE) Retinol, mcg

DDE Retinol, mcg

Value	Label	Unweighted Frequency	%
0.59000000000	-	1	0.0 %
11.85000000000	-	1	0.0 %
16.75000000000	-	1	0.0 %
19.54000000000	-	1	0.0 %
25.28000000000	-	1	0.0 %
34.18000000000	-	1	0.0 %
35.37000000000	-	1	0.0 %
46.32000000000	-	1	0.0 %
46.55000000000	-	1	0.0 %
48.81000000000	-	1	0.0 %
50.49000000000	-	1	0.0 %
52.30000000000	-	1	0.0 %
52.31000000000	-	1	0.0 %
55.11000000000	-	1	0.0 %
55.67000000000	-	1	0.0 %
56.14000000000	-	1	0.0 %
58.10000000000	-	1	0.0 %
60.98000000000	-	1	0.0 %
63.72000000000	-	1	0.0 %
63.87000000000	-	1	0.0 %
64.11000000000	-	1	0.0 %
65.60000000000	-	1	0.0 %
65.65000000000	-	1	0.0 %
66.00000000000	-	1	0.0 %
67.67000000000	-	1	0.0 %
68.06000000000	-	1	0.0 %
68.98000000000	-	1	0.0 %
69.32000000000	-	1	0.0 %
69.76000000000	-	1	0.0 %
70.14000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
70.2400000000	-	1	0.0 %
71.0900000000	-	1	0.0 %
71.5700000000	-	1	0.0 %
73.4300000001	-	1	0.0 %
74.1600000000	-	1	0.0 %
74.5400000001	-	1	0.0 %
74.9500000000	-	1	0.0 %
75.4100000000	-	1	0.0 %
76.2500000000	-	1	0.0 %
76.4400000001	-	1	0.0 %
77.4200000000	-	1	0.0 %
78.1600000000	-	1	0.0 %
79.5400000001	-	1	0.0 %
79.6200000000	-	1	0.0 %
79.6500000000	-	1	0.0 %
80.0400000001	-	1	0.0 %
80.7700000000	-	1	0.0 %
80.9500000000	-	1	0.0 %
81.1000000000	-	1	0.0 %
82.5300000000	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 450.6922784810
- Minimum: 0.5900000000
- Maximum: 4749.2800000000
- Standard Deviation: 387.5779547400

Location: 4444-4458 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTPROA9: Daily Dietary Estimate (DDE) Pro-A Carotenes, mcg

DDE Pro-A Carotenes, mcg

Value	Label	Unweighted Frequency	%
171.170000000	-	1	0.0 %
183.350000000	-	1	0.0 %
235.110000000	-	1	0.0 %
249.090000000	-	1	0.0 %
297.720000000	-	1	0.0 %
300.960000000	-	1	0.0 %
328.810000000	-	1	0.0 %
338.050000000	-	1	0.0 %
376.090000000	-	1	0.0 %
383.350000000	-	1	0.0 %
403.790000000	-	1	0.0 %
411.470000000	-	1	0.0 %
450.410000000	-	1	0.0 %
454.900000000	-	1	0.0 %
478.470000000	-	1	0.0 %
480.980000000	-	1	0.0 %
482.320000000	-	1	0.0 %
482.880000000	-	1	0.0 %
485.670000000	-	1	0.0 %
491.040000000	-	1	0.0 %
494.460000000	-	1	0.0 %
516.920000000	-	1	0.0 %
525.860000000	-	1	0.0 %
526.600000000	-	1	0.0 %
534.080000000	-	1	0.0 %
534.280000000	-	1	0.0 %
540.520000000	-	1	0.0 %
546.300000000	-	1	0.0 %
546.610000000	-	1	0.0 %
547.820000000	-	1	0.0 %
555.690000000	-	1	0.0 %
557.930000001	-	1	0.0 %
563.440000000	-	1	0.0 %
579.160000000	-	1	0.0 %
580.920000000	-	1	0.0 %
607.240000000	-	1	0.0 %
615.890000001	-	1	0.0 %
623.130000000	-	1	0.0 %
628.090000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
638.140000000	-	1	0.0 %
645.780000000	-	1	0.0 %
647.270000000	-	1	0.0 %
650.160000000	-	1	0.0 %
659.320000000	-	1	0.0 %
667.860000000	-	1	0.0 %
677.580000000	-	1	0.0 %
679.970000000	-	1	0.0 %
680.380000000	-	1	0.0 %
680.970000000	-	1	0.0 %
682.910000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3250.897779056
- Minimum: 171.170000000
- Maximum: 23522.320000000
- Standard Deviation: 2744.834984234

Location: 4459-4473 (*width:* 15; *decimal:* 9)

Variable Type: numeric

(Range of) Missing Values: .

FIBBEAN9: Daily Dietary Estimate (DDE) Fiber from Beans

DDE Fiber from Beans

Value	Label	Unweighted Frequency	%
0.00	-	32	1.3 %
0.02	-	1	0.0 %
0.03	-	1	0.0 %
0.04	-	1	0.0 %
0.06	-	2	0.1 %
0.08	-	4	0.2 %
0.09	-	10	0.4 %
0.11	-	1	0.0 %
0.12	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.13	-	2	0.1 %
0.14	-	1	0.0 %
0.15	-	9	0.4 %
0.16	-	1	0.0 %
0.18	-	3	0.1 %
0.19	-	2	0.1 %
0.20	-	1	0.0 %
0.21	-	12	0.5 %
0.22	-	5	0.2 %
0.23	-	3	0.1 %
0.24	-	6	0.2 %
0.25	-	2	0.1 %
0.26	-	2	0.1 %
0.27	-	5	0.2 %
0.29	-	9	0.4 %
0.30	-	13	0.5 %
0.31	-	3	0.1 %
0.32	-	4	0.2 %
0.33	-	3	0.1 %
0.34	-	3	0.1 %
0.35	-	3	0.1 %
0.36	-	7	0.3 %
0.37	-	6	0.2 %
0.39	-	3	0.1 %
0.40	-	4	0.2 %
0.41	-	13	0.5 %
0.42	-	2	0.1 %
0.43	-	10	0.4 %
0.44	-	4	0.2 %
0.45	-	8	0.3 %
0.46	-	4	0.2 %
0.47	-	3	0.1 %
0.48	-	14	0.6 %
0.49	-	6	0.2 %
0.50	-	6	0.2 %
0.51	-	5	0.2 %
0.52	-	2	0.1 %
0.53	-	10	0.4 %
0.54	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.55	-	3	0.1 %
0.56	-	5	0.2 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.727019562716
- Minimum: 0.000000000000
- Maximum: 41.000000000000
- Standard Deviation: 3.042094538844

Location: 4474-4488 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

FIBVEGF9: Daily Dietary Estimate (DDE) Fiber from Vegetable/Fruit

DDE Fiber from Veg/Fruit

Value	Label	Unweighted Frequency	%
0.08	-	1	0.0 %
0.34	-	1	0.0 %
0.70	-	1	0.0 %
0.72	-	2	0.1 %
0.80	-	1	0.0 %
0.88	-	2	0.1 %
0.94	-	1	0.0 %
0.97	-	1	0.0 %
0.99	-	1	0.0 %
1.05	-	1	0.0 %
1.14	-	1	0.0 %
1.17	-	1	0.0 %
1.18	-	1	0.0 %
1.20	-	1	0.0 %
1.22	-	1	0.0 %
1.24	-	1	0.0 %
1.30	-	1	0.0 %
1.31	-	1	0.0 %
1.33	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.35	-	1	0.0 %
1.36	-	2	0.1 %
1.41	-	3	0.1 %
1.52	-	1	0.0 %
1.53	-	1	0.0 %
1.59	-	2	0.1 %
1.60	-	1	0.0 %
1.63	-	4	0.2 %
1.64	-	1	0.0 %
1.67	-	1	0.0 %
1.68	-	1	0.0 %
1.69	-	2	0.1 %
1.70	-	2	0.1 %
1.71	-	1	0.0 %
1.74	-	1	0.0 %
1.76	-	1	0.0 %
1.77	-	1	0.0 %
1.79	-	2	0.1 %
1.80	-	2	0.1 %
1.81	-	1	0.0 %
1.82	-	1	0.0 %
1.84	-	2	0.1 %
1.85	-	1	0.0 %
1.86	-	1	0.0 %
1.87	-	2	0.1 %
1.89	-	3	0.1 %
1.92	-	1	0.0 %
1.93	-	1	0.0 %
1.94	-	1	0.0 %
1.95	-	1	0.0 %
1.96	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 6.350414269275

- Minimum: 0.080000000000
- Maximum: 23.980000000000
- Standard Deviation: 3.491865644243

Location: 4489-4503 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

FIBGRA19: Daily Dietary Estimate (DDE) Fiber from Grains

DDE Fiber from Grains

Value	Label	Unweighted Frequency	%
0.02	-	1	0.0 %
0.04	-	2	0.1 %
0.11	-	1	0.0 %
0.12	-	1	0.0 %
0.20	-	1	0.0 %
0.23	-	1	0.0 %
0.27	-	1	0.0 %
0.31	-	1	0.0 %
0.36	-	1	0.0 %
0.39	-	1	0.0 %
0.41	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	1	0.0 %
0.51	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	1	0.0 %
0.56	-	1	0.0 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.67	-	1	0.0 %
0.68	-	1	0.0 %
0.72	-	1	0.0 %
0.74	-	3	0.1 %
0.75	-	1	0.0 %
0.78	-	1	0.0 %
0.80	-	1	0.0 %
0.81	-	1	0.0 %
0.82	-	4	0.2 %
0.84	-	1	0.0 %
0.85	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.88	-	2	0.1 %
0.90	-	1	0.0 %
0.92	-	1	0.0 %
0.93	-	1	0.0 %
0.94	-	3	0.1 %
0.95	-	2	0.1 %
0.96	-	2	0.1 %
0.97	-	1	0.0 %
0.99	-	1	0.0 %
1.02	-	2	0.1 %
1.03	-	1	0.0 %
1.04	-	1	0.0 %
1.05	-	2	0.1 %
1.06	-	3	0.1 %
1.08	-	3	0.1 %
1.09	-	1	0.0 %
1.10	-	6	0.2 %
1.13	-	3	0.1 %
1.14	-	2	0.1 %
1.16	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3.675983889528
- Minimum: 0.020000000000
- Maximum: 15.450000000000
- Standard Deviation: 2.047079721748

Location: 4504-4518 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTALCH9: Daily Dietary Estimate (DDE) Kilocalories (KCAL) from Alcoholic Beverage

DDE KCAL from Alcoholic Bev

Value	Label	Unweighted Frequency	%
0.0000000000	-	829	33.6 %

Value	Label	Unweighted Frequency	%
6.4371240000	-	1	0.0 %
6.4684210000	-	1	0.0 %
6.4850760000	-	1	0.0 %
6.4975560000	-	1	0.0 %
6.5041920000	-	1	0.0 %
6.5258340000	-	1	0.0 %
6.5334500000	-	1	0.0 %
6.5366190000	-	1	0.0 %
6.5390400000	-	1	0.0 %
6.5417200000	-	1	0.0 %
6.5667880000	-	1	0.0 %
6.5676500000	-	1	0.0 %
6.5768400000	-	1	0.0 %
6.5792700000	-	1	0.0 %
6.5828840000	-	1	0.0 %
6.5860080000	-	1	0.0 %
6.5872100000	-	1	0.0 %
6.5900840000	-	1	0.0 %
6.6035340000	-	1	0.0 %
6.6085290000	-	1	0.0 %
6.6265900000	-	1	0.0 %
9.8120050000	-	1	0.0 %
13.1060000000	-	1	0.0 %
13.1165100000	-	1	0.0 %
13.1196000000	-	1	0.0 %
13.1317520000	-	1	0.0 %
13.1377370000	-	1	0.0 %
13.1389650000	-	1	0.0 %
13.1458400000	-	1	0.0 %
13.1502910000	-	1	0.0 %
13.1509070000	-	1	0.0 %
13.1509500000	-	1	0.0 %
13.1536240000	-	1	0.0 %
13.1558340000	-	1	0.0 %
13.1562900000	-	1	0.0 %
13.1593800000	-	1	0.0 %
13.1632620000	-	1	0.0 %
13.1645470000	-	1	0.0 %
13.1654760000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13.1678860000	-	1	0.0 %
13.1683140000	-	1	0.0 %
13.1690870000	-	1	0.0 %
13.1692400000	-	1	0.0 %
13.1701680000	-	1	0.0 %
13.1720450000	-	1	0.0 %
13.1736330000	-	1	0.0 %
13.1751360000	-	1	0.0 %
13.1769040000	-	1	0.0 %
13.1777100000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 51.0805710161
- Minimum: 0.0000000000
- Maximum: 2191.9683500000
- Standard Deviation: 108.0254200610

Location: 4519-4533 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTSWET9: Daily Dietary Estimate (DDE) Kilocalories (KCAL) fm Sweets, kcal

DDE KCAL fm Sweets, kcal

Value	Label	Unweighted Frequency	%
0.0000000000	-	56	2.3 %
3.0510030000	-	1	0.0 %
3.0718200000	-	1	0.0 %
3.1001040000	-	1	0.0 %
4.3718720000	-	1	0.0 %
4.3900560000	-	1	0.0 %
4.4050020000	-	1	0.0 %
4.4501750000	-	1	0.0 %
4.4647780000	-	1	0.0 %
5.5430860000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.5551600000	-	1	0.0 %
5.5935720000	-	1	0.0 %
6.3922500000	-	1	0.0 %
6.6457180000	-	1	0.0 %
6.6914700000	-	1	0.0 %
7.1228500000	-	1	0.0 %
7.2543860000	-	1	0.0 %
8.5355060000	-	1	0.0 %
8.6241600000	-	1	0.0 %
8.7217110000	-	1	0.0 %
9.4238110000	-	1	0.0 %
9.4592280000	-	1	0.0 %
9.9682960000	-	1	0.0 %
10.0423500000	-	1	0.0 %
10.6566860000	-	1	0.0 %
10.6992600000	-	1	0.0 %
10.7102400000	-	1	0.0 %
10.7234400000	-	1	0.0 %
10.7726330000	-	1	0.0 %
11.8229900000	-	1	0.0 %
12.0923770000	-	1	0.0 %
12.3624340000	-	1	0.0 %
12.8655380000	-	1	0.0 %
13.1869920000	-	1	0.0 %
14.3170170000	-	1	0.0 %
15.0811360000	-	1	0.0 %
15.2605250000	-	1	0.0 %
15.2627280000	-	1	0.0 %
15.2640400000	-	1	0.0 %
15.2976330000	-	1	0.0 %
15.3022410000	-	1	0.0 %
15.3064480000	-	1	0.0 %
15.3189100000	-	1	0.0 %
15.4165900000	-	1	0.0 %
15.4433070000	-	1	0.0 %
15.4727200000	-	1	0.0 %
15.6984880000	-	1	0.0 %
16.2588970000	-	1	0.0 %
16.4926290000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.0894000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 250.1168890921
- Minimum: 0.0000000000
- Maximum: 2101.1848600000
- Standard Deviation: 260.9706934494

Location: 4534-4548 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

GMSOLID9: Daily Dietary Estimate (DDE) Grams Solid Food

DDE Grams Solid Food

Value	Label	Unweighted Frequency	%
1724.30	-	1	0.0 %
1783.60	-	1	0.0 %
1808.40	-	1	0.0 %
1863.23	-	1	0.0 %
1935.39	-	1	0.0 %
1937.04	-	1	0.0 %
2012.06	-	1	0.0 %
2026.90	-	1	0.0 %
2031.83	-	1	0.0 %
2055.11	-	1	0.0 %
2082.30	-	1	0.0 %
2087.50	-	1	0.0 %
2094.50	-	1	0.0 %
2105.21	-	1	0.0 %
2138.67	-	1	0.0 %
2151.88	-	1	0.0 %
2184.44	-	1	0.0 %
2199.43	-	1	0.0 %
2203.09	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2203.69	-	1	0.0 %
2211.43	-	1	0.0 %
2212.75	-	1	0.0 %
2227.21	-	1	0.0 %
2235.06	-	1	0.0 %
2256.12	-	1	0.0 %
2278.89	-	1	0.0 %
2313.90	-	1	0.0 %
2335.86	-	1	0.0 %
2336.92	-	1	0.0 %
2378.95	-	1	0.0 %
2390.08	-	1	0.0 %
2391.87	-	1	0.0 %
2399.60	-	1	0.0 %
2401.90	-	1	0.0 %
2407.69	-	1	0.0 %
2409.78	-	1	0.0 %
2415.38	-	1	0.0 %
2420.29	-	1	0.0 %
2428.55	-	1	0.0 %
2442.68	-	1	0.0 %
2446.64	-	1	0.0 %
2450.27	-	1	0.0 %
2453.74	-	1	0.0 %
2465.98	-	1	0.0 %
2472.67	-	1	0.0 %
2483.63	-	1	0.0 %
2484.72	-	1	0.0 %
2485.06	-	1	0.0 %
2495.34	-	1	0.0 %
2497.28	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 5706.95
- Minimum: 1724.30
- Maximum: 18730.58
- Standard Deviation: 2242.42

Location: 4549-4556 (*width:* 8; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

DTTCAFF9: Caffeine, mg

Caffeine, mg

Value	Label	Unweighted Frequency	%
0.00	-	22	0.9 %
0.67	-	4	0.2 %
1.43	-	3	0.1 %
1.54	-	5	0.2 %
2.03	-	3	0.1 %
2.10	-	5	0.2 %
2.70	-	2	0.1 %
2.77	-	3	0.1 %
2.84	-	1	0.0 %
2.86	-	6	0.2 %
3.12	-	3	0.1 %
3.57	-	1	0.0 %
3.64	-	1	0.0 %
3.72	-	3	0.1 %
3.79	-	1	0.0 %
4.33	-	2	0.1 %
4.38	-	4	0.2 %
4.40	-	1	0.0 %
4.66	-	1	0.0 %
4.80	-	1	0.0 %
5.14	-	2	0.1 %
5.25	-	2	0.1 %
5.67	-	1	0.0 %
5.71	-	4	0.2 %
5.75	-	2	0.1 %
5.94	-	1	0.0 %
5.98	-	1	0.0 %
6.09	-	1	0.0 %
6.22	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.57	-	2	0.1 %
6.61	-	1	0.0 %
6.76	-	2	0.1 %
6.84	-	3	0.1 %
7.17	-	1	0.0 %
7.33	-	2	0.1 %
7.43	-	1	0.0 %
7.46	-	1	0.0 %
7.50	-	2	0.1 %
7.70	-	1	0.0 %
7.75	-	1	0.0 %
8.27	-	1	0.0 %
8.37	-	1	0.0 %
8.38	-	3	0.1 %
8.67	-	1	0.0 %
8.94	-	2	0.1 %
9.06	-	1	0.0 %
9.54	-	1	0.0 %
9.69	-	2	0.1 %
9.70	-	1	0.0 %
9.72	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 241.92
- Minimum: 0.00
- Maximum: 2182.36
- Standard Deviation: 235.76

Location: 4557-4563 (*width:* 7; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

DTTVITD9: Vitamin D, IU

Vitamin D, IU

Value	Label	Unweighted Frequency	%
0.1900000000	-	1	0.0 %
4.1200000000	-	1	0.0 %
6.4300000000	-	1	0.0 %
7.3000000000	-	1	0.0 %
9.0900000000	-	1	0.0 %
9.3900000000	-	1	0.0 %
10.7800000000	-	1	0.0 %
11.0000000000	-	1	0.0 %
12.5400000000	-	1	0.0 %
13.2500000000	-	1	0.0 %
13.4600000000	-	1	0.0 %
13.6100000000	-	1	0.0 %
14.2500000000	-	1	0.0 %
14.8100000000	-	1	0.0 %
14.9200000000	-	1	0.0 %
15.8500000000	-	1	0.0 %
15.9100000000	-	1	0.0 %
16.6800000000	-	1	0.0 %
16.9100000000	-	1	0.0 %
17.1900000000	-	1	0.0 %
17.2700000000	-	1	0.0 %
18.3700000000	-	1	0.0 %
18.8000000000	-	1	0.0 %
19.0700000000	-	1	0.0 %
19.6100000000	-	1	0.0 %
19.7000000000	-	1	0.0 %
19.7300000000	-	1	0.0 %
19.7400000000	-	1	0.0 %
20.2800000000	-	1	0.0 %
20.3000000000	-	1	0.0 %
20.4300000000	-	1	0.0 %
20.5900000000	-	1	0.0 %
20.6900000000	-	1	0.0 %
21.1400000000	-	1	0.0 %
21.2000000000	-	1	0.0 %
21.2100000000	-	1	0.0 %
21.8500000000	-	1	0.0 %
22.4400000000	-	1	0.0 %
22.5700000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22.8000000000	-	1	0.0 %
22.8700000000	-	1	0.0 %
23.4000000000	-	1	0.0 %
23.7100000000	-	1	0.0 %
23.9000000000	-	1	0.0 %
24.1900000000	-	1	0.0 %
24.4700000000	-	1	0.0 %
24.5000000000	-	1	0.0 %
24.6500000000	-	1	0.0 %
25.0500000000	-	1	0.0 %
25.5800000000	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 146.3533256617
- Minimum: 0.1900000000
- Maximum: 1103.4400000000
- Standard Deviation: 109.6348399911

Location: 4564-4578 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: .

DTTB129: Vitamin B12, mcg

Vitamin B12, mcg

Value	Label	Unweighted Frequency	%
0.10	-	1	0.0 %
0.25	-	1	0.0 %
0.28	-	1	0.0 %
0.30	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.46	-	1	0.0 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	2	0.1 %
0.54	-	3	0.1 %
0.55	-	3	0.1 %
0.56	-	3	0.1 %
0.57	-	1	0.0 %
0.60	-	1	0.0 %
0.62	-	4	0.2 %
0.63	-	3	0.1 %
0.64	-	1	0.0 %
0.65	-	2	0.1 %
0.66	-	1	0.0 %
0.67	-	3	0.1 %
0.69	-	2	0.1 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.74	-	1	0.0 %
0.76	-	3	0.1 %
0.77	-	4	0.2 %
0.78	-	3	0.1 %
0.79	-	3	0.1 %
0.80	-	2	0.1 %
0.81	-	2	0.1 %
0.82	-	5	0.2 %
0.83	-	2	0.1 %
0.84	-	1	0.0 %
0.85	-	4	0.2 %
0.86	-	1	0.0 %
0.88	-	2	0.1 %
0.89	-	1	0.0 %
0.90	-	3	0.1 %
0.91	-	3	0.1 %
0.92	-	2	0.1 %
0.93	-	4	0.2 %
0.94	-	3	0.1 %
0.96	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.97	-	1	0.0 %
0.98	-	2	0.1 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.871553509781
- Minimum: 0.100000000000
- Maximum: 15.310000000000
- Standard Deviation: 1.617231763054

Location: 4579-4593 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTTRAN9: Trans fats, g

Trans fats, g

Value	Label	Unweighted Frequency	%
0.19	-	1	0.0 %
0.29	-	1	0.0 %
0.35	-	1	0.0 %
0.37	-	1	0.0 %
0.39	-	1	0.0 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.43	-	1	0.0 %
0.46	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	1	0.0 %
0.57	-	1	0.0 %
0.58	-	1	0.0 %
0.60	-	1	0.0 %
0.62	-	1	0.0 %
0.64	-	1	0.0 %
0.66	-	2	0.1 %
0.68	-	1	0.0 %
0.69	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.72	-	1	0.0 %
0.75	-	2	0.1 %
0.76	-	5	0.2 %
0.78	-	1	0.0 %
0.79	-	2	0.1 %
0.80	-	2	0.1 %
0.81	-	1	0.0 %
0.82	-	1	0.0 %
0.83	-	1	0.0 %
0.84	-	1	0.0 %
0.85	-	1	0.0 %
0.86	-	2	0.1 %
0.87	-	1	0.0 %
0.88	-	3	0.1 %
0.89	-	1	0.0 %
0.90	-	2	0.1 %
0.92	-	2	0.1 %
0.93	-	1	0.0 %
0.94	-	2	0.1 %
0.95	-	3	0.1 %
0.97	-	3	0.1 %
0.98	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	2	0.1 %
1.01	-	3	0.1 %
1.02	-	1	0.0 %
1.03	-	1	0.0 %
1.04	-	1	0.0 %
1.05	-	3	0.1 %
1.06	-	2	0.1 %
1.07	-	3	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 5.034113924051

- Minimum: 0.190000000000
- Maximum: 41.030000000000
- Standard Deviation: 3.876540835070

Location: 4594-4608 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTOMEG9: Omega-3 fatty acids, g

Omega-3 fatty acids, g

Value	Label	Unweighted Frequency	%
0.11	-	1	0.0 %
0.23	-	1	0.0 %
0.29	-	1	0.0 %
0.32	-	1	0.0 %
0.33	-	1	0.0 %
0.34	-	1	0.0 %
0.36	-	2	0.1 %
0.37	-	2	0.1 %
0.38	-	4	0.2 %
0.39	-	1	0.0 %
0.41	-	2	0.1 %
0.42	-	3	0.1 %
0.43	-	4	0.2 %
0.44	-	4	0.2 %
0.45	-	1	0.0 %
0.46	-	5	0.2 %
0.47	-	2	0.1 %
0.48	-	3	0.1 %
0.49	-	7	0.3 %
0.50	-	7	0.3 %
0.51	-	10	0.4 %
0.52	-	1	0.0 %
0.53	-	4	0.2 %
0.54	-	12	0.5 %
0.55	-	4	0.2 %
0.56	-	7	0.3 %
0.57	-	11	0.4 %
0.58	-	10	0.4 %
0.59	-	5	0.2 %
0.60	-	17	0.7 %

Value	Label	Unweighted Frequency	%
0.61	-	9	0.4 %
0.62	-	7	0.3 %
0.63	-	12	0.5 %
0.64	-	9	0.4 %
0.65	-	14	0.6 %
0.66	-	5	0.2 %
0.67	-	10	0.4 %
0.68	-	10	0.4 %
0.69	-	13	0.5 %
0.70	-	10	0.4 %
0.71	-	15	0.6 %
0.72	-	8	0.3 %
0.73	-	10	0.4 %
0.74	-	12	0.5 %
0.75	-	14	0.6 %
0.76	-	12	0.5 %
0.77	-	9	0.4 %
0.78	-	19	0.8 %
0.79	-	13	0.5 %
0.80	-	12	0.5 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.3563060989643
- Minimum: 0.1100000000000
- Maximum: 7.7000000000000
- Standard Deviation: 0.6750697037105

Location: 4609-4623 (*width:* 15; *decimal:* 13)

Variable Type: numeric

(Range of) Missing Values: .

DTTCOPP9: Copper, mg

Copper, mg

Value	Label	Unweighted Frequency	%
0.27	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.28	-	2	0.1 %
0.31	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	3	0.1 %
0.36	-	1	0.0 %
0.37	-	3	0.1 %
0.38	-	6	0.2 %
0.39	-	7	0.3 %
0.40	-	3	0.1 %
0.41	-	1	0.0 %
0.42	-	3	0.1 %
0.43	-	8	0.3 %
0.44	-	6	0.2 %
0.45	-	12	0.5 %
0.46	-	6	0.2 %
0.47	-	8	0.3 %
0.48	-	13	0.5 %
0.49	-	12	0.5 %
0.50	-	9	0.4 %
0.51	-	13	0.5 %
0.52	-	9	0.4 %
0.53	-	16	0.6 %
0.54	-	12	0.5 %
0.55	-	6	0.2 %
0.56	-	8	0.3 %
0.57	-	18	0.7 %
0.58	-	16	0.6 %
0.59	-	14	0.6 %
0.60	-	12	0.5 %
0.61	-	17	0.7 %
0.62	-	6	0.2 %
0.63	-	11	0.4 %
0.64	-	19	0.8 %
0.65	-	20	0.8 %
0.66	-	16	0.6 %
0.67	-	12	0.5 %
0.68	-	22	0.9 %
0.69	-	13	0.5 %
0.70	-	15	0.6 %

Value	Label	Unweighted Frequency	%
0.71	-	15	0.6 %
0.72	-	19	0.8 %
0.73	-	12	0.5 %
0.74	-	14	0.6 %
0.75	-	16	0.6 %
0.76	-	22	0.9 %
0.77	-	13	0.5 %
0.78	-	18	0.7 %
0.79	-	11	0.4 %
0.80	-	21	0.9 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.0538262370541
- Median: 0.97000000000000
- Mode: 0.97000000000000
- Minimum: 0.27000000000000
- Maximum: 5.29000000000000
- Standard Deviation: 0.4534101933241

Location: 4624-4638 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

DTTMANG9: Manganese, mg

Manganese, mg

Value	Label	Unweighted Frequency	%
0.54	-	1	0.0 %
0.69	-	1	0.0 %
0.75	-	1	0.0 %
0.76	-	1	0.0 %
0.78	-	1	0.0 %
0.79	-	2	0.1 %
0.82	-	1	0.0 %
0.85	-	1	0.0 %
0.87	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.88	-	1	0.0 %
0.90	-	1	0.0 %
0.91	-	1	0.0 %
0.93	-	2	0.1 %
0.95	-	4	0.2 %
0.97	-	3	0.1 %
0.98	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	3	0.1 %
1.02	-	1	0.0 %
1.03	-	1	0.0 %
1.04	-	1	0.0 %
1.05	-	2	0.1 %
1.06	-	1	0.0 %
1.07	-	1	0.0 %
1.10	-	3	0.1 %
1.11	-	3	0.1 %
1.12	-	3	0.1 %
1.13	-	4	0.2 %
1.14	-	1	0.0 %
1.16	-	1	0.0 %
1.17	-	5	0.2 %
1.18	-	3	0.1 %
1.20	-	2	0.1 %
1.21	-	1	0.0 %
1.22	-	2	0.1 %
1.23	-	4	0.2 %
1.26	-	4	0.2 %
1.27	-	1	0.0 %
1.28	-	3	0.1 %
1.29	-	3	0.1 %
1.30	-	3	0.1 %
1.31	-	5	0.2 %
1.32	-	5	0.2 %
1.33	-	3	0.1 %
1.34	-	5	0.2 %
1.35	-	3	0.1 %
1.36	-	3	0.1 %
1.37	-	7	0.3 %

Value	Label	Unweighted Frequency	%
1.38	-	3	0.1 %
1.39	-	4	0.2 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3.305776754891
- Minimum: 0.540000000000
- Maximum: 16.510000000000
- Standard Deviation: 1.695249314064

Location: 4639-4653 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DTTPANT9: Pantothenic acid, mg

Pantothenic acid, mg

Value	Label	Unweighted Frequency	%
1.08	-	1	0.0 %
1.15	-	1	0.0 %
1.19	-	1	0.0 %
1.20	-	1	0.0 %
1.23	-	2	0.1 %
1.25	-	1	0.0 %
1.27	-	1	0.0 %
1.28	-	2	0.1 %
1.29	-	1	0.0 %
1.31	-	1	0.0 %
1.33	-	1	0.0 %
1.36	-	1	0.0 %
1.37	-	2	0.1 %
1.39	-	1	0.0 %
1.43	-	1	0.0 %
1.44	-	2	0.1 %
1.46	-	1	0.0 %
1.48	-	2	0.1 %
1.49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.51	-	3	0.1 %
1.52	-	3	0.1 %
1.53	-	2	0.1 %
1.54	-	1	0.0 %
1.55	-	1	0.0 %
1.56	-	2	0.1 %
1.57	-	1	0.0 %
1.59	-	1	0.0 %
1.60	-	2	0.1 %
1.64	-	1	0.0 %
1.65	-	5	0.2 %
1.66	-	2	0.1 %
1.67	-	1	0.0 %
1.68	-	2	0.1 %
1.69	-	2	0.1 %
1.71	-	2	0.1 %
1.72	-	1	0.0 %
1.73	-	2	0.1 %
1.74	-	2	0.1 %
1.77	-	1	0.0 %
1.78	-	2	0.1 %
1.80	-	1	0.0 %
1.81	-	1	0.0 %
1.83	-	1	0.0 %
1.84	-	3	0.1 %
1.85	-	2	0.1 %
1.86	-	1	0.0 %
1.87	-	2	0.1 %
1.88	-	4	0.2 %
1.89	-	2	0.1 %
1.90	-	5	0.2 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 4.597773302647

- Minimum: 1.080000000000
- Maximum: 18.250000000000
- Standard Deviation: 2.488040881525

Location: 4654-4668 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

BATKCAL9: Daily Dietary Estimate (DDE) Kilocalories (KCAL) before alcohol total

DDE KCAL before alcohol total

Value	Label	Unweighted Frequency	%
434.88	-	1	0.0 %
511.97	-	1	0.0 %
572.28	-	1	0.0 %
574.19	-	1	0.0 %
576.29	-	1	0.0 %
621.63	-	1	0.0 %
628.97	-	1	0.0 %
633.78	-	1	0.0 %
647.27	-	1	0.0 %
651.49	-	1	0.0 %
652.03	-	1	0.0 %
659.48	-	1	0.0 %
660.02	-	1	0.0 %
666.11	-	1	0.0 %
668.92	-	1	0.0 %
669.08	-	1	0.0 %
671.28	-	1	0.0 %
672.28	-	1	0.0 %
681.26	-	1	0.0 %
688.52	-	1	0.0 %
690.10	-	1	0.0 %
691.78	-	1	0.0 %
693.08	-	1	0.0 %
693.50	-	1	0.0 %
694.41	-	1	0.0 %
698.89	-	1	0.0 %
703.25	-	1	0.0 %
705.93	-	1	0.0 %
717.08	-	1	0.0 %
717.36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
719.38	-	1	0.0 %
720.77	-	1	0.0 %
721.16	-	1	0.0 %
721.33	-	1	0.0 %
726.03	-	1	0.0 %
729.97	-	1	0.0 %
730.23	-	1	0.0 %
737.13	-	1	0.0 %
738.95	-	1	0.0 %
740.11	-	1	0.0 %
741.14	-	1	0.0 %
743.67	-	1	0.0 %
747.21	-	1	0.0 %
749.08	-	1	0.0 %
750.80	-	1	0.0 %
754.36	-	1	0.0 %
754.96	-	1	0.0 %
756.59	-	1	0.0 %
757.12	-	1	0.0 %
757.75	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1604.04
- Minimum: 434.88
- Maximum: 4542.87
- Standard Deviation: 608.02

Location: 4669-4675 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

BATPROT9: Daily Dietary Estimate (DDE) Protein before alcohol, gms

DDE Protein before alcohol, gms

Value	Label	Unweighted Frequency	%
18.02	-	1	0.0 %
19.02	-	1	0.0 %
21.54	-	2	0.1 %
21.73	-	1	0.0 %
22.50	-	1	0.0 %
22.74	-	1	0.0 %
23.43	-	1	0.0 %
23.95	-	1	0.0 %
24.63	-	1	0.0 %
25.15	-	1	0.0 %
25.33	-	1	0.0 %
25.61	-	1	0.0 %
25.66	-	1	0.0 %
25.69	-	1	0.0 %
25.84	-	1	0.0 %
26.98	-	1	0.0 %
27.08	-	1	0.0 %
27.15	-	1	0.0 %
27.29	-	1	0.0 %
27.47	-	1	0.0 %
27.61	-	1	0.0 %
27.67	-	1	0.0 %
28.28	-	1	0.0 %
28.40	-	1	0.0 %
28.72	-	1	0.0 %
28.80	-	1	0.0 %
29.04	-	1	0.0 %
29.05	-	1	0.0 %
29.15	-	1	0.0 %
29.31	-	1	0.0 %
29.34	-	1	0.0 %
29.53	-	1	0.0 %
29.61	-	1	0.0 %
29.77	-	1	0.0 %
29.82	-	1	0.0 %
29.96	-	1	0.0 %
30.07	-	1	0.0 %
30.12	-	1	0.0 %
30.14	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30.19	-	1	0.0 %
30.24	-	1	0.0 %
30.40	-	1	0.0 %
30.43	-	1	0.0 %
30.54	-	1	0.0 %
30.55	-	1	0.0 %
30.61	-	1	0.0 %
30.68	-	1	0.0 %
30.90	-	1	0.0 %
31.00	-	1	0.0 %
31.20	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 68.91
- Minimum: 18.02
- Maximum: 204.54
- Standard Deviation: 25.54

Location: 4676-4681 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

BATTFAT9: Daily Dietary Estimate (DDE) Total Fat before alcohol, gms

DDE Total Fat before alcohol, gms

Value	Label	Unweighted Frequency	%
13.17	-	1	0.0 %
13.62	-	1	0.0 %
14.19	-	1	0.0 %
15.60	-	1	0.0 %
15.74	-	1	0.0 %
16.32	-	1	0.0 %
16.51	-	1	0.0 %
17.82	-	1	0.0 %
18.35	-	1	0.0 %
18.64	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.65	-	1	0.0 %
18.77	-	1	0.0 %
19.30	-	1	0.0 %
19.36	-	1	0.0 %
20.60	-	1	0.0 %
20.67	-	1	0.0 %
21.09	-	1	0.0 %
21.19	-	1	0.0 %
21.26	-	1	0.0 %
21.30	-	1	0.0 %
21.31	-	1	0.0 %
21.38	-	1	0.0 %
21.80	-	1	0.0 %
22.20	-	1	0.0 %
22.49	-	1	0.0 %
22.85	-	1	0.0 %
23.02	-	1	0.0 %
23.22	-	1	0.0 %
23.43	-	1	0.0 %
23.46	-	1	0.0 %
23.52	-	1	0.0 %
23.56	-	1	0.0 %
23.98	-	1	0.0 %
24.38	-	1	0.0 %
24.53	-	1	0.0 %
24.66	-	1	0.0 %
24.71	-	1	0.0 %
24.75	-	1	0.0 %
24.81	-	1	0.0 %
25.22	-	1	0.0 %
25.44	-	1	0.0 %
25.46	-	1	0.0 %
25.50	-	1	0.0 %
25.55	-	1	0.0 %
25.70	-	1	0.0 %
25.71	-	1	0.0 %
25.94	-	1	0.0 %
26.01	-	1	0.0 %
26.05	-	1	0.0 %

Value	Label	Unweighted Frequency	%
26.29	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 65.59
- Minimum: 13.17
- Maximum: 209.76
- Standard Deviation: 28.98

Location: 4682-4687 (*width:* 6; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

BATCARB9: Daily Dietary Estimate (DDE) Carbohydrates before alcohol total, gms

DDE Carbohydrates before alcohol total, gms

Value	Label	Unweighted Frequency	%
23.33	-	1	0.0 %
29.19	-	1	0.0 %
32.61	-	1	0.0 %
35.54	-	1	0.0 %
36.80	-	1	0.0 %
37.15	-	1	0.0 %
44.10	-	1	0.0 %
47.94	-	1	0.0 %
47.95	-	1	0.0 %
53.24	-	1	0.0 %
53.80	-	1	0.0 %
54.75	-	1	0.0 %
55.11	-	1	0.0 %
55.53	-	1	0.0 %
55.60	-	1	0.0 %
55.67	-	1	0.0 %
55.95	-	1	0.0 %
58.27	-	1	0.0 %
58.71	-	1	0.0 %
59.78	-	1	0.0 %

Value	Label	Unweighted Frequency	%
59.81	-	1	0.0 %
59.88	-	1	0.0 %
60.14	-	1	0.0 %
61.20	-	1	0.0 %
62.29	-	1	0.0 %
62.61	-	1	0.0 %
62.62	-	1	0.0 %
63.09	-	2	0.1 %
64.35	-	1	0.0 %
65.70	-	1	0.0 %
66.69	-	1	0.0 %
66.71	-	1	0.0 %
67.56	-	1	0.0 %
67.71	-	1	0.0 %
68.40	-	1	0.0 %
70.85	-	1	0.0 %
71.12	-	1	0.0 %
71.52	-	1	0.0 %
72.53	-	1	0.0 %
72.86	-	1	0.0 %
72.88	-	1	0.0 %
72.92	-	1	0.0 %
73.07	-	1	0.0 %
73.63	-	1	0.0 %
74.64	-	1	0.0 %
74.84	-	1	0.0 %
75.15	-	1	0.0 %
75.51	-	1	0.0 %
75.55	-	1	0.0 %
75.76	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 189.38
- Minimum: 23.33

- Maximum: 814.91
- Standard Deviation: 86.39

Location: 4688-4693 (*width:* 6; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

BATPHOS9: Daily Dietary Estimate (DDE) Phosphorus before alcohol, mg

DDE Phosphorus before alcohol, mg

Value	Label	Unweighted Frequency	%
306.75	-	1	0.0 %
339.06	-	1	0.0 %
340.13	-	1	0.0 %
347.96	-	1	0.0 %
350.74	-	1	0.0 %
358.85	-	1	0.0 %
360.76	-	1	0.0 %
376.34	-	1	0.0 %
380.30	-	1	0.0 %
400.03	-	1	0.0 %
404.45	-	1	0.0 %
404.54	-	1	0.0 %
407.31	-	1	0.0 %
407.51	-	1	0.0 %
408.21	-	1	0.0 %
409.44	-	1	0.0 %
414.47	-	1	0.0 %
414.91	-	1	0.0 %
416.57	-	1	0.0 %
416.61	-	1	0.0 %
417.30	-	1	0.0 %
419.28	-	1	0.0 %
424.26	-	1	0.0 %
427.28	-	1	0.0 %
427.35	-	1	0.0 %
436.39	-	1	0.0 %
439.22	-	1	0.0 %
439.42	-	1	0.0 %
439.89	-	1	0.0 %
442.87	-	1	0.0 %
443.50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
446.17	-	1	0.0 %
447.19	-	1	0.0 %
447.82	-	1	0.0 %
448.70	-	1	0.0 %
449.84	-	1	0.0 %
454.54	-	1	0.0 %
456.33	-	1	0.0 %
456.49	-	1	0.0 %
460.52	-	1	0.0 %
461.13	-	1	0.0 %
462.33	-	1	0.0 %
462.50	-	1	0.0 %
464.45	-	1	0.0 %
465.79	-	1	0.0 %
467.76	-	1	0.0 %
471.13	-	1	0.0 %
472.17	-	1	0.0 %
472.91	-	1	0.0 %
473.18	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1099.53
- Minimum: 306.75
- Maximum: 3734.08
- Standard Deviation: 442.86

Location: 4694-4700 (*width:* 7; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

BATPOTS9: Daily Dietary Estimate (DDE) Potassium before alcohol, mg

DDE Potassium before alcohol, mg

Value	Label	Unweighted Frequency	%
682.94	-	1	0.0 %

Value	Label	Unweighted Frequency	%
697.89	-	1	0.0 %
727.47	-	1	0.0 %
749.61	-	1	0.0 %
758.36	-	1	0.0 %
774.97	-	1	0.0 %
777.87	-	1	0.0 %
814.57	-	1	0.0 %
819.11	-	1	0.0 %
845.43	-	1	0.0 %
861.56	-	1	0.0 %
912.47	-	1	0.0 %
922.47	-	1	0.0 %
933.40	-	1	0.0 %
944.46	-	1	0.0 %
953.27	-	1	0.0 %
964.62	-	1	0.0 %
971.51	-	1	0.0 %
984.67	-	1	0.0 %
984.69	-	1	0.0 %
986.87	-	1	0.0 %
989.53	-	1	0.0 %
989.91	-	1	0.0 %
992.35	-	1	0.0 %
1002.19	-	1	0.0 %
1008.40	-	1	0.0 %
1012.36	-	1	0.0 %
1029.25	-	1	0.0 %
1041.60	-	1	0.0 %
1042.69	-	1	0.0 %
1046.37	-	1	0.0 %
1051.57	-	1	0.0 %
1052.11	-	1	0.0 %
1054.74	-	1	0.0 %
1066.66	-	1	0.0 %
1070.92	-	1	0.0 %
1072.70	-	1	0.0 %
1076.03	-	1	0.0 %
1086.37	-	1	0.0 %
1087.24	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1089.48	-	1	0.0 %
1094.19	-	1	0.0 %
1096.65	-	1	0.0 %
1112.14	-	1	0.0 %
1126.20	-	1	0.0 %
1130.13	-	1	0.0 %
1130.85	-	1	0.0 %
1131.38	-	1	0.0 %
1133.13	-	1	0.0 %
1134.22	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2543.21
- Minimum: 682.94
- Maximum: 7503.06
- Standard Deviation: 949.32

Location: 4701-4707 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

BATRIBO9: Daily Dietary Estimate (DDE) Riboflavin before alcohol, mg

DDE Riboflavin before alcohol, mg

Value	Label	Unweighted Frequency	%
0.30	-	1	0.0 %
0.32	-	1	0.0 %
0.39	-	1	0.0 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	1	0.0 %
0.49	-	2	0.1 %
0.51	-	3	0.1 %
0.52	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.53	-	2	0.1 %
0.54	-	2	0.1 %
0.55	-	1	0.0 %
0.56	-	2	0.1 %
0.57	-	5	0.2 %
0.58	-	1	0.0 %
0.59	-	5	0.2 %
0.60	-	5	0.2 %
0.61	-	2	0.1 %
0.62	-	2	0.1 %
0.63	-	9	0.4 %
0.64	-	7	0.3 %
0.65	-	8	0.3 %
0.66	-	4	0.2 %
0.67	-	11	0.4 %
0.68	-	5	0.2 %
0.69	-	7	0.3 %
0.70	-	4	0.2 %
0.71	-	11	0.4 %
0.72	-	6	0.2 %
0.73	-	4	0.2 %
0.74	-	8	0.3 %
0.75	-	11	0.4 %
0.76	-	6	0.2 %
0.77	-	9	0.4 %
0.78	-	5	0.2 %
0.79	-	9	0.4 %
0.80	-	10	0.4 %
0.81	-	10	0.4 %
0.82	-	5	0.2 %
0.83	-	6	0.2 %
0.84	-	11	0.4 %
0.85	-	9	0.4 %
0.86	-	11	0.4 %
0.87	-	7	0.3 %
0.88	-	9	0.4 %
0.89	-	3	0.1 %
0.90	-	10	0.4 %
0.91	-	9	0.4 %

Value	Label	Unweighted Frequency	%
0.92	-	9	0.4 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.59
- Minimum: 0.30
- Maximum: 6.28
- Standard Deviation: 0.71

Location: 4708-4711 (*width:* 4; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

BATNIAC9: Daily Dietary Estimate (DDE) Niacin before alcohol total, mg

DDE Niacin before alcohol total, mg

Value	Label	Unweighted Frequency	%
3.87	-	1	0.0 %
4.20	-	1	0.0 %
4.22	-	1	0.0 %
4.89	-	1	0.0 %
5.17	-	1	0.0 %
5.49	-	1	0.0 %
5.59	-	1	0.0 %
5.77	-	1	0.0 %
5.86	-	1	0.0 %
5.87	-	2	0.1 %
5.88	-	1	0.0 %
6.02	-	1	0.0 %
6.12	-	1	0.0 %
6.18	-	1	0.0 %
6.24	-	1	0.0 %
6.30	-	1	0.0 %
6.32	-	1	0.0 %
6.35	-	2	0.1 %
6.41	-	1	0.0 %
6.45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.46	-	1	0.0 %
6.47	-	1	0.0 %
6.51	-	1	0.0 %
6.52	-	1	0.0 %
6.69	-	1	0.0 %
6.71	-	1	0.0 %
6.74	-	1	0.0 %
6.76	-	1	0.0 %
6.78	-	1	0.0 %
6.79	-	1	0.0 %
6.80	-	1	0.0 %
6.81	-	1	0.0 %
6.86	-	1	0.0 %
6.87	-	1	0.0 %
6.88	-	2	0.1 %
6.98	-	1	0.0 %
7.02	-	1	0.0 %
7.04	-	2	0.1 %
7.05	-	2	0.1 %
7.06	-	1	0.0 %
7.13	-	1	0.0 %
7.20	-	1	0.0 %
7.26	-	1	0.0 %
7.28	-	1	0.0 %
7.30	-	1	0.0 %
7.32	-	1	0.0 %
7.35	-	2	0.1 %
7.39	-	1	0.0 %
7.45	-	1	0.0 %
7.52	-	2	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 16.88
- Minimum: 3.87

- Maximum: 51.55
- Standard Deviation: 6.45

Location: 4712-4716 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

PCTALCH9: Percentage Kilocalories (KCAL) from Alcoholic Beverages

% KCAL fm Alcoholic Bevs

Value	Label	Unweighted Frequency	%
0.00	-	829	33.6 %
0.19	-	1	0.0 %
0.25	-	1	0.0 %
0.29	-	1	0.0 %
0.31	-	1	0.0 %
0.32	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.39	-	2	0.1 %
0.40	-	1	0.0 %
0.41	-	2	0.1 %
0.42	-	2	0.1 %
0.43	-	2	0.1 %
0.45	-	2	0.1 %
0.46	-	1	0.0 %
0.47	-	2	0.1 %
0.49	-	1	0.0 %
0.50	-	3	0.1 %
0.51	-	2	0.1 %
0.52	-	1	0.0 %
0.53	-	2	0.1 %
0.54	-	1	0.0 %
0.55	-	2	0.1 %
0.57	-	1	0.0 %
0.58	-	4	0.2 %
0.59	-	2	0.1 %
0.60	-	5	0.2 %
0.61	-	1	0.0 %
0.62	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.63	-	1	0.0 %
0.64	-	2	0.1 %
0.65	-	1	0.0 %
0.66	-	1	0.0 %
0.67	-	3	0.1 %
0.68	-	2	0.1 %
0.69	-	3	0.1 %
0.70	-	3	0.1 %
0.71	-	3	0.1 %
0.72	-	1	0.0 %
0.73	-	5	0.2 %
0.74	-	6	0.2 %
0.76	-	2	0.1 %
0.77	-	4	0.2 %
0.78	-	4	0.2 %
0.79	-	2	0.1 %
0.80	-	2	0.1 %
0.81	-	3	0.1 %
0.82	-	2	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3.06
- Minimum: 0.00
- Maximum: 62.15
- Standard Deviation: 5.63

Location: 4717-4721 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

PCTSWET9: Percentage Kilocalories (KCAL) from Sweets

% KCAL from Sweets

Value	Label	Unweighted Frequency	%
0.00	-	56	2.3 %
0.24	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.32	-	1	0.0 %
0.34	-	1	0.0 %
0.36	-	2	0.1 %
0.45	-	1	0.0 %
0.46	-	1	0.0 %
0.47	-	1	0.0 %
0.49	-	1	0.0 %
0.59	-	1	0.0 %
0.60	-	2	0.1 %
0.62	-	1	0.0 %
0.69	-	1	0.0 %
0.71	-	1	0.0 %
0.73	-	2	0.1 %
0.74	-	1	0.0 %
0.75	-	1	0.0 %
0.83	-	1	0.0 %
0.84	-	1	0.0 %
0.85	-	1	0.0 %
0.87	-	1	0.0 %
0.91	-	1	0.0 %
0.94	-	1	0.0 %
0.96	-	1	0.0 %
0.98	-	2	0.1 %
0.99	-	1	0.0 %
1.00	-	1	0.0 %
1.01	-	1	0.0 %
1.04	-	2	0.1 %
1.06	-	1	0.0 %
1.07	-	2	0.1 %
1.09	-	1	0.0 %
1.13	-	2	0.1 %
1.17	-	1	0.0 %
1.18	-	1	0.0 %
1.19	-	1	0.0 %
1.20	-	1	0.0 %
1.23	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.27	-	1	0.0 %
1.31	-	1	0.0 %
1.38	-	1	0.0 %
1.39	-	1	0.0 %
1.41	-	1	0.0 %
1.45	-	1	0.0 %
1.46	-	1	0.0 %
1.49	-	1	0.0 %
1.52	-	2	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 13.93
- Minimum: 0.00
- Maximum: 62.35
- Standard Deviation: 11.22

Location: 4722-4726 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

PCTFAT9: Percentage Kilocalories (KCAL) from Fat

% KCAL from Fat

Value	Label	Unweighted Frequency	%
11.25	-	1	0.0 %
11.81	-	1	0.0 %
12.09	-	1	0.0 %
13.60	-	1	0.0 %
14.56	-	1	0.0 %
14.57	-	1	0.0 %
14.92	-	1	0.0 %
15.03	-	1	0.0 %
15.58	-	1	0.0 %
15.62	-	1	0.0 %
15.76	-	1	0.0 %
16.33	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16.45	-	1	0.0 %
16.49	-	1	0.0 %
16.74	-	1	0.0 %
16.77	-	1	0.0 %
16.98	-	1	0.0 %
17.64	-	1	0.0 %
17.77	-	1	0.0 %
17.78	-	1	0.0 %
17.80	-	1	0.0 %
18.20	-	1	0.0 %
18.62	-	1	0.0 %
18.66	-	1	0.0 %
18.68	-	1	0.0 %
18.82	-	1	0.0 %
18.93	-	1	0.0 %
18.95	-	1	0.0 %
19.11	-	1	0.0 %
19.27	-	1	0.0 %
19.53	-	1	0.0 %
19.56	-	1	0.0 %
19.80	-	2	0.1 %
19.84	-	1	0.0 %
19.91	-	1	0.0 %
20.15	-	1	0.0 %
20.17	-	1	0.0 %
20.27	-	1	0.0 %
20.38	-	1	0.0 %
20.45	-	1	0.0 %
20.50	-	1	0.0 %
20.71	-	1	0.0 %
20.83	-	1	0.0 %
20.86	-	1	0.0 %
21.00	-	1	0.0 %
21.04	-	1	0.0 %
21.11	-	1	0.0 %
21.27	-	1	0.0 %
21.33	-	1	0.0 %
21.39	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 35.65
- Minimum: 11.25
- Maximum: 74.38
- Standard Deviation: 7.80

Location: 4727-4731 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

PCTPROT9: Percentage Kilocalories (KCAL) from Protein

% KCAL from Protein

Value	Label	Unweighted Frequency	%
5.93	-	1	0.0 %
6.74	-	1	0.0 %
7.21	-	1	0.0 %
7.29	-	1	0.0 %
7.55	-	1	0.0 %
7.65	-	1	0.0 %
7.86	-	1	0.0 %
8.20	-	1	0.0 %
8.76	-	2	0.1 %
8.88	-	1	0.0 %
8.93	-	1	0.0 %
8.94	-	1	0.0 %
9.01	-	1	0.0 %
9.02	-	1	0.0 %
9.09	-	1	0.0 %
9.17	-	1	0.0 %
9.19	-	1	0.0 %
9.23	-	1	0.0 %
9.24	-	1	0.0 %
9.33	-	1	0.0 %
9.35	-	1	0.0 %
9.41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.50	-	1	0.0 %
9.60	-	1	0.0 %
9.73	-	1	0.0 %
9.76	-	1	0.0 %
9.83	-	1	0.0 %
9.89	-	1	0.0 %
9.94	-	3	0.1 %
9.95	-	1	0.0 %
9.97	-	1	0.0 %
10.00	-	1	0.0 %
10.06	-	1	0.0 %
10.07	-	1	0.0 %
10.16	-	1	0.0 %
10.17	-	1	0.0 %
10.22	-	1	0.0 %
10.25	-	2	0.1 %
10.26	-	1	0.0 %
10.27	-	2	0.1 %
10.33	-	1	0.0 %
10.34	-	1	0.0 %
10.41	-	1	0.0 %
10.42	-	2	0.1 %
10.46	-	1	0.0 %
10.52	-	1	0.0 %
10.60	-	2	0.1 %
10.66	-	1	0.0 %
10.71	-	1	0.0 %
10.76	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 17.09
- Minimum: 5.93
- Maximum: 45.20
- Standard Deviation: 3.93

Location: 4732-4736 (width: 5; decimal: 2)

Variable Type: numeric
(Range of) Missing Values: .

PCTCARB9: Percentage Kilocalories (KCAL) from Carbohydrates

% KCAL from Carbohydrates

Value	Label	Unweighted Frequency	%
6.68	-	1	0.0 %
9.46	-	1	0.0 %
10.81	-	1	0.0 %
11.28	-	1	0.0 %
17.34	-	1	0.0 %
17.72	-	1	0.0 %
17.82	-	1	0.0 %
18.50	-	1	0.0 %
19.69	-	1	0.0 %
19.78	-	1	0.0 %
20.43	-	1	0.0 %
20.69	-	1	0.0 %
20.73	-	1	0.0 %
20.87	-	1	0.0 %
20.88	-	1	0.0 %
22.37	-	1	0.0 %
23.90	-	1	0.0 %
24.05	-	1	0.0 %
24.56	-	1	0.0 %
25.08	-	1	0.0 %
25.22	-	1	0.0 %
25.56	-	1	0.0 %
25.85	-	1	0.0 %
25.95	-	1	0.0 %
26.04	-	1	0.0 %
26.21	-	1	0.0 %
26.77	-	1	0.0 %
27.27	-	1	0.0 %
27.40	-	1	0.0 %
27.44	-	1	0.0 %
27.52	-	1	0.0 %
27.56	-	1	0.0 %
27.76	-	1	0.0 %
27.90	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28.12	-	1	0.0 %
28.24	-	1	0.0 %
28.27	-	1	0.0 %
28.36	-	1	0.0 %
28.65	-	2	0.1 %
28.73	-	1	0.0 %
28.94	-	1	0.0 %
28.95	-	1	0.0 %
29.01	-	1	0.0 %
29.31	-	1	0.0 %
29.56	-	2	0.1 %
29.59	-	1	0.0 %
29.77	-	1	0.0 %
29.82	-	1	0.0 %
29.97	-	1	0.0 %
29.98	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 46.43
- Minimum: 6.68
- Maximum: 80.10
- Standard Deviation: 8.92

Location: 4737-4741 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

FRUTSRV9: Number servings fruit or fruit juice

N servings fruit or fruit juice

Value	Label	Unweighted Frequency	%
0.0	-	29	1.2 %
0.1	-	44	1.8 %
0.2	-	68	2.8 %
0.3	-	76	3.1 %
0.4	-	93	3.8 %

Value	Label	Unweighted Frequency	%
0.5	-	103	4.2 %
0.6	-	105	4.3 %
0.7	-	58	2.3 %
0.8	-	89	3.6 %
0.9	-	93	3.8 %
1.0	-	113	4.6 %
1.1	-	96	3.9 %
1.2	-	95	3.8 %
1.3	-	78	3.2 %
1.4	-	64	2.6 %
1.5	-	84	3.4 %
1.6	-	58	2.3 %
1.7	-	39	1.6 %
1.8	-	48	1.9 %
1.9	-	45	1.8 %
2.0	-	43	1.7 %
2.1	-	37	1.5 %
2.2	-	22	0.9 %
2.3	-	17	0.7 %
2.4	-	21	0.9 %
2.5	-	14	0.6 %
2.6	-	16	0.6 %
2.7	-	9	0.4 %
2.8	-	11	0.4 %
2.9	-	17	0.7 %
3.0	-	15	0.6 %
3.1	-	4	0.2 %
3.2	-	3	0.1 %
3.3	-	5	0.2 %
3.4	-	2	0.1 %
3.5	-	4	0.2 %
3.7	-	2	0.1 %
3.8	-	5	0.2 %
3.9	-	2	0.1 %
4.0	-	1	0.0 %
4.1	-	1	0.0 %
4.2	-	1	0.0 %
4.3	-	2	0.1 %
4.4	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.8	-	1	0.0 %
4.9	-	1	0.0 %
5.3	-	1	0.0 %
5.7	-	1	0.0 %
6.0	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.79

Location: 4742-4744 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

FVFRQ9: Sum daily frequency Fruit + Vegetables

Sum daily freq Fruit + Veg

Value	Label	Unweighted Frequency	%
0.1	-	1	0.0 %
0.2	-	2	0.1 %
0.3	-	1	0.0 %
0.4	-	1	0.0 %
0.5	-	7	0.3 %
0.6	-	8	0.3 %
0.7	-	15	0.6 %
0.8	-	18	0.7 %
0.9	-	18	0.7 %
1.0	-	21	0.9 %
1.1	-	35	1.4 %
1.2	-	26	1.1 %
1.3	-	35	1.4 %
1.4	-	42	1.7 %
1.5	-	57	2.3 %
1.6	-	45	1.8 %

Value	Label	Unweighted Frequency	%
1.7	-	57	2.3 %
1.8	-	59	2.4 %
1.9	-	46	1.9 %
2.0	-	44	1.8 %
2.1	-	53	2.1 %
2.2	-	45	1.8 %
2.3	-	64	2.6 %
2.4	-	67	2.7 %
2.5	-	67	2.7 %
2.6	-	43	1.7 %
2.7	-	53	2.1 %
2.8	-	69	2.8 %
2.9	-	52	2.1 %
3.0	-	52	2.1 %
3.1	-	44	1.8 %
3.2	-	53	2.1 %
3.3	-	45	1.8 %
3.4	-	34	1.4 %
3.5	-	33	1.3 %
3.6	-	41	1.7 %
3.7	-	45	1.8 %
3.8	-	30	1.2 %
3.9	-	27	1.1 %
4.0	-	25	1.0 %
4.1	-	14	0.6 %
4.2	-	24	1.0 %
4.3	-	21	0.9 %
4.4	-	23	0.9 %
4.5	-	17	0.7 %
4.6	-	22	0.9 %
4.7	-	9	0.4 %
4.8	-	20	0.8 %
4.9	-	9	0.4 %
5.0	-	7	0.3 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.783486766398
- Median: 2.600000000000
- Mode: 2.800000000000
- Minimum: 0.100000000000
- Maximum: 10.000000000000
- Standard Deviation: 1.281711414846

Location: 4745-4759 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

VEGSRV9: Number servings Vegetables

N servings Veg

Value	Label	Unweighted Frequency	%
0.073942857143	-	1	0.0 %
0.092857142857	-	1	0.0 %
0.115714285714	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.211428571429	-	1	0.0 %
0.220000000000	-	1	0.0 %
0.225714285714	-	1	0.0 %
0.240228571429	-	1	0.0 %
0.245714285714	-	1	0.0 %
0.268571428571	-	1	0.0 %
0.274171428571	-	1	0.0 %
0.287142857143	-	1	0.0 %
0.292857142857	-	1	0.0 %
0.293942857143	-	1	0.0 %
0.300228571429	-	1	0.0 %
0.301600000000	-	1	0.0 %
0.304285714286	-	1	0.0 %
0.304514285714	-	1	0.0 %
0.305714285714	-	1	0.0 %
0.308457142857	-	1	0.0 %
0.310000000000	-	1	0.0 %
0.314285714286	-	1	0.0 %
0.318571428571	-	1	0.0 %
0.332514285714	-	1	0.0 %
0.334285714286	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.3400000000000	-	1	0.0 %
0.341428571429	-	1	0.0 %
0.344285714286	-	1	0.0 %
0.3600000000000	-	1	0.0 %
0.369657142857	-	1	0.0 %
0.372857142857	-	1	0.0 %
0.375714285714	-	1	0.0 %
0.376685714286	-	1	0.0 %
0.378571428571	-	1	0.0 %
0.378742857143	-	1	0.0 %
0.379657142857	-	1	0.0 %
0.391657142857	-	1	0.0 %
0.394571428571	-	1	0.0 %
0.400342857143	-	1	0.0 %
0.401428571429	-	1	0.0 %
0.401657142857	-	1	0.0 %
0.403142857143	-	1	0.0 %
0.408228571429	-	1	0.0 %
0.409771428571	-	1	0.0 %
0.4100000000000	-	1	0.0 %
0.417371428571	-	1	0.0 %
0.420342857143	-	1	0.0 %
0.425942857143	-	1	0.0 %
0.437142857143	-	1	0.0 %
0.438742857143	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.169456123623
- Minimum: 0.073942857143
- Maximum: 10.721428571429
- Standard Deviation: 1.502833765593

Location: 4760-4774 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

VEGFRQ9: Sum daily frequency Vegetables

Sum daily freq Veg

Value	Label	Unweighted Frequency	%
0.1	-	4	0.2 %
0.2	-	1	0.0 %
0.3	-	16	0.6 %
0.4	-	25	1.0 %
0.5	-	33	1.3 %
0.6	-	47	1.9 %
0.7	-	65	2.6 %
0.8	-	97	3.9 %
0.9	-	97	3.9 %
1.0	-	106	4.3 %
1.1	-	87	3.5 %
1.2	-	100	4.1 %
1.3	-	92	3.7 %
1.4	-	78	3.2 %
1.5	-	109	4.4 %
1.6	-	86	3.5 %
1.7	-	66	2.7 %
1.8	-	65	2.6 %
1.9	-	67	2.7 %
2.0	-	55	2.2 %
2.1	-	51	2.1 %
2.2	-	60	2.4 %
2.3	-	52	2.1 %
2.4	-	41	1.7 %
2.5	-	37	1.5 %
2.6	-	22	0.9 %
2.7	-	18	0.7 %
2.8	-	27	1.1 %
2.9	-	22	0.9 %
3.0	-	12	0.5 %
3.1	-	11	0.4 %
3.2	-	4	0.2 %
3.3	-	14	0.6 %
3.4	-	12	0.5 %
3.5	-	9	0.4 %
3.6	-	7	0.3 %

Value	Label	Unweighted Frequency	%
3.7	-	8	0.3 %
3.8	-	4	0.2 %
3.9	-	3	0.1 %
4.0	-	6	0.2 %
4.1	-	3	0.1 %
4.2	-	1	0.0 %
4.3	-	2	0.1 %
4.4	-	1	0.0 %
4.5	-	1	0.0 %
4.6	-	2	0.1 %
4.7	-	3	0.1 %
4.8	-	2	0.1 %
5.0	-	1	0.0 %
5.1	-	2	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.6087456846951
- Median: 1.50000000000000
- Mode: 1.50000000000000
- Minimum: 0.10000000000000
- Maximum: 6.60000000000000
- Standard Deviation: 0.8317556968253

Location: 4775-4789 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

GRANSRV9: Number servings Grains

N servings Grains

Value	Label	Unweighted Frequency	%
0.056470588235	-	1	0.0 %
0.060714285714	-	2	0.1 %
0.152941176471	-	1	0.0 %
0.233151260504	-	1	0.0 %
0.284705882353	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.320504201681	-	1	0.0 %
0.372184873950	-	1	0.0 %
0.387058823529	-	1	0.0 %
0.390420168067	-	1	0.0 %
0.410924369748	-	1	0.0 %
0.418823529412	-	1	0.0 %
0.465378151261	-	1	0.0 %
0.516470588235	-	1	0.0 %
0.522352941176	-	1	0.0 %
0.524033613445	-	1	0.0 %
0.539285714286	-	1	0.0 %
0.541176470588	-	1	0.0 %
0.547184873950	-	1	0.0 %
0.553151260504	-	1	0.0 %
0.564201680672	-	1	0.0 %
0.576470588235	-	1	0.0 %
0.580000000000	-	1	0.0 %
0.589663865546	-	1	0.0 %
0.628403361345	-	1	0.0 %
0.651218487395	-	1	0.0 %
0.661008403361	-	1	0.0 %
0.689243697479	-	1	0.0 %
0.691512605042	-	1	0.0 %
0.692857142857	-	1	0.0 %
0.703487394958	-	1	0.0 %
0.703907563025	-	1	0.0 %
0.720252100840	-	1	0.0 %
0.724621848739	-	1	0.0 %
0.765882352941	-	1	0.0 %
0.766554621849	-	1	0.0 %
0.781218487395	-	1	0.0 %
0.826008403361	-	1	0.0 %
0.852899159664	-	1	0.0 %
0.861260504202	-	1	0.0 %
0.880336134454	-	1	0.0 %
0.884705882353	-	1	0.0 %
0.893445378151	-	1	0.0 %
0.896512605042	-	1	0.0 %
0.902352941176	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.915588235294	-	1	0.0 %
0.917226890756	-	1	0.0 %
0.917478991597	-	1	0.0 %
0.924495798319	-	1	0.0 %
0.929537815126	-	1	0.0 %
0.933487394958	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3.998614968427
- Minimum: 0.056470588235
- Maximum: 20.770756302521
- Standard Deviation: 2.201835887999

Location: 4790-4804 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

GRANFRQ9: Sum daily frequency Grains

Sum daily freq Grains

Value	Label	Unweighted Frequency	%
0.0	-	2	0.1 %
0.1	-	2	0.1 %
0.2	-	4	0.2 %
0.3	-	5	0.2 %
0.4	-	12	0.5 %
0.5	-	14	0.6 %
0.6	-	20	0.8 %
0.7	-	24	1.0 %
0.8	-	24	1.0 %
0.9	-	45	1.8 %
1.0	-	44	1.8 %
1.1	-	53	2.1 %
1.2	-	60	2.4 %
1.3	-	56	2.3 %

Value	Label	Unweighted Frequency	%
1.4	-	92	3.7 %
1.5	-	65	2.6 %
1.6	-	90	3.6 %
1.7	-	92	3.7 %
1.8	-	84	3.4 %
1.9	-	95	3.8 %
2.0	-	76	3.1 %
2.1	-	78	3.2 %
2.2	-	79	3.2 %
2.3	-	77	3.1 %
2.4	-	70	2.8 %
2.5	-	66	2.7 %
2.6	-	41	1.7 %
2.7	-	55	2.2 %
2.8	-	50	2.0 %
2.9	-	32	1.3 %
3.0	-	33	1.3 %
3.1	-	32	1.3 %
3.2	-	28	1.1 %
3.3	-	18	0.7 %
3.4	-	18	0.7 %
3.5	-	20	0.8 %
3.6	-	12	0.5 %
3.7	-	14	0.6 %
3.8	-	6	0.2 %
3.9	-	10	0.4 %
4.0	-	6	0.2 %
4.1	-	9	0.4 %
4.2	-	2	0.1 %
4.3	-	4	0.2 %
4.4	-	4	0.2 %
4.6	-	5	0.2 %
4.8	-	2	0.1 %
4.9	-	1	0.0 %
5.0	-	2	0.1 %
5.1	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.0203107019563
- Median: 1.90000000000000
- Mode: 1.90000000000000
- Minimum: 0.00000000000000
- Maximum: 6.60000000000000
- Standard Deviation: 0.8495699857863

Location: 4805-4819 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

MEATSRV9: Number servings Meat

N servings Meat

Value	Label	Unweighted Frequency	%
0.1858823529412	-	1	0.0 %
0.2812941176471	-	1	0.0 %
0.3392156862745	-	1	0.0 %
0.3528235294118	-	1	0.0 %
0.3645294117647	-	1	0.0 %
0.3912941176471	-	1	0.0 %
0.4358431372549	-	1	0.0 %
0.4402549019608	-	1	0.0 %
0.4532352941176	-	1	0.0 %
0.4658823529412	-	1	0.0 %
0.4758823529412	-	1	0.0 %
0.4819411764706	-	1	0.0 %
0.4917647058824	-	1	0.0 %
0.4928039215686	-	1	0.0 %
0.4980784313725	-	1	0.0 %
0.4995098039216	-	1	0.0 %
0.5113529411765	-	1	0.0 %
0.5159411764706	-	1	0.0 %
0.5274313725490	-	1	0.0 %
0.5298039215686	-	1	0.0 %
0.5355686274510	-	1	0.0 %
0.5454901960784	-	1	0.0 %
0.5460588235294	-	1	0.0 %
0.5494901960784	-	1	0.0 %
0.5603529411765	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.5659803921569	-	1	0.0 %
0.5740000000000	-	1	0.0 %
0.5755686274510	-	1	0.0 %
0.5764705882353	-	1	0.0 %
0.5765882352941	-	1	0.0 %
0.5798823529412	-	1	0.0 %
0.5868431372549	-	1	0.0 %
0.6070784313725	-	1	0.0 %
0.6090196078431	-	1	0.0 %
0.6166274509804	-	1	0.0 %
0.6217254901961	-	1	0.0 %
0.6221372549020	-	1	0.0 %
0.6272745098039	-	1	0.0 %
0.6288039215686	-	1	0.0 %
0.6291176470588	-	1	0.0 %
0.6294117647059	-	1	0.0 %
0.6435098039216	-	1	0.0 %
0.6504901960784	-	1	0.0 %
0.6592156862745	-	1	0.0 %
0.6602745098039	-	1	0.0 %
0.6603529411765	-	1	0.0 %
0.66366666666667	-	1	0.0 %
0.6643725490196	-	1	0.0 %
0.6679411764706	-	1	0.0 %
0.6735882352941	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.9496355851892
- Minimum: 0.1858823529412
- Maximum: 9.5453137254902
- Standard Deviation: 0.9758330375467

Location: 4820-4834 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

MEATFRQ9: Sum daily frequency Meat

Sum daily freq Meat

Value	Label	Unweighted Frequency	%
0.3	-	1	0.0 %
0.5	-	4	0.2 %
0.6	-	14	0.6 %
0.7	-	22	0.9 %
0.8	-	26	1.1 %
0.9	-	23	0.9 %
1.0	-	41	1.7 %
1.1	-	46	1.9 %
1.2	-	59	2.4 %
1.3	-	75	3.0 %
1.4	-	88	3.6 %
1.5	-	84	3.4 %
1.6	-	85	3.4 %
1.7	-	104	4.2 %
1.8	-	76	3.1 %
1.9	-	87	3.5 %
2.0	-	68	2.8 %
2.1	-	89	3.6 %
2.2	-	89	3.6 %
2.3	-	58	2.3 %
2.4	-	60	2.4 %
2.5	-	61	2.5 %
2.6	-	46	1.9 %
2.7	-	49	2.0 %
2.8	-	34	1.4 %
2.9	-	39	1.6 %
3.0	-	38	1.5 %
3.1	-	40	1.6 %
3.2	-	25	1.0 %
3.3	-	27	1.1 %
3.4	-	25	1.0 %
3.5	-	29	1.2 %
3.6	-	10	0.4 %
3.7	-	10	0.4 %
3.8	-	6	0.2 %
3.9	-	11	0.4 %

Value	Label	Unweighted Frequency	%
4.0	-	9	0.4 %
4.1	-	11	0.4 %
4.2	-	10	0.4 %
4.3	-	12	0.5 %
4.4	-	3	0.1 %
4.5	-	7	0.3 %
4.6	-	10	0.4 %
4.7	-	4	0.2 %
4.8	-	3	0.1 %
5.0	-	3	0.1 %
5.1	-	3	0.1 %
5.2	-	1	0.0 %
5.3	-	1	0.0 %
5.4	-	2	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.1557537399310
- Median: 2.0000000000000
- Mode: 1.7000000000000
- Minimum: 0.3000000000000
- Maximum: 7.4000000000000
- Standard Deviation: 0.9384597256408

Location: 4835-4849 (*width:* 15; *decimal:* 13)

Variable Type: numeric

(Range of) Missing Values: .

DARYSRV9: Number servings Dairy

N servings DAIRY

Value	Label	Unweighted Frequency	%
0.000000000000	-	16	0.6 %
0.008750000000	-	1	0.0 %
0.015833333333	-	1	0.0 %
0.017083333333	-	1	0.0 %
0.017916666667	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.035833333333	-	1	0.0 %
0.037083333333	-	1	0.0 %
0.041666666667	-	3	0.1 %
0.045000000000	-	1	0.0 %
0.045238095238	-	1	0.0 %
0.047916666667	-	1	0.0 %
0.048333333333	-	1	0.0 %
0.053750000000	-	1	0.0 %
0.057083333333	-	1	0.0 %
0.061071428571	-	1	0.0 %
0.062083333333	-	1	0.0 %
0.062500000000	-	3	0.1 %
0.065833333333	-	1	0.0 %
0.067083333333	-	1	0.0 %
0.069583333333	-	1	0.0 %
0.072916666667	-	2	0.1 %
0.075000000000	-	1	0.0 %
0.077500000000	-	2	0.1 %
0.077738095238	-	1	0.0 %
0.077916666667	-	2	0.1 %
0.080238095238	-	1	0.0 %
0.080416666667	-	1	0.0 %
0.080833333333	-	1	0.0 %
0.081488095238	-	1	0.0 %
0.095238095238	-	1	0.0 %
0.097738095238	-	1	0.0 %
0.099166666667	-	1	0.0 %
0.111904761905	-	1	0.0 %
0.112321428571	-	1	0.0 %
0.113154761905	-	1	0.0 %
0.114166666667	-	1	0.0 %
0.118214285714	-	2	0.1 %
0.118333333333	-	1	0.0 %
0.118988095238	-	1	0.0 %
0.119404761905	-	1	0.0 %
0.120297619048	-	2	0.1 %
0.122916666667	-	1	0.0 %
0.125654761905	-	1	0.0 %
0.127083333333	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.127738095238	-	1	0.0 %
0.128988095238	-	1	0.0 %
0.129583333333	-	2	0.1 %
0.130416666667	-	1	0.0 %
0.130833333333	-	1	0.0 %
0.131488095238	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.510746958737
- Minimum: 0.000000000000
- Maximum: 11.900119047619
- Standard Deviation: 1.386773002999

Location: 4850-4864 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

DARYFRQ9: Sum daily frequency Dairy

Sum daily freq Dairy

Value	Label	Unweighted Frequency	%
0.0	-	28	1.1 %
0.1	-	29	1.2 %
0.2	-	43	1.7 %
0.3	-	30	1.2 %
0.4	-	42	1.7 %
0.5	-	33	1.3 %
0.6	-	42	1.7 %
0.7	-	35	1.4 %
0.8	-	47	1.9 %
0.9	-	43	1.7 %
1.0	-	67	2.7 %
1.1	-	62	2.5 %
1.2	-	63	2.6 %
1.3	-	48	1.9 %

Value	Label	Unweighted Frequency	%
1.4	-	55	2.2 %
1.5	-	50	2.0 %
1.6	-	50	2.0 %
1.7	-	35	1.4 %
1.8	-	54	2.2 %
1.9	-	40	1.6 %
2.0	-	38	1.5 %
2.1	-	36	1.5 %
2.2	-	40	1.6 %
2.3	-	46	1.9 %
2.4	-	45	1.8 %
2.5	-	27	1.1 %
2.6	-	26	1.1 %
2.7	-	36	1.5 %
2.8	-	40	1.6 %
2.9	-	24	1.0 %
3.0	-	25	1.0 %
3.1	-	43	1.7 %
3.2	-	20	0.8 %
3.3	-	25	1.0 %
3.4	-	19	0.8 %
3.5	-	26	1.1 %
3.6	-	22	0.9 %
3.7	-	17	0.7 %
3.8	-	20	0.8 %
3.9	-	13	0.5 %
4.0	-	18	0.7 %
4.1	-	15	0.6 %
4.2	-	18	0.7 %
4.3	-	17	0.7 %
4.4	-	8	0.3 %
4.5	-	16	0.6 %
4.6	-	7	0.3 %
4.7	-	10	0.4 %
4.8	-	7	0.3 %
4.9	-	10	0.4 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.240851553510
- Median: 1.900000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 12.500000000000
- Standard Deviation: 1.627897892521

Location: 4865-4879 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

FVSRV9: Number servings Fruit + Vegetables

N servings Fruit + Veg

Value	Label	Unweighted Frequency	%
0.115714285714	-	1	0.0 %
0.192857142857	-	1	0.0 %
0.318571428571	-	1	0.0 %
0.344285714286	-	1	0.0 %
0.378571428571	-	1	0.0 %
0.434285714286	-	1	0.0 %
0.479657142857	-	1	0.0 %
0.487142857143	-	1	0.0 %
0.493942857143	-	1	0.0 %
0.501600000000	-	1	0.0 %
0.503142857143	-	1	0.0 %
0.510000000000	-	1	0.0 %
0.514285714286	-	1	0.0 %
0.517371428571	-	1	0.0 %
0.541428571429	-	2	0.1 %
0.573942857143	-	1	0.0 %
0.578742857143	-	1	0.0 %
0.594571428571	-	1	0.0 %
0.599485714286	-	1	0.0 %
0.615714285714	-	1	0.0 %
0.637428571429	-	1	0.0 %
0.640228571429	-	1	0.0 %
0.642857142857	-	1	0.0 %
0.654914285714	-	1	0.0 %
0.661200000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.669657142857	-	1	0.0 %
0.672857142857	-	1	0.0 %
0.679771428571	-	1	0.0 %
0.680000000000	-	1	0.0 %
0.700342857143	-	1	0.0 %
0.708457142857	-	1	0.0 %
0.726000000000	-	1	0.0 %
0.727142857143	-	1	0.0 %
0.728857142857	-	1	0.0 %
0.738742857143	-	1	0.0 %
0.748228571429	-	1	0.0 %
0.751428571429	-	1	0.0 %
0.758228571429	-	1	0.0 %
0.764285714286	-	1	0.0 %
0.772857142857	-	1	0.0 %
0.774514285714	-	1	0.0 %
0.795371428571	-	1	0.0 %
0.795714285714	-	1	0.0 %
0.804285714286	-	1	0.0 %
0.810857142857	-	1	0.0 %
0.813314285714	-	1	0.0 %
0.843942857143	-	1	0.0 %
0.868571428571	-	1	0.0 %
0.873942857143	-	1	0.0 %
0.884285714286	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3.344197205326
- Minimum: 0.115714285714
- Maximum: 13.636000000000
- Standard Deviation: 1.832032345852

Location: 4880-4894 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

FATSRV9: Servings of fats/sweets/snacks

Servings of fats/sweets/snacks

Value	Label	Unweighted Frequency	%
0.0	-	5	0.2 %
0.1	-	5	0.2 %
0.2	-	6	0.2 %
0.3	-	14	0.6 %
0.4	-	7	0.3 %
0.5	-	12	0.5 %
0.6	-	17	0.7 %
0.7	-	26	1.1 %
0.8	-	34	1.4 %
0.9	-	24	1.0 %
1.0	-	38	1.5 %
1.1	-	26	1.1 %
1.2	-	36	1.5 %
1.3	-	52	2.1 %
1.4	-	59	2.4 %
1.5	-	56	2.3 %
1.6	-	44	1.8 %
1.7	-	52	2.1 %
1.8	-	41	1.7 %
1.9	-	54	2.2 %
2.0	-	43	1.7 %
2.1	-	51	2.1 %
2.2	-	51	2.1 %
2.3	-	47	1.9 %
2.4	-	52	2.1 %
2.5	-	45	1.8 %
2.6	-	62	2.5 %
2.7	-	42	1.7 %
2.8	-	44	1.8 %
2.9	-	41	1.7 %
3.0	-	36	1.5 %
3.1	-	40	1.6 %
3.2	-	33	1.3 %
3.3	-	33	1.3 %
3.4	-	23	0.9 %
3.5	-	44	1.8 %

Value	Label	Unweighted Frequency	%
3.6	-	33	1.3 %
3.7	-	22	0.9 %
3.8	-	24	1.0 %
3.9	-	21	0.9 %
4.0	-	17	0.7 %
4.1	-	30	1.2 %
4.2	-	22	0.9 %
4.3	-	12	0.5 %
4.4	-	13	0.5 %
4.5	-	10	0.4 %
4.6	-	8	0.3 %
4.7	-	13	0.5 %
4.8	-	18	0.7 %
4.9	-	11	0.4 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.82
- Median: 2.50
- Mode: 2.60
- Minimum: 0.00
- Maximum: 11.60
- Standard Deviation: 1.71

Location: 4895-4898 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

ALCHSRV9: Number servings of Alcoholic Beverages

N servings of Alcoholic Beverages

Value	Label	Unweighted Frequency	%
0.0	-	829	33.6 %
0.1	-	352	14.3 %
0.2	-	67	2.7 %
0.3	-	24	1.0 %
0.4	-	96	3.9 %

Value	Label	Unweighted Frequency	%
0.5	-	110	4.5 %
0.6	-	14	0.6 %
0.7	-	3	0.1 %
0.8	-	68	2.8 %
0.9	-	20	0.8 %
1.0	-	38	1.5 %
1.1	-	29	1.2 %
1.2	-	11	0.4 %
1.3	-	2	0.1 %
1.4	-	5	0.2 %
1.5	-	4	0.2 %
1.6	-	2	0.1 %
1.8	-	2	0.1 %
2.0	-	22	0.9 %
2.1	-	10	0.4 %
2.2	-	11	0.4 %
2.3	-	1	0.0 %
2.4	-	3	0.1 %
2.5	-	1	0.0 %
2.6	-	2	0.1 %
2.8	-	1	0.0 %
2.9	-	1	0.0 %
3.0	-	1	0.0 %
3.1	-	1	0.0 %
3.2	-	2	0.1 %
4.0	-	1	0.0 %
4.1	-	2	0.1 %
5.0	-	2	0.1 %
6.1	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 0.28
- Median: 0.10
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.10
- Standard Deviation: 0.55

Location: 4899-4901 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

FRUTWK9: Weekly variability Fruit

Wkly variability Fruit

Value	Label	Unweighted Frequency	%
0	-	206	8.3 %
1	-	412	16.7 %
2	-	421	17.1 %
3	-	353	14.3 %
4	-	210	8.5 %
5	-	78	3.2 %
6	-	37	1.5 %
7	-	16	0.6 %
8	-	2	0.1 %
9	-	2	0.1 %
10	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.26
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.56

Location: 4902-4903 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FRUTMON9: Monthly variability Fruit

Monthly variability Fruit

Value	Label	Unweighted Frequency	%
0	-	28	1.1 %
1	-	69	2.8 %
2	-	110	4.5 %
3	-	220	8.9 %

Value	Label	Unweighted Frequency	%
4	-	248	10.0 %
5	-	285	11.5 %
6	-	271	11.0 %
7	-	206	8.3 %
8	-	144	5.8 %
9	-	98	4.0 %
10	-	43	1.7 %
11	-	13	0.5 %
12	-	3	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 5.22
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.34

Location: 4904-4905 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FATWK9: Weekly variability Fat/Sweet

Wkly variability Fat/Sweet

Value	Label	Unweighted Frequency	%
0	-	17	0.7 %
1	-	63	2.6 %
2	-	195	7.9 %
3	-	232	9.4 %
4	-	272	11.0 %
5	-	288	11.7 %
6	-	241	9.8 %
7	-	177	7.2 %
8	-	136	5.5 %
9	-	66	2.7 %
10	-	29	1.2 %
11	-	13	0.5 %

Value	Label	Unweighted Frequency	%
12	-	5	0.2 %
13	-	3	0.1 %
14	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 4.94
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 2.32

Location: 4906-4907 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FATMON9: Monthly variability Fat/Sweet

Monthly variability Fat/Sweet

Value	Label	Unweighted Frequency	%
0	-	4	0.2 %
1	-	17	0.7 %
2	-	23	0.9 %
3	-	55	2.2 %
4	-	69	2.8 %
5	-	140	5.7 %
6	-	163	6.6 %
7	-	212	8.6 %
8	-	229	9.3 %
9	-	239	9.7 %
10	-	192	7.8 %
11	-	158	6.4 %
12	-	119	4.8 %
13	-	74	3.0 %
14	-	28	1.1 %
15	-	13	0.5 %
16	-	3	0.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 8.25
- Median: 8.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.88

Location: 4908-4909 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

ALCHWK9: Weekly variability Alcohol

Wkly variability Alcohol

Value	Label	Unweighted Frequency	%
0	-	1162	47.1 %
1	-	424	17.2 %
2	-	132	5.3 %
3	-	20	0.8 %
Missing Data			
-		731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.68

Location: 4910-4910 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

ALCHMON9: Monthly variability Alcohol

Monthly variability Alcohol

Value	Label	Unweighted Frequency	%
0	-	829	33.6 %

Value	Label	Unweighted Frequency	%
1	-	421	17.1 %
2	-	345	14.0 %
3	-	143	5.8 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

Location: 4911-4911 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

VEGWK9: Weekly variability Vegetables

Wkly variability Veg

Value	Label	Unweighted Frequency	%
0	-	60	2.4 %
1	-	298	12.1 %
2	-	318	12.9 %
3	-	286	11.6 %
4	-	226	9.2 %
5	-	189	7.7 %
6	-	137	5.5 %
7	-	81	3.3 %
8	-	56	2.3 %
9	-	40	1.6 %
10	-	29	1.2 %
11	-	11	0.4 %
12	-	4	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 3.65
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.46

Location: 4912-4913 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

VEGMON9: Monthly variability Vegetables

Monthly variability Veg

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	3	0.1 %
2	-	8	0.3 %
3	-	31	1.3 %
4	-	66	2.7 %
5	-	77	3.1 %
6	-	118	4.8 %
7	-	127	5.1 %
8	-	207	8.4 %
9	-	215	8.7 %
10	-	209	8.5 %
11	-	187	7.6 %
12	-	140	5.7 %
13	-	137	5.5 %
14	-	89	3.6 %
15	-	51	2.1 %
16	-	37	1.5 %
17	-	16	0.6 %
18	-	11	0.4 %
19	-	5	0.2 %
20	-	3	0.1 %
Missing Data			
.	-	731	29.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 9.66
- Median: 10.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.29

Location: 4914-4915 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GRANWK9: Weekly variability Grains

Wkly variability Grains

Value	Label	Unweighted Frequency	%
0	-	16	0.6 %
1	-	99	4.0 %
2	-	176	7.1 %
3	-	296	12.0 %
4	-	309	12.5 %
5	-	302	12.2 %
6	-	210	8.5 %
7	-	123	5.0 %
8	-	99	4.0 %
9	-	55	2.2 %
10	-	32	1.3 %
11	-	13	0.5 %
12	-	5	0.2 %
13	-	2	0.1 %
14	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 4.64
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00

- Maximum: 14.00
- Standard Deviation: 2.28

Location: 4916-4917 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

GRANMON9: Monthly variability Grains

Monthly variability Grains

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	9	0.4 %
3	-	18	0.7 %
4	-	31	1.3 %
5	-	67	2.7 %
6	-	75	3.0 %
7	-	97	3.9 %
8	-	134	5.4 %
9	-	190	7.7 %
10	-	212	8.6 %
11	-	222	9.0 %
12	-	248	10.0 %
13	-	188	7.6 %
14	-	149	6.0 %
15	-	81	3.3 %
16	-	10	0.4 %
17	-	3	0.1 %
18	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 10.33
- Median: 11.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 2.94

Location: 4918-4919 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

MEATWK9: Weekly variability Meat

Wkly variability Meat

Value	Label	Unweighted Frequency	%
0	-	23	0.9 %
1	-	46	1.9 %
2	-	109	4.4 %
3	-	176	7.1 %
4	-	229	9.3 %
5	-	241	9.8 %
6	-	214	8.7 %
7	-	200	8.1 %
8	-	178	7.2 %
9	-	111	4.5 %
10	-	91	3.7 %
11	-	39	1.6 %
12	-	39	1.6 %
13	-	17	0.7 %
14	-	10	0.4 %
15	-	8	0.3 %
16	-	3	0.1 %
18	-	1	0.0 %
19	-	2	0.1 %
20	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 6.00
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.97

Location: 4920-4921 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

MEATMON9: Monthly variability Meat

Monthly variability Meat

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	3	0.1 %
4	-	6	0.2 %
5	-	12	0.5 %
6	-	18	0.7 %
7	-	34	1.4 %
8	-	40	1.6 %
9	-	56	2.3 %
10	-	85	3.4 %
11	-	121	4.9 %
12	-	148	6.0 %
13	-	162	6.6 %
14	-	185	7.5 %
15	-	189	7.7 %
16	-	172	7.0 %
17	-	146	5.9 %
18	-	121	4.9 %
19	-	69	2.8 %
20	-	67	2.7 %
21	-	33	1.3 %
22	-	24	1.0 %
23	-	15	0.6 %
24	-	13	0.5 %
25	-	13	0.5 %
26	-	2	0.1 %
27	-	2	0.1 %
28	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 14.47
- Median: 14.00
- Mode: 15.00
- Minimum: 2.00
- Maximum: 28.00
- Standard Deviation: 3.93

Location: 4922-4923 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

DARYWK9: Weekly variability Dairy

Wkly variability Dairy

Value	Label	Unweighted Frequency	%
0	-	87	3.5 %
1	-	253	10.2 %
2	-	423	17.1 %
3	-	463	18.8 %
4	-	320	13.0 %
5	-	139	5.6 %
6	-	41	1.7 %
7	-	12	0.5 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.76
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.43

Location: 4924-4924 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DARYMON9: Monthly variability Dairy

Monthly variability Dairy

Value	Label	Unweighted Frequency	%
0	-	18	0.7 %
1	-	42	1.7 %
2	-	112	4.5 %
3	-	215	8.7 %
4	-	349	14.1 %
5	-	472	19.1 %
6	-	336	13.6 %
7	-	150	6.1 %
8	-	32	1.3 %
9	-	12	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 4.66
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.62

Location: 4925-4925 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FVWK9: Weekly variability Fruit + Vegetables

Wkly variability Fruit+Veg

Value	Label	Unweighted Frequency	%
0	-	20	0.8 %
1	-	72	2.9 %
2	-	147	6.0 %
3	-	190	7.7 %
4	-	209	8.5 %
5	-	239	9.7 %
6	-	185	7.5 %
7	-	191	7.7 %
8	-	139	5.6 %
9	-	120	4.9 %
10	-	69	2.8 %
11	-	56	2.3 %
12	-	45	1.8 %
13	-	18	0.7 %
14	-	18	0.7 %
15	-	11	0.4 %
16	-	2	0.1 %
17	-	5	0.2 %
20	-	2	0.1 %
	Missing Data		
.	-	731	29.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 5.90
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.19

Location: 4926-4927 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: .

FVMON9: Monthly variability Fruit + Vegetables

Monthly variability Fruit+Veg

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	2	0.1 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	8	0.3 %
5	-	8	0.3 %
6	-	28	1.1 %
7	-	45	1.8 %
8	-	52	2.1 %
9	-	76	3.1 %
10	-	80	3.2 %
11	-	105	4.3 %
12	-	128	5.2 %
13	-	145	5.9 %
14	-	141	5.7 %
15	-	145	5.9 %
16	-	152	6.2 %
17	-	125	5.1 %
18	-	114	4.6 %
19	-	93	3.8 %
20	-	83	3.4 %
21	-	72	2.9 %
22	-	52	2.1 %

Value	Label	Unweighted Frequency	%
23	-	36	1.5 %
24	-	14	0.6 %
25	-	11	0.4 %
26	-	9	0.4 %
27	-	4	0.2 %
28	-	3	0.1 %
29	-	2	0.1 %
30	-	2	0.1 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 14.88
- Median: 15.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.59

Location: 4928-4929 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

ALLIRON9: Diet + Supplement Iron, mg

Diet+Suppl Iron, mg

Value	Label	Unweighted Frequency	%
2.95	-	1	0.0 %
3.73	-	1	0.0 %
3.78	-	1	0.0 %
3.99	-	1	0.0 %
4.09	-	1	0.0 %
4.12	-	1	0.0 %
4.26	-	1	0.0 %
4.34	-	1	0.0 %
4.38	-	1	0.0 %
4.41	-	1	0.0 %
4.55	-	1	0.0 %
4.59	-	1	0.0 %
4.66	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.69	-	1	0.0 %
4.71	-	1	0.0 %
4.73	-	1	0.0 %
5.01	-	1	0.0 %
5.03	-	1	0.0 %
5.07	-	1	0.0 %
5.10	-	1	0.0 %
5.13	-	1	0.0 %
5.17	-	1	0.0 %
5.24	-	1	0.0 %
5.36	-	1	0.0 %
5.38	-	1	0.0 %
5.40	-	1	0.0 %
5.42	-	1	0.0 %
5.53	-	1	0.0 %
5.55	-	1	0.0 %
5.58	-	1	0.0 %
5.59	-	1	0.0 %
5.65	-	2	0.1 %
5.70	-	1	0.0 %
5.71	-	1	0.0 %
5.74	-	1	0.0 %
5.75	-	1	0.0 %
5.76	-	1	0.0 %
5.77	-	1	0.0 %
5.79	-	1	0.0 %
5.81	-	1	0.0 %
5.85	-	1	0.0 %
5.86	-	1	0.0 %
5.92	-	1	0.0 %
5.94	-	1	0.0 %
5.97	-	1	0.0 %
6.02	-	1	0.0 %
6.06	-	1	0.0 %
6.07	-	2	0.1 %
6.10	-	1	0.0 %
6.11	-	1	0.0 %
Missing Data			
.	-	731	29.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 21.776052934407
- Minimum: 2.950000000000
- Maximum: 90.210000000000
- Standard Deviation: 12.744132701787

Location: 4930-4944 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

ALLZINC9: Diet + Supplement Zinc, mg

Diet+Suppl Zinc, mg

Value	Label	Unweighted Frequency	%
2.52	-	1	0.0 %
2.54	-	1	0.0 %
2.84	-	1	0.0 %
3.15	-	1	0.0 %
3.24	-	1	0.0 %
3.25	-	1	0.0 %
3.38	-	1	0.0 %
3.42	-	1	0.0 %
3.44	-	1	0.0 %
3.53	-	1	0.0 %
3.54	-	1	0.0 %
3.56	-	2	0.1 %
3.61	-	1	0.0 %
3.62	-	1	0.0 %
3.64	-	1	0.0 %
3.66	-	1	0.0 %
3.68	-	2	0.1 %
3.69	-	1	0.0 %
3.74	-	1	0.0 %
3.76	-	2	0.1 %
3.78	-	1	0.0 %
3.83	-	1	0.0 %
3.84	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.86	-	1	0.0 %
3.92	-	1	0.0 %
3.96	-	1	0.0 %
3.98	-	2	0.1 %
4.01	-	1	0.0 %
4.03	-	1	0.0 %
4.06	-	1	0.0 %
4.10	-	1	0.0 %
4.12	-	1	0.0 %
4.21	-	1	0.0 %
4.22	-	1	0.0 %
4.23	-	1	0.0 %
4.25	-	2	0.1 %
4.28	-	1	0.0 %
4.29	-	1	0.0 %
4.30	-	1	0.0 %
4.32	-	1	0.0 %
4.33	-	1	0.0 %
4.34	-	1	0.0 %
4.38	-	1	0.0 %
4.39	-	1	0.0 %
4.40	-	1	0.0 %
4.42	-	1	0.0 %
4.45	-	1	0.0 %
4.47	-	1	0.0 %
4.51	-	1	0.0 %
4.53	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 17.619142692750
- Minimum: 2.520000000000
- Maximum: 82.650000000000
- Standard Deviation: 12.166744160035

Location: 4945-4959 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

ALLFOL9: Diet + Supplement Folic acid, mcg

Diet+Suppl Folic acid, mcg

Value	Label	Unweighted Frequency	%
74.7700000000	-	1	0.0 %
87.1400000000	-	1	0.0 %
91.0700000000	-	1	0.0 %
93.6600000000	-	1	0.0 %
97.7300000000	-	1	0.0 %
98.1200000000	-	1	0.0 %
99.4100000001	-	1	0.0 %
99.5400000001	-	1	0.0 %
100.9800000000	-	1	0.0 %
103.9900000000	-	1	0.0 %
105.0500000000	-	1	0.0 %
106.8200000000	-	1	0.0 %
109.1900000000	-	1	0.0 %
111.6800000000	-	1	0.0 %
112.4600000000	-	1	0.0 %
116.8500000000	-	1	0.0 %
119.0500000000	-	1	0.0 %
119.2400000000	-	2	0.1 %
119.3700000000	-	1	0.0 %
119.7100000000	-	1	0.0 %
121.0900000000	-	1	0.0 %
122.0800000000	-	1	0.0 %
123.3600000000	-	1	0.0 %
125.6700000000	-	1	0.0 %
125.7700000000	-	1	0.0 %
126.2700000000	-	1	0.0 %
127.8700000000	-	1	0.0 %
130.0700000000	-	1	0.0 %
131.1600000000	-	1	0.0 %
132.0300000000	-	1	0.0 %
132.1400000000	-	1	0.0 %
133.9300000000	-	1	0.0 %
134.7000000001	-	1	0.0 %
137.3100000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
138.4800000000	-	1	0.0 %
138.6400000000	-	1	0.0 %
140.7200000000	-	1	0.0 %
140.9700000000	-	1	0.0 %
141.5300000000	-	1	0.0 %
142.0300000000	-	1	0.0 %
142.9900000000	-	1	0.0 %
143.2600000000	-	1	0.0 %
143.8700000000	-	1	0.0 %
144.1300000000	-	1	0.0 %
145.8900000000	-	1	0.0 %
145.9600000000	-	1	0.0 %
148.2700000000	-	1	0.0 %
151.2400000000	-	1	0.0 %
152.9900000000	-	1	0.0 %
153.4400000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 512.5419390104
- Minimum: 74.7700000000
- Maximum: 1377.3700000001
- Standard Deviation: 230.1831532611

Location: 4960-4974 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: .

ALLVITC9: Diet + Supplement Vitamin C, mg

Diet+Suppl Vitamin C, mg

Value	Label	Unweighted Frequency	%
5.4800000000	-	1	0.0 %
6.4800000000	-	1	0.0 %
11.2800000000	-	1	0.0 %
12.4500000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.7900000000	-	1	0.0 %
17.1700000000	-	1	0.0 %
17.9400000000	-	1	0.0 %
18.0000000000	-	1	0.0 %
18.0200000000	-	1	0.0 %
18.1200000000	-	1	0.0 %
18.6100000000	-	1	0.0 %
18.8700000000	-	1	0.0 %
19.7000000000	-	1	0.0 %
20.3100000000	-	1	0.0 %
20.5700000000	-	1	0.0 %
21.1900000000	-	1	0.0 %
21.6000000000	-	1	0.0 %
21.9400000000	-	1	0.0 %
22.7100000000	-	1	0.0 %
23.2700000000	-	1	0.0 %
23.2900000000	-	1	0.0 %
23.3500000000	-	1	0.0 %
23.4800000000	-	1	0.0 %
23.5700000000	-	1	0.0 %
23.6400000000	-	1	0.0 %
25.1300000000	-	1	0.0 %
25.5800000000	-	1	0.0 %
25.6200000000	-	1	0.0 %
25.7100000000	-	1	0.0 %
26.1400000000	-	1	0.0 %
26.9400000000	-	1	0.0 %
28.0800000000	-	1	0.0 %
28.1600000000	-	1	0.0 %
28.5500000000	-	1	0.0 %
28.5800000000	-	1	0.0 %
28.6300000000	-	1	0.0 %
28.7900000000	-	1	0.0 %
28.8400000000	-	1	0.0 %
28.8800000000	-	1	0.0 %
29.5500000000	-	1	0.0 %
29.5600000000	-	1	0.0 %
29.6000000000	-	1	0.0 %
30.2100000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30.2200000000	-	1	0.0 %
30.3400000000	-	1	0.0 %
30.7000000000	-	1	0.0 %
30.8900000000	-	1	0.0 %
30.9400000000	-	1	0.0 %
31.8400000000	-	1	0.0 %
32.0200000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 255.0158400460
- Minimum: 5.4800000000
- Maximum: 3515.0500000000
- Standard Deviation: 351.3303904500

Location: 4975-4989 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: .

ALLCALC9: Diet + Supplement Calcium, mg

Diet+Suppl Calcium, mg

Value	Label	Unweighted Frequency	%
116.3200000000	-	1	0.0 %
137.4700000000	-	1	0.0 %
137.9400000000	-	1	0.0 %
167.0100000001	-	1	0.0 %
173.3800000000	-	1	0.0 %
182.0300000000	-	1	0.0 %
184.2800000000	-	1	0.0 %
186.4000000000	-	1	0.0 %
186.4200000000	-	1	0.0 %
187.8400000000	-	1	0.0 %
189.5000000000	-	1	0.0 %
194.5700000000	-	1	0.0 %
198.0300000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
198.0800000001	-	1	0.0 %
200.6700000000	-	1	0.0 %
206.4800000000	-	1	0.0 %
207.1800000000	-	1	0.0 %
214.2800000000	-	1	0.0 %
214.4800000000	-	1	0.0 %
216.7800000000	-	1	0.0 %
227.1600000000	-	1	0.0 %
229.8900000000	-	1	0.0 %
234.2700000000	-	1	0.0 %
237.7600000000	-	1	0.0 %
237.7800000000	-	1	0.0 %
237.9100000000	-	1	0.0 %
238.3500000000	-	1	0.0 %
241.8800000000	-	1	0.0 %
246.8400000000	-	1	0.0 %
249.2000000000	-	1	0.0 %
253.2300000000	-	1	0.0 %
253.5100000000	-	1	0.0 %
255.3200000000	-	1	0.0 %
257.7100000001	-	1	0.0 %
258.7100000000	-	1	0.0 %
259.1900000000	-	1	0.0 %
259.6600000001	-	1	0.0 %
260.4000000000	-	1	0.0 %
263.4700000001	-	1	0.0 %
264.9800000000	-	1	0.0 %
265.4700000001	-	1	0.0 %
266.2600000000	-	1	0.0 %
266.5300000000	-	1	0.0 %
267.9100000001	-	1	0.0 %
268.0900000000	-	1	0.0 %
273.1800000000	-	1	0.0 %
273.4100000000	-	1	0.0 %
274.4000000000	-	1	0.0 %
275.0700000000	-	1	0.0 %
275.9400000000	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 842.0898561565
- Minimum: 116.3200000000
- Maximum: 4121.3200000000
- Standard Deviation: 440.8983374504

Location: 4990-5004 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: .

ALLARE9: Diet + Supplement Vitamin A, retinol equiv.

Diet+Suppl Vitamin A, retinol equiv.

Value	Label	Unweighted Frequency	%
901.440000000	-	1	0.0 %
926.620000000	-	1	0.0 %
958.810000000	-	1	0.0 %
984.320000000	-	1	0.0 %
1072.740000000	-	1	0.0 %
1099.860000000	-	1	0.0 %
1204.840000000	-	1	0.0 %
1217.520000000	-	1	0.0 %
1296.550000000	-	1	0.0 %
1311.400000000	-	1	0.0 %
1341.700000000	-	1	0.0 %
1483.380000000	-	1	0.0 %
1528.850000000	-	1	0.0 %
1623.110000000	-	1	0.0 %
1668.950000000	-	1	0.0 %
1671.340000000	-	1	0.0 %
1681.190000000	-	1	0.0 %
1724.920000000	-	1	0.0 %
1753.610000000	-	1	0.0 %
1769.960000000	-	1	0.0 %
1789.440000000	-	1	0.0 %
1831.450000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1850.400000000	-	1	0.0 %
1854.200000000	-	1	0.0 %
1914.850000000	-	1	0.0 %
1950.570000000	-	1	0.0 %
1951.570000000	-	1	0.0 %
1954.430000000	-	1	0.0 %
1971.340000001	-	1	0.0 %
1976.520000000	-	1	0.0 %
1980.070000000	-	1	0.0 %
2047.160000000	-	1	0.0 %
2087.070000001	-	1	0.0 %
2104.910000000	-	1	0.0 %
2120.010000001	-	1	0.0 %
2120.200000000	-	1	0.0 %
2122.280000001	-	1	0.0 %
2137.210000000	-	1	0.0 %
2167.750000000	-	1	0.0 %
2175.720000000	-	1	0.0 %
2188.910000000	-	1	0.0 %
2200.730000000	-	1	0.0 %
2230.270000000	-	1	0.0 %
2265.010000000	-	1	0.0 %
2272.410000000	-	1	0.0 %
2272.970000000	-	1	0.0 %
2295.850000000	-	1	0.0 %
2305.610000000	-	1	0.0 %
2326.690000000	-	1	0.0 %
2330.900000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 9277.649827388
- Minimum: 901.440000000
- Maximum: 43272.770000001
- Standard Deviation: 5463.313803626

Location: 5005-5019 (width: 15; decimal: 9)

Variable Type: numeric

(Range of) Missing Values: .

ALLBCAR9: Diet + Supplement BetaCarotene, mcg

Diet+Suppl BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
144.950000000	-	1	0.0 %
161.970000000	-	1	0.0 %
179.550000000	-	1	0.0 %
228.570000000	-	1	0.0 %
287.620000000	-	1	0.0 %
333.530000000	-	1	0.0 %
339.590000000	-	1	0.0 %
361.280000000	-	1	0.0 %
377.250000000	-	1	0.0 %
393.150000000	-	1	0.0 %
415.800000000	-	1	0.0 %
432.830000000	-	1	0.0 %
459.260000000	-	1	0.0 %
462.520000000	-	1	0.0 %
474.830000000	-	1	0.0 %
501.820000000	-	1	0.0 %
526.100000000	-	1	0.0 %
528.180000000	-	1	0.0 %
553.410000000	-	1	0.0 %
565.430000000	-	1	0.0 %
577.340000000	-	1	0.0 %
610.810000000	-	1	0.0 %
641.930000000	-	1	0.0 %
644.140000000	-	1	0.0 %
650.850000000	-	2	0.1 %
652.970000000	-	1	0.0 %
661.400000000	-	1	0.0 %
666.230000000	-	1	0.0 %
670.720000000	-	1	0.0 %
678.870000000	-	1	0.0 %
682.950000000	-	1	0.0 %
691.340000000	-	1	0.0 %
696.570000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
697.950000000	-	1	0.0 %
699.300000000	-	1	0.0 %
709.850000000	-	1	0.0 %
710.460000000	-	1	0.0 %
713.200000000	-	1	0.0 %
723.110000000	-	1	0.0 %
737.620000000	-	1	0.0 %
742.040000000	-	1	0.0 %
744.550000000	-	1	0.0 %
746.000000000	-	1	0.0 %
752.320000000	-	1	0.0 %
764.610000000	-	1	0.0 %
769.650000000	-	1	0.0 %
777.280000000	-	1	0.0 %
785.250000000	-	1	0.0 %
789.640000000	-	1	0.0 %
802.280000000	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 4107.180932106
- Minimum: 144.950000000
- Maximum: 33388.770000001
- Standard Deviation: 3852.846131192

Location: 5020-5034 (*width:* 15; *decimal:* 9)

Variable Type: numeric

(Range of) Missing Values: .

ALLB19: Diet + Supplement Vitamin B1, mg

Diet+Suppl Vitamin B1, mg

Value	Label	Unweighted Frequency	%
0.32	-	1	0.0 %
0.34	-	2	0.1 %
0.36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.37	-	1	0.0 %
0.38	-	1	0.0 %
0.39	-	2	0.1 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	4	0.2 %
0.43	-	2	0.1 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	2	0.1 %
0.48	-	2	0.1 %
0.49	-	2	0.1 %
0.50	-	2	0.1 %
0.52	-	4	0.2 %
0.53	-	4	0.2 %
0.54	-	8	0.3 %
0.55	-	1	0.0 %
0.56	-	4	0.2 %
0.57	-	1	0.0 %
0.58	-	3	0.1 %
0.59	-	2	0.1 %
0.60	-	5	0.2 %
0.61	-	4	0.2 %
0.62	-	4	0.2 %
0.63	-	7	0.3 %
0.64	-	3	0.1 %
0.65	-	2	0.1 %
0.66	-	4	0.2 %
0.67	-	4	0.2 %
0.68	-	4	0.2 %
0.69	-	8	0.3 %
0.70	-	10	0.4 %
0.71	-	3	0.1 %
0.72	-	5	0.2 %
0.73	-	10	0.4 %
0.74	-	7	0.3 %
0.75	-	3	0.1 %
0.76	-	7	0.3 %
0.77	-	8	0.3 %

Value	Label	Unweighted Frequency	%
0.78	-	4	0.2 %
0.79	-	9	0.4 %
0.80	-	7	0.3 %
0.81	-	4	0.2 %
0.82	-	3	0.1 %
0.83	-	1	0.0 %
0.84	-	6	0.2 %
0.85	-	6	0.2 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 1.9199309551208
- Minimum: 0.32000000000000
- Maximum: 6.55000000000000
- Standard Deviation: 0.8616560322166

Location: 5035-5049 (*width:* 15; *decimal:* 13)

Variable Type: numeric

(Range of) Missing Values: .

ALLB29: Diet[Ribo] + Supplement [B1 (B1=B2)], mg

Diet[Ribo]+ Suppl[B1 (B1=B2)], mg

Value	Label	Unweighted Frequency	%
0.32	-	2	0.1 %
0.39	-	1	0.0 %
0.43	-	1	0.0 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	1	0.0 %
0.53	-	4	0.2 %
0.57	-	2	0.1 %
0.58	-	1	0.0 %
0.59	-	2	0.1 %
0.60	-	2	0.1 %
0.61	-	2	0.1 %
0.62	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.63	-	3	0.1 %
0.64	-	4	0.2 %
0.65	-	3	0.1 %
0.66	-	1	0.0 %
0.67	-	2	0.1 %
0.68	-	4	0.2 %
0.69	-	4	0.2 %
0.70	-	2	0.1 %
0.71	-	3	0.1 %
0.72	-	3	0.1 %
0.73	-	2	0.1 %
0.74	-	4	0.2 %
0.75	-	3	0.1 %
0.76	-	6	0.2 %
0.77	-	4	0.2 %
0.78	-	3	0.1 %
0.79	-	7	0.3 %
0.80	-	2	0.1 %
0.81	-	8	0.3 %
0.82	-	2	0.1 %
0.83	-	1	0.0 %
0.84	-	4	0.2 %
0.85	-	8	0.3 %
0.86	-	4	0.2 %
0.87	-	4	0.2 %
0.88	-	5	0.2 %
0.89	-	4	0.2 %
0.90	-	4	0.2 %
0.91	-	3	0.1 %
0.92	-	9	0.4 %
0.93	-	6	0.2 %
0.94	-	7	0.3 %
0.95	-	6	0.2 %
0.96	-	2	0.1 %
0.97	-	5	0.2 %
0.98	-	4	0.2 %
0.99	-	3	0.1 %
Missing Data			
.	-	731	29.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.3243728423475
- Minimum: 0.3200000000000
- Maximum: 7.0600000000000
- Standard Deviation: 1.0096135954928

Location: 5050-5064 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

ALLB69: Diet + Supplement Vitamin B6, mg

Diet+Suppl Vitamin B6, mg

Value	Label	Unweighted Frequency	%
0.33	-	1	0.0 %
0.42	-	2	0.1 %
0.43	-	2	0.1 %
0.44	-	1	0.0 %
0.46	-	1	0.0 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.51	-	3	0.1 %
0.53	-	2	0.1 %
0.55	-	2	0.1 %
0.56	-	2	0.1 %
0.57	-	1	0.0 %
0.58	-	2	0.1 %
0.59	-	1	0.0 %
0.60	-	2	0.1 %
0.62	-	2	0.1 %
0.63	-	2	0.1 %
0.64	-	2	0.1 %
0.65	-	2	0.1 %
0.66	-	4	0.2 %
0.67	-	2	0.1 %
0.68	-	7	0.3 %
0.69	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.70	-	2	0.1 %
0.71	-	3	0.1 %
0.72	-	4	0.2 %
0.73	-	5	0.2 %
0.74	-	3	0.1 %
0.75	-	2	0.1 %
0.76	-	5	0.2 %
0.77	-	5	0.2 %
0.78	-	4	0.2 %
0.79	-	4	0.2 %
0.81	-	6	0.2 %
0.82	-	4	0.2 %
0.83	-	8	0.3 %
0.84	-	6	0.2 %
0.85	-	6	0.2 %
0.86	-	3	0.1 %
0.87	-	4	0.2 %
0.88	-	5	0.2 %
0.89	-	2	0.1 %
0.90	-	5	0.2 %
0.91	-	6	0.2 %
0.92	-	4	0.2 %
0.93	-	6	0.2 %
0.94	-	4	0.2 %
0.95	-	5	0.2 %
0.96	-	6	0.2 %
0.97	-	1	0.0 %
Missing Data			
.	-	731	29.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 2.4049136939010
- Minimum: 0.3300000000000
- Maximum: 6.6800000000000
- Standard Deviation: 1.1029805845364

Location: 5065-5079 (*width:* 15; *decimal:* 13)

Variable Type: numeric

(Range of) Missing Values: .

ALLVITE9: Diet + Supplement Vitamin E, a-TE

Diet+Suppl Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
1.1500000000	-	1	0.0 %
2.5100000000	-	1	0.0 %
2.8900000000	-	1	0.0 %
2.9300000000	-	1	0.0 %
2.9600000000	-	1	0.0 %
3.0000000000	-	2	0.1 %
3.0600000000	-	1	0.0 %
3.0900000000	-	1	0.0 %
3.1800000000	-	1	0.0 %
3.2900000000	-	1	0.0 %
3.3100000000	-	1	0.0 %
3.3500000000	-	1	0.0 %
3.3700000000	-	1	0.0 %
3.3800000000	-	1	0.0 %
3.5300000000	-	1	0.0 %
3.5400000000	-	1	0.0 %
3.5500000000	-	1	0.0 %
3.6700000000	-	1	0.0 %
3.6900000000	-	1	0.0 %
3.7700000000	-	1	0.0 %
3.8000000000	-	2	0.1 %
3.8100000000	-	1	0.0 %
3.8300000000	-	1	0.0 %
3.9700000000	-	1	0.0 %
3.9800000000	-	1	0.0 %
4.0600000000	-	2	0.1 %
4.0700000000	-	1	0.0 %
4.0900000000	-	3	0.1 %
4.1100000000	-	1	0.0 %
4.1300000000	-	1	0.0 %
4.1400000000	-	2	0.1 %
4.1800000000	-	1	0.0 %
4.1900000000	-	1	0.0 %
4.2600000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.2900000000	-	2	0.1 %
4.3200000000	-	1	0.0 %
4.3300000000	-	1	0.0 %
4.3500000000	-	1	0.0 %
4.4000000000	-	1	0.0 %
4.4200000000	-	1	0.0 %
4.4700000000	-	1	0.0 %
4.5500000000	-	2	0.1 %
4.5600000000	-	1	0.0 %
4.6300000000	-	2	0.1 %
4.6500000000	-	1	0.0 %
4.6700000000	-	1	0.0 %
4.6900000000	-	1	0.0 %
4.7100000000	-	1	0.0 %
4.7300000000	-	1	0.0 %
4.7900000000	-	2	0.1 %
Missing Data			
.	-	731	29.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 55.6707307250
- Minimum: 1.1500000000
- Maximum: 1364.2100000000
- Standard Deviation: 110.7903496672

Location: 5080-5094 (*width:* 15; *decimal:* 10)

Variable Type: numeric

(Range of) Missing Values: .

ALLB129: Diet + Supplement Vitamin B12, mcg

Diet+suppl Vitamin B12, mcg

Value	Label	Unweighted Frequency	%
0.10	-	1	0.0 %
0.25	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	2	0.1 %
0.56	-	2	0.1 %
0.62	-	3	0.1 %
0.64	-	1	0.0 %
0.65	-	1	0.0 %
0.67	-	2	0.1 %
0.69	-	1	0.0 %
0.70	-	2	0.1 %
0.71	-	1	0.0 %
0.72	-	1	0.0 %
0.74	-	1	0.0 %
0.76	-	2	0.1 %
0.77	-	1	0.0 %
0.78	-	2	0.1 %
0.79	-	3	0.1 %
0.80	-	1	0.0 %
0.81	-	2	0.1 %
0.82	-	1	0.0 %
0.83	-	1	0.0 %
0.84	-	1	0.0 %
0.85	-	1	0.0 %
0.88	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	3	0.1 %
0.92	-	1	0.0 %
0.93	-	2	0.1 %
0.94	-	2	0.1 %
0.96	-	2	0.1 %
0.97	-	1	0.0 %
0.98	-	2	0.1 %
1.00	-	3	0.1 %
1.01	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.02	-	3	0.1 %
1.03	-	2	0.1 %
1.04	-	1	0.0 %
1.05	-	2	0.1 %
1.07	-	3	0.1 %
1.10	-	1	0.0 %
1.11	-	1	0.0 %
Missing Data			
.	-	734	29.7 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,735 valid cases out of 2,469 total cases.

- Mean: 5.704069164265
- Minimum: 0.100000000000
- Maximum: 17.020000000000
- Standard Deviation: 3.211915969262

Location: 5095-5109 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

ALLVITD9: Diet + Supplement Vitamin D, IU

Diet+Suppl Vitamin D, IU

Value	Label	Unweighted Frequency	%
0.1900000000	-	1	0.0 %
9.0900000000	-	1	0.0 %
9.3900000000	-	1	0.0 %
10.7800000000	-	1	0.0 %
13.2500000000	-	1	0.0 %
13.4600000000	-	1	0.0 %
14.2500000000	-	1	0.0 %
14.8100000000	-	1	0.0 %
14.9200000000	-	1	0.0 %
15.8500000000	-	1	0.0 %
15.9100000000	-	1	0.0 %
16.6800000000	-	1	0.0 %
17.1900000000	-	1	0.0 %
17.2700000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.3700000000	-	1	0.0 %
18.8000000000	-	1	0.0 %
19.7000000000	-	1	0.0 %
20.3000000000	-	1	0.0 %
20.4300000000	-	1	0.0 %
20.5900000000	-	1	0.0 %
21.1400000000	-	1	0.0 %
21.8500000000	-	1	0.0 %
22.4400000000	-	1	0.0 %
22.5700000000	-	1	0.0 %
22.8000000000	-	1	0.0 %
23.7100000000	-	1	0.0 %
24.5000000000	-	1	0.0 %
24.6500000000	-	1	0.0 %
25.0500000000	-	1	0.0 %
25.5800000000	-	1	0.0 %
26.4400000000	-	1	0.0 %
26.4800000000	-	1	0.0 %
26.5700000000	-	1	0.0 %
27.6400000000	-	1	0.0 %
27.7900000000	-	1	0.0 %
27.8300000000	-	1	0.0 %
27.9800000000	-	1	0.0 %
28.3000000000	-	1	0.0 %
28.3900000000	-	1	0.0 %
28.8600000000	-	1	0.0 %
28.9100000000	-	1	0.0 %
29.9900000000	-	1	0.0 %
30.0100000000	-	1	0.0 %
30.0800000000	-	1	0.0 %
30.2400000000	-	1	0.0 %
30.4800000000	-	1	0.0 %
31.9600000000	-	1	0.0 %
32.7100000000	-	1	0.0 %
33.5200000000	-	1	0.0 %
33.6900000000	-	1	0.0 %
	Missing Data		
.	-	734	29.7 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,735 valid cases out of 2,469 total cases.

- Mean: 335.1754697406
- Minimum: 0.1900000000
- Maximum: 1429.9200000000
- Standard Deviation: 222.3567768102

Location: 5110-5124 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: ..

EFP9: Ethnic Foods Pages (EFP) Food page administered

EFP Food page administered

Value	Label	Unweighted Frequency	%
	Total	2,469	100%
0	0: No	0	0.0 %
1	1: Yes	677	27.4 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 5125-5126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, ..

LANGEFP9: Language of Ethnic Foods Pages (EFP)

Lang of EFP

Value	Label	Unweighted Frequency	%
	Total	2,469	100%
-	-	1792	72.6 %
C	C: Chinese	177	7.2 %
E	E: English	288	11.7 %
J	J: Japanese	212	8.6 %
S	S: Spanish	0	0.0 %
	Total	2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 5127-5127 (width: 1; decimal: 0)

Variable Type: character

EFPKCAL9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Kilocalories (KCAL) - total caloric intake

EFP DDE KCAL - total caloric intake

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.33	-	10	0.4 %
0.48	-	16	0.6 %
0.67	-	1	0.0 %
0.75	-	2	0.1 %
0.77	-	21	0.9 %
0.81	-	1	0.0 %
0.91	-	1	0.0 %
0.92	-	1	0.0 %
1.11	-	6	0.2 %
1.13	-	1	0.0 %
1.17	-	1	0.0 %
1.19	-	2	0.1 %
1.25	-	1	0.0 %
1.30	-	1	0.0 %
1.42	-	4	0.2 %
1.43	-	2	0.1 %
1.65	-	4	0.2 %
1.73	-	3	0.1 %
1.79	-	1	0.0 %
2.06	-	1	0.0 %
2.14	-	4	0.2 %
2.27	-	1	0.0 %
2.34	-	1	0.0 %
2.56	-	1	0.0 %
2.62	-	1	0.0 %
2.64	-	2	0.1 %
3.04	-	1	0.0 %
3.10	-	1	0.0 %
3.13	-	1	0.0 %
3.21	-	6	0.2 %
3.27	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.61	-	1	0.0 %
3.62	-	1	0.0 %
3.80	-	1	0.0 %
3.93	-	1	0.0 %
4.11	-	3	0.1 %
4.27	-	1	0.0 %
5.15	-	4	0.2 %
5.22	-	1	0.0 %
5.31	-	1	0.0 %
5.49	-	1	0.0 %
5.63	-	8	0.3 %
5.88	-	1	0.0 %
5.91	-	1	0.0 %
5.92	-	2	0.1 %
6.20	-	2	0.1 %
6.26	-	3	0.1 %
6.32	-	2	0.1 %
6.34	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 35.65
- Minimum: 0.00
- Maximum: 699.64
- Standard Deviation: 66.53

Location: 5128-5133 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPPROT9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Protein, gms

EFP DDE Protein, gms

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.01	-	11	0.4 %
0.02	-	21	0.9 %

Value	Label	Unweighted Frequency	%
0.03	-	4	0.2 %
0.04	-	9	0.4 %
0.05	-	2	0.1 %
0.06	-	23	0.9 %
0.07	-	1	0.0 %
0.08	-	1	0.0 %
0.09	-	6	0.2 %
0.10	-	2	0.1 %
0.11	-	1	0.0 %
0.12	-	1	0.0 %
0.13	-	3	0.1 %
0.14	-	6	0.2 %
0.16	-	1	0.0 %
0.17	-	1	0.0 %
0.18	-	8	0.3 %
0.19	-	4	0.2 %
0.20	-	6	0.2 %
0.21	-	1	0.0 %
0.22	-	3	0.1 %
0.25	-	2	0.1 %
0.26	-	11	0.4 %
0.27	-	3	0.1 %
0.28	-	3	0.1 %
0.29	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	5	0.2 %
0.32	-	3	0.1 %
0.33	-	6	0.2 %
0.34	-	4	0.2 %
0.35	-	1	0.0 %
0.36	-	1	0.0 %
0.38	-	2	0.1 %
0.39	-	4	0.2 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.42	-	1	0.0 %
0.44	-	2	0.1 %
0.45	-	4	0.2 %
0.46	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.47	-	5	0.2 %
0.48	-	3	0.1 %
0.49	-	1	0.0 %
0.50	-	4	0.2 %
0.51	-	3	0.1 %
0.52	-	8	0.3 %
0.53	-	6	0.2 %
0.54	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 2.39
- Minimum: 0.00
- Maximum: 51.51
- Standard Deviation: 5.16

Location: 5134-5138 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPFAT9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Fat, gms

EFP DDE Fat, gms

Value	Label	Unweighted Frequency	%
0.00	-	94	3.8 %
0.01	-	56	2.3 %
0.02	-	18	0.7 %
0.03	-	18	0.7 %
0.04	-	4	0.2 %
0.05	-	10	0.4 %
0.06	-	4	0.2 %
0.07	-	5	0.2 %
0.08	-	1	0.0 %
0.09	-	5	0.2 %
0.10	-	17	0.7 %
0.11	-	8	0.3 %
0.12	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.13	-	5	0.2 %
0.14	-	4	0.2 %
0.15	-	2	0.1 %
0.16	-	3	0.1 %
0.18	-	1	0.0 %
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.21	-	2	0.1 %
0.22	-	7	0.3 %
0.23	-	3	0.1 %
0.24	-	3	0.1 %
0.25	-	2	0.1 %
0.26	-	5	0.2 %
0.28	-	1	0.0 %
0.29	-	8	0.3 %
0.30	-	5	0.2 %
0.32	-	2	0.1 %
0.33	-	5	0.2 %
0.34	-	2	0.1 %
0.36	-	4	0.2 %
0.37	-	6	0.2 %
0.38	-	3	0.1 %
0.39	-	2	0.1 %
0.40	-	2	0.1 %
0.42	-	3	0.1 %
0.43	-	3	0.1 %
0.44	-	2	0.1 %
0.45	-	2	0.1 %
0.47	-	2	0.1 %
0.50	-	2	0.1 %
0.51	-	1	0.0 %
0.52	-	14	0.6 %
0.53	-	12	0.5 %
0.54	-	8	0.3 %
0.55	-	3	0.1 %
0.57	-	3	0.1 %
0.58	-	13	0.5 %
Missing Data			
.	-	1792	72.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 1.19
- Median: 0.51
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35.29
- Standard Deviation: 2.77

Location: 5139-5143 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPCARB9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Carbohydrates, gms

EFP DDE Carbohydrates, gms

Value	Label	Unweighted Frequency	%
0.00	-	65	2.6 %
0.07	-	16	0.6 %
0.09	-	12	0.5 %
0.16	-	9	0.4 %
0.17	-	5	0.2 %
0.19	-	1	0.0 %
0.20	-	23	0.9 %
0.22	-	2	0.1 %
0.24	-	1	0.0 %
0.25	-	1	0.0 %
0.27	-	2	0.1 %
0.28	-	5	0.2 %
0.29	-	8	0.3 %
0.31	-	1	0.0 %
0.32	-	1	0.0 %
0.37	-	8	0.3 %
0.38	-	2	0.1 %
0.39	-	4	0.2 %
0.44	-	2	0.1 %
0.47	-	1	0.0 %
0.49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.51	-	1	0.0 %
0.53	-	2	0.1 %
0.55	-	6	0.2 %
0.57	-	1	0.0 %
0.58	-	1	0.0 %
0.59	-	3	0.1 %
0.61	-	3	0.1 %
0.62	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	2	0.1 %
0.65	-	1	0.0 %
0.66	-	1	0.0 %
0.67	-	1	0.0 %
0.75	-	2	0.1 %
0.76	-	1	0.0 %
0.83	-	8	0.3 %
0.85	-	5	0.2 %
0.90	-	1	0.0 %
0.92	-	11	0.4 %
0.93	-	1	0.0 %
0.94	-	1	0.0 %
0.95	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	2	0.1 %
1.02	-	6	0.2 %
1.04	-	2	0.1 %
1.05	-	2	0.1 %
1.06	-	3	0.1 %
1.07	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 4.22
- Minimum: 0.00
- Maximum: 96.73
- Standard Deviation: 7.67

Location: 5144-5148 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPCALC9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Calcium, mg

EFP DDE Calcium, mg

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.02	-	11	0.4 %
0.04	-	21	0.9 %
0.08	-	6	0.2 %
0.12	-	4	0.2 %
0.17	-	6	0.2 %
0.24	-	2	0.1 %
0.31	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	6	0.2 %
0.36	-	1	0.0 %
0.37	-	1	0.0 %
0.38	-	2	0.1 %
0.40	-	1	0.0 %
0.44	-	3	0.1 %
0.46	-	5	0.2 %
0.53	-	2	0.1 %
0.54	-	1	0.0 %
0.55	-	1	0.0 %
0.58	-	6	0.2 %
0.59	-	1	0.0 %
0.60	-	1	0.0 %
0.62	-	1	0.0 %
0.63	-	1	0.0 %
0.79	-	4	0.2 %
0.90	-	1	0.0 %
0.97	-	2	0.1 %
0.99	-	1	0.0 %
1.01	-	6	0.2 %
1.02	-	2	0.1 %
1.03	-	4	0.2 %
1.06	-	1	0.0 %
1.08	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.21	-	2	0.1 %
1.24	-	1	0.0 %
1.32	-	1	0.0 %
1.45	-	1	0.0 %
1.53	-	1	0.0 %
1.58	-	1	0.0 %
1.59	-	1	0.0 %
1.63	-	1	0.0 %
1.64	-	1	0.0 %
1.66	-	1	0.0 %
1.77	-	1	0.0 %
1.88	-	1	0.0 %
1.93	-	1	0.0 %
2.15	-	1	0.0 %
2.19	-	2	0.1 %
2.33	-	1	0.0 %
2.34	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 34.64
- Minimum: 0.00
- Maximum: 768.30
- Standard Deviation: 75.36

Location: 5149-5154 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPPHOS9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Phosphorus, mg

EFP DDE Phos, mg

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.18	-	10	0.4 %
0.40	-	20	0.8 %
0.51	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.56	-	1	0.0 %
0.75	-	6	0.2 %
0.77	-	2	0.1 %
0.92	-	1	0.0 %
0.97	-	2	0.1 %
1.00	-	2	0.1 %
1.04	-	1	0.0 %
1.13	-	4	0.2 %
1.16	-	18	0.7 %
1.34	-	1	0.0 %
1.47	-	1	0.0 %
1.54	-	1	0.0 %
1.67	-	4	0.2 %
1.69	-	6	0.2 %
1.72	-	1	0.0 %
1.77	-	3	0.1 %
1.85	-	1	0.0 %
2.08	-	2	0.1 %
2.13	-	1	0.0 %
2.22	-	1	0.0 %
2.28	-	1	0.0 %
2.29	-	1	0.0 %
2.32	-	2	0.1 %
2.38	-	1	0.0 %
2.49	-	1	0.0 %
2.62	-	1	0.0 %
2.63	-	1	0.0 %
2.67	-	1	0.0 %
2.68	-	7	0.3 %
2.80	-	2	0.1 %
2.83	-	15	0.6 %
3.17	-	1	0.0 %
3.23	-	1	0.0 %
3.29	-	4	0.2 %
3.38	-	6	0.2 %
3.42	-	2	0.1 %
3.51	-	1	0.0 %
3.53	-	1	0.0 %
3.59	-	3	0.1 %

Value	Label	Unweighted Frequency	%
3.65	-	1	0.0 %
3.68	-	1	0.0 %
3.81	-	2	0.1 %
3.82	-	1	0.0 %
3.83	-	1	0.0 %
3.86	-	5	0.2 %
3.99	-	3	0.1 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 32.02
- Minimum: 0.00
- Maximum: 764.20
- Standard Deviation: 71.47

Location: 5155-5160 (*width:* 6; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPFE9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Iron, mg

EFP DDE Iron, mg

Value	Label	Unweighted Frequency	%
0.00	-	71	2.9 %
0.01	-	38	1.5 %
0.02	-	8	0.3 %
0.03	-	10	0.4 %
0.04	-	24	1.0 %
0.05	-	8	0.3 %
0.06	-	7	0.3 %
0.07	-	16	0.6 %
0.08	-	21	0.9 %
0.09	-	6	0.2 %
0.10	-	14	0.6 %
0.11	-	11	0.4 %
0.12	-	7	0.3 %
0.13	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.14	-	13	0.5 %
0.15	-	11	0.4 %
0.16	-	4	0.2 %
0.17	-	6	0.2 %
0.18	-	6	0.2 %
0.19	-	8	0.3 %
0.20	-	12	0.5 %
0.21	-	5	0.2 %
0.22	-	10	0.4 %
0.23	-	6	0.2 %
0.24	-	3	0.1 %
0.25	-	8	0.3 %
0.26	-	9	0.4 %
0.27	-	6	0.2 %
0.28	-	3	0.1 %
0.29	-	6	0.2 %
0.30	-	6	0.2 %
0.31	-	8	0.3 %
0.32	-	5	0.2 %
0.33	-	4	0.2 %
0.34	-	3	0.1 %
0.35	-	10	0.4 %
0.36	-	9	0.4 %
0.37	-	7	0.3 %
0.39	-	2	0.1 %
0.40	-	7	0.3 %
0.41	-	4	0.2 %
0.42	-	3	0.1 %
0.43	-	4	0.2 %
0.44	-	2	0.1 %
0.45	-	6	0.2 %
0.46	-	1	0.0 %
0.47	-	4	0.2 %
0.48	-	1	0.0 %
0.49	-	4	0.2 %
0.50	-	6	0.2 %
Missing Data			
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.64
- Median: 0.25
- Mode: 0.00
- Minimum: 0.00
- Maximum: 14.01
- Standard Deviation: 1.31

Location: 5161-5165 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPNA9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Sodium, mg

EFP DDE Sodium, mg

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.02	-	11	0.4 %
0.06	-	21	0.9 %
0.10	-	6	0.2 %
0.16	-	4	0.2 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.23	-	6	0.2 %
0.34	-	3	0.1 %
0.37	-	1	0.0 %
0.38	-	2	0.1 %
0.39	-	1	0.0 %
0.47	-	6	0.2 %
0.48	-	1	0.0 %
0.50	-	1	0.0 %
0.53	-	1	0.0 %
0.55	-	1	0.0 %
0.63	-	1	0.0 %
0.68	-	1	0.0 %
0.70	-	1	0.0 %
0.71	-	2	0.1 %
0.76	-	1	0.0 %
0.80	-	4	0.2 %
0.90	-	1	0.0 %
0.92	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.20	-	1	0.0 %
1.21	-	1	0.0 %
1.27	-	1	0.0 %
1.29	-	2	0.1 %
1.32	-	4	0.2 %
1.36	-	16	0.6 %
1.38	-	1	0.0 %
1.47	-	1	0.0 %
1.52	-	1	0.0 %
1.53	-	4	0.2 %
1.64	-	2	0.1 %
1.67	-	2	0.1 %
1.73	-	1	0.0 %
1.84	-	1	0.0 %
1.95	-	1	0.0 %
2.05	-	1	0.0 %
2.09	-	1	0.0 %
2.21	-	1	0.0 %
2.47	-	1	0.0 %
2.55	-	1	0.0 %
2.68	-	1	0.0 %
2.74	-	2	0.1 %
2.75	-	2	0.1 %
2.90	-	1	0.0 %
2.97	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 45.57
- Minimum: 0.00
- Maximum: 1816.34
- Standard Deviation: 114.26

Location: 5166-5172 (*width:* 7; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPPOTA9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Potassium, mg

EFP DDE Potassium, mg

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.71	-	10	0.4 %
1.17	-	1	0.0 %
1.63	-	21	0.9 %
1.68	-	2	0.1 %
2.43	-	5	0.2 %
3.03	-	6	0.2 %
3.14	-	1	0.0 %
3.35	-	1	0.0 %
3.37	-	1	0.0 %
3.67	-	2	0.1 %
3.89	-	1	0.0 %
4.06	-	2	0.1 %
4.12	-	7	0.3 %
4.15	-	2	0.1 %
4.38	-	3	0.1 %
4.55	-	4	0.2 %
4.91	-	1	0.0 %
5.30	-	1	0.0 %
5.62	-	4	0.2 %
5.75	-	1	0.0 %
5.78	-	1	0.0 %
5.82	-	1	0.0 %
6.52	-	1	0.0 %
6.82	-	7	0.3 %
6.90	-	1	0.0 %
6.98	-	2	0.1 %
7.22	-	1	0.0 %
7.30	-	2	0.1 %
7.43	-	1	0.0 %
7.74	-	2	0.1 %
7.81	-	1	0.0 %
8.48	-	1	0.0 %
8.54	-	1	0.0 %
8.58	-	1	0.0 %
8.66	-	2	0.1 %

Value	Label	Unweighted Frequency	%
9.15	-	1	0.0 %
9.42	-	1	0.0 %
9.87	-	2	0.1 %
10.11	-	1	0.0 %
10.91	-	1	0.0 %
10.95	-	1	0.0 %
11.01	-	1	0.0 %
11.18	-	2	0.1 %
11.30	-	1	0.0 %
11.55	-	1	0.0 %
11.58	-	1	0.0 %
12.27	-	1	0.0 %
12.57	-	2	0.1 %
12.84	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 107.82
- Minimum: 0.00
- Maximum: 2458.52
- Standard Deviation: 219.20

Location: 5173-5179 (width: 7; decimal: 2)

Variable Type: numeric

(Range of Missing Values: .

EFPAIUI9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) A_IU, international units

EFP DDE A_IU, international units

Value	Label	Unweighted Frequency	%
0.00	-	137	5.5 %
0.20	-	17	0.7 %
0.46	-	10	0.4 %
0.67	-	1	0.0 %
0.85	-	2	0.1 %
1.82	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2.54	-	1	0.0 %
2.63	-	11	0.4 %
3.29	-	2	0.1 %
4.19	-	1	0.0 %
4.45	-	10	0.4 %
4.63	-	1	0.0 %
5.11	-	3	0.1 %
5.37	-	1	0.0 %
5.95	-	1	0.0 %
6.05	-	3	0.1 %
6.07	-	4	0.2 %
6.45	-	1	0.0 %
6.49	-	1	0.0 %
7.09	-	8	0.3 %
7.29	-	6	0.2 %
7.55	-	2	0.1 %
7.79	-	1	0.0 %
7.86	-	1	0.0 %
7.88	-	2	0.1 %
8.55	-	1	0.0 %
8.64	-	1	0.0 %
10.39	-	1	0.0 %
10.49	-	2	0.1 %
10.94	-	1	0.0 %
11.12	-	1	0.0 %
13.55	-	2	0.1 %
13.81	-	1	0.0 %
14.98	-	1	0.0 %
15.19	-	14	0.6 %
15.39	-	10	0.4 %
15.56	-	1	0.0 %
15.65	-	1	0.0 %
15.77	-	1	0.0 %
15.89	-	1	0.0 %
16.04	-	2	0.1 %
16.37	-	5	0.2 %
16.65	-	1	0.0 %
17.61	-	1	0.0 %
17.73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.82	-	1	0.0 %
20.32	-	1	0.0 %
20.64	-	1	0.0 %
21.24	-	1	0.0 %
21.48	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 256.32
- Minimum: 0.00
- Maximum: 6799.25
- Standard Deviation: 613.28

Location: 5180-5186 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPARE9: Ethnic Foods Pages (EFP) Daily dietary estimate, A_RE

EFP Daily dietary estimate, A_RE

Value	Label	Unweighted Frequency	%
0.00	-	137	5.5 %
0.02	-	17	0.7 %
0.05	-	10	0.4 %
0.07	-	1	0.0 %
0.08	-	2	0.1 %
0.18	-	2	0.1 %
0.25	-	1	0.0 %
0.26	-	11	0.4 %
0.33	-	2	0.1 %
0.42	-	1	0.0 %
0.44	-	10	0.4 %
0.47	-	1	0.0 %
0.51	-	3	0.1 %
0.54	-	1	0.0 %
0.60	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.61	-	4	0.2 %
0.65	-	2	0.1 %
0.78	-	1	0.0 %
0.79	-	3	0.1 %
0.85	-	1	0.0 %
0.86	-	1	0.0 %
1.05	-	2	0.1 %
1.09	-	1	0.0 %
1.12	-	1	0.0 %
1.33	-	1	0.0 %
1.38	-	1	0.0 %
1.50	-	1	0.0 %
1.52	-	14	0.6 %
1.54	-	10	0.4 %
1.56	-	2	0.1 %
1.58	-	1	0.0 %
1.59	-	1	0.0 %
1.60	-	2	0.1 %
1.67	-	1	0.0 %
1.76	-	1	0.0 %
1.77	-	1	0.0 %
1.78	-	2	0.1 %
2.03	-	1	0.0 %
2.12	-	9	0.4 %
2.14	-	7	0.3 %
2.17	-	2	0.1 %
2.25	-	1	0.0 %
2.31	-	1	0.0 %
2.42	-	1	0.0 %
2.45	-	1	0.0 %
2.47	-	1	0.0 %
2.57	-	1	0.0 %
2.59	-	1	0.0 %
2.61	-	1	0.0 %
2.66	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 26.34
- Minimum: 0.00
- Maximum: 679.93
- Standard Deviation: 61.48

Location: 5187-5192 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPB19: Ethnic Foods Pages (EFP) Daily dietary estimate B1, mg

EFP Daily dietary estimate B1, mg

Value	Label	Unweighted Frequency	%
0.00	-	199	8.1 %
0.01	-	118	4.8 %
0.02	-	68	2.8 %
0.03	-	45	1.8 %
0.04	-	61	2.5 %
0.05	-	35	1.4 %
0.06	-	24	1.0 %
0.07	-	16	0.6 %
0.08	-	19	0.8 %
0.09	-	18	0.7 %
0.10	-	13	0.5 %
0.11	-	6	0.2 %
0.12	-	9	0.4 %
0.13	-	4	0.2 %
0.14	-	3	0.1 %
0.15	-	1	0.0 %
0.16	-	2	0.1 %
0.17	-	5	0.2 %
0.18	-	2	0.1 %
0.19	-	1	0.0 %
0.21	-	2	0.1 %
0.23	-	2	0.1 %
0.24	-	1	0.0 %
0.25	-	3	0.1 %
0.26	-	1	0.0 %
0.27	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.28	-	1	0.0 %
0.29	-	1	0.0 %
0.31	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	2	0.1 %
0.52	-	2	0.1 %
0.69	-	1	0.0 %
0.89	-	1	0.0 %
1.18	-	1	0.0 %
1.30	-	1	0.0 %
1.71	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.05
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.71
- Standard Deviation: 0.12

Location: 5193-5196 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPRIBO9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Riboflavin, mg

EFP DDE Riboflavin, mg

Value	Label	Unweighted Frequency	%
0.00	-	146	5.9 %
0.01	-	138	5.6 %
0.02	-	99	4.0 %
0.03	-	58	2.3 %
0.04	-	49	2.0 %
0.05	-	41	1.7 %
0.06	-	25	1.0 %

Value	Label	Unweighted Frequency	%
0.07	-	20	0.8 %
0.08	-	14	0.6 %
0.09	-	26	1.1 %
0.10	-	9	0.4 %
0.11	-	4	0.2 %
0.12	-	6	0.2 %
0.13	-	4	0.2 %
0.14	-	2	0.1 %
0.15	-	3	0.1 %
0.16	-	4	0.2 %
0.17	-	3	0.1 %
0.18	-	2	0.1 %
0.19	-	1	0.0 %
0.20	-	1	0.0 %
0.21	-	1	0.0 %
0.22	-	5	0.2 %
0.24	-	1	0.0 %
0.25	-	1	0.0 %
0.26	-	1	0.0 %
0.27	-	3	0.1 %
0.29	-	2	0.1 %
0.31	-	1	0.0 %
0.32	-	1	0.0 %
0.35	-	1	0.0 %
0.41	-	1	0.0 %
0.43	-	1	0.0 %
0.55	-	1	0.0 %
0.57	-	1	0.0 %
0.76	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.04
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.76
- Standard Deviation: 0.07

Location: 5197-5200 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPNIAC9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Niacin, mg

EFP DDE Niacin, mg

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.01	-	16	0.6 %
0.02	-	44	1.8 %
0.03	-	11	0.4 %
0.04	-	22	0.9 %
0.05	-	3	0.1 %
0.06	-	7	0.3 %
0.07	-	9	0.4 %
0.08	-	2	0.1 %
0.09	-	24	1.0 %
0.10	-	11	0.4 %
0.11	-	4	0.2 %
0.12	-	16	0.6 %
0.13	-	7	0.3 %
0.14	-	13	0.5 %
0.15	-	13	0.5 %
0.16	-	11	0.4 %
0.17	-	24	1.0 %
0.18	-	15	0.6 %
0.19	-	11	0.4 %
0.20	-	9	0.4 %
0.21	-	8	0.3 %
0.22	-	10	0.4 %
0.23	-	4	0.2 %
0.24	-	3	0.1 %
0.25	-	8	0.3 %
0.26	-	10	0.4 %
0.27	-	9	0.4 %
0.28	-	5	0.2 %
0.29	-	5	0.2 %
0.30	-	7	0.3 %
0.31	-	9	0.4 %
0.32	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.33	-	12	0.5 %
0.34	-	3	0.1 %
0.35	-	8	0.3 %
0.36	-	8	0.3 %
0.37	-	4	0.2 %
0.38	-	6	0.2 %
0.39	-	5	0.2 %
0.40	-	7	0.3 %
0.41	-	2	0.1 %
0.42	-	5	0.2 %
0.43	-	5	0.2 %
0.44	-	6	0.2 %
0.45	-	3	0.1 %
0.46	-	4	0.2 %
0.47	-	8	0.3 %
0.48	-	4	0.2 %
0.49	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.41
- Median: 0.21
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.11
- Standard Deviation: 0.67

Location: 5201-5204 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPVITC9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Vitamin C, mg

EFP DDE Vitamin C, mg

Value	Label	Unweighted Frequency	%
0.00	-	115	4.7 %
0.01	-	11	0.4 %

Value	Label	Unweighted Frequency	%
0.02	-	10	0.4 %
0.03	-	8	0.3 %
0.04	-	2	0.1 %
0.05	-	5	0.2 %
0.06	-	5	0.2 %
0.08	-	7	0.3 %
0.09	-	6	0.2 %
0.10	-	1	0.0 %
0.12	-	1	0.0 %
0.13	-	1	0.0 %
0.14	-	10	0.4 %
0.16	-	1	0.0 %
0.19	-	8	0.3 %
0.21	-	1	0.0 %
0.24	-	4	0.2 %
0.29	-	1	0.0 %
0.32	-	1	0.0 %
0.37	-	7	0.3 %
0.38	-	11	0.4 %
0.39	-	1	0.0 %
0.40	-	2	0.1 %
0.41	-	1	0.0 %
0.49	-	1	0.0 %
0.63	-	1	0.0 %
0.70	-	1	0.0 %
0.71	-	2	0.1 %
0.75	-	2	0.1 %
0.77	-	2	0.1 %
0.78	-	1	0.0 %
0.86	-	8	0.3 %
0.87	-	2	0.1 %
0.88	-	4	0.2 %
0.89	-	3	0.1 %
0.95	-	1	0.0 %
0.98	-	1	0.0 %
0.99	-	1	0.0 %
1.00	-	2	0.1 %
1.04	-	23	0.9 %
1.05	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.07	-	1	0.0 %
1.10	-	2	0.1 %
1.11	-	1	0.0 %
1.12	-	9	0.4 %
1.14	-	1	0.0 %
1.16	-	1	0.0 %
1.18	-	5	0.2 %
1.19	-	2	0.1 %
1.21	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 5.42
- Minimum: 0.00
- Maximum: 113.85
- Standard Deviation: 10.87

Location: 5205-5210 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPSFAT9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Saturated Fat, gms

EFP DDE Saturated Fat, gms

Value	Label	Unweighted Frequency	%
0.00	-	177	7.2 %
0.01	-	30	1.2 %
0.02	-	6	0.2 %
0.03	-	7	0.3 %
0.04	-	21	0.9 %
0.05	-	35	1.4 %
0.06	-	5	0.2 %
0.07	-	20	0.8 %
0.08	-	8	0.3 %
0.09	-	6	0.2 %
0.10	-	18	0.7 %
0.11	-	11	0.4 %

Value	Label	Unweighted Frequency	%
0.12	-	13	0.5 %
0.13	-	2	0.1 %
0.14	-	11	0.4 %
0.15	-	10	0.4 %
0.16	-	5	0.2 %
0.17	-	8	0.3 %
0.18	-	12	0.5 %
0.19	-	7	0.3 %
0.20	-	4	0.2 %
0.21	-	9	0.4 %
0.22	-	39	1.6 %
0.23	-	11	0.4 %
0.24	-	5	0.2 %
0.25	-	3	0.1 %
0.26	-	3	0.1 %
0.27	-	6	0.2 %
0.28	-	13	0.5 %
0.29	-	4	0.2 %
0.30	-	2	0.1 %
0.31	-	1	0.0 %
0.32	-	8	0.3 %
0.33	-	4	0.2 %
0.34	-	5	0.2 %
0.35	-	4	0.2 %
0.36	-	2	0.1 %
0.37	-	3	0.1 %
0.38	-	4	0.2 %
0.39	-	1	0.0 %
0.40	-	5	0.2 %
0.41	-	2	0.1 %
0.42	-	3	0.1 %
0.43	-	2	0.1 %
0.44	-	3	0.1 %
0.45	-	5	0.2 %
0.46	-	2	0.1 %
0.47	-	2	0.1 %
0.49	-	4	0.2 %
0.50	-	14	0.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.28
- Median: 0.11
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.14
- Standard Deviation: 0.60

Location: 5211-5214 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPOLEC9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Oleic Acid, gms

EFP DDE Oleic Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	210	8.5 %
0.01	-	24	1.0 %
0.02	-	37	1.5 %
0.03	-	16	0.6 %
0.04	-	6	0.2 %
0.05	-	17	0.7 %
0.06	-	4	0.2 %
0.07	-	16	0.6 %
0.08	-	1	0.0 %
0.09	-	13	0.5 %
0.10	-	2	0.1 %
0.11	-	73	3.0 %
0.12	-	13	0.5 %
0.13	-	4	0.2 %
0.14	-	19	0.8 %
0.15	-	3	0.1 %
0.16	-	7	0.3 %
0.17	-	2	0.1 %
0.18	-	7	0.3 %
0.19	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.20	-	9	0.4 %
0.21	-	3	0.1 %
0.22	-	4	0.2 %
0.23	-	4	0.2 %
0.24	-	16	0.6 %
0.25	-	13	0.5 %
0.26	-	7	0.3 %
0.27	-	4	0.2 %
0.28	-	8	0.3 %
0.29	-	5	0.2 %
0.30	-	4	0.2 %
0.31	-	3	0.1 %
0.32	-	3	0.1 %
0.33	-	6	0.2 %
0.34	-	3	0.1 %
0.35	-	6	0.2 %
0.36	-	2	0.1 %
0.37	-	5	0.2 %
0.38	-	2	0.1 %
0.39	-	5	0.2 %
0.40	-	1	0.0 %
0.41	-	2	0.1 %
0.43	-	1	0.0 %
0.44	-	6	0.2 %
0.45	-	2	0.1 %
0.46	-	1	0.0 %
0.48	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	2	0.1 %
0.51	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.22
- Median: 0.09

- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.64
- Standard Deviation: 0.52

Location: 5215-5218 (*width:* 4; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPLIN9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Linoleic Acid, gms

EFP DDE Linoleic Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	167	6.8 %
0.01	-	44	1.8 %
0.02	-	10	0.4 %
0.03	-	31	1.3 %
0.04	-	15	0.6 %
0.05	-	8	0.3 %
0.06	-	5	0.2 %
0.07	-	9	0.4 %
0.08	-	12	0.5 %
0.09	-	3	0.1 %
0.10	-	12	0.5 %
0.11	-	13	0.5 %
0.12	-	5	0.2 %
0.13	-	1	0.0 %
0.14	-	1	0.0 %
0.15	-	2	0.1 %
0.16	-	5	0.2 %
0.17	-	7	0.3 %
0.18	-	6	0.2 %
0.19	-	19	0.8 %
0.20	-	18	0.7 %
0.21	-	5	0.2 %
0.22	-	2	0.1 %
0.23	-	6	0.2 %
0.24	-	7	0.3 %
0.25	-	4	0.2 %
0.26	-	5	0.2 %
0.27	-	23	0.9 %
0.28	-	13	0.5 %

Value	Label	Unweighted Frequency	%
0.29	-	10	0.4 %
0.30	-	3	0.1 %
0.31	-	9	0.4 %
0.32	-	1	0.0 %
0.35	-	1	0.0 %
0.36	-	1	0.0 %
0.37	-	4	0.2 %
0.38	-	7	0.3 %
0.39	-	6	0.2 %
0.40	-	5	0.2 %
0.41	-	2	0.1 %
0.42	-	6	0.2 %
0.43	-	1	0.0 %
0.44	-	4	0.2 %
0.45	-	10	0.4 %
0.46	-	2	0.1 %
0.47	-	6	0.2 %
0.48	-	4	0.2 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.52	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.44
- Median: 0.16
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.41
- Standard Deviation: 1.19

Location: 5219-5223 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPCHOL9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Cholesterol, mg

EFP DDE Cholesterol, mg

Value	Label	Unweighted Frequency	%
0.00	-	515	20.9 %
0.15	-	27	1.1 %
0.33	-	2	0.1 %
0.35	-	8	0.3 %
0.65	-	1	0.0 %
1.31	-	2	0.1 %
1.96	-	2	0.1 %
1.98	-	1	0.0 %
2.38	-	17	0.7 %
2.53	-	1	0.0 %
3.96	-	1	0.0 %
4.50	-	37	1.5 %
4.65	-	2	0.1 %
4.82	-	1	0.0 %
4.85	-	3	0.1 %
5.15	-	3	0.1 %
5.49	-	2	0.1 %
5.80	-	2	0.1 %
6.88	-	3	0.1 %
8.42	-	1	0.0 %
9.64	-	1	0.0 %
10.06	-	1	0.0 %
10.38	-	13	0.5 %
10.73	-	1	0.0 %
15.45	-	11	0.4 %
15.61	-	1	0.0 %
19.27	-	3	0.1 %
19.62	-	1	0.0 %
19.95	-	1	0.0 %
20.10	-	1	0.0 %
21.26	-	1	0.0 %
26.18	-	1	0.0 %
33.48	-	2	0.1 %
33.83	-	1	0.0 %
37.98	-	1	0.0 %
43.86	-	1	0.0 %
52.91	-	1	0.0 %
77.09	-	1	0.0 %
93.74	-	1	0.0 %

Value	Label	Unweighted Frequency	%
134.90	-	1	0.0 %
191.97	-	1	0.0 %
	Missing Data		
.	.	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 2.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 191.97
- Standard Deviation: 11.22

Location: 5224-5229 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPDFIB9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Dietary Fiber, gms

EFP DDE Dietary Fiber, gms

Value	Label	Unweighted Frequency	%
0.00	-	66	2.7 %
0.01	-	20	0.8 %
0.02	-	12	0.5 %
0.03	-	25	1.0 %
0.04	-	7	0.3 %
0.05	-	15	0.6 %
0.06	-	25	1.0 %
0.07	-	12	0.5 %
0.08	-	12	0.5 %
0.09	-	11	0.4 %
0.10	-	10	0.4 %
0.11	-	21	0.9 %
0.12	-	4	0.2 %
0.13	-	12	0.5 %
0.14	-	10	0.4 %
0.15	-	12	0.5 %
0.16	-	12	0.5 %
0.17	-	10	0.4 %
0.18	-	9	0.4 %

Value	Label	Unweighted Frequency	%
0.19	-	3	0.1 %
0.20	-	2	0.1 %
0.21	-	1	0.0 %
0.22	-	10	0.4 %
0.23	-	11	0.4 %
0.24	-	10	0.4 %
0.25	-	8	0.3 %
0.26	-	4	0.2 %
0.27	-	6	0.2 %
0.28	-	4	0.2 %
0.29	-	2	0.1 %
0.31	-	2	0.1 %
0.32	-	3	0.1 %
0.33	-	1	0.0 %
0.34	-	7	0.3 %
0.35	-	9	0.4 %
0.36	-	3	0.1 %
0.37	-	11	0.4 %
0.38	-	11	0.4 %
0.39	-	9	0.4 %
0.40	-	2	0.1 %
0.41	-	1	0.0 %
0.42	-	6	0.2 %
0.43	-	2	0.1 %
0.44	-	4	0.2 %
0.45	-	5	0.2 %
0.46	-	3	0.1 %
0.47	-	5	0.2 %
0.48	-	5	0.2 %
0.49	-	7	0.3 %
0.50	-	4	0.2 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.62

- Median: 0.24
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.08
- Standard Deviation: 1.31

Location: 5230-5234 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPFOL9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Folate, mcg

EFP DDE Folate, mcg

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.13	-	10	0.4 %
0.17	-	1	0.0 %
0.29	-	20	0.8 %
0.33	-	6	0.2 %
0.37	-	2	0.1 %
0.44	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	1	0.0 %
0.50	-	1	0.0 %
0.54	-	6	0.2 %
0.56	-	2	0.1 %
0.63	-	2	0.1 %
0.67	-	7	0.3 %
0.70	-	1	0.0 %
0.72	-	2	0.1 %
0.73	-	1	0.0 %
0.77	-	5	0.2 %
0.81	-	20	0.8 %
0.89	-	2	0.1 %
0.93	-	2	0.1 %
0.94	-	1	0.0 %
0.96	-	1	0.0 %
0.99	-	1	0.0 %
1.01	-	3	0.1 %
1.09	-	2	0.1 %
1.10	-	3	0.1 %
1.12	-	1	0.0 %
1.15	-	12	0.5 %

Value	Label	Unweighted Frequency	%
1.18	-	1	0.0 %
1.21	-	1	0.0 %
1.22	-	6	0.2 %
1.24	-	1	0.0 %
1.28	-	3	0.1 %
1.37	-	2	0.1 %
1.43	-	1	0.0 %
1.48	-	3	0.1 %
1.54	-	2	0.1 %
1.58	-	1	0.0 %
1.60	-	1	0.0 %
1.62	-	1	0.0 %
1.65	-	2	0.1 %
1.66	-	1	0.0 %
1.70	-	2	0.1 %
1.72	-	1	0.0 %
1.76	-	1	0.0 %
1.80	-	2	0.1 %
1.82	-	2	0.1 %
1.85	-	1	0.0 %
1.87	-	6	0.2 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 15.96
- Minimum: 0.00
- Maximum: 436.41
- Standard Deviation: 37.67

Location: 5235-5240 (*width:* 6; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPVITE9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Vitamin E, a-TE

EFP DDE Vitamin E, a-TE

Value	Label	Unweighted Frequency	%
0.00	-	131	5.3 %
0.01	-	23	0.9 %
0.02	-	23	0.9 %
0.03	-	47	1.9 %
0.04	-	14	0.6 %
0.05	-	40	1.6 %
0.06	-	31	1.3 %
0.07	-	12	0.5 %
0.08	-	14	0.6 %
0.09	-	16	0.6 %
0.10	-	6	0.2 %
0.11	-	19	0.8 %
0.12	-	15	0.6 %
0.13	-	20	0.8 %
0.14	-	21	0.9 %
0.15	-	22	0.9 %
0.16	-	13	0.5 %
0.17	-	16	0.6 %
0.18	-	7	0.3 %
0.19	-	3	0.1 %
0.20	-	6	0.2 %
0.21	-	11	0.4 %
0.22	-	8	0.3 %
0.23	-	1	0.0 %
0.24	-	6	0.2 %
0.25	-	6	0.2 %
0.26	-	1	0.0 %
0.27	-	5	0.2 %
0.28	-	3	0.1 %
0.29	-	7	0.3 %
0.30	-	6	0.2 %
0.31	-	5	0.2 %
0.32	-	2	0.1 %
0.33	-	3	0.1 %
0.34	-	2	0.1 %
0.35	-	4	0.2 %
0.36	-	4	0.2 %
0.38	-	1	0.0 %
0.39	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.41	-	4	0.2 %
0.42	-	2	0.1 %
0.44	-	3	0.1 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	3	0.1 %
0.48	-	4	0.2 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.52	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.23
- Median: 0.09
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.31
- Standard Deviation: 0.52

Location: 5241-5244 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPZINC9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Zinc, mg

EFP DDE Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	67	2.7 %
0.01	-	89	3.6 %
0.02	-	44	1.8 %
0.03	-	41	1.7 %
0.04	-	26	1.1 %
0.05	-	29	1.2 %
0.06	-	30	1.2 %
0.07	-	11	0.4 %

Value	Label	Unweighted Frequency	%
0.08	-	15	0.6 %
0.09	-	14	0.6 %
0.10	-	26	1.1 %
0.11	-	14	0.6 %
0.12	-	17	0.7 %
0.13	-	10	0.4 %
0.14	-	15	0.6 %
0.15	-	14	0.6 %
0.16	-	3	0.1 %
0.17	-	2	0.1 %
0.18	-	12	0.5 %
0.19	-	11	0.4 %
0.20	-	7	0.3 %
0.21	-	8	0.3 %
0.22	-	2	0.1 %
0.23	-	7	0.3 %
0.24	-	9	0.4 %
0.25	-	12	0.5 %
0.26	-	7	0.3 %
0.27	-	9	0.4 %
0.28	-	6	0.2 %
0.29	-	4	0.2 %
0.30	-	5	0.2 %
0.31	-	7	0.3 %
0.32	-	4	0.2 %
0.33	-	1	0.0 %
0.34	-	1	0.0 %
0.35	-	5	0.2 %
0.36	-	5	0.2 %
0.37	-	4	0.2 %
0.38	-	3	0.1 %
0.39	-	2	0.1 %
0.40	-	5	0.2 %
0.41	-	1	0.0 %
0.42	-	4	0.2 %
0.43	-	4	0.2 %
0.45	-	5	0.2 %
0.47	-	3	0.1 %
0.48	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.20
- Median: 0.08
- Mode: 0.01
- Minimum: 0.00
- Maximum: 4.41
- Standard Deviation: 0.42

Location: 5245-5248 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPANZ9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Animal Zinc, mg

EFP DDE Animal Zinc, mg

Value	Label	Unweighted Frequency	%
0.00	-	560	22.7 %
0.04	-	49	2.0 %
0.05	-	18	0.7 %
0.09	-	16	0.6 %
0.10	-	14	0.6 %
0.12	-	2	0.1 %
0.13	-	3	0.1 %
0.18	-	4	0.2 %
0.19	-	4	0.2 %
0.24	-	1	0.0 %
0.29	-	1	0.0 %
0.37	-	1	0.0 %
0.54	-	1	0.0 %
0.71	-	1	0.0 %
1.13	-	1	0.0 %
1.24	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.24
- Standard Deviation: 0.08

Location: 5249-5252 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPB69: Ethnic Foods Pages (EFP) Daily dietary estimate B6, mg

EFP Daily dietary estimate B6, mg

Value	Label	Unweighted Frequency	%
0.00	-	185	7.5 %
0.01	-	203	8.2 %
0.02	-	109	4.4 %
0.03	-	44	1.8 %
0.04	-	42	1.7 %
0.05	-	24	1.0 %
0.06	-	12	0.5 %
0.07	-	7	0.3 %
0.08	-	15	0.6 %
0.09	-	7	0.3 %
0.10	-	6	0.2 %
0.11	-	2	0.1 %
0.13	-	5	0.2 %
0.14	-	2	0.1 %
0.15	-	1	0.0 %
0.16	-	3	0.1 %
0.17	-	1	0.0 %
0.18	-	1	0.0 %
0.19	-	1	0.0 %
0.21	-	1	0.0 %
0.23	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.25	-	1	0.0 %
0.30	-	1	0.0 %
0.31	-	1	0.0 %
0.39	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.02
- Median: 0.01
- Mode: 0.01
- Minimum: 0.00
- Maximum: 0.39
- Standard Deviation: 0.04

Location: 5253-5256 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPMG9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Magnesium, mg

EFP DDE Magnesium, mg

Value	Label	Unweighted Frequency	%
0.00	-	61	2.5 %
0.08	-	10	0.4 %
0.20	-	20	0.8 %
0.25	-	2	0.1 %
0.31	-	2	0.1 %
0.34	-	4	0.2 %
0.35	-	1	0.0 %
0.36	-	6	0.2 %
0.40	-	1	0.0 %
0.42	-	3	0.1 %
0.44	-	16	0.6 %
0.45	-	2	0.1 %
0.46	-	1	0.0 %
0.50	-	6	0.2 %
0.52	-	1	0.0 %
0.54	-	4	0.2 %
0.58	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.60	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.67	-	1	0.0 %
0.69	-	4	0.2 %
0.70	-	1	0.0 %
0.71	-	3	0.1 %
0.73	-	1	0.0 %
0.77	-	1	0.0 %
0.78	-	3	0.1 %
0.82	-	6	0.2 %
0.94	-	9	0.4 %
0.98	-	1	0.0 %
1.00	-	7	0.3 %
1.02	-	6	0.2 %
1.04	-	3	0.1 %
1.06	-	2	0.1 %
1.08	-	2	0.1 %
1.11	-	1	0.0 %
1.14	-	4	0.2 %
1.15	-	5	0.2 %
1.16	-	1	0.0 %
1.19	-	2	0.1 %
1.20	-	2	0.1 %
1.23	-	2	0.1 %
1.27	-	1	0.0 %
1.28	-	1	0.0 %
1.32	-	1	0.0 %
1.35	-	1	0.0 %
1.39	-	1	0.0 %
1.43	-	1	0.0 %
1.44	-	3	0.1 %
1.45	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 9.75
- Minimum: 0.00
- Maximum: 255.39
- Standard Deviation: 22.84

Location: 5257-5262 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPACAR9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) AlphaCarotene, mcg

EFP DDE AlphaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	578	23.4 %
0.04	-	57	2.3 %
0.09	-	32	1.3 %
0.17	-	6	0.2 %
0.34	-	3	0.1 %
0.51	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.51
- Standard Deviation: 0.04

Location: 5263-5266 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPBCAR9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) BetaCarotene, mcg

EFP DDE BetaCarotene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	154	6.2 %
0.12	-	23	0.9 %
0.27	-	13	0.5 %
0.36	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.51	-	2	0.1 %
0.88	-	3	0.1 %
1.09	-	2	0.1 %
1.15	-	1	0.0 %
1.52	-	1	0.0 %
1.58	-	12	0.5 %
1.90	-	1	0.0 %
1.94	-	3	0.1 %
2.52	-	1	0.0 %
2.67	-	11	0.4 %
2.78	-	2	0.1 %
3.03	-	3	0.1 %
3.22	-	1	0.0 %
3.63	-	3	0.1 %
3.64	-	4	0.2 %
3.87	-	2	0.1 %
3.93	-	1	0.0 %
4.67	-	2	0.1 %
4.72	-	1	0.0 %
4.73	-	2	0.1 %
5.09	-	1	0.0 %
5.32	-	1	0.0 %
6.30	-	2	0.1 %
8.29	-	1	0.0 %
8.30	-	2	0.1 %
8.40	-	1	0.0 %
9.11	-	20	0.8 %
9.18	-	1	0.0 %
9.23	-	13	0.5 %
9.30	-	1	0.0 %
9.39	-	1	0.0 %
9.45	-	1	0.0 %
9.46	-	1	0.0 %
9.53	-	1	0.0 %
9.62	-	2	0.1 %
9.95	-	1	0.0 %
9.99	-	4	0.2 %
10.13	-	1	0.0 %
10.64	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.69	-	1	0.0 %
10.95	-	1	0.0 %
11.13	-	1	0.0 %
12.19	-	1	0.0 %
12.74	-	1	0.0 %
12.97	-	1	0.0 %
13.52	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 150.56
- Minimum: 0.00
- Maximum: 4070.56
- Standard Deviation: 367.11

Location: 5267-5273 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPCRYP9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Cryptoxanthin, mcg

EFP DDE Cryptoxanthin, mcg

Value	Label	Unweighted Frequency	%
0.00	-	363	14.7 %
0.10	-	10	0.4 %
0.21	-	1	0.0 %
0.56	-	4	0.2 %
1.11	-	1	0.0 %
1.14	-	83	3.4 %
1.24	-	17	0.7 %
1.28	-	1	0.0 %
1.37	-	5	0.2 %
1.70	-	1	0.0 %
1.93	-	1	0.0 %
2.28	-	1	0.0 %
2.44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.54	-	2	0.1 %
2.63	-	73	3.0 %
2.73	-	8	0.3 %
2.85	-	3	0.1 %
2.86	-	11	0.4 %
2.87	-	1	0.0 %
3.06	-	1	0.0 %
3.19	-	2	0.1 %
3.29	-	1	0.0 %
3.49	-	2	0.1 %
3.91	-	1	0.0 %
4.89	-	9	0.4 %
4.99	-	2	0.1 %
5.01	-	1	0.0 %
5.12	-	1	0.0 %
5.31	-	1	0.0 %
5.82	-	1	0.0 %
9.77	-	17	0.7 %
9.87	-	4	0.2 %
10.00	-	2	0.1 %
10.20	-	2	0.1 %
10.43	-	2	0.1 %
14.63	-	1	0.0 %
14.66	-	7	0.3 %
14.76	-	4	0.2 %
14.87	-	1	0.0 %
14.89	-	2	0.1 %
15.94	-	1	0.0 %
19.54	-	3	0.1 %
19.64	-	3	0.1 %
19.77	-	1	0.0 %
19.97	-	1	0.0 %
20.82	-	1	0.0 %
29.31	-	4	0.2 %
29.41	-	1	0.0 %
29.55	-	1	0.0 %
29.64	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 2.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 75.23
- Standard Deviation: 6.80

Location: 5274-5278 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPLUT9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Lutein, mcg

EFP DDE Lutein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	431	17.5 %
0.10	-	59	2.4 %
0.23	-	18	0.7 %
0.43	-	3	0.1 %
0.56	-	24	1.0 %
0.66	-	19	0.8 %
0.79	-	4	0.2 %
0.85	-	1	0.0 %
0.94	-	2	0.1 %
1.04	-	1	0.0 %
1.20	-	2	0.1 %
1.29	-	11	0.4 %
1.30	-	3	0.1 %
1.39	-	5	0.2 %
1.42	-	1	0.0 %
1.43	-	1	0.0 %
1.50	-	1	0.0 %
1.52	-	7	0.3 %
1.84	-	1	0.0 %
2.15	-	1	0.0 %
2.18	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2.40	-	2	0.1 %
2.50	-	3	0.1 %
2.63	-	1	0.0 %
4.80	-	3	0.1 %
7.30	-	1	0.0 %
25.16	-	1	0.0 %
50.22	-	20	0.8 %
50.32	-	8	0.3 %
50.45	-	1	0.0 %
50.78	-	1	0.0 %
50.88	-	1	0.0 %
51.17	-	1	0.0 %
51.27	-	1	0.0 %
51.40	-	1	0.0 %
51.73	-	1	0.0 %
52.46	-	1	0.0 %
54.27	-	1	0.0 %
107.64	-	2	0.1 %
108.30	-	1	0.0 %
115.92	-	8	0.3 %
116.02	-	4	0.2 %
116.15	-	3	0.1 %
116.28	-	1	0.0 %
116.48	-	1	0.0 %
116.71	-	1	0.0 %
116.86	-	2	0.1 %
117.21	-	1	0.0 %
117.52	-	1	0.0 %
118.10	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 9.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 326.46
- Standard Deviation: 32.63

Location: 5279-5284 (*width:* 6; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPLYC9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Lycopene, mcg

EFP DDE Lycopene, mcg

Value	Label	Unweighted Frequency	%
0.00	-	374	15.1 %
0.93	-	4	0.2 %
1.86	-	1	0.0 %
2.15	-	1	0.0 %
58.02	-	105	4.3 %
58.96	-	2	0.1 %
116.05	-	1	0.0 %
124.35	-	4	0.2 %
133.92	-	98	4.0 %
134.85	-	3	0.1 %
136.07	-	1	0.0 %
137.91	-	1	0.0 %
248.71	-	13	0.5 %
268.77	-	1	0.0 %
497.42	-	25	1.0 %
498.35	-	2	0.1 %
505.40	-	1	0.0 %
746.13	-	15	0.6 %
994.83	-	8	0.3 %
996.98	-	1	0.0 %
1492.25	-	6	0.2 %
1508.62	-	2	0.1 %
1740.96	-	2	0.1 %
2262.92	-	5	0.2 %
3829.57	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 131.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3829.57
- Standard Deviation: 343.91

Location: 5285-5291 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPRET9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Retinol, mcg

EFP DDE Retinol, mcg

Value	Label	Unweighted Frequency	%
0.00	-	560	22.7 %
1.78	-	18	0.7 %
2.12	-	49	2.0 %
3.91	-	3	0.1 %
4.12	-	2	0.1 %
4.55	-	1	0.0 %
4.90	-	14	0.6 %
6.82	-	12	0.5 %
8.94	-	3	0.1 %
9.09	-	4	0.2 %
11.71	-	1	0.0 %
14.77	-	3	0.1 %
16.89	-	1	0.0 %
19.67	-	1	0.0 %
23.86	-	1	0.0 %
36.37	-	1	0.0 %
41.35	-	1	0.0 %
63.65	-	1	0.0 %
84.82	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 84.82

- Standard Deviation: 5.07

Location: 5292-5296 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPPROA9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Pro-A Carotenes, mcg

EFP DDE Pro-A Carotenes, mcg

Value	Label	Unweighted Frequency	%
0.00	-	154	6.2 %
0.12	-	23	0.9 %
0.27	-	13	0.5 %
0.40	-	1	0.0 %
0.51	-	2	0.1 %
0.88	-	3	0.1 %
1.09	-	2	0.1 %
1.15	-	1	0.0 %
1.52	-	1	0.0 %
1.58	-	12	0.5 %
1.90	-	1	0.0 %
1.98	-	3	0.1 %
2.52	-	1	0.0 %
2.67	-	11	0.4 %
2.78	-	2	0.1 %
3.07	-	3	0.1 %
3.22	-	1	0.0 %
3.63	-	3	0.1 %
3.64	-	4	0.2 %
3.87	-	2	0.1 %
3.93	-	1	0.0 %
4.67	-	2	0.1 %
4.72	-	1	0.0 %
4.73	-	2	0.1 %
5.13	-	1	0.0 %
5.32	-	1	0.0 %
6.30	-	2	0.1 %
8.29	-	1	0.0 %
8.30	-	2	0.1 %
8.40	-	1	0.0 %
9.11	-	20	0.8 %
9.18	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.23	-	13	0.5 %
9.34	-	1	0.0 %
9.39	-	1	0.0 %
9.45	-	1	0.0 %
9.46	-	1	0.0 %
9.53	-	1	0.0 %
9.62	-	2	0.1 %
9.95	-	1	0.0 %
9.99	-	4	0.2 %
10.13	-	1	0.0 %
10.64	-	1	0.0 %
10.69	-	1	0.0 %
10.95	-	1	0.0 %
11.13	-	1	0.0 %
12.19	-	1	0.0 %
12.74	-	1	0.0 %
12.97	-	1	0.0 %
13.52	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 150.57
- Minimum: 0.00
- Maximum: 4070.56
- Standard Deviation: 367.12

Location: 5297-5303 (width: 7; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPGENI9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Genistein, mcg

EFP DDE Genistein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	379	15.4 %
98.31	-	3	0.1 %

Value	Label	Unweighted Frequency	%
196.62	-	1	0.0 %
364.81	-	1	0.0 %
585.85	-	2	0.1 %
766.56	-	46	1.9 %
812.42	-	2	0.1 %
950.66	-	1	0.0 %
1148.03	-	1	0.0 %
1171.69	-	1	0.0 %
1642.86	-	6	0.2 %
1767.95	-	14	0.6 %
1769.23	-	23	0.9 %
1867.54	-	1	0.0 %
1875.08	-	2	0.1 %
1930.00	-	1	0.0 %
2101.98	-	1	0.0 %
2132.76	-	1	0.0 %
2176.00	-	2	0.1 %
2580.36	-	1	0.0 %
2658.46	-	45	1.8 %
2687.79	-	1	0.0 %
2756.77	-	3	0.1 %
2880.00	-	1	0.0 %
3023.28	-	1	0.0 %
3285.71	-	6	0.2 %
3425.02	-	1	0.0 %
3470.88	-	2	0.1 %
3523.33	-	1	0.0 %
3569.19	-	1	0.0 %
3643.02	-	1	0.0 %
3727.37	-	1	0.0 %
3789.00	-	1	0.0 %
4080.46	-	6	0.2 %
4426.41	-	6	0.2 %
4427.69	-	1	0.0 %
4666.31	-	1	0.0 %
5012.26	-	1	0.0 %
5377.07	-	1	0.0 %
5596.62	-	3	0.1 %
5760.00	-	19	0.8 %

Value	Label	Unweighted Frequency	%
5854.26	-	1	0.0 %
6013.83	-	1	0.0 %
6018.01	-	1	0.0 %
6119.95	-	1	0.0 %
6124.81	-	4	0.2 %
6345.85	-	1	0.0 %
6526.56	-	2	0.1 %
6571.43	-	3	0.1 %
6738.92	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 3678.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 135893.81
- Standard Deviation: 12098.09

Location: 5304-5312 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPDAID9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Daidzein, mcg

EFP DDE Daidzein, mcg

Value	Label	Unweighted Frequency	%
0.00	-	379	15.4 %
91.41	-	3	0.1 %
182.82	-	1	0.0 %
219.24	-	1	0.0 %
374.00	-	2	0.1 %
459.93	-	46	1.9 %
593.24	-	1	0.0 %
739.79	-	1	0.0 %
748.00	-	1	0.0 %
791.89	-	2	0.1 %

Value	Label	Unweighted Frequency	%
985.71	-	6	0.2 %
1061.54	-	23	0.9 %
1062.45	-	14	0.6 %
1152.95	-	1	0.0 %
1200.57	-	1	0.0 %
1281.68	-	1	0.0 %
1389.14	-	2	0.1 %
1827.69	-	2	0.1 %
1854.34	-	1	0.0 %
1971.43	-	6	0.2 %
2038.67	-	1	0.0 %
2277.00	-	1	0.0 %
2379.96	-	45	1.8 %
2406.35	-	1	0.0 %
2452.15	-	6	0.2 %
2471.37	-	3	0.1 %
2578.29	-	1	0.0 %
2599.19	-	1	0.0 %
2826.15	-	1	0.0 %
2839.89	-	1	0.0 %
2890.14	-	1	0.0 %
2931.30	-	1	0.0 %
3096.94	-	1	0.0 %
3171.84	-	2	0.1 %
3263.26	-	1	0.0 %
3441.49	-	1	0.0 %
3442.40	-	6	0.2 %
3816.40	-	1	0.0 %
3840.73	-	1	0.0 %
3942.86	-	3	0.1 %
4003.25	-	3	0.1 %
4035.64	-	1	0.0 %
4322.40	-	1	0.0 %
4395.07	-	1	0.0 %
4832.11	-	1	0.0 %
5156.57	-	19	0.8 %
5318.61	-	1	0.0 %
5338.11	-	1	0.0 %
5375.81	-	4	0.2 %

Value	Label	Unweighted Frequency	%
5530.57	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 2900.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 108288.00
- Standard Deviation: 9596.54

Location: 5313-5321 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPCOUM9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Couimestrol, mcg

EFP DDE Couimestrol, mcg

Value	Label	Unweighted Frequency	%
0	-	677	27.4 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 5322-5322 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EFPCAFF9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Caffeine, mg

EFP DDE Caffeine, mg

Value	Label	Unweighted Frequency	%
0	-	677	27.4 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 5323-5323 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EFPVITD9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Vitamin D, IU

EFP DDE Vitamin D, IU

Value	Label	Unweighted Frequency	%
0.00	-	596	24.1 %
8.55	-	57	2.3 %
18.32	-	1	0.0 %
19.73	-	16	0.6 %
36.64	-	5	0.2 %
146.57	-	1	0.0 %
256.50	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 2.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 256.50
- Standard Deviation: 12.27

Location: 5324-5329 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPB129: Ethnic Foods Pages (EFP) Daily dietary estimate B12, mcg

EFP Daily dietary estimate B12, mcg

Value	Label	Unweighted Frequency	%
0.00	-	492	19.9 %
0.01	-	62	2.5 %
0.02	-	4	0.2 %
0.03	-	32	1.3 %
0.05	-	3	0.1 %
0.10	-	1	0.0 %
0.20	-	1	0.0 %
0.28	-	40	1.6 %
0.29	-	12	0.5 %
0.30	-	1	0.0 %
0.31	-	3	0.1 %
0.38	-	2	0.1 %
0.61	-	1	0.0 %
0.65	-	8	0.3 %
0.66	-	2	0.1 %
0.68	-	4	0.2 %
0.75	-	2	0.1 %
1.21	-	3	0.1 %
1.22	-	2	0.1 %
4.88	-	1	0.0 %
8.49	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.49
- Standard Deviation: 0.41

Location: 5330-5333 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPTRAN9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Trans Fatty Acid, gms

EFP DDE Trans Fatty Acid, gms

Value	Label	Unweighted Frequency	%
0.00	-	654	26.5 %
0.02	-	21	0.9 %
0.04	-	2	0.1 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.04
- Standard Deviation: 0.00

Location: 5334-5337 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPISOF9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Isoflavones, mg

EFP DDE Isoflavones, mg

Value	Label	Unweighted Frequency	%
0.00	-	379	15.4 %
0.15	-	46	1.9 %
0.18	-	3	0.1 %
0.33	-	6	0.2 %
0.35	-	23	0.9 %
0.36	-	1	0.0 %
0.42	-	1	0.0 %
0.53	-	1	0.0 %
0.66	-	6	0.2 %
1.31	-	3	0.1 %
1.38	-	1	0.0 %
1.73	-	2	0.1 %
1.77	-	2	0.1 %
1.97	-	1	0.0 %
2.18	-	1	0.0 %
2.83	-	14	0.6 %
3.25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.53	-	1	0.0 %
3.99	-	2	0.1 %
4.25	-	1	0.0 %
4.41	-	1	0.0 %
4.56	-	1	0.0 %
4.61	-	45	1.8 %
4.77	-	1	0.0 %
4.79	-	3	0.1 %
4.90	-	1	0.0 %
4.95	-	1	0.0 %
4.97	-	1	0.0 %
5.00	-	1	0.0 %
5.03	-	1	0.0 %
6.00	-	1	0.0 %
6.07	-	1	0.0 %
6.34	-	2	0.1 %
6.52	-	1	0.0 %
6.54	-	6	0.2 %
6.56	-	2	0.1 %
6.82	-	1	0.0 %
7.28	-	3	0.1 %
7.45	-	6	0.2 %
8.05	-	1	0.0 %
8.31	-	1	0.0 %
9.21	-	1	0.0 %
9.63	-	1	0.0 %
9.99	-	19	0.8 %
10.15	-	2	0.1 %
10.18	-	1	0.0 %
10.41	-	4	0.2 %
10.76	-	1	0.0 %
11.15	-	1	0.0 %
11.76	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 5.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 209.89
- Standard Deviation: 19.61

Location: 5338-5343 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPQUER9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Quercetin, mg

EFP DDE Quercetin, mg

Value	Label	Unweighted Frequency	%
0.00	-	378	15.3 %
0.01	-	107	4.3 %
0.02	-	3	0.1 %
0.03	-	106	4.3 %
0.05	-	14	0.6 %
0.06	-	1	0.0 %
0.10	-	28	1.1 %
0.15	-	15	0.6 %
0.21	-	9	0.4 %
0.31	-	8	0.3 %
0.36	-	2	0.1 %
0.47	-	5	0.2 %
0.79	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.79
- Standard Deviation: 0.07

Location: 5344-5347 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPOME9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Omega-3 FA, gms

EFP DDE Omega-3 FA, gms

Value	Label	Unweighted Frequency	%
0.00	-	241	9.8 %
0.01	-	65	2.6 %
0.02	-	52	2.1 %
0.03	-	41	1.7 %
0.04	-	20	0.8 %
0.05	-	35	1.4 %
0.06	-	12	0.5 %
0.07	-	20	0.8 %
0.08	-	21	0.9 %
0.09	-	24	1.0 %
0.10	-	10	0.4 %
0.11	-	5	0.2 %
0.12	-	13	0.5 %
0.13	-	5	0.2 %
0.14	-	9	0.4 %
0.15	-	9	0.4 %
0.16	-	4	0.2 %
0.17	-	6	0.2 %
0.18	-	8	0.3 %
0.19	-	4	0.2 %
0.20	-	7	0.3 %
0.21	-	4	0.2 %
0.22	-	4	0.2 %
0.23	-	3	0.1 %
0.25	-	4	0.2 %
0.26	-	5	0.2 %
0.27	-	1	0.0 %
0.29	-	3	0.1 %
0.30	-	1	0.0 %
0.31	-	1	0.0 %
0.34	-	1	0.0 %
0.36	-	2	0.1 %
0.37	-	1	0.0 %
0.38	-	3	0.1 %
0.40	-	1	0.0 %
0.41	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.42	-	2	0.1 %
0.43	-	1	0.0 %
0.45	-	1	0.0 %
0.48	-	2	0.1 %
0.49	-	1	0.0 %
0.53	-	1	0.0 %
0.61	-	1	0.0 %
0.75	-	1	0.0 %
0.76	-	1	0.0 %
0.78	-	1	0.0 %
0.83	-	1	0.0 %
0.86	-	1	0.0 %
0.92	-	1	0.0 %
0.97	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.10
- Median: 0.02
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.65
- Standard Deviation: 0.32

Location: 5348-5351 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPCOPP9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Copper, mg

EFP DDE Copper, mg

Value	Label	Unweighted Frequency	%
0.00	-	101	4.1 %
0.01	-	139	5.6 %
0.02	-	78	3.2 %
0.03	-	48	1.9 %
0.04	-	25	1.0 %

Value	Label	Unweighted Frequency	%
0.05	-	34	1.4 %
0.06	-	49	2.0 %
0.07	-	30	1.2 %
0.08	-	11	0.4 %
0.09	-	10	0.4 %
0.10	-	10	0.4 %
0.11	-	19	0.8 %
0.12	-	13	0.5 %
0.13	-	11	0.4 %
0.14	-	11	0.4 %
0.15	-	7	0.3 %
0.16	-	4	0.2 %
0.17	-	8	0.3 %
0.18	-	5	0.2 %
0.19	-	8	0.3 %
0.20	-	5	0.2 %
0.21	-	7	0.3 %
0.22	-	2	0.1 %
0.23	-	2	0.1 %
0.24	-	1	0.0 %
0.25	-	3	0.1 %
0.26	-	4	0.2 %
0.27	-	3	0.1 %
0.29	-	2	0.1 %
0.30	-	1	0.0 %
0.32	-	2	0.1 %
0.34	-	1	0.0 %
0.35	-	1	0.0 %
0.37	-	1	0.0 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	2	0.1 %
0.46	-	1	0.0 %
0.49	-	1	0.0 %
0.50	-	1	0.0 %
0.52	-	1	0.0 %
0.53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.55	-	1	0.0 %
0.61	-	1	0.0 %
0.65	-	1	0.0 %
0.66	-	1	0.0 %
0.71	-	1	0.0 %
0.85	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.08
- Median: 0.03
- Mode: 0.01
- Minimum: 0.00
- Maximum: 3.38
- Standard Deviation: 0.19

Location: 5352-5355 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPMANG9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Manganese, mg

EFP DDE Manganese, mg

Value	Label	Unweighted Frequency	%
0.00	-	143	5.8 %
0.01	-	35	1.4 %
0.02	-	67	2.7 %
0.03	-	11	0.4 %
0.04	-	55	2.2 %
0.05	-	32	1.3 %
0.06	-	10	0.4 %
0.07	-	17	0.7 %
0.08	-	20	0.8 %
0.09	-	12	0.5 %
0.10	-	11	0.4 %
0.11	-	14	0.6 %
0.12	-	15	0.6 %

Value	Label	Unweighted Frequency	%
0.13	-	17	0.7 %
0.14	-	16	0.6 %
0.15	-	12	0.5 %
0.16	-	9	0.4 %
0.17	-	10	0.4 %
0.18	-	7	0.3 %
0.19	-	5	0.2 %
0.20	-	10	0.4 %
0.21	-	6	0.2 %
0.22	-	4	0.2 %
0.23	-	2	0.1 %
0.24	-	4	0.2 %
0.25	-	3	0.1 %
0.26	-	9	0.4 %
0.27	-	2	0.1 %
0.28	-	1	0.0 %
0.29	-	5	0.2 %
0.30	-	5	0.2 %
0.31	-	5	0.2 %
0.32	-	2	0.1 %
0.33	-	6	0.2 %
0.34	-	3	0.1 %
0.35	-	1	0.0 %
0.36	-	7	0.3 %
0.37	-	3	0.1 %
0.38	-	4	0.2 %
0.39	-	4	0.2 %
0.40	-	1	0.0 %
0.42	-	1	0.0 %
0.43	-	3	0.1 %
0.44	-	7	0.3 %
0.45	-	3	0.1 %
0.46	-	4	0.2 %
0.48	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	3	0.1 %
0.52	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.19
- Median: 0.05
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.34
- Standard Deviation: 0.55

Location: 5356-5360 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPPANT9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Pantothenic Acid, mg

EFP DDE Pantothenic Acid, mg

Value	Label	Unweighted Frequency	%
0.00	-	150	6.1 %
0.01	-	32	1.3 %
0.02	-	34	1.4 %
0.03	-	51	2.1 %
0.04	-	49	2.0 %
0.05	-	33	1.3 %
0.06	-	27	1.1 %
0.07	-	21	0.9 %
0.08	-	17	0.7 %
0.09	-	23	0.9 %
0.10	-	23	0.9 %
0.11	-	12	0.5 %
0.12	-	12	0.5 %
0.13	-	18	0.7 %
0.14	-	9	0.4 %
0.15	-	16	0.6 %
0.16	-	9	0.4 %
0.17	-	10	0.4 %
0.18	-	7	0.3 %
0.19	-	4	0.2 %
0.20	-	4	0.2 %

Value	Label	Unweighted Frequency	%
0.21	-	6	0.2 %
0.22	-	9	0.4 %
0.23	-	5	0.2 %
0.24	-	4	0.2 %
0.25	-	2	0.1 %
0.26	-	8	0.3 %
0.27	-	4	0.2 %
0.28	-	8	0.3 %
0.29	-	3	0.1 %
0.30	-	4	0.2 %
0.31	-	3	0.1 %
0.32	-	3	0.1 %
0.33	-	1	0.0 %
0.34	-	4	0.2 %
0.35	-	1	0.0 %
0.36	-	4	0.2 %
0.37	-	1	0.0 %
0.39	-	2	0.1 %
0.40	-	2	0.1 %
0.41	-	2	0.1 %
0.42	-	6	0.2 %
0.43	-	1	0.0 %
0.44	-	1	0.0 %
0.45	-	1	0.0 %
0.46	-	2	0.1 %
0.47	-	1	0.0 %
0.49	-	2	0.1 %
0.50	-	2	0.1 %
0.53	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.12
- Median: 0.05
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1.59
- Standard Deviation: 0.18

Location: 5361-5364 (*width:* 4; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPDFE9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Folate DFE, mcg_DFE

EFP DDE Folate DFE, mcg_DFE

Value	Label	Unweighted Frequency	%
0.00	-	83	3.4 %
0.06	-	1	0.0 %
0.15	-	13	0.5 %
0.17	-	3	0.1 %
0.23	-	1	0.0 %
0.35	-	24	1.0 %
0.38	-	2	0.1 %
0.49	-	1	0.0 %
0.52	-	37	1.5 %
0.53	-	1	0.0 %
0.58	-	6	0.2 %
0.65	-	6	0.2 %
0.67	-	1	0.0 %
0.69	-	2	0.1 %
0.71	-	1	0.0 %
0.72	-	3	0.1 %
0.73	-	1	0.0 %
0.77	-	1	0.0 %
0.84	-	1	0.0 %
0.86	-	1	0.0 %
0.89	-	1	0.0 %
0.92	-	2	0.1 %
0.97	-	6	0.2 %
1.03	-	1	0.0 %
1.10	-	2	0.1 %
1.18	-	1	0.0 %
1.20	-	27	1.1 %
1.23	-	1	0.0 %
1.26	-	2	0.1 %
1.30	-	2	0.1 %
1.37	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.40	-	1	0.0 %
1.43	-	4	0.2 %
1.46	-	7	0.3 %
1.49	-	1	0.0 %
1.54	-	1	0.0 %
1.55	-	1	0.0 %
1.63	-	1	0.0 %
1.66	-	3	0.1 %
1.77	-	2	0.1 %
1.81	-	1	0.0 %
1.91	-	1	0.0 %
1.98	-	1	0.0 %
2.02	-	1	0.0 %
2.04	-	1	0.0 %
2.13	-	1	0.0 %
2.23	-	3	0.1 %
2.28	-	1	0.0 %
2.29	-	1	0.0 %
2.32	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 15.83
- Minimum: 0.00
- Maximum: 442.81
- Standard Deviation: 37.88

Location: 5365-5370 (width: 6; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPBEAN9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Fiber from Beans

EFP DDE Fiber from Beans

Value	Label	Unweighted Frequency	%
0.00	-	368	14.9 %
0.01	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.02	-	29	1.2 %
0.03	-	5	0.2 %
0.04	-	4	0.2 %
0.05	-	1	0.0 %
0.06	-	1	0.0 %
0.07	-	2	0.1 %
0.09	-	39	1.6 %
0.10	-	6	0.2 %
0.12	-	1	0.0 %
0.13	-	3	0.1 %
0.19	-	5	0.2 %
0.20	-	9	0.4 %
0.21	-	4	0.2 %
0.22	-	10	0.4 %
0.24	-	5	0.2 %
0.25	-	3	0.1 %
0.27	-	1	0.0 %
0.32	-	1	0.0 %
0.34	-	2	0.1 %
0.35	-	57	2.3 %
0.36	-	2	0.1 %
0.37	-	8	0.3 %
0.38	-	2	0.1 %
0.39	-	3	0.1 %
0.40	-	1	0.0 %
0.41	-	1	0.0 %
0.44	-	2	0.1 %
0.46	-	1	0.0 %
0.48	-	3	0.1 %
0.52	-	1	0.0 %
0.54	-	1	0.0 %
0.55	-	1	0.0 %
0.56	-	2	0.1 %
0.58	-	1	0.0 %
0.60	-	4	0.2 %
0.61	-	1	0.0 %
0.69	-	1	0.0 %
0.74	-	2	0.1 %
0.77	-	27	1.1 %

Value	Label	Unweighted Frequency	%
0.78	-	4	0.2 %
0.79	-	2	0.1 %
0.81	-	1	0.0 %
0.85	-	2	0.1 %
0.89	-	2	0.1 %
0.90	-	1	0.0 %
0.93	-	1	0.0 %
1.02	-	3	0.1 %
1.05	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.13
- Standard Deviation: 1.17

Location: 5371-5375 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPFIBV9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Fiber from Vegetable/Fruit

EFP DDE Fiber from Veg/Fruit

Value	Label	Unweighted Frequency	%
0.00	-	114	4.6 %
0.01	-	31	1.3 %
0.02	-	1	0.0 %
0.03	-	46	1.9 %
0.04	-	7	0.3 %
0.05	-	20	0.8 %
0.06	-	71	2.9 %
0.07	-	11	0.4 %
0.08	-	21	0.9 %
0.09	-	7	0.3 %

Value	Label	Unweighted Frequency	%
0.10	-	16	0.6 %
0.11	-	29	1.2 %
0.12	-	5	0.2 %
0.13	-	54	2.2 %
0.14	-	9	0.4 %
0.15	-	15	0.6 %
0.16	-	13	0.5 %
0.17	-	3	0.1 %
0.18	-	5	0.2 %
0.19	-	2	0.1 %
0.20	-	4	0.2 %
0.21	-	10	0.4 %
0.22	-	8	0.3 %
0.23	-	17	0.7 %
0.24	-	9	0.4 %
0.25	-	1	0.0 %
0.26	-	1	0.0 %
0.27	-	10	0.4 %
0.28	-	5	0.2 %
0.29	-	3	0.1 %
0.30	-	2	0.1 %
0.31	-	7	0.3 %
0.32	-	4	0.2 %
0.33	-	2	0.1 %
0.35	-	9	0.4 %
0.36	-	4	0.2 %
0.37	-	1	0.0 %
0.39	-	3	0.1 %
0.41	-	1	0.0 %
0.43	-	2	0.1 %
0.44	-	1	0.0 %
0.46	-	1	0.0 %
0.48	-	14	0.6 %
0.49	-	2	0.1 %
0.50	-	1	0.0 %
0.51	-	1	0.0 %
0.53	-	2	0.1 %
0.54	-	1	0.0 %
0.56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.57	-	2	0.1 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.22
- Median: 0.10
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.73
- Standard Deviation: 0.40

Location: 5376-5379 (width: 4; decimal: 2)

Variable Type: numeric

(Range of Missing Values): .

EFPGRAI9: Ethnic Foods Pages (EFP) Daily Dietary Estimate (DDE) Fiber from Grains

EFP DDE Fiber from Grains

Value	Label	Unweighted Frequency	%
0.00	-	342	13.9 %
0.01	-	57	2.3 %
0.02	-	71	2.9 %
0.04	-	21	0.9 %
0.05	-	18	0.7 %
0.07	-	3	0.1 %
0.09	-	4	0.2 %
0.10	-	34	1.4 %
0.11	-	35	1.4 %
0.12	-	15	0.6 %
0.13	-	3	0.1 %
0.14	-	4	0.2 %
0.15	-	2	0.1 %
0.17	-	1	0.0 %
0.19	-	3	0.1 %
0.22	-	3	0.1 %
0.23	-	20	0.8 %
0.24	-	10	0.4 %

Value	Label	Unweighted Frequency	%
0.26	-	10	0.4 %
0.27	-	1	0.0 %
0.28	-	6	0.2 %
0.31	-	1	0.0 %
0.39	-	1	0.0 %
0.43	-	1	0.0 %
0.45	-	1	0.0 %
0.54	-	1	0.0 %
0.64	-	1	0.0 %
0.87	-	1	0.0 %
0.89	-	1	0.0 %
0.90	-	1	0.0 %
1.08	-	1	0.0 %
1.24	-	1	0.0 %
1.28	-	1	0.0 %
1.74	-	1	0.0 %
2.67	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.67
- Standard Deviation: 0.17

Location: 5380-5383 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: .

EFPFRTS9: Ethnic Foods Pages (EFP) Number servings fruit or fruit juice

EFP N servings fruit or fruit juice

Value	Label	Unweighted Frequency	%
0	-	677	27.4 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 5384-5384 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EFPFATS9: Ethnic Foods Pages (EFP) Servings of fats/sweets/snacks

EFP Servings of fats/sweets/snacks

Value	Label	Unweighted Frequency	%
0	-	677	27.4 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 5385-5385 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EFPVEGS9: Ethnic Foods Pages (EFP) Number servings Vegetables

EFP N servings Veg

Value	Label	Unweighted Frequency	%
0.00000000000000	-	108	4.4 %
0.0085714285714	-	35	1.4 %
0.0128571428571	-	1	0.0 %
0.0171428571429	-	2	0.1 %
0.0185714285714	-	2	0.1 %
0.0200000000000	-	46	1.9 %
0.0271428571429	-	1	0.0 %
0.0285714285714	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.03000000000000	-	1	0.0 %
0.0342857142857	-	2	0.1 %
0.0357142857143	-	2	0.1 %
0.0371428571429	-	9	0.4 %
0.0385714285714	-	1	0.0 %
0.0442857142857	-	8	0.3 %
0.0471428571429	-	6	0.2 %
0.0514285714286	-	1	0.0 %
0.0542857142857	-	4	0.2 %
0.0557142857143	-	23	0.9 %
0.0571428571429	-	41	1.7 %
0.0585714285714	-	3	0.1 %
0.0657142857143	-	11	0.4 %
0.0728571428571	-	1	0.0 %
0.0742857142857	-	3	0.1 %
0.0771428571429	-	10	0.4 %
0.0814285714286	-	4	0.2 %
0.0828571428571	-	17	0.7 %
0.0842857142857	-	2	0.1 %
0.09000000000000	-	4	0.2 %
0.0914285714286	-	3	0.1 %
0.0971428571429	-	3	0.1 %
0.1014285714286	-	9	0.4 %
0.1042857142857	-	10	0.4 %
0.1071428571429	-	1	0.0 %
0.1114285714286	-	7	0.3 %
0.1128571428571	-	9	0.4 %
0.1142857142857	-	1	0.0 %
0.1157142857143	-	1	0.0 %
0.1185714285714	-	3	0.1 %
0.1228571428571	-	1	0.0 %
0.1271428571429	-	1	0.0 %
0.1314285714286	-	34	1.4 %
0.1328571428571	-	1	0.0 %
0.1371428571429	-	3	0.1 %
0.1385714285714	-	1	0.0 %
0.14000000000000	-	4	0.2 %
0.1428571428571	-	2	0.1 %
0.1442857142857	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.1457142857143	-	1	0.0 %
0.1485714285714	-	1	0.0 %
0.150000000000000	-	3	0.1 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.2134437645073
- Median: 0.0828571428571
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.7714285714286
- Standard Deviation: 0.3958404433273

Location: 5386-5400 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

EFPVEGF9: Ethnic Foods Pages (EFP) Sum daily frequency Vegetables

EFP Sum daily freq Veg

Value	Label	Unweighted Frequency	%
0.0	-	196	7.9 %
0.1	-	228	9.2 %
0.2	-	99	4.0 %
0.3	-	64	2.6 %
0.4	-	40	1.6 %
0.5	-	13	0.5 %
0.6	-	11	0.4 %
0.7	-	6	0.2 %
0.8	-	8	0.3 %
0.9	-	3	0.1 %
1.0	-	4	0.2 %
1.1	-	2	0.1 %
1.2	-	1	0.0 %
1.3	-	1	0.0 %
1.5	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.17
- Median: 0.10
- Mode: 0.10
- Minimum: 0.00
- Maximum: 1.50
- Standard Deviation: 0.21

Location: 5401-5403 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

EFPGRNS9: Ethnic Foods Pages (EFP) Number servings Grains

EFP N servings Grains

Value	Label	Unweighted Frequency	%
0.000000000000000	-	362	14.7 %
0.0258823529412	-	57	2.3 %
0.0505882352941	-	44	1.8 %
0.0552941176471	-	1	0.0 %
0.0588235294118	-	26	1.1 %
0.0847058823529	-	21	0.9 %
0.1094117647059	-	2	0.1 %
0.1176470588235	-	16	0.6 %
0.1258823529412	-	1	0.0 %
0.1494117647059	-	32	1.3 %
0.1647058823529	-	1	0.0 %
0.1682352941176	-	1	0.0 %
0.1741176470588	-	22	0.9 %
0.1752941176471	-	1	0.0 %
0.2000000000000	-	15	0.6 %
0.2082352941176	-	2	0.1 %
0.2188235294118	-	4	0.2 %
0.2258823529412	-	1	0.0 %
0.2329411764706	-	2	0.1 %
0.2435294117647	-	2	0.1 %
0.2670588235294	-	1	0.0 %
0.3188235294118	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.3282352941176	-	2	0.1 %
0.3435294117647	-	14	0.6 %
0.3447058823529	-	1	0.0 %
0.3529411764706	-	1	0.0 %
0.3670588235294	-	1	0.0 %
0.3694117647059	-	9	0.4 %
0.3776470588235	-	1	0.0 %
0.3905882352941	-	1	0.0 %
0.3952941176471	-	6	0.2 %
0.4023529411765	-	4	0.2 %
0.4282352941176	-	1	0.0 %
0.4364705882353	-	2	0.1 %
0.4611764705882	-	5	0.2 %
0.5376470588235	-	1	0.0 %
0.6388235294118	-	2	0.1 %
0.6552941176471	-	1	0.0 %
0.6623529411765	-	1	0.0 %
0.6647058823529	-	1	0.0 %
1.2776470588235	-	1	0.0 %
1.3364705882353	-	1	0.0 %
1.3611764705882	-	1	0.0 %
1.6047058823529	-	1	0.0 %
1.7729411764706	-	1	0.0 %
2.5541176470588	-	1	0.0 %
3.9588235294118	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.0896046572248
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.9588235294118
- Standard Deviation: 0.2453756614046

Location: 5404-5418 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

EFPGRNF9: Ethnic Foods Pages (EFP) Sum daily frequency Grains

EFP Sum daily freq Grains

Value	Label	Unweighted Frequency	%
0.0	-	451	18.3 %
0.1	-	177	7.2 %
0.2	-	36	1.5 %
0.3	-	7	0.3 %
0.4	-	1	0.0 %
0.5	-	2	0.1 %
0.6	-	2	0.1 %
0.9	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.90
- Standard Deviation: 0.08

Location: 5419-5421 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

EFPMTSV9: Ethnic Foods Pages (EFP) Number servings Meat

EFP N servings Meat

Value	Label	Unweighted Frequency	%
0.00000000000000	-	216	8.7 %
0.007333333333	-	60	2.4 %
0.0105882352941	-	1	0.0 %
0.0106666666667	-	6	0.2 %
0.014333333333	-	36	1.5 %
0.0166666666667	-	20	0.8 %
0.0176666666667	-	5	0.2 %
0.0230000000000	-	1	0.0 %
0.0240000000000	-	16	0.6 %
0.024333333333	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.02500000000000	-	8	0.3 %
0.02733333333333	-	3	0.1 %
0.0305882352941	-	2	0.1 %
0.03100000000000	-	2	0.1 %
0.03166666666667	-	1	0.0 %
0.0329411764706	-	3	0.1 %
0.03333333333333	-	10	0.4 %
0.0341176470588	-	1	0.0 %
0.03433333333333	-	4	0.2 %
0.0366862745098	-	1	0.0 %
0.0376470588235	-	15	0.6 %
0.03866666666667	-	1	0.0 %
0.04000000000000	-	1	0.0 %
0.0402745098039	-	3	0.1 %
0.04100000000000	-	2	0.1 %
0.04400000000000	-	5	0.2 %
0.0449803921569	-	1	0.0 %
0.04666666666667	-	1	0.0 %
0.0472745098039	-	2	0.1 %
0.04833333333333	-	1	0.0 %
0.0494117647059	-	10	0.4 %
0.0496078431373	-	1	0.0 %
0.0506078431373	-	1	0.0 %
0.0519803921569	-	1	0.0 %
0.05766666666667	-	2	0.1 %
0.0579411764706	-	1	0.0 %
0.0593137254902	-	1	0.0 %
0.06000000000000	-	1	0.0 %
0.0600784313725	-	1	0.0 %
0.0611764705882	-	1	0.0 %
0.0616470588235	-	1	0.0 %
0.06200000000000	-	4	0.2 %
0.0637450980392	-	1	0.0 %
0.0670588235294	-	1	0.0 %
0.0670784313725	-	1	0.0 %
0.0716078431373	-	1	0.0 %
0.0717647058824	-	1	0.0 %
0.0743921568627	-	1	0.0 %
0.0769411764706	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.0776470588235	-	1	0.0 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.1296043675964
- Median: 0.0166666666667
- Mode: 0.000000000000000
- Minimum: 0.000000000000000
- Maximum: 4.5176470588235
- Standard Deviation: 0.3811165681007

Location: 5422-5436 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

EFPMTFQ9: Ethnic Foods Pages (EFP) Sum daily frequency Meat

EFP Sum daily freq Meat

Value	Label	Unweighted Frequency	%
0.0	-	317	12.8 %
0.1	-	216	8.7 %
0.2	-	68	2.8 %
0.3	-	24	1.0 %
0.4	-	19	0.8 %
0.5	-	14	0.6 %
0.6	-	1	0.0 %
0.7	-	3	0.1 %
0.8	-	5	0.2 %
0.9	-	4	0.2 %
1.0	-	3	0.1 %
1.1	-	1	0.0 %
1.2	-	2	0.1 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.1090103397341
- Median: 0.100000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 1.2000000000000
- Standard Deviation: 0.1758118822499

Location: 5437-5451 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

EFPDARS9: Ethnic Foods Pages (EFP) Number servings Dairy

EFP N servings Dairy

Value	Label	Unweighted Frequency	%
0.0000000000000	-	653	26.4 %
0.0729166666667	-	16	0.6 %
0.1583333333333	-	6	0.2 %
0.4433333333333	-	1	0.0 %
0.8866666666667	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.0050910881339
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 0.8866666666667
- Standard Deviation: 0.0421441076898

Location: 5452-5466 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

EFPDARF9: Ethnic Foods Pages (EFP) Sum daily frequency Dairy

EFP Sum daily freq Dairy

Value	Label	Unweighted Frequency	%
0.0	-	653	26.4 %
0.1	-	22	0.9 %
0.4	-	2	0.1 %
Missing Data			
.	-	1792	72.6 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.40
- Standard Deviation: 0.03

Location: 5467-5469 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

EFPFVSV9: Ethnic Foods Pages (EFP) Number servings Fruit + Vegetables

EFP N servings Fruit + Veg

Value	Label	Unweighted Frequency	%
0.00000000000000	-	108	4.4 %
0.0085714285714	-	35	1.4 %
0.0128571428571	-	1	0.0 %
0.0171428571429	-	2	0.1 %
0.0185714285714	-	2	0.1 %
0.02000000000000	-	46	1.9 %
0.0271428571429	-	1	0.0 %
0.0285714285714	-	2	0.1 %
0.03000000000000	-	1	0.0 %
0.0342857142857	-	2	0.1 %
0.0357142857143	-	2	0.1 %
0.0371428571429	-	9	0.4 %
0.0385714285714	-	1	0.0 %
0.0442857142857	-	8	0.3 %
0.0471428571429	-	6	0.2 %
0.0514285714286	-	1	0.0 %
0.0542857142857	-	4	0.2 %
0.0557142857143	-	23	0.9 %
0.0571428571429	-	41	1.7 %
0.0585714285714	-	3	0.1 %
0.0657142857143	-	11	0.4 %
0.0728571428571	-	1	0.0 %
0.0742857142857	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.0771428571429	-	10	0.4 %
0.0814285714286	-	4	0.2 %
0.0828571428571	-	17	0.7 %
0.0842857142857	-	2	0.1 %
0.0900000000000	-	4	0.2 %
0.0914285714286	-	3	0.1 %
0.0971428571429	-	3	0.1 %
0.1014285714286	-	9	0.4 %
0.1042857142857	-	10	0.4 %
0.1071428571429	-	1	0.0 %
0.1114285714286	-	7	0.3 %
0.1128571428571	-	9	0.4 %
0.1142857142857	-	1	0.0 %
0.1157142857143	-	1	0.0 %
0.1185714285714	-	3	0.1 %
0.1228571428571	-	1	0.0 %
0.1271428571429	-	1	0.0 %
0.1314285714286	-	34	1.4 %
0.1328571428571	-	1	0.0 %
0.1371428571429	-	3	0.1 %
0.1385714285714	-	1	0.0 %
0.1400000000000	-	4	0.2 %
0.1428571428571	-	2	0.1 %
0.1442857142857	-	1	0.0 %
0.1457142857143	-	1	0.0 %
0.1485714285714	-	1	0.0 %
0.1500000000000	-	3	0.1 %
	Missing Data		
.	-	1792	72.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.2134437645073
- Median: 0.0828571428571
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.7714285714286

- Standard Deviation: 0.3958404433273

Location: 5470-5484 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: .

EFPFVFQ9: Ethnic Foods Pages (EFP) Sum daily frequency Fruit + Vegetables

EFP Sum daily freq Fruit + Veg

Value	Label	Unweighted Frequency	%
0.0	-	196	7.9 %
0.1	-	228	9.2 %
0.2	-	99	4.0 %
0.3	-	64	2.6 %
0.4	-	40	1.6 %
0.5	-	13	0.5 %
0.6	-	11	0.4 %
0.7	-	6	0.2 %
0.8	-	8	0.3 %
0.9	-	3	0.1 %
1.0	-	4	0.2 %
1.1	-	2	0.1 %
1.2	-	1	0.0 %
1.3	-	1	0.0 %
1.5	-	1	0.0 %
Missing Data			
.	-	1792	72.6 %
Total		2,469	100%

Based upon 677 valid cases out of 2,469 total cases.

- Mean: 0.17
- Median: 0.10
- Mode: 0.10
- Minimum: 0.00
- Maximum: 1.50
- Standard Deviation: 0.21

Location: 5485-5487 (width: 3; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

ADD1XWK9: Additional foods eaten once per week

Additional foods eaten 1x wk

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2469	100.0 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 5488-5489 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -8 , -7 , -1 , .

NUMADDS9: Number of Additional Foods

Number of Additional Foods

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2469	100.0 %
	Total	2,469	100%

Based upon 0 valid cases out of 2,469 total cases.

Location: 5490-5490 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: .

NSKIP9: Number foods missing or double-marked

Number of foods missing or double-marked

Value	Label	Unweighted Frequency	%
0	-	1593	64.5 %
1	-	117	4.7 %
2	-	25	1.0 %
3	-	2	0.1 %
4	-	1	0.0 %
	Missing Data		
.	-	731	29.6 %
	Total	2,469	100%

Based upon 1,738 valid cases out of 2,469 total cases.

- Mean: 0.10
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.37

Location: 5491-5491 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

EXCLUDE9: Too many/few foods/calories or more than 10 skipped

Too many/few foods/calories or >10 skipped

Value	Label	Unweighted Frequency	%
0	0: No	0	0.0 %
1	1: Yes	91	3.7 %
Missing Data			
.	-	2378	96.3 %
Total		2,469	100%

Based upon 91 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 5492-5493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPECFOO9: Special Food Pattern

During the past year have you used a special food pattern (such as a low fat diet, a low salt diet, a vegetarian diet, etc.) or a dieting plan (such as, Jenny Craig, Atkins, Weight Watchers, etc)?

Value	Label	Unweighted Frequency	%
1	1: No	1262	51.1 %
2	2: Yes	563	22.8 %
Missing Data			
.	-	644	26.1 %
Total		2,469	100%

Based upon 1,825 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5494-5495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

JENCRAI9: Jenny Craig Diet past year

In the past year have you used: Jenny Craig Diet Plan

Value	Label	Unweighted Frequency	%
1	1: No	556	22.5 %
2	2: Yes	7	0.3 %
	Missing Data		
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5496-5497 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FODPNJC9: Jenny Craig Diet past week

If YES to JENCRAI9, have you used this food plan in the past week? Jenny Craig Diet Plan

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1 %
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	1818	73.6 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 7 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5498-5499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

ATKINS9: Atkins Diet past year

In the past year have you used: Atkins Diet

Value	Label	Unweighted Frequency	%
1	1: No	499	20.2 %
2	2: Yes	64	2.6 %
Missing Data			
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5500-5501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOODPNA9: Atkins Diet past week

If YES to ATKINS9, have you used this food plan in the past week? Atkins Diet

Value	Label	Unweighted Frequency	%
1	1: No	47	1.9 %
2	2: Yes	17	0.7 %
Missing Data			
-1	-1: N/A	1761	71.3 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 64 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5502-5503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOUTHBC9: South Beach Diet past year

In the past year have you used: South Beach Diet

Value	Label	Unweighted Frequency	%
1	1: No	475	19.2 %
2	2: Yes	88	3.6 %
Missing Data			
-1	-1: N/A	1262	51.1 %

Value	Label	Unweighted Frequency	%
.	-	644	26.1 %
	Total	2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5504-5505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOODBNS9: South Beach Diet past week

If YES to SOUTHBC9, have you used this food plan in the past week? South Beach Diet

Value	Label	Unweighted Frequency	%
1	1: No	63	2.6 %
2	2: Yes	25	1.0 %
	Missing Data		
-1	-1: N/A	1737	70.4 %
.	-	644	26.1 %
	Total	2,469	100%

Based upon 88 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5506-5507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WEGHTWT9: Weight Watchers past year

In the past year have you used: Weight Watchers

Value	Label	Unweighted Frequency	%
1	1: No	400	16.2 %
2	2: Yes	163	6.6 %
	Missing Data		
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
	Total	2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5508-5509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FODPNWW9: Weight Watchers past week

If YES to WEGHTWT9, have you used this food plan in the past week? Weight Watchers

Value	Label	Unweighted Frequency	%
1	1: No	86	3.5 %
2	2: Yes	77	3.1 %
Missing Data			
-1	-1: N/A	1662	67.3 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 163 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5510-5511 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUTRISY9: Nutri System past year

In the past year have you used: Nutri System

Value	Label	Unweighted Frequency	%
1	1: No	558	22.6 %
2	2: Yes	5	0.2 %
Missing Data			
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5512-5513 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FODPNNS9: Nutri System past week

If YES to NUTRISY9, have you used this food plan in the past week? Nutri System

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	1820	73.7 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 5 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5514-5515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

LOWFATD9: Low-Fat Diet past year

In the past year have you used: Low-fat diet

Value	Label	Unweighted Frequency	%
1	1: No	251	10.2 %
2	2: Yes	312	12.6 %
	Missing Data		
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5516-5517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FODPNLF9: Low-Fat Diet past week

If YES to LOWFATD9, have you used this food plan in the past week? Low-fat diet

Value	Label	Unweighted Frequency	%
1	1: No	60	2.4 %
2	2: Yes	252	10.2 %
Missing Data			
-1	-1: N/A	1513	61.3 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 312 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5518-5519 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LOWSALT9: Low-Salt Diet past year

In the past year have you used: Low-salt diet

Value	Label	Unweighted Frequency	%
1	1: No	373	15.1 %
2	2: Yes	190	7.7 %
Missing Data			
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5520-5521 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FODPNLS9: Low-Salt Diet past week

If YES to LOWSALT9, have you used this food plan in the past week? Low-salt diet

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	178	7.2 %
Missing Data			
-1	-1: N/A	1635	66.2 %

Value	Label	Unweighted Frequency	%
.	-	644	26.1 %
	Total	2,469	100%

Based upon 190 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5522-5523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROTEIN9: High Protein Diet past year

In the past year have you used: High protein diet

Value	Label	Unweighted Frequency	%
1	1: No	483	19.6 %
2	2: Yes	80	3.2 %
	Missing Data		
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
	Total	2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5524-5525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FODPNHP9: High Protein Diet past week

If YES to PROTEIN9, have you used this food plan in the past week? High protein diet

Value	Label	Unweighted Frequency	%
1	1: No	28	1.1 %
2	2: Yes	52	2.1 %
	Missing Data		
-1	-1: N/A	1745	70.7 %
.	-	644	26.1 %
	Total	2,469	100%

Based upon 80 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5526-5527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VEGDIET9: Vegetarian Diet past year

In the past year have you used: Vegetarian diet

Value	Label	Unweighted Frequency	%
1	1: No	499	20.2 %
2	2: Yes	64	2.6 %
Missing Data			
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5528-5529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FODPNVD9: Vegetarian Diet past week

If YES to VEGDIET9, have you used this food plan in the past week? Vegetarian diet

Value	Label	Unweighted Frequency	%
1	1: No	13	0.5 %
2	2: Yes	51	2.1 %
Missing Data			
-1	-1: N/A	1761	71.3 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 64 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5530-5531 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLIMFAS9: Slim Fast past year

In the past year have you used: Slim Fast

Value	Label	Unweighted Frequency	%
1	1: No	538	21.8 %
2	2: Yes	25	1.0 %
	Missing Data		
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5532-5533 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FODPNSF9: Slim Fast past week

If YES to SLIMFAS9, have you used this food plan in the past week? Slim Fast

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8 %
2	2: Yes	6	0.2 %
	Missing Data		
-1	-1: N/A	1800	72.9 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 25 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5534-5535 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

OTHFOO19: Other Diet 1 past year

In the past year have you used: Other. Specify

Value	Label	Unweighted Frequency	%
1	1: No	441	17.9 %
2	2: Yes	122	4.9 %
Missing Data			
-1	-1: N/A	1262	51.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 563 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5536-5537 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FODPNO19: Other Diet 1 past week

If YES to OTHFOO19, have you used this food plan in the past week?

Value	Label	Unweighted Frequency	%
1	1: No	26	1.1 %
2	2: Yes	96	3.9 %
Missing Data			
-1	-1: N/A	1703	69.0 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 122 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5538-5539 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHFOS19: Other Diet 1 specify

In the past year have you used: Other. Specify

Value	Label	Unweighted Frequency	%
-	-	644	26.1 %
'FRENCH WOMEN DON'T GET FAT' ADVICE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	-1: N/A	1703	69.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
1500 CALORIE DIET	-	1	0.0 %
2 WK EUROPEAN DIET	-	1	0.0 %
ALIVE FOOD	-	1	0.0 %
ALKALINE DIET	-	1	0.0 %
AMERICAN DIABETIC ASSOC. DIET PLAN	-	1	0.0 %
AMERICAN HEART ASSOCIATION DIET	-	1	0.0 %
APPLE CIDER VINEGAR TABLETS	-	1	0.0 %
AUYERVEDIC	-	1	0.0 %
BALANCED FOOD	-	1	0.0 %
BORN AGAIN DIET	-	1	0.0 %
CABBAGE SOUP DIET (FAT BURNING DIET)	-	1	0.0 %
CARB MONITORING FOR DIABETES	-	1	0.0 %
CLEVELAND 3 DAY DIET	-	1	0.0 %
COUNT CALORIES	-	1	0.0 %
CURVES	-	4	0.2 %
CURVES DIET	-	2	0.1 %
DETOX DIET	-	1	0.0 %
DIABETIC	-	1	0.0 %
DIABETIC (GLUCERNA)	-	1	0.0 %
DIABETIC DIET	-	4	0.2 %
DIABETIC LOW-CARB DIET	-	1	0.0 %
DIABETIC PLANE	-	1	0.0 %
DR. ALPRIN	-	1	0.0 %
EGG DIET	-	1	0.0 %
FAT FLUSH	-	2	0.1 %

Value	Label	Unweighted Frequency	%
FAT FLUSH PROGRAM	-	1	0.0 %
FAT-FLUSH PLAN	-	1	0.0 %
GLUTEN FREE	-	1	0.0 %
GLUTEN-FREE ELIMINATION DIET	-	1	0.0 %
GLYCEMIC INDEX	-	1	0.0 %
GLYCEMIC INDEX FOOD LIST	-	1	0.0 %
GRAPEFRUIT DIET	-	1	0.0 %
HEALTH CHOICE MENUS & MEALS	-	1	0.0 %
HEALTH MAINT. RESOURCE - HMR	-	1	0.0 %
HERBAL LIFE	-	1	0.0 %
HIGH FIBER DIET	-	1	0.0 %
KEEP SUGAR DOWN	-	1	0.0 %
LA WEIGHT LOSS	-	4	0.2 %
LEAN CUISINE	-	1	0.0 %
LEAN FOR LIFE	-	1	0.0 %
LIMIT CARBOHYDRATES	-	1	0.0 %
LIMIT SIMPLE CARBS	-	1	0.0 %
LOW CALORIE	-	1	0.0 %
LOW CALORIE DIET	-	2	0.1 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 5540-5581 (width: 42; decimal: 0)

Variable Type: character

OTHFOO29: Other Diet 2 past year

In the past year have you used: Other. Specify

Value	Label	Unweighted Frequency	%
1	1: No	106	4.3 %
2	2: Yes	16	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1703	69.0 %
.	-	644	26.1 %
	Total	2,469	100%

Based upon 122 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5582-5583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FODPNO29: Other Diet 2 past week

If YES to OTHFOO29, have you used this food plan in the past week?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2 %
2	2: Yes	12	0.5 %
	Missing Data		
-1	-1: N/A	1809	73.3 %
.	-	644	26.1 %
	Total	2,469	100%

Based upon 16 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5584-5585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHFOS29: Other Diet 2 specify

In the past year have you used: Other. Specify

Value	Label	Unweighted Frequency	%
	-	644	26.1 %
-1	-1: N/A	1809	73.3 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CURVES'=	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DIABETIC	-	1	0.0 %
DIET RICH W/ GREEN VEGITABLES	-	1	0.0 %
EAT HEALTHFULLY	-	1	0.0 %
GREEN TEA	-	1	0.0 %
HEALTHY CHOICE	-	1	0.0 %
HERBAL LIFE DIETARY SUPPLEMENTS & PLAN	-	1	0.0 %
HIGH FIBER	-	1	0.0 %
KEEP WHITE FLOUR DOWN	-	1	0.0 %
LOW FAT COOKING (BOOK)	-	1	0.0 %
LOW REFINED CARBOHYDRATE	-	1	0.0 %
MAYO CLINIC DIET	-	1	0.0 %
NO EATING AFTER 6 PM	-	1	0.0 %
REDUCED SUGARS AND STARCHES	-	1	0.0 %
SEAWEED AGAR DIET	-	1	0.0 %
SOY BARS-1 MEAL	-	1	0.0 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

Location: 5586-5623 (width: 38; decimal: 0)

Variable Type: character

COLDCER9: Cold Cereal past year

In the past year if you ate cold cereal was it usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	1213	49.1 %
2	2: Low-carb	123	5.0 %
3	3: Didn't eat	467	18.9 %
Missing Data			
-8	-8: Do not know	22	0.9 %
.	-	644	26.1 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Based upon 1,803 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 5624-5625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COOKCER9: Cooked Cereal past year

In the past year if you ate cooked cereal (such as oatmeal, oat bran, or grits) was it usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	1312	53.1 %
2	2: Low-carb	43	1.7 %
3	3: Didn't eat	465	18.8 %
Missing Data			
-8	-8: Do not know	5	0.2 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 1,820 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 5626-5627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEALBAR9: Meal Replacement/Snack Bars past year

In the past year if you ate meal replacement bars or snack bars (such as breakfast bars, granola bars or powerbars) were they usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	513	20.8 %
2	2: Low-carb	155	6.3 %
3	3: Didn't eat	1144	46.3 %
Missing Data			
-8	-8: Do not know	13	0.5 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 1,812 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 5628-5629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSTSHK9: Instant Shakes past year

In the past year if you drank instant breakfast shakes (like Carnation, diet shakes like Sego or liquid supplements like Ensure) was it usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	109	4.4 %
2	2: Low-carb	43	1.7 %
3	3: Didn't drink	1670	67.6 %
Missing Data			
-8	-8: Do not know	3	0.1 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 1,822 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 5630-5631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOCOCD9: Chocolate Candy or Candy Bars past year

In the past year if you ate chocolate candy or candy bars were they usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	1543	62.5 %
2	2: Low-carb	47	1.9 %
3	3: Didn't eat	231	9.4 %
Missing Data			
-8	-8: Do not know	4	0.2 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 1,821 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 5632-5633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ICECREA9: Ice Cream past year

In the past year if you ate ice cream was it usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	1221	49.5 %
2	2: Low-carb	47	1.9 %
3	3: Low-fat	355	14.4 %
4	4: Didn't eat ice cream	196	7.9 %
Missing Data			
-8	-8: Do not know	6	0.2 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 1,819 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 5634-5635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SALADDR9: Salad Dressing past year

In the past year if you used salad dressing was it usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	1092	44.2 %
2	2: Low-carb	39	1.6 %
3	3: Low-fat	618	25.0 %
4	4: Didn't use salad dressing	71	2.9 %
Missing Data			
-8	-8: Do not know	5	0.2 %
.	-	644	26.1 %
Total		2,469	100%

Based upon 1,820 valid cases out of 2,469 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 5636-5637 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

DRKBEER9: Beer past year

In the past year if you drank beer was it usually...

Value	Label	Unweighted Frequency	%
1	1: Regular	354	14.3 %
2	2: Low-carb	14	0.6 %
3	3: Light beer	234	9.5 %
4	4: Didn't drink beer	1223	49.5 %
	Missing Data		
.	-	644	26.1 %
	Total	2,469	100%

Based upon 1,825 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 5638-5639 (*width:* 2; *decimal:* 0)
Variable Type: numeric
(Range of) Missing Values: -9, -8, -7, -1, .

BIODAY9: Bioimpedance Day

Date form completed:

Value	Label	Unweighted Frequency	%
3151	-	1	0.0 %
3153	-	1	0.0 %
3167	-	1	0.0 %
3171	-	1	0.0 %
3178	-	1	0.0 %
3196	-	1	0.0 %
3202	-	2	0.1 %
3205	-	1	0.0 %
3206	-	1	0.0 %
3208	-	2	0.1 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3213	-	1	0.0 %
3214	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3215	-	3	0.1 %
3217	-	1	0.0 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3222	-	1	0.0 %
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	3	0.1 %
3226	-	2	0.1 %
3227	-	2	0.1 %
3228	-	9	0.4 %
3229	-	4	0.2 %
3230	-	2	0.1 %
3231	-	2	0.1 %
3232	-	4	0.2 %
3233	-	5	0.2 %
3234	-	9	0.4 %
3235	-	8	0.3 %
3236	-	1	0.0 %
3237	-	5	0.2 %
3238	-	5	0.2 %
3239	-	8	0.3 %
3240	-	24	1.0 %
3241	-	20	0.8 %
3242	-	9	0.4 %
3243	-	5	0.2 %
3244	-	10	0.4 %
3245	-	10	0.4 %
3246	-	10	0.4 %
3247	-	8	0.3 %
3248	-	22	0.9 %
3249	-	12	0.5 %
3250	-	9	0.4 %
3251	-	11	0.4 %
3252	-	9	0.4 %
3253	-	9	0.4 %
Missing Data			
.	-	691	28.0 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,778 valid cases out of 2,469 total cases.

- Mean: 3322.47
- Minimum: 3151.00
- Maximum: 3845.00
- Standard Deviation: 79.63

Location: 5640-5643 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LANGBIO9: Language of Bioimpedance

Interview Language:

Value	Label	Unweighted Frequency	%
1	1: English	1710	69.3 %
2	2: Spanish	0	0.0 %
3	3: Cantonese	7	0.3 %
4	4: Japanese	61	2.5 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 5644-5645 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

COMPBIA9: Was bioimpedance measurement completed

Was bioimpedance measurement completed?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1778	72.0 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 5646-5647 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

AICDPUM9: Insulin pump, pacemaker or automatic implantable cardiac defibrillator

Do you have an insulin pump, pacemaker or automatic implantable cardiac defibrillator (AICD)?

Value	Label	Unweighted Frequency	%
1	1: No	1778	72.0 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 5648-5649 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

EXER12H9: Exercise/sauna within last 12 hours

Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	1665	67.4 %
2	2: Yes	112	4.5 %
	Missing Data		
-9	-9: Missing	1	0.0 %
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,777 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5650-5651 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

EAT5HR9: Eat/drink in last 5 hours

Have you had anything to eat or drink, apart from water, in the last 5 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	405	16.4 %
2	2: Yes	1372	55.6 %
Missing Data			
-9	-9: Missing	1	0.0 %
.	-	691	28.0 %
Total		2,469	100%

Based upon 1,777 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5652-5653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCO24H9: More than 2 alcoholic drinks last 24 hours

Have you had more than 2 alcohol drinks in the last 24 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	1669	67.6 %
2	2: Yes	109	4.4 %
Missing Data			
.	-	691	28.0 %
Total		2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5654-5655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMBDDEV9: Embedded metal devices/pins/plates/staples

Do you have any embedded medical devices, metal pins or plates, clips or beads used to treat cancer, braces, staples from surgery or any other type of embedded metal?

Value	Label	Unweighted Frequency	%
1	1: No	1633	66.1 %
2	2: Yes	143	5.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	-8: Do not know	2	0.1 %
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,776 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5656-5657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

METJEWL9: Metal jewelry during measurement

Did participant wear any metal jewelry during measurement?

Value	Label	Unweighted Frequency	%
1	1: No	1554	62.9 %
2	2: Yes	224	9.1 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5658-5659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONMEASS9: Metal jewelry on measured side

If YES to METJEWL9, were there any rings, bracelets, watches or ankle jewelry on the measured side?

Value	Label	Unweighted Frequency	%
1	1: No	152	6.2 %
2	2: Yes	72	2.9 %
	Missing Data		
-1	-1: N/A	1554	62.9 %
.	-	691	28.0 %
	Total	2,469	100%

Based upon 224 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5660-5661 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDE9: Which side of body electrodes placed

On which side of the body were the electrodes placed?

Value	Label	Unweighted Frequency	%
1	1: Right	784	31.8 %
2	2: Left	994	40.3 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5662-5663 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONDRAW9: Raw conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
333	-	2	0.1 %
361	-	1	0.0 %
362	-	1	0.0 %
367	-	1	0.0 %
368	-	1	0.0 %
373	-	1	0.0 %
375	-	1	0.0 %
376	-	2	0.1 %
377	-	1	0.0 %
378	-	1	0.0 %
380	-	1	0.0 %
383	-	1	0.0 %
388	-	1	0.0 %

Value	Label	Unweighted Frequency	%
389	-	1	0.0 %
391	-	1	0.0 %
392	-	2	0.1 %
393	-	1	0.0 %
395	-	1	0.0 %
398	-	1	0.0 %
399	-	1	0.0 %
402	-	1	0.0 %
405	-	2	0.1 %
406	-	2	0.1 %
408	-	1	0.0 %
409	-	3	0.1 %
410	-	1	0.0 %
411	-	1	0.0 %
412	-	1	0.0 %
413	-	4	0.2 %
414	-	1	0.0 %
415	-	1	0.0 %
416	-	2	0.1 %
417	-	1	0.0 %
418	-	2	0.1 %
419	-	2	0.1 %
420	-	2	0.1 %
421	-	3	0.1 %
422	-	4	0.2 %
423	-	2	0.1 %
424	-	1	0.0 %
426	-	1	0.0 %
427	-	1	0.0 %
428	-	3	0.1 %
429	-	1	0.0 %
430	-	3	0.1 %
431	-	5	0.2 %
433	-	1	0.0 %
434	-	2	0.1 %
435	-	7	0.3 %
436	-	5	0.2 %
Missing Data			
.	-	695	28.1 %

Value	Label	Unweighted Frequency	%
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,774 valid cases out of 2,469 total cases.

- Mean: 563.35
- Minimum: 333.00
- Maximum: 907.00
- Standard Deviation: 75.89

Location: 5664-5668 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9999, -2222, -1111, -9, -8, -7, -1, .

CONDFRZ9: Frozen conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
333	-	2	0.1 %
361	-	1	0.0 %
362	-	1	0.0 %
367	-	1	0.0 %
368	-	1	0.0 %
373	-	1	0.0 %
375	-	1	0.0 %
376	-	2	0.1 %
377	-	1	0.0 %
378	-	1	0.0 %
380	-	1	0.0 %
383	-	1	0.0 %
388	-	1	0.0 %
389	-	1	0.0 %
391	-	1	0.0 %
392	-	2	0.1 %
393	-	1	0.0 %
395	-	1	0.0 %
398	-	1	0.0 %
399	-	1	0.0 %
402	-	1	0.0 %
405	-	2	0.1 %
406	-	2	0.1 %

Value	Label	Unweighted Frequency	%
408	-	1	0.0 %
409	-	3	0.1 %
410	-	1	0.0 %
411	-	1	0.0 %
412	-	1	0.0 %
413	-	4	0.2 %
414	-	1	0.0 %
415	-	1	0.0 %
416	-	2	0.1 %
417	-	1	0.0 %
418	-	2	0.1 %
419	-	2	0.1 %
420	-	2	0.1 %
421	-	3	0.1 %
422	-	4	0.2 %
423	-	2	0.1 %
424	-	1	0.0 %
426	-	1	0.0 %
427	-	1	0.0 %
428	-	3	0.1 %
429	-	1	0.0 %
430	-	3	0.1 %
431	-	5	0.2 %
433	-	1	0.0 %
434	-	2	0.1 %
435	-	7	0.3 %
436	-	5	0.2 %
Missing Data			
.	-	697	28.2 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,772 valid cases out of 2,469 total cases.

- Mean: 562.96
- Minimum: 333.00
- Maximum: 798.00
- Standard Deviation: 75.07

Location: 5669-5671 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: .

IMPERAW9: Raw impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
33	-	2	0.1 %
34	-	2	0.1 %
35	-	1	0.0 %
36	-	5	0.2 %
37	-	3	0.1 %
38	-	6	0.2 %
39	-	4	0.2 %
40	-	10	0.4 %
41	-	10	0.4 %
42	-	14	0.6 %
43	-	11	0.4 %
44	-	17	0.7 %
45	-	20	0.8 %
46	-	19	0.8 %
47	-	15	0.6 %
48	-	33	1.3 %
49	-	29	1.2 %
50	-	22	0.9 %
51	-	40	1.6 %
52	-	39	1.6 %
53	-	38	1.5 %
54	-	62	2.5 %
55	-	49	2.0 %
56	-	65	2.6 %
57	-	68	2.8 %
58	-	64	2.6 %
59	-	78	3.2 %
60	-	69	2.8 %
61	-	86	3.5 %
62	-	69	2.8 %
63	-	90	3.6 %
64	-	77	3.1 %
65	-	65	2.6 %

Value	Label	Unweighted Frequency	%
66	-	61	2.5 %
67	-	61	2.5 %
68	-	54	2.2 %
69	-	48	1.9 %
70	-	46	1.9 %
71	-	36	1.5 %
72	-	28	1.1 %
73	-	42	1.7 %
74	-	23	0.9 %
75	-	28	1.1 %
76	-	25	1.0 %
77	-	26	1.1 %
78	-	21	0.9 %
79	-	10	0.4 %
80	-	7	0.3 %
81	-	10	0.4 %
Missing Data			
-	-	695	28.1 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,774 valid cases out of 2,469 total cases.

- Mean: 62.04
- Median: 62.00
- Mode: 63.00
- Minimum: 32.00
- Maximum: 171.00
- Standard Deviation: 11.36

Location: 5672-5676 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9999 , -2222 , -1111 , -9 , -8 , -7 , -1 , .

IMPEFRZ9: Frozen impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
33	-	2	0.1 %
34	-	2	0.1 %

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
36	-	5	0.2 %
37	-	3	0.1 %
38	-	6	0.2 %
39	-	4	0.2 %
40	-	10	0.4 %
41	-	10	0.4 %
42	-	14	0.6 %
43	-	11	0.4 %
44	-	17	0.7 %
45	-	20	0.8 %
46	-	19	0.8 %
47	-	15	0.6 %
48	-	33	1.3 %
49	-	29	1.2 %
50	-	22	0.9 %
51	-	40	1.6 %
52	-	39	1.6 %
53	-	38	1.5 %
54	-	62	2.5 %
55	-	49	2.0 %
56	-	65	2.6 %
57	-	68	2.8 %
58	-	64	2.6 %
59	-	78	3.2 %
60	-	69	2.8 %
61	-	86	3.5 %
62	-	69	2.8 %
63	-	90	3.6 %
64	-	77	3.1 %
65	-	65	2.6 %
66	-	61	2.5 %
67	-	62	2.5 %
68	-	54	2.2 %
69	-	48	1.9 %
70	-	46	1.9 %
71	-	36	1.5 %
72	-	28	1.1 %
73	-	42	1.7 %

Value	Label	Unweighted Frequency	%
74	-	23	0.9 %
75	-	28	1.1 %
76	-	25	1.0 %
77	-	26	1.1 %
78	-	21	0.9 %
79	-	10	0.4 %
80	-	7	0.3 %
81	-	10	0.4 %
Missing Data			
.	-	696	28.2 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,773 valid cases out of 2,469 total cases.

- Mean: 61.96
- Median: 62.00
- Mode: 63.00
- Minimum: 32.00
- Maximum: 138.00
- Standard Deviation: 11.05

Location: 5677-5679 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

BIORRUN9: Was measurement re-run

Was the measurement re-run?

Value	Label	Unweighted Frequency	%
1	1: No	1771	71.7 %
2	2: Yes	7	0.3 %
Missing Data			
.	-	691	28.0 %
Total		2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5680-5681 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

PBFBIA9: Percent Body Fat (Sowers Equation)

% Body Fat (Sowers Eq.)

Value	Label	Unweighted Frequency	%
15.787359546811	-	1	0.0 %
18.536479196812	-	1	0.0 %
18.660730488227	-	1	0.0 %
18.780615460740	-	1	0.0 %
19.071062595527	-	1	0.0 %
19.436021121401	-	1	0.0 %
19.703156890825	-	1	0.0 %
19.706366974365	-	1	0.0 %
20.050538480716	-	1	0.0 %
20.073405219743	-	1	0.0 %
20.124356985745	-	1	0.0 %
20.178875159969	-	1	0.0 %
20.410488539314	-	1	0.0 %
20.536620164579	-	1	0.0 %
20.571796588133	-	1	0.0 %
20.725818626192	-	1	0.0 %
20.818622403381	-	1	0.0 %
20.961901359654	-	1	0.0 %
21.102362733704	-	1	0.0 %
21.212961636879	-	1	0.0 %
21.407778670131	-	1	0.0 %
21.421794989867	-	1	0.0 %
21.552607281135	-	1	0.0 %
21.557060994568	-	1	0.0 %
21.660828806127	-	1	0.0 %
21.808888743544	-	1	0.0 %
21.895918465135	-	1	0.0 %
21.901045882159	-	1	0.0 %
21.928063750723	-	1	0.0 %
21.933241545920	-	1	0.0 %
21.940018815961	-	1	0.0 %
21.955894175050	-	1	0.0 %
21.981667208655	-	1	0.0 %
22.038612452304	-	1	0.0 %
22.100234945083	-	1	0.0 %
22.104458808048	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22.250992907072	-	1	0.0 %
22.322430854531	-	1	0.0 %
22.325974237103	-	1	0.0 %
22.338187140560	-	1	0.0 %
22.472275847252	-	1	0.0 %
22.538061239104	-	1	0.0 %
22.644810383384	-	1	0.0 %
22.802533537385	-	1	0.0 %
22.867477920933	-	1	0.0 %
22.914723598600	-	1	0.0 %
22.934191860523	-	1	0.0 %
22.958011719574	-	1	0.0 %
23.016985346568	-	1	0.0 %
23.034184603741	-	1	0.0 %
	Missing Data		
.	-	710	28.8 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,759 valid cases out of 2,469 total cases.

- Mean: 36.505250843048
- Minimum: 15.787359546811
- Maximum: 72.670136524956
- Standard Deviation: 8.899584374710

Location: 5682-5696 (width: 15; decimal: 12)

Variable Type: numeric

(Range of Missing Values: .

SKELMM9: Skeletal Muscle Mass (Janssen Equation)

Skeletal Muscle Mass (Janssen Eq.)

Value	Label	Unweighted Frequency	%
12.771155216285	-	1	0.0 %
13.106603423680	-	1	0.0 %
13.156005353805	-	1	0.0 %
13.888804500000	-	1	0.0 %
13.988415907781	-	1	0.0 %
14.042748639761	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14.052144451220	-	1	0.0 %
14.158361724138	-	1	0.0 %
14.164294797688	-	1	0.0 %
14.197526360856	-	1	0.0 %
14.247552610687	-	1	0.0 %
14.251521549925	-	1	0.0 %
14.318265205479	-	1	0.0 %
14.346358129298	-	1	0.0 %
14.437974496644	-	1	0.0 %
14.471204958217	-	1	0.0 %
14.525821543367	-	1	0.0 %
14.565055565891	-	1	0.0 %
14.592511248186	-	1	0.0 %
14.611714738416	-	1	0.0 %
14.614396848921	-	1	0.0 %
14.644780841800	-	1	0.0 %
14.669482656642	-	1	0.0 %
14.691088926174	-	1	0.0 %
14.694520198468	-	1	0.0 %
14.699405160772	-	1	0.0 %
14.711982170088	-	1	0.0 %
14.722997311828	-	1	0.0 %
14.737810975610	-	1	0.0 %
14.745976441718	-	1	0.0 %
14.762122385445	-	1	0.0 %
14.768211127923	-	1	0.0 %
14.779847182081	-	1	0.0 %
14.793978682171	-	1	0.0 %
14.850138092308	-	1	0.0 %
14.880142745098	-	1	0.0 %
14.921327296849	-	1	0.0 %
14.938233619972	-	1	0.0 %
14.944921164902	-	1	0.0 %
14.963049465241	-	1	0.0 %
14.968847298507	-	1	0.0 %
14.990440014045	-	1	0.0 %
15.053556509299	-	1	0.0 %
15.063778309410	-	1	0.0 %
15.077151304348	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.084572470060	-	1	0.0 %
15.143129324503	-	1	0.0 %
15.158201250000	-	1	0.0 %
15.162364162963	-	1	0.0 %
15.163802721088	-	1	0.0 %
	Missing Data		
.	-	710	28.8 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,759 valid cases out of 2,469 total cases.

- Mean: 20.292580676288
- Minimum: 12.771155216285
- Maximum: 36.017781051051
- Standard Deviation: 3.135382361733

Location: 5697-5711 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

TBWNHAN9: Total Body Water 1 (NHANES/RJL Equation)

Total Body Water 1 (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
22.048180916031	-	1	0.0 %
22.266994864479	-	1	0.0 %
22.659706008011	-	1	0.0 %
22.836732564841	-	1	0.0 %
22.850064083458	-	1	0.0 %
23.056480269058	-	1	0.0 %
23.248802890173	-	1	0.0 %
23.349449230769	-	1	0.0 %
23.377744827586	-	1	0.0 %
23.395997315436	-	1	0.0 %
23.482625000000	-	1	0.0 %
23.841415068493	-	1	0.0 %
23.863319282511	-	1	0.0 %
23.896541799710	-	1	0.0 %
23.951897744361	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24.016086046512	-	1	0.0 %
24.051500609756	-	1	0.0 %
24.059454838710	-	1	0.0 %
24.266137551582	-	1	0.0 %
24.282666275660	-	1	0.0 %
24.334251219512	-	1	0.0 %
24.393287500000	-	1	0.0 %
24.470527439024	-	1	0.0 %
24.520702173913	-	1	0.0 %
24.541546788991	-	1	0.0 %
24.619134351145	-	1	0.0 %
24.657060781671	-	1	0.0 %
24.738338650307	-	1	0.0 %
24.753300803859	-	1	0.0 %
24.759514903846	-	1	0.0 %
24.761189361702	-	1	0.0 %
24.793920220083	-	1	0.0 %
25.024101341282	-	1	0.0 %
25.077115671642	-	1	0.0 %
25.140779069767	-	1	0.0 %
25.142574015748	-	1	0.0 %
25.171157754011	-	1	0.0 %
25.183716417910	-	1	0.0 %
25.185827777778	-	1	0.0 %
25.195929758419	-	1	0.0 %
25.221741007194	-	1	0.0 %
25.287449786020	-	1	0.0 %
25.295189739884	-	1	0.0 %
25.340178571429	-	1	0.0 %
25.349277154583	-	1	0.0 %
25.360534042553	-	1	0.0 %
25.420240939597	-	1	0.0 %
25.456970454545	-	1	0.0 %
25.480474380165	-	1	0.0 %
25.499150140449	-	1	0.0 %
	Missing Data		
.	-	710	28.8 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,759 valid cases out of 2,469 total cases.

- Mean: 33.805590493090
- Minimum: 22.048180916031
- Maximum: 58.121737837838
- Standard Deviation: 5.442800931555

Location: 5712-5726 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

FFMNHAN9: Fat Free Mass (NHANES/RJL Equation)

Fat Free Mass (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
30.041360057061	-	1	0.0 %
30.495685782414	-	1	0.0 %
30.756526816143	-	1	0.0 %
30.821391700288	-	1	0.0 %
30.918521476923	-	1	0.0 %
31.048703816794	-	1	0.0 %
31.382209292390	-	1	0.0 %
31.413857803468	-	1	0.0 %
31.718090000000	-	1	0.0 %
31.759593972603	-	1	0.0 %
31.839106418605	-	1	0.0 %
31.984795156951	-	1	0.0 %
32.024535483871	-	1	0.0 %
32.101715609756	-	1	0.0 %
32.133160000000	-	1	0.0 %
32.195732000000	-	1	0.0 %
32.338568650218	-	1	0.0 %
32.484777181208	-	1	0.0 %
32.499751219512	-	1	0.0 %
32.566627909968	-	1	0.0 %
32.670562439024	-	1	0.0 %
32.673940384615	-	1	0.0 %
32.739600366972	-	1	0.0 %
32.837321173021	-	1	0.0 %
32.864765129771	-	1	0.0 %
32.922241393035	-	1	0.0 %

Value	Label	Unweighted Frequency	%
33.032291779141	-	1	0.0 %
33.336192695652	-	1	0.0 %
33.415311811024	-	1	0.0 %
33.493826079780	-	1	0.0 %
33.507511627907	-	1	0.0 %
33.590734841930	-	1	0.0 %
33.661762962963	-	1	0.0 %
33.725138421053	-	1	0.0 %
33.733235803279	-	1	0.0 %
33.783690074516	-	1	0.0 %
33.824624238806	-	1	0.0 %
33.893494472362	-	1	0.0 %
33.909289468599	-	1	0.0 %
33.940018212766	-	1	0.0 %
34.061290000000	-	1	0.0 %
34.088262857143	-	1	0.0 %
34.193924511278	-	1	0.0 %
34.210381703470	-	1	0.0 %
34.240774026354	-	1	0.0 %
34.243327636364	-	1	0.0 %
34.284250093458	-	1	0.0 %
34.286760000000	-	1	0.0 %
34.321927877863	-	1	0.0 %
34.347383273728	-	1	0.0 %
	Missing Data		
.	-	710	28.8 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,759 valid cases out of 2,469 total cases.

- Mean: 45.450477216389
- Minimum: 30.041360057061
- Maximum: 78.972002522523
- Standard Deviation: 7.321809821308

Location: 5727-5741 (*width:* 15; *decimal:* 12)

Variable Type: numeric

(Range of) Missing Values: .

TBFNHAN9: Total Body Fat (NHANES/RJL Equation)

Total Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
2.974861578947	-	1	0.0 %
7.290979492958	-	1	0.0 %
7.504314217586	-	1	0.0 %
7.698284390244	-	1	0.0 %
7.729719582609	-	1	0.0 %
8.275869621622	-	1	0.0 %
8.648050000000	-	1	0.0 %
8.726059615385	-	1	0.0 %
8.857360869565	-	1	0.0 %
9.081478523077	-	1	0.0 %
9.116457916667	-	1	0.0 %
9.175464516129	-	1	0.0 %
9.194942857143	-	1	0.0 %
9.395808330956	-	1	0.0 %
9.402004958678	-	1	0.0 %
9.406075488722	-	1	0.0 %
9.452584633663	-	1	0.0 %
9.457596847636	-	1	0.0 %
9.544581398866	-	1	0.0 %
9.905809568106	-	1	0.0 %
10.119550000000	-	1	0.0 %
10.127486564103	-	1	0.0 %
10.248172223816	-	1	0.0 %
10.252071914894	-	1	0.0 %
10.378608299712	-	1	0.0 %
10.454185259392	-	1	0.0 %
10.481910000000	-	1	0.0 %
10.546091205937	-	1	0.0 %
10.634728961749	-	1	0.0 %
10.692986113208	-	1	0.0 %
10.713968902439	-	1	0.0 %
10.780601641026	-	1	0.0 %
10.955659970282	-	1	0.0 %
11.047050370370	-	1	0.0 %
11.143473183857	-	1	0.0 %
11.152616726272	-	1	0.0 %
11.205209820359	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11.219512883436	-	1	0.0 %
11.315222818792	-	1	0.0 %
11.411737142857	-	1	0.0 %
11.464212884334	-	1	0.0 %
11.565080792079	-	1	0.0 %
11.663807304348	-	1	0.0 %
11.686142196532	-	1	0.0 %
11.697670829268	-	1	0.0 %
11.728356657682	-	1	0.0 %
11.945966225681	-	1	0.0 %
11.978994059406	-	1	0.0 %
11.983033893654	-	1	0.0 %
11.984688188976	-	1	0.0 %
	Missing Data		
.	-	710	28.8 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,759 valid cases out of 2,469 total cases.

- Mean: 30.917970765419
- Minimum: 2.974861578947
- Maximum: 84.313213098901
- Standard Deviation: 13.701647601893

Location: 5742-5756 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

PBFNHAN9: Percent Body Fat (NHANES/RJL Equation)

% Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
8.105889860892	-	1	0.0 %
15.579016010593	-	1	0.0 %
16.551862061261	-	1	0.0 %
17.545186394974	-	1	0.0 %
18.417086700337	-	1	0.0 %
18.739907407407	-	1	0.0 %
19.048568281938	-	1	0.0 %

Value	Label	Unweighted Frequency	%
19.291071379071	-	1	0.0 %
19.342423091065	-	1	0.0 %
19.449762620707	-	1	0.0 %
19.540489354619	-	1	0.0 %
19.724877847909	-	1	0.0 %
19.748195309436	-	1	0.0 %
20.222285090332	-	1	0.0 %
20.484647726451	-	1	0.0 %
20.709330759331	-	1	0.0 %
20.986618211334	-	1	0.0 %
21.077438684504	-	1	0.0 %
21.305687825297	-	1	0.0 %
21.419254080375	-	1	0.0 %
21.468563453809	-	1	0.0 %
21.573567634683	-	1	0.0 %
21.701076194576	-	1	0.0 %
21.834557362188	-	1	0.0 %
21.866135114836	-	1	0.0 %
21.988065843621	-	1	0.0 %
22.061936677297	-	1	0.0 %
22.142703919857	-	1	0.0 %
22.270544942061	-	1	0.0 %
22.278635269166	-	1	0.0 %
22.307239127979	-	1	0.0 %
22.352148377952	-	1	0.0 %
22.651097045326	-	1	0.0 %
22.690050596081	-	1	0.0 %
22.703696307692	-	1	0.0 %
22.710962406238	-	1	0.0 %
22.919674486527	-	1	0.0 %
23.035473591935	-	1	0.0 %
23.135364476136	-	1	0.0 %
23.149405936320	-	1	0.0 %
23.206737806874	-	1	0.0 %
23.256948148148	-	1	0.0 %
23.631140634285	-	1	0.0 %
23.652892867683	-	1	0.0 %
23.713549719226	-	1	0.0 %
23.971259842520	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24.023019101834	-	1	0.0 %
24.045514635964	-	1	0.0 %
24.068444757213	-	1	0.0 %
24.076207904368	-	1	0.0 %
	Missing Data		
.	-	710	28.8 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,759 valid cases out of 2,469 total cases.

- Mean: 38.760871290575
- Minimum: 8.105889860892
- Maximum: 58.096654332351
- Standard Deviation: 7.760504264035

Location: 5757-5771 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: .

MISSCON9: Invalid conductance value causes missing bio

Invalid conductance value causes missing bio

Value	Label	Unweighted Frequency	%
0	0: No	1772	71.8 %
1	1: Yes	6	0.2 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 5772-5773 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

MISSPHY9: Missing physical measures causes missing bio

Missing physical measures causes missing bio

Value	Label	Unweighted Frequency	%
0	0: No	1765	71.5 %
1	1: Yes	13	0.5 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 5774-5775 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAGSRP9: Used self-reported physical measures

Used self-reported physical measures

Value	Label	Unweighted Frequency	%
0	0: No	1773	71.8 %
1	1: Yes	5	0.2 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 5776-5777 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGBIOV9: Bioimpedance: Completed after V9 cutoff (01/31/2007)

Completed after V9 cutoff (01/31/2007)

Value	Label	Unweighted Frequency	%
0	0: No	1777	72.0 %
1	1: Yes	1	0.0 %
	Missing Data		
.	-	691	28.0 %
	Total	2,469	100%

Based upon 1,778 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 5778-5779 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW9: Blood Drawn

Was blood drawn?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2052	83.1 %
	Missing Data		
.	-	417	16.9 %
	Total	2,469	100%

Based upon 2,052 valid cases out of 2,469 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 5780-5781 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREGNAN9: Additional Measures Collected: Currently Pregnant

If YES to BLDDRAW9: Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	1: No	2052	83.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	417	16.9 %
	Total	2,469	100%

Based upon 2,052 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 5782-5783 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN9: Eat/Drink in last 12 hours

If YES to BLDDRAW9: Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	1: No	1994	80.8 %
2	2: Yes	58	2.3 %
	Missing Data		
.	-	417	16.9 %
	Total	2,469	100%

Based upon 2,052 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5784-5785 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER9: Start Period in Last Week

If YES to BLDDRAW9: Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
1	1: No	1913	77.5 %
2	2: Yes	139	5.6 %
	Missing Data		
.	-	417	16.9 %
	Total	2,469	100%

Based upon 2,052 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5786-5787 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEDAY9: Day that you started to bleed

If YES to STRTPER9: What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
3160	-	1	0.0 %
3224	-	1	0.0 %
3226	-	1	0.0 %
3234	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3236	-	1	0.0 %
3238	-	2	0.1 %
3243	-	1	0.0 %
3244	-	1	0.0 %
3245	-	1	0.0 %
3246	-	1	0.0 %
3247	-	1	0.0 %
3252	-	2	0.1 %
3254	-	2	0.1 %
3255	-	1	0.0 %
3257	-	1	0.0 %
3258	-	1	0.0 %
3262	-	2	0.1 %
3263	-	1	0.0 %
3267	-	1	0.0 %
3268	-	1	0.0 %
3269	-	1	0.0 %
3270	-	2	0.1 %
3271	-	1	0.0 %
3274	-	1	0.0 %
3275	-	2	0.1 %
3276	-	4	0.2 %
3279	-	1	0.0 %
3281	-	2	0.1 %
3285	-	1	0.0 %
3288	-	1	0.0 %
3289	-	2	0.1 %
3290	-	1	0.0 %
3291	-	3	0.1 %
3293	-	1	0.0 %
3295	-	2	0.1 %
3296	-	3	0.1 %
3297	-	1	0.0 %
3298	-	2	0.1 %
3301	-	3	0.1 %
3304	-	2	0.1 %
3305	-	1	0.0 %
3306	-	2	0.1 %
3307	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3309	-	1	0.0 %
3310	-	1	0.0 %
3312	-	2	0.1 %
3314	-	1	0.0 %
3316	-	3	0.1 %
3317	-	1	0.0 %
3318	-	1	0.0 %
Missing Data			
.	-	2330	94.4 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 139 valid cases out of 2,469 total cases.

- Mean: 3331.58
- Median: 3314.00
- Mode: 3276.00
- Minimum: 3160.00
- Maximum: 3951.00
- Standard Deviation: 87.79

Location: 5788-5791 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

BLDRWAT9: Blood Draw Attempted

If YES to BLDDRAW9: Blood draw category:

Value	Label	Unweighted Frequency	%
1	1: Yes, as per protocol	1453	58.8 %
2	2: Yes, menses too variable	280	11.3 %
3	3: Yes, Last attempt	319	12.9 %
4	4: Yes, Respondent Pregnant	0	0.0 %
5	5: No, Not fasting and/or not in window	0	0.0 %
Missing Data			
.	-	417	16.9 %
Total		2,469	100%

Based upon 2,052 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 5792-5793 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL249: Alcohol in Last 24 hours

If YES to BLDDRAW9: Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	1: No	1725	69.9 %
2	2: Yes	327	13.2 %
	Missing Data		
.	-	417	16.9 %
	Total	2,469	100%

Based upon 2,052 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 5794-5795 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRMDAY9: Hormone measures Day

Hormone measures Day

Value	Label	Unweighted Frequency	%
3135	-	1	0.0 %
3151	-	1	0.0 %
3153	-	1	0.0 %
3164	-	1	0.0 %
3167	-	1	0.0 %
3171	-	1	0.0 %
3178	-	1	0.0 %
3196	-	1	0.0 %
3202	-	2	0.1 %
3205	-	1	0.0 %
3206	-	1	0.0 %
3208	-	1	0.0 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3213	-	2	0.1 %
3214	-	1	0.0 %
3215	-	5	0.2 %

Value	Label	Unweighted Frequency	%
3217	-	1	0.0 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3221	-	1	0.0 %
3222	-	1	0.0 %
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	4	0.2 %
3226	-	3	0.1 %
3227	-	3	0.1 %
3228	-	10	0.4 %
3229	-	2	0.1 %
3230	-	2	0.1 %
3231	-	2	0.1 %
3232	-	5	0.2 %
3233	-	5	0.2 %
3234	-	10	0.4 %
3235	-	8	0.3 %
3236	-	2	0.1 %
3237	-	8	0.3 %
3238	-	6	0.2 %
3239	-	7	0.3 %
3240	-	26	1.1 %
3241	-	21	0.9 %
3242	-	11	0.4 %
3243	-	6	0.2 %
3244	-	8	0.3 %
3245	-	11	0.4 %
3246	-	16	0.6 %
3247	-	8	0.3 %
3248	-	19	0.8 %
3249	-	13	0.5 %
3250	-	10	0.4 %
Missing Data			
.	-	446	18.1 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,023 valid cases out of 2,469 total cases.

- Mean: 3374.51
- Minimum: 3135.00
- Maximum: 4532.00
- Standard Deviation: 218.62

Location: 5796-5799 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

DHAS9: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
2.3	-	1	0.0 %
5.5	-	1	0.0 %
5.8	-	1	0.0 %
6.0	-	1	0.0 %
6.9	-	1	0.0 %
7.1	-	1	0.0 %
7.4	-	1	0.0 %
8.3	-	1	0.0 %
8.7	-	1	0.0 %
8.9	-	1	0.0 %
9.4	-	1	0.0 %
9.5	-	1	0.0 %
10.8	-	1	0.0 %
10.9	-	1	0.0 %
11.0	-	1	0.0 %
11.5	-	2	0.1 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %
13.1	-	1	0.0 %
14.1	-	1	0.0 %
14.4	-	1	0.0 %
14.5	-	1	0.0 %
14.7	-	1	0.0 %
15.8	-	1	0.0 %
16.0	-	1	0.0 %
16.4	-	2	0.1 %
16.6	-	1	0.0 %
17.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.1	-	1	0.0 %
17.3	-	1	0.0 %
18.5	-	2	0.1 %
19.0	-	1	0.0 %
19.6	-	1	0.0 %
19.8	-	2	0.1 %
20.0	-	1	0.0 %
20.4	-	1	0.0 %
20.5	-	1	0.0 %
20.6	-	1	0.0 %
20.7	-	1	0.0 %
21.0	-	1	0.0 %
21.2	-	1	0.0 %
21.3	-	1	0.0 %
21.4	-	1	0.0 %
21.5	-	3	0.1 %
21.6	-	1	0.0 %
21.7	-	1	0.0 %
21.8	-	2	0.1 %
21.9	-	1	0.0 %
22.7	-	1	0.0 %
23.3	-	1	0.0 %
Missing Data			
.	-	446	18.1 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,023 valid cases out of 2,469 total cases.

- Mean: 124.43
- Minimum: 2.30
- Maximum: 1429.80
- Standard Deviation: 82.81

Location: 5800-5805 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

E2AVE9: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
4.050000000000	-	1	0.0 %
4.950000000000	-	1	0.0 %
5.000000000000	-	1	0.0 %
5.350000000000	-	2	0.1 %
5.500000000000	-	1	0.0 %
5.650000000000	-	1	0.0 %
5.800000000000	-	2	0.1 %
5.850000000000	-	1	0.0 %
5.900000000000	-	1	0.0 %
5.950000000000	-	1	0.0 %
6.100000000000	-	1	0.0 %
6.155000000000	-	1	0.0 %
6.200000000000	-	1	0.0 %
6.300000000000	-	1	0.0 %
6.350000000000	-	4	0.2 %
6.500000000000	-	2	0.1 %
6.550000000000	-	1	0.0 %
6.565000000000	-	1	0.0 %
6.600000000000	-	1	0.0 %
6.650000000000	-	1	0.0 %
6.700000000000	-	2	0.1 %
6.950000000000	-	1	0.0 %
7.050000000001	-	1	0.0 %
7.100000000000	-	2	0.1 %
7.200000000000	-	2	0.1 %
7.450000000000	-	2	0.1 %
7.500000000000	-	1	0.0 %
7.650000000000	-	2	0.1 %
7.700000000000	-	1	0.0 %
7.750000000000	-	3	0.1 %
7.800000000000	-	1	0.0 %
7.850000000000	-	1	0.0 %
7.900000000000	-	3	0.1 %
7.950000000000	-	2	0.1 %
8.050000000001	-	3	0.1 %
8.100000000000	-	1	0.0 %
8.150000000000	-	1	0.0 %
8.200000000000	-	1	0.0 %
8.250000000000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
8.30000000001	-	1	0.0 %
8.35000000000	-	1	0.0 %
8.45000000000	-	2	0.1 %
8.50000000000	-	2	0.1 %
8.55000000001	-	2	0.1 %
8.65000000000	-	4	0.2 %
8.70000000000	-	1	0.0 %
8.75000000000	-	1	0.0 %
8.80000000001	-	4	0.2 %
8.85000000000	-	1	0.0 %
8.85000000001	-	1	0.0 %
	Missing Data		
.	-	451	18.3 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,018 valid cases out of 2,469 total cases.

- Mean: 33.76433845392
- Minimum: 4.05000000000
- Maximum: 748.25000000000
- Standard Deviation: 51.25420886180

Location: 5806-5820 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: .

FSH9: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
1.6	-	1	0.0 %
3.3	-	1	0.0 %
3.5	-	1	0.0 %
3.9	-	1	0.0 %
4.0	-	1	0.0 %
4.2	-	1	0.0 %
4.5	-	1	0.0 %
4.9	-	1	0.0 %
5.7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.9	-	1	0.0 %
6.4	-	1	0.0 %
6.6	-	1	0.0 %
7.1	-	1	0.0 %
7.2	-	1	0.0 %
7.3	-	3	0.1 %
7.4	-	1	0.0 %
7.6	-	1	0.0 %
7.8	-	1	0.0 %
8.3	-	1	0.0 %
8.4	-	1	0.0 %
9.0	-	1	0.0 %
9.1	-	1	0.0 %
9.4	-	1	0.0 %
9.5	-	2	0.1 %
9.6	-	3	0.1 %
9.8	-	1	0.0 %
10.1	-	1	0.0 %
10.2	-	1	0.0 %
10.3	-	1	0.0 %
10.6	-	2	0.1 %
10.7	-	1	0.0 %
11.0	-	1	0.0 %
11.4	-	1	0.0 %
11.7	-	1	0.0 %
11.8	-	1	0.0 %
11.9	-	3	0.1 %
12.0	-	1	0.0 %
12.2	-	2	0.1 %
12.4	-	2	0.1 %
12.5	-	1	0.0 %
12.6	-	1	0.0 %
12.8	-	1	0.0 %
13.1	-	1	0.0 %
13.2	-	1	0.0 %
13.3	-	3	0.1 %
13.5	-	1	0.0 %
13.6	-	1	0.0 %
13.7	-	4	0.2 %

Value	Label	Unweighted Frequency	%
14.0	-	2	0.1 %
14.1	-	1	0.0 %
	Missing Data		
.	-	447	18.1 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,022 valid cases out of 2,469 total cases.

- Mean: 95.80
- Minimum: 1.60
- Maximum: 566.80
- Standard Deviation: 52.25

Location: 5821-5825 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

SHBG9: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
3.2	-	1	0.0 %
3.6	-	1	0.0 %
3.8	-	1	0.0 %
4.2	-	2	0.1 %
4.6	-	1	0.0 %
4.7	-	1	0.0 %
4.8	-	1	0.0 %
5.5	-	1	0.0 %
5.7	-	1	0.0 %
5.8	-	2	0.1 %
5.9	-	1	0.0 %
6.0	-	1	0.0 %
6.2	-	1	0.0 %
6.3	-	1	0.0 %
6.4	-	2	0.1 %
6.6	-	1	0.0 %
6.7	-	1	0.0 %
6.8	-	1	0.0 %
6.9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7.2	-	1	0.0 %
7.8	-	2	0.1 %
8.0	-	2	0.1 %
8.1	-	1	0.0 %
8.2	-	1	0.0 %
8.3	-	2	0.1 %
8.4	-	1	0.0 %
8.6	-	1	0.0 %
8.8	-	1	0.0 %
8.9	-	1	0.0 %
9.0	-	3	0.1 %
9.2	-	1	0.0 %
9.4	-	1	0.0 %
9.6	-	1	0.0 %
9.8	-	1	0.0 %
10.0	-	1	0.0 %
10.1	-	4	0.2 %
10.3	-	3	0.1 %
10.4	-	3	0.1 %
10.6	-	3	0.1 %
10.7	-	1	0.0 %
10.8	-	4	0.2 %
10.9	-	1	0.0 %
11.0	-	1	0.0 %
11.1	-	1	0.0 %
11.2	-	1	0.0 %
11.4	-	3	0.1 %
11.5	-	1	0.0 %
11.6	-	5	0.2 %
11.7	-	1	0.0 %
11.8	-	1	0.0 %
Missing Data			
.	-	458	18.6 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,011 valid cases out of 2,469 total cases.

- Mean: 44.99

- Minimum: 3.20
- Maximum: 333.70
- Standard Deviation: 27.99

Location: 5826-5830 (*width:* 5; *decimal:* 1)

Variable Type: numeric

(Range of) Missing Values: .

T9: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
2.2	-	1	0.0 %
2.6	-	1	0.0 %
2.7	-	1	0.0 %
2.8	-	1	0.0 %
2.9	-	1	0.0 %
3.0	-	1	0.0 %
3.7	-	1	0.0 %
4.1	-	1	0.0 %
4.3	-	1	0.0 %
4.9	-	1	0.0 %
5.4	-	2	0.1 %
5.9	-	1	0.0 %
6.1	-	1	0.0 %
6.2	-	1	0.0 %
6.3	-	1	0.0 %
6.4	-	1	0.0 %
6.7	-	1	0.0 %
7.2	-	1	0.0 %
7.6	-	1	0.0 %
8.1	-	1	0.0 %
8.2	-	1	0.0 %
8.3	-	1	0.0 %
8.6	-	1	0.0 %
8.7	-	2	0.1 %
8.8	-	1	0.0 %
9.2	-	1	0.0 %
9.4	-	2	0.1 %
9.5	-	1	0.0 %
9.6	-	1	0.0 %
9.8	-	2	0.1 %

Value	Label	Unweighted Frequency	%
10.1	-	2	0.1 %
10.3	-	2	0.1 %
10.6	-	1	0.0 %
10.7	-	3	0.1 %
10.8	-	3	0.1 %
10.9	-	3	0.1 %
11.0	-	2	0.1 %
11.1	-	2	0.1 %
11.2	-	1	0.0 %
11.3	-	3	0.1 %
11.4	-	1	0.0 %
11.5	-	3	0.1 %
11.6	-	2	0.1 %
11.7	-	6	0.2 %
11.8	-	1	0.0 %
11.9	-	3	0.1 %
12.1	-	1	0.0 %
12.2	-	3	0.1 %
12.3	-	1	0.0 %
12.4	-	3	0.1 %
Missing Data			
.	-	455	18.4 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,014 valid cases out of 2,469 total cases.

- Mean: 40.84
- Minimum: 2.20
- Maximum: 253.90
- Standard Deviation: 22.36

Location: 5831-5835 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: .

CYCDAY9: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	29	1.2 %

Value	Label	Unweighted Frequency	%
3	-	32	1.3 %
4	-	29	1.2 %
5	-	41	1.7 %
	Missing Data		
.	-	2338	94.7 %
	Total	2,469	100%

Based upon 131 valid cases out of 2,469 total cases.

- Mean: 3.63
- Median: 4.00
- Mode: 5.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.15

Location: 5836-5836 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

FLGCV9: Both Estradiol results (E2) more than 20 pg/mL & within-subject coefficient of variation (CV) is more than 15%

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	0: No	2020	81.8 %
1	1: Yes	3	0.1 %
	Missing Data		
.	-	446	18.1 %
	Total	2,469	100%

Based upon 2,023 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 5837-5838 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGDIF9: One or both Estradiol results (E2) are less than or equal to 20 pg/mL and the difference between them is more than 10 pg/mL

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	0: No	2023	81.9 %
1	1: Yes	0	0.0 %
	Missing Data		
.	-	446	18.1 %
	Total	2,469	100%

Based upon 2,023 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 5839-5840 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

FLGHRMV9: Additional Measures: Completed after V9 cutoff (01/31/2007)

Completed after V9 cutoff (01/31/2007)

Value	Label	Unweighted Frequency	%
0	0: No	1875	75.9 %
1	1: Yes	2	0.1 %
	Missing Data		
.	-	592	24.0 %
	Total	2,469	100%

Based upon 1,877 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 5841-5842 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9, -8, -7, -1, .

SPSCDAY9: Spine Scan Day

Spine Scan Day

Value	Label	Unweighted Frequency	%
3151	-	1	0.0 %
3153	-	1	0.0 %
3167	-	1	0.0 %
3171	-	1	0.0 %
3178	-	1	0.0 %
3196	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3202	-	2	0.1 %
3205	-	1	0.0 %
3206	-	1	0.0 %
3208	-	1	0.0 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3213	-	1	0.0 %
3214	-	1	0.0 %
3215	-	3	0.1 %
3217	-	1	0.0 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3221	-	1	0.0 %
3222	-	1	0.0 %
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	3	0.1 %
3226	-	2	0.1 %
3227	-	2	0.1 %
3228	-	9	0.4 %
3229	-	4	0.2 %
3230	-	2	0.1 %
3231	-	2	0.1 %
3232	-	4	0.2 %
3233	-	5	0.2 %
3234	-	9	0.4 %
3235	-	8	0.3 %
3237	-	6	0.2 %
3238	-	5	0.2 %
3239	-	7	0.3 %
3240	-	22	0.9 %
3241	-	19	0.8 %
3242	-	9	0.4 %
3243	-	4	0.2 %
3244	-	7	0.3 %
3245	-	11	0.4 %
3246	-	9	0.4 %
3247	-	8	0.3 %
3248	-	16	0.6 %

Value	Label	Unweighted Frequency	%
3249	-	12	0.5 %
3250	-	8	0.3 %
3251	-	11	0.4 %
3252	-	8	0.3 %
3253	-	9	0.4 %
Missing Data			
.	-	875	35.4 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,594 valid cases out of 2,469 total cases.

- Mean: 3319.96
- Minimum: 3151.00
- Maximum: 3845.00
- Standard Deviation: 78.79

Location: 5843-5846 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SPSCTIM9: Spine Scan Time

Spine Scan Time

Value	Label	Unweighted Frequency	%
0:00:00	-	6	0.2 %
10:00:08	-	1	0.0 %
10:00:10	-	1	0.0 %
10:00:15	-	1	0.0 %
10:00:17	-	1	0.0 %
10:00:21	-	1	0.0 %
10:00:39	-	1	0.0 %
10:01:03	-	1	0.0 %
10:01:12	-	1	0.0 %
10:01:16	-	1	0.0 %
10:01:19	-	1	0.0 %
10:01:23	-	1	0.0 %
10:01:25	-	1	0.0 %
10:01:35	-	1	0.0 %
10:01:39	-	1	0.0 %
10:01:40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:01:52	-	1	0.0 %
10:01:57	-	1	0.0 %
10:02:06	-	1	0.0 %
10:02:08	-	1	0.0 %
10:02:14	-	1	0.0 %
10:02:25	-	1	0.0 %
10:02:38	-	1	0.0 %
10:02:40	-	1	0.0 %
10:02:44	-	1	0.0 %
10:03:03	-	1	0.0 %
10:03:20	-	1	0.0 %
10:03:22	-	1	0.0 %
10:03:29	-	1	0.0 %
10:03:34	-	1	0.0 %
10:03:35	-	1	0.0 %
10:03:54	-	2	0.1 %
10:03:56	-	1	0.0 %
10:04:04	-	1	0.0 %
10:04:13	-	1	0.0 %
10:04:15	-	1	0.0 %
10:04:25	-	1	0.0 %
10:04:40	-	1	0.0 %
10:04:56	-	1	0.0 %
10:05:01	-	1	0.0 %
10:05:04	-	1	0.0 %
10:05:05	-	1	0.0 %
10:05:08	-	1	0.0 %
10:05:12	-	2	0.1 %
10:05:25	-	1	0.0 %
10:05:38	-	1	0.0 %
10:05:42	-	2	0.1 %
10:05:48	-	1	0.0 %
10:05:49	-	1	0.0 %
10:05:51	-	1	0.0 %
	Missing Data		
.	-	875	35.4 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,594 valid cases out of 2,469 total cases.

Location: 5847-5858 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

SPSCMOD9: Spine Scan Mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	0	0.0 %
11	11: 4500 machine	1594	64.6 %
	Missing Data		
.	-	875	35.4 %
	Total	2,469	100%

Based upon 1,594 valid cases out of 2,469 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 5859-5860 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HPSCDAY9: Hip Scan Day

Hip Scan Day

Value	Label	Unweighted Frequency	%
3151	-	1	0.0 %
3153	-	1	0.0 %
3167	-	1	0.0 %
3171	-	1	0.0 %
3178	-	1	0.0 %
3196	-	1	0.0 %
3202	-	2	0.1 %
3205	-	1	0.0 %
3206	-	1	0.0 %
3208	-	1	0.0 %
3209	-	2	0.1 %
3210	-	1	0.0 %
3213	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3214	-	1	0.0 %
3215	-	3	0.1 %
3217	-	1	0.0 %
3218	-	1	0.0 %
3220	-	3	0.1 %
3221	-	1	0.0 %
3222	-	1	0.0 %
3223	-	3	0.1 %
3224	-	3	0.1 %
3225	-	3	0.1 %
3226	-	2	0.1 %
3227	-	2	0.1 %
3228	-	9	0.4 %
3229	-	4	0.2 %
3230	-	2	0.1 %
3231	-	2	0.1 %
3232	-	4	0.2 %
3233	-	5	0.2 %
3234	-	9	0.4 %
3235	-	8	0.3 %
3236	-	1	0.0 %
3237	-	6	0.2 %
3238	-	5	0.2 %
3239	-	7	0.3 %
3240	-	22	0.9 %
3241	-	19	0.8 %
3242	-	9	0.4 %
3243	-	4	0.2 %
3244	-	7	0.3 %
3245	-	11	0.4 %
3246	-	9	0.4 %
3247	-	8	0.3 %
3248	-	16	0.6 %
3249	-	11	0.4 %
3250	-	8	0.3 %
3251	-	11	0.4 %
3252	-	8	0.3 %
Missing Data			
.	-	873	35.4 %

Value	Label	Unweighted Frequency	%
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,596 valid cases out of 2,469 total cases.

- Mean: 3320.17
- Minimum: 3151.00
- Maximum: 3845.00
- Standard Deviation: 79.11

Location: 5861-5864 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

HPSCTIM9: Hip Scan Time

Hip Scan Time

Value	Label	Unweighted Frequency	%
0:00:00	-	3	0.1 %
10:00:00	-	1	0.0 %
10:00:01	-	1	0.0 %
10:00:03	-	1	0.0 %
10:00:04	-	1	0.0 %
10:00:06	-	2	0.1 %
10:00:11	-	1	0.0 %
10:00:16	-	1	0.0 %
10:00:26	-	1	0.0 %
10:00:41	-	1	0.0 %
10:00:43	-	1	0.0 %
10:00:53	-	1	0.0 %
10:00:54	-	1	0.0 %
10:01:07	-	1	0.0 %
10:01:18	-	1	0.0 %
10:01:30	-	1	0.0 %
10:01:31	-	1	0.0 %
10:01:49	-	1	0.0 %
10:02:11	-	1	0.0 %
10:02:17	-	1	0.0 %
10:02:19	-	1	0.0 %
10:02:22	-	1	0.0 %
10:02:26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:02:29	-	2	0.1 %
10:02:41	-	1	0.0 %
10:02:56	-	1	0.0 %
10:03:25	-	1	0.0 %
10:03:29	-	1	0.0 %
10:03:49	-	2	0.1 %
10:03:59	-	1	0.0 %
10:04:12	-	1	0.0 %
10:04:13	-	1	0.0 %
10:04:14	-	1	0.0 %
10:04:25	-	1	0.0 %
10:04:27	-	1	0.0 %
10:04:31	-	1	0.0 %
10:04:47	-	1	0.0 %
10:04:48	-	1	0.0 %
10:05:27	-	1	0.0 %
10:05:28	-	1	0.0 %
10:05:33	-	1	0.0 %
10:05:35	-	1	0.0 %
10:05:36	-	1	0.0 %
10:05:43	-	1	0.0 %
10:05:49	-	1	0.0 %
10:06:00	-	1	0.0 %
10:06:03	-	1	0.0 %
10:06:07	-	1	0.0 %
10:06:10	-	1	0.0 %
10:06:18	-	1	0.0 %
Missing Data			
.	-	873	35.4 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,596 valid cases out of 2,469 total cases.

Location: 5865-5876 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: .

HPSCMOD9: Hip Scan Mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	0	0.0 %
11	11: 4500 machine	1596	64.6 %
	Missing Data		
.	-	873	35.4 %
	Total	2,469	100%

Based upon 1,596 valid cases out of 2,469 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 5877-5878 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

SPBMDT9: Total Spine bone mineral density (BMD) with cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.617048	-	1	0.0 %
0.617690	-	1	0.0 %
0.619138	-	1	0.0 %
0.623260	-	1	0.0 %
0.646320	-	1	0.0 %
0.654808	-	1	0.0 %
0.666797	-	1	0.0 %
0.667940	-	1	0.0 %
0.677620	-	1	0.0 %
0.687290	-	1	0.0 %
0.688214	-	1	0.0 %
0.691010	-	1	0.0 %
0.699302	-	1	0.0 %
0.702960	-	1	0.0 %
0.703200	-	1	0.0 %
0.707800	-	1	0.0 %
0.712385	-	1	0.0 %
0.712810	-	1	0.0 %
0.713917	-	1	0.0 %
0.714590	-	1	0.0 %
0.717614	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.720150	-	1	0.0 %
0.720340	-	1	0.0 %
0.723585	-	1	0.0 %
0.725280	-	1	0.0 %
0.726311	-	1	0.0 %
0.726374	-	1	0.0 %
0.727408	-	1	0.0 %
0.729074	-	1	0.0 %
0.731934	-	1	0.0 %
0.735536	-	1	0.0 %
0.735591	-	1	0.0 %
0.735620	-	1	0.0 %
0.735740	-	1	0.0 %
0.737914	-	1	0.0 %
0.739665	-	1	0.0 %
0.741130	-	1	0.0 %
0.741640	-	1	0.0 %
0.741940	-	1	0.0 %
0.742740	-	1	0.0 %
0.745628	-	1	0.0 %
0.746320	-	1	0.0 %
0.747213	-	1	0.0 %
0.747430	-	1	0.0 %
0.747584	-	1	0.0 %
0.748135	-	1	0.0 %
0.748238	-	1	0.0 %
0.750167	-	1	0.0 %
0.750320	-	1	0.0 %
0.750370	-	1	0.0 %
	Missing Data		
.	-	879	35.6 %
	Total	2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,590 valid cases out of 2,469 total cases.

- Mean: 0.996413
- Minimum: 0.617048
- Maximum: 1.621690

- Standard Deviation: 0.153888

Location: 5879-5886 (width: 8; decimal: 6)

Variable Type: numeric

(Range of) Missing Values: .

HPBMDT9: Total Hip bone mineral density (BMD) with cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.579890	-	1	0.0 %
0.582820	-	1	0.0 %
0.601340	-	1	0.0 %
0.601790	-	1	0.0 %
0.617838	-	1	0.0 %
0.637930	-	1	0.0 %
0.641130	-	1	0.0 %
0.641270	-	1	0.0 %
0.646330	-	1	0.0 %
0.646850	-	1	0.0 %
0.647055	-	1	0.0 %
0.648259	-	1	0.0 %
0.651760	-	1	0.0 %
0.653490	-	1	0.0 %
0.654110	-	1	0.0 %
0.654760	-	1	0.0 %
0.657680	-	1	0.0 %
0.659960	-	1	0.0 %
0.660306	-	1	0.0 %
0.663138	-	1	0.0 %
0.664014	-	1	0.0 %
0.664750	-	1	0.0 %
0.666420	-	1	0.0 %
0.666680	-	1	0.0 %
0.667144	-	1	0.0 %
0.668492	-	1	0.0 %
0.669500	-	1	0.0 %
0.669870	-	1	0.0 %
0.671371	-	1	0.0 %
0.671590	-	1	0.0 %
0.672230	-	1	0.0 %
0.674446	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.674750	-	1	0.0 %
0.674950	-	1	0.0 %
0.675330	-	1	0.0 %
0.675360	-	1	0.0 %
0.676180	-	1	0.0 %
0.676340	-	1	0.0 %
0.677150	-	1	0.0 %
0.678584	-	1	0.0 %
0.678757	-	1	0.0 %
0.679393	-	1	0.0 %
0.679874	-	1	0.0 %
0.680452	-	1	0.0 %
0.681444	-	1	0.0 %
0.681810	-	1	0.0 %
0.682830	-	1	0.0 %
0.683590	-	1	0.0 %
0.684260	-	1	0.0 %
0.684960	-	1	0.0 %
Missing Data			
.	-	873	35.4 %
		Total	2,469
			100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,596 valid cases out of 2,469 total cases.

- Mean: 0.918729
- Minimum: 0.579890
- Maximum: 1.476390
- Standard Deviation: 0.142046

Location: 5887-5894 (*width:* 8; *decimal:* 6)

Variable Type: numeric

(Range of) Missing Values: .

BMDFLG9: PI recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	0: No	1602	64.9 %
1	1: Yes	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	864	35.0 %
	Total	2,469	100%

Based upon 1,605 valid cases out of 2,469 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 5895-5896 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STATUS9: Menopausal Status

Menopausal status variable

Value	Label	Unweighted Frequency	%
1	1: Post by BSO	135	5.5 %
2	2: Natural Post	1709	69.2 %
3	3: Late Peri	192	7.8 %
4	4: Early Peri	286	11.6 %
5	5: Pre-menopausal	15	0.6 %
6	6: Pregnant/breastfeeding	0	0.0 %
7	7: Unknown due to HT use	57	2.3 %
8	8: Unknown due to hysterectomy	65	2.6 %
	Missing Data		
.	-	10	0.4 %
	Total	2,469	100%

Based upon 2,459 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 5897-5897 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

LMPDAY9: Last Menstrual Period Day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
2282	-	1	0.0 %
2314	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2502	-	1	0.0 %
2589	-	1	0.0 %
2613	-	1	0.0 %
2662	-	1	0.0 %
2667	-	1	0.0 %
2755	-	1	0.0 %
2776	-	1	0.0 %
2828	-	1	0.0 %
2873	-	1	0.0 %
2907	-	1	0.0 %
2911	-	2	0.1 %
2920	-	1	0.0 %
2932	-	1	0.0 %
2935	-	1	0.0 %
2939	-	2	0.1 %
2942	-	2	0.1 %
2948	-	1	0.0 %
2951	-	2	0.1 %
2953	-	1	0.0 %
2954	-	1	0.0 %
2956	-	1	0.0 %
2959	-	1	0.0 %
2965	-	1	0.0 %
2969	-	1	0.0 %
2972	-	1	0.0 %
2973	-	1	0.0 %
2977	-	1	0.0 %
2982	-	1	0.0 %
2985	-	2	0.1 %
2988	-	2	0.1 %
2991	-	1	0.0 %
2992	-	1	0.0 %
2997	-	1	0.0 %
3003	-	2	0.1 %
3004	-	1	0.0 %
3010	-	2	0.1 %
3011	-	1	0.0 %
3017	-	1	0.0 %
3025	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3031	-	2	0.1 %
3033	-	1	0.0 %
3035	-	1	0.0 %
3037	-	3	0.1 %
3040	-	1	0.0 %
3043	-	1	0.0 %
3044	-	1	0.0 %
3046	-	1	0.0 %
3048	-	1	0.0 %
Missing Data			
.	-	1875	75.9 %
Total		2,469	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 594 valid cases out of 2,469 total cases.

- Mean: 3255.42
- Minimum: 2282.00
- Maximum: 4390.00
- Standard Deviation: 215.40

Location: 5898-5901 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

RACE: Race/Ethnicity

Race/Ethnicity

Value	Label	Unweighted Frequency	%
1	Black/African American	674	27.3 %
2	Chinese/Chinese American	207	8.4 %
3	Japanese/Japanese American	254	10.3 %
4	Caucasian/White Non-Hispanic	1203	48.7 %
5	Hispanic	131	5.3 %
Total		2,469	100%

Based upon 2,469 valid cases out of 2,469 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 5902-5902 (width: 1; decimal: 0)

Variable Type: numeric