DSDR | DATA SHARING FOR DEMOGRAPHIC RESEARCH

India Human Development Survey-II (IHDS-II), 2011-12

Sonalde Desai
University of Maryland, and National Council of Applied Economic Research

Reeve Vanneman
University of Maryland

Codebook for Birth History Data

Terms of Use

Information about Copyrighted Content

ICPSR PROCESSING NOTES FOR #36151
India Human Development Survey-II (IHDS-II), 2011-12

DS4: Birth History

1. **Additional Information:** For additional information on the India Human Development Survey, please visit the India Human Development Survey Web site.

ICPSR 36151

India Human Development Survey-II (IHDS-II), 2011-12

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Birth History

SURVEY: IHDS-I (2005) or IHDS-II (2012)

IHDS-I (2005) or IHDS-II (2012)

Value	Label	Unweighted Frequency	%
1	IHDS-I 1	0	0.0 %
2	IHDS-II 2	111193	100.0 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1-1 (width: 1; decimal: 0)
Variable Type: numeric

STATEID: STATE

STATE

Value	Label	Unweighted Frequency	%
1	Jammu & Kashmir 01	1955	1.8 %
2	Himachal Pradesh 02	3760	3.4 %
3	Punjab 03	4370	3.9 %
4	Chandigarh 04	138	0.1 %
5	Uttarakhand 05	1403	1.3 %
6	Haryana 06	5139	4.6 %
7	Delhi 07	2099	1.9 %
8	Rajasthan 08	8651	7.8 %
9	Uttar Pradesh 09	13972	12.6 %
10	Bihar 10	5813	5.2 %
11	Sikkim 11	218	0.2 %
12	Arunachal Pradesh 12	405	0.4 %
13	Nagaland 13	158	0.1 %
14	Manipur 14	179	0.2 %
15	Mizoram 15	58	0.1 %
16	Tripura 16	409	0.4 %
17	Meghalaya 17	227	0.2 %
18	Assam 18	2034	1.8 %
19	West Bengal 19	5717	5.1 %
20	Jharkhand 20	2291	2.1 %
21	Orissa 21	5580	5.0 %

Value	Label	Unweighted Frequency	%
22	Chhattisgarh 22	3610	3.2 %
23	Madhya Pradesh 23	9391	8.4 %
24	Gujarat 24	4630	4.2 %
25	Daman & Diu 25	139	0.1 %
26	Dadra+Nagar Haveli 26	151	0.1 %
27	Maharashtra 27	8029	7.2 %
28	Andhra Pradesh 28	4562	4.1 %
29	Karnataka 29	8966	8.1 %
30	Goa 30	288	0.3 %
31	Lakshadweep 31	0	0.0 %
32	Kerala 32	2915	2.6 %
33	Tamil Nadu 33	3732	3.4 %
34	Pondicherry 34	204	0.2 %
35	Anadman/Nicobar 35	0	0.0 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Minimum: 1.00
- Maximum: 34.00

Location: 2-3 (width: 2; decimal: 0)
Variable Type: numeric

DISTID: DISTRICT

DISTRICT

Value	Label	Unweighted Frequency	%
0	-	2286	2.1 %
1	-	3681	3.3 %
2	-	6908	6.2 %
3	-	2810	2.5 %
4	-	4251	3.8 %
5	-	6646	6.0 %
6	-	4228	3.8 %
7	-	3950	3.6 %
8	-	4610	4.1 %
9	-	5044	4.5 %
10	-	5139	4.6 %
11	-	3606	3.2 %
12	-	5060	4.6 %

Value	Label	Unweighted Frequency	%
13	-	4074	3.7 %
14	-	2971	2.7 %
15	-	3495	3.1 %
16	-	2816	2.5 %
17	-	2661	2.4 %
18	-	2435	2.2 %
19	-	2445	2.2 %
20	-	2631	2.4 %
21	-	2057	1.8 %
22	-	1249	1.1 %
23	-	2496	2.2 %
24	-	1977	1.8 %
25	-	1878	1.7 %
26	-	1869	1.7 %
27	-	1903	1.7 %
28	-	558	0.5 %
29	-	1645	1.5 %
30	-	1456	1.3 %
31	-	790	0.7 %
32	-	1638	1.5 %
33	-	155	0.1 %
34	-	480	0.4 %
35	-	682	0.6 %
36	-	464	0.4 %
37	-	336	0.3 %
38	-	117	0.1 %
39	-	66	0.1 %
40	-	162	0.1 %
41	-	216	0.2 %
42	-	508	0.5 %
44	-	364	0.3 %
45	-	532	0.5 %
46	-	122	0.1 %
47	-	331	0.3 %
48	-	261	0.2 %
49	-	630	0.6 %
50	-	261	0.2 %
	Total	**111,193**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 15.72
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 13.90

Location: 4-5 (width: 2; decimal: 0)
Variable Type: numeric

PSUID: PSU

PSU

Value	Label	Unweighted Frequency	%
1	-	17875	16.1 %
2	-	17470	15.7 %
3	-	15466	13.9 %
4	-	11250	10.1 %
5	-	9749	8.8 %
6	-	9728	8.7 %
7	-	8448	7.6 %
8	-	5594	5.0 %
9	-	3792	3.4 %
10	-	2537	2.3 %
11	-	1982	1.8 %
12	-	1313	1.2 %
13	-	1082	1.0 %
14	-	740	0.7 %
15	-	410	0.4 %
16	-	212	0.2 %
17	-	174	0.2 %
18	-	247	0.2 %
19	-	193	0.2 %
20	-	180	0.2 %
21	-	231	0.2 %
22	-	185	0.2 %
23	-	99	0.1 %
24	-	61	0.1 %
25	-	37	0.0 %
26	-	32	0.0 %

Value	Label	Unweighted Frequency	%
27	-	34	0.0 %
28	-	43	0.0 %
29	-	16	0.0 %
30	-	53	0.0 %
31	-	292	0.3 %
32	-	295	0.3 %
33	-	266	0.2 %
34	-	226	0.2 %
35	-	302	0.3 %
36	-	303	0.3 %
37	-	174	0.2 %
38	-	78	0.1 %
39	-	24	0.0 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 5.27
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.32

Location: 6-7 (width: 2; decimal: 0)
Variable Type: numeric

HHID: HOUSEHOLD

HOUSEHOLD

Value	Label	Unweighted Frequency	%
10	-	3955	3.6 %
11	-	2751	2.5 %
12	-	434	0.4 %
13	-	162	0.1 %
14	-	78	0.1 %
15	-	16	0.0 %
20	-	4048	3.6 %
21	-	2619	2.4 %
22	-	405	0.4 %
23	-	136	0.1 %
24	-	48	0.0 %
26	-	2	0.0 %

Value	Label	Unweighted Frequency	%
30	-	3969	3.6 %
31	-	2446	2.2 %
32	-	414	0.4 %
33	-	100	0.1 %
34	-	14	0.0 %
40	-	4202	3.8 %
41	-	2565	2.3 %
42	-	403	0.4 %
43	-	104	0.1 %
44	-	31	0.0 %
45	-	8	0.0 %
50	-	3830	3.4 %
51	-	2366	2.1 %
52	-	347	0.3 %
53	-	116	0.1 %
54	-	12	0.0 %
55	-	3	0.0 %
60	-	3889	3.5 %
61	-	2265	2.0 %
62	-	339	0.3 %
63	-	102	0.1 %
64	-	12	0.0 %
65	-	3	0.0 %
66	-	2	0.0 %
70	-	4027	3.6 %
71	-	2281	2.1 %
72	-	280	0.3 %
73	-	94	0.1 %
74	-	12	0.0 %
80	-	3969	3.6 %
81	-	2069	1.9 %
82	-	207	0.2 %
83	-	70	0.1 %
84	-	15	0.0 %
85	-	2	0.0 %
86	-	2	0.0 %
90	-	3976	3.6 %
91	-	1882	1.7 %
	Total	**111,193**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 93.33
- Median: 90.00
- Mode: 40.00
- Minimum: 10.00
- Maximum: 521.00
- Standard Deviation: 60.36

Location: 8-10 (width: 3; decimal: 0)
Variable Type: numeric

HHSPLITID: SPLIT

SPLIT

Value	Label	Unweighted Frequency	%
1	-	95602	86.0 %
2	-	9317	8.4 %
3	-	1966	1.8 %
4	-	384	0.3 %
5	-	70	0.1 %
6	-	8	0.0 %
9	-	3846	3.5 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.50

Location: 11-11 (width: 1; decimal: 0)
Variable Type: numeric

IDPSU: PSU id unique 6 digit long int =cluster

PSU id unique 6 digit long int =cluster

Value	Label	Unweighted Frequency	%
10201	-	93	0.1 %
10202	-	73	0.1 %
10203	-	75	0.1 %
10204	-	68	0.1 %
10205	-	73	0.1 %

Value	Label	Unweighted Frequency	%
10206	-	60	0.1 %
10207	-	67	0.1 %
10208	-	54	0.0 %
10301	-	33	0.0 %
10302	-	24	0.0 %
10303	-	15	0.0 %
10304	-	41	0.0 %
10305	-	43	0.0 %
10306	-	30	0.0 %
10307	-	22	0.0 %
10308	-	14	0.0 %
10309	-	18	0.0 %
10501	-	83	0.1 %
10502	-	76	0.1 %
10504	-	50	0.0 %
10505	-	61	0.1 %
10506	-	68	0.1 %
11201	-	51	0.0 %
11203	-	60	0.1 %
11204	-	84	0.1 %
11206	-	70	0.1 %
11301	-	60	0.1 %
11302	-	39	0.0 %
11303	-	48	0.0 %
11304	-	41	0.0 %
11305	-	42	0.0 %
11306	-	33	0.0 %
11307	-	20	0.0 %
11308	-	31	0.0 %
11309	-	24	0.0 %
11310	-	45	0.0 %
11311	-	25	0.0 %
11312	-	26	0.0 %
11313	-	32	0.0 %
11314	-	33	0.0 %
11315	-	50	0.0 %
20101	-	83	0.1 %
20102	-	49	0.0 %
20103	-	28	0.0 %

Value	Label	Unweighted Frequency	%
20104	-	42	0.0 %
20105	-	86	0.1 %
20106	-	64	0.1 %
20201	-	104	0.1 %
20202	-	81	0.1 %
20203	-	77	0.1 %
	Total	**111,193**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 173408.90
- Minimum: 10201.00
- Maximum: 340206.00
- Standard Deviation: 96312.70

Location: 12-17 (width: 6; decimal: 0)
Variable Type: numeric

IDHH: Household id, unique 10 byte string

Household id, unique 10 byte string

Based upon 111,193 valid cases out of 111,193 total cases.

Location: 18-27 (width: 10; decimal: 0)
Variable Type: character

BH1: EQ 20.1 Birth ID

EQ 20.1 Birth ID

Value	Label	Unweighted Frequency	%
1	-	36796	33.1 %
2	-	31227	28.1 %
3	-	19466	17.5 %
4	-	10831	9.7 %
5	-	5938	5.3 %
6	-	3242	2.9 %
7	-	1786	1.6 %
8	-	981	0.9 %
9	-	496	0.4 %
10	-	254	0.2 %
11	-	103	0.1 %
12	-	42	0.0 %

Value	Label	Unweighted Frequency	%
13	-	16	0.0 %
14	-	8	0.0 %
15	-	5	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 2.51
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 17.00
- Standard Deviation: 1.68

Location: 28-29 (width: 2; decimal: 0)
Variable Type: numeric

BH2: EQ 20.2 Household RosterID of the child

EQ 20.2 Household RosterID of the child

Value	Label	Unweighted Frequency	%
1	-	264	0.2 %
2	-	2483	2.2 %
3	-	24786	22.3 %
4	-	19610	17.6 %
5	-	14997	13.5 %
6	-	8143	7.3 %
7	-	4044	3.6 %
8	-	2006	1.8 %
9	-	1182	1.1 %
10	-	718	0.6 %
11	-	372	0.3 %
12	-	205	0.2 %
13	-	109	0.1 %
14	-	79	0.1 %
15	-	52	0.0 %
16	-	23	0.0 %
17	-	14	0.0 %
18	-	6	0.0 %
19	-	7	0.0 %
20	-	4	0.0 %

Value	Label	Unweighted Frequency	%
21	-	2	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
	Missing Data		
.	-	32081	28.9 %
	Total	**111,193**	**100%**

Based upon 79,112 valid cases out of 111,193 total cases.

- Mean: 4.49
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 29.00
- Standard Deviation: 1.80

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric

BH4: EQ 20.4 boy or girl

EQ 20.4 boy or girl

Value	Label	Unweighted Frequency	%
1	Boy 1	57663	51.9 %
2	Girl 2	53530	48.1 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 32-32 (width: 1; decimal: 0)
Variable Type: numeric

BH5A: EQ 20.5a month of birth

EQ 20.5a month of birth

Value	Label	Unweighted Frequency	%
1	-	6189	5.6 %
2	-	5557	5.0 %
3	-	6017	5.4 %

Value	Label	Unweighted Frequency	%
4	-	5742	5.2 %
5	-	6614	5.9 %
6	-	6907	6.2 %
7	-	6888	6.2 %
8	-	7247	6.5 %
9	-	5786	5.2 %
10	-	6211	5.6 %
11	-	6348	5.7 %
12	-	5572	5.0 %
	Missing Data		
.	-	36115	32.5 %
	Total	**111,193**	**100%**

Based upon 75,078 valid cases out of 111,193 total cases.

- Mean: 6.53
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.37

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric

BH5B: EQ 20.5b year of birth

EQ 20.5b year of birth

Value	Label	Unweighted Frequency	%
0	-	2892	2.6 %
1	-	2633	2.4 %
2	-	2743	2.5 %
3	-	2670	2.4 %
4	-	2895	2.6 %
5	-	2550	2.3 %
6	-	2620	2.4 %
7	-	2599	2.3 %
8	-	2551	2.3 %
9	-	2610	2.3 %
10	-	2615	2.4 %
11	-	2614	2.4 %
12	-	776	0.7 %
89	-	2294	2.1 %

Value	Label	Unweighted Frequency	%
90	-	2454	2.2 %
91	-	2523	2.3 %
92	-	2861	2.6 %
93	-	2779	2.5 %
94	-	2849	2.6 %
95	-	2864	2.6 %
96	-	2840	2.6 %
97	-	2841	2.6 %
98	-	2962	2.7 %
99	-	2981	2.7 %
	Missing Data		
.	-	48177	43.3 %
	Total	**111,193**	**100%**

Based upon 63,016 valid cases out of 111,193 total cases.

- Mean: 48.12
- Median: 11.00
- Mode: 99.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 44.41

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric

BH6A: EQ 20.6a about years old

EQ 20.6a about years old

Value	Label	Unweighted Frequency	%
0	-	194	0.2 %
1	-	330	0.3 %
2	-	522	0.5 %
3	-	578	0.5 %
4	-	637	0.6 %
5	-	807	0.7 %
6	-	787	0.7 %
7	-	1042	0.9 %
8	-	927	0.8 %
9	-	853	0.8 %
10	-	1222	1.1 %
11	-	846	0.8 %
12	-	1451	1.3 %

Value	Label	Unweighted Frequency	%
13	-	1209	1.1 %
14	-	1309	1.2 %
15	-	1076	1.0 %
16	-	1194	1.1 %
17	-	1147	1.0 %
18	-	1649	1.5 %
19	-	1334	1.2 %
20	-	1692	1.5 %
21	-	1152	1.0 %
22	-	1579	1.4 %
23	-	1183	1.1 %
24	-	1191	1.1 %
25	-	1359	1.2 %
26	-	1055	0.9 %
27	-	839	0.8 %
28	-	1000	0.9 %
29	-	436	0.4 %
30	-	929	0.8 %
31	-	271	0.2 %
32	-	470	0.4 %
33	-	247	0.2 %
34	-	183	0.2 %
35	-	289	0.3 %
36	-	119	0.1 %
37	-	79	0.1 %
38	-	89	0.1 %
39	-	35	0.0 %
40	-	46	0.0 %
41	-	16	0.0 %
42	-	14	0.0 %
43	-	9	0.0 %
44	-	4	0.0 %
45	-	10	0.0 %
47	-	4	0.0 %
50	-	2	0.0 %
54	-	2	0.0 %
56	-	2	0.0 %
Missing Data			
.	-	77773	69.9 %

Value	Label	Unweighted Frequency	%
	Total	**111,193**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 33,420 valid cases out of 111,193 total cases.

- Mean: 17.51
- Median: 18.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 8.52

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric

BH6B: EQ 20.6b about +months old

EQ 20.6b about +months old

Value	Label	Unweighted Frequency	%
0	-	3288	3.0 %
1	-	1215	1.1 %
2	-	1394	1.3 %
3	-	1345	1.2 %
4	-	1204	1.1 %
5	-	1130	1.0 %
6	-	1174	1.1 %
7	-	1005	0.9 %
8	-	1038	0.9 %
9	-	743	0.7 %
10	-	704	0.6 %
11	-	684	0.6 %
12	-	124	0.1 %
18	-	1	0.0 %
	Missing Data		
88	Don't Know	13087	11.8 %
.	-	83057	74.7 %
	Total	**111,193**	**100%**

Based upon 15,049 valid cases out of 111,193 total cases.

- Mean: 4.23
- Median: 4.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.52

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 88 , .

BH7: EQ 20.7 Where is NAME now?

EQ 20.7 Where is NAME now?

Value	Label	Unweighted Frequency	%
1	With Respondent 1	79113	71.1 %
2	Elsewhere 2	21776	19.6 %
3	Dead 3	10304	9.3 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 41-41 (width: 1; decimal: 0)
Variable Type: numeric

BH8A: EQ 20.8a If dead: age at death in years

EQ 20.8a If dead: age at death in years

Value	Label	Unweighted Frequency	%
0	-	2451	2.2 %
1	-	732	0.7 %
2	-	455	0.4 %
3	-	309	0.3 %
4	-	182	0.2 %
5	-	178	0.2 %
6	-	87	0.1 %
7	-	90	0.1 %
8	-	93	0.1 %
9	-	48	0.0 %
10	-	57	0.1 %
11	-	53	0.0 %
12	-	52	0.0 %
13	-	33	0.0 %
14	-	52	0.0 %
15	-	65	0.1 %

Value	Label	Unweighted Frequency	%
16	-	37	0.0 %
17	-	31	0.0 %
18	-	198	0.2 %
19	-	25	0.0 %
20	-	52	0.0 %
21	-	28	0.0 %
22	-	44	0.0 %
23	-	19	0.0 %
24	-	14	0.0 %
25	-	31	0.0 %
26	-	19	0.0 %
27	-	4	0.0 %
28	-	16	0.0 %
29	-	5	0.0 %
30	-	11	0.0 %
31	-	6	0.0 %
32	-	9	0.0 %
33	-	5	0.0 %
34	-	6	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
55	<1 month 55	5301	4.8 %
74	-	1	0.0 %
75	-	1	0.0 %
79	-	1	0.0 %
84	-	1	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %
88	-	41	0.0 %
90	-	3	0.0 %
Missing Data			
.	-	100328	90.2 %
Total		**111,193**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,865 valid cases out of 111,193 total cases.

- Mean: 29.36
- Median: 26.00
- Mode: 55.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 26.20

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric

BH8B: EQ 20.8b If dead: age at death +months

EQ 20.8b If dead: age at death +months

Value	Label	Unweighted Frequency	%
0	-	2474	2.2 %
1	-	438	0.4 %
2	-	357	0.3 %
3	-	293	0.3 %
4	-	203	0.2 %
5	-	196	0.2 %
6	-	570	0.5 %
7	-	137	0.1 %
8	-	149	0.1 %
9	-	139	0.1 %
10	-	106	0.1 %
11	-	93	0.1 %
12	-	27	0.0 %
55	<1 month 55	5281	4.7 %
	Missing Data		
88	Don't Know	722	0.6 %
.	-	100008	89.9 %
	Total	**111,193**	**100%**

Based upon 10,463 valid cases out of 111,193 total cases.

- Mean: 29.01
- Median: 55.00
- Mode: 55.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 26.34

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: 88 , .

EW3: EQ19 14.3 HH rosterID of the mother

EQ19 14.3 HH rosterID of the mother

Value	Label	Unweighted Frequency	%
1	-	10159	9.1 %
2	-	82502	74.2 %
3	-	5679	5.1 %
4	-	8870	8.0 %
5	-	973	0.9 %
6	-	833	0.7 %
7	-	714	0.6 %
8	-	655	0.6 %
9	-	367	0.3 %
10	-	143	0.1 %
11	-	114	0.1 %
12	-	84	0.1 %
13	-	35	0.0 %
14	-	29	0.0 %
15	-	9	0.0 %
16	-	5	0.0 %
17	-	7	0.0 %
18	-	8	0.0 %
23	-	2	0.0 %
26	-	3	0.0 %
27	-	2	0.0 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 2.30
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 1.23

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric

BHED: EQ28 20 Birth: Total Boys & Girls

EQ28 20 Birth: Total Boys & Girls

Value	Label	Unweighted Frequency	%
1	-	3146	2.8 %
2	-	9774	8.8 %
3	-	16088	14.5 %
4	-	15987	14.4 %
5	-	13955	12.6 %
6	-	11550	10.4 %
7	-	9611	8.6 %
8	-	7636	6.9 %
9	-	5837	5.2 %
10	-	4640	4.2 %
11	-	3556	3.2 %
12	-	2918	2.6 %
13	-	2135	1.9 %
14	-	1313	1.2 %
15	-	984	0.9 %
16	-	763	0.7 %
17	-	491	0.4 %
18	-	329	0.3 %
19	-	201	0.2 %
20	-	106	0.1 %
21	-	97	0.1 %
22	-	32	0.0 %
24	-	29	0.0 %
25	-	15	0.0 %
	Total	**111,193**	**100%**

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 6.05
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 3.51

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric

WTEW: Weight for eligible women 15-49

Weight for eligible women 15-49

Based upon 111,193 valid cases out of 111,193 total cases.

- Mean: 5882.89562398
- Minimum: 0.00000000
- Maximum: 174590.39062500
- Standard Deviation: 7048.66398103

Location: 50-64 (width: 15; decimal: 8)
Variable Type: numeric