# Subsequence Weighting



A subsequence of a sequence is a sequence which is obtained by deleting zero or more elements from the sequence.

You are given a sequence A in which every element is a pair of integers i.e  $A = [(a_1, w_1), (a_2, w_2), ..., (a_N, w_N)].$ 

For a subsequence  $B = [(b_1, v_1), (b_2, v_2), ..., (b_M, v_M)]$  of the given sequence :

- We call it increasing if for every  $i (1 \le i \le M)$ ,  $b_i \le b_{i+1}$ .
- $Weight(B) = v_1 + v_2 + ... + v_M$ .

#### Task:

Given a sequence, output the maximum weight formed by an increasing subsequence.

### Input:

The first line of input contains a single integer T. T test-cases follow. The first line of each test-case contains an integer N. The next line contains  $a_1$ ,  $a_2$ ,...,  $a_N$  separated by a single space. The next line contains  $w_1$ ,  $w_2$ , ...,  $w_N$  separated by a single space.

#### **Output:**

For each test-case output a single integer: The maximum weight of increasing subsequences of the given sequence.

## **Constraints:**

```
1 <= T <= 5

1 <= N <= 150000

1 <= a_i <= 10^9, where i \in [1..N]

1 <= w_i <= 10^9, where i \in [1..N]
```

## **Sample Input:**

```
2
4
1 2 3 4
10 20 30 40
8
1 2 3 4 1 2 3 4
10 20 30 40 15 15 15 50
```

# **Sample Output:**

```
100
110
```

## **Explanation:**

In the first sequence, the maximum size increasing subsequence is 4, and there's only one of them. We choose B = [(1, 10), (2, 20), (3, 30), (4, 40)], and we have Weight(B) = 100.

In the second sequence, the maximum size increasing subsequence is still 4, but there are now 5 possible subsequences:

```
1 2 3 4
10 20 30 40
1 2 3 4
```

```
10 20 30 50

1 2 3 4

10 20 15 50

1 2 3 4

10 15 15 50

1 2 3 4

15 15 15 50
```

Of those, the one with the greatest weight is B = [(1, 10), (2, 20), (3, 30), (4, 50)], with Weight(B) = 110.

Please note that this is not the maximum weight generated from picking the highest value element of each index. That value, 115, comes from [(1, 15), (2, 20), (3, 30), (4, 50)], which is not a valid subsequence because it cannot be created by only deleting elements in the original sequence.