# White Falcon And Tree



White Falcon has a tree with N nodes. Each node contains a linear function. Let's denote by  $f_u(x)$  the linear function contained in the node u.

Let's denote the path from node u to node v like this:  $p_1, p_2, p_3, \ldots, p_k$ , where  $p_1 = u$  and  $p_k = v$ , and  $p_i$  and  $p_{i+1}$  are connected.

White Falcon also has  $oldsymbol{Q}$  queries. They are in the following format:

- 1. 1 u v a b. Assign ax + b as the function of all the nodes on the path from u to v, i.e.,  $f_{p_i}(x)$  is changed to ax + b where  $p_1, p_2, p_3, \ldots, p_k$  is the path from u to v.
- 2. 2~u~v~x. Calculate  $f_{p_k}(f_{p_{k-1}}(f_{p_{k-2}}(\dots f_{p_1}(x))))$  modulo  $(10^9+7)$

# **Input Format**

The first line contains N, the number of nodes. The following N lines each contain two integers a and b that describe the function ax + b.

Following N-1 lines contain edges of the tree.

The next line contains Q, the number of queries. Each subsequent line contains one of the queries described above.

### **Output Format**

For every query of the second kind, print one line containing an integer, the answer for that query.

#### **Constraints**

```
1 \le N \le 50000 (Number of nodes)
```

 $1 \leq Q \leq 50000$  (Number of queries)

 $0 \le a, b, x < 10^9 + 7$ 

# **Sample Input**

```
2
11
12
12
12
2
12211
2121
```

## **Sample Output**

3

#### **Explanation**

$$f_1(1) = 2$$
  
 $f_2(2) = 3$