

# Journey Scheduling

Fedya is a seasoned traveller and is planning his trip to Treeland. Treeland is a country with an ancient road system which is in the form of a tree structure.  $N$  cities of Treeland are numbered by  $N$  positive integers:  $1, 2, 3, \dots, N$ .

Fedya has not yet decided the starting point (city) of his journey and the cities he will visit. But there are a few things you know about Fedya's trip:

- Fedya is fond of travelling to great distances. So if he is currently located in city  $V$ , his destination will be a city which is most distant from city  $V$ .
- There might be more than 1 such cities. In that case, Fedya will choose a city that was already visited as less times as possible in this journey.
- There still might be more than 1 such cities. In that case, Fedya will go to the city with the smallest number.

Fedya has prepared a list of  $M$  possible journeys. Each one is characterized by two integers - the starting city  $V$  and the total number of cities to be visited,  $K$ . For each of them, he is keen to know the total distance travelled by him.

## Input Format

The first line of input will contain two space separated integers  $N$  and  $M$  - the number of cities and the number of possible journeys.

Then, there will be  $(N - 1)$  lines, each of them will contain two space separated integers  $X Y$ , denoting the bi-directional road between the cities with numbers  $X$  and  $Y$  with the unitary length.

Then there will be  $M$  lines, each of them will have two space separated integers  $V$  and  $K$ , denoting a journey.

## Constraints

$$1 \leq N, M \leq 10^5$$

$$1 \leq V, X, Y \leq N$$

$$1 \leq K \leq 10^9$$

## Output Format

For each journey, output the travelled distance on a separate line.

## Sample Input

```
8 7
2 1
3 2
4 2
5 1
6 1
7 1
8 7
4 6
3 4
6 3
7 6
4 6
```


$$\begin{array}{cc} 7 & 1 \\ 2 & 6 \end{array}$$

## Sample Output

24  
16  
11  
23  
24  
3  
23

### Explanation

The tree in question is given in the picture below.



- **4 6** indicates that Fedya starts at 4. Now we see that the most distant city from 4 is 8. Fedya now travels to city 8. From 8, the most distant cities are [4, 3]. As 4 is already visited, he chooses to visit city 3. From city 3, he revisits city 8 and so on. The cities in the order of visit is  $4 \rightarrow 8 \rightarrow 3 \rightarrow 8 \rightarrow 4 \rightarrow 8 \rightarrow 3$  which sums to 24. Hence, the answer.
- **6 3** indicates that Fedya starts at city 6. From 6, the most distant cities are [3,4,8]. In this leg of the journey, no city is visited and hence Fedya chooses to visit the city with the smallest number 3. From 3, he visits 8 and then he ends his trip at city 4 which sums to  $3 + 4 + 4 = 11$ . Hence, the answer.