Alessio Amorelli 40176996

Boisghur Shishani 40170574

Development Environment:

Tomcat v10.1

jdk-17.0.3.1

Eclipse 2023-09


Instructions:

To generate the .war file, proceed to Eclipse and right click the project. Navigate to Export and then select WAR file. Afterwards, make sure the project you want is selected and choose the destination for the WAR file. Then click on finish.


We connected a database with the attached .sql dump file. The **host**=localhost, **username**=dbuser, **password**=dbpass, **port**=3306, **database**=soen387 as per the requirements of the assignment. These can be altered in the 'databaseConnection.java' file in the database package connection package.

On the webpage, there are multiple features available. From the homepage, users can click on login to authenticate themselves and gain access to their orders page. Users are stored in users.json with their authentication key and user id. If a user enters an existing key, they will login and be able to view their past orders. If a user enters a new key, a new user will be created in users.json and they will now be able to view their orders page as well. There are 2 default users in users.json but more can be added. The first has the key 'secret' which means that they are an admin. When logged in, you will gain admin privileges and be able to edit and create products, view all orders, ship orders, and every other required admin function. The second key is 'aaa' and it is a regular user that you can test yourself.

UML Diagram:



ER Diagram:



Bonus Marks:

- Animated javascript and css homepage
- Checkbox filter for products to sort by category