sTUDENT VERSION (Week-9)







Meeting Agenda

- ► Icebreaking
- **▶** Questions
- ► Interview/Certification Questions
- ► Coding Challenge
- ▶ Video of the week
- ► Retro meeting
- ► Case study / project

Teamwork Schedule

ice-breaking	10 m
 Personal Questions (Stay at home & Corona, Study Environment, Kids Any challenges (Classes, Coding, AWS, studying, etc.) Ask how they're studying, give personal advice. Remind that practice makes perfect. 	etc.)
Ask Questions	20m
 This command sends a request out and expects a response, indicating communicating. 	that both hosts are
A. tracert	
B. ping C. nslookup	
D. ipconfig/renew	
2. A routing table contains information entered manually.	
A. static	
B. dynamic	
C. hierarchical	
D. none of the above	
3. Python supports the creation of anonymous functions at runtime, usin	ng a construct called?
A. anonymous	
B. Pi	
C. lambda	
D. built-in	

4. What is the output of the following code snippet?

```
func = lambda x: return x
print(func(2))
```

- **A.** 2
- **B.** 2.0
- C. x
- D. SyntaxError
- **E.** 0

5. What will be the output of the following Python code?

```
def writer():
    title = 'Sir'
    name = (lambda x:title + ' ' + x)
    return name

who = writer()
who('Arthur')
```

- A. Arthur Sir
- B. Sir Arthur
- C. Arthur
- D. None of the mentioned

Interview/Certification Questions

20m

1. An organization runs several EC2 instances inside a VPC using three subnets, one for Development, one for Test and one for Production. The Security team has some concerns about the VPC configuration and requires to restrict the communication across the EC2 instances using Security Groups.

Which of the following options is true for Security Groups?

- **A.** You can change a Security Group associated to an instance if the instance state is stopped or running.
- **B.** You can change a Security Group associated to an instance if the instance state is stopped but not if the instance state is running.
- **C.** You can change a Security Group only if there are no instances associated to it.
- **D.** The only Security Group you can change is the Default Security Group.
- **E.** The only Security Group you can change is the Default Security Group.

2. You are the architect of a custom application running inside your corporate data center. The application runs with some unresolved bugs that produce a lot of data inside custom log files generating time-consuming activities to the operation team who is responsible for analyzing them.

You want to move the application to AWS using EC2 instances, and at the same time, take the opportunity for improving logging and monitoring capabilities but without touching the application code.

What AWS service should you use to satisfy the requirement?

- A. AWS Kinesis Data Streams
- B. AWS CloudTrail
- C. AWS CloudWatch Logs
- D. AWS Application Logs
- 3. While reviewing the Auto Scaling events for your application, you notice that your application is scaling up and down multiple times in the same hour.

What changes would you suggest in order to optimize costs while preserving elasticity? (SELECT TWO)

- A. Modify the Auto Scaling group termination policy to terminate the older instance first.
- B. Modify the Auto Scaling group termination policy to terminate the newest instance first.
- C. Modify the Auto Scaling group cool down timers.
- **D.** Modify the Auto Scaling group to use Scheduled Scaling actions.
- E. Modify the CloudWatch alarm period that triggers your Auto Scaling scale down policy
- 4. Your company currently has a set of EC2 Instances hosted in AWS. The states of these instances need to be monitored and each state needs to be changed when a metric breaches a threshold value. Which step could be helpful to fulfill this requirement? (SELECT TWO)
- **A.** Use CloudWatch logs to store the state change of the instances.
- B. Create an Amazon CloudWatch alarm that monitors an Amazon EC2 instance
- **C.** Use SQS to trigger a record to be added to a DynamoDB table.
- **D.** Use AWS Lambda to store a change record in a DynamoDB table.
- 5. You have been designing a CloudFormation template that creates one elastic load balancer fronting two EC2 instances. Which section of the template should you edit so that the DNS of the load balancer is returned upon creation of the stack??
- A. Resources
- **B.** Parameters
- C. Outputs
- **D.** Mappings

Closing 5m

-Next week's plan

-QA Session