
## 11. Gleichmäßig beschleunigte Bewegung

$$x(t) = x_0 + v_0 t + \frac{1}{2} a t^2$$

a) 
$$x(0s) = 5 \text{ m}$$
,  $x(1s) = 5 \text{ m}$ ,  $x(3s) = 65 \text{ m}$ 




$$v(t) = -10 + 20t$$
$$x(t) = 5 - 10t + 10t^2$$

$$x_0 = \underline{\underline{5 \text{ m}}}$$

$$v_0 = \underline{\underline{-10 \text{ m/s}}}$$

$$a = \underline{\underline{20 \text{ m/s}^2}}$$

b) 
$$v(0s) = 5 \text{ m/s}$$
,  $x(1s) = 30 \text{ m}$ ,  $x(2s) = 20 \text{ m}$ 




$$v(t) = 5 - 10t$$
$$x(t) = 30 + 5t - 5t^{2}$$

$$x_0 = \underline{\underline{30 \text{ m}}}$$

$$v_0 = \underline{\underline{5 \text{ m/s}}}$$

$$a = \underline{\underline{-10 \text{ m/s}^2}}$$

c) 
$$v(0) = -10 \text{ m/s}$$
,  $v(2s) = 30 \text{ m/s}$ ,  $x(5s) = 230 \text{ m}$ 




$$v(t) = -10 + 20t$$
$$x(t) = 30 - 10t + 10t^2$$

$$x_0 = \underline{\underline{30 \text{ m}}}$$

$$v_0 = \underline{\underline{-10 \text{ m/s}}}$$

$$a = \underline{\underline{20 \text{ m/s}^2}}$$

## 12. Bremsvorgang an einer Ampel



$$v(t) = \begin{cases} 15 & \text{für } 0 \le t < 1, \\ -5t + 20 & \text{für } 1 \le t \le 4. \end{cases}$$

b)

$$x(t) = \begin{cases} 15t & \text{für } 0 \le t < 1, \\ -2.5t^2 + 20t - 2.5 & \text{für } 1 \le t \le 4, \end{cases}$$

c) 
$$t_2 = \underline{4} \underline{s}; \quad x_2 = \underline{\underline{37.5} \ m}$$

## 13. Fahrstuhl

a) 
$$s_1 = x(2) - x(0) = \underline{4} \text{ m}$$

b) 
$$s_2 = x(9) - x(2) = \underline{28 \text{ m}}$$

c) 
$$s_3 = x(11) - x(9) = \underline{4 \text{ m}}$$

d) 
$$\frac{s_1 + s_2 + s_3}{4} + 3 = \underline{12 \text{ Stockwerke}}$$

$$a(t) = \begin{cases} 2 & \text{für } 0 \le t \le 2, \\ 0 & \text{für } 2 < t \le 9, \\ -2 & \text{für } 9 < t \le 11. \end{cases}$$

$$v(t) = \begin{cases} 2t & \text{für } 0 \le t \le 2, \\ 4 & \text{für } 2 < t \le 9, \\ -2t + 22 & \text{für } 9 < t \le 11 \end{cases}$$

$$a(t) = \begin{cases} 2 & \text{für } 0 \le t \le 2, \\ 0 & \text{für } 2 < t \le 9, \\ -2 & \text{für } 9 < t \le 11. \end{cases}$$

$$v(t) = \begin{cases} 2t & \text{für } 0 \le t \le 2, \\ 4 & \text{für } 2 < t \le 9, \\ -2t + 22 & \text{für } 9 < t \le 11. \end{cases}$$

$$x(t) = \begin{cases} t^2 & \text{für } 0 \le t \le 2, \\ 4t - 4 & \text{für } 2 < t \le 9, \\ -t^2 + 22t - 85 & \text{für } 9 < t \le 11. \end{cases}$$