Formale Methoden der Informatik Block 1: Computability and Complexity

Exercises 1-10 Submission deadline: 21.04.2014

SS 2014

Exercise 1 Prove that the following problem is undecidable:

DOUBLE

INSTANCE: A pair (Π, I) , where I is a string and Π is a program that takes one string as input and outputs a string.

QUESTION: Does the program Π on the string I as input return as output the string I+I? Here + is the operator for string concatenation.

Prove the undecidability by providing a reduction from the **HALTING** problem to **DOU-BLE**, and arguing that your reduction is correct.

Solution. The proof proceeds by reduction from HALTING to DOUBLE.

Let(Π, I) be an arbitrary instance of the **HALTING** problem, i.e., Π is a program that takes one string and I is an Input for Π . From this, we construct an instance (Π', I) of **DOUBLE** by building (Π') as follows:

Listing 1: Π'

```
1 String Π' (String S) {
2 call Π(S);
3 return S+S;
4 }
```

It remains to show that the following equivalence holds:

 Π halts on $S \Leftrightarrow \Pi'$ returns S+S

 \rightarrow

Assume Π halts on S. This means line three is reached and S+S is returned.

 \Leftarrow

Assume Π' returns S+S. This implies, that the program must have passed line two. This implies that Π halts on S because it means running Π on I. \square

Exercise 2 Prove that **DOUBLE** is semi-decidable. To this end, provide a semi-decision procedure and justify your solution.

Exercise 3 Give a formal proof that SUBSET SUM is in NP, i.e. define a certificate relation and discuss that it is polynomially balanced and polynomial-time decidable.

SUBSET SUM:

INSTANCE: A finite set of integer numbers $S = \{a_1, a_2, \dots, a_n\}$ and an integer number t.

QUESTION: Does there exist a subset $S' \subseteq S$, s.t. the sum of the elements in S' is equal to t, i.e. $(\sum_{a_i \in S'} a_i) = t$?

Exercise 4 Formally prove that **PARTITION** is NP-complete. For this you may use the fact that **SUBSET SUM** is NP-complete.

PARTITION:

INSTANCE: A finite set of n positive integers $P = \{p_1, p_2, \dots, p_n\}$.

QUESTION: Can the set P be partitioned into two subsets P_1 , P_2 such that the sum of the numbers in P_1 equals the sum of the numbers in P_2 ?

Exercise 5 Provide a reduction from **VERTEX COVER** to **SET COVER**. Additionally, prove the " \Rightarrow " direction in the proof of correctness of the reduction, i.e. prove the following statement: if a **VERTEX COVER** instance is a yes instance then the created **SET COVER** instance is also a yes instance.

VERTEX COVER:

INSTANCE: An undirected graph G = (V, E) and integer k.

QUESTION: Does there exist a vertex cover N of size $\leq k$? i.e. $N \subseteq V$, s.t. for all $[i,j] \in E$, either $i \in N$ or $j \in N$?

SET COVER:

INSTANCE: A finite set X of elements, a collection of n subsets $S_i \subseteq X$, such that every element of X belongs to at least one subset S_i , and an integer m.

QUESTION: Does there exist a collection C of at most m of these subsets, such that the members of C cover all elements of X? i.e. $\bigcup_{S \in C} S = X$.

Example: The following Set Cover instance: $X = \{1, 2, 3, 4, 5\}, S_1 = \{1, 2, 3\}, S_2 = \{3, 4\}, S_3 = \{1, 2, 5\}, S_4 = \{4, 5\}$ and m = 2, is a yes instance, because there exists a collection C with two subsets that cover all elements of X: $C = \{S_1, S_4\}$.

Exercise 6 Provide a reduction from a simplified EMPLOYEE SCHEDULING problem to SAT.

EMPLOYEE SCHEDULING:

INSTANCE:

- Number of employees: n.
- Set $A = \{D, A, N, -\}$ where D = "day shift", A = "afternoon shift", N = "night shift", and = "day-off".
- w: length of schedule. Suppose that w = 7.
- Temporal requirements: The requirement matrix R (3×7), where each element $r_{i,j}$ of the requirement matrix R shows the required number of employees for shift i during day j.
- Constraints:
 - Sequences of shifts not permitted to be assigned to employees. Suppose that these sequences are not permitted: (N D), (A D), and (N A). For example, the sequence (N D) (Night Day) indicates that after working in the night shift, it is not allowed to work the next day in the day shift.
 - Maximum and minimum length of blocks of workdays: MAXW, MINW. A
 Work block is a sequence consisting only from the working shifts (without day-off
 in beetwen). Suppose that MAXW = 5 and MINW = 2.

QUESTION: Find a schedule (assignment of shifts to employees) that satisfies the requirement matrix, and the two given constraints.

A schedule is represented by an $n \times w$ matrix $S \in A^{nw}$. Each element $s_{i,j}$ of matrix S corresponds to one shift. Element $s_{i,j}$ shows on which shift employee i works during day j or whether the employee has day-off.

EXAMPLE: Suppose that we are given an instance of **EMPLOYEE SCHEDULING** with n = 9 and the following requirement matrix:

In Table 1 an employee schedule is presented that satisfies the requirement matrix, and the two given constraints in the problem definition. This schedule describes explicitly the working schedule of 9 employees during one week. The first employee works from Monday until Friday in a day shift (D) and during Saturday and Sunday has days-off. The second employee has days-off on Monday and Tuesday and works in a day shift during the rest of the week. Further, the last employee works from Monday until Wednesday in a night shift (N), on Thursday and Friday has days-off, and on Saturday and Sunday works in the day shift. Each row of this table represents the weekly schedule of one employee.

Table 1: A typical week schedule for 9 employees

Emp./day	Mon	Tue	Wed	Thu	Fri	Sat	Sun
1	D	D	D	D	D	-	-
2	-	-	D	D	D	D	D
3	-	-	-	N	N	N	N
4	D	D	-	-	A	A	A
5	A	A	A	A	-	-	-
6	N	N	N	N	N	-	-
7	-	-	A	A	A	A	A
8	A	A	-	-	-	N	N
9	N	N	N	-	-	D	D

Exercise 7 Give a proof sketch of the correctness of your reduction in the previous exercise. Does this reduction imply that **EMPLOYEE SCHEDULING** is an NP-complete problem? Argue your answer.

Exercise 8 Fomally prove that logical entailment in propositional logic is co-NP-complete.

$ENTAILMENT (\models)$:

INSTANCE: Propositional logic sentences α and β .

QUESTION: Does the sentence α entails the sentence β ($\alpha \models \beta$)?

 $\alpha \models \beta$ if and only if, in every truth assignment in which α is true, β is also true.

Exercise 9 Consider the following problem:

SELECT-3RD

INSTANCE: An integer n, and a list $L = (n_1, n_2, ..., n_m)$ of integers, where no integer occurs twice in L (i.e. L represents a set).

QUESTION: Is n the third biggest element in L?

Provide a logarithmic space algorithm for solving **SELECT-3RD** (use pseudo-code notation). Argue why it uses only logarithmic space.

Hint. Each element in L can be addressed using a pointer. Each pointer requires only logarithmic space.

Exercise 10 Design a Turing machine that increments by one a positive value represented by a string of 0s and 1s.