MakeUp Salon API

The "MakeUp Salon" API is a digital gateway to a world of beauty services. It's designed to streamline appointments, showcase services, and manage client interactions with ease. Tailored for convenience, it connects users to their next beauty adventure with just a few clicks.

More information: https://helloreverb.com

Contact Info: hello@helloreverb.com

Version: v1

All rights reserved

http://apache.org/licenses/LICENSE-2.0.html

Access

Methods

[Jump to Models]

Table of Contents

<u>AppointmentController</u>

- POST /api/appointments
- DELETE /api/appointments/{id}
- GET /api/appointments
- GET /api/appointments/{id}
- PUT /api/appointments/{id}

AuthUser

- POST /api/users/login
- PATCH /api/users/recover-password/{id}
- POST /api/users/register

PersonController

- GET /api/persons
- GET /api/persons/id/{id}/appointments
- <u>GET /api/persons/id/{id}</u>
- GET /api/persons/id/{id}/treatments
- GET /api/persons/id/{id}/unavailable

TreatmentController

- POST /api/treatments
- DELETE /api/treatments/{id}
- GET /api/treatments
- GET /api/treatments/{id}/persons
- GET /api/treatments/{id}
- PUT /api/treatments/{id}

UserController

- DELETE /api/users/{id}
- GET /api/users
- GET /api/users/id/{id}
- GET /api/users/role/{role}
- PUT /api/users/{id}

AppointmentController

POST /api/appointments

<u>Up</u>

Create a new Appointment (addAppointment)

Creates a new appointment

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

body AppointmentRequestDto (required)

Body Parameter -

Return type

AppointmentDto

Example data

```
"approvalStatus" : "APPROVED",
"startDateTime" : "2000-01-23T04:56:07.000+00:00",
"dateCreated" : "2000-01-23T04:56:07.000+00:00",
"appointmentID" : 0,
"appointmentEmployeeTreatments" : [ {
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated": "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description" : "description",
      "estimatedDuration": 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address": "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth": "2000-01-23"
    }
  "appointmentEmployeeTreatmentsID" : 6
}, {
   "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
```

```
"dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    "employeeTreatment" : {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
        "description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL": "pictureURL",
        "personId" : 5,
        "dateOfBirth": "2000-01-23"
    },
    "appointmentEmployeeTreatmentsID" : 6
  "endDateTime": "2000-01-23T04:56:07.000+00:00",
  "customer" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
  }
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Appointment created <u>AppointmentDto</u>

400

Bad request

DELETE /api/appointments/{id}

<u>U</u>

Delete Appointment by ID (deleteAppointment)

Deletes an appointment by its id

Path parameters

id (required)

Path Parameter - The id of the appointment format: int32

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Appointment successfully deleted Object

404

Appointment not found

GET /api/appointments



Find all Appointments (getAllAppointments)

Retrieves a comprehensive list of appointments

Return type

array[AppointmentDto]

Example data

```
"approvalStatus" : "APPROVED",
"startDateTime" : "2000-01-23T04:56:07.000+00:00",
"dateCreated" : "2000-01-23T04:56:07.000+00:00",
"appointmentID" : 0,
"appointmentEmployeeTreatments" : [ {
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  },
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
"description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
```

```
"appointmentEmployeeTreatmentsID" : 6
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated": "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address" : "address",
      "pictureURL": "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
   }
  },
  "appointmentEmployeeTreatmentsID" : 6
"endDateTime" : "2000-01-23T04:56:07.000+00:00",
"customer" : {
             : "firstName",
  "firstName"
  "lastName" : "lastName",
  "phoneNumber" : "phoneNumber",
  "address": "address",
  "pictureURL": "pictureURL",
  "personId" : 5,
  "dateOfBirth" : "2000-01-23"
}
"approvalStatus" : "APPROVED",
"startDateTime" : "2000-01-23T04:56:07.000+00:00",
"dateCreated": "2000-01-23T04:56:07.000+00:00",
"appointmentID" : 0,
"appointmentEmployeeTreatments" : [ {
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL": "pictureURL",
      "name" : "name"
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
```

```
"employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber": "phoneNumber",
        "address": "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
     }
    },
    "appointmentEmployeeTreatmentsID" : 6
  }, {
   "appointment" : {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    "employeeTreatment" : {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
        "description": "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
     }
    },
    "appointmentEmployeeTreatmentsID" : 6
  "endDateTime": "2000-01-23T04:56:07.000+00:00",
  "customer" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
  }
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Appointments found

404

GET /api/appointments/{id}



Find Appointment by ID (getAppointmentByld)

Retrieves an appointment by its id

Path parameters

id (required)

Path Parameter — The id of the appointment format: int32

Return type

AppointmentDto

Example data

```
"approvalStatus" : "APPROVED",
"startDateTime": "2000-01-23T04:56:07.000+00:00",
"dateCreated": "2000-01-23T04:56:07.000+00:00",
"appointmentID" : 0,
"appointmentEmployeeTreatments" : [ {
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name"
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address": "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
  },
  "appointmentEmployeeTreatmentsID" : 6
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
```

```
"treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
        "description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth": "2000-01-23"
     }
    "appointmentEmployeeTreatmentsID" : 6
  "endDateTime" : "2000-01-23T04:56:07.000+00:00",
  "customer" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Appointment found AppointmentDto

404

Appointment not found

PUT /api/appointments/{id}



Update Appointment by ID (updateAppointment)

Update an appointment details by its id

Path parameters

id (required)

Path Parameter — The id of the appointment format: int32

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

body AppointmentRequestDto (required)

Body Parameter -

Return type

AppointmentDto

Example data

```
"approvalStatus" : "APPROVED",
"startDateTime" : "2000-01-23T04:56:07.000+00:00",
"dateCreated": "2000-01-23T04:56:07.000+00:00",
"appointmentID" : 0,
"appointmentEmployeeTreatments" : [ {
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
    "treatment" : {
    "price" : 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL": "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
    }
  "appointmentEmployeeTreatmentsID" : 6
}, {
   "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name"
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
```

```
"lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address": "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
    },
    "appointmentEmployeeTreatmentsID" : 6
  "endDateTime": "2000-01-23T04:56:07.000+00:00",
  "customer" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth": "2000-01-23"
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Appointment found AppointmentDto

404

Appointment not found

AuthUser

POST /api/users/login



Login an existing User (authenticate)

Authenticates an existing user with valid credentials

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

body <u>AuthenticationRequest</u> (required)

Body Parameter -

Return type

<u>AuthenticationResponse</u>

Example data

```
{
 "token" : "token"
```

}

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

MakeUp Salon API

• */*

Responses

200

Successfully authenticated <u>AuthenticationResponse</u>

PATCH /api/users/recover-password/{id}



Password recovery (changePassword)

Change password for an existing user

Path parameters

id (required)

Path Parameter - format: int32

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

body **ChangePasswordRequest** (required)

Body Parameter —

Return type

Object

Example data

Content-Type: application/json

{ }

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• */*

Responses

200

Successfully changed password Object

POST /api/users/register



Register a new User (register)

Creates and registers a new user

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

body RegisterRequest (required)

Body Parameter -

Return type

AuthenticationResponse

Example data

Content-Type: application/json

```
{
  "token" : "token"
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• */*

Responses

200

Successfully registered <u>AuthenticationResponse</u>

PersonController

GET /api/persons

<u>U</u>|

Find all Persons (getAllPersons)

Retrieves a comprehensive list of Persons

Return type

array[PersonDto]

Example data

```
"firstName" : "firstName",
"lastName" : "lastName",
"phoneNumber": "phoneNumber",
"address" : "address",
"pictureURL" : "pictureURL",
"personId" : 6,
"dateOfBirth": "2000-01-23",
"employeeAppointments" : [ null, null ],
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
"description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  "employeeTreatmentsID" : 5,
  "employee" : {
```

```
"firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address": "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth": "2000-01-23"
}, {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL": "pictureURL",
    "name" : "name",
    "description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
} ],
"customerAppointments" : [ {
  "approvalStatus" : "APPROVED",
  "startDateTime" : "2000-01-23T04:56:07.000+00:00",
  "dateCreated" : "2000-01-23T04:56:07.000+00:00",
  "appointmentID" : 3,
  "endDateTime" : "2000-01-23T04:56:07.000+00:00"
   'approvalStatus" : "APPROVED",
  "startDateTime" : "2000-01-23T04:56:07.000+00:00",
  "dateCreated" : "2000-01-23T04:56:07.000+00:00",
  "appointmentID" : 3,
  "endDateTime" : "2000-01-23T04:56:07.000+00:00"
"publicUserDto" : {
  "role" : "Admin",
  "userId" : 1,
  "email" : "email"
"firstName" : "firstName",
"lastName" : "lastName",
"phoneNumber": "phoneNumber",
"address" : "address",
"pictureURL" : "pictureURL",
"personId" : 6,
"dateOfBirth": "2000-01-23",
"employeeAppointments" : [ null, null ],
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
```

```
"employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth": "2000-01-23"
 }, {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
  } ],
  "customerAppointments" : [ {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated": "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  }, {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "publicUserDto" : {
    "role" : "Admin",
    "userId" : 1,
    "email" : "email"
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Persons found

404

Persons not found



5/12/24, 9:31 PM MakeUp Salon API

Find the appointments by a Person ID (getAppointmentsByPersonId)

Retrieve a set of appointments for a specified Person by their id

Path parameters

id (required)

Path Parameter — The id of the Person format: int32

Return type

array[AppointmentDto]

Example data

```
"approvalStatus" : "APPROVED",
"startDateTime" : "2000-01-23T04:56:07.000+00:00",
"dateCreated" : "2000-01-23T04:56:07.000+00:00",
"appointmentID" : 0,
"appointmentEmployeeTreatments" : [ {
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
"description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address": "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
 },
  "appointmentEmployeeTreatmentsID" : 6
  "appointment" : {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  },
  "employeeTreatment" : {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description" : "description",
      "estimatedDuration" : 7,
```

```
"treatmentID" : 2
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber": "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
      }
    "appointmentEmployeeTreatmentsID" : 6
  "endDateTime" : "2000-01-23T04:56:07.000+00:00",
  "customer" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
 }
}, {
  "approvalStatus" : "APPROVED",
  "startDateTime" : "2000-01-23T04:56:07.000+00:00",
  "dateCreated" : "2000-01-23T04:56:07.000+00:00",
  "appointmentID" : 0,
  "appointmentEmployeeTreatments" : [ {
    "appointment" : {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    },
    "employeeTreatment" : {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
        "description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address": "address",
        "pictureURL": "pictureURL",
        "personId" : 5,
        "dateOfBirth": "2000-01-23"
      }
    "appointmentEmployeeTreatmentsID" : 6
    "appointment" : {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
```

```
"endDateTime" : "2000-01-23T04:56:07.000+00:00"
    "employeeTreatment" : {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
"description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId": 5,
        "dateOfBirth": "2000-01-23"
    },
    "appointmentEmployeeTreatmentsID" : 6
  "endDateTime" : "2000-01-23T04:56:07.000+00:00",
  "customer" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address": "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth": "2000-01-23"
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

application/json

Responses

200

Person found

404

Person not found

GET /api/persons/id/{id}



Find Person by ID (getPersonByld)

Retrieves a Person by their id

Path parameters

id (required)

Path Parameter — The id of the Person format: int32

Return type

PersonDto

Example data

```
"firstName" : "firstName",
"lastName" : "lastName",
"phoneNumber": "phoneNumber",
"address" : "address",
"pictureURL": "pictureURL",
"personId" : 6,
"dateOfBirth" : "2000-01-23",
"employeeAppointments" : [ null, null ],
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description": "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address": "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
  }
}, {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
"description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
"customerAppointments" : [ {
  "approvalStatus" : "APPROVED",
  "startDateTime" : "2000-01-23T04:56:07.000+00:00",
  "dateCreated" : "2000-01-23T04:56:07.000+00:00",
  "appointmentID" : 3,
  "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "approvalStatus" : "APPROVED",
  "startDateTime" : "2000-01-23T04:56:07.000+00:00",
  "dateCreated" : "2000-01-23T04:56:07.000+00:00",
  "appointmentID" : 3,
  "endDateTime" : "2000-01-23T04:56:07.000+00:00"
} ],
```

```
"publicUserDto" : {
    "role" : "Admin",
    "userId" : 1,
    "email" : "email"
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Person found PersonDto

404

Person not found

GET /api/persons/id/{id}/treatments



Find the Treatments by a Person(employee) ID (getTreatmentsByPersonId)

Retrieves a set of treatments for a Person specified by their id

Path parameters

id (required)

Path Parameter — The id of the Person format: int32

Return type

array[TreatmentDto]

Example data

```
"price": 1.4658129805029452,
"pictureURL" : "pictureURL",
"name" : "name",
"description": "description",
"estimatedDuration" : 6,
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description": "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
  }
}, {
```

```
"treatment" : {
      "price": 9.301444243932576,
      "pictureURL": "pictureURL",
      "name" : "name",
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
  } ],
  "treatmentID" : 0
}, {
   price": 1.4658129805029452,
  "pictureURL" : "pictureURL",
  "name" : "name",
  "description": "description",
  "estimatedDuration" : 6,
  "employeeTreatments" : [ {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address": "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
   }
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
"description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address": "address",
      "pictureURL" : "pictureURL",
      "personId": 5,
      "dateOfBirth": "2000-01-23"
  } ],
```

```
"treatmentID" : 0
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Person found

404

Person not found

GET /api/persons/id/{id}/unavailable



Find the unavailable dates and times for an employee by Person ID (getUnavailableTimes)

Retrieve a list of time intervals during which a Person (identified by their id) is unavailable

Path parameters

id (required)

Path Parameter — The id of the Person format: int32

Return type

array[IntervalDto]

Example data

Content-Type: application/json

```
[ {
    "start" : "2000-01-23T04:56:07.000+00:00",
    "end" : "2000-01-23T04:56:07.000+00:00"
}, {
    "start" : "2000-01-23T04:56:07.000+00:00",
    "end" : "2000-01-23T04:56:07.000+00:00"
} ]
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Person found

404

Person not found

TreatmentController

POST /api/treatments



Create new Treatment (addTreatment)

Adds a new treatment

5/12/24, 9:31 PM MakeUp Salon A PI

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

```
body <u>Treatment</u> (required)
```

Body Parameter -

Return type

TreatmentDto

Example data

```
"price": 1.4658129805029452,
"pictureURL" : "pictureURL",
"name" : "name",
"description" : "description",
"estimatedDuration" : 6,
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name"
    "description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address": "address",
    "pictureURL": "pictureURL",
    "personId" : 5,
    "dateOfBirth": "2000-01-23"
  }
}, {
    "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description": "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
} ],
"treatmentID" : 0
```

5/12/24, 9:31 PM MakeUp Salon API

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

201

Treatment created TreatmentDto

400

Bad request

DELETE /api/treatments/{id}



Delete Treatment by ID (deleteTreatment)

Deletes a treatment identified by its id

Path parameters

id (required)

Path Parameter - The id of the treatment format: int32

Return type

Object

Example data

Content-Type: application/json

{ }

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

204

Treatment uccessfully deleted Object

404

Treatment not found

GET /api/treatments



Find all Treatments (getAllTreatments)

Retrieves a comprehensive list of treatments

Return type

array[TreatmentDto]

Example data

```
[ {
    "price" : 1.4658129805029452,
    "pictureURL" : "pictureURL",
    "name" : "name",
```

```
"description": "description",
"estimatedDuration" : 6,
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
"description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth": "2000-01-23"
}, {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description": "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
} ],
"treatmentID" : 0
"price" : 1.4658129805029452,
"pictureURL" : "pictureURL",
"name" : "name",
"description": "description",
"estimatedDuration" : 6,
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description": "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
```

```
"dateOfBirth" : "2000-01-23"
    }
  }, {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
"description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId": 5,
      "dateOfBirth": "2000-01-23"
  } ],
  "treatmentID" : 0
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Treatments found

404

Treatments not found

GET /api/treatments/{id}/persons



Find the Persons(employees) by a Treatment ID (getPersonsByTreatmentId)

Retrieves a set of personss associated with a specific treatment by its id

Path parameters

id (required)

Path Parameter — The id of the treatment format: int32

Return type

array[PersonDto]

Example data

```
[ {
   "firstName" : "firstName",
   "lastName" : "lastName",
   "phoneNumber" : "phoneNumber",
   "address" : "address",
   "pictureURL" : "pictureURL",
   "personId" : 6,
   "dateOfBirth" : "2000-01-23",
```

```
"employeeAppointments" : [ null, null ],
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
}, {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description": "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
} ],
"customerAppointments" : [ {
  "approvalStatus" : "APPROVED",
  "startDateTime" : "2000-01-23T04:56:07.000+00:00",
"dateCreated" : "2000-01-23T04:56:07.000+00:00",
  "appointmentID" : 3,
  "endDateTime" : "2000-01-23T04:56:07.000+00:00"
  "approvalStatus" : "APPROVED",
  "startDateTime" : "2000-01-23T04:56:07.000+00:00",
  "dateCreated": "2000-01-23T04:56:07.000+00:00",
  "appointmentID" : 3,
  "endDateTime" : "2000-01-23T04:56:07.000+00:00"
"publicUserDto" : {
  "role" : "Admin",
  "userId" : 1,
  "email" : "email"
}
"firstName" : "firstName",
"lastName" : "lastName",
"phoneNumber": "phoneNumber",
"address" : "address",
"pictureURL" : "pictureURL",
"personId" : 6,
```

```
"dateOfBirth" : "2000-01-23",
  "employeeAppointments" : [ null, null ],
  "employeeTreatments" : [ {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
"description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth": "2000-01-23"
 "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL": "pictureURL",
      "personId": 5,
      "dateOfBirth" : "2000-01-23"
 } ],
  "customerAppointments" : [ {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
 "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated" : "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
    "endDateTime" : "2000-01-23T04:56:07.000+00:00"
 } ],
  "publicUserDto" : {
    "role" : "Admin",
    "userId" : 1,
    "email" : "email"
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Treatment found

404

Treatment not found

GET /api/treatments/{id}



Finds a Treatment by ID (getTreatmentByld)

Retrieves a single treatment identified by its id

Path parameters

id (required)

Path Parameter — The id of the treatment format: int32

Return type

TreatmentDto

Example data

```
"price": 1.4658129805029452,
"pictureURL" : "pictureURL",
"name" : "name",
"description" : "description",
"estimatedDuration" : 6,
"employeeTreatments" : [ {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL" : "pictureURL",
    "name" : "name",
    "description": "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
  }
}, {
  "treatment" : {
    "price": 9.301444243932576,
    "pictureURL": "pictureURL",
    "name" : "name",
    "description" : "description",
    "estimatedDuration" : 7,
    "treatmentID" : 2
  },
  "employeeTreatmentsID" : 5,
  "employee" : {
    "firstName" : "firstName",
```

```
"lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address" : "address",
    "pictureURL" : "pictureURL",
    "personId" : 5,
    "dateOfBirth" : "2000-01-23"
    }
} ],
    "treatmentID" : 0
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Treatment found <u>TreatmentDto</u>

404

Treatment not found

PUT /api/treatments/{id}



Update Treatment by ID (updateTreatment)

Updates a treatment's details

Path parameters

id (required)

Path Parameter — The id of the treatment format: int32

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

body <u>Treatment</u> (required)

Body Parameter -

Return type

TreatmentDto

Example data

```
{
   "price" : 1.4658129805029452,
   "pictureURL" : "pictureURL",
   "name" : "name",
   "description" : "description",
   "estimatedDuration" : 6,
   "employeeTreatments" : [ {
      "treatment" : {
            "price" : 9.301444243932576,
            "pictureURL" : "pictureURL",
            "name" : "name",
```

```
"description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address" : "address",
      "pictureURL": "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
 }, {
  "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber": "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
  } ],
  "treatmentID" : 0
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Treatment found **TreatmentDto**

404

Treatment not found

UserController

DELETE /api/users/{id}

Delete an existing User by ID (deleteUser)

Remove a user by their ID

Path parameters

id (required)

Path Parameter — The id of the user format: int32

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

204

User successfully deleted **Object**

404

User not found

GET /api/users



Retrieves a comprehensive list of users

Return type

array[UserDto]

Example data

```
[ {
  "personDto" : {
   "firstName" : "firstName",
   "lastName" : "lastName",
   "phoneNumber": "phoneNumber",
   "address" : "address",
   "pictureURL" : "pictureURL",
   "personId" : 6,
   "dateOfBirth": "2000-01-23",
   "employeeAppointments" : [ null, null ],
   "employeeTreatments" : [ {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
       "name" : "name",
       "description" : "description",
       "estimatedDuration" : 7,
       "treatmentID" : 2
     },
      "employeeTreatmentsID" : 5,
      "employee" : {
       "firstName" : "firstName",
       "lastName" : "lastName",
       "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
     }
   }, {
```

```
"treatment" : {
        "price": 9.301444243932576,
        "pictureURL": "pictureURL",
        "name" : "name"
        "description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth": "2000-01-23"
    } ],
    "customerAppointments" : [ {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    "publicUserDto" : {
      "role" : "Admin",
      "userId" : 1,
      "email" : "email"
  },
  "password" : "password",
 "role": "Admin",
  "credentialsNonExpired" : true,
  "accountNonExpired" : true,
  "userId" : 0,
  "email" : "email",
  "enabled" : true,
 "accountNonLocked" : true
}, {
  "personDto" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address": "address",
    "pictureURL" : "pictureURL",
    "personId" : 6,
    "dateOfBirth": "2000-01-23",
    "employeeAppointments" : [ null, null ],
    "employeeTreatments" : [ {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name"
        "description": "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
```

```
"employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber": "phoneNumber",
        "address": "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
    }, {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name"
        "description": "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber": "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
      }
    } ],
    "customerAppointments" : [ {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    }, {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated": "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    } ],
    "publicUserDto" : {
      "role" : "Admin",
      "userId" : 1,
      "email" : "email"
   }
  },
  "password" : "password",
  "role" : "Admin",
  "credentialsNonExpired" : true,
  "accountNonExpired" : true,
  "userId" : 0,
  "email" : "email",
  "enabled" : true,
  "accountNonLocked" : true
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Users found

404

Users not found

GET /api/users/id/{id}



Find User by ID (getUserByld)

Retrieves a user by their id

Path parameters

id (required)

Path Parameter — The id of the user format: int32

Return type

UserDto

Example data

```
"personDto" : {
  "firstName" : "firstName",
  "lastName" : "lastName",
  "phoneNumber": "phoneNumber",
  "address" : "address",
  "pictureURL" : "pictureURL",
  "personId" : 6,
  "dateOfBirth": "2000-01-23",
  "employeeAppointments" : [ null, null ],
  "employeeTreatments" : [ {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
   }
  }, {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
"description" : "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
   },
    "employeeTreatmentsID" : 5,
```

```
"employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth": "2000-01-23"
    } ],
    "customerAppointments" : [ {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated": "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    } ],
     publicUserDto" : {
      "role": "Admin",
      "userId" : 1,
      "email" : "email"
    }
  },
  "password" : "password",
  "role": "Admin",
  "credentialsNonExpired" : true,
  "accountNonExpired" : true,
  "userId": 0,
  "email" : "email",
  "enabled" : true,
  "accountNonLocked" : true
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

User found **UserDto**

404

User not found

GET /api/users/role/{role}



Find Users by role (getUsersByRole)

Retrieves a comprehensive list of users by their role

Path parameters

role (required)

Path Parameter — The role of the user

Return type array[UserDto]

Example data

```
[ {
  "personDto" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber": "phoneNumber",
    "address": "address",
    "pictureURL" : "pictureURL",
    "personId" : 6,
    "dateOfBirth" : "2000-01-23",
    "employeeAppointments" : [ null, null ],
    "employeeTreatments" : [ {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
        "description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
     }
    }, {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
"description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber": "phoneNumber",
        "address": "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
    } ],
    "customerAppointments" : [ {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
```

```
"dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    "publicUserDto" : {
      "role" : "Admin",
      "userId" : 1,
      "email" : "email"
  },
  "password" : "password",
 "role": "Admin",
  "credentialsNonExpired" : true,
  "accountNonExpired" : true,
  "userId" : 0,
  "email" : "email",
  "enabled" : true,
  "accountNonLocked" : true
}, {
  "personDto" : {
    "firstName" : "firstName",
    "lastName" : "lastName",
    "phoneNumber" : "phoneNumber",
    "address": "address",
    "pictureURL": "pictureURL",
    "personId" : 6,
    "dateOfBirth" : "2000-01-23",
    "employeeAppointments" : [ null, null ],
    "employeeTreatments" : [ {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
        "description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address" : "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
      }
    }, {
      "treatment" : {
        "price": 9.301444243932576,
        "pictureURL" : "pictureURL",
        "name" : "name",
        "description" : "description",
        "estimatedDuration" : 7,
        "treatmentID" : 2
      },
      "employeeTreatmentsID" : 5,
      "employee" : {
        "firstName" : "firstName",
        "lastName" : "lastName",
        "phoneNumber" : "phoneNumber",
        "address": "address",
        "pictureURL" : "pictureURL",
        "personId" : 5,
        "dateOfBirth" : "2000-01-23"
```

```
} ],
    "customerAppointments" : [ {
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated": "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated" : "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    "publicUserDto" : {
      "role" : "Admin",
      "userId" : 1,
      "email" : "email"
  },
  "password" : "password",
  "role" : "Admin",
  "credentialsNonExpired" : true,
  "accountNonExpired" : true,
  "userId": 0,
  "email" : "email",
  "enabled" : true,
  "accountNonLocked" : true
} ]
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Users found

400

Bad request

404

Users not found

PUT /api/users/{id}



Update an existing User by ID (updateUser)

Update an existing user's information

Path parameters

id (required)

Path Parameter — The id of the user format: int32

Consumes

This API call consumes the following media types via the Content-Type request header:

• application/json

Request body

body UserDto (required)

Body Parameter -

Return type <u>UserDto</u>

Example data

```
"personDto" : {
  "firstName" : "firstName",
  "lastName" : "lastName",
  "phoneNumber" : "phoneNumber",
  "address": "address",
  "pictureURL" : "pictureURL",
  "personId" : 6,
  "dateOfBirth": "2000-01-23",
  "employeeAppointments" : [ null, null ],
  "employeeTreatments" : [ {
    "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
      "name" : "name",
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL": "pictureURL",
     "personId" : 5,
     "dateOfBirth" : "2000-01-23"
   }
 }, {
   "treatment" : {
      "price": 9.301444243932576,
      "pictureURL" : "pictureURL",
     "name" : "name"
      "description": "description",
      "estimatedDuration" : 7,
      "treatmentID" : 2
    },
    "employeeTreatmentsID" : 5,
    "employee" : {
      "firstName" : "firstName",
      "lastName" : "lastName",
      "phoneNumber" : "phoneNumber",
      "address" : "address",
      "pictureURL" : "pictureURL",
      "personId" : 5,
      "dateOfBirth" : "2000-01-23"
  } ],
  "customerAppointments" : [ {
    "approvalStatus" : "APPROVED",
    "startDateTime" : "2000-01-23T04:56:07.000+00:00",
    "dateCreated": "2000-01-23T04:56:07.000+00:00",
    "appointmentID" : 3,
```

```
"endDateTime" : "2000-01-23T04:56:07.000+00:00"
      "approvalStatus" : "APPROVED",
      "startDateTime" : "2000-01-23T04:56:07.000+00:00",
      "dateCreated": "2000-01-23T04:56:07.000+00:00",
      "appointmentID" : 3,
      "endDateTime" : "2000-01-23T04:56:07.000+00:00"
    } ],
    "publicUserDto" : {
      "role" : "Admin",
      "userId" : 1,
      "email" : "email"
    }
  },
  "password" : "password",
  "role" : "Admin",
  "credentialsNonExpired" : true,
  "accountNonExpired" : true,
  "userId": 0,
  "email" : "email",
  "enabled" : true,
  "accountNonLocked" : true
}
```

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

• application/json

Responses

200

Updated <u>UserDto</u>

404

User not found

Models

[Jump to Methods]

Table of Contents

- 1. <u>Appointment</u>
- 2. AppointmentDto
- 3. <u>AppointmentEmployeeTreatment</u>
- 4. AppointmentRequestDto
- 5. AuthenticationRequest
- 6. <u>AuthenticationResponse</u>
- 7. <u>ChangePasswordRequest</u>
- 8. <u>EmployeeTreatment</u>
- 9. <u>IntervalDto</u>
- 10. Person
- 11. PersonDto
- 12. PublicUserDto
- 13. RegisterRequest
- 14. <u>Treatment</u>
- 15. <u>TreatmentDto</u>
- 16. <u>UserDto</u>

Appointment <u>Up</u>

```
appointmentID (optional)
  Integer format: int32
  customer (optional)
  <u>Person</u>
  startDateTime (optional)
  Date format: date-time
  endDateTime (optional)
  <u>Date</u> format: date-time
  dateCreated (optional)
  Date format: date-time
  approvalStatus (optional)
  String
        Enum:
           APPROVED
           PENDING
           REJECTED
           EXPIRED
  employee (optional)
  Person
AppointmentDto
                                                                                                        <u>Up</u>
  appointmentID (optional)
  Integer format: int32
  customer (optional)
  Person
  startDateTime (optional)
  Date format: date-time
  endDateTime (optional)
  Date format: date-time
  dateCreated (optional)
  Date format: date-time
  approvalStatus (optional)
  String
        Enum:
           APPROVED
           PENDING
           REJECTED
           EXPIRED
  employee (optional)
  <u>Person</u>
  appointmentEmployeeTreatments (optional)
  <u>array[AppointmentEmployeeTreatment]</u>
                                                                                                        <u>Up</u>
AppointmentEmployeeTreatment
  appointmentEmployeeTreatmentsID (optional)
  Integer format: int32
  appointment (optional)
```

<u>Appointment</u> employeeTreatment (optional) **EmployeeTreatment AppointmentRequestDto** <u>Up</u> customerId (optional) **Integer** format: int32 startDateTime (optional) **Date** format: date-time approvalStatus (optional) String Enum: **APPROVED PENDING REJECTED EXPIRED** employeeld (optional) Integer format: int32 treatmentId (optional) Integer format: int32 AuthenticationRequest <u>Up</u> email (optional) **String** password (optional) **String** AuthenticationResponse <u>Up</u> token (optional) **String** ChangePasswordRequest <u>Up</u> newPassword (optional) confirmationPassword (optional) **String EmployeeTreatment** <u>Up</u> employeeTreatmentsID (optional) Integer format: int32 employee (optional) <u>Person</u> treatment (optional)

<u>Treatment</u>

Т	ntervalDto	<u>Up</u>
	start (optional) <u>Date</u> format: date-time	
	end (optional) <u>Date</u> format: date-time	
P	erson	<u>Up</u>
	personld (optional) lnteger format: int32	
	firstName (optional) <u>String</u>	
	lastName (optional) <u>String</u>	
	phoneNumber (optional) <u>String</u>	
	dateOfBirth (optional) <u>date</u> format: date	
	address (optional) <u>String</u>	
	pictureURL (optional) <u>String</u>	
P	ersonDto	<u>Up</u>
P	personDto personId (optional) Integer format: int32	<u>Up</u>
P	personld (optional)	<u>Up</u>
P	personld (optional) linteger format: int32 firstName (optional)	<u>Up</u>
P	personld (optional) Integer format: int32 firstName (optional) String lastName (optional)	<u>Up</u>
P	personld (optional) Integer format: int32 firstName (optional) String lastName (optional) String phoneNumber (optional)	<u>Up</u>
P	personld (optional) Integer format: int32 firstName (optional) String lastName (optional) String phoneNumber (optional) String dateOfBirth (optional)	<u>Up</u>
P	personld (optional) Integer format: int32 firstName (optional) String lastName (optional) String phoneNumber (optional) String dateOfBirth (optional) date format: date address (optional)	<u>Up</u>
P	personld (optional) Integer format: int32 firstName (optional) String lastName (optional) String phoneNumber (optional) String dateOfBirth (optional) date format: date address (optional) String pictureURL (optional)	<u>Up</u>
P	personld (optional) Integer format: int32 firstName (optional) String lastName (optional) String phoneNumber (optional) String dateOfBirth (optional) date format: date address (optional) String pictureURL (optional) String publicUserDto (optional)	<u>Up</u>

5/12/24, 9:31 PM MakeUp Salon API employeeAppointments (optional) array[Appointment] PublicUserDto <u>Up</u> userId (optional) *Integer* format: int32 email (optional) **String** role (optional) **String** Enum: Admin Employee Customer personDto (optional) **PersonDto** RegisterRequest <u>Up</u> firstName (optional) **String** lastName (optional) **String** email (optional) **String** password (optional) **String** phoneNumber (optional) **String** dateOfBirth (optional) date format: date address (optional) **String** role (optional) String Enum: Admin Employee Customer pictureURL (optional) **String Treatment** <u>Up</u> treatmentID (optional)

Integer format: int32

name (optional)

String

```
5/12/24, 9:31 PM
       description (optional)
       String
       estimatedDuration (optional)
       Integer format: int32
       price (optional)
       Double format: double
       pictureURL (optional)
       String
                                                                                                                  <u>Up</u>
    TreatmentDto
       treatmentID (optional)
       Integer format: int32
       name (optional)
       String
       description (optional)
       String
       estimatedDuration (optional)
       Integer format: int32
       price (optional)
       Double format: double
       pictureURL (optional)
       String
       employeeTreatments (optional)
       array[EmployeeTreatment]
    UserDto
                                                                                                                  <u>Up</u>
       userId (optional)
       Integer format: int32
       email (optional)
       String
       password (optional)
       String
       role (optional)
       String
             Enum:
                Admin
                Employee
                Customer
       personDto (optional)
       PersonDto
       accountNonExpired (optional)
       <u>Boolean</u>
       accountNonLocked (optional)
       <u>Boolean</u>
       credentialsNonExpired (optional)
       <u>Boolean</u>
```

5/12/24, 9:31 PM MakeUp Salon API

enabled (optional)
Boolean