Name:	Index No.:
2920/103	Candidate's Signature:
STRUCTURED PROGRAMMING	
November 2015	Date:
Time: 3 hours	



THE KENYA NATIONAL EXAMINATIONS COUNCIL

DIPLOMA IN INFORMATION COMMUNICATION TECHNOLOGY

MODULE I

STRUCTURED PROGRAMMING

3 hours

INSTRUCTIONS TO CANDIDATES

Write your name and index number in the spaces provided above.

Sign and write the date of examination in the spaces provided above.

Answer any FIVE of the EIGHT questions in this paper in the spaces provided after each question.

Candidates should answer the questions in English.

For Examiner's Use Only

Question	1	2	3	4	5	6	7	8	Total Score
Candidate's Score									

This paper consists of 16 printed pages.

Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

(4)	(a) Describe <i>compilation</i> as used in programming.						
(b)	Differentiate between iteration and recursion as used in programming.	(4 ma					
·							
(c)	49, 70, 83, 23, 45, 67, 76, 55 and 37. He was asked to create a data structure	Peter, a student in a college, was presented with the following ten numeric values: 56,					
	allow him to have access to each value directly	C mat wo					
· -	allow him to have access to each value directly. (i) Identify the most appropriate data structure that he would create.	(1 m					
	(i) Identify the most appropriate data structure that he would create.	(1 m.					
	(i) Identify the most appropriate data structure that he would create.	(1 may					
	(i) Identify the most appropriate data structure that he would create.	(1 may					
	(i) Identify the most appropriate data structure that he would create.	(1 may					
	(i) Identify the most appropriate data structure that he would create.	(1 ma					

		access of details and information. (4 marks)
,		·
	(ii)	Explain two importance of documenting all the stages during program development. (4 marks
(a)		operators order of precedence for evaluating mathematical expressions as used in programming. (3 marks)
(b)	(i)	David wrote a program with the seven days of a week declared as enumerated type in Pascal programming. Write two statements that would be used to generate a message "IT'S A WEEKDAY" if the day is not Sunday or Saturday in the program. (4 marks)

	· (ii)	Differentiate between PRED and SUCC predefined functions as applied in Pascal programming. (4 marks)
(c)	Write for lo	e a C program that could print all numbers that are divisible by 9 from 1 to 99. Use op. (5 marks)
(d)		dent was given a computer program code to study. Outline four characteristics te may use to ascertain that the program is written using structured programming tage. (4 marks)

(a)	State four characters that are used for data conversion specification in C program in and output functions. (2 ma
(b)	Explain two uses of a RESET function as used in Pascal programming language. (4 ma
(c)	An ICT company intends to develop a new program. The team leader is faced with a
	challenge over which programming language to use. Evoluin three factors that the
	leader should consider when making a decision. (6 may
•	reader should consider when making a decision. (6 mag
	reader should consider when making a decision. (6 mag
	reader should consider when making a decision. (6 mag
	reader should consider when making a decision. (6 mag
	reader should consider when making a decision. (6 mag
	reader should consider when making a decision. (6 mag
	reader should consider when making a decision. (6 mag

(d) Figure 1 shows a decision tree that was used by a programmer in a company to compute the discount offered to customers. Use it to answer the question that follows.




Figure 1

The program then computes and displays the cin Figure 1.	(8 t
	- MAX-1990-1991-1991-1991-1991-1991-1991-199
AND	
way gan	

(i)	!false	
		(1 mark
(ii)	true && false	(1 mark
(iii)	true false	(1 mark
Giver staten	n that a=10, b=5 and c=2 determine the values of x in each of the followents as used in Pascal programming. Show your working:	
(i)	x=2*a mod (b-3)/sqrt(c+2)	
		<u> </u>
(ii)	x=2^c + sqr(a+1)*c	
Tom v	would like to use random file in his program: Outline three advantages of this file;	(3 marks
	(iii) Giver staten (ii) (iii)	(iii) true && false (iii) true false Given that a=10, b=5 and c=2 determine the values of x in each of the foll statements as used in Pascal programming. Show your working: (i) x=2*a mod (b-3)/sqrt(c+2) (ii) x=2^c + sqr(a+1)*c

	(ii)	Explain two limitations of this approach to file organization. (4 marks)
(d)	progr	a programmer in a hospital was tasked to develop a program using Pascal amming language. The following data items are considered as input: Patient , patient age, gender F/M and amount paid.
	(i)	Identify the most appropriate data structure for this data. Justify your answer. (2 marks)
 ,		
	(ii)	Write segment codes in Pascal programming language to read data in the structure identified in (i). (4 marks)
		

(a)	Expla	ain the function of default statement in a C programming language.	(2 marks)					
(b)		the aid of a flowchart, describe the REPEATUNTIL loop as used in ramming.	Pascal (4 marks)					
(c)	(i)	Outline four characteristics of assembly programming language.	(4 marks)					
	(ii)	Explain three reasons for developing a computer program.	(6 marks)					

(a)	program could not run due to errors.	ge. The
	<pre>#include(stadio.h> void main()</pre>	
	float i,j;	
	<pre>printf("input two integers');</pre>	
	fscanf("%d %f",&i,j);	
	<pre>Printf("\n addition=%d subtraction=%d\n" i+j, i-j);</pre>	
	}	
	Identify eight errors in the program.	(4 marks)
(a)	Outline two similarities between a procedure and a function as used in progra	mming. (2 marks)
(b)	Explain three typical errors that are likely to occur during file I/O operations	in a
(0)	program.	(6 marks
		

(c)	Diff	erentiate between merge sort and quick sort techniques as used in program	ming. (4 marks
(d)	(i)	The following are names of students in a programming class: Leonard, Faith, Olive, Quinter, Alice, Patrick, Grace, Helen and Mercy. Represent them in a binary tree.	Bancy, (5 mark
	(ii)	State the result generated when the tree is traversed using the post order	
	(ii)	State the result generated when the tree is traversed using the post order strategy:	3 mark

(c) A student is to develop a program that would prompt a user to enter two integers. It program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".	(a)	Patrick, a programmer, developed a program for his client. Outline four way could make the program easy to read and understandable.	s that he (4 ma
Outline four reasons that could have led her to make this decision. (4 m) (c) A student is to develop a program that would prompt a user to enter two integers. The program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".			
Outline four reasons that could have led her to make this decision. (4 m) (c) A student is to develop a program that would prompt a user to enter two integers. The program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".			
Outline four reasons that could have led her to make this decision. (4 m) (c) A student is to develop a program that would prompt a user to enter two integers. The program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".	7		
(c) A student is to develop a program that would prompt a user to enter two integers. I program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".	(b)		anslation (4 mar
program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".			
program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".			
program should then compute the difference between the two integers. The program displays the results when it is positive, otherwise it displays the message "Negative Result".			
	(c)	program should then compute the difference between the two integers. The label displays the results when it is positive, otherwise it displays the message "N	orogram
	(c)	program should then compute the difference between the two integers. The p displays the results when it is positive, otherwise it displays the message "N Result".	orogram egative
	(c)	program should then compute the difference between the two integers. The p displays the results when it is positive, otherwise it displays the message "N Result".	orogram egative
	(c)	program should then compute the difference between the two integers. The p displays the results when it is positive, otherwise it displays the message "N Result".	orogram egative
	(c)	program should then compute the difference between the two integers. The p displays the results when it is positive, otherwise it displays the message "N Result".	orogram egative
	(c)	program should then compute the difference between the two integers. The p displays the results when it is positive, otherwise it displays the message "N Result".	program

	language.				
	(i)	Outline the order in which he would declare the categories of vaprogram.	riables in the (3 marks)		
	(ii)	Outline four rules that he should observe when composing the in program.	dentifiers in the		
(a)	Cyntl	nia tested a program and she encountered an error when she entered	d a zero value as		
	(i)	for a mathematical expression. Describe the type of error that occurred.	(2 marks)		
7-1-	(ii)	State the possible consequence when the error occurs.	(1 mark)		

(c)	in data structures:							
	(i) 	Adding an element in a stack;	(3 marks)					
	(ii)	Removing an element from a queue.	(3 marks)					
(d)	giver Writ prog	interest accrued I for a principal amount P after period of n by the formula $I = P \times R \times T$. e a Pascal program that prompts a user to enter the principal ram and then pass this value to a procedure named <i>computates</i> the interest at a rate of 12% per annum for a period	pal amount in the main ute. The procedure					
	then	returns the interest to main program for output.	(7 marks)					
-21140000000								