

Time series analysis with updated window definition

Cheyenne Ehman, Ziyang Zhu

3/29/2021

Select variable of interests

```
source("step2_data_wrangle.R")
##### school reopen dates #####
district_policies <- OH_K12 %>%
  distinct(county, county_enroll, leaid, district_enroll, schooltemporaryshutdown, opendategrouped, teachingmethod)
# Calculate the proportion and generate date brackets
prop_opendate <- district_policies %>%
  filter(!schooltemporaryshutdown %in% c('Closed indefinitely', 'Pending', 'Unknown')) %>%
  group_by(county, county_enroll, opendategrouped) %>%
  summarise(n_opendate = sum(district_enroll)) %>% # number of students under certain date for each county
  mutate(prop_opendate = round(n_opendate / county_enroll, 2)) %>% # proportion
  group_by(county) %>%
  #filter(prop_opendate > 0.6) %>%
  slice(which.max(prop_opendate)) %>% # filter large proportions of students with same reopen dates #can
  mutate(threeweeks_lag_open = opendategrouped + 21, sixweeks_lag_open = opendategrouped + 42, twomonths_lag_open = opendategrouped + 84)
  select(-n_opendate)

opendate_cases <- case_mobility %>%
  inner_join(prop_opendate, by = c('COUNTY' = 'county')) %>%
  group_by(COUNTY) %>%
  filter(
    DATE >= opendategrouped & DATE <= beforechristmas %>%
    mutate(
      window_id = case_when(
        DATE < threeweeks_lag_open ~ "fall_reopento21d",
        DATE >= threeweeks_lag_open & DATE < sixweeks_lag_open ~ "reopen_21dto42d",
        DATE >= sixweeks_lag_open & DATE < twomonths_lag_open ~ "reopen_42dto63d",
        TRUE ~ "before_christmas"
      ) %>%
    mutate(
      death_prop = round(CUMDEATHS / POPULATION, 5),
      window_id = as.factor(window_id) %>%
    left_join(wide_teaching_enroll, by = c('COUNTY' = 'county', 'county_enroll'))
  # select the start date and end date data for each window of time

start_of_window <- opendate_cases %>%
  group_by(COUNTY, window_id) %>%
  arrange(DATE) %>%
  filter(row_number() == 1) %>%
  ungroup() %>%
  mutate(
    y_label = case_when(
      window_id == "fall_reopento21d" ~ "before reopen",
      window_id == "reopen_21dto42d" ~ "Fall reopen",
      window_id == "reopen_42dto63d" ~ "3 weeks after reopen",
      window_id == "before_christmas" ~ "6 weeks after reopen"
    ) %>%
```


```

select(-opendategrouped,-threeweeks_lag_open,-sixweeks_lag_open,-twomonths_lag_open,-beforechristmas,
start_of_window$y_label <- factor(start_of_window$y_label,
  levels = c("before reopen",
    "Fall reopen",
    "3 weeks after reopen",
    "6 weeks after reopen"))

start_of_window$major_teaching <- factor(start_of_window$major_teaching,
  levels = c("On Premises",
    "Hybrid",
    "Online Only"))

start_of_window %>%
  ggplot(aes(y = death_prop,
    fill = major_teaching))+
  geom_boxplot(na.rm = T) +
  facet_grid(~y_label)+
  theme_bw()+
  labs(y = "Death Proportion",
    fill = "Majority Teaching Method",
    title = "Death Proportion")+theme(legend.position = "bottom")

```



```

#ggsave("Deathprop_box.jpg", width = 8.5, height = 5)

```

```


require(scales)
start_of_window %>%

```

```

group_by(COUNTY)%>%
mutate(death_inc = CUMDEATHS-lag(CUMDEATHS))%>%
drop_na(death_inc)%>%
mutate(death_prop_inc = round(death_inc/POPULATION,6))%>%
ggplot(aes(y = death_prop_inc,
           fill = major_teaching))+
geom_boxplot(na.rm = T) +
theme_bw()+
labs(y = "Death Proportion",
     fill = "Majority Teaching Method",
     title = "Death Proportion Increase") +
facet_grid(~y_label)+
scale_y_continuous(labels = comma)

```



```
#ggsave("Deathpropinc_box.jpg", width = 8.5, height = 5)
```

```


start_of_window %>%
group_by(COUNTY)%>%
mutate(death_inc = CUMDEATHS-lag(CUMDEATHS))%>%
drop_na(death_inc)%>%
mutate(death_prop_inc = round(death_inc/POPULATION,6))%>%
filter(y_label == "6 weeks after reopen") %>%
ggplot(aes(x = Online_Only, y = death_prop_inc, color = major_teaching)) +
geom_point()+
theme_bw() +
labs(x = "Proportion of Students learning Remote",
     y = "Death Proportion Increase",

```

```

title = "Y1-Y0 against X1",
subtitle = "increase during 3-6 weeks of reopen",
color = "Majority Teaching Method")

```



```

ggsave("y1x1.jpg", width = 7, height = 5)

```

```

county_policy_wide$major_teaching <- factor(county_policy_wide$major_teaching,
  levels = c("On Premises",
    "Hybrid",
    "Online Only"))
# see when the intesection happens
date.intercept <- as.Date("2020-11-24")

# add 95% confidence bans
confidence_level <- .95
z_cl <- qnorm(confidence_level)

# case_policy_wide
case_policy_wide <- case_mobility %>%
  left_join(county_policy_wide[,c("county", "major_teaching", "Online_Only", "Hybrid", "On_Premises")], by =
    mutate(death_prop = CUMDEATHS/POPULATION))


# plot
case_policy_wide%>%
  group_by(DATE, major_teaching) %>%
  summarise(total_deaths = sum(CUMDEATHS),
    total_pop = sum(POPULATION),

```

```

death_prop = total_deaths/total_pop,
death_prop_upper = death_prop + z_cl*sqrt(death_prop*(1 - death_prop)/total_pop),
death_prop_lower = death_prop - z_cl*sqrt(death_prop*(1 - death_prop)/total_pop),
.groups = "drop") %>%
ggplot(aes(x = DATE, y = death_prop, group = major_teaching))+
  geom_rect(data=opendate_cases[1,],
    aes(xmin=as.Date("2020/08/26"), xmax=as.Date("2020/12/12"),
      ymin=-Inf,ymax=Inf),
    color = NA,alpha=0.2, show.legend = F, fill = "orange") +
  geom_line(aes(color = major_teaching),size = 1, alpha = .8) +
  geom_ribbon(aes(ymin = death_prop_lower, ymax = death_prop_upper,
    fill= major_teaching),
    alpha = .3, show.legend = F)+
  geom_vline(xintercept = date.intercept, linetype = "dashed") +
  annotate("text",x = date.intercept,y = .001,
    label = date.intercept,
    hjust = 1.0) +
  geom_vline(xintercept = as.Date('2020/11/03'), linetype = "dashed") +
  annotate("text",x = as.Date('2020/11/03'),y = .0006,
    label =as.Date('2020/11/03'),
    hjust = 1.1) +
  theme_bw() +
  labs(x = "Date", y = "Total Death Proportion",
    title = "Total Death Proportion by Teaching Method",
    subtitle = "Red area represents the fall semester",
    color = "Majority Teaching Method")

```



```

# +
#   scale_x_date(date_breaks = "2 month", date_labels = "%b-%y")

library(gridExtra)

date_plot <- function(date,var,title_text){
  p <- case_mobility%>%
    filter(DATE == date)%>%
    mutate(death_prop = CUMDEATHS/POPULATION)%>%
    ggplot(aes(x= get(var),y = death_prop))+theme_minimal()+
    labs(x=NULL,y="Death Proportion",title=paste0(date," : ",title_text))+geom_point()+geom_smooth(method=
return(p)
}

p11 <- date_plot(date = '2020-09-01',var = "work_prop_7d",title_text = "3 weeks before reopen")
p12 <- date_plot(date = '2020-09-01',var = "res_visit_prop",title_text = "3 weeks before reopen")
p13 <- date_plot(date = '2020-09-01',var = "bar_visit_prop",title_text = "3 weeks before reopen")

#####
p21 <- date_plot(date = '2020-09-22',var = "work_prop_7d",title_text = "around reopen")
p22 <- date_plot(date = '2020-09-22',var = "res_visit_prop",title_text = "around reopen")
p23 <- date_plot(date = '2020-09-22',var = "bar_visit_prop",title_text = "around reopen")

#####
p31 <- date_plot(date = '2020-10-12',var = "work_prop_7d",title_text = "3 weeks after reopen")
p32 <- date_plot(date = '2020-10-12',var = "res_visit_prop",title_text = "3 weeks after reopen")
p33 <- date_plot(date = '2020-10-12',var = "bar_visit_prop",title_text = "3 weeks after reopen")

#####
p41 <- date_plot(date = '2020-11-03',var = "work_prop_7d",title_text = "6 weeks after reopen")
p42 <- date_plot(date = '2020-11-03',var = "res_visit_prop",title_text = "6 weeks after reopen")
p43 <- date_plot(date = '2020-11-03',var = "bar_visit_prop",title_text = "6 weeks after reopen")

#####
p51 <- date_plot(date = '2020-11-24',var = "work_prop_7d",title_text = "3 weeks before Thanksgiving")
p52 <- date_plot(date = '2020-11-24',var = "res_visit_prop",title_text = "3 weeks before Thanksgiving")
p53 <- date_plot(date = '2020-11-24',var = "bar_visit_prop",title_text = "3 weeks before Thanksgiving")
#####
p61 <- date_plot(date = '2020-12-15',var = "work_prop_7d",title_text = "around Thanksgiving")
p62 <- date_plot(date = '2020-12-11',var = "res_visit_prop",title_text = "around Thanksgiving")
p63 <- date_plot(date = '2020-12-11',var = "bar_visit_prop",title_text = "around Thanksgiving")


```

```
#####
p71 <- date_plot(date = '2021-02-22',var = "work_prop_7d",title_text = "")


p72 <- date_plot(date = '2021-02-22',var = "res_visit_prop",title_text = "")

p73 <- date_plot(date = '2021-02-22',var = "bar_visit_prop",title_text = "")


#####
options(scipen=10000)
grid.arrange(p11, p21, p31,p41,p51,p61,nrow = 3,ncol=2,widths = c(5,5),heights = c(3,3,3),bottom= "Frac
```



```
grid.arrange(p12, p22, p32,p42,p52,p62,nrow = 3,ncol=2,widths = c(5,5),heights = c(3,3,3),bottom="Restar
```



```
grid.arrange(p13,p23,p33,p43,p53,p63,nrow = 3,ncol=2,widths = c(5,5),heights = c(3,3,3),bottom="Bar vis
```

```
avg_work <- case_policy_wide %>%
  drop_na(major_teaching)%>%
  group_by DATE, major_teaching %>%
  summarise(avg_ptwork_prop_7d = mean(work_prop_7d))

## `summarise()` regrouping output by 'DATE' (override with `.groups` argument)

avg_work%>%
  ggplot(aes(x = DATE, y = avg_ptwork_prop_7d, color = major_teaching))+
  geom_rect(data = avg_work[1,],
            aes(xmin=as.Date("2020/08/26"), xmax=as.Date("2020/12/12"),
                ymin=-Inf,ymax=Inf,color = NA,alpha=0.01), show.legend = F, fill = "orange") +
  geom_line(aes(color = major_teaching),size = 1, alpha = .8) +
  geom_vline(xintercept = date.intercept, linetype = "dashed") +
  annotate("text",x = date.intercept,y = .06,
          label = date.intercept,
          hjust = 1.0) +
  geom_vline(xintercept = as.Date('2020/11/03'), linetype = "dashed") +
```

```

annotate("text",x = as.Date('2020/11/03'),y = .11,
        label =as.Date('2020/11/03'),
        hjust = 1.1) +
theme_bw() +
labs(x = "Date", y = "Average Mobility Porportion",
     title = "Average Mobility Proportion by Teaching Method",
     subtitle = "Red area represents the fall semester",
     color = "Majority Teaching Method",
     caption = "The fraction of devices that spent between 3 and 6 hours at a location other than t",
theme(legend.position = "bottom")

```

```

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <99>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <99>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <99>

## Warning in grid.Call(C_textBounds, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6

```

[illegible]


```
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <e2>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <80>

## Warning in grid.Call.graphics(C_text, as.graphicsAnnot(x$label), x$x, x$y, :
## conversion failure on 'The fraction of devices that spent between 3 and 6
## hours at a location other than their home during the daytime (SafeGraph's)' in
## 'mbcsToSbcs': dot substituted for <99>
```

Average Mobility Proportion by Teaching Method

Red area represents the fall semester



Majority Teaching Method — Hybrid — On Premises — Online Only

n of devices that spent between 3 and 6 hours at a location other than their home during the daytime (SafeGraph...s)

```
avg_bar_visit <- case_policy_wide %>%
  drop_na(bar_visit_prop)%>%
  group_by(DATE, major_teaching) %>%
  summarise(avg_bar_visit = mean(bar_visit_prop))
```

```
## `summarise()` regrouping output by 'DATE' (override with `.groups` argument)
```

```
avg_bar_visit%>%
  ggplot(aes(x = DATE, y = avg_bar_visit, color = major_teaching))+
  geom_rect(data = avg_bar_visit[1,],
    aes(xmin=as.Date("2020/08/26"), xmax=as.Date("2020/12/12"),
      ymin=-Inf,ymax=Inf,color = NA,alpha=0.01), show.legend = F, fill = "orange") +
  #geom_point(size = 2, alpha = .8)+
  geom_smooth(size = 1, alpha = .5) +
  theme_bw() +
  labs(x = "Date", y = "Average Bar Visits",
```

```


title = "Average Number of Bar Visits by Teaching Method",
subtitle = "Red area represents the fall semester",
color = "Majority Teaching Method",
caption = "Weekly counts of visits and normalized by population size (SafeGraph)" +
theme(legend.position = "bottom")

```

```
## `geom_smooth()` using method = 'loess' and formula 'y ~ x'
```

Average Number of Bar Visits by Teaching Method

Red area represents the fall semester



Majority Teaching Method — Hybrid — Online Only

Weekly counts of visits and normalized by population size (SafeGraph)

```

avg_res_visit <- case_policy_wide %>%
  drop_na(res_visit_prop) %>%
  group_by(DATE, major_teaching) %>%
  summarise(avg_res_visit = mean(res_visit_prop))

```

```
## `summarise()` regrouping output by 'DATE' (override with `.groups` argument)
```

```

avg_res_visit %>%
  ggplot(aes(x = DATE, y = avg_res_visit, color = major_teaching)) +
  geom_rect(data = avg_res_visit[1,],
    aes(xmin=as.Date("2020/08/26"), xmax=as.Date("2020/12/12"),
      ymin=-Inf, ymax=Inf, color = NA, alpha=0.01), show.legend = F, fill = "orange") +
  #geom_point(size = 1, alpha = .8) +
  geom_smooth(size = 1, alpha = .5) +
  theme_bw() +
  labs(x = "Date", y = "Average Bar Visits",
    title = "Average Number of Restaurant Visits by Teaching Method",
    subtitle = "Red area represents the fall semester",
    color = "Majority Teaching Method",
    caption = "Weekly counts of visits and normalized by population size (SafeGraph)" ) +


```

```
theme(legend.position = "bottom")
```

```
## `geom_smooth()` using method = 'loess' and formula 'y ~ x'
```

Average Number of Restaurant Visits by Teaching Method

Red area represents the fall semester



Majority Teaching Method — Hybrid — On Premises — Online Only

Weekly counts of visits and normalized by population size (SafeGraph)

Notice

After removing missing values in each of the mobility measures, we end up with different sample size for each linear regression

```
summary(lm(death_prop ~ work_prop_7d, data = case_policy_wide, na.action = 'na.omit'))
```

```
##
## Call:
## lm(formula = death_prop ~ work_prop_7d, data = case_policy_wide,
##     na.action = "na.omit")
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.0005834 -0.0003986 -0.0002491  0.0002207  0.0024472
##
## Coefficients:
##              Estimate Std. Error t value      Pr(>|t|)
## (Intercept)  0.00027520  0.00001481   18.58 <0.0000000000000002 ***
## work_prop_7d  0.00211781  0.00018531   11.43 <0.0000000000000002 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
```

```
## Residual standard error: 0.0005767 on 35021 degrees of freedom
## Multiple R-squared: 0.003716, Adjusted R-squared: 0.003687
## F-statistic: 130.6 on 1 and 35021 DF, p-value: < 0.000000000000000022
summary(lm(death_prop~res_visit_prop,data = case_policy_wide,na.action='na.omit'))

##
## Call:
## lm(formula = death_prop ~ res_visit_prop, data = case_policy_wide,
##     na.action = "na.omit")
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.0005306 -0.0004127 -0.0002491  0.0001850  0.0024543
##
## Coefficients:
##              Estimate      Std. Error t value      Pr(>|t|)
## (Intercept)  0.00041176670 0.00000464860  88.579 < 0.00000000000000002 ***
## res_visit_prop 0.00000003558 0.00000001156   3.077    0.00209 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0005665 on 33324 degrees of freedom
## (1697 observations deleted due to missingness)
## Multiple R-squared: 0.000284, Adjusted R-squared: 0.000254
## F-statistic: 9.468 on 1 and 33324 DF, p-value: 0.002093
summary(lm(death_prop~bar_visit_prop,data = case_policy_wide,na.action='na.omit'))

##
## Call:
## lm(formula = death_prop ~ bar_visit_prop, data = case_policy_wide,
##     na.action = "na.omit")
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.0003484 -0.0003422 -0.0001275  0.0001626  0.0013851
##
## Coefficients:
##              Estimate      Std. Error t value      Pr(>|t|)
## (Intercept)  0.00034837898 0.00000520124  66.980 <0.00000000000000002 ***
## bar_visit_prop -0.00000001162 0.00000003757  -0.309    0.757
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.000403 on 7221 degrees of freedom
## (27800 observations deleted due to missingness)
## Multiple R-squared: 1.324e-05, Adjusted R-squared: -0.0001252
## F-statistic: 0.09559 on 1 and 7221 DF, p-value: 0.7572
```

NOTES:

Though we are getting all significance at the end, I am suspicious about the results. Please double check the code and input data, make sure it is not random.

```
summary(lm(death_prop~work_prop_7d+res_visit_prop,data = case_policy_wide,na.action='na.omit'))
```

```
##
## Call:
## lm(formula = death_prop ~ work_prop_7d + res_visit_prop, data = case_policy_wide,
##     na.action = "na.omit")
##
## Residuals:
```

	Min	1Q	Median	3Q	Max
	-0.0005708	-0.0003810	-0.0002459	0.0001793	0.0024678

```
##
## Coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00025842346	0.00001481203	17.447	<0.0000000000000002 ***
work_prop_7d	0.00204538960	0.00018762626	10.901	<0.0000000000000002 ***
res_visit_prop	0.00000001370	0.00000001172	1.169	0.242

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0005655 on 33323 degrees of freedom
## (1697 observations deleted due to missingness)
## Multiple R-squared:  0.003837,    Adjusted R-squared:  0.003777
## F-statistic: 64.17 on 2 and 33323 DF,  p-value: < 0.0000000000000002
```

```
summary(lm(death_prop~Hybrid+On_Premises+Online_Only,data = case_policy_wide))
```

```
##
## Call:
## lm(formula = death_prop ~ Hybrid + On_Premises + Online_Only,
##     data = case_policy_wide)
##
## Residuals:
```

	Min	1Q	Median	3Q	Max
	-0.0006384	-0.0004175	-0.0002487	0.0002245	0.0024486

```
##
## Coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00063839	0.00001584	40.300	<0.0000000000000002 ***
Hybrid	-0.00022088	0.00001812	-12.192	<0.0000000000000002 ***
On_Premises	-0.00018479	0.00001916	-9.643	<0.0000000000000002 ***
Online_Only	-0.00027022	0.00002387	-11.320	<0.0000000000000002 ***

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0005783 on 34223 degrees of freedom
## (796 observations deleted due to missingness)
## Multiple R-squared:  0.004825,    Adjusted R-squared:  0.004738
## F-statistic: 55.31 on 3 and 34223 DF,  p-value: < 0.0000000000000002
```

```
summary(lm(death_prop~work_prop_7d+Hybrid+On_Premises+Online_Only,data = case_policy_wide))
```


```
##
## Call:
## lm(formula = death_prop ~ work_prop_7d + Hybrid + On_Premises +
##     Online_Only, data = case_policy_wide)
```



```
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.0006691 -0.0003983 -0.0002533  0.0002164  0.0024690
##
## Coefficients:
##              Estimate Std. Error t value      Pr(>|t|)
## (Intercept)  0.00047488  0.00002109   22.52 <0.0000000000000002 ***
## work_prop_7d  0.00222574  0.00018994   11.72 <0.0000000000000002 ***
## Hybrid       -0.00022885  0.00001809  -12.65 <0.0000000000000002 ***
## On_Premises  -0.00021334  0.00001928  -11.06 <0.0000000000000002 ***
## Online_Only  -0.00027112  0.00002382  -11.38 <0.0000000000000002 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0005771 on 34222 degrees of freedom
## (796 observations deleted due to missingness)
## Multiple R-squared:  0.008802, Adjusted R-squared:  0.008686
## F-statistic: 75.97 on 4 and 34222 DF, p-value: < 0.00000000000000022
```

```
lag_cases <- case_mobility %>%
  left_join(county_policy_wide[,c("county","major_teaching")],
    by = c("COUNTY" = "county")) %>%
  drop_na(major_teaching)%>%
  select(COUNTY,DATE,CUMDEATHS,POPULATION,major_teaching)%>%
  group_by(COUNTY) %>%
  mutate(lag_total_deaths = lag(CUMDEATHS,21)) %>%
  ungroup()%>%
  group_by(DATE,major_teaching) %>%
  summarise(total_deaths = sum(CUMDEATHS),
    total_deaths_lag = sum(lag_total_deaths),
    total_pop = sum(POPULATION),
    death_prop = total_deaths/total_pop,
    lag_death_prop = total_deaths_lag/total_pop,
    death_prop_inc = (total_deaths-total_deaths_lag)/total_pop,
    .groups = "drop")

ggplot(lag_cases, aes(x = lag_death_prop, y = death_prop, color = major_teaching)) +
  geom_line(size = 1,alpha = .8, na.rm=T)+
  theme_bw() +
  labs(x = "Death Proportion of 3 weeks prior", y = "Death Proportion",
    color = "Majority Teaching Method")
```



```

peak.date <- as.Date("2020-12-23")
ggplot(lag_cases,aes(x = DATE, y = death_prop_inc,
                     color = major_teaching,
                     fill = "red")) +
  geom_line(na.rm = T) +
  geom_rect(data = lag_cases[1,],
            aes(xmin=as.Date("2020/08/26"), xmax=as.Date("2020/12/12"),
                ymin=-Inf,ymax=Inf),
            color = NA,alpha=0.2, show.legend = F) +
  geom_vline(xintercept = peak.date, linetype = "dashed")+
  annotate("text",x = peak.date,y = .0005,
          label = peak.date,
          hjust = 1.2) +
  theme_bw() +
  labs(x = "Date",
       y = "Death Proportion Increase",
       title = "Death Proportion Increase by Teaching Method",
       subtitle = "Increase compared to 3 Week Lag \nRed area represents Fall Semester",
       color = "Majority Teaching Method") +
  scale_y_continuous(labels = comma)

```

Death Proportion Increase by Teaching Method

Increase compared to 3 Week Lag

Red area represents Fall Semester

