

4. (25%)

- (a) Does $(n+1)^2 = \Omega(n \log n)$?
True.

Proof. Let $f(n) = (n+1)^2$ and $g(n) = n \log n$. Take

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{f(n)}{g(n)} &= \lim_{n \rightarrow \infty} \frac{(n+1)^2}{n \log n} \\ &= \lim_{n \rightarrow \infty} \frac{n^2 + 2n + 1}{n \log n} \\ &= +\infty \end{aligned}$$

So, by the limit comparison test, $(n+1)^2 = \Omega(n \log n)$. □

- (b) Does $3^{9 \log n + \log \log n} = \Omega(n^3)$?
True.

Proof. Note that:

$$\begin{aligned} f(n) &= 3^{9 \log n + \log \log n} = 3^{9 \log n} 3^{\log \log n} \\ &= 3^{(\log n^9)} 3^{\log \log n} \\ &= (n^9)^{\log(3)} 3^{\log \log n} \\ &= n^{9 \log(3)} 3^{\log \log n} \end{aligned}$$

Also note both that $\log_2(\log_2(n)) \geq 1 \forall n \geq 4$, and $9(\log_2(3)) \approx 14$ (it's actually slightly greater). Therefore, $f(n)$ can be bounded below by $3n^{14} \forall n \geq 4$. Therefore:

$$\lim_{n \rightarrow \infty} \frac{3^{9 \log n + \log \log n}}{n^3} \geq \lim_{n \rightarrow \infty} \frac{3n^{14}}{n^3} = +\infty$$

□

- (c) Does $n \log_5 n = \Theta(n \ln n)$?
True.

Proof. Note that:

$$n \log_5 5 = n \frac{\ln n}{\ln 5}$$

and that:

$$\lim_{n \rightarrow \infty} \frac{n \log_5 n}{n \ln n} = \lim_{n \rightarrow \infty} \frac{1}{\ln 5} = \frac{1}{\ln 5}$$

Because this limit is a constant, $n \log_5 n = \Theta(n \ln n)$ □

- (d) Does
- $(n-2)^2 = \Theta(n \log n)$
- ?

False.

Proof. Note that:

$$\lim_{n \rightarrow \infty} \frac{(n-2)^2}{n \log n} = \lim_{n \rightarrow \infty} \frac{n^2 - 4n + 4}{n \log n} = +\infty$$

$$\neq c, c < \infty$$

Therefore, $(n-2)^2 \neq \Theta(n \log n)$. □

- (e) Does
- $n^{\frac{61}{60}} = \mathcal{O}(n \log n)$
- ?

False.

Proof.

$$\lim_{n \rightarrow \infty} \frac{n^{\frac{61}{60}}}{n \log n} = +\infty$$

Therefore, $n^{\frac{61}{60}}$ is not $\mathcal{O}(n \log n)$ but it is $\Omega(n \log n)$. □

- (f) Let
- $f(n)$
- and
- $g(n)$
- be non-negative functions of
- n
- . If
- $f(n) = \mathcal{O}(g(n))$
- , does
- $f(n) + g(n) = \Theta(g(n))$
- ?
-
- True.

Proof. Because $f(n) = \mathcal{O}(g(n))$:

$$\lim_{n \rightarrow \infty} \frac{f(n)}{g(n)} = 0.$$

Therefore, we have:

$$\begin{aligned} \lim_{n \rightarrow \infty} \frac{f(n) + g(n)}{g(n)} &= \lim_{n \rightarrow \infty} \frac{f(n)}{g(n)} + \frac{g(n)}{g(n)} = 1 \\ &= \lim_{n \rightarrow \infty} 0 + \lim_{n \rightarrow \infty} \frac{g(n)}{g(n)} = 1 < \infty. \end{aligned}$$

Therefore, $f(n) + g(n) = \Theta(g(n))$. □

- (g) Let
- $f(n)$
- and
- $g(n)$
- be non-negative functions of
- n
- . If
- $f(n) = \Theta(g(n))$
- , does
- $\frac{f(n)}{g(n)} = \Theta(1)$
- ?
-
- True.

Proof. By the provided relation, we know:

$$\lim_{n \rightarrow \infty} \frac{f(n)}{g(n)} = c < \infty.$$

Therefore, it is trivial to show that:

$$\lim_{n \rightarrow \infty} \frac{\left(\frac{f(n)}{g(n)}\right)}{1} = \lim_{n \rightarrow \infty} \frac{f(n)}{g(n)} = c < \infty.$$

Therefore, $\frac{f(n)}{g(n)} = \Theta(1)$. □