Version control management and research collaboration using git and github An introduction

APSIS group

MCC Berlin

July 11th, 2019



What is git and GitHub and why to use them?

How can I use git and GitHub?

What is version control?


A software (component) to keep track of the history of revisions and/or different versions of files, e.g. documents or programs

Revision are associated with a person and timestamp

Dependencies between versions as a graph

Version control system: standalone software to record changes to files

Most used systems: git, Apache Subversion (SVN), CVS, other commercial systems



Source: wikipedia.org

What is git?

An open source version control system designed for distributed software development

Created in 2005 by Linus Torvalds for his work on the Linux kernel

Repository: directory managed with git, contains the entire version history in hidden .git folder



What is GitHub?

Hosting provider of public and private remote repositories

Remote repository: shared, central repository that collaborators can compare their local repositories to

Provides also functionality for documentation (wiki) and bug reporting and tracking

Alternative providers: GitLab, BitBucket, SourceForge, Launchpad, etc.



Why use version control in research?


Get some order in the mess of projects by routinely keeping track of changes in

- data
- software code/scripts
- manuscripts for papers


Share and publish code, data and documents

Make collaboration easier and attribution of work transparent


Example 1: https://github.com/mcc-apsis/git-intro



Example 2: https://github.com/mcc-apsis/plpr-scraper/



Example 2: https://github.com/mcc-apsis/plpr-scraper/




Example 2: https://github.com/mcc-apsis/plpr-scraper/

• (masi	ter or	igin	/master fix missing text passages	fmhansen	6 days ago
0	fix m	issing	j te	xt passages	fmhansen	6 days ago
ф і	pars	arser updates for agenda points and repeated utterances			yuantinglee	7 days ago
ф і	fix repeated utterances, speakers in correct order				yuantinglee	Jul 3, 16:53
ф і	remove frozen cell				yuantinglee	Jul 2, 16:14
 	update syntax				yuantinglee	Jul 2, 11:14
ф і	testing new parser format				yuantinglee	Jul 1, 17:20
ф і	testing removing repeating utterances				yuantinglee	Jun 28, 17:39
ф і	testing removing repeating utterances				yuantinglee	Jun 27, 16:54
ф і	minor syntax update				yuantinglee	Jun 27, 13:58
 	update regular expressions				yuantinglee	Jun 21, 16:09
minimalise imports yuantinglee Jun 21, 13					Jun 21, 12:13	
capture Dr. from speaker names yuantinglee Jun					Jun 11, 17:50	
 	rena	me ol	d s	craper	yuantinglee	Jun 11, 17:46
Merge branch 'master' of https://github.com/mcc-apsis/plpryuantinglee						Jun 11, 16:42
(up	dates	spe	eakers	yuantinglee	Jun 11, 16:41
واا	• м	erge b	rar	nch 'master' of https://github.com/mcc-apsis/plp	fmhansen	Jun 11, 16:37
make installable and testable fi				llable and testable	fmhansen	Jun 11, 16:37
•	update regex to capture some speakers				yuantinglee	Jun 6, 16:07
 	update gitignore				yuantinglee	Jun 4, 13:38
واا	ј Би	ıg fix			fmhansen	Mai 29, 13:42
K.	mad	ifacat	ior	s for period 13	Emhancen	Mai 29 17:37
fmhansen <finnmh@posteo.de> 05.07.2019 11:35:27+0200</finnmh@posteo.de>						
fix missing text passages						
cdd42a6c946ebfc5c3fa5ffec47192427						Fo.c.4710242720c2ddo
۷.		4UT		,	CUU4280C9408DFC5C3F85F	1ec4/19242/38C300e
25	52	265			save()	
			+	if	self.v > 1:	
١,			+		<pre>print("tag = name",</pre>	speaker)
25		268 269		elif uts.tag	g == "p" and uts.get	("klasse") in spe

What is git and GitHub and why to use them?

How can I use git and GitHub?


Git Workflow (simplest)



 Keep track of changes in a folder on your computer

Figure: Blischak et al. (2016)

Git Workflow (simplest)



- Keep track of changes in a folder on your computer
- Changes are stored as lines added and removed

Figure: Blischak et al. (2016)

Git Workflow (simplest)






Figure: Blischak et al. (2016)


- Keep track of changes in a folder on your computer
- Changes are stored as lines added and removed
- No need to save multiple versions of the same file; you have recorded all changes and can view or revert these at any time




 Attach your repository to a remote version



- Attach your repository to a remote version
- If working with collaborators, they also can make a copy (clone) on their machine



- Attach your repository to a remote version
- If working with collaborators, they also can make a copy (clone) on their machine
- By both using pull, you can keep up to date with each others' changes



- Attach your repository to a remote version
- If working with collaborators, they also can make a copy (clone) on their machine
- By both using pull, you can keep up to date with each others' changes
- For more complicated workflows, especially where maintaining a working version is critical, check out branching https: //guides.github.com/

Tools

Command Line

Easy to document/explain

```
A MINGOWAL/Clear/glan/Documents/precentions/glanto

macrinel SEUDICAN

procession of Seudican Seudican Seudican

part admin a "Documents/presentations/glt-intro (master)

1 file Annuage & Seudican Seudican

1 file Annuage & Seudican Seudican Seudican

1 file Annuage & Seudican Seudican Seudican

1 file Annuage & Seudican Seu
```

Steeper learning curve, but more flexible and harder to do things unintentionally

GUIs

Easy to use



Often there are integrations in development environments, e.g. RStudio, Atom

Starting a repository

To start working with a repository, either turn an existing folder into a git repository

git init

or copy an existing remote repository into a folder on your machine

git clone

Editing a respository

• Edit files (write some new code or a nice new paragraph)

Editing a respository

- Edit files (write some new code or a nice new paragraph)
- Stage changes (tell git about the changes you want record)
 - git add -A
 - Or add only certain files using patterns or exact file names

Editing a respository

- Edit files (write some new code or a nice new paragraph)
- Stage changes (tell git about the changes you want record)
 - git add -A
 - Or add only certain files using patterns or exact file names
- Commit changes (make a timestamped version of the repository, recording all the changes you have told git about)
 - git commit -m "made a cool new graph"
 - It's best if each commit describes a discrete change, and has an interpretable name.

Managing the repository

Where are we?

git status tells us which files have changed and are staged or unstaged:

```
galm@76-mcc MINGW64 ~/Documents/presentations/git-intro (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.
Changes to be committed:
   (use "git reset HEAD <file>..." to unstage)
        modified: slides/presentation.pdf
        modified: slides/presentation.tex
Changes not staged for commit:
   (use "git add <file>..." to update what will be committed)
   (use "git checkout -- <file>..." to discard changes in working directory)
        modified: slides/images/git-terminal.png
```

What's changed?

git diff lets us know the difference between the files we could stage, and the staged version of them

Managing the repository

Where are we?

git status tells us which files have changed and are staged or unstaged:

What's changed?

git diff lets us know the difference between the files we could stage, and the staged version of them

```
git diff slides/presentation.tex
diff --git a/slides/presentation.tex b/slides/presentation.tex
index 5d65679..3c1a020 100644
--- a/slides/presentation.tex
+++ b/slides/presentation.tex
30 -274,14 +274,18 00 or copy an existing repository into a folder
 \medskip
 code{git status} tells us which files have changed and are staged or unstaged:
 \textbf{What's changed}
 code{git diff} lets us know the difference between the files we could stage, and the
```

Managing the repository

Where are we?

git status tells us which files have changed and are staged or unstaged:

What's changed?

git diff lets us know the difference between the files we could stage, and the staged version of them

git diff can also tell us about the difference between variously
specified versions of files

Navigating different versions

git log shows us a list of all the commits that have been made.

```
galm@76-mcc MINGW64 ~/Documents/presentations/git-intro (master)

S git log
commit 2cbbef100ff738f182676f7bfe420691340a23be (HEAD -> master, origin/master, or
EAD)
Author: Max Callaghan <max.w.callaghan@gmail.com>
Date: Mon Jul 8 15:14:06 2019 +0200

finish preparation instructions

commit b37466bf9a88bd481887f09415375f1e95343f3a
Author: Max Callaghan <max.w.callaghan@gmail.com>
Date: Mon Jul 8 15:03:56 2019 +0200

preparation instructions in README.md

commit 569f525ab48e1fb922495b204ab1b91d07229b40
Author: Max Callaghan <max.w.callaghan@gmail.com>
Date: Mon Jul 8 13:50:34 2019 +0200

updated slides
```

git checkout takes you to another commit, or another branch
of the repository

git checkout master takes you back to the most recent
commit on the master branch

Interacting with remote repositories

If you started a repository on your computer, you can associate it with an *empty* GitHub repository. Follow the instructions on Github:

git remote add origin
https://github.com/mcallaghan/blablabala.git
git push -u origin master

Now your local repository exists online, where it's current status and entire history is reflected.

N.B. when dealing with the public domain, don't forget licenses (of your and other people's work).


Interacting with remote repositories

git pull downloads all of the changes (commits) that are published in the remote version, and incorporates them (as long as they do not clash with your changes) into your local copy Merging is normally done automatically, but you may need to choose between different versions if they have both changed the same lines of code


git push adds all of your committed changes to the remote version (as long as your version contains all of the changes in the remote - you need to pull first)

You can only **push** to repositories you have the correct permissions for, but you can make a **pull request** (a suggestion that your changes be merged into the master) for any repository. This allows changes to be reviewed and tested before incorporation.


You can also employ version control using a GUI such as Github Desktop, or within code editors e.g. Atom




The sidebar shows an equivalent of **git status** - you can see which files have been created or changed, and whether they have been added or staged for commit or not



You can also see the changes you've made to files, similar to **git diff**



There are also options for you to stage or discard your changes, or add it to a list of files where changes are ignored



You can then review your changes and commit them, then push to the remote from the interface

Further useful commands and tools

- .gitignore A list of files, or patterns for git to ignore
- Zenodo lets you get a citable DOI for your code/data
- GitHub Pages allows you to quickly turn your repository into a static website
- Blame lets you trace, line by line, who contributed which parts of the code, and when

Github also has nice tools for making wikis and tracking issues, among other things, and can act as cloud storage, and a convenient way to browse the history of your project.

N.B. Sometimes Git is confusing! If you are about to do something you don't quite understand, you can copy the whole folder into another location for safe keeping. It's hard to lose data you have committed, but it is possible to lose changes you haven't committed.

Questions?

Practice / task

- Make a new project folder, and initialise a git repository with git init
- Add a README.md file with some text in it.
- Stage and commit your changes with git add, and git commit
- Make a new empty repository on Github https://github.com/new
- Follow the instructions to add this remote to your local repository with git remote add origin [link] and push your changes git push -u origin master
- Find a partner, add each other as collaborators, edit each other's repositories, and push changes.

References

Blischak, J. D., Davenport, E. R., and Wilson, G. (2016). A Quick Introduction to Version Control with Git and GitHub. *PLOS Computational Biology*, 12(1):e1004668.

Git is abundantly documented https://git-scm.com/doc Most "How do I?" git queries can be answered via a google search