

MTI104 - IT Services

## **Session-01:** **Practices to Manage Changes**

PRU/SPMI/FR-BM-18/0222

**Alfa Yohannis**



# Importance of Change

---

- Operations maintain the status quo.
- Services or products need to evolve.
- Without changes, services/products become obsolete.
- Even simple products like confectionaries evolve.
- Example: Avatars of Haribo or chocolates change frequently.
- Exception: "Classic" Coke returned due to popular demand.
- IT products/services need constant improvement to survive.

# Managing Change in IT

---

- Introducing changes requires careful planning.
- Principles, processes, practices, and procedures are essential.
- Users accustomed to a certain way of doing things may resist change.
- Change must minimize disruption to services.
- ITIL provides a framework for managing changes safely.
- Desire to change is high; appetite for risk is low.
- This chapter covers practices to manage change.

# ITIL Practices Covered

---

- Two key practices discussed:
- Service request management
- Change control
- Understanding these practices is crucial for IT careers.
- Change control is as important as incident management.
- ITIL Foundation exam heavily focuses on these topics.
- Expect 7-8 questions from this chapter in the exam.

# Service Request Management

---

- Minor practice often confused with incident management.
- ITIL defines service request management.
- Purpose: Support agreed service quality.
- Handles predefined, user-initiated service requests.
- Ensures service requests are fulfilled based on agreed levels.
- Service requests must be well-defined.
- Understanding service requests is crucial.

# Examples of Service Requests

---

- Requesting a new checkbook from a bank.
- Installing open-source software on a laptop.
- Requesting access to a portal.
- Asking for information, e.g., directions to a location.
- Providing compliments, complaints, or feedback.
- Service request is not a complaint or incident.
- Service request management was known as request fulfillment in ITIL V3.

# Service Catalog and Incident Confusion

- Service requests must be predefined.
- Users can't request undefined services.
- All service requests are listed in the service catalog.
- Service catalog must be shared with users.
- Incidents and service requests were once treated the same.
- Incident: Loss of service; Service request: Getting something additional.
- Treating them the same increases service downtime.

# Fulfillment of Service Requests


---

- Service requests are predefined and straightforward.
- Standard operating procedures (SOPs) are used for fulfillment.
- Example service requests: Laptop request, software installation, experience letter.
- Each request follows a different flow and involves different teams.
- Portal used for initiating service requests.
- Automation can enhance the efficiency of request fulfillment.
- Service requests are a form of standard changes.



# Fulfilment of service requests

---



# Guidelines for Service Request Management

---

- Clear boundaries for service requests, incidents, and changes.
- All service requests must be clearly defined.
- Service catalog should be available to all users.
- Standardize service request flows where possible.
- Automate service requests that don't need human intervention.
- Service request management should be continuously improved.
- Engage with the Service Value Chain (SVC) for better service.

# Change Control Practice

---

- Change is constant and necessary in IT.
- Changes must be managed to avoid negative impacts.
- Mismanagement of changes can cause incidents.
- ITIL defines change as affecting service components.
- Components include servers, software, networks, etc.
- Managing changes requires careful consideration.
- Change control ensures changes are handled properly.

# Examples of Changes

---

- Implementation of fiber optic Internet service
- Transition of email services from Exchange to Gmail
- Decommissioning of mainframe computers
- Adding extra memory to servers
- Changing ownership of a core switch
- Adding an IP to a blacklist on firewall
- Modification of a batch job

# Examples of Changes (cont.)

---

- New version release of an iPhone app
- Upgrade of an enterprise application
- Changes in processes, governance, and IT staff
- Indirect effects on services
- Separate management of such changes

# ITIL Definition of Change Control Practice

---

- Maximize successful service and product changes
- Ensure risks are assessed
- Authorize changes to proceed
- Manage the change schedule
- Govern changes to products and services
- Mitigate risks and increase change success
- Necessary for organizational improvement

# Change Control Example: Canary Testing <sup>TA</sup>city

---

- Release new app version to limited users
- Detect issues before full release
- Mitigate risks through controlled testing
- Ensure stability before wide deployment

# Scope of Change Control

---

- ITIL does not specify scope boundaries
- Scope depends on service provider and customer
- Multiple elements managed by IT professionals
- Financial considerations impact scope
- Standard changes and service requests for peripheral objects



# Scope of Change Control (cont.)

---

- Holistic approach to defining changes
- Categorization based on design aspects
- New or modified services
- Management information systems
- Technology and management architecture
- Policies, processes, and templates
- Measurement systems and KPIs

# Types of Changes

---

- Different protocols for different changes
- ITIL categorizes changes into:
  - Normal changes
  - Emergency changes
  - Standard changes
- Custom types can be defined by organizations


# Normal Changes

---

- Planned in advance
- Lengthy due to planning and stakeholder visibility
- Well analyzed, tested, mitigated, and verified
- Prioritization based on risk
- Example: Application refresh to a newer version
- Registered as a change request in ITSM tools

# Change model

---



# Normal Changes (cont.)

---

- Different processes based on technology and policies
- Creation of change models for different types of changes
- Example: Software upgrade vs. hard disk replacement
- Change models define specific agreed-upon steps
- Improves delivery and governance of changes

# Emergency Changes

---

- Urgently fix ongoing issues or crises
- Swift action with minimal planning
- Generally associated with major incidents
- Example: Replacing hardware infrastructure
- Support for incident management practice
- Reflects agility of the organization

# Standard Changes

---

- Low risk and low impact
- Well understood and preapproved
- Examples: Minor patch upgrades, database reindexing
- Follow less stringent processes
- Increases productivity and value for customers

# Championing Standard Changes

---

- Low-hanging value creation for clients
- Examples: Standard change processes, monitoring, and auditing
- Converts most routine changes into standard changes
- Benefits include cost savings and increased agility



# Change Advisory

---

- Change authority advises change control practice
- Authorizes or rejects changes based on merit
- Decentralized change approvals for quick turnaround
- Local change authorities for different areas
- Primary change control body still central

# Change Schedule

---

- Refers to a change calendar
- Includes changes in the pipeline and approved changes
- Helps in planning and avoiding conflicts

# Multiple Choice Question

**Which of the following is the correct change definition?**

- A. Any change of state that is significant for a service or product or related configuration item
- B. The addition, modification, or removal of anything that could have a direct or indirect effect on services
- C. Any change of state for configuration items that correlates risks and issues to the service and service management processes
- D. Any change that has significance for the management of a service or other additions, removals, and modifications