```
1 class PktbsUser {
    //
     final String id;
     final DateTime created;
 5
     DateTime? updated;
6
     final String collectionId;
7
     final String collectionName;
8
     //
     String name;
9
10
     final String username;
     final String email;
11
12
     bool emailVisibility;
bool verified;
14 String? avatar;
15 }
```

```
1 class PktbsVendor {
    //
     final String id;
     final DateTime created;
 5
     DateTime? updated;
     final PktbsUser creator;
 6
 7 PktbsUser? updator;
8 final String collectionId;
     final String collectionName;
10
     //
     String name;
11
12
     String? email;
13
     String address;
14
     String phone;
     String description;
15
     double openingBalance;
16
17 }
```

```
1 class PktbsInventory {
     //
     final String id;
     final DateTime created;
 5
     DateTime? updated;
     final PktbsUser creator;
 6
 7 PktbsUser? updator;
     final String collectionId;
8
     final String collectionName;
9
10
     //
     String title;
11
     String? description;
12
13
     int quantity;
14
     String unit;
double amount;
double advance;
17 PktbsVendor from;
18 }
```

```
1 class PktbsEmployee {
    //
     final String id;
     final DateTime created;
5
     DateTime? updated;
     final PktbsUser creator;
6
7 PktbsUser? updator;
8 final String collectionId;
     final String collectionName;
9
10 //
     String name;
11
12
     String? email;
13
     String address;
14 String phone;
     String description;
15
double salary;
17 }
```

```
1 class PktbsOrder {
     final String id;
     DateTime created;
     DateTime? updated;
     PktbsUser creator;
      PktbsUser? updator;
      String collectionId;
     String collectionName;
     String customerName;
      String? customerEmail;
      String customerPhone;
     String? customerAddress;
     String? customerNote;
      String? measurement;
      String? plate;
      String? sleeve;
     String? colar;
     String? pocket;
      String? button;
      String? measurementNote;
      int quantity;
      PktbsEmployee tailorEmployee;
      double tailorCharge;
      String? tailorNote;
      PktbsInventory? inventory;
      int? inventoryQuantity;
      String? inventoryUnit;
      double? inventoryPrice;
      String? inventoryNote;
      bool isHomeDeliveryNeeded;
      PktbsEmployee? deliveryEmployee;
      String? deliveryAddress;
      double? deliveryCharge;
      String? deliveryNote;
      PaymentMethod paymentMethod; // enum PaymentMethod { cash, mfs, card, cheque, others }
      String? paymentNote;
      double advanceAmount;
     //
     DateTime deliveryTime;
     String? description;
     OrderStatus status; // enum OrderStatus { pending, processing, ready, shipping, completed, cancelled }
49 }
```

```
1 class PktbsTrx {
    //
     final String id;
     final DateTime created;
4
    DateTime? updated;
    final PktbsUser creator;
    PktbsUser? updator;
     final String collectionId;
9
     final String collectionName;
     //
    String glId;
    Map<String, dynamic> gl;
GLType type; // enum GLType {vendor, employee, inventory, unknown}
double amount;
    double due;
16 String? description;
17 }
```