



Migrate resources to NetApp storage system

SnapCenter Software

Nirupama Sriram, Archana, Soumik Das
June 14, 2021

This PDF was generated from https://docs.netapp.com/us-en/snapcenter/protect-scsql/task_migrate_resources_to_netapp_storage.html on June 18, 2021. Always check docs.netapp.com for the latest.

Table of Contents

Migrate resources to NetApp storage system 1

Migrate resources to NetApp storage system

After you have provisioned your NetApp storage system using SnapCenter Plug-in for Microsoft Windows, you can migrate your resources to the NetApp storage system or from one NetApp LUN to another NetApp LUN using either the SnapCenter graphical user interface (GUI) or using the PowerShell cmdlets.


What you will need

- You must have added storage systems to SnapCenter Server.
- You must have refreshed (discovered) the SQL Server resources.


Most of the fields on these wizard pages are self-explanatory. The following information describes some of the fields for which you might require guidance.

Steps

1. In the left navigation pane, click **Resources**, and then select the appropriate plug-in from the list.
2. In the **Resources** page, select **Database** or **Instance** from the **View** drop-down list.
3. Select either the database or the instance from the list and click **Migrate**.
4. In the **Resources** page, perform the following actions:

For this field...	Do this...
Database Name (optional)	If you have selected an instance for migration, you must select the databases of that instance from the Databases drop-down list.
Choose Destinations	Select the target location for data and log files. The data and log files are moved to Data and Log folder respectively under the selected NetApp drive. If any folder in the folder structure is not present, then a folder is created, and the resource is migrated.
Show database file details (optional)	Select this option when you want to migrate multiple files of a single database. <div> This option is not displayed when you select the Instance resource.</div>
Options	Select Delete copy of Migrated Database at Original Location to delete copy of database from the source. Optional: RUN UPDATE STATISTICS on tables before detaching the database .

5. In the **Verify** page, perform the following actions:

For this field...	Do this...
Database Consistency Check Options	Select Run before to check the integrity of the database before migration. Select Run after to check the integrity of the database after migration.
DBCC CHECKDB options	<div> <p>Select <code>*PHYSICAL_ONLY*</code> option to limit the integrity check to the physical structure of the database and to detect torn pages, checksum failures, and common hardware failures that impact the database.</p> </div> <p>Select NO_INFOMSGS option to suppress all of the informational messages.</p> <p>Select ALL_ERRORMSGs option to display all of the reported errors per object.</p> <p>Select NOINDEX option if you do not want to check nonclustered indexes. The SQL Server database uses Microsoft SQL Server Database Consistency Checker (DBCC) to check the logical and physical integrity of the objects in the database.</p> <div>  <p>You might want to select this option to decrease the execution time.</p> </div> <p>Select TABLOCK option to limit the checks and obtain locks instead of using an internal database Snapshot copy.</p>

6. Review the summary, and then click **Finish**.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.