


GROUP 1 - DEMO 2 SNA NETWORK GRAPH

A. Who would you choose to spend a free time outing with?

NN 29, NE 85, ND 10%, NC 12%, NT 58%, NR 68%



NN Nodes NE Edges ND Density NC Centralization NT Transitivity NR Reciprocity

Authors: Dr. Pierpaolo CALANNA, PhD, Dr. Gaetano BUONAIUTO (2021-2025), **License of use**: the layout of this report, the customization of charts, as well as the selection of quantitative indices, are subject to copyright.



GROUP 1 - DEMO 2 SNA RAW SCORES

A. Who would you choose to spend a free time outing with?

ID	CHOICES	IC	PR	ВТ	CL	HU	ND
A	D, V, Y	0.25	0.08	0.15	0.35	0.05	
В	P, U, b	0.07	0.01	0.02	0.10	0.02	
C	P	0.00	0.01	0.00	0.00	0.01	←
D	A, R, T	0.21	0.08	0.14	0.34	0.07	
E	A, D, T	0.07	0.01	0.02	0.17	0.08	
F	H, K, b	0.11	0.06	0.00	0.16	0.02	
G	D, P, b	0.04	0.01	0.07	0.07	0.04	
Н	F, K, b	0.14	0.06	0.00	0.18	0.02	
I	A, V, Y	0.14	0.04	0.02	0.23	0.06	
J	I, Q, c	0.07	0.02	0.03	0.17	0.03	
K	F, H, b	0.11	0.06	0.00	0.16	0.02	
L	A, E, V	0.11	0.02	0.04	0.21	0.05	
M	Q, S, Y	0.00	0.01	0.00	0.00	0.03	←
N	D, R, T	0.07	0.04	0.00	0.21	0.06	
O	S, W, a	0.11	0.04	0.00	0.13	0.01	
P	B, G, b	0.11	0.02	0.07	0.11	0.02	
Q	I, J, Y	0.14	0.03	0.05	0.22	0.04	
R	D, N, T	0.14	0.06	0.02	0.26	0.05	
S	O, W, a	0.14	0.04	0.00	0.15	0.01	
T	D, N, R	0.14	0.06	0.01	0.27	0.05	
U	B, H, b	0.04	0.01	0.00	0.06	0.02	
V	A, I, L	0.11	0.05	0.05	0.26	0.05	
W	O, S, a	0.11	0.04	0.00	0.13	0.01	
X	E, L, a	0.00	0.01	0.00	0.00	0.02	←
Y	A, I, Q	0.18	0.05	0.08	0.27	0.05	
Z	L, Q, Y	0.00	0.01	0.00	0.00	0.03	←
a	O, S, W	0.14	0.04	0.00	0.15	0.01	
b	F, H, K	0.25	0.07	0.02	0.25	0.02	
c	A, J, R	0.04	0.01	0.01	0.14	0.06	

 $\textbf{IC} \text{ In-Degree } \textbf{PR} \text{ PageRank } \textbf{BT} \text{ Betweenness } \textbf{CL} \text{ Closenness } \textbf{HU} \text{ Hub } \textbf{ND} \text{ No In-Degree } (\leftarrow) \text{ No Out-Degree } (\rightarrow) \text{ No In or Out-Degree } (\rightleftarrows)$



GROUP 1 - DEMO 2 SNA RANK SCORES

A. Who would you choose to spend a free time outing with?

ID	CHOICES	IC	PR	ВТ	CL	HU	ND
A	D, V, Y	1	1	1	1	7	
В	P, U, b	6	21	10	19	20	
C	P	8	25	20	22	27	←
D	A, R, T	2	2	2	2	2	
E	A, D, T	6	20	12	13	1	
F	Н, К, b	5	6	20	14	17	
G	D, P, b	7	22	4	20	12	
Н	F, K, b	4	4	18	11	19	
I	A, V, Y	4	11	11	7	4	
J	I, Q, c	6	19	9	12	16	
K	F, H, b	5	5	20	14	17	
L	A, E, V	5	17	8	10	11	
M	Q, S, Y	8	25	20	22	15	←
N	D, R, T	6	15	20	9	3	
O	S, W, a	5	14	20	17	24	
P	B, G, b	5	18	5	18	21	
Q	I, J, Y	4	16	7	8	13	
R	D, N, T	4	8	14	5	8	
S	O, W, a	4	13	17	15	26	
T	D, N, R	4	7	15	4	9	
U	В, Н, b	7	24	19	21	18	
V	A, I, L	5	10	6	5	10	
W	O, S, a	5	14	20	17	24	
X	E, L, a	8	25	20	22	23	←
Y	A, I, Q	3	9	3	3	6	
Z	L, Q, Y	8	25	20	22	14	←
a	O, S, W	4	12	17	15	25	
b	F, H, K	1	3	13	6	22	
c	A, J, R	7	23	16	16	5	

IC In-Degree PR PageRank BT Betweenness CL Closenness HU Hub ND No In-Degree (\leftarrow) No Out-Degree (\rightarrow) No In or Out-Degree (\rightleftarrows) Very low Low High Very high



GROUP 1 - DEMO 2

SNA NODES ORDERED BY RANKS

A. Who would you choose to spend a free time outing with?

RANK	IC	RANK	PR	RANK	ВТ	RANK	CL	RANK	HU
1	A	1	A	1	A	1	A	1	E
1	b	2	D	2	D	2	D	2	D
2	D	3	b	3	Y	3	Y	3	N
3	Y	4	Н	4	G	4	T	4	I
4	Н	5	K	5	P	5	R	5	c
4	I	6	F	6	V	5	V	6	Y
4	Q	7	T	7	Q	6	b	7	A
4	R	8	R	8	L	7	I	8	R
4	S	9	Y	9	J	8	Q	9	T
4	T	10	V	10	В	9	N	10	V
4	a	11	I	11	I	10	L	11	L
5	F	12	a	12	E	11	Н	12	G
5	K	13	S	13	b	12	J	13	Q
5	L	14	О	14	R	13	E	14	Z
5	O	14	W	15	T	14	F	15	M
5	P	15	N	16	c	14	K	16	J
5	V	16	Q	17	S	15	S	17	F
5	W	17	L	17	a	15	a	17	K
6	В	18	P	18	Н	16	c	18	U
6	E	19	J	19	U	17	O	19	Н
6	J	20	E	20	C	17	W	20	В
6	N	21	В	20	F	18	P	21	P
7	G	22	G	20	K	19	В	22	b
7	U	23	c	20	M	20	G	23	X
7	c	24	U	20	N	21	U	24	O
8	C	25	C	20	O	22	C	24	W
8	M	25	M	20	W	22	M	25	a
8	X	25	X	20	X	22	X	26	S
8	Z	25	Z	20	Z	22	Z	27	C

 ${f IC}$ In-Degree ${f PR}$ PageRank ${f BT}$ Betweenness ${f CL}$ Closenness ${f HU}$ Hub




GROUP 1 - DEMO 2

SNA EDGES GROUPED BY TYPE

A. Who would you choose to spend a free time outing with?


Non reciprocal edges

 $X \to Y$ in network $A \cdot not Y \to X$ in network A



Reciprocal edges

 $X \to Y$ in network $A \cdot Y \to X$ in network A




Half symmetrical edges

 $X \rightarrow Y$ in network $A \cdot X \rightarrow Y$ in network B



Reversed half symmetrical edges

 $X \rightarrow Y$ in network $A \cdot Y \rightarrow X$ in network B



Full symmetrical edges

 $X \to Y,\, Y \to X$ in network $A \cdot X \to Y,\, Y \to X$ in network B





GROUP 1 - DEMO 2 SNA COMPONENTS

A. Who would you choose to spend a free time outing with?

Connected components

29 $A \cdot B \cdot C \cdot D \cdot E \cdot F \cdot G \cdot H \cdot I \cdot J \cdot K \cdot L \cdot M \cdot N \cdot O \cdot P \cdot Q \cdot R \cdot S \cdot T \cdot U \cdot V \cdot W \cdot X \cdot Y \cdot Z \cdot a \cdot b \cdot c$


 $\left(\begin{array}{c} \operatorname{I}\cdot\operatorname{Q}\cdot\operatorname{Y}\end{array}\right)\left(\begin{array}{c} \operatorname{H}\cdot\operatorname{U}\cdot\operatorname{b}\end{array}\right)\left(\begin{array}{c} \operatorname{B}\cdot\operatorname{U}\cdot\operatorname{b}\end{array}\right)\left(\begin{array}{c} \operatorname{D}\cdot\operatorname{E}\cdot\operatorname{T}\end{array}\right)\left(\begin{array}{c} \operatorname{A}\cdot\operatorname{E}\cdot\operatorname{L}\end{array}\right)$



GROUP 1 - DEMO 2 SNA NETWORK GRAPH

B. Who would you choose to organize a study group?

NN 29, NE 81, ND 10%, NC 31%, NT 32%, NR 25%



NN Nodes NE Edges ND Density NC Centralization NT Transitivity NR Reciprocity

Authors: Dr. Pierpaolo CALANNA, PhD, Dr. Gaetano BUONAIUTO (2021-2025), **License of use**: the layout of this report, the customization of charts, as well as the selection of quantitative indices, are subject to copyright.



GROUP 1 - DEMO 2 SNA RAW SCORES

B. Who would you choose to organize a study group?

ID	CHOICES	IC	PR	ВТ	CL	HU	ND
A	E, P, R	0.00	0.01	0.00	0.00	0.03	←
В	D, R	0.00	0.01	0.00	0.00	0.03	←
C	-	0.00	0.01	0.00	0.00	0.00	\rightleftarrows
D	R, S, W	0.11	0.03	0.01	0.32	0.04	
E	O, R, b	0.07	0.01	0.01	0.07	0.05	
F	Н, Q, b	0.25	0.10	0.04	0.44	0.05	
G	H, L, b	0.11	0.01	0.01	0.11	0.04	
Н	F, O, b	0.39	0.12	0.09	0.51	0.04	
I	O, Q, R	0.04	0.03	0.01	0.33	0.04	
J	O, S, W	0.04	0.01	0.01	0.04	0.02	
K	H, W, b	0.11	0.04	0.02	0.37	0.05	
L	F, G, H	0.07	0.01	0.00	0.11	0.04	
M	H, K, Q	0.00	0.01	0.00	0.00	0.04	←
N	D, R, T	0.00	0.01	0.00	0.00	0.03	←
O	S, W, a	0.21	0.07	0.10	0.49	0.01	
P	H, R, b	0.11	0.04	0.02	0.33	0.06	
Q	F, H, R	0.14	0.06	0.04	0.43	0.06	
R	S, T, W	0.43	0.09	0.10	0.51	0.01	
S	D, P, Q	0.18	0.07	0.08	0.43	0.01	
T	O, P, R	0.07	0.03	0.02	0.34	0.04	
U	b	0.00	0.01	0.00	0.00	0.02	←
V	F, G, R	0.00	0.01	0.00	0.00	0.04	←
W	I, R, b	0.21	0.08	0.08	0.47	0.04	
X	E, G, H	0.00	0.01	0.00	0.00	0.03	←
Y	F, H, Z	0.00	0.01	0.00	0.00	0.04	←
Z	F, H, L	0.04	0.01	0.00	0.04	0.04	
a	O, S, W	0.04	0.02	0.00	0.33	0.02	
b	F, H, K	0.29	0.12	0.07	0.53	0.04	
c	J, K, R	0.00	0.01	0.00	0.00	0.03	←

IC In-Degree PR PageRank BT Betweenness CL Closenness HU Hub ND No In-Degree (\leftarrow) No Out-Degree (\rightarrow) No In or Out-Degree (\rightleftarrows)



GROUP 1 - DEMO 2 SNA RANK SCORES

B. Who would you choose to organize a study group?

ID	CHOICES	IC	PR	ВТ	CL	HU	ND
A	E, P, R	11	19	19	16	19	
В	D, R	11	19	19	16	22	←
C	-	11	19	19	16	28	\rightleftharpoons
D	R, S, W	8	12	13	12	17	
E	O, R, b	9	17	12	14	3	
F	H, Q, b	4	3	8	5	5	
G	H, L, b	8	15	14	13	7	
Н	F, O, b	2	2	3	2	11	
I	O, Q, R	10	13	16	11	14	
J	O, S, W	10	18	15	15	23	
K	H, W, b	8	9	11	8	4	
L	F, G, H	9	16	17	13	6	
M	H, K, Q	11	19	19	16	16	←
N	D, R, T	11	19	19	16	21	←
O	S, W, a	5	6	2	3	27	
P	H, R, b	8	10	10	11	1	
Q	F, H, R	7	8	7	7	2	
R	S, T, W	1	4	1	2	25	
S	D, P, Q	6	7	4	6	26	
T	O, P, R	9	11	9	9	15	
U	b	11	19	19	16	24	←
V	F, G, R	11	19	19	16	9	←
W	I, R, b	5	5	5	4	12	
X	E, G, H	11	19	19	16	18	←
Y	F, H, Z	11	19	19	16	13	←
Z	F, H, L	10	18	18	15	10	
a	O, S, W	10	14	19	10	23	
b	F, H, K	3	1	6	1	8	
c	J, K, R	11	19	19	16	20	←

IC In-Degree PR PageRank BT Betweenness CL Closenness HU Hub ND No In-Degree (\leftarrow) No Out-Degree (\rightarrow) No In or Out-Degree (\rightleftarrows) Very low Low High Wery high



GROUP 1 - DEMO 2

SNA NODES ORDERED BY RANKS

B. Who would you choose to organize a study group?

RANK	IC	RANK	PR	RANK	BT	RANK	CL	RANK	HU
1	R	1	b	1	R	1	b	1	P
2	Н	2	Н	2	O	2	Н	2	Q
3	b	3	F	3	Н	2	R	3	E
4	F	4	R	4	S	3	O	4	K
5	O	5	W	5	W	4	W	5	F
5	W	6	O	6	b	5	F	6	L
6	S	7	S	7	Q	6	S	7	G
7	Q	8	Q	8	F	7	Q	8	b
8	D	9	K	9	T	8	K	9	V
8	G	10	P	10	P	9	T	10	Z
8	K	11	T	11	K	10	a	11	Н
8	P	12	D	12	E	11	I	12	W
9	E	13	I	13	D	11	P	13	Y
9	L	14	a	14	G	12	D	14	I
9	T	15	G	15	J	13	G	15	T
10	I	16	L	16	I	13	L	16	M
10	J	17	E	17	L	14	Е	17	D
10	Z	18	J	18	Z	15	J	18	X
10	a	18	Z	19	A	15	Z	19	A
11	A	19	A	19	В	16	A	20	c
11	В	19	В	19	C	16	В	21	N
11	C	19	C	19	M	16	C	22	В
11	M	19	M	19	N	16	M	23	J
11	N	19	N	19	U	16	N	23	a
11	U	19	U	19	V	16	U	24	U
11	V	19	V	19	X	16	V	25	R
11	X	19	X	19	Y	16	X	26	S
11	Y	19	Y	19	a	16	Y	27	O
11	c	19	c	19	c	16	c	28	C

 \mathbf{IC} In-Degree \mathbf{PR} PageRank \mathbf{BT} Betweenness \mathbf{CL} Closenness \mathbf{HU} Hub




GROUP 1 - DEMO 2

SNA EDGES GROUPED BY TYPE

B. Who would you choose to organize a study group?

Non reciprocal edges

 $X \to Y$ in network $B \, \cdot \, not \, Y \to X$ in network B



Reciprocal edges

 $X \rightarrow Y$ in network $B \cdot Y \rightarrow X$ in network B




Half symmetrical edges

 $X \rightarrow Y$ in network $B \cdot X \rightarrow Y$ in network A



Reversed half symmetrical edges

 $X \rightarrow Y$ in network $B \cdot Y \rightarrow X$ in network A



Full symmetrical edges

 $X \to Y,\, Y \to X$ in network $B \, \cdot \, X \to Y,\, Y \to X$ in network A





GROUP 1 - DEMO 2 SNA COMPONENTS

B. Who would you choose to organize a study group?

Connected components

28 $A \cdot B \cdot D \cdot E \cdot F \cdot G \cdot H \cdot I \cdot J \cdot K \cdot L \cdot M \cdot N \cdot O \cdot P \cdot Q \cdot R \cdot S \cdot T \cdot U \cdot V \cdot W \cdot X \cdot Y \cdot Z \cdot a \cdot b \cdot c$

 $\boxed{ \textbf{14} \quad \textbf{D} \cdot \textbf{F} \cdot \textbf{H} \cdot \textbf{I} \cdot \textbf{K} \cdot \textbf{O} \cdot \textbf{P} \cdot \textbf{Q} \cdot \textbf{R} \cdot \textbf{S} \cdot \textbf{T} \cdot \textbf{W} \cdot \textbf{a} \cdot \textbf{b} } \qquad \boxed{ \textbf{4} \quad \textbf{F} \cdot \textbf{H} \cdot \textbf{Y} \cdot \textbf{Z} } \qquad \boxed{ \textbf{F} \cdot \textbf{H} \cdot \textbf{L} \cdot \textbf{Z} } \qquad \boxed{ \textbf{3} \quad \textbf{I} \cdot \textbf{Q} \cdot \textbf{R} } \qquad \boxed{ \textbf{H} \cdot \textbf{K} \cdot \textbf{M} } \qquad \boxed{ \textbf{D} \cdot \textbf{R} \cdot \textbf{W} }$

 $\begin{bmatrix} I \cdot R \cdot W \end{bmatrix} \begin{bmatrix} O \cdot S \cdot a \end{bmatrix} \begin{bmatrix} H \cdot K \cdot b \end{bmatrix} \begin{bmatrix} Q \cdot R \cdot S \end{bmatrix} \begin{bmatrix} D \cdot R \cdot S \end{bmatrix} \begin{bmatrix} I \cdot O \cdot W \end{bmatrix} \begin{bmatrix} F \cdot H \cdot Q \end{bmatrix} \begin{bmatrix} A \cdot P \cdot R \end{bmatrix} \begin{bmatrix} P \cdot R \cdot S \end{bmatrix} \begin{bmatrix} H \cdot M \cdot Q \end{bmatrix}$

 $G \cdot H \cdot b \setminus J \cdot O \cdot W \setminus J \cdot O \cdot S \setminus B \cdot D \cdot R \setminus A \cdot E \cdot R \setminus O \cdot W \cdot a \setminus H \cdot P \cdot b \setminus D \cdot N \cdot R \setminus P \cdot R \cdot T \setminus G \cdot H \cdot L$

 $\left[\begin{array}{c} G \cdot H \cdot X \end{array}\right] \left[\begin{array}{c} N \cdot R \cdot T \end{array}\right] \left[\begin{array}{c} K \cdot W \cdot b \end{array}\right] \left[\begin{array}{c} F \cdot H \cdot b \end{array}\right]$