



Discrete Structures: CMPSC 102

Oliver BONHAM-CARTER

Fall 2019
Week 2

What is Docker?

Docker

Docker Commands

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



- Using Docker to run Python in a virtual machine.

More about containers?

See: <https://www.docker.com/resources/what-container>

Docker

Docker Commands

Python

GetPython

Python3 Shell

Mathematical
Operators


Strings

If statements

For loops

Reading from
files

Containerized Applications



Virtual Machines

Docker

Docker

Docker Commands

Python

GetPython

Python3 Shell


Mathematical
Operators

Strings

If statements

For loops

Reading from
files



Commands

Docker

Docker Commands

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

How did you install Docker?

- Find the ToolBox Docker Quickstart Terminal to run
- Or, find the Docker Application to run
- You will be using the terminal window that is opened for your own work

Toolbox Quickstart command, MacOS

- `bash --login '/Applications/Docker/Docker Quickstart Terminal.app/Contents/Resources/Scripts/start.sh'`

Check that Docker is working

- `docker run -t hello-world`

List Docker's containers

- `docker images ls`

Running Python3 with Docker

- `docker run -t python`

Sample output

```
obonhamcarter$ docker run -t python
Unable to find image 'python:latest' locally
latest: Pulling from library/python
4ae16bd47783: Already exists
bbab4ec87ac4: Already exists
2ealf7804402: Already exists
96465440c208: Already exists
6ac892e64b94: Already exists
5b3ec9e84adf: Already exists
317202007d7c: Already exists
ba1ee226143f: Already exists
e33fb8e92c2f: Already exists
Digest: sha256:5f980d2673056ca33580979bcfb70c82f70ceccf857b77b740da40701e5d473e
Status: Downloaded newer image for python:latest
Python 3.7.4 (default, Aug 14 2019, 12:09:51)
[GCC 8.3.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>>
```

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



- www.python.org
- Download python3 if you are using your own hardware

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



- Is an interpreted, object-oriented, high-level programming language with dynamic semantics.
- Excellent for Rapid Application Development thanks to Its high-level built in data structures, combined with dynamic typing and dynamic binding
- A scripting language for tool-making or automation
- Used for *quick and dirty* solutions, quick automation, or to connect existing components together from other languages.

About Python...

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



- Python's simple, easy to learn syntax emphasizes readability and therefore reduces the cost of program maintenance.
- Python supports modules and packages, which encourages program modularity and code reuse.
- The Python interpreter and the extensive standard library are open source and freely available in all major platforms

The 2018 Top Programming Languages

Docker

Python

About Python

GetPython

Python3 Shell


Mathematical
Operators

Strings

If statements

For loops

Reading from
files



<https://spectrum.ieee.org/at-work/innovation/the-2018-top-programming-languages>

The 2018 Top Programming Languages

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators


Strings

If statements

For loops

Reading from
files

Most Wanted Languages



Most wanted programming languages 2018

<https://www.daxx.com/article/python-developer-salary-usa>

US High-Paying Python Development Jobs

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators

Strings


If statements

For loops

Reading from
files

AVERAGE PYTHON DEVELOPER SALARIES 2018 BY STATE

DAXX



<https://www.daxx.com/article/python-developer-salary-usa>

Average Salaries in Programming

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Skill	Average salaries	Monthly jobs advertised
Python	US\$116,379	6,550
Ruby	US\$115,005	1,080
Java	US\$112,592	10,443
Perl	US\$111,928	1,398
C++	US\$108,123	3,567
JavaScript	US\$103,503	8,764
C#	US\$101,715	4,101
PHP	US\$94,690	1,664
ASP.NET	US\$95,551	1,289
C	US\$95,166	5,639

<https://www.daxx.com/article/python-developer-salary-usa>

Who Uses Python

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Users of Python Programming

- Industrial Light and Magic (George Lucas to create the FX for Star Wars).
- Google
 - Googles very first web-crawling spider was first written in Java 1.0 and was so difficult that they rewrote it into Python.
- Facebook
 - Responsible for multiple services in infrastructure management
- Netflix
 - Used to power data analyses tasks from the server side
- Dropbox
 - Built its API in Python
- And others; Instagram, Spotify, Quora, Reddit

Where can I learn more about the language?

Free online resources

Docker

Python

About Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

- Think Python First Edition, by Allen B. Downey
 - <http://greenteapress.com/wp/think-python/>
- A Collection of Tutorials
 - <https://wiki.python.org/moin/BeginnersGuide/Programmers>
- Interactive Python Tutorial
 - <https://www.learnpython.org/>
- Host, run, and code Python in the cloud!
 - <https://www.pythonanywhere.com/>

Install Your Own Python3

Docker

Python

GetPython

Python3 Shell


Mathematical
Operators

Strings

If statements

For loops

Reading from
files



- Some trouble to make Python3 work with Docker ToolBox
- Install and use Python3 however you want!
- Get Python3 from the Python Software Foundation
 - <https://www.python.org/downloads/>

Install Your Own Python3

Docker

Python

GetPython

Python3 Shell


Mathematical
Operators

Strings

If statements

For loops

Reading from
files



The screenshot shows the Python.org homepage. At the top is the Python logo and a search bar. Below the logo is a navigation bar with links: About, Downloads, Documentation, Community, Success Stories, and News. The main content area features a yellow button labeled "Download Python 3.7.4" under the heading "Download the latest source release". Below this button, there are links for "Windows, Linux/UNIX, Mac OS X, Other" and "Pre-releases, Docker images". A decorative illustration of a parachute with a crate hanging from it is on the right side of the page.

- Download and install the version of Python3 for your OS being sure to add the PATH to the environmental variables (check the path option!)
- Ask questions if you have trouble installing the program
- Check with the installation material to learn how to launch Python3 from your machine.

Running the Python3 Shell

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

- Type statements or expressions at prompt:
- `print(" Hello, world")`
- `x = 12**2`
- `print(x)`
- `print(x/2)`
- `# bla bla bla...`
 - (this is a comment: everything after the # is ignored)

Data types

Note: Use identifiers to help you remember the types!

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

- Integers, counting numbers
 - `num_int = 1`
- Floats, decimals
 - `num_float = 3.1415`
- Strings
 - `s_str = " Hello World"`

Combining variables in print statements

```
x_int = 1
print(" The integer variable is :", x_int)
```

```
num_float = 3.14
print(" The float variable is :", num_float)
```

```
s_str = ("Hello World'')
print(" The integer is equal to", s_str)
```

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Mathematical Operators

- $3 + 4$ # Addition
- $3 - 4$ # Subtraction
- $3 * 4$ # Multiplication
- $3/4$ # Division ($\frac{3}{4}$)
- $3\%4$ # Modulus; Returns the remainder from the division
- $3 ** 4$ # Powers; raise three to the power of four
 - $= 3 * 3 * 3 * 3$
 - $= 3^4$
 - $= \text{pow}(3,4)$

Calling positions in strings

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

```
# Remember each char of a string has own position
```

```
s_str = "ABC"  
s_str[0] = 'A'  
s_str[1] = 'B'  
s_str[2] = 'C'  
s_str[200] = ??
```

```
# Another way to iterate  
# through a string using its length
```

```
for i_int in range(len(s_str)):  
    print(s_str[i_int])
```

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Examples of working with strings

```
"hello" + " world" # concatenation
```

```
"hello" * 3 #repetition
```

```
"hello"[0] # indexing
```

```
"hello"[-1] # indexing from end
```

```
"hello"[1:4] # slicing out a subsequence
```

```
len("hello") # determine how many characters, size
```

```
"hello" < "jello" # comparison of ABC order
```

```
"e" in "hello" # True, "e" is found in the string
```

```
# General rule:
```

```
single quotes and double quotes are the same
```

```
'abc' == "abc"
```

Working with strings

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Characters at the front

```
line = "python programming is fun"  
line.startswith("python") # True  
line.startswith(" python") # False. Why is this?
```

Conditional Statements

Watch for the white space in the code!



<code>if condition :</code>		<code>if a > b:</code>
<code> statements</code>		<code> print("I'll take a")</code>
<code>else:</code>		<code>else:</code>
<code> statements</code>		<code> print("I'll take b")</code>

Conditional Statements

Watch for the white space in the code!

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files



```
if testScore > medianScore:
    print("Above average.")
else:
    if testScore == medianScore:
        print("Average.")
    else:
        print("Below average.")
```

Conditionals: If statements

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

An if statement is a programming conditional statement that, if proved true, performs a specific function or task. If the condition is false, then another procedure is performed instead.

```
num_int = 5 # Assignment of 5 to variable "num_int"
if num_int == 3: # condition to check
    print(" True") # condition is true
else: # condition is not true
    print(" False") # num_int, is NOT equal to 3
```

```
#make a compressed conditional statement,
# no "else" statement necessary
num_int = 4
if num_int == 4: print("True")
```

If statements

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

```
name_str = "Bill"
if name_str == "Bill":
    print("Hello Bill!")
else:
    print("You are not Bill.")
    # Place the name in a string to print
    print("Your name is :",name_str)
```

For statements

A for loop is a statement in programming that performs predefined tasks while or until a predetermined condition is met.

```
# counter program
for i_int in range(10):
    print("  Count is:" ,i_int)
    # Note: you could add some conditional
    # if-statement here to check the value of i_int.

# Iterate through the string's chars
s_str = "hello world"
for i_int in s_str:
    print(i_int)
    # Note: you could add an if-statement here
```

Find a Single Variable in a File

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Watch out! Python uses white spaces (spaces and tabs) to define its blocks of code.

Make a source code: `vim nameReader.py`

```
file = open("names.txt")
for line in file:
    print("  Reading this line: ",line)
    if line.startswith("James"):
        print("** Found the name: ",line)
```

Make a textfile: `vim names.txt`

```
Jane smyth
Betty Davis
John smith
Buffalo Bill
James Bond
```

Find Two Variables in File

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Make a source code: vim findEmail.py

```
file = open("emails.txt")
for line in file:
    name, email = line.split(",")
    if name == "James Bond":
        print("    ** Found email: ",email)
```

Make a textfile: vim emails.txt

```
Jane smyth,smythj$ac.edu
Betty Davis,davisb@ac.edu
John smith,smithj@mum.com
Buffalo Bill,buffalob@prairie.com
James Bond,bondj@magestySecrets.co.uk
```

Find the Summation of Numbers in a File

Docker

Python

GetPython

Python3 Shell

Mathematical
Operators

Strings

If statements

For loops

Reading from
files

Make a source code: vim numberChecker.py

```
file = open("numbers.txt")
sum_int = 0
# defined outside of loop to be used inside
# and outside of loop
for num in file:
    n_int = int(num) # convert string to integer
    print(" Reading this number: ",n_int)
    sum_int = sum_int + n_int
print(" ** The summation of the number is :", sum_int)
```

Make a textfile: vim numbers.txt

```
1
2
3
4
5
6
```