

# Avalanche Service Bavaria

## Sunday 11 January 2026

Updated 11 Jan 2026, 06:58:00



Valid from 10 Jan 2026, 17:00:00 until 11 Jan 2026, 17:00:00

Written by Avalanche Service Bavaria


translated with DeepL



**High avalanche danger in some areas, be defensive when travelling!**



## Danger Level 3 - Considerable



Wind slabs lie on weak layers and can be easily triggered.

The avalanche danger is considerable above 1500 metres and moderate below that. The main problem at all altitudes is wind slab avalanches. Slab avalanches can be triggered in blown-in areas, especially on steep slopes with aspects from north to east to south and in gullies and bowls with little additional load. Avalanche prone locations can also be found in forest transition areas as well as in forest aisles and clearings. Avalanches reach medium size.

In addition, the new fallen snow is released from the rocky steep terrain in the form of loose snow avalanches, especially when exposed to sunlight. Deeper weak layers can be disturbed by the additional load and the self-triggering of slab avalanches is then possible.

### Snowpack

The new fallen snow is first transported before it comes to rest softly on a snow cover, snowpack of varying thickness. The snow crystals lose their bond, especially when exposed to sunlight, and the soft new fallen snow becomes unstable. In the leeward areas of the eastern aspects and in gullies, bowls and gaps in the forest, there are thick drift snow packs. These lie on soft layers or surface hoar and are interspersed with weak layers that have formed during breaks in precipitation. At high altitudes, the snowpack base often consists of faceted crystals.

### Tendency

At the start of the week, warmer temperatures and rain bring the wet snow problem and naturally triggered avalanches to the fore.