

EDS 212 - Essential Math in Environmental Data Science

Day 1 Part 2: Exponential functions, logarithms, graphs,
average slope

The Natural Exponential

In previous examples, we evaluated exponentials with different bases that were variables (e.g. x^5) and rational numbers (e.g. 2^4).

Here, we'll learn about the *natural exponential*, e , which appears frequently in environmental science and modeling.

First: e is a number, not a variable: 2.71828182845904523536...

It is an irrational number, yes - meaning it can't be expressed by a simple ratio of integers - but a number nonetheless. With infinite decimal places.

It is always the same value.

Where does e come from?

- The value is from continuous compounding over infinite intervals:

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n$$


- The **e** is from Leonard **Euler**, Swiss mathematician who proved the value was irrational

Why is it so common?

- One reason: Exponential trends show up a LOT in environmental science (the proportional change is the same over each time span)
- Math reason: Turns out it's a very useful value for calculus

Seafood production: wild fish catch vs aquaculture, World


Aquaculture is the farming of aquatic organisms including fish, molluscs, crustaceans and aquatic plants. Capture fishery production is the volume of wild fish catches landed for all commercial, industrial, recreational and subsistence purposes.



Source: UN Food and Agriculture Organization (FAO)

[OurWorldInData.org/meat-and-seafood-production-consumption/](https://ourworldindata.org/meat-and-seafood-production-consumption/)CC BY

Gause, G. F. 1934. The Struggle for Existence. Baltimore: Williams and Wilkins.



The growth of population of *Paramecium caudatum*

Logistic growth

$$N_t = \frac{K}{1 + \left[\frac{K - N_0}{N_0} \right] e^{-rt}}$$

Where N_t is the population size at time t , K is the carrying capacity, N_0 is the initial population size, and r is a growth rate.

We should always think about *why an equations has the shape it has* - both conceptually and mathematically.

$$N_t = \frac{K}{1 + \left[\frac{K - N_0}{N_0} \right] e^{-rt}}$$

1. Why might we expect logistic growth for many populations?
2. What variables *besides* time would influence the actual population?
3. Why, mathematically, does the logistic growth expression take the shape it does? What happens as the population becomes very close to the carrying capacity?

Logarithms

Logarithms ask a question: $\log_a(b)$ asks "to what power do I have to raise a to get a value of b ?"

For example:

- $\log_2(8)$ asks "to what power do I have to raise 2, to get a value of 8?"
- $\log_x(x^{5.9})$ asks "to what power do I have to raise x to get a value of $x^{5.9}$?"
- $\log_{banana}(banana^{1382.95})$ asks "to what power do I have to raise *banana* to get a value of $banana^{1382.95}$?"

Some log rules

- $\log_x(AB) = \log_x(A) + \log_x(B)$
- $\log_x\left(\frac{A}{B}\right) = \log_x(A) - \log_x(B)$
- $\log_x(A^B) = B\log_x(A)$
- $x^{\log_x(A)} = A$
- $\log_x(1) = 0$
- $\log_x(x) = 1$

The *natural log* = "log base e " = $\log_e()$ = $\ln()$

So based on what we learned in the previous slide, what is:

- $\log_e(e^{10.4}) = ?$
- $\log_e(e^{2x+8.3}) = ?$
- $\log_e(e^{ax+2b^2-4.095}) = ?$

Critical thinking questions

1. Can the value within a $\ln()$ expression ever be 0, or negative? Why?
2. Can the solution to a natural log expression ever be negative? How?

Working with $\ln()$ and e in equations

We can think of these as inverses of each other:

- $e^{\ln(x)} = x$
- $\ln(e^x) = x$

...and use that as a tool for escaping variables from exponents & logs
(remembering we can do whatever we want to an equation, as long as we
do **the same exact thing to both sides**):

Examples:

- Find x given $\ln(x) = 5$

Exponentiate both sides: $e^{\ln(x)} = e^5$; simplify LHS to get: $x = e^5$

- Find y given $e^{3y} = 95$

Take natural log of both sides: $\ln(e^{3y}) = \ln(95)$; simplifies to: $3y = \ln(95)$, so $y = \frac{\ln(95)}{3}$

Graphs: visualizing & thinking about data

Graphs are a way for us to more easily process trends or patterns that may be more challenging to understand in a table or list.

When you look at graphs, the first things you should ask:

- What variables are plotted (e.g. x- & y-axis, including units)?
- What values are plotted (e.g. raw values, transformed, means, etc.)?
- What are the overall takeaways and am I understanding them responsibly?

Practice saying these things OUT LOUD as if presenting the graph to an audience

"This figure shows the [change/pattern/relationship] between [x-variable], shown on the x-axis in units of [units] and [y-variable], shown on the y-axis in units of [units]. Overall [overall statement of pattern / trend / findings]."

Possibly with additional context as useful for the audience to put those findings into perspective (e.g. "this reduction represents an 82% decline in rainbowfish stocks along the Narnia Coast since 1991").

Slope (average)

Sometimes, it can be useful to find the *average rate of change* of a function. Between any two points on a function (x_1, y_1) and (x_2, y_2) the slope is found by:

$$m = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$$

Get into the practice of saying the meaning out loud

- As if you're explaining it to someone unfamiliar with the data
- Including units
- Without overstating certainty

For example, "Between 1972 and 2020 the price of hobbit homes increased by an average of \$2,450 per year" **differs from** "Between 1972 and 2020 the price of hobbit homes increased by \$2,450 per year."

The *average* slope of a continuous function rarely tells the whole story

