daily_RFI_report_v2

October 17, 2018

```
In [1]: OUT_DAY = 'arr_day.npy' #the output files containing integrated power and I
        OUT_NIGHT = 'arr_night.npy'
        #DATA PATH = #
        SUNSET_TIMETABLE = #np.genfromtxt('/lustre/aoc/projects/hera/ajosaiti/SDR_h
        def file_flush():
                if DEBUG: print('flushing temporary and output files...')
                open(OUT_DAY, 'w').close()
                open(OUT_NIGHT, 'w').close()
                if DEBUG: print('done.')
        def delta_hours_minutes(td):
            return td.seconds//3600, (td.seconds//60)%60
        def recursive_key_search(dat, key): #https://stackoverflow.com/questions/98
        #sum_dbm_recursive_key_search(dat, key): #https://stackoverflow.com/questic
            if key in dat:
                yield dat[key]
            for k in dat:
                if isinstance(dat[k], list):
                    for i in dat[k]:
                        for j in recursive_key_search(i):
                            yield j
        def time_in_rids_fmt(datetime_time): # convert datetime.datetime.now() time
                str_iso = datetime_time.isoformat(' ')
                str\_time\_rids = str(str\_iso[0:4] + str\_iso[5:7] + str\_iso[8:10] +
                return str_time_rids
        def sum_array_of_dbm(arr):
                val\_sum = 10.*np.log10(np.sum(np.power(10,np.array(arr)/10.)))
                return val_sum
```

```
def day_night_initial_calculation(arr_day,arr_night):
    ## connect to librarian
    #cl = LibrarianClient(connection_name)
    ## search for unprocessed sessions
    #files = cl.search files(search)['results']
    #if not len(sessions):
    # return # Nothing to do.
    #plot_script = os.path.join(plots_dir, 'run_notebook.sh')
    ## check these sessid aren't in the processed_sessid.txt file
    #processed_fileid = np.loadtxt(os.path.join(plots_dir, 'processed_file
    # filter out sessions already processed
    unprocessed_files = []
    for file in os.listdir(os.environ('STAGING_DIR')):
        if file['name'] not in processed_fileid:
            unprocessed_files.append(sess)
    return unprocessed files
        \#cwd = os.getcwd()
        for filename in unprocessed_files#os.listdir(cwd):
                if DEBUG: print('considering filename: '+str(filename))
                if filename.endswith('.ridz') and (STR_DAY in filename): #
                        fname_uzip = str(filename.replace('.ridz','.rids'))
                        os.system(str('zipr.py ' +str(filename)))
                        dat = json.loads(open(str(fname_uzip)).read())
                        for dset in np.array(dat['feature_sets'].keys()):
                                t_spectra = datetime.datetime.strptime(str
                                int_pwr = sum_array_of_dbm(dat['feature_se
                                if DEBUG:
                                        print('int_pwr: '+str(int_pwr))
                                        print ('t_spectra: '+str(t_spectra))
                                        print('sunrise: '+str(sunrise)+', s
                                if bool( (t_spectra >=sunrise) and (t_spect
                                else: arr_night.append(np.array([t_spectra,
                        dat.clear()
                        os.system(str('zipr.py ' +str(fname_uzip))) # re-zi
        if DEBUG:
                print('arr_day: '+str(arr_day))
                print('arr_night: '+str(arr_night))
        return arr_day, arr_night
#For the day in question, figure out when sunset and sunrise were.
col_date,col_key = np.where(SUNSET_TIMETABLE == STR_DAY[4:]) #find mmdd, bu
```

```
sunrise = datetime.datetime.strptime( str(str(STR_DAY[:4])+str(STR_DAY[4:])
    sunset = datetime.datetime.strptime( str(str(STR_DAY[:4])+str(STR_DAY[4:])-
    delta_hour, delta_minute = delta_hours_minutes((sunset-sunrise))
    #Arrays containing data from each sweep measurement, sorted by whether the
    arr_day=[] # [datetime.datetime object], [float(integrated power)]
    arr_night=[]
    file_flush() # Make sure output files aren't reused with old data in them.
    arr_day, arr_night = day_night_initial_calculation(arr_day,arr_night)
    #Turn the array of arrays into a 2D array
    arr_day=np.array(arr_day)
    arr_night = np.array(arr_night)
    np.save(OUT_DAY,arr_day)
    np.save(OUT_NIGHT,arr_night)
    if DEBUG:
            print('arr_day: '+str(arr_day))
            print('arr_day[0,0]: '+str(arr_day[0,0]))
            print('arr_day[:,0]: '+str(arr_day[:,0]))
    arr_full_day = np.concatenate((np.array(arr_day), np.array(arr_night)),axis
    plt.figure(1, figsize=(20,10))
    plt.subplot(211)
    plt.plot(arr_day[:,0], arr_day[:,1],'bo')
    plt.plot(arr_night[:,0], arr_night[:,1],'go')
    plt.subplot(211).set_title(str('Daytime ('+str(delta_hour)+' Hours, '+str(delta_hour)+')
   plt.subplot(212)
    plt.plot(arr_full_day[:,0], arr_full_day[:,1],'ro')
    plt.subplot(212).set_title(str('Full 24 Hours, Average Integrated Power: '
   plt.show()
      File "<ipython-input-1-cf10ac3e1c16>", line 4
    SUNSET_TIMETABLE = #np.genfromtxt('/lustre/aoc/projects/hera/ajosaiti/SDR_I
SyntaxError: invalid syntax
```