

Daily Assessment format

Date: 03/07/2020

Name: Jyoti. S. Donur

Uen: 4AL17E1037

Course: IIS

Topic: photogrammetric products from satellite stereo images

GitHub repository: jyoti-courses

Report

photogrammetric products from satellite stereo images

→ DEM

- * Triangular irregular network (TIN)
- * Grid (regular spaced)
- * contours
- * Gray scale image
- * shaded relief image
- * perspective view
- * 3d view

→ Uses of DEM

- * Derivation of contour lines
- * orthophoto generation
- * production of visibility maps
- * profile determination
- * volume determination
- * generation of slope models

→ DEM precision

0.1m precision

→ Automatic DTM point collection

- * image matching techniques
 - Area based matching
 - feature based matching


• Relation based matching

→ Area based matching

This method determines the correspondence b/w two image areas according to the similarity of their gray level values.

The cross correlation & least mean square techniques are well-known methods for area based matching.

→ Automatic DIM point collection



→ feature based matching

It determines the correspondence b/w two image features.

most feature based techniques match extracted point features (this is called feature point matching) as opposed to other features, such as lines or complex objects.

→ Image pyramid

choice is yours! - which ever you choose!

everything is possible! . . .

I Am possible . . .

Impossible . . .

- Ortho-rectification
- Algorithms for digital ortho-rectification
 - polynomial rectification
 - projective transformation
 - Differential rectification

- Advantages of digital orthophotos
 - * the geometric accuracy is higher since a very close mesh at points is used to approximate the ground surface
 - * Image content can be modified quite simply by context manipulation of the densities & colors.

→ Do it